MATLAB® Builder™ NE Release Notes

How to Contact The MathWorks

www.mathworks.com	Web
comp.soft-sys.matlab	Newsgroup
www.mathworks.com/contact_TS.html	Technical Support

suggest@mathworks.com	Product enhancement suggestions
bugs@mathworks.com	Bug reports
doc@mathworks.com	Documentation error reports
service@mathworks.com	Order status, license renewals, passcodes
info@mathworks.com	Sales, pricing, and general information

508-647-7000 (Phone)

508-647-7001 (Fax)

The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

MATLAB® Builder™ NE Release Notes

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Contents

Summary by Version

This table provides quick access to what's new in each version. For clarification, see "Using Release Notes" on page 1.

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Latest Version V3.1 (R2009a)	Yes Details	No	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation
V3.0 (R2008b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.2.2 (R2008a)	Yes Details	No	Bug Reports Includes fixes	No
V2.2.1 (R2007b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.2 (R2007a)	Yes Details	No	Bug Reports Includes fixes	No
V2.1 (R2006b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.0 (R2006a)	Yes Details	No	No	No

Using Release Notes

Use release notes when upgrading to a newer version to learn about:

- New features

- Changes

- Potential impact on your existing files and practices

Review the release notes for other MathWorks™ products required for this product (for example, MATLAB® or Simulink®) for enhancements, bugs, and compatibility considerations that also might impact you.

If you are upgrading from a software version other than the most recent one, review the release notes for all interim versions, not just for the version you are installing. For example, when upgrading from V1.0 to V1.2, review the release notes for V1.1 and V1.2.

What's in the Release Notes

New Features and Changes

- New functionality
- Changes to existing functionality

Version Compatibility Considerations

When a new feature or change introduces a reported incompatibility between versions, the **Compatibility Considerations** subsection explains the impact.

Compatibility issues reported after the product is released appear under Bug Reports at the MathWorks Web site. Bug fixes can sometimes result in incompatibilities, so you should also review the fixed bugs in Bug Reports for any compatibility impact.

Fixed Bugs and Known Problems

The MathWorks offers a user-searchable Bug Reports database so you can view Bug Reports. The development team updates this database at release time and as more information becomes available. This includes provisions for any known workarounds or file replacements. Information is available for bugs existing in or fixed in Release 14SP2 or later. Information is not available for all bugs in earlier releases.

Access Bug Reports using your MathWorks Account.

Version 3.1 (R2009a) MATLAB Builder NE Software

This table summarizes what's new in Version 3.1 (R2009a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation

New features and changes introduced in this version are:

- "Customized readme.txt Produced with Each Compilation" on page 3
- "Specify Run-Time Options to the MATLAB Compiler Runtime (MCR)" on page 3

Customized readme.txt Produced with Each Compilation

An enhanced version of the `readme.txt` file, which is generated with each successful compilation, is now customized to include specific instructions about MATLAB® Builder™ NE deployment requirements.

Specify Run-Time Options to the MATLAB Compiler Runtime (MCR)

You can now specify run-time options `-nojvm` and `-logfile` to the MATLAB Compiler Runtime (MCR). For more information about this feature, see "Dynamically Specifying Run-Time Options to the MCR" in the product user guide.

Version 3.0 (R2008b) MATLAB Builder NE Software

This table summarizes what's new in Version 3.0 (R2008b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes Summary	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- ".NET Components Now Available for Remoting to Distributed .NET Frameworks" on page 4

- "Web Deployment of MATLAB Figures Available" on page 5

- "CTF Archives Now Embedded in a Single Binary Executable for Convenient Deployment of .NET and COM Components" on page 5

- "Applications Created with Parallel Computing Toolbox Now Able to Be Compiled" on page 5

- "Support Dropped for .NET Framework Version 1.1 in R2008b" on page 5

- "Warning Results When Running Figure-Generating Applications or Printing with -nojvm Flag" on page 5

- "MWException Replaced by .NET Exception Class" on page 6

- "Same Name Class Objects Shared Between MCR Instances Do Not Work Correctly " on page 6

.NET Components Now Available for Remoting to Distributed .NET Frameworks

.NET components can now be created that are ready for interfacing with distributed .NET Frameworks. For more information, see "Sharing Components Across Distributed Applications Using .NET Remoting" in the MATLAB Builder NE User's Guide.

Web Deployment of MATLAB Figures Available

Manipulation of MATLAB figures over the Web is now available through implementation of the Web Figures feature. For more information, see "Deploying a MATLAB Figure Over the Web Using WebFigures" in the MATLAB Builder NE User's Guide.

CTF Archives Now Embedded in a Single Binary Executable for Convenient Deployment of .NET and COM Components

As of R2008b, CTF data is now automatically embedded directly in .NET and COM components by default for convenient deployment of applications. See "About Embedded CTF Archives" and "Overriding Default CTF Archive Embedding for Components Using the MCR Component Cache" in the MATLAB Builder NE User's Guide.

Applications Created with Parallel Computing Toolbox Now Able to Be Compiled

MATLAB applications that make use of the Parallel Computing Toolbox™ (PCT) are now able to be compiled. Resulting executables and components can scale to multicore and multiprocessing environments using MATLAB® Distributed Computing Server™. See "Improving Data Access Using the MCR User Data Interface and MATLAB Builder NE" in the MATLAB Builder NE User's Guide.

Support Dropped for .NET Framework Version 1.1 in R2008b

MATLAB Builder NE no longer supports Microsoft .NET Framework 1.1.

Warning Results When Running Figure-Generating Applications or Printing with -nojvm Flag

As of R2008b, running a figure-generating application or printing with the `-nojvm` option results in a warning message. In some cases, figure rendering may succeed, and in other cases it may not. Similarly, various MATLAB graphics functions dependent on Java, such as graphics passed with `-R`

-nojvm, will not result in displayable graphics. In a future release, the -nojvm option will no longer support figure-generating or printing and will be removed.

MWException Replaced by .NET Exception Class

In order to better support the .NET Remoting feature (see "Sharing Components Across Distributed Applications Using .NET Remoting") in this release, the MWException thrown by an error in the generated component or an in the encapsulated M-code is being replaced by the .NET Exception class. You should modify your code accordingly to test for a standard .NET Exception rather than MWException.

Same Name Class Objects Shared Between MCR Instances Do Not Work Correctly

If the same class name is used in two or more separate MCR instances within the same process, the object will not work correctly. This bug impacts all component based targets: C/C++ shared libraries, COM/.Net targets, and Java targets. This bug does not affect standalone executables. This is due to a bug in the MATLAB Object System and is being addressed.

Version 2.2.2 (R2008a) MATLAB Builder NE Software

This table summarizes what's new in Version 2.2.2 (R2008a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- "Improved Error Diagnostics Available" on page 7

- "Support Being Dropped for .NET Framework Version 1.1 in R2008b" on page 7

- "MATLAB Application Deployment Web Example Guide Available" on page 7

Improved Error Diagnostics Available

You can receive enhanced error reporting information by using mstack traces. See "Enhanced Error Diagnostics Using mstack Trace" in the MATLAB Builder NE User's Guide documentation for details.

Support Being Dropped for .NET Framework Version 1.1 in R2008b

MATLAB Builder NE will no longer support Microsoft® .NET Framework 1.1 in R2008b. Please plan accordingly.

MATLAB Application Deployment Web Example Guide Available

A new publication, the *MATLAB Application Deployment Web Example Guide*, is now available from the MATLAB® Compiler™, MATLAB Builder NE, and MATLAB Builder JA roadmap pages.

The guide provides full examples of common tasks performed by the MATLAB programmer, IT specialist, and others who play significant roles in deploying MATLAB applications to the Web.

Version 2.2.1 (R2007b) MATLAB Builder NE Software

This table summarizes what's new in Version 2.2.1 (R2007b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes Summary	Bug Reports Includes fixes	No

Functions Being Removed

The following functions were removed in R2007b:

Function Being Removed	What Happens When You Run the Function?	Use This Instead	Compatibility Considerations
buildmcr	Errors	MCRInstaller.exe (Windows), MCRInstaller.bin (UNIX), MCRInstaller.dmg (Mac)	See "Replacement of MCRInstaller.zip and BUILDMCR Functionality" in the MATLAB Compiler User's Guide documentation.

Function Being Removed	What Happens When You Run the Function?	Use This Instead	Compatibility Considerations
comtool	Undefined Function Error	deploytool	Migrate to deploytool.
dotnettool	Undefined Function Error	deploytool	Migrate to deploytool.
mxltool	Undefined Function Error	deploytool	Migrate to deploytool.
opennbl	Undefined Function Error	deploytool	Migrate to deploytool.
openmxl	Undefined Function Error	deploytool	Migrate to deploytool.
opencbl	Undefined Function Error	deploytool	Migrate to deploytool.

Version 2.2 (R2007a) MATLAB Builder NE Software

This table summarizes what's new in Version 2.2 (R2007a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- "Support Added for Win64" on page 11
- "Issues with the Microsoft Windows Vista Operating System" on page 11
- "Unsupported MATLAB Data Types" on page 13

Support Added for Win64

Support has been added for the Windows® 64-bit operating system.

Issues with the Microsoft Windows Vista Operating System

The following are known issues with Windows Vista™ as of this release. To resolve these issues, ensure you are logged in as Administrator.

- With User Account Control (UAC) enabled, a standard user is not able to write to a directory in the c:\Program Files directory. See the *MATLAB Release Notes* for more details regarding this issue.

- With User Account Control (UAC) enabled, a standard user is not able to register DLLs. When mbuild -setup attempts to register mwcomutil.dll, the following errors are displayed:

```
Trying to update options file:
  C:\Users\qe\AppData\Roaming\MathWorks\MATLAB\R2007a\compopts.bat
From template:
  C:\PROGRA~1\MATLAB\R2007a\bin\win64\mbuildopts\msvc80compp.bat
```

```
Done . . .

--> "C:\PROGRA~1\MATLAB\R2007a\bin\win64\mwregsvr C:\PROGRA~1\MATLAB\R2007a\bin\
win64\mwcomutil.dll"

Error: DllRegisterServer in C:\PROGRA~1\MATLAB\R2007a\bin\win64\mwcomutil.dll
failed
Undefined subroutine &mexsetup::expire called at C:\PROGRA~1\MATLAB\R2007a\bin\/
mexsetup.pm line 839.
```

This is also the case when MATLAB Builder for Excel invokes `mbuild` in an attempt to register DLLs after a compilation completes.

- The following message is displayed when MATLAB Builder for .NET, attempts to install a DLL into the Global Assembly Cache from a network location:

```
Unhandled Exception: System.IO.FileLoadException: Could not load file or assembly
'GACInstaller, Version=1.0.2568.30711, Culture=neutral, PublicKeyToken=null' or
one of its dependencies. Failed to grant permission to execute. (Exception from
HRESULT: 0x80131418)
File name: 'GACInstaller, Version=1.0.2568.30711, Culture=neutral,
PublicKeyToken=null' ---> System.Security.Policy.PolicyException: Execution
permission cannot be acquired.
   at System.Security.SecurityManager.ResolvePolicy(Evidence evidence,
PermissionSet reqdPset, PermissionSet optPset, PermissionSet denyPset,
PermissionSet& denied, Boolean checkExecutionPermission)
   at System.Security.SecurityManager.ResolvePolicy(Evidence evidence,
PermissionSet reqdPset, PermissionSet optPset, PermissionSet denyPset,
PermissionSet& denied, Int32& securitySpecialFlags, Boolean
checkExecutionPermission)
```

- Printing from a compiled application is not currently available with Microsoft Windows Vista. The following message is displayed if you attempt to print on systems with the Microsoft Windows Vista 32-bit operating system installed:

```
PrintImage Error
StartPage failed with error 6: The handle is invalid.
```

Printing with Vista 64-bit installed results in an error message that lists a manifest as missing. Please check `http://www.mathworks.com/support/` for updates on these issues.

Unsupported MATLAB Data Types

The MATLAB Builder NE product does not support MATLAB object data types (for example, Time Series Objects) and most unsigned numeric types.

Version 2.1 (R2006b) MATLAB Builder NE Software

This table summarizes what's new in Version 2.1 (R2006b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes Summary	Bug Reports Includes fixes See also "Known Issues" on page 16.	No

New features and changes introduced in this version are:

- "New User Interface" on page 14

- "Support for Shared Assemblies" on page 15

- "Support for Nested Namespaces" on page 15

- "Support for .NET Framework Version" on page 15

- "Additional Support for Microsoft Visual Studio .NET Users" on page 16

- "Known Issues" on page 16

New User Interface

This release of MATLAB Builder for .NET provides a new graphical user interface for creating and building projects. Issue the `deploytool` command in MATLAB to use the new GUI.

Compatibility Considerations

Projects built with the previous user interface cannot be used with the new interface. For the current release, you can still issue the `dotnettool` command to access projects from a previous release. The next release of MATLAB Builder for .NET will no longer support `dotnettool`, or projects from the previous user interface.

Support for Shared Assemblies

When you create a .NET component using the `mcc` command or the Deployment Tool, you can tell builder to create a shared assembly. Click **More Settings** in the Deployment Tool dialog box, and select **.NET Component** in the navigation pane.

Support for Nested Namespaces

MATLAB Builder for .NET now supports nested namespaces, which you can use to create a hierarchical naming structure for types.

Support for .NET Framework Version

You can now specify which version of the .NET Framework you want to use when compiling a component using the `mcc` command of the Deployment Tool. You can specify any of the following three values.

Version Value	Meaning
`0.0`	Use the latest supported version of the framework that is available on the system.
`1.1`	Use Version 1.1
`2.0`	Use Version 2.0

Compatibility Considerations

In previous releases, you could specify a version number when creating a .NET component, but the value was not used. In this release, the version numbers specify which version of the .NET Framework to use. Note also that the interpretation of version number with MATLAB Builder for .NET is different from COM Builder. In COM Builder, the version number specifies the version of the component being created.

Additional Support for Microsoft Visual Studio .NET Users

MWArray.dll Added to Reference Tab

MATLAB Builder for .NET now adds the `MWArray.dll` containing the data conversion classes to the list of .NET components accessible from the **Add Reference** tab in Microsoft Visual Studio .NET.

Sample Applications on Visual Studio .NET 2005

The set of sample applications in `matlabroot\toolbox\dotnetbuilder\Examples` now includes applications for Visual Studio .NET 2005, as well as for Visual Studio .NET 2003.

Known Issues

The following issue is known and a patch to fix the problem is available at the linked bug report.

Data Returned by ToArray Referencing Sparse Format May Be Corrupt

The data returned by calling `ToArray` on a `MWNumericArray` or `MWLogicalArray` object that references a MATLAB array stored in sparse format may be incorrect or corrupted. More information and a patch that corrects this issue may be found at the Customer Bug Reports area of the MathWorks Web site: http://www.mathworks.com/support/bugreports/index.html?release=R2006b. At the Bug Reports page, select **R2006b** in the Release list, and select **MATLAB Builder for .NET** in the Product list.

This bug does not affect normal (non-sparse) arrays, nor does it affect other methods of retrieving data from a sparse array, such as `get`, `getDouble`, and `getData`.

Version 2.0 (R2006a) MATLAB Builder NE Software

This table summarizes what's new in Version 2.0 (R2006a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	No	No

MATLAB Builder for .NET extends MATLAB Compiler with tools for automatically generating independent .NET assemblies or Common Object Model (COM) objects from your MATLAB algorithms.

These tools allow you to do the following:

- Convert your MATLAB algorithms into .NET or COM components via a graphics user interface

- Create .NET assemblies that can be called from C#, VB.NET, or any other CLS-compliant technology

- Create COM objects that can be called from Visual Basic, ASP, Microsoft Excel, or any other COM-compliant technology

- Support conversion between native .NET and COM data types and the MATLAB array data types, using data conversion classes

- Enable unlimited free desktop and Web deployment of independent components

Compatibility Summary for MATLAB Builder NE Software

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

Version (Release)	New Features and Changes with Version Compatibility Impact
Latest Version V3.1 (R2009a)	None
V3.0 (R2008b)	See "Warning Results When Running Figure-Generating Applications or Printing with -nojvm Flag" on page 5.
V2.2.2 (R2008a)	None
V2.2.1 (R2007b)	See "Functions Being Removed" on page 9.
V2.2 (R2007a)	None
V2.1 (R2006b)	See the **Compatibility Considerations** subheading for each of these new features or changes: • "New User Interface" on page 14 • "Support for .NET Framework Version" on page 15
V2.0 (R2006a)	None