

Model-Based Calibration Toolbox™ Release Notes

How to Contact The MathWorks



www.mathworks.com Web
comp.soft-sys.matlab Newsgroup
www.mathworks.com/contact_TS.html Technical Support



suggest@mathworks.com Product enhancement suggestions
bugs@mathworks.com Bug reports
doc@mathworks.com Documentation error reports
service@mathworks.com Order status, license renewals, passcodes
info@mathworks.com Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Model-Based Calibration Toolbox™ Release Notes

© COPYRIGHT 2003–2009 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

The MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Summary by Version	1
Version 3.6 (R2009a) Model-Based Calibration Toolbox Software	4
Version 3.5 (R2008b) Model-Based Calibration Toolbox Software	6
Version 3.4.1 (R2008a+) Model-Based Calibration Toolbox Software	7
Version 3.4 (R2008a) Model-Based Calibration Toolbox Software	8
Version 3.3 (R2007b) Model-Based Calibration Toolbox Software	9
Version 3.2 (R2007a) Model-Based Calibration Toolbox Software	11
Version 3.1 (R2006b) Model-Based Calibration Toolbox Software	12
Version 3.0.1 (R2006a) Model-Based Calibration Toolbox Software	14
Version 3.0 (R14SP3+) Model-Based Calibration Toolbox Software	15
Version 2.1.1 (R14+) Model-Based Calibration Toolbox Software	18
Version 2.1 (R14) Model-Based Calibration Toolbox Software	19

Version 2.0 (R13+) Model-Based Calibration Toolbox
Software 22

Compatibility Summary for Model-Based Calibration
Toolbox Software 25

Summary by Version

This table provides quick access to what's new in each version. For clarification, see "Using Release Notes" on page 2.

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Latest Version V3.6 (R2009a)	Yes Details	No	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation
V3.5 (R2008b)	Yes Details	No	Bug Reports Includes fixes	No
V3.4.1 (R2008a+)	No	No	Bug Reports Includes fixes	No
V3.4 (R2008a)	Yes Details	No	Bug Reports Includes fixes	No
V3.3 (R2007b)	Yes Details	No	Bug Reports Includes fixes	No
V3.2 (R2007a)	Yes Details	No	Bug Reports Includes fixes	No
V3.1 (R2006b)	Yes Details	No	Bug Reports Includes fixes	No
V3.0.1 (R2006a)	No	No	Bug Reports at Web site	No
V3.0 (R14SP3+)	Yes Details	Yes Summary	Bug Reports at Web site	No
V2.1.1 (R14+)	No	No	Fixed bugs	No
V2.1 (R14)	Yes Details	No	Fixed bugs	No
V2.0 (R13+)	Yes Details	No	No bug fixes	V2.0 product documentation

Using Release Notes

Use release notes when upgrading to a newer version to learn about:

- New features
- Changes
- Potential impact on your existing files and practices

Review the release notes for other MathWorks™ products required for this product (for example, MATLAB® or Simulink®) for enhancements, bugs, and compatibility considerations that also might impact you.

If you are upgrading from a software version other than the most recent one, review the release notes for all interim versions, not just for the version you are installing. For example, when upgrading from V1.0 to V1.2, review the release notes for V1.1 and V1.2.

What's in the Release Notes

New Features and Changes

- New functionality
- Changes to existing functionality

Version Compatibility Considerations

When a new feature or change introduces a reported incompatibility between versions, the **Compatibility Considerations** subsection explains the impact.

Compatibility issues reported after the product is released appear under Bug Reports at the MathWorks Web site. Bug fixes can sometimes result in incompatibilities, so you should also review the fixed bugs in Bug Reports for any compatibility impact.

Fixed Bugs and Known Problems

The MathWorks offers a user-searchable Bug Reports database so you can view Bug Reports. The development team updates this database at release time and as more information becomes available. This includes provisions for any known workarounds or file replacements. Information is available for bugs existing in or fixed in Release 14SP2 or later. Information is not available for all bugs in earlier releases.

Access Bug Reports using your MathWorks Account.

Version 3.6 (R2009a) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.6 (R2009a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation

New features and changes introduced in this version are:

- Usability improvements including:
 - The new Table Filling Wizard makes it easier to fill a single table from a model. The wizard automates this process and eliminates a number of manual steps. See “Filling a Table From a Model” in the CAGE Browser documentation.
 - Utility to automatically create a sum optimization from the results of a point optimization. A common workflow is to use a point-by-point optimization to find good initial values for a sum optimization. This utility makes this workflow easier and faster by eliminating a number of manual steps. See “Create Sum Optimization from Point-by-Point Optimization Output” in the CAGE Browser documentation.
 - New navigation ability in RMSE explorer. You can double-click points to select the test in Model Browser views. This helps you investigate problem tests and avoids the need to enter the test number in the Model Browser. See “Using the RMSE Explorer with Local Models” in the Model Browser documentation.
 - CAGE and the Model Browser open projects at last displayed node. This memory of your last project view avoids the need to remember where you were working and the Browsers automatically navigate there.

- CAGE Surface Viewer snaps display automatically to point-by-point model operating points. When you are using point-by-point models, these are the points of interest you want to display. See “Displaying Point-by-Point Models in the Surface Viewer” in the CAGE Browser documentation.
- Process for augmenting space-filling designs. These instructions explain how to augment your space-filling design by keeping your existing points and adding points with the same sequence parameters. See “Augmenting Space-Filling Designs” in the Model Browser documentation.
- Support for ATI VISION 3.5. See “Importing and Exporting Calibrations” in the CAGE Browser documentation.

Version 3.5 (R2008b) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.5 (R2008b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- Improved Boundary Editor workflow. Menus, dialog boxes, and the toolbar are simplified to streamline creation of boundary models. See “Boundary Model Setup” in the Model-Based Calibration Toolbox™ Model Browser documentation.
- Enhancements to point-by-point modeling tools that are useful for diesel engine modeling. You can use a new template for creating point-by-point test plans with local models at each engine operating point. You can now create boundary models for point-by-point test plans in the Boundary Editor. Boundary model constraints are now displayed for local models in the Model Selection window to help you evaluate your point-by-point models. Exporting your point-by-point models now automates creation of items for optimized calibration in CAGE. See “How to Set Up a Point-by-Point Model”.

Version 3.4.1 (R2008a+) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.4.1 (R2008a+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports Includes fixes	No

Version 3.4 (R2008a) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.4 (R2008a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- Create space-filling, optimal, classical, or custom designs interactively using new command-line functionality. See the new Model-Based Calibration Toolbox Demos, and “Designs” in the Model-Based Calibration Toolbox Reference documentation.
- New Sobol and Halton sequence space-filling design types can provide highly uniform experimental designs. See “Halton Sequence” and “Sobol Sequence” in the Model-Based Calibration Toolbox Model Browser User’s Guide documentation.
- New optimization output contour and surface views that aid in the assessment and use of results for generating optimal lookup tables. See “Solution Slice: Results Surface and Results Contour Views” in the Model-Based Calibration Toolbox CAGE User’s Guide documentation.
- Improved generation of multiple starting conditions to help detect global optima with gradient-based optimization algorithms. See “Using the Optimization Parameters Dialog Box” in the Model-Based Calibration Toolbox CAGE User’s Guide documentation.
- Use parallel computing to speed up model building (requires Parallel Computing Toolbox™ licence). See “Parallel Model Building” in the Model-Based Calibration Toolbox Model Browser User’s Guide documentation.

Version 3.3 (R2007b) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.3 (R2007b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are:

- Command-line definition of inputs for test plans and models.
See `modelinput` in the Model-Based Calibration Toolbox Reference documentation, and for examples see “Command-Line Demos” in the Model-Based Calibration Toolbox Getting Started Guide documentation.
- Extended command-line functionality for creating, editing, and fitting local models.
See `LocalModel` Properties in the Model-Based Calibration Toolbox Reference documentation, and for examples, see “Command-Line Demos” in the Model-Based Calibration Toolbox Getting Guide documentation.
- Enhanced defaults and previews for space-filling designs, including performance increases, design property improvements, and improved handling of constrained design points. The new defaults are faster to compute and provide symmetrical designs with better space-filling properties. The default **Selection criteria** is now `Minimize RMS variation from CDF`, and **Enforce Symmetrical Points** is now selected by default.
The number of constrained design points are now displayed in the Design Browser preview, where you can iterate design generation until the desired number of constrained points is achieved. The preview design is now identical to the final design.

See “Setting Up a Space-Filling Design” in the Model-Based Calibration Toolbox Model Browser User’s Guide documentation.

- Enhanced optimization set up and analysis, including support for boundary constraint definition in the optimization wizard, ability to rename objectives and constraints, and improved display of table gradient constraints.

You can now use a right-click shortcut to convert an existing constraint to a boundary model constraint without opening the Constraint Editor. Table gradient constraint output is simplified in the Optimization Output Table and Constraint Summary table to aid analysis, and these constraints are faster to display.

See “Overview of Objectives and Constraints” in the Model-Based Calibration Toolbox CAGE User’s Guide documentation.

- New process suggestions for analyzing optimization results, with advice for detecting problems and improving results.

See “Analyzing Point-by-Point Optimization Output” in the Model-Based Calibration Toolbox CAGE User’s Guide documentation.

Version 3.2 (R2007a) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.2 (R2007a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	Printable Release Notes: PDF Current product documentation

New features and changes introduced in this version are:

- Extended command-line API to setup models for use as standalone objects or as part of MBC projects. See DIVCP Example.
- New tools to assist in the assessment and use of optimization results for producing optimal lookup tables. See “Using Acceptable Solutions”.
- Use distributed computing to speed up multiple run optimizations (requires Distributed Computing Toolbox™). See “Parallel Computing in Optimization”.
- Use Genetic Algorithms and Pattern Search to find globally optimal solutions (requires Genetic Algorithm and Direct Search Toolbox™). See Choose Optimization Algorithm.

Version 3.1 (R2006b) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.1 (R2006b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

New features and changes introduced in this version are organized by these topics:

- “Optimization Enhancements” on page 12
- “Modeling Enhancements” on page 13

Optimization Enhancements

- Gradient constraints for controlling table smoothness in optimization-based and feature-based table filling
- Contour plot view for optimization results
- Point-by-point variable bounds for finer control of optimization problems
- Ability to enable and disable optimization constraints for “what if” studies
- Support for starting optimizations from the results of a previous run
 - Solve related “what if” problems faster
 - Refine calibration results by tweaking algorithm settings
- Enhanced user interface for comparing the results of different calibration optimization problems

Modeling Enhancements

- Improved integration of validation metrics within the model selection process
- Enhanced local modeling at each operating point (a complementary approach to building a single, global model)
- Ability to alter variable ranges and refit models automatically

Version 3.0.1 (R2006a) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.0.1 (R2006a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports at Web site	No

Version 3.0 (R14SP3+) Model-Based Calibration Toolbox Software

This table summarizes what's new in V3.0 (R14SP3+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes—Details labeled as Compatibility Considerations , below. See also Summary.	Bug Reports at Web site	No

New features and changes introduced in this version are:

- “Command-Line Interface to the Model-Based Calibration Toolbox Software” on page 15
- “Improved CAGE Setup” on page 16
- “Optimization” on page 16
- “Calibration Tool Interface” on page 17
- “Boundary Modeling” on page 17
- “Feature Filling” on page 17
- “Surface Viewer Movie” on page 17

Command-Line Interface to the Model-Based Calibration Toolbox Software

The command-line interface to the Model-Based Calibration Toolbox software enables the modeling process to be automated using MATLAB commands. In this way, you can simplify the modeling process for technicians and engineers who might not have extensive background and training in this area. You can also access modeling functionality from test bed automation tools.

Improved CAGE Setup

The CAGE Import Tool allows easier reusability of CAGE sessions. You can use the CAGE Import Tool to import models, data sets, optimizations and features from any Model-Based Calibration Toolbox project file produced in CAGE or the Model Browser (.mat or .cag). This feature can greatly simplify the application of proven feature filling and optimization processes to new engine variants.

Optimization

Optimization in CAGE has had major updates:

- Significant speed improvements
- New optimization parameters that help avoid local minima by specifying multiple start points, and running only from feasible start points
- Automatic scaling of objective and constraint values improves numerical stability of algorithms
- Enhanced table filling from optimization results now allows more flexible filling methods: you can exclude infeasible solutions, choose whether to extrapolate, use selected solutions, and apply custom fill algorithms
- Enhanced API for user-defined optimization scripts
- Improved results visualization for drive-cycle optimizations and multiobjective optimizations
- Improved constraint display for non-model constraints (1-D and 2-D tables, ellipsoid, etc.)

Compatibility Considerations

Some existing user-defined optimization scripts may require a call to the function `setRunInterfaceVersion` to fix incompatibilities. You can also do this in the CAGE Browser GUI in the Optimization Parameters dialog.

If you want to use the new `foptcon` optimization parameters (multiple start points and run only from feasible start points) with existing optimizations, you must use the menu item **Optimization > Reset Parameters**.

Calibration Tool Interface

New links to standard industry tools allow import and export of calibrations directly from/to ATI Vision (via a live link or .mat files) and ETAS INCA (via .dcm files).

Boundary Modeling

You can model boundaries using convex hulls. You can create boundary models for subsets of inputs, which simplifies the boundary identification process for complex engines. Improved visualization tools in the Boundary Editor help you construct accurate constraints. Boundary constraints can now be imported into the Design Editor and exported to Simulink.

Feature Filling

The Feature Fill Wizard uses new algorithms to fill and optimize table values with reference to a model. You can fill multiple tables simultaneously using the wizard, extending the range of calibration problems that CAGE can solve. You can impose gradient and smoothing penalties, and fill tables on a region-by-region basis.

Surface Viewer Movie

The Surface Viewer now has a movie mode that is faster and easier to use, with an interactive progress bar.

Version 2.1.1 (R14+) Model-Based Calibration Toolbox Software

This table summarizes what's new in V2.1.1 (R14+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Fixed bugs	No

Version 2.1 (R14) Model-Based Calibration Toolbox Software

This table summarizes what's new in V2.1 (R14):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Fixed bugs	No

New features and changes introduced in this version are organized by these topics:

- “CAGE New Features” on page 19
- “Model Browser New Features” on page 20

CAGE New Features

There is new functionality in CAGE tradeoff views, model views, tables, data sets and features.

Tradeoff Enhancements

- There is improved zooming on graphs
- You can now remove tables
- There is much more information in the table display
- Enhanced multimodel import interface
- You can set inputs to table values

Optimization Enhancements

- New streamlined filling of calibration tables using optimization results
- You can now perform mixed point and sum optimizations

Tables Functionality

- Simplified table creation – you can select size, initial value and inputs all at once, and normalizers are automatically initialized across variables; so there is no longer any need to go to the Calibration Manager or initialize normalizers (except in features)
- You can convert tables directly to models
- New table arithmetic tool allows you to perform operations on whole tables or selected cells
- New extrapolation mask creation options in tables (from boundary models and Prediction Error)
- The Tables view is now one of the Data Objects and no longer a Process (this used to be called Manual Calibration)

Models Enhancements

- You can now import models from multiple files simultaneously
- Boundary models are enabled in the Surface Viewer and Models View
- You can use the new Model Properties dialog to view information such as the model type, definition, inputs, availability of Prediction Error Variance and constraints, creation date, user name, and toolbox version
- There is improved zooming on the model connections graph

Data Sets and Features Enhancements

- Data sets are significantly faster for larger datasets
- You can now copy feature strategies to the clipboard

Model Browser New Features

There is new functionality in the Data and Design Editors and modeling interfaces.

Data Editor Enhancements

- You can now select and remove outliers in the Data Editor plots
- You can apply test notes to help you identify and sort problem data for analysis in the Data Editor
- You can select noted tests to view them in other plots and tables
- There is a new improved interface for importing data from the Workspace

Design Editor Enhancements

- You can display the number of overlapping design points in the projection graphs
- You can round columns of the design

Modeling Enhancements

- Now you can export models directly to CAGE
- You can clip using boundary models in the Prediction Error Variance viewer
- It is now easier to build exported Simulink models in Real-Time Workshop – to build your exported models, you no longer need to copy all .c and .h files from mbc/mbcSimulink to the directory where you are building the Simulink models.

Version 2.0 (R13+) Model-Based Calibration Toolbox Software

This table summarizes what's new in V2.0 (R13+):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	No bug fixes	V2.0 product documentation

New features and changes introduced in this version are organized by these topics:

- “CAGE New Features” on page 22
- “Model Browser New Features” on page 23

CAGE New Features

- Optimization capability for base map calibration in CAGE. For example you could maximize fuel economy at a single point or over a drive cycle within emissions requirements, using Fuel and NoX models. You can perform multi-objective optimizations, such as minimizing fuel consumption while maximizing torque within emissions constraints. You can also incorporate your own algorithms in provided templates.
- Automatic fill of Tradeoff, using the optimization scripts.
- Significantly faster CAGE evaluation.
- Support for more blocks in CAGE strategy parsing – all standard Simulink lookup tables and the relational operator block.
- Considerable usability improvements in the new Surface Viewer in CAGE.
- Use of boundary models in CAGE (in the response surface viewer and optimization views).
- Improved multi-model tradeoff (one model for all sites, greatly reducing file size).

Model Browser New Features

- Boundary modelling for understanding complex operating envelopes using nonparametric surfaces.
- Stepwise improvements in terms of speed and large data set handling. Automatic stepwise is available for RBF models and prune as a stepwise option for all linear models.
- More efficient fitting and handling of large data sets (size ~ 1000 to 10000 points).
- New and improved Data Editor with increased functionality. There are new viewing options similar to the Design Editor so you can view your data in many ways simultaneously. You can now access the Data Editor to view and export your modeling data from all nodes in the model tree. For example, this allows you to extract the value of MBT from all your local models and export them to the workspace. The Data Editor retains a memory of view settings.
- User-defined and transient models available as one-stage models.
- New Tree Regression methods for fitting RBF's.
- Local Multi-Models for site specific models. You can fit a variety of different models to each test and choose criteria to automatically select the best fit for each.
- Ability to fit the same model to all tests using Local Average Fit. This allows you to fit global models to your data while also being able to view the fit to each test individually.
- Much improved data selection and matching to designs.
- New enhancements to design augmentation. You can easily use the data matching functions to add all your data to a design as fixed points, in order to augment the design and collect more data.
- Flexible summary statistics for models and you can use these criteria to automatically select best models, in addition to using them as diagnostic statistics when comparing models.
- Memory of settings for a test plan retained by response surface, cross-section view, and validation data.

- Ability to display boundary models in Model Browser response surface viewer and cross-section viewer.

Compatibility Summary for Model-Based Calibration Toolbox Software

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

Version (Release)	New Features and Changes with Version Compatibility Impact
Latest Version V3.6 (R2009a)	None
V3.5 (R2008b)	None
V3.4 (R2008a+)	None
V3.4 (R2008a)	None
V3.3 (R2007b)	None
V3.2 (R2007a)	None
V3.1 (R2006b)	None
V3.0.1 (R2006a)	None
V3.0 (R14SP3+)	See the Compatibility Considerations subheading for this new feature or change: “Optimization” on page 16
V2.1.1 (R14+)	None
V2.1 (R14)	None
V2.0 (R13+)	None