


# Simulink<sup>®</sup> Fixed Point<sup>™</sup> 6 Reference



**MATLAB<sup>®</sup>**  
& **SIMULINK<sup>®</sup>**

## How to Contact The MathWorks



[www.mathworks.com](http://www.mathworks.com) Web  
[comp.soft-sys.matlab](mailto:comp.soft-sys.matlab) Newsgroup  
[www.mathworks.com/contact\\_TS.html](http://www.mathworks.com/contact_TS.html) Technical Support



[suggest@mathworks.com](mailto:suggest@mathworks.com) Product enhancement suggestions  
[bugs@mathworks.com](mailto:bugs@mathworks.com) Bug reports  
[doc@mathworks.com](mailto:doc@mathworks.com) Documentation error reports  
[service@mathworks.com](mailto:service@mathworks.com) Order status, license renewals, passcodes  
[info@mathworks.com](mailto:info@mathworks.com) Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.  
3 Apple Hill Drive  
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

*Simulink® Fixed Point™ Reference*

© COPYRIGHT 2009 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

### Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

### Patents

The MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

### Revision History

March 2009      Online only      New for Version 6.1 (Release 2009a)

**1** | Function Reference

| Index



# Function Reference

---

# autofixexp

---

**Purpose** Automatically change scaling of fixed-point data types

**Syntax**

**Description** The autofixexp script automatically changes the scaling for model objects that specify fixed-point data types. However, if an object's **Lock output scaling against changes by the autoscaling tool** parameter is selected, the script refrains from scaling that object.

This script collects range data for model objects, either from design minimum and maximum values that objects specify explicitly, or from logged minimum and maximum values that occur during simulation. Based on these values, the tool changes the scaling of fixed-point data types in a model so as to maximize precision and cover the range.

You can specify design minimum and maximum values for model objects using parameters typically titled **Output minimum** and **Output maximum**. See “Blocks That Allow Signal Range Specification” in *Simulink® User's Guide* for a list of Simulink blocks that permit you to specify these values. In the autoscaling procedure that the autofixexp script executes, design minimum and maximum values take precedence over the simulation range.

If you intend to scale fixed-point data types using simulation minimum and maximum values, the script yields meaningful results when exercising the full range of values over which your design is meant to run. Therefore, the simulation you run prior to using autofixexp must simulate your design over its full intended operating range. It is especially important that you use simulation inputs with appropriate speed and amplitude profiles for dynamic systems. The response of a linear dynamic system is frequency dependent. For example, a bandpass filter will show almost no response to very slow and very fast sinusoid inputs, whereas the signal of a sinusoid input with a frequency in the passband will be passed or even significantly amplified. The response of nonlinear dynamic systems can have complicated dependence on both the signal speed and amplitude.

---

**Note** If you already know the simulation range you need to cover, you can use an alternate autoscaling technique described in the `fixptbestprec` reference page in the *Simulink Reference*.

---

To control the parameters associated with automatic scaling, such as safety margins, use the Fixed-Point Tool.

For more information, see “Overview of the Fixed-Point Tool”.

To learn how to use the Fixed-Point Tool, refer to “Tutorial: Feedback Controller”.

**See Also**

`fxptdlg`

# fixpt\_instrument\_purge

---

**Purpose** Remove corrupt fixed-point instrumentation from model

**Syntax** `fixpt_instrument_purge`  
`fixpt_instrument_purge(modelName, interactive)`

**Description** The `fixpt_instrument_purge` script finds and removes fixed-point instrumentation from a model left by the Fixed-Point Tool and the fixed-point autoscaling script. The Fixed-Point Tool and the fixed-point autoscaling script each add callbacks to a model. For example, the Fixed-Point Tool appends commands to model-level callbacks. These callbacks make the Fixed-Point Tool respond to simulation events. Similarly, the autoscaling script adds instrumentation to some parameter values that gathers information required by the script.

Normally, these types of instrumentation are automatically removed from a model. The Fixed-Point Tool removes its instrumentation when the model is closed. The autoscaling script removes its instrumentation shortly after it is added. However, there are cases where abnormal termination of a model leaves fixed-point instrumentation behind. The purpose of `fixpt_instrument_purge` is to find and remove fixed-point instrumentation left over from abnormal termination.

`fixpt_instrument_purge(modelName, interactive)` removes instrumentation from model `modelName`. `interactive` is true by default, which prompts you to make each change. When `interactive` is set to false, all found instrumentation is automatically removed from the model.

**See Also** `autofixexp`, `fxptdlg`



<b>Purpose</b>	Show overflows from most recent fixed-point simulation
<b>Note</b>	showfixptsimerrors will be removed in a future version. Use the Fixed-Point Tool instead.
<b>Syntax</b>	showfixptsimerrors
<b>Description</b>	The showfixptsimerrors script displays any overflows from the most recent fixed-point simulation. This information is also visible in the Fixed-Point Tool.
<b>See Also</b>	autofixexp, fxptdlg

# showfixptsimranges

---

**Purpose** Show logged maximum values, minimum values, and overflow data from fixed-point simulation

**Note** `showfixptsimranges` will be removed in a future version. Use the Fixed-Point Tool instead.

**Syntax**  
`showfixptsimranges`  
`showfixptsimranges(action)`

**Description** `showfixptsimranges` displays the logged maximum values, minimum values, and overflow data from the most recent fixed-point simulation in the MATLAB® Command Window.

`showfixptsimranges(action)` stores the logged maximum values, minimum values, and overflow data from the most recent fixed-point simulation in the workspace variable `FixPtSimRanges`. If `action` is `'verbose'`, the logged data also appears in the MATLAB Command Window. If `action` is `'quiet'`, no data appears.

**See Also** `autofixexp`, `fxptdlg`

## A

- autofixexp function 1-2
- automatic scaling
  - autofixexp 1-2
  - fixpt\_instrument\_purge 1-4
  - script 1-2
- autoscaling
  - autofixexp 1-2
  - fixpt\_instrument\_purge 1-4
  - script 1-2

## F

- fixpt\_instrument\_purge function 1-4

## functions

- autofixexp 1-2
- fixpt\_instrument\_purge 1-4
- showfixptsimerrors 1-5
- showfixptsimranges 1-6

## S

- showfixptsimerrors function 1-5
- showfixptsimranges function 1-6