


# Bioinformatics Toolbox™ 3

## Reference



MATLAB®

## How to Contact The MathWorks



[www.mathworks.com](http://www.mathworks.com)  
[comp.soft-sys.matlab](mailto:comp.soft-sys.matlab@mathworks.com)  
[www.mathworks.com/contact\\_TS.html](http://www.mathworks.com/contact_TS.html)

Web  
Newsgroup  
Technical Support



[suggest@mathworks.com](mailto:suggest@mathworks.com)  
[bugs@mathworks.com](mailto:bugs@mathworks.com)  
[doc@mathworks.com](mailto:doc@mathworks.com)  
[service@mathworks.com](mailto:service@mathworks.com)  
[info@mathworks.com](mailto:info@mathworks.com)

Product enhancement suggestions  
Bug reports  
Documentation error reports  
Order status, license renewals, passcodes  
Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.  
3 Apple Hill Drive  
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

### *Bioinformatics Toolbox™ Reference*

© COPYRIGHT 2003–2010 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

### **Trademarks**

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

### **Patents**

The MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

## Revision History

May 2005	Online only
September 2005	Online only
November 2005	Online only
March 2006	Online only
May 2006	Online only
September 2006	Online only
March 2007	Online only
April 2007	Online only
September 2007	Online only
March 2008	Online only
October 2008	Online only
March 2009	Online only
September 2009	Online only
March 2010	Online only

New for Version 2.1 (Release 14SP2+)
Revised for Version 2.1.1 (Release 14SP3)
Revised for Version 2.2 (Release 14SP3+)
Revised for Version 2.2.1 (Release 2006a)
Revised for Version 2.3 (Release 2006a+)
Revised for Version 2.4 (Release 2006b)
Revised for Version 2.5 (Release 2007a)
Revised for Version 2.6 (Release 2007a+)
Revised for Version 3.0 (Release 2007b)
Revised for Version 3.1 (Release 2008a)
Revised for Version 3.2 (Release 2008b)
Revised for Version 3.3 (Release 2009a)
Revised for Version 3.4 (Release 2009b)
Revised for Version 3.5 (Release 2010a)



<b>1</b>	<b>Function Reference</b>	
	<b>Constructor</b>	<b>1-4</b>
	<b>Data Formats and Databases</b>	<b>1-5</b>
	<b>Data Visualization</b>	<b>1-8</b>
	<b>Trace Tools</b>	<b>1-10</b>
	<b>Sequence Conversion</b>	<b>1-10</b>
	<b>Sequence Utilities</b>	<b>1-11</b>
	<b>Sequence Statistics</b>	<b>1-13</b>
	<b>Sequence Visualization</b>	<b>1-14</b>
	<b>Pairwise Sequence Alignment</b>	<b>1-15</b>
	<b>Multiple Sequence Alignment</b>	<b>1-15</b>
	<b>Scoring Matrices</b>	<b>1-16</b>
	<b>Phylogenetic Tree Tools</b>	<b>1-16</b>
	<b>Phylogenetic Tree Methods</b>	<b>1-17</b>
	<b>Graph Theory</b>	<b>1-18</b>
	<b>Graph Visualization Methods</b>	<b>1-19</b>

<b>Gene Ontology</b>	<b>1-20</b>
<b>Gene Ontology Methods</b>	<b>1-20</b>
<b>Protein Analysis</b>	<b>1-21</b>
<b>Profile Hidden Markov Models</b>	<b>1-22</b>
<b>Microarray File Formats</b>	<b>1-23</b>
<b>Microarray Utilities</b>	<b>1-24</b>
<b>Microarray Data Analysis and Visualization</b>	<b>1-24</b>
<b>Microarray Normalization and Filtering</b>	<b>1-26</b>
<b>BioIndexedFile Methods</b>	<b>1-27</b>
<b>BioRead Methods</b>	<b>1-28</b>
<b>BioMap Methods</b>	<b>1-29</b>
<b>HeatMap Methods</b>	<b>1-30</b>
<b>Clustergram Methods</b>	<b>1-30</b>
<b>ExpressionSet Methods</b>	<b>1-31</b>
<b>ExptData Methods</b>	<b>1-33</b>
<b>DataMatrix Methods</b>	<b>1-33</b>
<b>MetaData Methods</b>	<b>1-36</b>
<b>MIAME Methods</b>	<b>1-36</b>

Statistical Learning ..... 1-37

Mass Spectrometry ..... 1-37

Bioanalytics ..... 1-39

**2** | **Class Reference**

**3** | **Alphabetical List**

**Index**





# Function Reference

---

Constructor (p. 1-4)	Create objects
Data Formats and Databases (p. 1-5)	Read data into MATLAB® software from Web databases; read and write to files using specific sequence data formats
Data Visualization (p. 1-8)	Plot and visualize data
Trace Tools (p. 1-10)	Read data from SCF file and draw nucleotide trace plots
Sequence Conversion (p. 1-10)	Convert nucleotide and amino acid sequences between character and integer formats, reverse and complement order of nucleotide bases, and translate nucleotides codons to amino acids
Sequence Utilities (p. 1-11)	Calculate consensus sequence from set of multiply aligned sequences, run BLAST search from MATLAB environment, search sequences using regular expressions, and return information about sequence file
Sequence Statistics (p. 1-13)	Determine base counts, nucleotide density, codon bias, and CpG islands; search for words and identify open reading frames (ORFs)
Sequence Visualization (p. 1-14)	Visualize sequence data

Pairwise Sequence Alignment (p. 1-15)	Compare nucleotide or amino acid sequences using pairwise sequence alignment functions
Multiple Sequence Alignment (p. 1-15)	Compare sets of nucleotide or amino acid sequences; progressively align sequences using phylogenetic tree for guidance
Scoring Matrices (p. 1-16)	Standard scoring matrices such as PAM and BLOSUM families of matrices that alignment functions use
Phylogenetic Tree Tools (p. 1-16)	Read phylogenetic tree files, calculate pairwise distances between sequences, and build a phylogenetic tree
Phylogenetic Tree Methods (p. 1-17)	Select, modify, and plot phylogenetic trees using phytree object methods
Graph Theory (p. 1-18)	Apply basic graph theory algorithms to sparse matrices
Graph Visualization Methods (p. 1-19)	View relationships between data visually with interactive maps, hierarchy plots, and pathways using biograph object methods
Gene Ontology (p. 1-20)	Read Gene Ontology formatted files
Gene Ontology Methods (p. 1-20)	Explore and analyze Gene Ontology data using geneont object methods
Protein Analysis (p. 1-21)	Determine protein characteristics and simulate enzyme cleavage reactions
Profile Hidden Markov Models (p. 1-22)	Get profile hidden Markov model data from the PFAM database or create your own profiles from set of sequences

---

Microarray File Formats (p. 1-23)	Read data from common microarray file formats including Affymetrix® GeneChip®, ImaGene® results, and SPOT files; read GenePix® GPR and GAL files
Microarray Utilities (p. 1-24)	Using Affymetrix and GeneChip data sets, get library information for probe, gene information from probe set, and probe set values from CEL and CDF information; show probe set information from NetAffx™ Web site and plot probe set values
Microarray Data Analysis and Visualization (p. 1-24)	Analyze and visualize microarray data with t-tests, spatial plots, box plots, loglog plots, and intensity-ratio plots
Microarray Normalization and Filtering (p. 1-26)	Normalize microarray data with lowess and mean normalization functions; filter raw data for cleanup before analysis
BioIndexedFile Methods (p. 1-27)	Access and read data from source file associated with BioIndexedFile object
BioRead Methods (p. 1-28)	Explore and analyze sequence quality data using BioRead object methods
BioMap Methods (p. 1-29)	Explore and analyze sequence alignment and mapping data using BioMap object methods
HeatMap Methods (p. 1-30)	Visualize and explore heat maps using HeatMap object methods
Clustergram Methods (p. 1-30)	Visualize and explore hierarchical clustering analysis data using clustergram object methods

ExpressionSet Methods (p. 1-31)	Explore and analyze microarray data using ExpressionSet object methods
ExptData Methods (p. 1-33)	Explore and analyze microarray data using ExptData object methods
DataMatrix Methods (p. 1-33)	Explore and analyze microarray data using DataMatrix object methods
MetaData Methods (p. 1-36)	Explore and analyze microarray data using MetaData object methods
MIAME Methods (p. 1-36)	Explore and analyze microarray data using MIAME object methods
Statistical Learning (p. 1-37)	Classify and identify features in data sets, set up cross-validation experiments, and compare different classification methods
Mass Spectrometry (p. 1-37)	Read data from common mass spectrometry file formats, preprocess raw mass spectrometry data from instruments, and analyze spectra to identify patterns and compounds
Bioanalytics (p. 1-39)	Read, process, and analyze data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, or chromatography

## Constructor

biograph	Create
clustergram	Compute hierarchical clustering, display dendrogram and heat map, and create
DataMatrix	Create

geneont	Create geneont object and term objects
HeatMap	Display heat map of matrix data and create
phytree	Create

## Data Formats and Databases

affyprobeseqread	Read data file containing probe sequence information for Affymetrix GeneChip array
affyread	Read microarray data from Affymetrix GeneChip file
affysnannotread	Read Affymetrix Mapping DNA array data from CSV-format annotation file
agferead	Read Agilent® Feature Extraction Software file
blastformat	Create local BLAST database
blastread	Read data from NCBI BLAST report file
blastreadlocal	Read data from local BLAST report
celintensityread	Read probe intensities from Affymetrix CEL files
cytobandread	Read cytogenetic banding information
emblread	Read data from EMBL file
fastainfo	Return information about FASTA file
fastaread	Read data from FASTA file

<code>fastawrite</code>	Write to file using FASTA format
<code>fastqinfo</code>	Return information about FASTQ file
<code>fastqread</code>	Read data from FASTQ file
<code>fastqwrite</code>	Write to file using FASTQ format
<code>galread</code>	Read microarray data from GenePix array list file
<code>genbankread</code>	Read data from GenBank® file
<code>genpeptread</code>	Read data from GenPept file
<code>geoseriesread</code>	Read Gene Expression Omnibus (GEO) Series (GSE) format data
<code>geosoftread</code>	Read Gene Expression Omnibus (GEO) SOFT format data
<code>getblast</code>	Retrieve BLAST report from NCBI Web site
<code>getembl</code>	Retrieve sequence information from EMBL database
<code>getgenbank</code>	Retrieve sequence information from GenBank database
<code>getgenpept</code>	Retrieve sequence information from GenPept database
<code>getgeodata</code>	Retrieve Gene Expression Omnibus (GEO) format data
<code>gethmmalignment</code>	Retrieve multiple sequence alignment associated with hidden Markov model (HMM) profile from PFAM database
<code>gethmmprof</code>	Retrieve hidden Markov model (HMM) profile from PFAM database
<code>gethmmtree</code>	Retrieve phylogenetic tree data from PFAM database

getpdb	Retrieve protein structure data from Protein Data Bank (PDB) database
goannotread	Read annotations from Gene Ontology annotated file
gprread	Read microarray data from GenePix Results (GPR) file
ilmnbsread	Read gene expression data exported from Illumina® BeadStudio™ software
imageneread	Read microarray data from ImaGene Results file
jcampread	Read JCAMP-DX-formatted files
multialignread	Read multiple sequence alignment file
multialignwrite	Write multiple alignment to file
mzcdfinfo	Return information about netCDF file containing mass spectrometry data
mzcdfread	Read mass spectrometry data from netCDF file
mzxmlinfo	Return information about mzXML file
mzxmlread	Read data from mzXML file
pdbread	Read data from Protein Data Bank (PDB) file
pdbwrite	Write to file using Protein Data Bank (PDB) format
pfamhmmread	Read data from PFAM HMM-formatted file
phytreeread	Read phylogenetic tree file
phytreewrite	Write phylogenetic tree object to Newick-formatted file

saminfo	Return information about Sequence Alignment/Map (SAM) file
samread	Read data from Sequence Alignment/Map (SAM) file
scfread	Read trace data from SCF file
sffinfo	Return information about SFF file
sffread	Read data from SFF file
sptread	Read data from SPOT file
tgspcinfo	Return information about SPC file
tgspcread	Read data from SPC file

## Data Visualization

cghfreqplot	Display frequency of DNA copy number alterations across multiple samples
clustergram	Compute hierarchical clustering, display dendrogram and heat map, and create
featuresmap	Draw linear or circular map of features from GenBank structure
HeatMap	Display heat map of matrix data and create
maboxplot	Create box plot for microarray data
maimage	Spatial image for microarray data
mairplot	Create intensity versus ratio scatter plot of microarray data
maloglog	Create loglog plot of microarray data



mapcaplot	Create Principal Component Analysis (PCA) plot of microarray data
mavolcanoplot	Create significance versus gene expression ratio (fold change) scatter plot of microarray data
microplateplot	Display visualization of microtiter plate
molviewer	Display and manipulate 3-D molecule structure
msdotplot	Plot set of peak lists from LC/MS or GC/MS data set
msheatmap	Create pseudocolor image of set of mass spectra
msviewer	Explore mass spectrum or set of mass spectra
multialignviewer	Display and interactively adjust multiple sequence alignment
ntdensity	Plot density of nucleotides along sequence
pdbdistplot	Visualize intermolecular distances in Protein Data Bank (PDB) file
probesetplot	Plot Affymetrix probe set intensity values
proteinplot	Open Protein Plot window to investigate properties of amino acid sequence
proteinpropplot	Plot properties of amino acid sequence
ramachandran	Draw Ramachandran plot for Protein Data Bank (PDB) data
rnaplot	Draw secondary structure of RNA sequence

seqdotplot	Create dot plot of two sequences
seqtool	Open Sequence Tool window to interactively explore biological sequences
showalignment	Display color-coded sequence alignment
showhmmprof	Plot hidden Markov model (HMM) profile
traceplot	Draw nucleotide trace plots

## Trace Tools

scfread	Read trace data from SCF file
traceplot	Draw nucleotide trace plots

## Sequence Conversion

aa2int	Convert amino acid sequence from letter to integer representation
aa2nt	Convert amino acid sequence to nucleotide sequence
aminolookup	Find amino acid codes, integers, abbreviations, names, and codons
baselookup	Find nucleotide codes, integers, names, and complements
dna2rna	Convert DNA sequence to RNA sequence
int2aa	Convert amino acid sequence from integer to letter representation

int2nt	Convert nucleotide sequence from integer to letter representation
nt2aa	Convert nucleotide sequence to amino acid sequence
nt2int	Convert nucleotide sequence from letter to integer representation
rna2dna	Convert RNA sequence to DNA sequence
rnaconvert	Convert secondary structure of RNA sequence between bracket and matrix notations
seq2regexp	Convert sequence with ambiguous characters to regular expression
seqcomplement	Calculate complementary strand of nucleotide sequence
seqrcomplement	Calculate reverse complementary strand of nucleotide sequence
seqreverse	Calculate reverse strand of nucleotide sequence

## Sequence Utilities

aminolookup	Find amino acid codes, integers, abbreviations, names, and codons
baselookup	Find nucleotide codes, integers, names, and complements
blastlocal	Perform search on local BLAST database to create BLAST report
blastncbi	Create remote NCBI BLAST report request ID or link to NCBI BLAST report

cleave	Cleave amino acid sequence with enzyme
cleavelookup	Find cleavage rule for enzyme or compound
featuresparse	Parse features from GenBank, GenPept, or EMBL data
geneticcode	Return nucleotide codon to amino acid mapping for genetic code
joinseq	Join two sequences to produce shortest supersequence
oligoprop	Calculate sequence properties of DNA oligonucleotide
palindromes	Find palindromes in sequence
pdbdistplot	Visualize intermolecular distances in Protein Data Bank (PDB) file
proteinplot	Open Protein Plot window to investigate properties of amino acid sequence
proteinpropplot	Plot properties of amino acid sequence
ramachandran	Draw Ramachandran plot for Protein Data Bank (PDB) data
randseq	Generate random sequence from finite alphabet
rebasecuts	Find restriction enzymes that cut nucleotide sequence
restrict	Split nucleotide sequence at restriction site
revgeneticcode	Return reverse mapping (amino acid to nucleotide codon) for genetic code
rnafold	Predict minimum free-energy secondary structure of RNA sequence

seqconsensus	Calculate consensus sequence
seqdisp	Format long sequence output for easy viewing
seqinsertgaps	Insert gaps into nucleotide or amino acid sequence
seqlogo	Display sequence logo for nucleotide or amino acid sequences
seqmatch	Find matches for every string in library
seqprofile	Calculate sequence profile from set of multiply aligned sequences
seqshoworfs	Display open reading frames in sequence

## Sequence Statistics

aacount	Count amino acids in sequence
aminolookup	Find amino acid codes, integers, abbreviations, names, and codons
basecount	Count nucleotides in sequence
baselookup	Find nucleotide codes, integers, names, and complements
codonbias	Calculate codon frequency for each amino acid coded for in nucleotide sequence
codoncount	Count codons in nucleotide sequence
cpgisland	Locate CpG islands in DNA sequence
dimercount	Count dimers in nucleotide sequence
isoelectric	Estimate isoelectric point for amino acid sequence

<code>molweight</code>	Calculate molecular weight of amino acid sequence
<code>nmercount</code>	Count n-mers in nucleotide or amino acid sequence
<code>ntdensity</code>	Plot density of nucleotides along sequence
<code>seqshowwords</code>	Graphically display words in sequence
<code>seqwordcount</code>	Count number of occurrences of word in sequence

## Sequence Visualization

<code>featuresmap</code>	Draw linear or circular map of features from GenBank structure
<code>multialignviewer</code>	Display and interactively adjust multiple sequence alignment
<code>rnaplot</code>	Draw secondary structure of RNA sequence
<code>seqdotplot</code>	Create dot plot of two sequences
<code>seqtool</code>	Open Sequence Tool window to interactively explore biological sequences
<code>showalignment</code>	Display color-coded sequence alignment

## Pairwise Sequence Alignment

fastaread	Read data from FASTA file
localalign	Return local optimal and suboptimal alignments between two sequences
multialignviewer	Display and interactively adjust multiple sequence alignment
nwalign	Globally align two sequences using Needleman-Wunsch algorithm
seqdotplot	Create dot plot of two sequences
showalignment	Display color-coded sequence alignment
swalign	Locally align two sequences using Smith-Waterman algorithm

## Multiple Sequence Alignment

fastaread	Read data from FASTA file
multialign	Align multiple sequences using progressive method
multialignread	Read multiple sequence alignment file
multialignviewer	Display and interactively adjust multiple sequence alignment
multialignwrite	Write multiple alignment to file
profalign	Align two profiles using Needleman-Wunsch global alignment

seqpdist	Calculate pairwise distance between sequences
showalignment	Display color-coded sequence alignment

## Scoring Matrices

blosum	Return BLOSUM scoring matrix
dayhoff	Return Dayhoff scoring matrix
gonnet	Return Gonnet scoring matrix
nuc44	Return NUC44 scoring matrix for nucleotide sequences
pam	Return Point Accepted Mutation (PAM) scoring matrix

## Phylogenetic Tree Tools

dnds	Estimate synonymous and nonsynonymous substitution rates
dndsml	Estimate synonymous and nonsynonymous substitution rates using maximum likelihood method
gethmmtree	Retrieve phylogenetic tree data from PFAM database
phytreeread	Read phylogenetic tree file
phytreetool	View, edit, and explore phylogenetic tree data



phytreewrite	Write phylogenetic tree object to Newick-formatted file
seqinsertgaps	Insert gaps into nucleotide or amino acid sequence
seqlinkage	Construct phylogenetic tree from pairwise distances
seqneighjoin	Neighbor-joining method for phylogenetic tree reconstruction
seqpdist	Calculate pairwise distance between sequences

## Phylogenetic Tree Methods

Following are methods to use with a phytree object.

cluster (phytree)	Validate clusters in phylogenetic tree
get (phytree)	Retrieve information about phylogenetic tree object
getbyname (phytree)	Branches and leaves from phytree object
getcanonical (phytree)	Calculate canonical form of phylogenetic tree
getmatrix (phytree)	Convert phytree object into relationship matrix
getnewickstr (phytree)	Create Newick-formatted string
pdist (phytree)	Calculate pairwise patristic distances in phytree object
plot (phytree)	Draw phylogenetic tree
prune (phytree)	Remove branch nodes from phylogenetic tree

<code>reorder (phytree)</code>	Reorder leaves of phylogenetic tree
<code>reroot (phytree)</code>	Change root of phylogenetic tree
<code>select (phytree)</code>	Select tree branches and leaves in phytree object
<code>subtree (phytree)</code>	Extract phylogenetic subtree
<code>view (phytree)</code>	View phylogenetic tree
<code>weights (phytree)</code>	Calculate weights for phylogenetic tree

## Graph Theory

<code>graphallshortestpaths</code>	Find all shortest paths in graph
<code>graphconncomp</code>	Find strongly or weakly connected components in graph
<code>graphisdag</code>	Test for cycles in directed graph
<code>graphisomorphism</code>	Find isomorphism between two graphs
<code>graphisspantree</code>	Determine if tree is spanning tree
<code>graphmaxflow</code>	Calculate maximum flow in directed graph
<code>graphminspantree</code>	Find minimal spanning tree in graph
<code>graphpred2path</code>	Convert predecessor indices to paths
<code>graphshortestpath</code>	Solve shortest path problem in graph
<code>graphtopoorder</code>	Perform topological sort of directed acyclic graph
<code>graphtraverse</code>	Traverse graph by following adjacent nodes

## Graph Visualization Methods

Following are methods to use with a biograph object.

<code>allshortestpaths (biograph)</code>	Find all shortest paths in biograph object
<code>conncomp (biograph)</code>	Find strongly or weakly connected components in biograph object
<code>dolayout (biograph)</code>	Calculate node positions and edge trajectories
<code>get (biograph)</code>	Retrieve information about biograph object
<code>getancestors (biograph)</code>	Find ancestors in biograph object
<code>getdescendants (biograph)</code>	Find descendants in biograph object
<code>getedgesbynodeid (biograph)</code>	Get handles to edges in biograph object
<code>getmatrix (biograph)</code>	Get connection matrix from biograph object
<code>getnodesbyid (biograph)</code>	Get handles to nodes
<code>getrelatives (biograph)</code>	Find relatives in biograph object
<code>isdag (biograph)</code>	Test for cycles in biograph object
<code>isomorphism (biograph)</code>	Find isomorphism between two biograph objects
<code>isspantree (biograph)</code>	Determine if tree created from biograph object is spanning tree
<code>maxflow (biograph)</code>	Calculate maximum flow in biograph object
<code>minspantree (biograph)</code>	Find minimal spanning tree in biograph object
<code>set (biograph)</code>	Set property of biograph object
<code>shortestpath (biograph)</code>	Solve shortest path problem in biograph object

topoorder (biograph)	Perform topological sort of directed acyclic graph extracted from biograph object
traverse (biograph)	Traverse biograph object by following adjacent nodes
view (biograph)	Draw figure from biograph object

## Gene Ontology

goannotread	Read annotations from Gene Ontology annotated file
num2goid	Convert numbers to Gene Ontology IDs

## Gene Ontology Methods

Following are methods to use with a geneont object.

getancestors (geneont)	Find terms that are ancestors of specified Gene Ontology (GO) term
getdescendants (geneont)	Find terms that are descendants of specified Gene Ontology (GO) term
getmatrix (geneont)	Convert geneont object into relationship matrix
getrelatives (geneont)	Find terms that are relatives of specified Gene Ontology (GO) term

## Protein Analysis

aaccount	Count amino acids in sequence
aminolookup	Find amino acid codes, integers, abbreviations, names, and codons
atomiccomp	Calculate atomic composition of protein
cleave	Cleave amino acid sequence with enzyme
cleavelookup	Find cleavage rule for enzyme or compound
evalrasmolscript	Send RasMol script commands to Molecule Viewer window
isoelectric	Estimate isoelectric point for amino acid sequence
isotopicdist	Calculate high-resolution isotope mass distribution and density function
molviewer	Display and manipulate 3-D molecule structure
molweight	Calculate molecular weight of amino acid sequence
pdbdistplot	Visualize intermolecular distances in Protein Data Bank (PDB) file
pdbsuperpose	Superpose 3-D structures of two proteins
pdbtransform	Apply linear transformation to 3-D structure of molecule
proteinplot	Open Protein Plot window to investigate properties of amino acid sequence

<code>proteinpropplot</code>	Plot properties of amino acid sequence
<code>ramachandran</code>	Draw Ramachandran plot for Protein Data Bank (PDB) data

## Profile Hidden Markov Models

<code>gethmmalignment</code>	Retrieve multiple sequence alignment associated with hidden Markov model (HMM) profile from PFAM database
<code>gethmmprof</code>	Retrieve hidden Markov model (HMM) profile from PFAM database
<code>gethmmtree</code>	Retrieve phylogenetic tree data from PFAM database
<code>hmmprofalign</code>	Align query sequence to profile using hidden Markov model alignment
<code>hmmprofestimate</code>	Estimate profile hidden Markov model (HMM) parameters using pseudocounts
<code>hmmprofgenerate</code>	Generate random sequence drawn from profile hidden Markov model (HMM)
<code>hmmprofmerge</code>	Concatenate prealigned strings of several sequences to profile hidden Markov model (HMM)
<code>hmmprofstruct</code>	Create or edit hidden Markov model (HMM) profile structure
<code>pfamhmmread</code>	Read data from PFAM HMM-formatted file
<code>showhmmprof</code>	Plot hidden Markov model (HMM) profile

## Microarray File Formats

affyprobeseqread	Read data file containing probe sequence information for Affymetrix GeneChip array
affyread	Read microarray data from Affymetrix GeneChip file
affysnpannotread	Read Affymetrix Mapping DNA array data from CSV-format annotation file
agferead	Read Agilent Feature Extraction Software file
celintensityread	Read probe intensities from Affymetrix CEL files
galread	Read microarray data from GenePix array list file
geoseriesread	Read Gene Expression Omnibus (GEO) Series (GSE) format data
geosoftread	Read Gene Expression Omnibus (GEO) SOFT format data
getgeodata	Retrieve Gene Expression Omnibus (GEO) format data
gprread	Read microarray data from GenePix Results (GPR) file
ilmnbsread	Read gene expression data exported from Illumina BeadStudio software
imageneread	Read microarray data from ImaGene Results file
sptread	Read data from SPOT file

## Microarray Utilities

<code>affysnpintensitiesplit</code>	Split Affymetrix SNP probe intensity information for alleles A and B
<code>affysnpquartets</code>	Create table of SNP probe quartet results for Affymetrix probe set
<code>ilmnbslookup</code>	Look up Illumina BeadStudio target (probe) sequence and annotation information
<code>magetfield</code>	Extract data from microarray structure
<code>probelibraryinfo</code>	Create table of probe set library information
<code>probesetlink</code>	Display probe set information on NetAffx Web site
<code>probesetlookup</code>	Look up information for Affymetrix probe set
<code>probesetplot</code>	Plot Affymetrix probe set intensity values
<code>probesetvalues</code>	Create table of Affymetrix probe set intensity values

## Microarray Data Analysis and Visualization

<code>cghcbs</code>	Perform circular binary segmentation (CBS) on array-based comparative genomic hybridization (aCGH) data
<code>cghfreqplot</code>	Display frequency of DNA copy number alterations across multiple samples



chromosomeplot	Plot chromosome ideogram with G-banding pattern
clustergram	Compute hierarchical clustering, display dendrogram and heat map, and create
HeatMap	Display heat map of matrix data and create
maboxplot	Create box plot for microarray data
mafdr	Estimate false discovery rate (FDR) of differentially expressed genes from two experimental conditions or phenotypes
maimage	Spatial image for microarray data
mairplot	Create intensity versus ratio scatter plot of microarray data
maloglog	Create loglog plot of microarray data
mapcaplot	Create Principal Component Analysis (PCA) plot of microarray data
mattest	Perform two-sample t-test to evaluate differential expression of genes from two experimental conditions or phenotypes
mavolcanoplot	Create significance versus gene expression ratio (fold change) scatter plot of microarray data
microplateplot	Display visualization of microtiter plate
probesetplot	Plot Affymetrix probe set intensity values
redbluecmap	Create red and blue colormap
redgreencmap	Create red and green colormap

## Microarray Normalization and Filtering

<code>affygcma</code>	Perform GC Robust Multi-array Average (GCRMA) procedure on Affymetrix microarray probe-level data
<code>affyinvarsetnorm</code>	Perform rank invariant set normalization on probe intensities from multiple Affymetrix CEL or DAT files
<code>affyprobeaffinities</code>	Compute Affymetrix probe affinities from their sequences and MM probe intensities
<code>affyrma</code>	Perform Robust Multi-array Average (RMA) procedure on Affymetrix microarray probe-level data
<code>exprprofrange</code>	Calculate range of gene expression profiles
<code>exprprofvar</code>	Calculate variance of gene expression profiles
<code>gcma</code>	Perform GC Robust Multi-array Average (GCRMA) background adjustment, quantile normalization, and median-polish summarization on Affymetrix microarray probe-level data
<code>gcmabackadj</code>	Perform GC Robust Multi-array Average (GCRMA) background adjustment on Affymetrix microarray probe-level data using sequence information
<code>geneentropyfilter</code>	Remove genes with low entropy expression values
<code>genelowvalfilter</code>	Remove gene profiles with low absolute values

<code>generangefilter</code>	Remove gene profiles with small profile ranges
<code>genevarfilter</code>	Filter genes with small profile variance
<code>mainvarsetnorm</code>	Perform rank invariant set normalization on gene expression values from two experimental conditions or phenotypes
<code>malowess</code>	Smooth microarray data using Lowess method
<code>manorm</code>	Normalize microarray data
<code>quantilenorm</code>	Quantile normalization over multiple arrays
<code>rmabackadj</code>	Perform background adjustment on Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure
<code>rmasummary</code>	Calculate gene expression values from Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure
<code>zonebackadj</code>	Perform background adjustment on Affymetrix microarray probe-level data using zone-based method

## BioIndexedFile Methods

Following are methods to use with a `BioIndexedFile` object.

<code>getEntryByIndex (BioIndexedFile)</code>	Retrieve entries from source file associated with <code>BioIndexedFile</code> object using numeric index
<code>getEntryByKey (BioIndexedFile)</code>	Retrieve entries from source file associated with <code>BioIndexedFile</code> object using alphanumeric key
<code>getIndexByKey (BioIndexedFile)</code>	Retrieve indices from source file associated with <code>BioIndexedFile</code> object using alphanumeric key
<code>getKeys (BioIndexedFile)</code>	Retrieve alphanumeric keys from source file associated with <code>BioIndexedFile</code> object
<code>read (BioIndexedFile)</code>	Read one or more entries from source file associated with <code>BioIndexedFile</code> object

## BioRead Methods

Following are methods to use with a `BioRead` object.

<code>combine (BioRead)</code>	Combine two objects
<code>get (BioRead)</code>	Retrieve property of object
<code>getHeader (BioRead)</code>	Retrieve sequence headers from object
<code>getName (BioRead)</code>	Retrieve name of object
<code>getNSeqs (BioRead)</code>	Retrieve number of sequences in object
<code>getQuality (BioRead)</code>	Retrieve sequence quality scores from object
<code>getSequence (BioRead)</code>	Retrieve sequences from object

<code>getSubsequence (BioRead)</code>	Retrieve partial sequences from object
<code>getSubset (BioRead)</code>	Retrieve elements from object
<code>set (BioRead)</code>	Set property of object
<code>setHeader (BioRead)</code>	Set sequence headers for object
<code>setName (BioRead)</code>	Set name of object
<code>setQuality (BioRead)</code>	Set sequence quality scores for object
<code>setSequence (BioRead)</code>	Set sequences for object
<code>setSubsequence (BioRead)</code>	Set partial sequences for object
<code>setSubset (BioRead)</code>	Set elements for object

## BioMap Methods

Following are methods to use with a **BioMap** object.

<code>filterByFlag (BioMap)</code>	Filter sequence reads by SAM flag
<code>getAlignment (BioMap)</code>	Construct alignment represented in <b>BioMap</b> object
<code>getCoverage (BioMap)</code>	Compute read coverage in <b>BioMap</b> object
<code>getFlag (BioMap)</code>	Retrieve read sequence flags from <b>BioMap</b> object
<code>getInfo (BioMap)</code>	Retrieve information for single element of <b>BioMap</b> object
<code>getMappingQuality (BioMap)</code>	Retrieve sequence mapping quality scores from <b>BioMap</b> object
<code>getReference (BioMap)</code>	Retrieve reference sequence from <b>BioMap</b> object
<code>getSignature (BioMap)</code>	Retrieve signature (alignment information) from <b>BioMap</b> object

<code>getStart (BioMap)</code>	Retrieve start positions of aligned read sequences from BioMap object
<code>getStop (BioMap)</code>	Compute stop positions of aligned read sequences from BioMap object
<code>setFlag (BioMap)</code>	Set read sequence flags for BioMap object
<code>setMappingQuality (BioMap)</code>	Set sequence mapping quality scores for BioMap object
<code>setReference (BioMap)</code>	Set name of reference sequence for BioMap object
<code>setSignature (BioMap)</code>	Set signature (alignment information) for BioMap object
<code>setStart (BioMap)</code>	Set start positions of aligned read sequences in BioMap object

## HeatMap Methods

Following are methods to use with a HeatMap object.

<code>addTitle (HeatMap)</code>	Add title to heat map
<code>addXLabel (HeatMap)</code>	Label $x$ -axis of heat map
<code>addYLabel (HeatMap)</code>	Label $y$ -axis of heat map
<code>plot (HeatMap)</code>	Render heat map for HeatMap object
<code>view (HeatMap)</code>	View heat map of HeatMap object

## Clustergram Methods

Following are methods to use with a clustergram object.

<code>addTitle (clustergram)</code>	Add title to clustergram
<code>addXLabel (clustergram)</code>	Label x-axis of clustergram
<code>addYLabel (clustergram)</code>	Label y-axis of clustergram
<code>clusterGroup (clustergram)</code>	Select cluster group
<code>get (clustergram)</code>	Retrieve information about clustergram object
<code>plot (clustergram)</code>	Render clustergram and dendrograms for clustergram object
<code>set (clustergram)</code>	Set property of clustergram object
<code>view (clustergram)</code>	View clustergram and dendrograms of clustergram object

## ExpressionSet Methods

Following are methods to use with an ExpressionSet object.

<code>abstract (bioma.ExpressionSet)</code>	Retrieve or set abstract describing experiment in ExpressionSet object
<code>elementData (bioma.ExpressionSet)</code>	Retrieve or set data element (DataMatrix object) in ExpressionSet object
<code>elementNames (bioma.ExpressionSet)</code>	Retrieve or set element names of DataMatrix objects in ExpressionSet object
<code>expressions (bioma.ExpressionSet)</code>	Retrieve or set Expressions DataMatrix object from ExpressionSet object
<code>exprWrite (bioma.ExpressionSet)</code>	Write expression values in ExpressionSet object to text file

<code>exptData (bioma.ExpressionSet)</code>	Retrieve or set experiment data in ExpressionSet object
<code>exptInfo (bioma.ExpressionSet)</code>	Retrieve or set experiment information in ExpressionSet object
<code>featureData (bioma.ExpressionSet)</code>	Retrieve or set feature metadata in ExpressionSet object
<code>featureNames (bioma.ExpressionSet)</code>	Retrieve or set feature names in ExpressionSet object
<code>featureVarDesc (bioma.ExpressionSet)</code>	Retrieve or set feature variable descriptions in ExpressionSet object
<code>featureVarNames (bioma.ExpressionSet)</code>	Retrieve or set feature variable names in ExpressionSet object
<code>featureVarValues (bioma.ExpressionSet)</code>	Retrieve or set feature variable data values in ExpressionSet object
<code>pubMedID (bioma.ExpressionSet)</code>	Retrieve or set PubMed IDs in ExpressionSet object
<code>sampleData (bioma.ExpressionSet)</code>	Retrieve or set sample metadata in ExpressionSet object
<code>sampleNames (bioma.ExpressionSet)</code>	Retrieve or set sample names in ExpressionSet object
<code>sampleVarDesc (bioma.ExpressionSet)</code>	Retrieve or set sample variable descriptions in ExpressionSet object
<code>sampleVarNames (bioma.ExpressionSet)</code>	Retrieve or set sample variable names in ExpressionSet object
<code>sampleVarValues (bioma.ExpressionSet)</code>	Retrieve or set sample variable values in ExpressionSet object
<code>size (bioma.ExpressionSet)</code>	Return size of ExpressionSet object



## ExptData Methods

Following are methods to use with an ExptData object.

<code>combine (bioma.data.ExptData)</code>	Combine two ExptData objects
<code>dmNames (bioma.data.ExptData)</code>	Retrieve or set Name properties of DataMatrix objects in ExptData object
<code>elementData (bioma.data.ExptData)</code>	Retrieve or set data element (DataMatrix object) in ExptData object
<code>elementNames (bioma.data.ExptData)</code>	Retrieve or set element names of DataMatrix objects in ExptData object
<code>featureNames (bioma.data.ExptData)</code>	Retrieve or set feature names in ExptData object
<code>isempty (bioma.data.ExptData)</code>	Determine whether ExptData object is empty
<code>sampleNames (bioma.data.ExptData)</code>	Retrieve or set sample names in ExptData object
<code>size (bioma.data.ExptData)</code>	Return size of ExptData object

## DataMatrix Methods

Following are methods to use with a DataMatrix object.

<code>colnames (DataMatrix)</code>	Retrieve or set column names of DataMatrix object
<code>disp (DataMatrix)</code>	Display DataMatrix object
<code>dmarrayfun (DataMatrix)</code>	Apply function to each element in DataMatrix object

<code>dmbsxfun (DataMatrix)</code>	Apply element-by-element binary operation to two DataMatrix objects with singleton expansion enabled
<code>dmwrite (DataMatrix)</code>	Write DataMatrix object to text file
<code>double (DataMatrix)</code>	Convert DataMatrix object to double-precision array
<code>eq (DataMatrix)</code>	Test DataMatrix objects for equality
<code>ge (DataMatrix)</code>	Test DataMatrix objects for greater than or equal to
<code>get (DataMatrix)</code>	Retrieve information about DataMatrix object
<code>gt (DataMatrix)</code>	Test DataMatrix objects for greater than
<code>horzcat (DataMatrix)</code>	Concatenate DataMatrix objects horizontally
<code>isequal (DataMatrix)</code>	Test DataMatrix objects for equality
<code>isequalwithequalnans (DataMatrix)</code>	Test DataMatrix objects for equality, treating NaNs as equal
<code>ldivide (DataMatrix)</code>	Left array divide DataMatrix objects
<code>le (DataMatrix)</code>	Test DataMatrix objects for less than or equal to
<code>lt (DataMatrix)</code>	Test DataMatrix objects for less than
<code>max (DataMatrix)</code>	Return maximum values in DataMatrix object
<code>mean (DataMatrix)</code>	Return average or mean values in DataMatrix object
<code>median (DataMatrix)</code>	Return median values in DataMatrix object
<code>min (DataMatrix)</code>	Return minimum values in DataMatrix object
<code>minus (DataMatrix)</code>	Subtract DataMatrix objects

<code>ndims (DataMatrix)</code>	Return number of dimensions in DataMatrix object
<code>ne (DataMatrix)</code>	Test DataMatrix objects for inequality
<code>numel (DataMatrix)</code>	Return number of elements in DataMatrix object
<code>plot (DataMatrix)</code>	Draw 2-D line plot of DataMatrix object
<code>plus (DataMatrix)</code>	Add DataMatrix objects
<code>power (DataMatrix)</code>	Array power DataMatrix objects
<code>rdivide (DataMatrix)</code>	Right array divide DataMatrix objects
<code>rownames (DataMatrix)</code>	Retrieve or set row names of DataMatrix object
<code>set (DataMatrix)</code>	Set property of DataMatrix object
<code>single (DataMatrix)</code>	Convert DataMatrix object to single-precision array
<code>sortcols (DataMatrix)</code>	Sort columns of DataMatrix object in ascending or descending order
<code>sortrows (DataMatrix)</code>	Sort rows of DataMatrix object in ascending or descending order
<code>std (DataMatrix)</code>	Return standard deviation values in DataMatrix object
<code>sum (DataMatrix)</code>	Return sum of elements in DataMatrix object
<code>times (DataMatrix)</code>	Multiply DataMatrix objects
<code>var (DataMatrix)</code>	Return variance values in DataMatrix object
<code>vertcat (DataMatrix)</code>	Concatenate DataMatrix objects vertically

## MetaData Methods

Following are methods to use with a MetaData object.

<code>combine (bioma.data.MetaData)</code>	Combine two MetaData objects
<code>isempty (bioma.data.MetaData)</code>	Determine whether MetaData object is empty
<code>sampleNames (bioma.data.MetaData)</code>	Retrieve or set sample names in MetaData object
<code>size (bioma.data.MetaData)</code>	Return size of MetaData object
<code>variableDesc (bioma.data.MetaData)</code>	Retrieve or set variable descriptions for samples in MetaData object
<code>variableNames (bioma.data.MetaData)</code>	Retrieve or set variable names for samples in MetaData object
<code>variableValues (bioma.data.MetaData)</code>	Retrieve or set variable values for samples in MetaData object
<code>varValuesTable (bioma.data.MetaData)</code>	Create 2-D graphic table GUI of variable values in MetaData object

## MIAME Methods

Following are methods to use with a MIAME object.

<code>combine (bioma.data.MIAME)</code>	Combine two MIAME objects
<code>isempty (bioma.data.MIAME)</code>	Determine whether MIAME object is empty

## Statistical Learning

<code>classperf</code>	Evaluate performance of classifier
<code>crossvalind</code>	Generate cross-validation indices
<code>knnclassify</code>	Classify data using nearest neighbor method
<code>knnimpute</code>	Impute missing data using nearest-neighbor method
<code>optimalleaforder</code>	Determine optimal leaf ordering for hierarchical binary cluster tree
<code>randfeatures</code>	Generate randomized subset of features
<code>rankfeatures</code>	Rank key features by class separability criteria
<code>svmclassify</code>	Classify data using support vector machine
<code>svmsmoset</code>	Create or edit Sequential Minimal Optimization (SMO) options structure
<code>svmtrain</code>	Train support vector machine classifier

## Mass Spectrometry

<code>isotopicdist</code>	Calculate high-resolution isotope mass distribution and density function
<code>jcampread</code>	Read JCAMP-DX-formatted files
<code>msalign</code>	Align peaks in signal to reference peaks
<code>msbackadj</code>	Correct baseline of signal with peaks

<code>msdotplot</code>	Plot set of peak lists from LC/MS or GC/MS data set
<code>msheatmap</code>	Create pseudocolor image of set of mass spectra
<code>mslowess</code>	Smooth signal with peaks using nonparametric method
<code>msnorm</code>	Normalize set of signals with peaks
<code>mspalign</code>	Align mass spectra from multiple peak lists from LC/MS or GC/MS data set
<code>mspeaks</code>	Convert raw peak data to peak list (centroided data)
<code>msppresample</code>	Resample signal with peaks while preserving peaks
<code>msresample</code>	Resample signal with peaks
<code>mssgolay</code>	Smooth signal with peaks using least-squares polynomial
<code>msviewer</code>	Explore mass spectrum or set of mass spectra
<code>mzcdf2peaks</code>	Convert mzCDF structure to peak list
<code>mzcdfinfo</code>	Return information about netCDF file containing mass spectrometry data
<code>mzcdfread</code>	Read mass spectrometry data from netCDF file
<code>mzxml2peaks</code>	Convert mzXML structure to peak list
<code>mzxmlinfo</code>	Return information about mzXML file
<code>mzxmlread</code>	Read data from mzXML file

samplealign	Align two data sets containing sequential observations by introducing gaps
tgspcinfo	Return information about SPC file
tgspcread	Read data from SPC file

## Bioanalytics

jcampread	Read JCAMP-DX-formatted files
msalign	Align peaks in signal to reference peaks
msbackadj	Correct baseline of signal with peaks
mslowess	Smooth signal with peaks using nonparametric method
msnorm	Normalize set of signals with peaks
mspeaks	Convert raw peak data to peak list (centroided data)
msppresample	Resample signal with peaks while preserving peaks
msresample	Resample signal with peaks
mssgolay	Smooth signal with peaks using least-squares polynomial
tgspcinfo	Return information about SPC file
tgspcread	Read data from SPC file





# Class Reference

---

BioIndexedFile	Allow quick and efficient access to large text file with nonuniform-size entries
bioma.data.ExptData	Contain data values from microarray experiment
bioma.data.MetaData	Contain metadata from microarray experiment
bioma.data.MIAME	Contain experiment information from microarray gene expression experiment
bioma.ExpressionSet	Contain data from microarray gene expression experiment
BioMap	Contain sequence, quality, alignment, and mapping data
BioRead	Contain sequence and quality data



# Alphabetical List

---

**Purpose** Convert amino acid sequence from letter to integer representation

**Syntax** `SeqInt = aa2int(SeqChar)`

**Arguments** `SeqChar` One of the following:

- String of single-letter codes specifying an amino acid sequence. For valid letter codes, see the table Mapping Amino Acid Letter Codes to Integers on page 3-2. Unknown characters are mapped to 0. Integers are arbitrarily assigned to IUB/IUPAC letters.
- MATLAB structure containing a `Sequence` field that contains an amino acid sequence, such as returned by `fastaread`, `getgenpept`, `genpeptread`, `getpdb`, or `pdbread`.

**Return Values** `SeqInt` Amino acid sequence specified by a row vector of integers.

**Description** `SeqInt = aa2int(SeqChar)` converts `SeqChar`, a character string of single-letter codes specifying an amino acid sequence, to `SeqInt`, a row vector of integers specifying the same amino acid sequence. For valid letter codes, see the table Mapping Amino Acid Letter Codes to Integers on page 3-2.

Mapping Amino Acid Letter Codes to Integers

Amino Acid	Code	Integer
Alanine	A	1
Arginine	R	2
Asparagine	N	3

**Mapping Amino Acid Letter Codes to Integers (Continued)**

Amino Acid	Code	Integer
Aspartic acid (Aspartate)	D	4
Cysteine	C	5
Glutamine	Q	6
Glutamic acid (Glutamate)	E	7
Glycine	G	8
Histidine	H	9
Isoleucine	I	10
Leucine	L	11
Lysine	K	12
Methionine	M	13
Phenylalanine	F	14
Proline	P	15
Serine	S	16
Threonine	T	17
Tryptophan	W	18
Tyrosine	Y	19
Valine	V	20
Asparagine or Aspartic acid (Aspartate)	B	21
Glutamine or Glutamic acid (Glutamate)	Z	22
Unknown amino acid (any amino acid)	X	23
Translation stop	*	24

Mapping Amino Acid Letter Codes to Integers (Continued)

Amino Acid	Code	Integer
Gap of indeterminate length	-	25
Unknown character (any character or symbol not in table)	?	0

Examples

Converting a Simple Sequence

Convert the sequence of letters MATLAB to integers.

```
SeqInt = aa2int('MATLAB')

SeqInt =

    13     1    17    11     1    21
```

Converting a Random Sequence

1 Create a random string to represent an amino acid sequence.

```
SeqChar = randseq(20, 'alphabet', 'amino')

SeqChar =

    dwcztecakfuecvifchds
```

2 Convert the amino acid sequence from letter to integer representation.

```
SeqInt = aa2int(SeqChar)

SeqInt =

Columns 1 through 13
     4    18     5    22    17     7     5     1    12    14     0     7     5

Columns 14 through 20
```

---

20 10 14 5 9 4 16

**See Also**

Bioinformatics Toolbox™ functions: aminolookup, int2aa, int2nt, nt2int

# BioMap.getStop

---

<b>Purpose</b>	Compute stop positions of aligned read sequences from BioMap object
<b>Syntax</b>	<pre>Stop = getStop(BioObj) Stop = getStop(BioObj, Subset)</pre>
<b>Description</b>	<p><i>Stop</i> = <i>getStop(BioObj)</i> returns <i>Stop</i>, a vector of integers specifying the stop position of aligned read sequences with respect to the position numbers in the reference sequence from a BioMap object.</p> <p><i>Stop</i> = <i>getStop(BioObj, Subset)</i> returns a stop position for only read sequences specified by <i>Subset</i>.</p>
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>
<b>Output Arguments</b>	<p><i>Stop</i></p> <p>Vector of integers specifying the stop position of aligned read sequences with respect to the position numbers in the reference sequence. <i>Stop</i> includes the stop positions for only read sequences specified by <i>Subset</i>.</p>



## Examples

Construct a BioMap object, and then compute the stop position for different sequences in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Compute the stop position of the second sequence in the object
Stop_2 = getStop(BMObj1, 2)

Stop_2 =

    37

% Compute the stop positions of the first and third sequences in
% the object
Stop_1_3 = getStop(BMObj1, [1 3])

Stop_1_3 =

    36
    39

% Compute the stop positions of all sequences in the object
Stop_All = getStop(BMObj1);
```

## See Also

BioMap | getStart

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioMap.filterByFlag

---

<b>Purpose</b>	Filter sequence reads by SAM flag
<b>Syntax</b>	<pre><i>Indices</i> = filterByFlag(<i>BioObj</i>, <i>FlagName</i>, <i>FlagValue</i>) <i>Indices</i> = filterByFlag(<i>BioObj</i>, <i>Subset</i>, <i>FlagName</i>, <i>FlagValue</i>) <i>Indices</i> = filterByFlag(..., <i>FlagName1</i>,   <i>FlagValue1</i>, <i>FlagName2</i>,   <i>FlagValue2</i>, ...)</pre>
<b>Description</b>	<p><i>Indices</i> = filterByFlag(<i>BioObj</i>, <i>FlagName</i>, <i>FlagValue</i>) returns <i>Indices</i>, a vector of logical indices, indicating the read sequences in <i>BioObj</i>, a BioMap object, with <i>FlagName</i> set to <i>FlagValue</i>.</p> <p><i>Indices</i> = filterByFlag(<i>BioObj</i>, <i>Subset</i>, <i>FlagName</i>, <i>FlagValue</i>) returns <i>Indices</i>, a vector of logical indices, indicating the read sequences that meet the specified criteria from a subset of entries in a BioMap object.</p> <p><i>Indices</i> = filterByFlag(..., <i>FlagName1</i>, <i>FlagValue1</i>, <i>FlagName2</i>, <i>FlagValue2</i>, ...) applies multiple flag filters in a single statement.</p>
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <p><i>Subset</i></p> <p>Either of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>FlagName</i></p> <p>String specifying one of the following flags to filter by:</p> <ul style="list-style-type: none"><li>• 'pairedInSeq' — The read is paired in sequencing, regardless if it is mapped as a pair.</li></ul>

- 'pairedInMap' — The read is mapped in a proper pair.
- 'unmappedQuery' — The read is unmapped.
- 'unmappedMate' — The mate is unmapped.
- 'strandQuery' — Strand direction of the read (0 = forward, 1 = reverse).
- 'strandMate' — Strand direction of the mate (0 = forward, 1 = reverse).
- 'readIsFirst' — The read is first in a pair.
- 'readIsSecond' — The read is second in a pair.
- 'alnNotPrimary' — The read's alignment is not primary.
- 'failedQualCheck' — The read fails platform or vendor quality checks.
- 'duplicate' — The read is a PCR or optical duplicate.

## *FlagValue*

Logical value indicating the status of a flag. A 0 indicates false or forward, and a 1 indicates true or reverse.

## Output Arguments

### *Indices*

Vector of logical indices, indicating the read sequences in *BioObj* with *FlagName* set to *FlagValue*.

## Examples

Construct a *BioMap* object, and then determine the read sequences that are both mapped in a proper pair and first in a pair:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Filter the elements using 'pairedInMap' and 'readIsFirst' flags
Indices = filterByFlag(BMObj1, 'pairedInMap', true,...
                      'readIsFirst', true);
% Return the headers of the filtered elements
```

# BioMap.filterByFlag

---

```
filtered_Headers = BMObj1.Header(Indices);
```

**See Also**

BioMap

**How To**

- “Storing and Managing Short-Read Sequence Data in Objects”

**Related Links**

- Sequence Read Archive
- SAM format specification

## Purpose

Construct alignment represented in BioMap object

## Syntax

```
Alignment = getAlignment(BioObj, StartPos, EndPos)  
[Alignment, Indices] = getAlignment(BioObj,  
StartPos, EndPos)  
... = getAlignment(BioObj, StartPos, EndPos,  
'ParameterName',  
    ParameterValue)
```

## Description

*Alignment* = getAlignment(*BioObj*, *StartPos*, *EndPos*) returns *Alignment*, a character array containing the aligned read sequences from *BioObj*, a BioMap object. The read sequences must align within a specific region of the reference sequence, which is defined by *StartPos* and *EndPos*, two positive integers such that *StartPos* is less than *EndPos*, and both are smaller than the length of the reference sequence.

[*Alignment*, *Indices*] = getAlignment(*BioObj*, *StartPos*, *EndPos*) returns *Indices*, a vector of indices specifying the read sequences that align within a specific region of the reference sequence.

... = getAlignment(*BioObj*, *StartPos*, *EndPos*, '*ParameterName*', *ParameterValue*) accepts one or more comma-separated parameter name/value pairs. Specify *ParameterName* inside single quotes.

## Input Arguments

*BioObj*

Object of the BioMap class.

*StartPos*

Positive integer that defines the start of a region of the reference sequence. *StartPos* must be less than *EndPos*, and smaller than the total length of the reference sequence.

*EndPos*

Positive integer that defines the end of a region of the reference sequence. *EndPos* must be greater than *StartPos*, and smaller than the total length of the reference sequence.

# BioMap.getAlignment

---

## Parameter Name/Value Pairs

### OffsetPad

Specifies if padding blanks are added at the beginning of each aligned sequence to represent the offset of the start position of each aligned sequence from the start of the reference sequence. Choices are `true` or `false` (default).

## Output Arguments

### *Alignment*

Character array containing the aligned read sequences from *BioObj* that align within a specific region of the reference sequence. Each row of the character array contains one aligned sequence, that is, the sequence positions that fall within the specified region of the reference sequence. Each aligned sequence can include gaps.

### *Indices*

Vector of indices specifying the read sequences from *BioObj* that align within a specific region of the reference sequence.

## Examples

Construct a *BioMap* object, and then reconstruct the alignment between positions 10 and 25 of the reference sequence:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Construct the alignment between positions 10 and 25 of the
% reference sequence.
Alignment = getAlignment(BMObj1, 10, 25)

Alignment =

CTCATTGTAAATGTGT
CTCATTGTAAATGTGT
CTCATTGTAAATGTGT
CTCATTGTAATTTTTT
CTCATTGTAAATGTGT
```

```
ATTGTAAATGTGT
ATTGTAAATGTGT
TGTAATGTGT
AAATGTGT
GTGT
GTGT
GT
```

## Algorithm

`getAlignment` assumes the reference sequence has no gaps. Therefore, positions in reads corresponding to insertions (I) and padding (P) do not appear in the alignment.

Because soft clipped positions (S) are not associated with positions that align to the reference sequence, they do not appear in the alignment.

A skipped position (N) appears as a - (hyphen) in the alignment.

Hard clipped positions (H) do not appear in the sequences or the alignment.

## See Also

BioMap | `getCoverage`

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioMap.getCoverage

---

<b>Purpose</b>	Compute read coverage in BioMap object
<b>Syntax</b>	<pre>Cov = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>) [Cov, <i>Indices</i>] = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>) [Cov, <i>Indices</i>, <i>Seqs</i>] = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>) ... = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>, '<i>ParameterName</i>', <i>ParameterValue</i>)</pre>
<b>Description</b>	<p><code>Cov = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>)</code> returns <i>Cov</i>, a positive integer indicating the number of read sequences that cover (align within) a specific region of the reference sequence in <i>BioObj</i>, a BioMap object. The specific region of the reference sequence is defined by <i>StartPos</i> and <i>EndPos</i>, two positive integers such that <i>StartPos</i> is less than <i>EndPos</i>, and both are smaller than the length of the reference sequence.</p> <p><code>[Cov, <i>Indices</i>] = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>)</code> also returns <i>Indices</i>, a vector of indices specifying the read sequences that align within a specific region of the reference sequence.</p> <p><code>[Cov, <i>Indices</i>, <i>Seqs</i>] = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>)</code> also returns <i>Seqs</i>, a cell array of strings containing the read sequences that align within a specific region of the reference sequence.</p> <p><code>... = getCoverage(<i>BioObj</i>, <i>StartPos</i>, <i>EndPos</i>, '<i>ParameterName</i>', <i>ParameterValue</i>)</code> accepts one or more comma-separated parameter name/value pairs. Specify <i>ParameterName</i> inside single quotes.</p>
<b>Tips</b>	Use the <i>Indices</i> output from the <code>getCoverage</code> method as input to other BioMap methods. Doing so lets you determine other information about the read sequences in the coverage region, such as header, start position, mapping quality, etc.
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p>



## *StartPos*

Positive integer that defines the start of a region of the reference sequence. *StartPos* must be less than *EndPos*, and smaller than the total length of the reference sequence.

## *EndPos*

Positive integer that defines the end of a region of the reference sequence. *EndPos* must be greater than *StartPos*, and smaller than the total length of the reference sequence.

## Parameter Name/Value Pairs

### Base

Specifies if the output *Cov* is computed base-by-base, that is determining the number of nongap symbols that align with each position in the specified region of the reference sequence. If **true**, *Cov* is a vector of positive integers corresponding to the base positions in the specified region of the reference sequence.

**Default:** false

### Full

Specifies to include only the read sequences that fully align with the defined region of the reference sequence, that is, they are completely contained within the region, and do not extend beyond the region.

**Default:** false

## Output Arguments

### *Cov*

Positive integer indicating the number of read sequences that cover (align within) a specific region of the reference sequence in *BioObj*.

### *Indices*

# BioMap.getCoverage

---

Vector of indices specifying the read sequences from *BioObj* that align within a specific region of the reference sequence.

*Seqs*

Cell array of strings containing the read sequences from *BioObj* that align within a specific region of the reference sequence. Each string is a sequence read without alignment information.

## Examples

Construct a *BioMap* object, and then retrieve the coverage of the first 50 positions of the reference sequence:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the number of sequences that cover the first 50
% positions of the reference sequence
cov = getCoverage(BMObj1, 1, 50)
```

```
cov =
```

```
20
```

---

Construct a *BioMap* object, and then retrieve the starting positions for the read sequences that cover the first 50 positions of the reference sequence:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the number of sequences that cover the first 50
% positions of the reference sequence
% Also retrieve the indices of these sequences
[cov, idx] = getCoverage(BMObj1, 1, 50);
% Use the indices for these sequences to determine their start
% positions
startPositions = getStart(BMObj1, idx);
```

---

Construct a BioMap object, and then retrieve the coverage of the first 50 positions of the reference sequence, considering only read sequences that align fully within the region:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the number of sequences that cover the first 50
% positions of the reference sequence
% Consider only read sequences that align fully within the region
fullCov = getCoverage(BMObj1, 1, 50, 'full', true)

fullCov =

     8
```

---

Construct a BioMap object, and then retrieve the coverage for the first 10 positions of the reference sequence, on a base-by-base basis:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the number of sequences that cover each base position of
% the first 10 positions of the reference sequence
baseCov = getCoverage(BMObj1, 1, 10, 'base', true)

baseCov =

     1
     1
     2
     2
     3
     4
     4
     4
     5
     5
```

# BioMap.getCoverage

---

## See Also

BioMap | `getAlignment`

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

<b>Purpose</b>	Retrieve read sequence flags from BioMap object
<b>Syntax</b>	<pre>Flag = getFlag(BioObj) Flag = getFlag(BioObj, Subset)</pre>
<b>Description</b>	<p><i>Flag</i> = <i>getFlag(BioObj)</i> returns <i>Flag</i>, a vector of nonnegative integers indicating the bit-wise information that specifies the status of the 11 flags described by the SAM format specification. Each integer corresponds to one read sequence from a BioMap object.</p> <p><i>Flag</i> = <i>getFlag(BioObj, Subset)</i> returns flag integers for only object elements specified by <i>Subset</i>.</p>
<b>Tips</b>	After using the <i>getFlag</i> method to return the integer specifying the bit-wise information for the SAM flags, use the <i>bitget</i> function to determine the status of a specific SAM flag. For more information, see “Examples” on page 3-20.
<b>Input Arguments</b>	<p><i>BioObj</i> Object of the BioMap class.</p> <p><i>Subset</i> One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"> <li>• Vector of positive integers</li> <li>• Logical vector</li> <li>• Cell array of strings containing valid sequence headers</li> </ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>

# BioMap.getFlag

---

## Output Arguments

*Flag*

Vector of nonnegative integers. Each integer corresponds to one read sequence and indicates the bit-wise information that specifies the status of the 11 flags described by the SAM format specification. These flags describe different sequencing and alignment aspects of a read sequence. *Flag* includes flag integers for only read sequences specified by *Subset*.

## Examples

Construct a BioMap object, and then retrieve the SAM flag values for different elements in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve integer specifying bit-wise information for 11
% SAM flags of the second element
flagValue = getFlag(BMObj1, 2)

flagValue =

    73

% Retrieve integers specifying bit-wise information for 11
% SAM flags of the first and third elements
flagValues = getFlag(BMObj1, [1 3])

flagValues =

    73
   137

% Retrieve integers specifying bit-wise information for 11
% SAM flags of all elements
allFlagValues = getFlag(BMObj1);

% Determine the status of the fourth flag (mate is unmapped)
% for the second element, which has a flag value of 73
bitget(73, 4)
```

```
ans =
```

```
1
```

## Alternatives

An alternative to using the `getFlag` method is to use dot indexing with the `Flag` property:

```
BioObj.Flag(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

[BioMap](#) | [setFlag](#) | [bitget](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

# BioMap.getInfo

---

<b>Purpose</b>	Retrieve information for single element of BioMap object
<b>Syntax</b>	<i>Info</i> = getInfo( <i>BioObj</i> , <i>Element</i> )
<b>Description</b>	<i>Info</i> = getInfo( <i>BioObj</i> , <i>Element</i> ) returns <i>Info</i> , a tab-delimited string containing information about a single element in <i>BioObj</i> , a BioMap object.
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <p><i>Element</i></p> <p>One of the following to specify one element in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Scalar specifying an element index</li><li>• Logical vector</li><li>• String containing a valid sequence header</li></ul>
<b>Output Arguments</b>	<p><i>Info</i></p> <p>Tab-delimited string containing information about a single element in <i>BioObj</i>, a BioMap object. The string contains the information from the following properties in order:</p> <ul style="list-style-type: none"><li>• Header</li><li>• Flag</li><li>• Start</li><li>• MappingQuality</li><li>• Signature</li><li>• Sequence</li><li>• Quality</li></ul>



## Examples

Construct a BioMap object, and then retrieve information for the second element in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve information for the second element in the object
element2Info = getInfo(BMObj1, 2)

element2Info =

EAS54_65:7:152:368:113 73 3 99 35M
CTAGTGGCTCATTGTAAATGTGTGGTTTAACTCGT
<<<<<<<<<0<<<<655<<7<<<:9<<3/:<6):
```

## See Also

BioMap

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioMap.getMappingQuality

---

Purpose	Retrieve sequence mapping quality scores from BioMap object
Syntax	<pre>MappingQuality = getMappingQuality(BioObj) MappingQuality = getMappingQuality(BioObj, Subset)</pre>
Description	<p><i>MappingQuality</i> = <i>getMappingQuality(BioObj)</i> returns <i>MappingQuality</i>, a vector of integers specifying mapping quality scores for each read sequence in <i>BioObj</i>, a BioMap object.</p> <p><i>MappingQuality</i> = <i>getMappingQuality(BioObj, Subset)</i> returns mapping quality scores for only object elements specified by <i>Subset</i>.</p>
Input Arguments	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>
Output Arguments	<p><i>MappingQuality</i></p> <p>MappingQuality property of a subset of elements in <i>BioObj</i>. <i>MappingQuality</i> is a vector of integers specifying the mapping quality scores for read sequences specified by <i>Subset</i>.</p>
Examples	Construct a BioMap object, and then retrieve the mapping quality scores for different elements in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the mapping quality property of the second element in
% the object
MQ_2 = getMappingQuality(BMObj1, 2)

MQ_2 =

    99

% Retrieve the mapping quality properties of the first and third
% elements in the object
MQ_1_3 = getMappingQuality(BMObj1, [1 3])

MQ_1_3 =

    99
    99

% Retrieve the mapping quality properties of all elements in the
% object
MQ_All = getMappingQuality(BMObj1);
```

## Alternatives

An alternative to using the `getMappingQuality` method is to use dot indexing with the `MappingQuality` property:

```
BioObj.MappingQuality(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

BioMap | setMappingQuality

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

# BioMap.getMappingQuality

---

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

<b>Purpose</b>	Retrieve reference sequence from BioMap object
<b>Syntax</b>	<i>Ref</i> = getReference( <i>BioObj</i> )
<b>Description</b>	<i>Ref</i> = getReference( <i>BioObj</i> ) returns the name of the reference sequence from a BioMap object. This is the Reference property of the object.
<b>Input Arguments</b>	<i>BioObj</i> Object of the BioRead or BioMap class.
<b>Output Arguments</b>	<i>Ref</i> Reference property of <i>BioObj</i> , the BioMap object. It is a string specifying the name of the reference sequence.
<b>Examples</b>	<p>Construct a BioMap object, and then retrieve the reference sequence from the object:</p> <pre>% Construct a BioMap object from a SAM file BMObj1 = BioMap('samfile', 'ex1.sam'); % Retrieve the reference sequence from the object refSeq = getReference(BMObj1)  refSeq =  seq1</pre>
<b>Alternatives</b>	<p>An alternative to using the getReference method is to use dot indexing with the Reference property:</p> <pre><i>BioObj</i>.Reference</pre>
<b>See Also</b>	BioMap   setReference
<b>How To</b>	<ul style="list-style-type: none"><li>• “Storing and Managing Short-Read Sequence Data in Objects”</li></ul>

## BioMap.getReference

---

### **Related Links**

- [Sequence Read Archive](#)
- [SAM format specification](#)

<b>Purpose</b>	Retrieve signature (alignment information) from BioMap object
<b>Syntax</b>	<pre>Signature = getSignature(BioObj) Signature = getSignature(BioObj, Subset)</pre>
<b>Description</b>	<p><i>Signature</i> = <code>getSignature(BioObj)</code> returns <i>Signature</i>, a cell array of CIGAR-formatted strings, each representing how a read sequence in a BioMap object aligns to the reference sequence.</p> <p><i>Signature</i> = <code>getSignature(BioObj, Subset)</code> returns signature strings for only object elements specified by <i>Subset</i>.</p>
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>
<b>Output Arguments</b>	<p><i>Signature</i></p> <p>Signature property of a subset of elements in <i>BioObj</i>. <i>Signature</i> is a cell array of CIGAR-formatted strings, each representing how read sequences, specified by <i>Subset</i>, align to the reference sequence.</p>

# BioMap.getSignature

---

## Examples

Construct a BioMap object, and then retrieve the signatures for different elements in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the signature property of the second element in
% the object
Sig_2 = getSignature(BMObj1, 2)

Sig_2 =

    '35M'

% Retrieve the signature properties of the first and third
% elements in the object
Sig_1_3 = getSignature(BMObj1, [1 3])

Sig_1_3 =

    '36M'
    '35M'

% Retrieve the signature properties of all elements in the object
Sig_All = getSignature(BMObj1);
```

## Alternatives

An alternative to using the `getSignature` method is to use dot indexing with the `Signature` property:

```
BioObj.Signature(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

BioMap | setSignature | getAlignment

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”



### Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

# BioMap.getStart

---

Purpose	Retrieve start positions of aligned read sequences from BioMap object
Syntax	<i>Start</i> = getStart( <i>BioObj</i> ) <i>Start</i> = getStart( <i>BioObj</i> , <i>Subset</i> )
Description	<i>Start</i> = getStart( <i>BioObj</i> ) returns <i>Start</i> , a vector of integers specifying the start position of aligned read sequences with respect to the position numbers in the reference sequence from a BioMap object. <i>Start</i> = getStart( <i>BioObj</i> , <i>Subset</i> ) returns a start position for only read sequences specified by <i>Subset</i> .
Input Arguments	<i>BioObj</i> Object of the BioMap class. <i>Subset</i> One of the following to specify a subset of the elements in <i>BioObj</i> : <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <b>Note</b> If you use a cell array of header strings to specify <i>Subset</i> , be aware that a repeated header specifies all elements with that header. <hr/>
Output Arguments	<i>Start</i> Start property of a subset of elements in <i>BioObj</i> . It is a vector of integers specifying the start position of aligned read sequences with respect to the position numbers in the reference sequence. It includes the start positions for only read sequences specified by <i>Subset</i> .

## Examples

Construct a BioMap object, and then retrieve the start position for different sequences in the object:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Retrieve the start property of the second element in the object
Start_2 = getStart(BMObj1, 2)

Start_2 =

        3

% Retrieve the start properties of the first and third elements in
% the object
Start_1_3 = getStart(BMObj1, [1 3])

Start_1_3 =

        1
        5

% Retrieve the start properties of all elements in the object
Start_All = getStart(BMObj1);
```

## Alternatives

An alternative to using the `getStart` method is to use dot indexing with the `Start` property:

```
BioObj.Start(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

BioMap | setStart | getStop

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## **Related Links**

- [Sequence Read Archive](#)
- [SAM format specification](#)

<b>Purpose</b>	Set read sequence flags for BioMap object
<b>Syntax</b>	<pre>NewObj = setFlag(BioObj, Flag) NewObj = setFlag(BioObj, MappingQuality, Subset)</pre>
<b>Description</b>	<p><i>NewObj = setFlag(BioObj, Flag)</i> returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the Flag property set to <i>Flag</i>, a vector of nonnegative integers indicating the bit-wise information that specifies the status of each of the 11 flags described by the SAM format specification.</p> <p><i>NewObj = setFlag(BioObj, MappingQuality, Subset)</i> returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the Flag property of a subset of the elements set to <i>Flag</i>, a vector of nonnegative integers indicating the bit-wise information that specifies the status of each of the 11 flags described by the SAM format specification. It sets the Flag property for only the object elements specified by <i>Subset</i>.</p>
<b>Tips</b>	To update the Flag property in an existing BioMap object, use the same object as the input <i>BioObj</i> and the output <i>NewObj</i> .
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <hr/> <p><b>Note</b> If <i>BioObj</i> was constructed from a BioIndexedFile object, you cannot set its Flag property.</p> <hr/>
	<p><i>Flag</i></p> <p>Vector of nonnegative integers. Each integer corresponds to one read sequence and indicates the bit-wise information that specifies the status of each of the 11 flags described by the SAM format specification. These flags describe different sequencing and alignment aspects of a read sequence.</p>

# BioMap.setFlag

---

## *Subset*

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Flag* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

### *NewObj*

Object of the BioMap class.

## Examples

Construct a BioMap object, and then set a subset of the flags:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Set the Flag property of the second element to a new value
BMObj1 = setFlag(BMObj1, 75, 2);
```

## Alternatives

An alternative to using the `setFlag` method to update an existing object is to use dot indexing with the `Flag` property:

```
BioObj.Flag(Indices) = NewFlag
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers. *NewFlag* is a vector of nonnegative integers indicating the bit-wise information that specifies the status of each of the 11 flags described by the SAM format specification. Each integer

corresponds to one read sequence in a BioMap object. *Indices* and *NewFlag* must have the same number and order of elements.

## See Also

BioMap | getFlag

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioMap.setMappingQuality

---

Purpose	Set sequence mapping quality scores for BioMap object
Syntax	<pre>NewObj = setMappingQuality(BioObj, MappingQuality) NewObj = setMappingQuality(BioObj, MappingQuality, Subset)</pre>
Description	<p><i>NewObj</i> = setMappingQuality(<i>BioObj</i>, <i>MappingQuality</i>) returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the MappingQuality property set to <i>MappingQuality</i>, a vector of integers specifying the mapping quality scores for read sequences.</p> <p><i>NewObj</i> = setMappingQuality(<i>BioObj</i>, <i>MappingQuality</i>, <i>Subset</i>) returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the MappingQuality property of a subset of the elements set to <i>MappingQuality</i>, a vector of integers specifying the mapping quality scores for read sequences. It sets the mapping quality scores for only the object elements specified by <i>Subset</i>.</p>
Tips	To update mapping quality scores in an existing BioMap object, use the same object as the input <i>BioObj</i> and the output <i>NewObj</i> .
Input Arguments	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <hr/> <p><b>Note</b> If <i>BioObj</i> was constructed from a BioIndexedFile object, you cannot set its MappingQuality property.</p> <hr/>
	<p><i>MappingQuality</i></p> <p>Vector of integers specifying the mapping quality scores for read sequences.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p>



- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *MappingQuality* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

*NewObj*

Object of the BioMap class.

## Examples

Construct a BioMap object, and then set a subset of the mapping quality scores:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Set the Mapping Quality property of the second element to a new
% value
BMObj1 = setMappingQuality(BMObj1, 74, 2);
```

## Alternatives

An alternative to using the `setMappingQuality` method to update an existing object is to use dot indexing with the `MappingQuality` property:

```
BioObj.MappingQuality(Indices) = NewMappingQuality
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers. *NewMappingQuality* is a vector of integers specifying the mapping quality scores for read sequences. *Indices* and *NewQuality* must have the same number and order of elements.

## See Also

BioMap | getMappingQuality

# BioMap.setMappingQuality

---

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

<b>Purpose</b>	Set name of reference sequence for BioMap object
<b>Syntax</b>	<i>NewObj</i> = setReference( <i>BioObj</i> , <i>Reference</i> )
<b>Description</b>	<i>NewObj</i> = setReference( <i>BioObj</i> , <i>Reference</i> ) returns <i>NewObj</i> , a new BioMap object, constructed from <i>BioObj</i> , an existing BioMap object, with the Reference property set to <i>Reference</i> , a string specifying the name of the reference sequence.
<b>Tips</b>	Rename the reference sequence of an existing BioMap object, by using the same object as the input <i>BioObj</i> and the output <i>NewObj</i> .
<b>Input Arguments</b>	<i>BioObj</i> Object of the BioMap class. <i>Reference</i> String specifying the name of the reference sequence.
<b>Output Arguments</b>	<i>NewObj</i> Object of the BioMap class.
<b>Examples</b>	Construct a BioMap object, and then set the reference sequence to a new sequence:  <pre>% Construct a BioMap object from a SAM file BMObj1 = BioMap('samfile', 'ex1.sam'); % Create a random reference sequence newRefSeq = randseq(50); % Set the Reference property of the object BMObj1 = setReference(BMObj1, newRefSeq);</pre>
<b>Alternatives</b>	An alternative to using the setReference method to update an existing object is to use dot indexing with the Reference property:  <i>BioObj.Reference</i> = <i>NewReference</i>

# BioMap.setReference

---

In the previous syntax, *NewReference* is a string of single-letter codes specifying a reference sequence.

## See Also

BioMap | getReference

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

## Purpose

Set signature (alignment information) for BioMap object

## Syntax

```
NewObj = setSignature(BioObj, Signature)
NewObj = setSignature(BioObj, Signature, Subset)
```

## Description

*NewObj* = *setSignature*(*BioObj*, *Signature*) returns *NewObj*, a new BioMap object, constructed from *BioObj*, an existing BioMap object, with the *Signature* property set to *Signature*, a cell array of CIGAR-formatted strings, each representing how a read sequence aligns to the reference sequence.

*NewObj* = *setSignature*(*BioObj*, *Signature*, *Subset*) returns *NewObj*, a new BioMap object, constructed from *BioObj*, an existing BioMap object, with the *Signature* property of a subset of the elements set to *Signature*, a cell array of CIGAR-formatted strings, each representing how read sequences, specified by *Subset*, align to the reference sequence. It sets the signature for only the object elements specified by *Subset*.

## Tips

- To update signatures in an existing BioMap object, use the same object as the input *BioObj* and the output *NewObj*.
- If you modify sequences or start positions in an object, you may need to use the *setSignature* method to modify the *Signature* property of modified sequences accordingly.

## Input Arguments

*BioObj*

Object of the BioMap class.

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot set its *Signature* property.

---

*Signature*

# BioMap.setSignature

---

Cell array of CIGAR-formatted strings, each representing how a read sequence aligns to the reference sequence. Signature strings can be empty.

## *Subset*

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Signature* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

### *NewObj*

Object of the BioMap class.

## Examples

Construct a BioMap object, and then set a subset of the signatures:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Set the Signature property of the second element to a new value
BMObj1 = setSignature(BMObj1, {'36M'}, 2);
```

## Alternatives

An alternative to using the `setSignature` method to update an existing object is to use dot indexing with the `Signature` property:

```
BioObj.Signature(Indices) = NewSignature
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers. *NewSignature* is a string or a cell array of

CIGAR-formatted strings, each representing how a read sequence aligns to the reference sequence. Signature strings can be empty. *Indices* and *NewSignature* must have the same number and order of elements.

## See Also

BioMap | getSignature | setSequence | setStart | getAlignment

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioMap.setStart

---

Purpose	Set start positions of aligned read sequences in BioMap object
Syntax	<pre>NewObj = setStart(BioObj, Start) NewObj = setStart(BioObj, Start, Subset)</pre>
Description	<p><i>NewObj = setStart(BioObj, Start)</i> returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the <i>Start</i> property set to <i>Start</i>, a vector of positive integers specifying the start positions of the aligned read sequences with respect to the position numbers in the reference sequence. Modifying the <i>Start</i> property shifts the aligned sequences.</p> <p><i>NewObj = setStart(BioObj, Start, Subset)</i> returns <i>NewObj</i>, a new BioMap object, constructed from <i>BioObj</i>, an existing BioMap object, with the <i>Start</i> property of a subset of the elements set to <i>Start</i>, a vector of positive integers specifying the start positions of the aligned read sequences with respect to the position numbers in the reference sequence. It sets the start positions for only the object elements specified by <i>Subset</i>.</p>
Tips	<ul style="list-style-type: none"><li>• To update start positions in an existing BioMap object, use the same object as the input <i>BioObj</i> and the output <i>NewObj</i>.</li><li>• If you modify sequences or signatures in an object, you may need to use the <i>setStart</i> method to modify the <i>Start</i> property to shift the alignment of modified sequences accordingly.</li></ul>
Input Arguments	<p><i>BioObj</i></p> <p>Object of the BioMap class.</p> <hr/> <p><b>Note</b> If <i>BioObj</i> was constructed from a BioIndexedFile object, you cannot set its <i>Start</i> property.</p> <hr/> <p><i>Start</i></p>



Vector of positive integers specifying the start positions of the aligned read sequences with respect to the position numbers in the reference sequence.

## Subset

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Start* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

### *NewObj*

Object of the BioMap class.

## Examples

Construct a BioMap object, and then set a subset of the sequence start values:

```
% Construct a BioMap object from a SAM file
BMObj1 = BioMap('samfile', 'ex1.sam');
% Set the Start property of the second element to a new value
BMObj1 = setStart(BMObj1, 5, 2);
```

## Alternatives

An alternative to using the `setStart` method to update an existing object is to use dot indexing with the `Start` property:

```
BioObj.Start(Indices) = NewStart
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing

# BioMap.setStart

---

sequence headers. *NewStart* is a vector of integers specifying the start positions of the aligned read sequences with respect to the position numbers in the reference sequence. *Indices* and *NewStart* must have the same number and order of elements.

## See Also

BioMap | getStart | setSequence | setSignature

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

**Superclasses** BioRead

**Purpose** Contain sequence, quality, alignment, and mapping data

**Description** The BioMap class contains data from short-read sequences, including sequence headers, read sequences, quality scores for the sequences, and data about alignment and mapping to a single reference sequence. This data is typically obtained from a high-throughput sequencing instrument.

You construct a BioMap object from short-read sequence data. Each element in the object has a sequence, header, quality score, and alignment/mapping information associated with it. Use the object properties and methods to explore, access, filter, and manipulate all or a subset of the data, before doing subsequent analyses or viewing the data.

**Construction** *BioMapobj* = BioMap(*BioIFobj*) constructs *BioMapobj*, a BioMap object, from *BioIFobj*, a BioIndexedFile object that was constructed from a SAM-formatted file that contains only one reference sequence.

---

**Tip** Construct a BioMap object from a BioIndexedFile object when you do not have enough memory to construct the BioMap object directly from a large SAM-formatted file.

---

---

**Note** If you construct a BioMap object from a BioIndexedFile object:

- Do not delete the source file (SAM) or the auxiliary index file.
  - You cannot modify properties of the BioMap object.
-

## BioMap class

---

*BioMapobj* = BioMap('SAMFile', *File*) constructs *BioMapobj*, a BioMap object, from *File*, a SAM-formatted file that contains only one reference sequence.

*BioMapobj* = BioMap(*SAMStruct*) constructs *BioMapobj*, a BioMap object, from *SamStruct*, a MATLAB structure containing sequence and alignment information, such as returned by the samread function. The structure must contain only one reference sequence.

*BioMapobj* = BioMap(..., 'PropertyName', *PropertyValue*) constructs the BioMap object using options, specified as property name and value pairs.

*BioMapobj* = BioMap(..., 'Sequence', *SequenceValue*) constructs *BioMapobj*, a BioMap object, from *SequenceValue*, a cell array of strings containing the letter representations of nucleotide sequences. The fastqread and samread functions return this information.

*BioMapobj* = BioMap(..., 'Quality', *QualityValue*) constructs *BioMapobj*, a BioMap object, from *QualityValue*, a cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences. The fastqread and samread functions return this information.

*BioMapobj* = BioMap(..., 'Header', *HeaderValue*) constructs *BioMapobj*, a BioMap object, from *HeaderValue*, a cell array of strings containing header text for nucleotide sequences. The fastqread function returns this information in the QueryName field of the return structure.

*BioMapobj* = BioMap(..., 'Name', *NameValue*) constructs *BioMapobj*, a BioMap object, and sets the Name property to *NameValue*, a string describing the object. Default is ' ', an empty string.

*BioMapobj* = BioMap(..., 'Reference', *ReferenceValue*) constructs *BioMapobj*, a BioMap object, and sets the Reference property to *ReferenceValue*, a string containing the name of the reference sequence.

*BioMapobj* = BioMap(..., 'Signature', *SignatureValue*) constructs *BioMapobj*, a BioMap object, from *SignatureValue*, a cell

array of strings containing information describing the alignment of each read sequence with the reference sequence.

*BioMapobj* = BioMap(..., 'Start', *StartValue*) constructs *BioMapobj*, a BioMap object, from *StartValue*, a vector of positive integers specifying the position in the reference sequence where the alignment of each read sequence starts.

*BioMapobj* = BioMap(..., 'Flag', *FlagValue*) constructs *BioMapobj*, a BioMap object, from *FlagValue*, a vector of positive integers indicating the bit-wise information for the status of the 11 flags specified by the SAM format specification. These flags describe different sequencing and alignment aspects of the read sequences.

*BioMapobj* = BioMap(..., 'MappingQuality', *MappingQualityValue*) constructs *BioMapobj*, a BioMap object, from *MappingQualityValue*, a vector of positive integers specifying the mapping quality for each read sequence.

## Inputs

*BioIFobj*

BioIndexedFile object that was constructed from a SAM-formatted file that contains only one reference sequence.

*File*

SAM-formatted file that contains only one reference sequence.

*SAMStruct*

MATLAB structure containing sequence and alignment information, such as returned by the `samread` function. The structure must contain only one reference sequence.

*SequenceValue*

Cell array of strings containing the letter representations of nucleotide sequences. The `samread` function returns this information in the `Sequence` field of the return structure. This information populates the BioMap object's `Sequence` property.

# BioMap class

---

## *QualityValue*

Cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences. The `samread` function returns this information in the `Quality` field of the return structure. This information populates the BioMap object's `Quality` property.

## *HeaderValue*

Cell array of strings containing header text for nucleotide sequences. The `samread` function returns this information in the `QueryName` field of the return structure. This information populates the BioMap object's `Header` property.

## *NameValue*

String describing the BioMap object. This information populates the object's `Name` property.

**Default:** Empty string

## *ReferenceValue*

String containing the name of the reference sequence. The `samread` function returns this information in the `ReferenceName` field of the return structure. This information populates the object's `Reference` property.

## *SignatureValue*

Cell array of strings containing information describing the alignment of each read sequence with the reference sequence. The `samread` function returns this information in the `CigarString` field of the return structure. This information populates the object's `Signature` property.

## *StartValue*

Vector of positive integers specifying the position in the reference sequence where the alignment of each read sequence starts. The `samread` function returns this information in the `Position` field

of the return structure. This information populates the object's **Start** property.

## *FlagValue*

Vector of positive integers indicating the bit-wise information for the status of the 11 flags specified by the SAM format specification. These flags describe different sequencing and alignment aspects of the read sequences. The **samread** function returns this information in the **Flag** field of the return structure. This information populates the object's **Flag** property.

## *MappingQualityValue*

Vector of positive integers specifying the mapping quality for each read sequence. The **samread** function returns this information in the **MappingQuality** field of the return structure. This information populates the object's **MappingQuality** property.

## Properties

### Flag

Flags associated with all read sequences represented in the BioMap object.

Vector of positive integers such that there is an integer for each read sequence in the object. Each integer indicates the bit-wise information that specifies the status of the 11 flags described by the SAM format specification. These flags describe different sequencing and alignment aspects of a read sequence. A one-to-one relationship exists between the number and order of elements in **Flag** and **Sequence**, unless **Flag** is an empty cell array.

### Header

Headers associated with all read sequences represented in the BioMap object.

Cell array of strings, such that there is a header for each read sequence in the object. Header strings can be empty. A one-to-one

# BioMap class

---

relationship exists between the number and order of elements in Header and Sequence, unless Header is an empty cell array.

## MappingQuality

Mapping quality scores associated with all read sequences represented in the BioMap object.

Vector of integers, such that there is a mapping quality score for each read sequence in the object. A one-to-one relationship exists between the number and order of elements in MappingQuality and Sequence, unless MappingQuality is an empty vector.

## Name

Description of the BioMap object.

Single string describing the BioMap object. Default is ' ', an empty string.

## NSeqs

Number of sequences in the BioMap object.

This information is read-only.

## Quality

Per-base quality scores associated with all read sequences represented in the BioMap object.

Cell array of strings, such that there is a quality string for each read sequence in the object. Each quality string is an ASCII representation of per-base quality scores for a read sequence. Quality strings can be empty. A one-to-one relationship exists between the number and order of elements in Quality and Sequence, unless Quality is an empty cell array.

## Reference

Reference sequence in the BioMap object.

String of single-letter codes specifying a reference sequence.



The reference sequence is the sequence against which the read sequences are aligned.

## Sequence

Read sequences in the BioMap object.

Cell array of strings containing the letter representations of the read sequences.

## Signature

Alignment information associated with all read sequences represented in the BioMap object.

Cell array of CIGAR-formatted strings, such that there is alignment information for each read sequence in the object. Each string represents how a read sequence aligns to the reference sequence. Signature strings can be empty. A one-to-one relationship exists between the number and order of elements in Signature and Sequence, unless Signature is an empty cell array.

## Start

Start positions of all aligned read sequences represented in the BioMap object.

Vector of integers, such that there is a start position for each read sequence in the object. Each integer specifies the start position of the aligned read sequence with respect to the position numbers in the reference sequence. A one-to-one relationship exists between the number and order of elements in Start and Sequence, unless Start is an empty vector.

## Methods

filterByFlag	Filter sequence reads by SAM flag
getAlignment	Construct alignment represented in BioMap object

## BioMap class

---

<code>getCoverage</code>	Compute read coverage in BioMap object
<code>getFlag</code>	Retrieve read sequence flags from BioMap object
<code>getInfo</code>	Retrieve information for single element of BioMap object
<code>getMappingQuality</code>	Retrieve sequence mapping quality scores from BioMap object
<code>getReference</code>	Retrieve reference sequence from BioMap object
<code>getSignature</code>	Retrieve signature (alignment information) from BioMap object
<code>getStart</code>	Retrieve start positions of aligned read sequences from BioMap object
<code>getStop</code>	Compute stop positions of aligned read sequences from BioMap object
<code>setFlag</code>	Set read sequence flags for BioMap object
<code>setMappingQuality</code>	Set sequence mapping quality scores for BioMap object
<code>setReference</code>	Set name of reference sequence for BioMap object
<code>setSignature</code>	Set signature (alignment information) for BioMap object
<code>setStart</code>	Set start positions of aligned read sequences in BioMap object

## Inherited Methods

combine	Combine two objects
get	Retrieve property of object
getHeader	Retrieve sequence headers from object
getName	Retrieve name of object
getNSeqs	Retrieve number of sequences in object
getQuality	Retrieve sequence quality scores from object
getSequence	Retrieve sequences from object
getSubsequence	Retrieve partial sequences from object
getSubset	Retrieve elements from object
set	Set property of object
setHeader	Set sequence headers for object
setName	Set name of object
setQuality	Set sequence quality scores for object
setSequence	Set sequences for object
setSubsequence	Set partial sequences for object
setSubset	Set elements for object

## Copy Semantics

Value. To learn how value classes affect copy operations, see Copying Objects in the MATLAB Programming Fundamentals documentation.

## Indexing

BioMap objects support the following types of 1-D indexing to extract, assign, and delete data:

# BioMap class

---

- Parentheses ( ) indexing
- Dot . indexing

## Examples

Construct a BioMap object from a SAM-formatted file that is provided with Bioinformatics Toolbox:

```
% Construct a BioMap object from a SAM file and set the Name
% property
BMObj1 = BioMap('samfile', 'ex1.sam', 'Name', 'MyObject')
```

```
BMObj1 =
```

```
    BioMap
```

```
    Properties:
```

```
        Reference: 'seq1'
        Signature: {1501x1 cell}
        Start: [1501x1 uint32]
    MappingQuality: [1501x1 uint8]
        Flag: [1501x1 uint16]
        Quality: {1501x1 cell}
        Sequence: {1501x1 cell}
        Header: {1501x1 cell}
        NSeqs: 1501
        Name: 'MyObject'
```

```
    Methods, Superclasses
```

---

Construct a BioMap object from a valid MATLAB structure:

```
% Construct a structure containing information from a SAM file
SAMStruct = samread('ex1.sam');
% Construct a BioMap object from this structure
BMObj2 = BioMap(SAMStruct)
```

```
BMObj2 =  
  
BioMap  
  
Properties:  
    Reference: 'seq1'  
    Signature: {1501x1 cell}  
    Start: [1501x1 uint32]  
    MappingQuality: [1501x1 uint8]  
    Flag: [1501x1 uint16]  
    Quality: {1501x1 cell}  
    Sequence: {1501x1 cell}  
    Header: {1501x1 cell}  
    NSeqs: 1501  
    Name: ''  
  
Methods, Superclasses
```

## See Also

[BioIndexedFile](#) | [BioRead](#) | [saminfo](#) | [samread](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

**Purpose** Convert amino acid sequence to nucleotide sequence

**Syntax**

```
SeqNT = aa2nt(SeqAA)
SeqNT = aa2nt(SeqAA, ... 'GeneticCode',
GeneticCodeValue, ...)
SeqNT = aa2nt(SeqAA, ... 'Alphabet' AlphabetValue, ...)
```

**Arguments**

SeqAA	One of the following:
	<ul style="list-style-type: none"><li>• String of single-letter codes specifying an amino acid sequence. For valid letter codes, see the table Mapping Amino Acid Letter Codes to Integers on page 3-2. Unknown characters are mapped to 0.</li><li>• Row vector of integers specifying an amino acid sequence. For valid integers, see the table Mapping Amino Acid Integers to Letter Codes on page 3-909.</li><li>• MATLAB structure containing a Sequence field that contains an amino acid sequence, such as returned by fastaread, getgenpept, genpeptread, getpdb, or pdbread.</li></ul>

Examples: 'ARN' or [1 2 3]

GeneticCodeValue	Integer or string specifying a genetic code number or code name from the table Genetic Code on page 3-62. Default is 1 or 'Standard'.
------------------	---

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

AlphabetValue	String specifying a nucleotide alphabet. Choices are:
---------------	---

- 'DNA' (default) — Uses the symbols A, C, G, and T.
- 'RNA' — Uses the symbols A, C, G, and U.

Return Values

*SeqNT* Nucleotide sequence specified by a character string of letter codes.

Description

*SeqNT* = aa2nt(*SeqAA*) converts an amino acid sequence, specified by *SeqAA*, to a nucleotide sequence, returned in *SeqNT*, using the standard genetic code.

In general, the mapping from an amino acid to a nucleotide codon is not a one-to-one mapping. For amino acids with multiple possible nucleotide codons, this function randomly selects a codon corresponding to that particular amino acid. For the ambiguous characters B and Z, one of the amino acids corresponding to the letter is selected randomly, and then a codon sequence is selected randomly. For the ambiguous character X, a codon sequence is selected randomly from all possibilities.

*SeqNT* = aa2nt(*SeqAA*, ...'*PropertyName*', *PropertyValue*, ...) calls aa2nt with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*SeqNT* = aa2nt(*SeqAA*, ...'*GeneticCode*', *GeneticCodeValue*, ...) specifies a genetic code to use when converting an amino acid sequence to a nucleotide sequence. *GeneticCodeValue* can be an integer or string specifying a code number or code name from the table Genetic Code on page 3-62. Default is 1 or 'Standard'. The amino acid to nucleotide codon mapping for the Standard genetic code is shown in the table Standard Genetic Code on page 3-63.

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

`SeqNT = aa2nt(SeqAA, ...'Alphabet' AlphabetValue, ...)`  
specifies a nucleotide alphabet. *AlphabetValue* can be 'DNA', which uses the symbols A, C, G, and T, or 'RNA', which uses the symbols A, C, G, and U. Default is 'DNA'.

Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial



**Genetic Code (Continued)**

Code Number	Code Name
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

**Standard Genetic Code**

Amino Acid Name	Amino Acid Code	Nucleotide Codon
Alanine	A	GCT GCC GCA GCG
Arginine	R	CGT CGC CGA CGG AGA AGG
Asparagine	N	ATT AAC
Aspartic acid (Aspartate)	D	GAT GAC
Cysteine	C	TGT TGC
Glutamine	Q	CAA CAG
Glutamic acid (Glutamate)	E	GAA GAG
Glycine	G	GGT GGC GGA GGG
Histidine	H	CAT CAC
Isoleucine	I	ATT ATC ATA
Leucine	L	TTA TTG CTT CTC CTA CTG
Lysine	K	AAA AAG
Methionine	M	ATG
Phenylalanine	F	TTT TTC
Proline	P	CCT CCC CCA CCG

Standard Genetic Code (Continued)

Amino Acid Name	Amino Acid Code	Nucleotide Codon
Serine	S	TCT TCC TCA TCG AGT AGC
Threonine	T	ACT ACC ACA ACG
Tryptophan	W	TGG
Tyrosine	Y	TAT, TAC
Valine	V	GTT GTC GTA GTG
Asparagine or Aspartic acid (Aspartate)	B	Random codon from D and N
Glutamine or Glutamic acid (Glutamate)	Z	Random codon from E and Q
Unknown amino acid (any amino acid)	X	Random codon
Translation stop	*	TAA TAG TGA
Gap of indeterminate length	-	---
Unknown character (any character or symbol not in table)	?	???

Examples

- Convert an amino acid sequence to a nucleotide sequence using the standard genetic code.

```
aa2nt('MATLAP')
```

```
ans =
```

```
ATGGCGACGTTAGCGCCG
```

- Convert an amino acid sequence to a nucleotide sequence using the Vertebrate Mitochondrial genetic code.

```
aa2nt('MATLAP', 'GeneticCode', 2)
```

```
ans =
```

```
ATGGCAACTCTAGCGCCT
```

- Convert an amino acid sequence to a nucleotide sequence using the Echinoderm Mitochondrial genetic code and the RNA alphabet.

```
aa2nt('MATLAP', 'GeneticCode', 'ec', 'Alphabet', 'RNA')
```

```
ans =
```

```
AUGGCCACAUUGGCACCU
```

- Convert an amino acid sequence with the ambiguous character B.

```
aa2nt('abcd')
```

```
Warning: The sequence contains ambiguous characters.
```

```
ans =
```

```
GCCACATGCGAC
```

## See Also

Bioinformatics Toolbox functions: aminolookup, baselookup, geneticcode, nt2aa, revgeneticcode, seqtool

MATLAB function: rand

Purpose	Count amino acids in sequence	
Syntax	<pre>AAStruct = aaccount(SeqAA) AAStruct = aaccount(SeqAA, ...'Chart', ChartValue, ...) AAStruct = aaccount(SeqAA, ...'Others', OthersValue, ...) AAStruct = aaccount(SeqAA, ...'Structure', StructureValue, ...)</pre>	
Arguments	SeqAA	One of the following: <ul style="list-style-type: none"><li>• String of single-letter codes specifying an amino acid sequence. For valid letter codes, see the table Mapping Amino Acid Letter Codes to Integers on page 3-2. Unknown characters are mapped to 0.</li><li>• Row vector of integers specifying an amino acid sequence. For valid integers, see the table Mapping Amino Acid Integers to Letter Codes on page 3-909.</li><li>• MATLAB structure containing a Sequence field that contains an amino acid sequence, such as returned by fastaread, getgenpept, genpeptread, getpdb, or pdbread.</li></ul>
	ChartValue	Examples: 'ARN' or [1 2 3] String specifying a chart type. Choices are 'pie' or 'bar'.

<i>OthersValue</i>	String specifying how to count ambiguous characters (B, Z, X), the stop character (*), and gaps indicated by a hyphen (-). Choices are 'full' (lists the ambiguous characters in separate fields) or 'bundle' (lists the ambiguous characters together in the field <i>Others</i> ). Default is 'bundle'.
<i>StructureValue</i>	Suppresses the unknown characters warning when set to 'full' .

**Return Values**

<i>AAStruct</i>	1-by-1 MATLAB structure containing fields for the standard 20 amino acids (A, R, N, D, C, Q, E, G, H, I, L, K, M, F, P, S, T, W, Y, and V).
-----------------	---

**Description**

*AAStruct* = `aaccount(SeqAA)` counts the number of each type of amino acid in *SeqAA*, an amino acid sequence, and returns the counts in *AAStruct*, a 1-by-1 MATLAB structure containing fields for the standard 20 amino acids (A, R, N, D, C, Q, E, G, H, I, L, K, M, F, P, S, T, W, Y, and V).

- If a sequence contains ambiguous characters (B, Z, or X), the stop character (\*), or gaps indicated with a hyphen (-), then these characters are counted in the field *Others* and the following warning message appears:

Warning: Ambiguous symbols appear in the sequence. These will be in Others.

- If a sequence contains characters other than the 20 standard amino acids, ambiguous, stop, and gap characters, then these characters are counted in the field *Others*, and the following warning message appears:

Warning: Unknown symbols appear in the sequence. These will be in Others.

- If the property 'Others' is set to 'full', ambiguous characters are listed separately in the fields B, Z, X, Stop, and Gap.

*AAStruct* = *aaccount*(*SeqAA*, ...'*PropertyName*', *PropertyValue*, ...) calls *aaccount* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*AAStruct* = *aaccount*(*SeqAA*, ...'*Chart*', *ChartValue*, ...) creates a chart showing the relative proportions of the amino acids. *ChartValue* can be 'pie' or 'bar'.

*AAStruct* = *aaccount*(*SeqAA*, ...'*Others*', *OthersValue*, ...) specifies how to count ambiguous characters (B, Z, or X), the stop character (\*), and gaps indicated by a hyphen (-). Choices are 'full' (lists the ambiguous characters in separate fields) or 'bundle' (lists the ambiguous characters together in the field *Others*). Default is 'bundle'.

*AAStruct* = *aaccount*(*SeqAA*, ...'*Structure*', *StructureValue*, ...) suppresses the unknown characters warning when *StructureValue* is set to 'full'.

- *aaccount*(*SeqAA*) — Displays fields for 20 amino acids, and, if there are ambiguous or unknown characters, adds an *Others* field with the ambiguous and unknown character counts.
- *aaccount*(*SeqAA*, '*Others*', 'full') — Displays fields for 20 amino acids, 3 ambiguous amino acids, stops, gaps, and, if there are unknown characters, adds an *Others* field with the unknown counts.
- *aaccount*(*SeqAA*, '*Structure*', 'full') — Displays fields for 20 amino acids and an *Others* field. If there are ambiguous or unknown characters, adds the counts to the *Others* field; otherwise displays 0 in the *Others* field.
- *aaccount*(*SeqAA*, '*Others*', 'full', '*Structure*', 'full') — Displays fields for 20 amino acids, 3 ambiguous amino acids, stops,

gaps, and an `Others` field. If there are unknown characters, add the counts to the `Others` field; otherwise displays 0 in the `Others` field.

## Examples

- 1 Create an amino acid sequence.

```
Seq = 'MATLAB';
```

- 2 Count the amino acids in the sequence and return the results in a structure.

```
AA = aacount(Seq)
```

Warning: Ambiguous symbols 'B' appear in the sequence. These will be in Others.

```
AA =
```

```

    A: 2
    R: 0
    N: 0
    D: 0
    C: 0
    Q: 0
    E: 0
    G: 0
    H: 0
    I: 0
    L: 1
    K: 0
    M: 1
    F: 0
    P: 0
    S: 0
    T: 1
    W: 0
    Y: 0
    V: 0
Others: 1

```

- 3** Get the count for alanine (A) residues.

```
AA.A  
  
ans =  
  
2
```


- 4** Create a random character string to represent an amino acid sequence.

```
Seq = randseq(20, 'alphabet', 'amino')  
  
Seq =  
  
dwcztacakfuecvifchds
```

- 5** Count the amino acids in the sequence, return the results in a structure, and display the results in a pie chart.

```
AA = aacount(Seq, 'chart', 'pie');
```





## See Also

Bioinformatics Toolbox functions: `aminolookup`, `atomiccomp`, `basecount`, `codoncount`, `dimercount`, `isoelectric`, `molweight`, `proteinplot`, `proteinpropplot`, `seqtool`

# bioma.ExpressionSet.abstract

---

**Purpose** Retrieve or set abstract describing experiment in ExpressionSet object

**Syntax** *Abstract* = abstract(*ESObj*)  
*NewESObj* = abstract(*ESObj*, *NewAbstract*)

**Description** *Abstract* = abstract(*ESObj*) returns a string containing the abstract information describing the experiment from a MIAME object in an ExpressionSet object.

*NewESObj* = abstract(*ESObj*, *NewAbstract*) replaces the abstract information in the MIAME object in *ESObj*, an ExpressionSet object, with *NewAbstract*, a string containing new abstract information, and returns *NewESObj*, a new ExpressionSet object.

**Input Arguments** *ESObj*  
Object of the bioma.ExpressionSet class.

*NewAbstract*  
String containing new abstract information.

**Output Arguments** *Abstract*  
String containing the abstract information describing the experiment from a MIAME object in an ExpressionSet object.

*NewESObj*  
Object of the bioma.ExpressionSet class, returned after replacing the abstract information.

**Examples** Construct an ExpressionSet object, *ESObj*, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the abstract information stored in the MIAME object stored in the ExpressionSet object:

```
% Retrieve abstract text from the MIAME object
Abstract = abstract(ESObj)
```

**See Also**

`bioma.ExpressionSet` | `bioma.data.MIAME`

**How To**

- “Storing and Managing Gene Expression Data in Objects”

# addTitle (clustergram)

---

<b>Purpose</b>	Add title to clustergram	
<b>Syntax</b>	<pre>addTitle(CGObject, Title) addTitle(CGObject, Title, 'Property1Name', Property1Value,         'Property2Name', Property2Value, ...) H = addTitle(CGObject)</pre>	
<b>Arguments</b>	<i>CGObject</i>	Clustergram object created with the function clustergram.
	<i>Title</i>	String used as the title in the Clustergram window.
<b>Return Values</b>	<i>H</i>	Handle to a MATLAB text object used as the title for the clustergram.
<b>Description</b>	<p>addTitle(<i>CGObject</i>, <i>Title</i>) adds a title above the clustergram displayed in the Clustergram window.</p> <p>addTitle(<i>CGObject</i>, <i>Title</i>, 'Property1Name', <i>Property1Value</i>, 'Property2Name', <i>Property2Value</i>, ...) specifies text object properties for the title. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.</p> <p><i>H</i> = addTitle(<i>CGObject</i>) returns the handle to the text object used as the title for the clustergram.</p>	
<b>Examples</b>	<p>Supply a title for the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the clustergram function reference page. Use 14-point, italic text for the title.</p> <pre>addTitle(cgo, 'Expression Levels During Diauxic Shift', ...         'FontSize', 14, 'FontAngle', 'Italic')</pre>	

Return a handle to the title text object, then use the `set` function to change the font size to 16 points.

```
h = addTitle(cgo)
set(h, 'FontSize', 16)
```

### See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `addXLabel`, `addYLabel`, `get`, `plot`, `set`, `view`

# addTitle (HeatMap)

---

<b>Purpose</b>	Add title to heat map				
<b>Syntax</b>	<pre>addTitle(HMObject, Title) addTitle(HMObject, Title, 'Property1Name', Property1Value,         'Property2Name', Property2Value, ...) H = addTitle(HMObject)</pre>				
<b>Arguments</b>	<table><tr><td><i>HMObject</i></td><td>HeatMap object created with the function HeatMap.</td></tr><tr><td><i>Title</i></td><td>String used as the title in the HeatMap window.</td></tr></table>	<i>HMObject</i>	HeatMap object created with the function HeatMap.	<i>Title</i>	String used as the title in the HeatMap window.
<i>HMObject</i>	HeatMap object created with the function HeatMap.				
<i>Title</i>	String used as the title in the HeatMap window.				
<b>Return Values</b>	<table><tr><td><i>H</i></td><td>Handle to a MATLAB text object used as the title for the heat map.</td></tr></table>	<i>H</i>	Handle to a MATLAB text object used as the title for the heat map.		
<i>H</i>	Handle to a MATLAB text object used as the title for the heat map.				
<b>Description</b>	<p><code>addTitle(HMObject, Title)</code> adds a title above the heat map displayed in the HeatMap window.</p> <p><code>addTitle(HMObject, Title, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)</code> specifies text object properties for the title. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.</p> <p><code>H = addTitle(HMObject)</code> returns the handle to the text object used as the title for the heat map.</p>				
<b>Examples</b>	<p>Supply a title for the HeatMap object created in the “Examples” on page 3-869 section of the HeatMap function reference page. Use 14-point, italic text for the title.</p> <pre>addTitle(hmo, 'Example Heat Map', 'FontSize', 14, ...         'FontAngle','Italic')</pre> <p>Return a handle to the title text object, then use the <code>set</code> function to change the font size to 16 points.</p>				

```
h = addTitle(hmo)
set(h, 'FontSize', 16)
```

### See Also

Bioinformatics Toolbox function: `HeatMap` (object constructor)

Bioinformatics Toolbox object: `HeatMap` object

Bioinformatics Toolbox methods of a `HeatMap` object: `addXLabel`, `addYLabel`, `plot`, `view`

# addXLabel (clustergram)

---

<b>Purpose</b>	Label <i>x</i> -axis of clustergram				
<b>Syntax</b>	<pre>addXLabel(CGObject, Label) addXLabel(CGObject, Label, 'Property1Name', Property1Value,           'Property2Name', Property2Value, ...) H = addXLabel(CGObject)</pre>				
<b>Arguments</b>	<table><tr><td><i>CGObject</i></td><td>Clustergram object created with the function clustergram.</td></tr><tr><td><i>Label</i></td><td>String used as the <i>x</i>-axis label in the Clustergram window.</td></tr></table>	<i>CGObject</i>	Clustergram object created with the function clustergram.	<i>Label</i>	String used as the <i>x</i> -axis label in the Clustergram window.
<i>CGObject</i>	Clustergram object created with the function clustergram.				
<i>Label</i>	String used as the <i>x</i> -axis label in the Clustergram window.				
<b>Return Values</b>	<table><tr><td><i>H</i></td><td>Handle to a MATLAB text object used as the <i>x</i>-axis label for the clustergram.</td></tr></table>	<i>H</i>	Handle to a MATLAB text object used as the <i>x</i> -axis label for the clustergram.		
<i>H</i>	Handle to a MATLAB text object used as the <i>x</i> -axis label for the clustergram.				
<b>Description</b>	<p>addXLabel(<i>CGObject</i>, <i>Label</i>) adds a label below the <i>x</i>-axis of a clustergram displayed in the Clustergram window.</p> <p>addXLabel(<i>CGObject</i>, <i>Label</i>, 'Property1Name', <i>Property1Value</i>, 'Property2Name', <i>Property2Value</i>, ...) specifies text object properties for the <i>x</i>-axis label. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.</p> <p><i>H</i> = addXLabel(<i>CGObject</i>) returns the handle to the text object used as the <i>x</i>-axis label for the clustergram.</p>				
<b>Examples</b>	<p>Supply an <i>x</i>-axis label for the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the clustergram function reference page. Use 12-point, italic text for the label.</p> <pre>addXLabel(cgo, 'Diauxic Shift Times', 'FontSize', 12, ...           'FontAngle', 'Italic')</pre>				



Return a handle to the *x*-axis label text object, then use the `set` function to change the font size to 14 points.

```
h = addXLabel(cgo)
set(h, 'FontSize', 14)
```

### See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `addTitle`, `addYLabel`, `get`, `plot`, `set`, `view`

# addXLabel (HeatMap)

---

**Purpose**                      Label *x*-axis of heat map

**Syntax**                      `addXLabel(HMObject, Label)`  
                                 `addXLabel(HMObject, Label, 'Property1Name', Property1Value,`  
                                 `'Property2Name', Property2Value, ...)`  
                                 `H = addXLabel(HMObject)`

**Arguments**                      *HMObject*              HeatMap object created with the function HeatMap.  
                                 *Label*                      String used as the *x*-axis label in the HeatMap window.

**Return Values**                      *H*                      Handle to a MATLAB text object used as the *x*-axis label for the heat map.

**Description**                      `addXLabel(HMObject, Label)` adds a label below the *x*-axis of a heat map displayed in the HeatMap window.

`addXLabel(HMObject, Label, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)` specifies text object properties for the *x*-axis label. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.

`H = addXLabel(HMObject)` returns the handle to the text object used as the *x*-axis label for the heat map.

**Examples**                      Supply an *x*-axis label for the HeatMap object created in the “Examples” on page 3-869 section of the HeatMap function reference page. Use 12-point, italic text for the label.

`addXLabel(hmo, 'Times', 'FontSize', 12, 'FontAngle', 'Italic')`

                                 Return a handle to the *x*-axis label text object, then use the `set` function to change the font size to 14 points.

```
h = addXLabel(hmo)
set(h, 'FontSize', 14)
```

### See Also

Bioinformatics Toolbox function: `HeatMap` (object constructor)

Bioinformatics Toolbox object: `HeatMap` object

Bioinformatics Toolbox methods of a `HeatMap` object: `addTitle`, `addYLabel`, `plot`, `view`

# addYLabel (clustergram)

---

<b>Purpose</b>	Label <i>y</i> -axis of clustergram	
<b>Syntax</b>	<pre>addYLabel(<i>CGObject</i>, <i>Label</i>) addYLabel(<i>CGObject</i>, <i>Label</i>, 'Property1Name', <i>Property1Value</i>,           'Property2Name', <i>Property2Value</i>, ...) <i>H</i> = addYLabel(<i>CGObject</i>)</pre>	
<b>Arguments</b>	<i>CGObject</i>	Clustergram object created with the function clustergram.
	<i>Label</i>	String used as the <i>y</i> -axis label in the Clustergram window.
<b>Return Values</b>	<i>H</i>	Handle to a MATLAB text object used as the <i>y</i> -axis label for the clustergram.
<b>Description</b>	<p>addYLabel(<i>CGObject</i>, <i>Label</i>) adds a label to the left of the <i>y</i>-axis of a clustergram displayed in the Clustergram window.</p> <p>addYLabel(<i>CGObject</i>, <i>Label</i>, 'Property1Name', <i>Property1Value</i>, 'Property2Name', <i>Property2Value</i>, ...) specifies text object properties for the <i>y</i>-axis label. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.</p> <p><i>H</i> = addYLabel(<i>CGObject</i>) returns the handle to the text object used as the <i>y</i>-axis label for the clustergram.</p>	
<b>Examples</b>	<p>Supply a <i>y</i>-axis label for the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the clustergram function reference page. Use 12-point, italic text for the label.</p> <pre>addYLabel(cgo, 'Genes', 'FontSize', 12, 'FontAngle', 'Italic')</pre>	

Return a handle to the y-axis label text object, then use the `set` function to change the font size to 14 points.

```
h = addYLabel(cgo)
set(h, 'FontSize', 14)
```

### See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `addTitle`, `addXLabel`, `get`, `plot`, `set`, `view`

# addYLabel (HeatMap)

---

<b>Purpose</b>	Label <i>y</i> -axis of heat map				
<b>Syntax</b>	<pre>addYLabel(HMObject, Label) addYLabel(HMObject, Label, 'Property1Name', Property1Value,           'Property2Name', Property2Value, ...) H = addYLabel(HMObject)</pre>				
<b>Arguments</b>	<table><tr><td><i>HMObject</i></td><td>HeatMap object created with the function HeatMap.</td></tr><tr><td><i>Label</i></td><td>String used as the <i>y</i>-axis label in the HeatMap window.</td></tr></table>	<i>HMObject</i>	HeatMap object created with the function HeatMap.	<i>Label</i>	String used as the <i>y</i> -axis label in the HeatMap window.
<i>HMObject</i>	HeatMap object created with the function HeatMap.				
<i>Label</i>	String used as the <i>y</i> -axis label in the HeatMap window.				
<b>Return Values</b>	<table><tr><td><i>H</i></td><td>Handle to a MATLAB text object used as the <i>y</i>-axis label for the heat map.</td></tr></table>	<i>H</i>	Handle to a MATLAB text object used as the <i>y</i> -axis label for the heat map.		
<i>H</i>	Handle to a MATLAB text object used as the <i>y</i> -axis label for the heat map.				
<b>Description</b>	<p><code>addYLabel(HMObject, Label)</code> adds a label to the left of the <i>y</i>-axis of a heat map displayed in the HeatMap window.</p> <p><code>addYLabel(HMObject, Label, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)</code> specifies text object properties for the <i>y</i>-axis label. For more information on the property name/property value pairs you can use to modify the text, see Text Properties.</p> <p><code>H = addYLabel(HMObject)</code> returns the handle to the text object used as the <i>y</i>-axis label for the heat map.</p>				
<b>Examples</b>	<p>Supply a <i>y</i>-axis label for the HeatMap object created in the “Examples” on page 3-869 section of the HeatMap function reference page. Use 12-point, italic text for the label.</p> <pre>addYLabel(hmo, 'Samples', 'FontSize', 12, 'FontAngle', 'Italic')</pre> <p>Return a handle to the <i>y</i>-axis label text object, then use the <code>set</code> function to change the font size to 14 points.</p>				

```
h = addYLabel(hmo)
set(h, 'FontSize', 14)
```

### See Also

Bioinformatics Toolbox function: `HeatMap` (object constructor)

Bioinformatics Toolbox object: `HeatMap` object

Bioinformatics Toolbox methods of a `HeatMap` object: `addTitle`, `addXLabel`, `plot`, `view`

## Purpose

Perform GC Robust Multi-array Average (GCRMA) procedure on Affymetrix microarray probe-level data

## Syntax

```
Expression = affygcrrma(CELFiles, CDFFFile, SeqFile)
Expression = affygcrrma(ProbeStructure, Seq)
Expression = affygcrrma(CELFiles, CDFFFile, SeqFile,
... 'CELPath', CELPathValue, ...)
Expression = affygcrrma(CELFiles, CDFFFile, SeqFile,
... 'CDFPath', CDFPathValue, ...)
Expression = affygcrrma(CELFiles, CDFFFile, SeqFile,
... 'SeqPath', SeqPathValue, ...)
Expression = affygcrrma(..., 'ChipIndex',
ChipIndexValue, ...)
Expression = affygcrrma(..., 'OpticalCorr',
OpticalCorrValue,
...)
Expression = affygcrrma(..., 'CorrConst',
CorrConstValue, ...)
Expression = affygcrrma(..., 'Method', MethodValue, ...)
Expression = affygcrrma(..., 'TuningParam',
TuningParamValue,
...)
Expression = affygcrrma(..., 'GSBCorr', GSBCorrValue, ...)
Expression = affygcrrma(..., 'Median', MedianValue, ...)
Expression = affygcrrma(..., 'Output', OutputValue, ...)
Expression = affygcrrma(..., 'Showplot', ShowplotValue, ...)
Expression = affygcrrma(..., 'Verbose', VerboseValue, ...)
```



## Arguments

*CELFiles*

Any of the following:

- String specifying a single CEL file name.
- '\*', which reads all CEL files in the current folder.
- ' ', which opens the Select CEL Files dialog box from which you select the CEL files. From this dialog box, you can press and hold **Ctrl** or **Shift** while clicking to select multiple CEL files.
- Cell array of CEL file names.

*CDFFile*

Either of the following:

- String specifying a CDF file name.
- ' ', which opens the Select CDF File dialog box from which you select the CDF file.

*SeqFile*

Either of the following:

- String specifying a file name of a sequence file (tab-separated or FASTA) that contains the following information for a specific type of Affymetrix GeneChip array:
  - Probe set IDs
  - Probe *x*-coordinates
  - Probe *y*-coordinates
  - Probe sequences in each probe set
  - Affymetrix GeneChip array type (FASTA file only)

The sequence file (tab-separated or FASTA) must be on the MATLAB search path or

	in the Current Folder (unless you use the <code>SeqPath</code> property). In a tab-separated file, each row represents a probe; in a FASTA file, each header represents a probe.
	<ul style="list-style-type: none"> <li>An <math>N</math>-by-25 matrix of sequence information, such as returned by <code>affyprobeseqread</code>.</li> </ul>
<i>Seq</i>	An $N$ -by-25 matrix of sequence information, such as returned by <code>affyprobeseqread</code> .
<i>ProbeStructure</i>	MATLAB structure containing information from the CEL files, including probe intensities, probe indices, and probe set IDs, returned by the <code>celintensityread</code> function.
<i>CELPathValue</i>	String specifying the path and folder where the files specified in <i>CELFiles</i> are stored.
<i>CDFPathValue</i>	String specifying the path and folder where the file specified in <i>CDFFile</i> is stored.
<i>SeqPathValue</i>	String specifying a folder or path and folder where <i>SeqFile</i> is stored.
<i>ChipIndexValue</i>	Positive integer specifying a chip. This chip's sequence information and mismatch probe intensity data is used to compute probe affinities. Default is 1.
<i>OpticalCorrValue</i>	Controls the use of optical background correction on the input probe intensity values. Choices are <code>true</code> (default) or <code>false</code> .
<i>CorrConstValue</i>	Value that specifies the correlation constant, $\rho$ , for log background intensity for each PM/MM probe pair. Choices are any value <code>0</code> and <code>1</code> . Default is <code>0.7</code> .

<i>MethodValue</i>	String that specifies the method to estimate the signal. Choices are 'MLE', a faster, ad hoc Maximum Likelihood Estimate method, or 'EB', a slower, more formal, empirical Bayes method. Default is 'MLE'.
<i>TuningParamValue</i>	Value that specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is 5 (MLE) or 0.5 (EB).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

<i>GSBCorrValue</i>	Specifies whether to perform gene-specific binding (GSB) correction using probe affinity data. Choices are <code>true</code> (default) or <code>false</code> . If there is no probe affinity information, this property is ignored.
<i>MedianValue</i>	Specifies the use of the median of the ranked values instead of the mean for normalization. Choices are <code>true</code> or <code>false</code> (default).

<i>OutputValue</i>	<p>Specifies the scale of the returned gene expression values. Choices are:</p> <ul style="list-style-type: none"><li>• 'log'</li><li>• 'log2'</li><li>• 'log10'</li><li>• 'natural'</li><li>• @functionname</li></ul> <p>In the last instance, the data is transformed as defined by the function <i>functionname</i>. Default is 'log2'.</p>
<i>ShowplotValue</i>	<p>Controls the display of a plot showing the log<sub>2</sub> of mismatch (MM) probe intensity values from a specified chip (CEL file), versus that chip's MM probe affinities. The plot also shows the LOWESS fit for computing NSB data of the specified chip. Choices are <code>true</code>, <code>false</code>, or <i>I</i>, an integer specifying a chip. If set to <code>true</code>, the first chip is plotted. Default is:</p> <ul style="list-style-type: none"><li>• <code>false</code> — When return values are specified.</li><li>• <code>true</code> — When return values are not specified.</li></ul>
<i>VerboseValue</i>	<p>Controls the display of the status of the reading of files and GCRMA processing. Choices are <code>true</code> (default) or <code>false</code>.</p>

## Return Values

*Expression* DataMatrix object containing the  $\log_2$  gene expression values that have been background adjusted, normalized, and summarized using the GC Robust Multi-array Average (GCRMA) procedure.

Each row in *Expression* corresponds to a gene (probe set), and each column corresponds to an Affymetrix CEL file.

## Description

*Expression* = `affygcrcma(CELFiles, CDFFile, SeqFile)` reads the specified Affymetrix CEL files, the associated CDF library file (created from Affymetrix GeneChip arrays for expression or genotyping assays), and the associated sequence file or matrix. It then processes the probe intensity values using GCRMA background adjustment, quantile normalization, and median-polish summarization procedures, then returns *Expression*, a DataMatrix object containing the  $\log_2$  based gene expression values in a matrix, the probe set IDs as row names, and the CEL file names as column names. Note that each row in *Expression* corresponds to a gene (probe set), and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

*CELFiles* is a string or cell array of CEL file names. *CDFFile* is a string specifying a CDF file name. If you set *CELFiles* to '\*', then it reads all CEL files in the current folder. If you set *CELFiles* or *CDFFile* to '', then it opens the Select Files dialog box from which you select the CEL files or CDF file. From this dialog box, you can press and hold **Ctrl** or **Shift** while clicking to select multiple CEL files. *SeqFile* is a file or matrix containing sequence information for probes on a specific type of Affymetrix GeneChip array.

---

**Note** For details on the reading of files and GCRMA processing, see `celintensityread`, `affyprobeseqread`, `affyprobeaffinities`, `gcrma`, `gcrmaadjust`, `quantilenorm`, and `rmasummary`.

---

*Expression* = `affygcrrma(ProbeStructure, Seq)` uses GCRMA background adjustment, quantile normalization, and median-polish summarization procedures to process the probe intensity values in *ProbeStructure*. *ProbeStructure* is a MATLAB structure containing information from the CEL files, including probe intensities, probe indices, and probe set IDs, returned by the `celintensityread` function. *Seq* is a matrix containing sequence information for probes on a specific type of Affymetrix GeneChip array.

*Expression* = `affygcrrma(..., 'PropertyName', PropertyValue, ...)` calls `affygcrrma` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Expression* = `affygcrrma(CELFiles, CDFFFile, SeqFile, ... 'CELPath', CELPathValue, ...)` specifies a path and folder where the files specified by *CELFiles* are stored.

*Expression* = `affygcrrma(CELFiles, CDFFFile, SeqFile, ... 'CDFPath', CDFPathValue, ...)` specifies a path and folder where the file specified by *CDFFFile* is stored.

*Expression* = `affygcrrma(CELFiles, CDFFFile, SeqFile, ... 'SeqPath', SeqPathValue, ...)` specifies a path and folder where the file specified by *SeqFile* is stored.

*Expression* = `affygcrrma(..., 'ChipIndex', ChipIndexValue, ...)` computes probe affinities from MM probe intensity data using sequence information and mismatch probe intensity values from the chip specified by *ChipIndexValue*. Default *ChipIndexValue* is 1.

*Expression* = affygcrrma(..., 'OpticalCorr', *OpticalCorrValue*, ...) controls the use of optical background correction on the input probe intensity values. Choices are true (default) or false.

*Expression* = affygcrrma(..., 'CorrConst', *CorrConstValue*, ...) specifies the correlation constant, rho, for background intensity for each PM/MM probe pair. Choices are any value 0 and 1. Default is 0.7.

*Expression* = affygcrrma(..., 'Method', *MethodValue*, ...) specifies the method to estimate the signal. Choices are 'MLE', a faster, ad hoc Maximum Likelihood Estimate method, or 'EB', a slower, more formal, empirical Bayes method. Default is 'MLE'.

*Expression* = affygcrrma(..., 'TuningParam', *TuningParamValue*, ...) specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is 5 (MLE) or 0.5 (EB).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

*Expression* = affygcrrma(..., 'GSBCorr', *GSBCorrValue*, ...) specifies whether to perform gene-specific binding (GSB) correction using probe affinity data. Choices are true (default) or false. If there is no probe affinity information, this property is ignored.

*Expression* = affygcrrma(..., 'Median', *MedianValue*, ...) specifies the use of the median of the ranked values instead of the mean for normalization. Choices are true or false (default).

*Expression* = affygcrrma(..., 'Output', *OutputValue*, ...) specifies the scale of the returned gene expression values. *OutputValue* can be:

- 'log'
- 'log2'
- 'log10'
- 'natural'
- @functionname

In the last instance, the data is transformed as defined by the function *functionname*. Default is 'log2'.

*Expression* = affygcma(..., 'Showplot', *ShowplotValue*, ...) controls the display of a plot showing the  $\log_2$  of mismatch (MM) probe intensity values from a specified chip (CEL file), versus that chip's MM probe affinities. The plot also shows the LOWESS fit for computing NSB data of the specified chip. Choices are true, false, or *I*, an integer specifying a chip. If set to true, the first chip is plotted. Default is:

- false — When return values are specified.
- true — When return values are not specified.

*Expression* = affygcma(..., 'Verbose', *VerboseValue*, ...) controls the display of the status of the reading of files and GCRMA processing. Choices are true (default) or false.

## Examples

The following example assumes that you have the HG\_U95Av2.CDF library file stored at D:\Affymetrix\LibFiles\HGGenome, and that your current folder points to a location containing CEL files and a sequence file associated with this CDF library file. In this example, the affygcma function reads all the CEL files and the sequence file in the current folder and a CDF file in a specified folder. It also performs GCRMA background adjustment, quantile normalization, and summarization procedures on the PM probe intensity values, and returns a DataMatrix object, containing the metadata and processed data.

```
Expression = affygcma('*', 'HG_U95Av2.CDF', 'HG-U95Av2_probe_tab',...
```



```
'CDFPath', 'D:\Affymetrix\LibFiles\HGGenome');
```

## References

- [1] Naef, F., and Magnasco, M.O. (2003). Solving the Riddle of the Bright Mismatches: Labeling and Effective Binding in Oligonucleotide Arrays. *Physical Review E* 68, 011906.
- [2] Wu, Z., Irizarry, R.A., Gentleman, R., Murillo, F.M., and Spencer, F. (2004). A Model Based Background Adjustment for Oligonucleotide Expression Arrays. *Journal of the American Statistical Association* 99(468), 909–917.
- [3] Wu, Z., and Irizarry, R.A. (2005). Stochastic Models Inspired by Hybridization Theory for Short Oligonucleotide Arrays. *Proceedings of RECOMB 2004. J Comput Biol.* 12(6), 882–93.
- [4] Wu, Z., and Irizarry, R.A. (2005). A Statistical Framework for the Analysis of Microarray Probe-Level Data. Johns Hopkins University, Biostatistics Working Papers 73.
- [5] Wu, Z., and Irizarry, R.A. (2003). A Model Based Background Adjustment for Oligonucleotide Expression Arrays. *RSS Workshop on Gene Expression*, Wye, England, <http://biosun01.biostat.jhsph.edu/%7Eirizarry/Talks/gctalk.pdf>.
- [6] Speed, T. (2006). Background models and GCRMA. Lecture 10, *Statistics 246*, University of California Berkeley. <http://www.stat.berkeley.edu/users/terry/Classes/s246.2006/-Week10/Week10L1.pdf>.
- [7] Abd Rabbo, N.A., and Barakat, H.M. (1979). Estimation Problems in Bivariate Lognormal Distribution. *Indian J. Pure Appl. Math* 10(7), 815–825.
- [8] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmuter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R.,

and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* *11*, 6823–6834.

[9] Irizarry, R.A., Hobbs, B., Collin, F., Beazer-Barclay, Y.D., Antonellis, K.J., Scherf, U., Speed, T.P. (2003). Exploration, Normalization, and Summaries of High Density Oligonucleotide Array Probe Level Data. *Biostatistics*. *4*, 249–264.

[10] Mosteller, F., and Tukey, J. (1977). *Data Analysis and Regression* (Reading, Massachusetts: Addison-Wesley Publishing Company), pp. 165–202.

## See Also

Bioinformatics Toolbox functions: `affyprobeaffinities`, `affyprobeseqread`, `affyrma`, `celintensityread`, `gcrma`, `gcrmabackadj`, `mafdr`, `matteest`, `quantilenorm`, `rmasummary`

## Purpose

Perform rank invariant set normalization on probe intensities from multiple Affymetrix CEL or DAT files

## Syntax

```
NormData = affyinvarsetnorm(Data)
[NormData, MedStructure] = affyinvarsetnorm(Data)
... affyinvarsetnorm(..., 'Baseline', BaselineValue, ...)
... affyinvarsetnorm(..., 'Thresholds',
ThresholdsValue, ...)
... affyinvarsetnorm(..., 'StopPercentile',
StopPercentileValue, ...)
... affyinvarsetnorm(..., 'RayPercentile',
RayPercentileValue, ...)
... affyinvarsetnorm(..., 'Method', MethodValue, ...)
... affyinvarsetnorm(..., 'Showplot', ShowplotValue, ...)
```

## Arguments

<i>Data</i>	Matrix of intensity values where each row corresponds to a perfect match (PM) probe and each column corresponds to an Affymetrix CEL or DAT file. (Each CEL or DAT file is generated from a separate chip. All chips should be of the same type.)
<i>MedStructure</i>	Structure of each column's intensity median before and after normalization, and the index of the column chosen as the baseline.
<i>BaselineValue</i>	Property to control the selection of the column index <i>N</i> from <i>Data</i> to be used as the baseline column. Default is the column index whose median intensity is the median of all the columns.

*ThresholdsValue* Property to set the thresholds for the lowest average rank and the highest average rank, which are used to determine the invariant set. The rank invariant set is a set of data points whose proportional rank difference is smaller than a given threshold. The threshold for each data point is determined by interpolating between the threshold for the lowest average rank and the threshold for the highest average rank. Select these two thresholds empirically to limit the spread of the invariant set, but allow enough data points to determine the normalization relationship.

*ThresholdsValue* is a 1-by-2 vector [*LT*, *HT*] where *LT* is the threshold for the lowest average rank and *HT* is threshold for the highest average rank. Values must be between 0 and 1. Default is [0.05, 0.005].

*StopPercentileValue* Property to stop the iteration process when the number of data points in the invariant set reaches *N* percent of the total number of data points. Default is 1.

---

**Note** If you do not use this property, the iteration process continues until no more data points are eliminated.

---

*RayPercentileValue* Property to select the *N* percentage of the highest ranked invariant set of data points to fit a straight line through, while the remaining data points are fitted to a running median curve. The final running median curve is a piecewise linear curve. Default is 1.5.

<i>MethodValue</i>	Property to select the smoothing method used to normalize the data. Enter 'lowess' or 'runmedian'. Default is 'lowess'.
<i>ShowplotValue</i>	Property to control the plotting of two pairs of scatter plots (before and after normalization). The first pair plots baseline data versus data from a specified column (chip) from the matrix <i>Data</i> . The second is a pair of M-A scatter plots, which plots M (ratio between baseline and sample) versus A (the average of the baseline and sample). Enter either 'all' (plot a pair of scatter plots for each column or chip) or specify a subset of columns (chips) by entering the column number(s) or a range of numbers.

For example:

- ..., 'Showplot', 3, ...) plots data from column 3.
- ..., 'Showplot', [3,5,7], ...) plots data from columns 3, 5, and 7.
- ..., 'Showplot', 3:9, ...) plots data from columns 3 to 9.

## Description

*NormData* = `affyinvarsetnorm(Data)` normalizes the values in each column (chip) of probe intensities in *Data* to a baseline reference, using the invariant set method. *NormData* is a matrix of normalized probe intensities from *Data*.

Specifically, `affyinvarsetnorm`:

- Selects a baseline index, typically the column whose median intensity is the median of all the columns.

- For each column, determines the proportional rank difference (*prd*) for each pair of ranks, *RankX* and *RankY*, from the sample column and the baseline reference.

$$prd = \text{abs}(\text{RankX} - \text{RankY})$$

- For each column, determines the invariant set of data points by selecting data points whose proportional rank differences (*prd*) are below *threshold*, which is a predetermined threshold for a given data point (defined by the *ThresholdsValue* property). It repeats the process until either no more data points are eliminated, or a predetermined percentage of data points is reached.

The invariant set is data points with a *prd* < *threshold*.

- For each column, uses the invariant set of data points to calculate the lowess or running median smoothing curve, which is used to normalize the data in that column.

[*NormData*, *MedStructure*] = *affyinvarsetnorm*(*Data*) also returns a structure of the index of the column chosen as the baseline and each column's intensity median before and after normalization.

---

**Note** If *Data* contains NaN values, then *NormData* will also contain NaN values at the corresponding positions.

---

... *affyinvarsetnorm*(..., '*PropertyName*', *PropertyValue*, ...) calls *affyinvarsetnorm* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

... *affyinvarsetnorm*(..., '*Baseline*', *BaselineValue*, ...) lets you select the column index *N* from *Data* to be the baseline column.

Default is the index of the column whose median intensity is the median of all the columns.

`... affyinvarsetnorm(..., 'Thresholds', ThresholdsValue, ...)` sets the thresholds for the lowest average rank and the highest average rank, which are used to determine the invariant set. The rank invariant set is a set of data points whose proportional rank difference is smaller than a given threshold. The threshold for each data point is determined by interpolating between the threshold for the lowest average rank and the threshold for the highest average rank. Select these two thresholds empirically to limit the spread of the invariant set, but allow enough data points to determine the normalization relationship.

*ThresholdsValue* is a 1-by-2 vector [*LT*, *HT*], where *LT* is the threshold for the lowest average rank and *HT* is threshold for the highest average rank. Values must be between 0 and 1. Default is [0.05, 0.005].

`... affyinvarsetnorm(..., 'StopPercentile', StopPercentileValue, ...)` stops the iteration process when the number of data points in the invariant set reaches *N* percent of the total number of data points. Default is 1.

---

**Note** If you do not use this property, the iteration process continues until no more data points are eliminated.

---

`... affyinvarsetnorm(..., 'RayPercentile', RayPercentileValue, ...)` selects the *N* percentage of the highest ranked invariant set of data points to fit a straight line through, while the remaining data points are fitted to a running median curve. The final running median curve is a piecewise linear curve. Default is 1.5.

`... affyinvarsetnorm(..., 'Method', MethodValue, ...)` selects the smoothing method for normalizing the data. When *MethodValue* is 'lowess', `affyinvarsetnorm` uses the lowess method.


When *MethodValue* is 'runmedian', *affyinvarsetnorm* uses the running median method. Default is 'lowess'.

... *affyinvarsetnorm*(..., 'Showplot', *ShowplotValue*, ...) plots two pairs of scatter plots (before and after normalization). The first pair plots baseline data versus data from a specified column (chip) from the matrix *Data*. The second is a pair of M-A scatter plots, which plots M (ratio between baseline and sample) versus A (the average of the baseline and sample). When *ShowplotValue* is 'all', *affyinvarsetnorm* plots a pair of scatter plots for each column or chip. When *ShowplotValue* is a number(s) or range of numbers, *affyinvarsetnorm* plots a pair of scatter plots for the indicated column numbers (chips).

For example:

- ..., 'Showplot', 3) plots the data from column 3 of *Data*.
- ..., 'Showplot', [3,5,7]) plots the data from columns 3, 5, and 7 of *Data*.
- ..., 'Showplot', 3:9) plots the data from columns 3 to 9 of *Data*.





## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains Affymetrix data variables, including `pmMatrix`, a matrix of PM probe intensity values from multiple CEL files.

```
load prostatecancerrawdata
```

- 2 Normalize the data in `pmMatrix`, using the `affyinvarsetnorm` function.

```
NormMatrix = affyinvarsetnorm(pmMatrix);
```

The `prostatecancerrawdata.mat` file used in the previous example contains data from Best et al., 2005.

## References

[1] Li, C., and Wong, W.H. (2001). Model-based analysis of oligonucleotide arrays: model validation, design issues and standard error application. *Genome Biology* 2(8): research0032.1-0032.11.

[2] <http://biosun1.harvard.edu/complab/dchip/-normalizing%20arrays.htm#isn>

[3] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `mainvarsetnorm`, `malowess`, `manorm`, `quantilenorm`, `rmabackadj`, `rmasummary`

## Purpose

Compute Affymetrix probe affinities from their sequences and MM probe intensities

## Syntax

```
[AffinPM, AffinMM] = affyprobeaffinities(SequenceMatrix,
MMIntensity)
[AffinPM, AffinMM,
BaseProf] = affyprobeaffinities(SequenceMatrix,
MMIntensity)
[AffinPM, AffinMM, BaseProf,
Stats] = affyprobeaffinities(SequenceMatrix,
MMIntensity)
... = affyprobeaffinities(SequenceMatrix, MMScore,
...'ProbeIndices', ProbeIndicesValue, ...)
... = affyprobeaffinities(SequenceMatrix, MMScore,
...'Showplot', ShowplotValue, ...)
```

## Arguments

*SequenceMatrix*

An  $N$ -by-25 matrix of sequence information for the perfect match (PM) probes on an Affymetrix GeneChip array, where  $N$  is the number of probes on the array. Each row corresponds to a probe, and each column corresponds to one of the 25 sequence positions. Nucleotides in the sequences are represented by one of the following integers:

- 0 — None
- 1 — A
- 2 — C
- 3 — G
- 4 — T

---

**Tip** You can use the `affyprobeseqread` function to generate this matrix. If you have this sequence information in letter representation, you can convert it to integer representation using the `nt2int` function.

---

*MMIntensity* Column vector containing mismatch (MM) probe intensities from a CEL file, generated from a single Affymetrix GeneChip array. Each row corresponds to a probe.

---

**Tip** You can extract this column vector from the `MMIntensities` matrix returned by the `celintensityread` function.

---

*ProbeIndicesValue* Column vector containing probe indexing information. Probes within a probe set are numbered 0 through  $N - 1$ , where  $N$  is the number of probes in the probe set.

---

**Tip** You can use the `affyprobeseqread` function to generate this column vector.

---

*ShowplotValue* Controls the display of a plot showing the affinity values of each of the four bases (A, C, G, and T) for each of the 25 sequence positions, for all probes on the Affymetrix GeneChip array. Choices are `true` or `false` (default).

**Return Values**

<i>AffinPM</i>	Column vector of PM probe affinities, computed from their probe sequences and MM probe intensities.
<i>AffinMM</i>	Column vector of MM probe affinities, computed from their probe sequences and MM probe intensities.
<i>BaseProf</i>	4-by-4 matrix containing the four parameters for a polynomial of degree 3, for each base, A, C, G, and T. Each row corresponds to a base, and each column corresponds to a parameter. These values are estimated from the probe sequences and intensities, and represent all probes on an Affymetrix GeneChip array.
<i>Stats</i>	Row vector containing four statistics in the following order: <ul style="list-style-type: none"><li>• R-square statistic</li><li>• F statistic</li><li>• p-value</li><li>• Error variance</li></ul>

**Description**

[*AffinPM*, *AffinMM*] = affyprobeaffinities(*SequenceMatrix*, *MMIntensity*) returns a column vector of PM probe affinities and a column vector of MM probe affinities, computed from their probe sequences and MM probe intensities. Each row in *AffinPM* and *AffinMM* corresponds to a probe. NaN is returned for probes with no sequence information. Each probe affinity is the sum of position-dependent base affinities. For a given base type, the positional effect is modeled as a polynomial of degree 3.

[*AffinPM*, *AffinMM*, *BaseProf*] = affyprobeaffinities(*SequenceMatrix*, *MMIntensity*) also estimates affinity coefficients using multiple linear regression. It returns *BaseProf*, a 4-by-4 matrix containing the four parameters

for a polynomial of degree 3, for each base, A, C, G, and T. Each row corresponds to a base, and each column corresponds to a parameter. These values are estimated from the probe sequences and intensities, and represent all probes on an Affymetrix GeneChip array.

`[AffinPM, AffinMM, BaseProf, Stats] = affyprobeaffinities(SequenceMatrix, MMIntensity)` also returns *Stats*, a row vector containing four statistics in the following order:

- R-square statistic
- F statistic
- p-value
- Error variance

`... = affyprobeaffinities(SequenceMatrix, MMIntensity, ...'PropertyName', PropertyValue, ...)` calls `affyprobeaffinities` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = affyprobeaffinities(SequenceMatrix, MMIntensity, ...'ProbeIndices', ProbeIndicesValue, ...)` uses probe indices to normalize the probe intensities with the median of their probe set intensities.

---

**Tip** Use of the `ProbeIndices` property is recommended only if your *MMIntensity* data are not from a nonspecific binding experiment.

---

`... = affyprobeaffinities(SequenceMatrix, MMIntensity, ...'Showplot', ShowplotValue, ...)` controls the display of a plot of the probe affinity base profile. Choices are `true` or `false` (default).


## Examples

- 1 Load the MAT-file, included with the Bioinformatics Toolbox software, that contains Affymetrix data from a prostate cancer study. The variables in the MAT-file include `seqMatrix`, a matrix containing sequence information for PM probes, `mmMatrix`, a matrix containing MM probe intensity values, and `probeIndices`, a column vector containing probe indexing information.

```
load prostatecancerrawdata
```

- 2 Compute the Affymetrix PM and MM probe affinities from their sequences and MM probe intensities, and also plot the affinity values of each of the four bases (A, C, G, and T) for each of the 25 sequence positions, for all probes on the Affymetrix GeneChip array.

```
[apm, amm] = affyprobeaffinities(seqMatrix, mmMatrix(:,1),...  
                                'ProbeIndices', probeIndices, 'showplot', true);
```



The `prostatecancerrawdata.mat` file used in this example contains data from Best et al., 2005.

## References

- [1] Naef, F., and Magnasco, M.O. (2003). Solving the Riddle of the Bright Mismatches: Labeling and Effective Binding in Oligonucleotide Arrays. *Physical Review E* 68, 011906.
- [2] Wu, Z., Irizarry, R.A., Gentleman, R., Murillo, F.M. and Spencer, F. (2004). A Model Based Background Adjustment for Oligonucleotide



Expression Arrays. *Journal of the American Statistical Association* 99(468), 909–917.

[3] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

### See Also

Bioinformatics Toolbox functions: `affygcrrma`, `affyprobeseqread`, `affyread`, `celintensityread`, `probelibraryinfo`

# affyprobeseqread

---

**Purpose** Read data file containing probe sequence information for Affymetrix GeneChip array

**Syntax**

```
Struct = affyprobeseqread(SeqFile, CDFFile)
Struct = affyprobeseqread(SeqFile, CDFFile, ...'SeqPath',
SeqPathValue, ...)
Struct = affyprobeseqread(SeqFile, CDFFile, ...'CDFPath',
CDFPathValue, ...)
Struct = affyprobeseqread(SeqFile, CDFFile, ...'SeqOnly',
SeqOnlyValue, ...)
```

**Arguments**

<i>SeqFile</i>	String specifying a file name of a sequence file (tab-separated or FASTA) that contains the following information for a specific type of Affymetrix GeneChip array:
----------------	---

- Probe set IDs
- Probe *x*-coordinates
- Probe *y*-coordinates
- Probe sequences in each probe set
- Affymetrix GeneChip array type (FASTA file only)

The sequence file (tab-separated or FASTA) must be on the MATLAB search path or in the Current Folder (unless you use the *SeqPath* property). In a tab-separated file, each row represents a probe; in a FASTA file, each header represents a probe.

<i>CDFFile</i>	Either of the following:
----------------	--------------------------

- String specifying a file name of an Affymetrix CDF library file, which contains information that specifies which probe set each probe belongs to on a specific type of Affymetrix GeneChip array. The

CDF library file must be on the MATLAB search path or in the MATLAB Current Folder (unless you use the `CDFPath` property).

- CDF structure, such as returned by the `affyread` function, which contains information that specifies which probe set each probe belongs to on a specific type of Affymetrix GeneChip array.

---

**Caution** Make sure that *SeqFile* and *CDFFile* contain information for the same type of Affymetrix GeneChip array.

---

<i>SeqPathValue</i>	String specifying a folder or path and folder where <i>SeqFile</i> is stored.
<i>CDFPathValue</i>	String specifying a folder or path and folder where <i>CDFFile</i> is stored.
<i>SeqOnlyValue</i>	Controls the return of a structure, <i>Struct</i> , with only one field, <i>SequenceMatrix</i> . Choices are <code>true</code> or <code>false</code> (default).

## Return Values

<i>Struct</i>	MATLAB structure containing the following fields: <ul style="list-style-type: none"><li>• <code>ProbeSetIDs</code></li><li>• <code>ProbeIndices</code></li><li>• <code>SequenceMatrix</code></li></ul>
---------------	--

## Description

*Struct* = `affyprobeseqread(SeqFile, CDFFile)` reads the data from files *SeqFile* and *CDFFile*, and stores the data in the MATLAB structure *Struct*, which contains the following fields.

Field	Description
ProbeSetIDs	Cell array containing the probe set IDs from the Affymetrix CDF library file.
ProbeIndices	Column vector containing probe indexing information. Probes within a probe set are numbered 0 through $N - 1$ , where $N$ is the number of probes in the probe set.
SequenceMatrix	<p>An <math>N</math>-by-25 matrix of sequence information for the perfect match (PM) probes on the Affymetrix GeneChip array, where <math>N</math> is the number of probes on the array. Each row corresponds to a probe, and each column corresponds to one of the 25 sequence positions. Nucleotides in the sequences are represented by one of the following integers:</p> <ul style="list-style-type: none"><li>• 0 — None</li><li>• 1 — A</li><li>• 2 — C</li><li>• 3 — G</li><li>• 4 — T</li></ul> <hr/> <p><b>Note</b> Probes without sequence information are represented in <code>SequenceMatrix</code> as a row containing all 0s.</p> <hr/> <p><b>Tip</b> You can use the <code>int2nt</code> function to convert the nucleotide sequences in <code>SequenceMatrix</code> to letter representation.</p> <hr/>

*Struct* = affyprobeseqread(*SeqFile*, *CDFFile*, ...'*PropertyName*', *PropertyValue*, ...) calls affyprobeseqread with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Struct* = affyprobeseqread(*SeqFile*, *CDFFile*, ...'*SeqPath*', *SeqPathValue*, ...) lets you specify a path and folder where *SeqFile* is stored.

*Struct* = affyprobeseqread(*SeqFile*, *CDFFile*, ...'*CDFPath*', *CDFPathValue*, ...) lets you specify a path and folder where *CDFFile* is stored.

*Struct* = affyprobeseqread(*SeqFile*, *CDFFile*, ...'*SeqOnly*', *SeqOnlyValue*, ...) controls the return of a structure, *Struct*, with only one field, *SequenceMatrix*. Choices are true or false (default).

## Examples

- 1 Read the data from a FASTA file and associated CDF library file, assuming both are located on the MATLAB search path or in the Current Folder.

```
S1 = affyprobeseqread('HG-U95A_probe_fasta', 'HG_U95A.CDF');
```

- 2 Read the data from a tab-separated file and associated CDF structure, assuming the tab-separated file is located in the specified folder and the CDF structure is in your MATLAB Workspace.

```
S2 = affyprobeseqread('HG-U95A_probe_tab', hgu95aCDFStruct, ...  
    'seqpath', 'C:\Affymetrix\SequenceFiles\HGGenome');
```

- 3 Access the nucleotide sequences of the first probe set (rows 1 through 20) in the *SequenceMatrix* field of the *S2* structure.

```
seq = int2nt(S2.SequenceMatrix(1:20,:))
```

# affyprobeseqread

---

## See Also

Bioinformatics Toolbox functions: `affygcrrma`, `affyinvarsetnorm`, `affyread`, `celintensityread`, `int2nt`, `probelibraryinfo`, `probesetlink`, `probesetlookup`, `probesetplot`, `probesetvalues`

**Purpose**

Read microarray data from Affymetrix GeneChip file

**Syntax**

```
AffyStruct = affyread(File)  
AffyStruct = affyread(File, LibraryPath)
```

**Description**

*AffyStruct* = *affyread(File)* reads an Affymetrix file and creates a MATLAB structure. The *affyread* function can read Affymetrix EXP, DAT, CEL, CLF, BGP, CDF, and GIN files associated with Affymetrix GeneChip arrays for expression, genotyping (SNP), or resequencing assays. It can read Affymetrix CHP files associated with Affymetrix GeneChip arrays for expression assays only.

*AffyStruct* = *affyread(File, LibraryPath)* specifies the path and folder of a CDF or GIN library file.

Reading many CEL files and/or a large CEL file can require extended amounts of memory from the operating system. If you receive any errors related to memory or have trouble reading CEL files, try the following:

- Increase the virtual memory (swap space) for your operating system (with a recommended initial size of 3,069 and a maximum size of 16,368) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1106.html#6>

- Set the 3-GB switch (32-bit Windows® XP only) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1107.html>

For help resolving errors related to memory, see “Resolving “Out of Memory” Errors”.

**Input  
Arguments**

*File*

String specifying a file name or a path and file name of one of the following Affymetrix file types associated with Affymetrix GeneChip arrays for expression, genotyping (SNP), or resequencing assays. However, if the file name is for a CHP file,

it must be associated with an Affymetrix GeneChip array for an expression assay.

- **EXP** — Data file containing information about experimental conditions and protocols.
- **DAT** — Data file containing raw image data (pixel intensity values).
- **CEL** — Data file containing information about the intensity values of the individual probes.
- **CHP** — Data file containing summary information of the probe sets, including intensity values.
- **CLF** — Cell layout file that maps probe IDs to a location (*x*- and *y*-coordinates) in the CEL file.
- **BGP** — Background probe file that lists the probes to use for background correction.
- **CDF** — Library file containing information about which probes belong to which probe set.
- **GIN** — Library file containing information about the probe sets, such as the gene name associated with the probe set.

If you specify only a file name, put that file on the MATLAB search path or in the current folder. If you specify only a file name of a CDF or GIN library file, you can specify the path and folder in the *LibraryPath* input argument.

---

**Tip** You can learn more about the Affymetrix GeneChip files and download sample files from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

---



---

**Note** Some Affymetrix sample data files (DAT, EXP, CEL, and CHP) are combined in a DTT or CAB file. Download and use the Affymetrix Data Transfer Tool to extract these files from the DTT or CAB file. You can download the Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

You will have to register and log in at the Affymetrix Web site to download the Data Transfer Tool.

---

#### *LibraryPath*

String specifying the path and folder of a:

- CDF library file associated with *File* when *File* is a CHP file
- CDF library file when *File* is a CDF file
- GIN library file when *File* is a GIN file

---

**Note** If you do not specify *LibraryPath* when reading a CHP file, *affyread* looks in the current folder for the CDF file. If it does not find the CDF file, it still reads the CHP file. However, it omits the probe set names and types from the return value, *AffyStruct*.

---

## Output Arguments

#### *AffyStruct*

MATLAB structure containing information from an Affymetrix data or library file, for expression, genotyping (SNP), or resequencing assay types.

The following tables describe the fields in *AffyStruct* for the different Affymetrix file types.

EXP, DAT, CEL, CHP, CLF, BGP, CDF, and GIN Files

Field	Description
Name	File name.
DataPath	Path and folder of the file.
LibPath	Path and folder of the CDF and GIN library files associated with the file you are reading.
FullPathName	Path and folder of the file.
ChipType	Name of the Affymetrix GeneChip array (for example, DrosGenome1 or HG-Focus).
Date or CreateDate	File creation date.

EXP File

Field	Description
ChipLot Operator SampleType SampleDesc Project Comments Reagents ReagentLot Protocol Station Module HybridizeDate ScanPixelSize ScanFilter ScanDate ScannerID NumberOfScans	Information about experimental conditions and protocols captured by the Affymetrix software.

EXP File (Continued)

Field	Description
ScannerType NumProtocolSteps ProtocolSteps	

DAT File

Field	Description
NumPixelsPerRow	Number of pixels per row in the image created from the GeneChip array (number of columns).
NumRows	Number of rows in the image created from the GeneChip array.
MinData	Minimum intensity value in the image created from the GeneChip array.
MaxData	Maximum intensity value in the image created from the GeneChip array.
PixelSize	Size of one pixel in the image created from the GeneChip array.
CellMargin	Size of gaps between cells in the image created from the GeneChip array.
ScanSpeed	Speed of the scanner used to create the image.
ScanDate	Date the scan was performed.
ScannerID	Name of the scanning device used.

DAT File (Continued)

Field	Description
UpperLeftX UpperLeftY UpperRightX UpperRightY LowerLeftX LowerLeftY LowerRightX LowerRightY	Pixel coordinates of the scanned image.
ServerName	Not used.
Image	A NumRows-by-NumPixelsPerRow image of the scanned GeneChip array.

CEL File

Field	Description
FileVersion	Version of the CEL file format.
Algorithm	Algorithm used in the image-processing step that converts from DAT format to CEL format.
AlgParams	String containing parameters used by the algorithm in the image-processing step.
NumAlgParams	Number of parameters in AlgParams.
CellMargin	Size of gaps between cells in the image created from the GeneChip array, used for computing the intensity values of the cells.
Rows	Number of rows of probes.
Cols	Number of columns of probes.

**CEL File (Continued)**

Field	Description
NumMasked	Number of masked probes, which are not used in subsequent processing.
NumOutliers	Number of cells identified as outliers (extremely high or extremely low intensity) by the image-processing step.
NumProbes	Number of probes (Rows * Cols) on the GeneChip array.
UpperLeftX UpperLeftY UpperRightX UpperRightY LowerLeftX LowerLeftY LowerRightX LowerRightY	Pixel coordinates of the scanned image.
ProbeColumnNames	<p>Cell array containing the eight column names in the Probes field:</p> <ul style="list-style-type: none"><li>• PosX — <i>x</i>-coordinate of the cell</li><li>• PosY — <i>y</i>-coordinate of the cell</li><li>• Intensity — Intensity value of the cell</li><li>• StdDev — Standard deviation of intensity value</li><li>• Pixels — Number of pixels in the cell</li><li>• Outlier — True/false flag indicating if the cell was marked as an outlier</li><li>• Masked — True/false flag indicating if the cell was masked</li></ul>

CEL File (Continued)

Field	Description
	<ul style="list-style-type: none"><li>ProbeType — Integer indicating the probe type (for example, 1 = expression)</li></ul>
Probes	NumProbes-by-8 array of information about the individual probes, including intensity values. The ProbeColumnNames field contains the column names of this array.

CHP File

Field	Description
AssayType	Type of assay associated with the GeneChip array (for example, Expression, Genotyping, or Resequencing).
CellFile	File name of the CEL file from which the CHP file was created.
Algorithm	Algorithm used to convert from CEL format to CHP format.
AlgVersion	Version of the algorithm used to create the CHP file.
NumAlgParams	Number of parameters in AlgParams.
AlgParams	String containing parameters used in steps required to create the CHP file (for example, background correction).
NumChipSummary	Number of entries in ChipSummary.
ChipSummary	Summary information for the GeneChip array, including background average, standard deviation, max, and min.
BackgroundZones	Structure containing information about the zones used in the background adjustment step.
Rows	Number of rows of probes.
Cols	Number of columns of probes.
NumProbeSets	Number of probe sets on the GeneChip array.

**CHP File (Continued)**

Field	Description
NumQCProbeSets	Number of QC probe sets on the GeneChip array.
ProbeSets (Expression GeneChip array)	<p>NumProbeSets-by-1 structure array containing information for each expression probe set, including the following fields:</p> <ul style="list-style-type: none"> <li>• Name — Name of the probe set.</li> <li>• ProbeSetType — Type of the probe set.</li> <li>• CompDataExists — True/false flag indicating if the probe set has additional computed information.</li> <li>• NumPairs — Number of probe pairs in the probe set.</li> <li>• NumPairsUsed — Number of probe pairs in the probe set used for calculating the probe set signal (not masked).</li> <li>• Signal — Summary intensity value for the probe set.</li> <li>• Detection — Indicator of statistically significant difference between the intensity value of the PM probes and the intensity value of the MM probes in a single probe set (Present, Absent, or Marginal).</li> <li>• DetectionPValue — P-value for the Detection indicator.</li> <li>• CommonPairs — When CompDataExists is true, contains the number of common pairs between the experiment and the baseline after the removal of outliers and masked probes.</li> <li>• SignalLogRatio — When CompDataExists is true, contains the change in signal between the experiment and baseline.</li> <li>• SignalLogRatioLow — When CompDataExists is true, contains the lowest ratios of probes between the experiment and the baseline.</li> </ul>

CHP File (Continued)

Field	Description
	<ul style="list-style-type: none"><li>• <b>SignalLogRatioHigh</b> — When <code>CompDataExists</code> is true, contains the highest ratios of probes between the experiment and the baseline.</li><li>• <b>Change</b> — When <code>CompDataExists</code> is true, describes how the probe changes versus a baseline experiment. Choices are <code>Increase</code>, <code>Marginal Increase</code>, <code>No Change</code>, <code>Decrease</code>, or <code>Marginal Decrease</code>.</li><li>• <b>ChangePValue</b> — When <code>CompDataExists</code> is true, contains the p-value associated with <code>Change</code>.</li></ul>
<b>ProbeSets</b> (Genotyping GeneChip array)	<p><code>NumProbeSets</code>-by-1 structure array containing information for each genotyping probe set, including the following fields:</p> <ul style="list-style-type: none"><li>• <b>Name</b> — Name of the probe set.</li><li>• <b>AlleleCall</b> — Allele that is present for the probe set. Possibilities are <code>AA</code> (homozygous for the major allele), <code>AB</code> (heterozygous for the major and minor allele), <code>BB</code> (homozygous for the minor allele), or <code>NoCall</code> (unable to determine allele).</li><li>• <b>Confidence</b> — Measure of the accuracy of the allele call.</li><li>• <b>RAS1</b> — Relative Allele Signal 1 for the SNP site, which is calculated using sense probes.</li><li>• <b>RAS2</b> — Relative Allele Signal 2 for the SNP site, which is calculated using antisense probes.</li><li>• <b>PValueAA</b> — p-value for an <code>AA</code> call.</li><li>• <b>PValueAB</b> — p-value for an <code>AB</code> call.</li><li>• <b>PValueBB</b> — p-value for a <code>BB</code> call.</li><li>• <b>PValueNoCall</b> — p-value for a <code>NoCall</code> call.</li></ul>



**CHP File (Continued)**

Field	Description
ProbeSets (Resequencing GeneChip array)	<p>NumProbeSets-by-1 structure array containing information for each resequencing probe set, including the following fields:</p> <ul style="list-style-type: none"><li>• <b>CalledBases</b> — 1-by-NumProbeSets character array containing the bases called by the resequencing algorithm. Possible values are a, c, g, t, and n.</li><li>• <b>Scores</b> — 1-by-NumProbeSets array containing the score associated with each base call.</li></ul>

**CLF File**

Field	Description
LibSetName	Name of a collection of related library files for a given chip. There is only one <b>LibSetName</b> for a CLF file. For example, PGF and CLF files intended for use together must have the same <b>LibSetName</b> .
LibSetVersion	Version of a collection of related library files for a given chip. There is only one <b>LibSetVersion</b> for a CLF file. For example, PGF and CLF files intended for use together must have the same <b>LibSetVersion</b> .
GUID	Unique identifier for the CLF file.
CLFFormatVersion	Version of the CLF file format.

CLF File (Continued)

Field	Description
Rows	<p>Number of rows in the CEL file.</p> <hr/> <p><b>Note</b> The CLF file is 1 base, which means the first row and column are designated 1,1, not 0,0.</p> <hr/>
Cols	<p>Number of columns in the CEL file.</p> <hr/> <p><b>Note</b> The CLF file is 1 base, which means the first row and column are designated 1,1, not 0,0.</p> <hr/>
StartID	<p>Starting number for the numbering of elements in the CLF file.</p> <hr/> <p><b>Tip</b> This information is useful when numbering does not start with 1.</p> <hr/>
EndID	<p>Ending number for the numbering of elements in the CLF file.</p> <hr/> <p><b>Tip</b> This information is useful when numbering does not start with 1 and/or there are gaps in the numbering.</p> <hr/>

**CLF File (Continued)**

Field	Description
Order	Order in which the probe IDs are numbered in the CEL file, either 'row_major' or 'col_major'.
DataColNames	Names of the columns in the CEL file that contain data.
Data	<p>If the numbering of elements in the CLF file is sequential, this field contains a function handle that calculates the <math>x</math>- and <math>y</math>-coordinates of each element in the file from the probe ID.</p> <p>If the numbering of elements in the CLF file is not sequential, this field contains a matrix indicating the number value of each element in the file.</p>

**BGP File**

Field	Description
LibSetName	Name of a collection of related library files for a given chip. There is only one LibSetName for a BGP file.
LibSetVersion	Version of a collection of related library files for a given chip. There is only one LibSetVersion for a BGP file.
GUID	Unique identifier for a BGP file.

BGP File (Continued)

Field	Description
ExecGUID	Information about the algorithm used to generate the BGP file.
ExecVersion	
Cmd	
Data	<p>Structure containing the following fields:</p> <ul style="list-style-type: none"><li>• <code>probe_id</code> — ID of the probe to use for background correction.</li><li>• <code>probeset_id</code> — ID of the probe set in the PGF file to which the probe belongs.</li><li>• <code>type</code> — Classification information for the probe.</li><li>• <code>gc_count</code> — Combined number of G and C bases in the probe.</li><li>• <code>probe_length</code>— Length of the probe in base pairs.</li><li>• <code>interrogation_position</code> — Interrogation position of the probe. It is typically 13 for 25-mer PM/MM probes.</li><li>• <code>probe_sequence</code> — Sequence of the probe on the array, going in the direction from array surface to solution. For most standard Affymetrix arrays, this direction is from 3' to 5'. For example, for a sense target (st) probe (see the <code>probe_type</code> field), complement the sequence in this field before looking for matches to transcript sequences. For an antisense target (at), reverse this sequence.</li><li>• <code>atom_id</code> — ID of the atom to which the probe belongs.</li></ul>

BGP File (Continued)

Field	Description
	<ul style="list-style-type: none"><li>• <code>x</code> — Column coordinate of the probe in the CEL file.</li><li>• <code>y</code> — Row coordinate of the probe in the CEL file.</li><li>• <code>probeset_type</code> — Classification information for the probe set, such as control, affx, or spike. This type information can include multiple classifications and can also be nested.</li><li>• <code>probe_type</code> — Classification information for the probe, such as pm (perfect match), mm (mismatch), st (sense target), or at (antisense target). This type information can include multiple classifications and can also be nested.</li></ul>

CDF File

Field	Description
<code>Rows</code>	Number of rows of probes.
<code>Cols</code>	Number of columns of probes.
<code>NumProbeSets</code>	Number of probe sets on the GeneChip array.
<code>NumQCProbeSets</code>	Number of QC probe sets on the GeneChip array.

CDF File (Continued)

Field	Description
ProbeSetColumnNames	<p>Cell array containing the six column names in the ProbePairs field in the ProbeSets array:</p> <ul style="list-style-type: none"><li>• <b>GroupNumber</b> — Number identifying the group to which the probe pair belongs. For expression arrays, this value is always 1. For genotyping arrays, this value is typically 1 (allele A, sense), 2 (allele B, sense), 3 (allele A, antisense), or 4 (allele B, antisense).</li><li>• <b>Direction</b> — Number identifying the direction of the probe pair. 1 = sense and 2 = antisense.</li><li>• <b>PMPosX</b> — <i>x</i>-coordinate of the perfect match probe.</li><li>• <b>PMPosY</b> — <i>y</i>-coordinate of the perfect match probe.</li><li>• <b>MMPosX</b> — <i>x</i>-coordinate of the mismatch probe.</li><li>• <b>MMPosY</b> — <i>y</i>-coordinate of the mismatch probe.</li></ul>
ProbeSets	<p>NumProbeSets-by-1 structure array containing information for each probe set, including the following fields:</p> <ul style="list-style-type: none"><li>• <b>Name</b> — Name of the probe set.</li><li>• <b>ProbeSetType</b> — Type of the probe set.</li><li>• <b>CompDataExists</b> — True/false flag indicating if the probe set has additional computed information.</li><li>• <b>NumPairs</b> — Number of probe pairs in the probe set.</li><li>• <b>NumQCProbes</b> — Number of QC probes in the probe set.</li><li>• <b>QCType</b> — Type of QC probes.</li><li>• <b>GroupNames</b> — Name of the group to which the probe set belongs. For expression arrays, this field contains</li></ul>

**CDF File (Continued)**

Field	Description
	<p>the name of the probe set. For genotyping arrays, this field contains the name of the alleles, for example { 'A' 'C' 'A' 'C' }'.</p> <ul style="list-style-type: none"> <li>ProbePairs — NumPairs-by-6 array of information about the probe pairs. The column names of this array are contained in the ProbeSetColumnNames field.</li> </ul>

**GIN File**

Field	Description
Version	GIN file format version.
ProbeSetName	Probe set ID/name.
ID	Identifier for the probe set (gene ID).
Description	Description of the probe set.
SourceNames	Source or sources of the probe sets.
SourceURL	Source URL or URLs for the probe sets.
SourceID	Vector of numbers specifying which SourceNames or SourceURL each probe set is associated with.

**Examples**

The following example uses the demo data and CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

After downloading the demo data, you need the Affymetrix Data Transfer Tool to extract the CEL, DAT, and CHP files from a DTT file. You can download the Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

The following example assumes that you have stored the files `Ecoli-antisense-121502.CEL`, `Ecoli-antisense-121502.dat`, and `Ecoli-antisense-121502.chp` on the MATLAB search path or in the current folder. It also assumes that you have stored the associated CDF library file, `Ecoli_ASv2.CDF`, at `D:\Affymetrix\LibFiles\Ecoli`.


- 1 Read the contents of a CEL file into a MATLAB structure.

```
celStruct = affyread('Ecoli-antisense-121502.CEL');
```

- 2 Display a spatial plot of the probe intensities.


```
mimage(celStruct, 'Intensity')
```






- 3** Zoom in on a specific region of the plot.

```
axis([200 340 0 70])
```




- 4** Read the contents of a DAT file into a MATLAB structure. Display the raw image data, and then use the `axis image` function to set the correct aspect ratio.

```
datStruct = affyread('Ecoli-antisense-121502.dat');  
imagesc(datStruct.Image)  
axis image
```



- 5 Zoom in on a specific region of the plot.

```
axis([1900 2800 160 650])
```



- 6 Read the contents of a CHP file into a MATLAB structure, specifying the location of the associated CDF library file. Then extract information for probe set 3315278.

```
chpStruct = affyread('Ecoli-antisense-121502.chp',...
                    'D:\Affymetrix\LibFiles\Ecoli');
geneName = probesetlookup(chpStruct,'3315278')

geneName =
```

```

Identifier: '3315278'
ProbeSetName: 'argG_b3172_at'
CDFIndex: 5213
GINIndex: 3074
Description: [1x82 char]
Source: 'NCBI EColi Genome'
SourceURL: [1x74 char]

```

## See Also

affyrma | affygcrma | affysnpannotread | affysnpintensitiesplit  
 | agferead | celintensityread | geoseriesread | gprread |  
 ilmnbsread | probelibraryinfo | probesetlink | probesetlookup |  
 probesetplot | probesetvalues | sptread

## Tutorials

- Working with AffymetrixData
- Preprocessing AffymetrixMicroarray Data at the Probe Level

## How To

- “Resolving “Out of Memory” Errors”

## Related Links

- 
- 
- 
-

**Purpose** Perform Robust Multi-array Average (RMA) procedure on Affymetrix microarray probe-level data

**Syntax**

```

Expression = affyrma(CELFiles, CDFFile)
Expression = affyrma(ProbeStructure)
Expression = affyrma(CELFiles, CDFFile, ...'CELPath',
CELPathValue, ...)
Expression = affyrma(CELFiles, CDFFile, ...'CDFPath',
CDFPathValue, ...)
Expression = affyrma(..., 'Method', MethodValue, ...)
Expression = affyrma(..., 'Truncate', TruncateValue, ...)
Expression = affyrma(..., 'Median', MedianValue, ...)
Expression = affyrma(..., 'Output', OutputValue, ...)
Expression = affyrma(..., 'Showplot', ShowplotValue, ...)
Expression = affyrma(..., 'Verbose', VerboseValue, ...)

```

**Arguments**

<i>CELFiles</i>	Any of the following: <ul style="list-style-type: none"> <li>• String specifying a single CEL file name.</li> <li>• '*', which reads all CEL files in the current folder.</li> <li>• ' ', which opens the Select CEL Files dialog box from which you select the CEL files. From this dialog box, you can press and hold <b>Ctrl</b> or <b>Shift</b> while clicking to select multiple CEL files.</li> <li>• Cell array of CEL file names.</li> </ul>
<i>CDFFile</i>	Either of the following: <ul style="list-style-type: none"> <li>• String specifying a CDF file name.</li> <li>• ' ', which opens the Select CDF File dialog box from which you select the CDF file.</li> </ul>

<i>ProbeStructure</i>	MATLAB structure containing information from the CEL files, including probe intensities, probe indices, and probe set IDs, returned by the <code>celintensityread</code> function.
<i>CELPathValue</i>	String specifying the path and folder where the files specified in <i>CELFiles</i> are stored.
<i>CDFPathValue</i>	String specifying the path and folder where the file specified in <i>CDFFile</i> is stored.
<i>MethodValue</i>	Specifies the estimation method for the background adjustment model parameters. Choices are 'RMA' (to use estimation method described by Bolstad, 2005) or 'MLE' (to estimate the parameters using maximum likelihood). Default is 'RMA'.
<i>TruncateValue</i>	Specifies the background noise model. Choices are <code>true</code> (use a truncated Gaussian distribution) or <code>false</code> (use a nontruncated Gaussian distribution). Default is <code>true</code> .
<i>MedianValue</i>	Specifies the use of the median of the ranked values instead of the mean for normalization. Choices are <code>true</code> or <code>false</code> (default).

<i>OutputValue</i>	<p>Specifies the scale of the returned gene expression values. Choices are:</p> <ul style="list-style-type: none"> <li>• 'log'</li> <li>• 'log2'</li> <li>• 'log10'</li> <li>• 'natural'</li> <li>• @<i>functionname</i></li> </ul> <p>In the last instance, the data is transformed as defined by the function <i>functionname</i>. Default is 'log2'.</p>
<i>ShowplotValue</i>	<p>Controls the plotting of a histogram showing the distribution of PM probe intensity values (blue) and the convoluted probability distribution function (red), with estimated parameters mu, sigma and alpha. Enter either 'all' (plot a histogram for each column or chip) or specify a subset of columns (chips) by entering the column number, list of numbers, or range of numbers.</p> <p>For example:</p> <ul style="list-style-type: none"> <li>• (... , 'Showplot', 3, ...) plots the intensity values in column 3.</li> <li>• (... , 'Showplot', [3,5,7], ...) plots the intensity values in columns 3, 5, and 7.</li> <li>• (... , 'Showplot', 3:9, ...) plots the intensity values in columns 3 to 9.</li> </ul>
<i>VerboseValue</i>	<p>Controls the display of the status of the reading of files and RMA processing. Choices are true (default) or false.</p>



**Return Values***Expression*

DataMatrix object containing the  $\log_2$  based gene expression values that have been background adjusted, normalized, and summarized using the Robust Multi-array Average (RMA) procedure.

Each row in *Expression* corresponds to a gene (probe set), and each column corresponds to an Affymetrix CEL file.

**Description**

*Expression* = affyrma(*CELFiles*, *CDFFile*) reads the specified Affymetrix CEL files and the associated CDF library file (created from Affymetrix GeneChip arrays for expression or genotyping assays), processes the probe intensity values using RMA background adjustment, quantile normalization, and summarization procedures, then returns *Expression*, a DataMatrix object containing the  $\log_2$  based gene expression values in a matrix, the probe set IDs as row names, and the CEL file names as column names. Note that each row in *Expression* corresponds to a gene (probe set), and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

*CELFiles* is a string or cell array of CEL file names. *CDFFile* is a string specifying a CDF file name. If you set *CELFiles* to '\*', then it reads all CEL files in the current folder. If you set *CELFiles* to ' ', then it opens the Select CEL Files dialog box from which you select the CEL files.

---

**Note** For details on the reading of files and RMA processing, see celintensityread, rmabackadj, quantilenorm, and rmasummary.

---

*Expression* = affyrma(*ProbeStructure*) uses RMA background adjustment, quantile normalization, and summarization procedures to process the probe intensity values in *ProbeStructure*, a MATLAB structure containing information from the CEL files, including

probe intensities, probe indices, and probe set IDs, returned by the `celintensityread` function, and returns *Expression*.

*Expression* = `affyrma(..., 'PropertyName', PropertyValue, ...)` calls `affyrma` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Expression* = `affyrma(CELFiles, CDFFFile, ...'CELPPath', CELPathValue, ...)` specifies a path and folder where the files specified by *CELFiles* are stored.

*Expression* = `affyrma(CELFiles, CDFFFile, ...'CDFPath', CDFPathValue, ...)` specifies a path and folder where the file specified by *CDFFFile* is stored.

*Expression* = `affyrma(..., 'Method', MethodValue, ...)` specifies the estimation method for the background adjustment model parameters. When *MethodValue* is 'RMA', `affyrma` implements the estimation method described by Bolstad, 2005. When *MethodValue* is 'MLE', `affyrma` estimates the parameters using maximum likelihood. Default is 'RMA'.

*Expression* = `affyrma(..., 'Truncate', TruncateValue, ...)` specifies the background noise model used. When *TruncateValue* is `false`, `affyrma` uses nontruncated Gaussian as the background noise model. Default is `true`.

*Expression* = `affyrma(..., 'Median', MedianValue, ...)` specifies the use of the median of the ranked values instead of the mean for normalization. Choices are `true` or `false` (default).

*Expression* = `affyrma(..., 'Output', OutputValue, ...)` specifies the scale of the returned gene expression values. *OutputValue* can be:

- 'log'
- 'log2'

- 'log10'
- 'natural'
- @functionname

In the last instance, the data is transformed as defined by the function *functionname*. Default is 'log2'.

*Expression* = affyrma(..., 'Showplot', *ShowplotValue*, ...) lets you plot a histogram showing the distribution of PM probe intensity values (blue) and the convoluted probability distribution function (red), with estimated parameters mu, sigma and alpha. When *ShowplotValue* is 'all', rmabackadj plots a histogram for each column or chip. When *ShowplotValue* is a number, list of numbers, or range of numbers, rmabackadj plots a histogram for the indicated column number (chip).

For example:

- (... , 'Showplot', 3,...) plots the intensity values in column 3.
- (... , 'Showplot', [3,5,7],...) plots the intensity values in columns 3, 5, and 7.
- (... , 'Showplot', 3:9,...) plots the intensity values in columns 3 to 9.

*Expression* = affyrma(..., 'Verbose', *VerboseValue*, ...) controls the display of the status of the reading of files and RMA processing. Choices are true (default) or false.

## Examples

The following example assumes that you have the HG\_U95Av2.CDF library file stored at D:\Affymetrix\LibFiles\HGGenome, and that your current folder points to a location containing CEL files associated with this CDF library file. In this example, the affyrma function reads all the CEL files in the current folder and a CDF file in a specified folder. It also performs RMA background adjustment, quantile normalization, and summarization procedures on the PM probe intensity values, and returns a DataMatrix object, containing the metadata and processed data.

```
Expression = affyрма('*', 'HG_U95Av2.CDF',...  
                      'CDFPath', 'D:\\Affymetrix\\LibFiles\\HGGenome');
```

## References

- [1] Irizarry, R.A., Hobbs, B., Collin, F., Beazer-Barclay, Y.D., Antonellis, K.J., Scherf, U., Speed, T.P. (2003). Exploration, Normalization, and Summaries of High Density Oligonucleotide Array Probe Level Data. *Biostatistics*. 4, 249–264.
- [2] Mosteller, F., and Tukey, J. (1977). *Data Analysis and Regression* (Reading, Massachusetts: Addison-Wesley Publishing Company), pp. 165–202.
- [3] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.
- [4] Bolstad, B. (2005). “affy: Built-in Processing Methods”  
<http://www.bioconductor.org/packages/2.1/bioc/vignettes/affy/inst/doc/builtinMethods.pdf>

## See Also

`affyгсrma`, `celintensityread`, `гсrma`, `mafdr`, `matteſt`, `quantilenorm`,  
`rmabackadj`, `rmasummary`

<b>Purpose</b>	Read Affymetrix Mapping DNA array data from CSV-format annotation file	
<b>Syntax</b>	$AnnotStruct = affysnannotread(File, PID)$ $AnnotStruct = affysnannotread(File, PID, 'LookUpField', LookUpFieldValue)$	
<b>Arguments</b>	<i>File</i>	String specifying a file name or a path and file name of an Affymetrix CSV annotation file for a Mapping 10K array set, Mapping 100K array set, or Mapping 500K array set.  If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
	<i>PID</i>	String or cell array of strings specifying one or more probe set IDs on an Affymetrix mapping array.
	<i>LookUpFieldValue</i>	String or cell array of strings specifying one or more column headers in an Affymetrix CSV annotation file. Default are the fields shown in the following table.
<b>Return Values</b>	<i>AnnotStruct</i>	MATLAB structure containing information for one or more probe sets from <i>File</i> , an Affymetrix CSV annotation file.  <i>AnnotStruct</i> contains a subset of the fields in <i>File</i> . The fields are described in the table below.
<b>Description</b>	$AnnotStruct = affysnannotread(File, PID)$ reads <i>File</i> , an Affymetrix CSV annotation file for a Mapping 10K array set, Mapping 100K array set, or Mapping 500K array set, and returns <i>AnnotStruct</i> , a MATLAB structure containing annotation information for one or more	

probe sets specified by *PID*, a string or cell array of strings specifying one or more probe set IDs. *AnnotStruct* contains a subset of the fields in *File*. The fields are described in the following table.

Structure Created from an Affymetrix CSV Annotation File

Field	Description
ProbeSetIDs	Cell array containing the unique probe set IDs specified by the <i>PID</i> input.
Chromosome	Cell array containing the chromosome number on which each probe set is located.
ChromPosition	Cell array containing the SNP genomic position on the chromosome for each probe set.
Cytoband	Cell array containing the cytogenetic banding region of the chromosome on which each probe set is located.
Sequence	Cell array containing the sequence of each probe set.
AlleleA	Cell array containing the base that is allele A for each probe set.
AlleleB	Cell array containing the base that is allele B for each probe set.
Accession	Cell array containing the GenBank accession number for each probe set.
FragmentLength	Cell array containing the length of each probe set.

*AnnotStruct* = `affysnpannotread(File, PID, 'LookUpField', LookUpFieldValue)` returns annotation information from only the field (column) specified by *LookUpFieldValue*, a string or cell array of strings specifying one or more column headers in an Affymetrix CSV annotation file. Default are the fields shown in the previous table.

---

**Note** You can download Affymetrix CSV annotation files such as Mapping50K\_Xba240.na25.annot.csv from:

<http://www.affymetrix.com/support/technical/annotationfilesmain.affx>

---

## Examples

The following example assumes that you have the Mapping50K\_Xba240.CDF file stored at C:\AffyLibFiles\, and that your current folder points to a location containing the Mapping50K\_Xba240.na25.annot.csv annotation file.

- 1 Use the `affyread` function to create a structure containing information from the Mapping50K\_Xba240.CDF library file.

```
cdf = affyread('C:\AffyLibFiles\Mapping50K_Xba240.CDF');
```

- 2 Create a variable containing a cell array of the names of the probe sets, which are stored in the Name field of the ProbeSets field of the `cdf` structure.

```
probesetIDs = {cdf.ProbeSets.Name}';
```

- 3 Return a structure containing annotation information for all the probe sets in the Mapping50K\_Xba240.na25.annot.csv annotation file.

```
snpInfo = affysnpannotread('Mapping50K_Xba240.na25.annot.csv',probesetIDs)
```

```
snpInfo =
```

```
ProbeSetIDs: {59024x1 cell}
Chromosome: [59024x1 int8]
ChromPosition: [59024x1 double]
Cytoband: {59024x1 cell}
Sequence: {59024x1 cell}
AlleleA: {59024x1 cell}
```

# affysnpannotread

---

```
AlleleB: {59024x1 cell}
Accession: {59024x1 cell}
FragmentLength: [59024x1 double]
```

**See Also** Bioinformatics Toolbox functions: `affysnpintensitiesplit`, `affyread`



**Purpose** Split Affymetrix SNP probe intensity information for alleles A and B

**Syntax** `ProbeStructSplit = affysnpintensitysplit(ProbeStruct)`  
`ProbeStructSplit = affysnpintensitysplit(ProbeStruct, 'Controls', ControlsValue)`

**Arguments**

<i>ProbeStruct</i>	MATLAB structure containing probe intensity information from an Affymetrix Mapping DNA array, such as returned by <code>celintensityread</code> .
<i>ControlsValue</i>	Controls the inclusion of control probes in <i>ProbeStructSplit</i> . Choices are true or false (default).

**Return Values** *ProbeStructSplit* MATLAB structure containing probe intensity information from an Affymetrix Mapping DNA array, split into information for alleles A and B.

**Description** `ProbeStructSplit = affysnpintensitysplit(ProbeStruct)` splits *ProbeStruct*, a structure containing probe intensity information from an Affymetrix Mapping DNA array, into *ProbeStructSplit*, a structure containing probe intensity information from an Affymetrix Mapping DNA array, split into information for alleles A and B.

*ProbeStructSplit* contains the following fields.

Field	Description
CDFName	File name of the Affymetrix CDF library file.
CELNames	Cell array of names of the Affymetrix CEL files.
NumChips	Number of CEL files read into the input structure.

Field	Description
NumProbeSets	Number of probe sets in each CEL file.
NumProbes	<p>Maximum number of probes for just one allele in each CEL file.</p> <hr/> <p><b>Note</b> If the number of probes for allele A is not the same as for allele B, the larger number is used.</p> <hr/>
ProbeSetIDs	Cell array of the probe set IDs from the Affymetrix CDF library file.
ProbeIndices	<p>Column vector containing probe indexing information for just one allele in each cell file. Probes within a probe set are numbered 0 through N - 1, where N is the number of probes for one allele in the probe set.</p> <hr/> <p><b>Note</b> ProbeIndices has the same number of elements as NumProbes.</p> <hr/>
PMAIntensities	Matrix containing perfect match (PM) probe intensity values for allele A. Each row corresponds to an allele A probe, and each column corresponds to a CEL file. The rows are ordered the same way as in ProbeIndices, and the columns are ordered the same way as in the <i>CELFiles</i> input argument to the celintensityread function.

Field	Description
PMBIntensities	Matrix containing perfect match (PM) probe intensity values for allele B. Each row corresponds to an allele B probe, and each column corresponds to a CEL file. The rows are ordered the same way as in <i>ProbeIndices</i> , and the columns are ordered the same way as in the <i>CELFiles</i> input argument to the <i>celintensityread</i> function.
MMAIntensities (optional)	Matrix containing mismatch (MM) probe intensity values for allele A. Each row corresponds to an allele A probe, and each column corresponds to a CEL file. The rows are ordered the same way as in <i>ProbeIndices</i> , and the columns are ordered the same way as in the <i>CELFiles</i> input argument to the <i>celintensityread</i> function.
MMBIntensities (optional)	Matrix containing mismatch (MM) probe intensity values for allele B. Each row corresponds to an allele B probe, and each column corresponds to a CEL file. The rows are ordered the same way as in <i>ProbeIndices</i> , and the columns are ordered the same way as in the <i>CELFiles</i> input argument to the <i>celintensityread</i> function.

*ProbeStructSplit* = *affysnpintensitysplit*(*ProbeStruct*, 'Controls', *ControlsValue*) controls the return of control probe intensities. Choices are true or false (default).

**Note** Control probes sometimes contain information for only one allele. In this case, the value for the corresponding allele (A or B) that is not present is set to NaN.

## Examples

The following example assumes that your current folder points to a location containing the Mapping50K\_Hind240.CDF library file and 18 CEL files associated with this CDF library file. These files are associated with an Affymetrix Mapping DNA array.

- 1 Use the `celintensityread` function to read the Mapping50K\_Hind240.CDF library file and 18 CEL files associated with it into a MATLAB structure.

```
ps = celintensityread('*', 'Mapping50K_Hind240.CDF')
```

```
ps =
```

```
      CDFName: 'Mapping50K_Hind240.CDF'
      CELNames: {18x1 cell}
      NumChips: 18
      NumProbeSets: 57299
      NumProbes: 1145780
      ProbeSetIDs: {57299x1 cell}
      ProbeIndices: [1145780x1 uint8]
      GroupNumbers: [1145780x1 uint8]
      PMIntensities: [1145780x18 single]
```

- 2 Extract the PM probe intensities for allele A and allele B into another MATLAB structure, without including intensity information for the control probes.

```
ps_split = affysnpintensitysplit(ps)
```

```
ps_split =
```

```
      CDFName: 'Mapping50K_Hind240.CDF'
      CELNames: {18x1 cell}
      NumChips: 18
      NumProbeSets: 57275
      NumProbes: 572750
      ProbeSetIDs: {57275x1 cell}
      ProbeIndices: [572750x1 uint8]
```

```
PMAIntensities: [572750x18 single]
PMBIntensities: [572750x18 single]
```

### See Also

Bioinformatics Toolbox functions: `affysnpannotread`, `affyread`, `celintensityread`

Purpose	Create table of SNP probe quartet results for Affymetrix probe set
Syntax	<i>SNPQStruct</i> = affysnpquartets( <i>CELStruct</i> , <i>CDFStruct</i> , <i>PS</i> )
Arguments	<div><div><i>CELStruct</i></div><div>Structure created by the affyread function from an Affymetrix CEL file, which contains information about the intensity values of the individual probes.</div></div> <div><div><i>CDFStruct</i></div><div>Structure created by the affyread function from an Affymetrix CDF library file associated with the CEL file. The CDF library file contains information about which probes belong to which probe set.</div></div> <div><div><i>PS</i></div><div>Probe set index or the probe set ID/name.</div></div>
Return Values	<div><div><i>SNPQStruct</i></div><div>Structure containing probe quartet results for a specific SNP probe set from the data in a CEL file and associated CDF library file.</div></div>

**Description**

*SNPQStruct* = affysnpquartets(*CELStruct*, *CDFStruct*, *PS*) creates *SNPQStruct*, a structure containing probe quartet results for a specific SNP probe set, specified by *PS*, from the probe-level data in a CEL file and associated CDF library file. *CELStruct* is a structure created by the affyread function from an Affymetrix CEL file. *PS* is a probe set index or probe set ID/name from *CDFStruct*, a structure created by the affyread function from an Affymetrix CDF library file associated with the CEL file. *SNPQStruct* is a structure containing the following fields.

Field	Description
'ProbeSet '	Identifier for the probe set.
'AlleleA'	String specifying the base that is allele A for the probe set.

Field	Description
'AlleleB'	String specifying the base that is allele B for the probe set.
'Quartet'	Structure array containing intensity values for PM (perfect match) and MM (mismatch) probe pairs, including the sense and antisense probes for alleles A and B. Each structure in the array corresponds to a probe pair in the probe set.

## Examples

The following example uses the NA06985\_Hind\_B5\_3005533.CEL file. You can download this and other sample CEL files from:

[http://www.affymetrix.com/support/technical/sample\\_data/hapmap\\_trio\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/hapmap_trio_data.affx)

The NA06985\_Hind\_B5\_3005533.CEL file is included in the 100K\_trios.hind.1.zip file.

The following example uses the CDF library file for the Mapping 50K Hind 240 array, which you can download from:

<http://www.affymetrix.com/support/technical/byproduct.affx?product=100k>

The following example assumes that the NA06985\_Hind\_B5\_3005533.CEL file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, Mapping50K\_Hind240.cdf, is stored at D:\Affymetrix\LibFiles\.

- 1 Read the contents of a CEL file into a MATLAB structure.

```
celStruct = affyread('NA06985_Hind_B5_3005533.CEL');
```

- 2 Read the contents of a CDF file into a MATLAB structure.

```
cdfStruct = affyread('D:\Affymetrix\LibFiles\Mapping50K_Hind240.cdf');
```

- 3** Create a structure containing SNP probe quartet results for the SNP\_A-1684395 probe set.

```
SNPQStruct = affysnpquartets(celStruct,cdfStruct,'SNP_A-1684395')

SNPQStruct =

    ProbeSet: 'SNP_A-1684395'
    AlleleA: 'A'
    AlleleB: 'G'
    Quartet: [1x5 struct]
```

- 4** View the intensity values of the first probe pair in the probe set.

```
SNPQStruct.Quartet(1)

ans =

    A_Sense_PM: 5013
    B_Sense_PM: 1290
    A_Sense_MM: 1485
    B_Sense_MM: 686
    A_Antisense_PM: 3746
    B_Antisense_PM: 1406
    A_Antisense_MM: 1527
    B_Antisense_MM: 958
```

### See Also

Bioinformatics Toolbox functions: `affyread`, `probesetvalues`



**Purpose** Read Agilent Feature Extraction Software file

**Syntax** `AGFEData = agferead(File)`

**Arguments**

*File* Microarray data file generated with the Agilent Feature Extraction Software.

**Description**

`AGFEData = agferead(File)` reads files generated with the Feature Extraction Software from Agilent microarray scanners and creates a structure (*AGFEData*) containing the following fields:

- Header
- Stats
- Columns
- Rows
- Names
- IDs
- Data
- ColumnNames
- TextData
- TextColumnNames

The Feature Extraction Software takes an image from an Agilent microarray scanner and generates raw intensity data for each spot on the plate. For more information about this software, see:

<http://www.chem.agilent.com/scripts/pds.asp?lpage=2547>

**Examples**

- 1 Read in a sample Agilent Feature Extraction Software file. Note that the file `fe_sample.txt` is not provided with the Bioinformatics Toolbox software.

```
agfeStruct = agferead('fe_sample.txt')
```

**2** Plot the median foreground.

```
mimage(agfeStruct,'gMedianSignal');  
maboxplot(agfeStruct,'gMedianSignal');
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `galread`, `geoseriesread`, `geosoftread`, `gprread`, `ilmnbsread`, `imageneread`, `magetfield`, `sptread`

## Purpose

Find all shortest paths in biograph object

## Syntax

```
[dist] = allshortestpaths(BGObj)
[dist] = allshortestpaths(BGObj, ...'Directed',
DirectedValue, ...)
[dist] = allshortestpaths(BGObj, ...'Weights', WeightsValue,
...)
```

## Arguments

- |                      |   |
|----------------------|---|
| <i>BGObj</i>         | Biograph object created by biograph (object constructor).   |
| <i>DirectedValue</i> | Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .  |
| <i>WeightsValue</i>  | Column vector that specifies custom weights for the edges in the N-by-N adjacency matrix extracted from a biograph object, <i>BGObj</i> . It must have one entry for every nonzero value (edge) in the matrix. The order of the custom weights in the vector must match the order of the nonzero values in the matrix when it is traversed column-wise. This property lets you use zero-valued weights. By default, <code>allshortestpaths</code> gets weight information from the nonzero entries in the matrix. |

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[dist] = allshortestpaths(BGObj)` finds the shortest paths between every pair of nodes in a graph represented by an N-by-N adjacency matrix extracted from a biograph object, *BGObj*, using Johnson’s

# allshortestpaths (biograph)

---

algorithm. Nonzero entries in the matrix represent the weights of the edges.

Output *dist* is an N-by-N matrix where *dist*(S,T) is the distance of the shortest path from source node S to target node T. Elements in the diagonal of this matrix are always 0, indicating the source node and target node are the same. A 0 not in the diagonal indicates that the distance between the source node and target node is 0. An Inf indicates there is no path between the source node and the target node.

Johnson's algorithm has a time complexity of  $O(N \cdot \log(N) + N \cdot E)$ , where N and E are the number of nodes and edges respectively.

[...] = allshortestpaths (BGObj, 'PropertyName', PropertyValue, ...) calls allshortestpaths with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

[dist] = allshortestpaths(BGObj, ...'Directed', DirectedValue, ...) indicates whether the graph is directed or undirected. Set *DirectedValue* to false for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is true.

[dist] = allshortestpaths(BGObj, ...'Weights', WeightsValue, ...) lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in the N-by-N adjacency matrix extracted from a biograph object, *BGObj*. The order of the custom weights in the vector must match the order of the nonzero values in the N-by-N adjacency matrix when it is traversed column-wise. This property lets you use zero-valued weights. By default, allshortestpaths gets weight information from the nonzero entries in the N-by-N adjacency matrix.

## References

[1] Johnson, D.B. (1977). Efficient algorithms for shortest paths in sparse networks. *Journal of the ACM* 24(1), 1-13.

[2] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

### See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphallshortestpaths`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `conncomp`, `isdag`, `isomorphism`, `isspantree`, `maxflow`, `minspantree`, `shortestpath`, `topoorder`, `traverse`

# aminolookup

---

**Purpose** Find amino acid codes, integers, abbreviations, names, and codons

**Syntax**

```
aminolookup
aminolookup(SeqAA)
aminolookup('Code', CodeValue)
aminolookup('Integer', IntegerValue)
aminolookup('Abbreviation', AbbreviationValue)
aminolookup('Name', NameValue)
```

<b>Arguments</b>	<i>SeqAA</i>	String of single-letter codes or three-letter abbreviations representing an amino acid sequence. For valid codes and abbreviations, see the table Amino Acid Lookup on page 3-165.
	<i>CodeValue</i>	String specifying a single-letter code representing an amino acid. For valid single-letter codes, see the table Amino Acid Lookup on page 3-165.
	<i>IntegerValue</i>	Single integer representing an amino acid. For valid integers, see the table Amino Acid Lookup on page 3-165.
	<i>AbbreviationValue</i>	String specifying a three-letter abbreviation representing an amino acid. For valid three-letter abbreviations, see the table Amino Acid Lookup on page 3-165.
	<i>NameValue</i>	String specifying an amino acid name. For valid amino acid names, see the table Amino Acid Lookup on page 3-165.

**Description** aminolookup displays a table of amino acid codes, integers, abbreviations, names, and codons.

Amino Acid Lookup

Code	Integer	Abbreviation	Amino Acid Name	Codons
A	1	Ala	Alanine	GCU GCC GCA GCG
R	2	Arg	Arginine	CGU CGC CGA CGG AGA AGG
N	3	Asn	Asparagine	AAU AAC
D	4	Asp	Aspartic acid (Aspartate)	GAU GAC
C	5	Cys	Cysteine	UGU UGC
Q	6	Gln	Glutamine	CAA CAG
E	7	Glu	Glutamic acid (Glutamate)	GAA GAG
G	8	Gly	Glycine	GGU GGC GGA GGG
H	9	His	Histidine	CAU CAC
I	10	Ile	Isoleucine	AUU AUC AUA
L	11	Leu	Leucine	UUA UUG CUU CUC CUA CUG
K	12	Lys	Lysine	AAA AAG
M	13	Met	Methionine	AUG
F	14	Phe	Phenylalanine	UUU UUC
P	15	Pro	Proline	CCU CCC CCA CCG
S	16	Ser	Serine	UCU UCC UCA UCG AGU AGC

Amino Acid Lookup (Continued)

Code	Integer	Abbreviation	Amino Acid Name	Codons
T	17	Thr	Threonine	ACU ACC ACA ACG
W	18	Trp	Tryptophan	UGG
Y	19	Tyr	Tyrosine	UAU UAC
V	20	Val	Valine	GUU GUC GUA GUG
B	21	Asx	Asparagine or Aspartic acid (Aspartate)	AAU AAC GAU GAC
Z	22	Glx	Glutamine or Glutamic acid (Glutamate)	CAA CAG GAA GAG
X	23	Xaa	Any amino acid	All codons
*	24	END	Termination codon (translation stop)	UAA UAG UGA
-	25	GAP	Gap of unknown length	NA

aminolookup(SeqAA) converts between single-letter codes and three-letter abbreviations for an amino acid sequence. If the input is a string of single-letter codes, then the output is a character string of three-letter abbreviations. If the input is a string of three-letter abbreviations, then the output is a string of the corresponding single-letter codes.



If you enter one of the ambiguous single-letter codes B, Z, or X, this function displays the corresponding abbreviation for the ambiguous amino acid character.

```
aminolookup('abc')
```

```
ans =
```

```
AlaAsxCys
```

`aminolookup('Code', CodeValue)` displays the corresponding amino acid three-letter abbreviation and name.

`aminolookup('Integer', IntegerValue)` displays the corresponding amino acid single-letter code, three-letter abbreviation, and name.

`aminolookup('Abbreviation', AbbreviationValue)` displays the corresponding amino acid single-letter code and name.

`aminolookup('Name', NameValue)` displays the corresponding amino acid single-letter code and three-letter abbreviation.

## Examples

- Convert an amino acid sequence in single-letter codes to the corresponding three-letter abbreviations.

```
aminolookup('MWKQAEDIRDIYDF')
```

```
ans =
```

```
MetTrpLysGlnAlaGluAspIleArgAspIleTyrAspPhe
```

- Convert an amino acid sequence in three-letter abbreviations to the corresponding single-letter codes.

```
aminolookup('MetTrpLysGlnAlaGluAspIleArgAspIleTyrAspPhe')
```

```
ans =
```

```
MWKQAEDIRDIYDF
```

- Display the three-letter abbreviation and name for the amino acid corresponding to the single-letter code R.

```
aminolookup('Code', 'R')
```

```
ans =
```

```
Arg Arginine
```

- Display the single-letter code, three-letter abbreviation, and name for the amino acid corresponding to the integer 1.

```
aminolookup('Integer', 1)
```

```
ans =
```

```
A Ala Alanine
```

- Display the single-letter code and name for the amino acid corresponding to the three-letter abbreviation asn.

```
aminolookup('Abbreviation', 'asn')
```

```
ans =
```

```
N Asparagine
```

- Display the single-letter code and three-letter abbreviation for the amino acid proline.

```
aminolookup('Name', 'proline')
```

```
ans =
```

```
P Pro
```

## See Also

Bioinformatics Toolbox functions: `aa2int`, `aa2nt`, `aacount`, `geneticcode`, `int2aa`, `isotopicdist`, `nt2aa`, `revgeneticcode`

**Purpose** Calculate atomic composition of protein

**Syntax** `NumberAtoms = atomiccomp(SeqAA)`

**Arguments**

*SeqAA* Amino acid sequence. Enter a character string or vector of integers from the table Mapping Amino Acid Letter Codes to Integers on page 3-2. You can also enter a structure with the field *Sequence*.

**Description** `NumberAtoms = atomiccomp(SeqAA)` counts the type and number of atoms in an amino acid sequence (*SeqAA*) and returns the counts in a 1-by-1 structure (*NumberAtoms*) with fields C, H, N, O, and S.

**Examples**

- 1 Retrieve an amino acid sequence from the NCBI GenPept database.

```
rhodopsin = getgenpept('NP_000530');
```

- 2 Count the atoms in the sequence.

```
rhodopsinAC = atomiccomp(rhodopsin)
```

```
rhodopsinAC =
```

```
C: 1814  
H: 2725  
N: 423  
O: 477  
S: 25
```

- 3 Count the number of carbon atoms in the sequence.

```
rhodopsinAC.C
```

```
ans =
```

```
1814
```

## atomiccomp

---

### See Also

Bioinformatics Toolbox functions: `aaccount`, `molweight`, `proteinplot`

**Purpose**

Count nucleotides in sequence

**Syntax**

```
NTStruct = basecount(SeqNT)
NTStruct = basecount(SeqNT, ...'Chart', ChartValue, ...)
NTStruct = basecount(SeqNT, ...'Others', OthersValue, ...)
NTStruct = basecount(SeqNT, ...'Structure', StructureValue,
    ...)
```

**Arguments**

*SeqNT*

One of the following:

- String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226
- Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913
- MATLAB structure containing a **Sequence** field that contains a nucleotide sequence, such as returned by `fastaread`, `fastqread`, `emblread`, `getembl`, `genbankread`, or `getgenbank`.

*ChartValue*

String specifying a chart type. Choices are 'pie' or 'bar'.

*OthersValue*

String specifying how to count ambiguous characters, including gaps indicated by a hyphen (-). Choices are 'full' (lists the ambiguous characters in separate fields) or 'bundle' (lists the ambiguous characters together in the field **Others**). Default is 'bundle'.

*StructureValue*

Suppresses the unknown characters warning when set to 'full'.

<b>Return Values</b>	<i>NTStruct</i>	1-by-1 MATLAB structure containing the fields A, C, G, and T.
----------------------	-----------------	---

**Description** *NTStruct* = basecount(*SeqNT*) counts the number of each type of base in a *SeqNT*, a nucleotide sequence, and returns the counts in *NTStruct*, a 1-by-1 MATLAB structure containing the fields A, C, G, and T.

- For sequences with the character U, the number of U characters is added to the T field.
- If a sequence contains ambiguous nucleotide characters (R, Y, K, M, S, W, B, D, H, V, or N), or gaps indicated by a hyphen (-), then these characters are counted in the field *Others*, and the following warning message appears:

Warning: Ambiguous symbols appear in the sequence. These will be in Others.

- If a sequence contains undefined nucleotide characters (E, F, H, I, J, L, O, P, Q, X, or Z), then these characters are counted in the field *Others*, and the following warning message appears.

Warning: Unknown symbols appear in the sequence. These will be in Others.

- If the property 'Others' is set to 'full', ambiguous characters are listed separately in the fields R, Y, K, M, S, W, B, D, H, V, N, and Gap.

*NTStruct* = basecount(*SeqNT*, ...'*PropertyName*', *PropertyValue*, ...) calls basecount with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*NTStruct* = basecount(*SeqNT*, ...'*Chart*', *ChartValue*, ...) creates a chart showing the relative proportions of the nucleotides. *ChartValue* can be 'pie' or 'bar'.

*NTStruct* = basecount(*SeqNT*, ...'Others', *OthersValue*, ...) specifies how to count ambiguous characters (R, Y, K, M, S, W, B, D, H, V, and N), or gaps indicated by a hyphen (-). Choices are 'full' (lists the ambiguous characters in separate fields) or 'bundle' (lists the ambiguous characters together in the field *Others*). Default is 'bundle'.

*NTStruct* = basecount(*SeqNT*, ...'Structure', *StructureValue*, ...) suppresses the unknown characters warning when set to 'full'.

- basecount(*SeqNT*) — Displays fields for four nucleotides, and, if there are ambiguous and unknown characters, add an *Others* field with the ambiguous and unknown character counts.
- basecount(*SeqNT*, 'Others', 'full') — Displays fields for 4 nucleotides, 11 ambiguous nucleotides, gaps, and, if there are unknown characters, adds an *Others* field with the unknown counts.
- basecount(*SeqNT*, 'Structure', 'full') — Displays fields for four nucleotides and an *Others* field. If there are ambiguous or unknown characters, adds the counts to the *Others* field; otherwise displays 0 in the *Others* field.
- basecount(*SeqNT*, 'Others', 'full', 'Structure', 'full') — Displays fields for 4 nucleotides, 11 ambiguous nucleotides, gaps, and an *Others* field. If there are unknown characters, adds the counts to the *Others* field; otherwise displays 0 in the *Others* field.

## Examples

- 1 Count the bases in a DNA sequence and return the results in a structure.

```
Bases = basecount('TAGCTGGCCAAGCGAGCTTG')
```

```
Bases =
```

```
A: 4
C: 5
G: 7
T: 4
```

- 2** Get the count for adenosine (A) bases.

```
Bases.A
```

```
ans =
```

```
4
```

- 3** Count the bases in a DNA sequence containing ambiguous characters, listing the ambiguous characters in separate fields.

```
basecount('ABCDGGCCAAGCGAGCTTG','Others','full')
```

```
ans =
```

```
A: 4
```

```
C: 5
```

```
G: 6
```

```
T: 2
```

```
R: 0
```

```
Y: 0
```

```
K: 0
```

```
M: 0
```

```
S: 0
```

```
W: 0
```

```
B: 1
```

```
D: 1
```

```
H: 0
```

```
V: 0
```

```
N: 0
```

```
Gap: 0
```

## See Also

Bioinformatics Toolbox functions: `aaccount`, `baselookup`, `codoncount`, `cpgisland`, `dimercount`, `nmercount`, `ntdensity`, `seqtool`



Purpose	Find nucleotide codes, integers, names, and complements	
Syntax	<pre>baselookup baselookup('Complement', SeqNT) baselookup('Code', CodeValue) baselookup('Integer', IntegerValue) baselookup('Name', NameValue)</pre>	
Arguments	SeqNT	<p>Nucleotide sequence(s) represented by one of the following:</p> <ul style="list-style-type: none"><li>• String of single-letter codes from the table Nucleotide Lookup on page 3-176</li><li>• Cell array of sequences</li><li>• Two-dimensional character array of sequences</li></ul> <hr/> <p><b>Note</b> If the input is multiple sequences, the complement for each sequence is determined independently.</p> <hr/>
	CodeValue	<p>Nucleotide letter code represented by one of the following:</p> <ul style="list-style-type: none"><li>• String specifying a single-letter code representing a nucleotide. For valid single-letter codes, see the table Nucleotide Lookup on page 3-176.</li><li>• Cell array of letter codes.</li><li>• Two-dimensional character array of letter codes.</li></ul>

- IntegerValue*

Single integer representing a nucleotide. For valid integers, see the table Nucleotide Lookup on page 3-176.
- NameValue*

Nucleotide name represented by one of the following:
  - String specifying a nucleotide name. For valid nucleotide names, see the table Nucleotide Lookup on page 3-176.
  - Cell array of names.
  - Two-dimensional character array of names.

Description

baselookup displays a table of nucleotide codes, integers, names, and complements.

Nucleotide Lookup

Code	Integer	Nucleotide Name	Meaning	Complement
A	1	Adenine	A	T
C	2	Cytosine	C	G
G	3	Guanine	G	C
T	4	Thymine	T	A
U	4	Uracil	U	A
R	5	Purine	A or G	Y
Y	6	Pyrimidine	C or T	R
K	7	Keto	G or T	M
M	8	Amino	A or C	K

### Nucleotide Lookup (Continued)

Code	Integer	Nucleotide Name	Meaning	Complement
S	9	Strong interaction (3 H bonds)	C or G	S
W	10	Weak interaction (2 H bonds)	A or T	W
B	11	Not A	C or G or T	V
D	12	Not C	A or G or T	H
H	13	Not G	A or C or T	D
V	14	Not T or U	A or C or G	B
N, X	15	Any nucleotide	A or C or G or T or U	N
-	16	Gap of indeterminate length	Gap	-

`baselookup('Complement', SeqNT)` displays the complementary nucleotide sequence.

`baselookup('Code', CodeValue)` displays the corresponding meaning and nucleotide name. For ambiguous nucleotide codes (R, Y, K, M, S, W, B, D, H, V, N, and X), the nucleotide name is a descriptive name.

`baselookup('Integer', IntegerValue)` displays the corresponding letter code, meaning, and nucleotide name.

`baselookup('Name', NameValue)` displays the corresponding letter code, meaning, and nucleotide name or descriptive name.

## Examples

- Convert a nucleotide sequence to its complementary sequence.

```
baselookup('Complement', 'TAGCTGRCCAAGGCCAAGCGAGCTTN')  
  
ans =  
  
ATCGACYGGTTCCGGTTCGCTCGAAN
```

- Display the meaning and nucleotide name or descriptive name for the nucleotide codes G and Y.

```
baselookup('Code', 'G')  
  
ans =  
  
G  Guanine
```

```
baselookup('Code', 'Y')  
  
ans =  
  
T|C  pYrimidine
```

- Display the nucleotide letter code, meaning, and nucleotide name or descriptive name for the integers 1 and 7.

```
baselookup('Integer', 1)  
  
ans =  
  
A  A - Adenine
```

```
baselookup('Integer', 7)  
  
ans =
```

```
K G|T - Keto
```

- Display the corresponding nucleotide letter code, meaning, and name for cytosine and purine.

```
baselookup('Name','cytosine')
```

```
ans =
```

```
C C - Cytosine
```

```
baselookup('Name','purine')
```

```
ans =
```

```
R G|A - puRine
```

## See Also

Bioinformatics Toolbox functions: `aa2nt`, `basecount`, `codoncount`, `dimercount`, `geneticcode`, `int2nt`, `nt2aa`, `nt2int`, `revgeneticcode`, `seqtool`

# biograph object

---

<b>Purpose</b>	Data structure containing generic interconnected data used to implement directed graph	
<b>Description</b>	<p>A biograph object is a data structure containing generic interconnected data used to implement a directed graph. Nodes represent proteins, genes, or any other biological entity, and edges represent interactions, dependences, or any other relationship between the nodes. A biograph object also stores information, such as color properties and text label characteristics, used to create a 2-D visualization of the graph.</p> <p>You create a biograph object using the object constructor function <code>biograph</code>. You can view a graphical representation of a biograph object using the <code>view</code> method.</p>	
<b>Method Summary</b>	Following are methods of a biograph object:	
	<code>allshortestpaths (biograph)</code>	Find all shortest paths in biograph object
	<code>conncomp (biograph)</code>	Find strongly or weakly connected components in biograph object
	<code>dolayout (biograph)</code>	Calculate node positions and edge trajectories
	<code>get (biograph)</code>	Retrieve information about biograph object
	<code>getancestors (biograph)</code>	Find ancestors in biograph object
	<code>getdescendants (biograph)</code>	Find descendants in biograph object
	<code>getedgesbynodeid (biograph)</code>	Get handles to edges in biograph object
	<code>getmatrix (biograph)</code>	Get connection matrix from biograph object
	<code>getnodesbyid (biograph)</code>	Get handles to nodes
	<code>getrelatives (biograph)</code>	Find relatives in biograph object

isdag (biograph)	Test for cycles in biograph object
isomorphism (biograph)	Find isomorphism between two biograph objects
isspantree (biograph)	Determine if tree created from biograph object is spanning tree
maxflow (biograph)	Calculate maximum flow in biograph object
minspantree (biograph)	Find minimal spanning tree in biograph object
set (biograph)	Set property of biograph object
shortestpath (biograph)	Solve shortest path problem in biograph object
topoorder (biograph)	Perform topological sort of directed acyclic graph extracted from biograph object
traverse (biograph)	Traverse biograph object by following adjacent nodes
view (biograph)	Draw figure from biograph object

Following are methods of a node object:

getancestors (biograph)	Find ancestors in biograph object
getdescendants (biograph)	Find descendants in biograph object
getrelatives (biograph)	Find relatives in biograph object

Property  
Summary

A biograph object contains two kinds of objects, node objects and edge objects, that have their own properties. For a list of the properties of node objects and edge objects, see the following tables.

# biograph object

---

## Properties of a Biograph Object

Property	Description
ID	String to identify the biograph object. Default is ''.
Label	String to label the biograph object. Default is ''.
Description	String that describes the biograph object. Default is ''.
LayoutType	<p>String that specifies the algorithm for the layout engine. Choices are:</p> <ul style="list-style-type: none"><li>• 'hierarchical' (default) — Uses a topological order of the graph to assign levels, and then arranges the nodes from top to bottom, while minimizing crossing edges.</li><li>• 'radial' — Uses a topological order of the graph to assign levels, and then arranges the nodes from inside to outside of the circle, while minimizing crossing edges.</li><li>• 'equilibrium' — Calculates layout by minimizing the energy in a dynamic spring system.</li></ul>



## Properties of a Biograph Object (Continued)

Property	Description
EdgeType	<p>String that specifies how edges display. Choices are:</p> <ul style="list-style-type: none"> <li>'straight'</li> <li>'curved' (default)</li> <li>'segmented'</li> </ul> <hr/> <p><b>Note</b> Curved or segmented edges occur only when necessary to avoid obstruction by nodes. Biograph objects with LayoutType equal to 'equilibrium' or 'radial' cannot produce curved or segmented edges.</p> <hr/>
Scale	Positive number that post-scales the node coordinates. Default is 1.
LayoutScale	Positive number that scales the size of the nodes before calling the layout engine. Default is 1.
EdgeTextColor	Three-element numeric vector of RGB values. Default is [0, 0, 0], which defines black.
EdgeFontSize	Positive number that sets the size of the edge font in points. Default is 8.
ShowArrows	Controls the display of arrows with the edges. Choices are 'on' (default) or 'off'.
ArrowSize	Positive number that sets the size of the arrows in points. Default is 8.
ShowWeights	Controls the display of text indicating the weight of the edges. Choices are 'on' (default) or 'off'.

Properties of a Biograph Object (Continued)

Property	Description
ShowTextInNodes	<p>String that specifies the node property used to label nodes when you display a biograph object using the view method. Choices are:</p> <ul style="list-style-type: none"><li>• 'Label' — Uses the Label property of the node object (default).</li><li>• 'ID' — Uses the ID property of the node object.</li><li>• 'None'</li></ul>
NodeAutoSize	<p>Controls precalculating the node size before calling the layout engine. Choices are 'on' (default) or 'off'.</p>
NodeCallback	<p>User-defined callback for all nodes. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the view function to display the biograph object in the Biograph Viewer, you can double-click a node to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, @(node) inspect(node), which displays the Property Inspector dialog box.</p>

## Properties of a Biograph Object (Continued)

Property	Description
EdgeCallback	User-defined callback for all edges. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the <code>view</code> function to display the biograph object in the Biograph Viewer, you can double-click an edge to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, <code>@(edge) inspect(edge)</code> , which displays the Property Inspector dialog box.
CustomNodeDrawFcn	Function handle to a customized function to draw nodes. Default is <code>[]</code> .
Nodes	Read-only column vector with handles to node objects of a biograph object. The size of the vector is the number of nodes. For properties of node objects, see Properties of a Node Object on page 3-186.
Edges	Read-only column vector with handles to edge objects of a biograph object. The size of the vector is the number of edges. For properties of edge objects, see Properties of an Edge Object on page 3-188.

## Properties of a Node Object

Property	Description
ID	Character string defined when the biograph object is created, either by the <i>NodeIDs</i> input argument or internally by the <code>biograph</code> constructor function. You can modify this property using the <code>set</code> method, but each node object's ID must be unique.
Label	String for labeling a node when you display a biograph object using the <code>view</code> method. Default is ''.
Description	String that describes the node. Default is ''.
Position	Two-element numeric vector of <i>x</i> - and <i>y</i> -coordinates, for example, [150, 150]. If you do not specify this property, default is initially [], then when the layout algorithms are executed, it becomes a two-element numeric vector of <i>x</i> - and <i>y</i> -coordinates computed by the layout engine.
Shape	String that specifies the shape of the nodes. Choices are: <ul style="list-style-type: none"><li>• 'box' (default)</li><li>• 'ellipse'</li><li>• 'circle'</li><li>• 'rectangle'</li><li>• 'diamond'</li><li>• 'trapezium'</li><li>• 'invtrapezium'</li><li>• 'house'</li><li>• 'inverse'</li></ul>

Properties of a Node Object (Continued)

Property	Description
	<ul style="list-style-type: none"><li>'parallelogram'</li></ul>
Size	Two-element numeric vector calculated before calling the layout engine using the actual font size and shape of the node. Default is [10, 10].
Color	Three-element numeric vector of RGB values that specifies the fill color of the node. Default is [1, 1, 0.7], which defines yellow.
LineWidth	Positive number. Default is 1.
LineColor	Three-element numeric vector of RGB values that specifies the outline color of the node. Default is [0.3, 0.3, 1], which defines blue.
FontSize	Positive number that sets the size of the node font in points. Default is 8.
TextColor	Three-element numeric vector of RGB values that specifies the color of the node labels. Default is [0, 0, 0], which defines black.
UserData	Miscellaneous, user-defined data that you want to associate with the node. The node does not use this property, but you can access and specify it using the <code>get</code> and <code>set</code> functions. Default is [ ].

## Properties of an Edge Object

Property	Description
ID	Character string automatically generated from the node IDs when the biograph object is created by the <code>biograph</code> constructor function. You can modify this property using the <code>set</code> method, but each edge object's ID must be unique.
Label	String for labeling an edge when you display a biograph object using the <code>view</code> method. Default is ''.
Description	String that describes the edge. Default is ''.
Weight	Value that represents the weight (cost, distance, length, or capacity) associated with the edge. Default is 1.
LineWidth	Positive number. Default is 1.
LineColor	Three-element numeric vector of RGB values that specifies the color of the edge. Default is [0.5, 0.5, 0.5], which defines gray.
UserData	Miscellaneous, user-defined data that you want to associate with the edge. The edge does not use this property, but you can access and specify it using the <code>get</code> and <code>set</code> functions. Default is [].

## Examples

### Determining Properties and Property Values of a Biograph Object

You can display all properties and their current values of a biograph object, *BGobj*, by using the following syntax:

```
get(BGobj)
```

You can return all properties and their current values of *BGobj*, a biograph object, to *BGstruct*, a scalar structure in which each field

`name` is a property of a biograph object, and each field contains the value of that property, by using the following syntax:

```
BGstruct = get(BGobj)
```

You can return the value of a specific property of a biograph object, *BGobj*, by using either of the following syntaxes:

```
PropertyValue = get(BGobj, 'PropertyName') 
```

```
PropertyValue = BGobj.PropertyName
```

You can return the value of specific properties of a biograph object, *BGobj*, by using the following syntax:

```
[Property1Value, Property2Value, ...] = get(BGobj, ...  
'Property1Name', 'Property2Name', ...)
```

## Determining Properties and Property Values of a Node or Edge of a Biograph Object

You can display all properties and their current values of the *n*th node or *n*th edge of a biograph object, *BGobj*, by using the following syntaxes:

```
get(BGobj.nodes(n))
```

```
get(BGobj.edges(n))
```

## Determining Possible Values of Biograph Object Properties

You can display possible values for all properties that have a fixed set of property values in a biograph object, *BGobj*, by using the following syntax:

```
set(BGobj)
```

You can display possible values for a specific property that has a fixed set of property values in a biograph object, *BGobj*, by using the following syntax:

```
set(BGobj, 'PropertyName') 
```

## Specifying Properties of a Biograph Object

You can set a specific property of a biograph object, *BGobj*, by using either of the following syntaxes:

```
set(BGobj, 'PropertyName', PropertyValue)
```

```
BGobj.PropertyName = PropertyValue
```

You can set multiple properties of a biograph object, *BGobj*, by using the following syntax:

```
set(BGobj, 'Property1Name', Property1Value, ...  
'Property2Name', Property2Value, ...)
```

## Specifying Properties of a Node of a Biograph Object

You can set a specific property of the *n*th node of a biograph object, *BGobj*, by using either of the following syntaxes:

```
set(BGobj.nodes(n), 'PropertyName', PropertyValue)
```

```
BGobj.nodes(n).PropertyName = PropertyValue
```

---

**Tip** To specify properties of a node using the node's ID, use the `getnodesbyid` function to create a handle for the node:

```
nodehandle = getnodesbyid(BGobj, NodeID)
```

Then use the handle for the node in either of the following syntaxes:

```
set(nodehandle, 'PropertyName', PropertyValue)
```

```
nodehandle.PropertyName = PropertyValue
```

---



## Specifying Properties of an Edge of a Biograph Object

You can set a specific property of the  $n$ th edge of a biograph object, *BGobj*, by using either of the following syntaxes:

```
set(BGobj.edges(n), 'PropertyName', PropertyValue)
```

```
BGobj.edges(n).PropertyName = PropertyValue
```

---

**Tip** To specify properties of an edge using the source and sink node's ID's, use the `getedgesbynodeid` function to create a handle for the edge:

```
edgehandle = getedgesbynodeid(BGobj, SourceNodeID, ...  
                               SinkNodeID)
```

Then use the handle for the edge in either of the following syntaxes:

```
set(edgehandle, 'PropertyName', PropertyValue)
```

```
edgehandle.PropertyName = PropertyValue
```

---

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor),

Bioinformatics Toolbox methods of a biograph object:

`allshortestpaths`, `conncomp`, `dolayout`, `get`, `getancestors`,  
`getdescendants`, `getedgesbynodeid`, `getmatrix`, `getnodesbyid`,  
`getrelatives`, `isdag`, `isomorphism`, `isspantree`, `maxflow`,  
`minspantree`, `set`, `shortestpath`, `topoorder`, `traverse`, `view`

## Purpose

Create biograph object

## Syntax

```
BGobj = biograph(CMatrix)
BGobj = biograph(CMatrix, NodeIDs)
BGobj = biograph(CMatrix, NodeIDs, ...'ID', IDValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'Label', LabelValue,
    ...)
BGobj = biograph(CMatrix, NodeIDs, ...'Description',
    DescriptionValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'LayoutType',
    LayoutTypeValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'EdgeType',
    EdgeTypeValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'Scale', ScaleValue,
    ...)
BGobj = biograph(CMatrix, NodeIDs, ...'LayoutScale',
    LayoutScaleValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'EdgeTextColor',
    EdgeTextColorValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'EdgeFontSize',
    EdgeFontSizeValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'ShowArrows',
    ShowArrowsValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'ArrowSize',
    ArrowSizeValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'ShowWeights',
    ShowWeightsValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'ShowTextInNodes',
    ShowTextInNodesValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'NodeAutoSize',
    NodeAutoSizeValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'NodeCallback',
    NodeCallbackValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'EdgeCallback',
    EdgeCallbackValue, ...)
BGobj = biograph(CMatrix, NodeIDs, ...'CustomNodeDrawFcn',
    CustomNodeDrawFcnValue, ...)
```

Arguments

*CMatrix* Full or sparse square matrix that acts as a connection matrix. That is, a value of 1 indicates a connection between nodes while a 0 indicates no connection. The number of rows/columns is equal to the number of nodes.

*NodeIDs* Node identification strings. Enter any of the following:

- Cell array of strings with the number of strings equal to the number of rows or columns in the connection matrix *CMatrix*. Each string must be unique.
- Character array with the number of rows equal to the number of nodes. Each row in the array must be unique.
- String with the number of characters equal to the number of nodes. Each character must be unique.

Default values are the row or column numbers.

---

**Note** You must specify *NodeIDs* if you want to specify property name/value pairs. Set *NodeIDs* to [ ] to use the default values of the row/column numbers.

---

*IDValue* String to identify the biograph object. Default is ''.

*LabelValue* String to label the biograph object. Default is ''.

<i>DescriptionValue</i>	String that describes the biograph object. Default is ''.
<i>LayoutTypeValue</i>	<div>String that specifies the algorithm for the layout engine. Choices are:</div> <div><ul style="list-style-type: none"><li>• 'hierarchical' (default) — Uses a topological order of the graph to assign levels, and then arranges the nodes from top to bottom, while minimizing crossing edges.</li><li>• 'radial' — Uses a topological order of the graph to assign levels, and then arranges the nodes from inside to outside of the circle, while minimizing crossing edges.</li><li>• 'equilibrium' — Calculates layout by minimizing the energy in a dynamic spring system.</li></ul></div>
<i>EdgeTypeValue</i>	<div>String that specifies how edges display. Choices are:</div> <div><ul style="list-style-type: none"><li>• 'straight'</li><li>• 'curved' (default)</li><li>• 'segmented'</li></ul></div>

---

**Note** Curved or segmented edges occur only when necessary to avoid obstruction by nodes. Biograph objects with `LayoutType` equal to 'equilibrium' or 'radial' cannot produce curved or segmented edges.

---

<i>ScaleValue</i>	Positive number that post-scales the node coordinates. Default is 1.
<i>LayoutScaleValue</i>	Positive number that scales the size of the nodes before calling the layout engine. Default is 1.
<i>EdgeTextColorValue</i>	Three-element numeric vector of RGB values. Default is [0, 0, 0], which defines black.
<i>EdgeFontSizeValue</i>	Positive number that sets the size of the edge font in points. Default is 8.
<i>ShowArrowsValue</i>	Controls the display of arrows for the edges. Choices are 'on' (default) or 'off'.
<i>ArrowSizeValue</i>	Positive number that sets the size of the arrows in points. Default is 8.
<i>ShowWeightsValue</i>	Controls the display of text indicating the weight of the edges. Choices are 'on' (default) or 'off'.
<i>ShowTextInNodesValue</i>	String that specifies the node property used to label nodes when you display a biograph object using the view method. Choices are: <ul style="list-style-type: none"> <li>• 'Label' — Uses the Label property of the node object (default).</li> <li>• 'ID' — Uses the ID property of the node object.</li> <li>• 'None'</li> </ul>
<i>NodeAutoSizeValue</i>	Controls precalculating the node size before calling the layout engine. Choices are 'on' (default) or 'off'.

<i>NodeCallbackValue</i>	User callback for all nodes. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the <code>view</code> function to display the biograph in the Biograph Viewer, you can double-click a node to activate the first callback, or right-click and select a callback to activate. Default is <code>@(node) inspect(node)</code> , which displays the Property Inspector dialog box.
<i>EdgeCallbackValue</i>	User callback for all edges. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the <code>view</code> function to display the biograph in the Biograph Viewer, you can double-click an edge to activate the first callback, or right-click and select a callback to activate. Default is <code>@(edge) inspect(edge)</code> , which displays the Property Inspector dialog box.
<i>CustomNodeDrawFcnValue</i>	Function handle to a customized function to draw nodes. Default is <code>[]</code> .

**Description**

`BGobj = biograph(CMatrix)` creates a biograph object, `BGobj`, using a connection matrix, `CMatrix`. All nondiagonal and positive entries in the connection matrix, `CMatrix`, indicate connected nodes, rows represent the source nodes, and columns represent the sink nodes.

`BGobj = biograph(CMatrix, NodeIDs)` specifies the node identification strings. `NodeIDs` can be:

- Cell array of strings with the number of strings equal to the number of rows or columns in the connection matrix `CMatrix`. Each string must be unique.

- Character array with the number of rows equal to the number of nodes. Each row in the array must be unique.
- String with the number of characters equal to the number of nodes. Each character must be unique.

Default values are the row or column numbers.

---

**Note** If you want to specify property name/value pairs, you must specify *NodeIDs*. Set *NodeIDs* to [ ] to use the default values of the row/column numbers.

---

*BGobj* = biograph(..., '*PropertyName*', *PropertyValue*, ...) calls biograph with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'ID', *IDValue*, ...) specifies an ID for the biograph object. Default is ''.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'Label', *LabelValue*, ...) specifies a label for the biograph object. Default is ''.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'Description', *DescriptionValue*, ...) specifies a description of the biograph object. Default is ''.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'LayoutType', *LayoutTypeValue*, ...) specifies the algorithm for the layout engine.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'EdgeType', *EdgeTypeValue*, ...) specifies how edges display.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'Scale', *ScaleValue*, ...) post-scales the node coordinates. Default is 1.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'LayoutScale', *LayoutScaleValue*, ...) scales the size of the nodes before calling the layout engine. Default is 1.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'EdgeTextColor', *EdgeTextColorValue*, ...) specifies a three-element numeric vector of RGB values. Default is [0, 0, 0], which defines black.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'EdgeFontSize', *EdgeFontSizeValue*, ...) sets the size of the edge font in points. Default is 8.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'ShowArrows', *ShowArrowsValue*, ...) controls the display of arrows for the edges. Choices are 'on' (default) or 'off'.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'ArrowSize', *ArrowSizeValue*, ...) sets the size of the arrows in points. Default is 8.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'ShowWeights', *ShowWeightsValue*, ...) controls the display of text indicating the weight of the edges. Choices are 'on' (default) or 'off'.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'ShowTextInNodes', *ShowTextInNodesValue*, ...) specifies the node property used to label nodes when you display a biograph object using the view method.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'NodeAutoSize', *NodeAutoSizeValue*, ...) controls precalculating the node size before calling the layout engine. Choices are 'on' (default) or 'off'.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'NodeCallback', *NodeCallbackValue*, ...) specifies user callback for all nodes.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'EdgeCallback', *EdgeCallbackValue*, ...) specifies user callback for all edges.

*BGobj* = biograph(*CMatrix*, *NodeIDs*, ...'CustomNodeDrawFcn', *CustomNodeDrawFcnValue*, ...) specifies function handle to customized function to draw nodes. Default is [].



## Examples

- 1 Create a biograph object with default node IDs, and then use the `get` function to display the node IDs.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];
bg1 = biograph(cm)
Biograph object with 5 nodes and 9 edges.
get(bg1.nodes, 'ID')

ans =

    'Node 1'
    'Node 2'
    'Node 3'
    'Node 4'
    'Node 5'
```

- 2 Create a biograph object, assign the node IDs, and then use the `get` function to display the node IDs.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];
ids = {'M30931', 'L07625', 'K03454', 'M27323', 'M15390'};
bg2 = biograph(cm,ids);
get(bg2.nodes, 'ID')


ans =

    'M30931'
    'L07625'
    'K03454'
    'M27323'
    'M15390'
```

- 3 Use the `view` method to display the biograph object.

```
view(bg2)
```

# biograph



## See Also

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:

`allshortestpaths`, `conncomp`, `dolayout`, `get`, `getancestors`,  
`getdescendants`, `getedgesbynodeid`, `getmatrix`, `getnodesbyid`,  
`getrelatives`, `isdag`, `isomorphism`, `isspantree`, `maxflow`,  
`minspantree`, `set`, `shortestpath`, `topoorder`, `traverse`, `view`

<b>Purpose</b>	Allow quick and efficient access to large text file with nonuniform-size entries
<b>Description</b>	<p>The <code>BioIndexedFile</code> class allows access to text files (up to 4GB) with nonuniform-size entries, such as sequences, annotations, and cross-references to data sets. It lets you quickly and efficiently access this data without loading the source file into memory.</p> <p>This class lets you access individual entries or a subset of entries when the source file is too big to fit into memory. You can access entries using indices or keys. You can read and parse one or more entries using provided interpreters or a custom interpreter function.</p>
<b>Construction</b>	<p><code>BioIFobj = BioIndexedFile(<i>Format</i>, <i>SourceFile</i>)</code> constructs a <code>BioIndexedFile</code> object that indexes the contents of <i>SourceFile</i> following the parsing rules defined by <i>Format</i>, where <i>SourceFile</i> and <i>Format</i> are strings specifying a text file and a file format, respectively. It also constructs an auxiliary index file to store information that allows efficient, direct access to <i>SourceFile</i>. The index file by default is stored in the same location as the source file and has the same name as the source file, but with an <code>IDX</code> extension. The <code>BioIndexedFile</code> constructor uses the index file to construct subsequent objects from <i>SourceFile</i>, which saves time.</p> <p><code>BioIFobj = BioIndexedFile(<i>Format</i>, <i>SourceFile</i>, <i>IndexDir</i>)</code> specifies the relative or absolute path to a folder to use when searching for or saving the index file.</p> <p><code>BioIFobj = BioIndexedFile(<i>Format</i>, <i>SourceFile</i>, <i>IndexFile</i>)</code> specifies a file name, optionally including a relative or absolute path, to use when searching for or saving the index file.</p> <p><code>BioIFobj = BioIndexedFile(..., '<i>PropertyName</i>', <i>PropertyValue</i>)</code> constructs the object using options, specified as property name/property value pairs.</p> <p><code>BioIFobj = BioIndexedFile(..., '<i>MapKeys</i>', <i>MapKeyValue</i>)</code> specifies whether you can access the object <i>BioIFobj</i> using keys. Choices are <code>true</code> (default) or <code>false</code>.</p>

# BioIndexedFile class

---

*BioIFobj* = *BioIndexedFile*(..., 'MemMapIndex', *MemMapIndexValue*) specifies whether the constructor stores the indices in the auxiliary index file and accesses them via memory maps (*true*) or loads the indices into memory at construction time (*false*). Default is *true*.

*BioIFobj* = *BioIndexedFile*(..., 'Interpreter', *InterpreterValue*) specifies a handle to a function that the read method uses when parsing entries in the source file. This interpreter function must accept a single string of one or more concatenated entries and return a structure or an array of structures containing the interpreted data.

*BioIFobj* = *BioIndexedFile*(..., 'Verbose', *VerboseValue*) controls the display of the status of the object construction. Choices are *true* (default) or *false*.

---

**Note** The following property name/property value pairs apply only when both of the following are true:

- There is no pre-existing index file associated with your source file.
- Your source file has a general-purpose format such as 'TABLE', 'MRTAB', or 'FLAT'.

For source files with application-specific formats, the following property name/property value pairs are pre-defined and you cannot change them.

---

*BioIFobj* = *BioIndexedFile*(..., 'KeyColumn', *KeyColumnValue*) specifies the column in the 'TABLE' or 'MRTAB' file that contains the keys. Default is the first column.

*BioIFobj* = *BioIndexedFile*(..., 'KeyToken', *KeyTokenValue*) specifies a string that occurs in each entry before the key, for 'FLAT' files that contain keys. Default is ' ', which indicates the key is the first string in each entry and is delimited by blank spaces.

*BioIFobj* = *BioIndexedFile*(..., 'HeaderPrefix', *HeaderPrefixValue*) specifies a prefix that denotes header lines in the source file so the constructor ignores them when creating the object. Default is [], which means the constructor does not check for header lines in the source file.

*BioIFobj* = *BioIndexedFile*(..., 'CommentPrefix', *CommentPrefixValue*) specifies a prefix that denotes comment lines in the source file so the constructor ignores them when creating the object. Default is [], which means the constructor does not check for comment lines in the source file.

*BioIFobj* = *BioIndexedFile*(..., 'ContiguousEntries', *ContiguousEntriesValue*) specifies whether entries are on contiguous lines in the source file or are separated by empty lines or comment lines. Choices are true or false (default).

*BioIFobj* = *BioIndexedFile*(..., 'TableDelimiter', *TableDelimiterValue*) specifies a delimiter symbol to use as a column separator for *SourceFile* when *Format* is 'TABLE' or 'MRTAB'. Choices are '\t' (horizontal tab), ' ' (blank space), or ',', (comma). Default is '\t'.

*BioIFobj* = *BioIndexedFile*(..., 'EntryDelimiter', *EntryDelimiterValue*) specifies an delimiter symbol to use as a entry separator for *SourceFile* when *Format* is 'FLAT'. Default is '// '.

## Inputs

### *Format*

String specifying a file format. Choices are:

- 'SAM' — SAM-formatted file
- 'FASTQ' — FASTQ-formatted file
- 'FASTA' — FASTA-formatted file

# BioIndexedFile class

---

- 'TABLE' — Tab-delimited table with multiple columns. Keys can be in any column. Rows with the same key are considered separate entries.
- 'MRTAB' — Tab-delimited table with multiple columns. Keys can be in any column. Contiguous rows with the same key are considered a single entry. Noncontiguous rows with the same key are considered separate entries.
- 'FLAT' — Flat file with concatenated entries separated by a string, typically ' // '. Within an entry, the key is separated from the rest of the entry by a white space.

## *SourceFile*

String specifying a text file. The string can include a relative or absolute path.

## *IndexDir*

String specifying the relative or absolute path to a folder to use when searching for or saving the index file.

## *IndexFile*

String specifying a file name, optionally including a relative or absolute path, to use when searching for or saving the index file.

## *MapKeyValue*

Specifies if you can access the object *BioIFobj* using keys. Choices are `true` (default) or `false`.

---

**Tip** Set *MapKeyValue* to `false` if you do not need to access entries in the object using keys. Doing so saves time and space when creating the object.

---

## *MemMapIndexValue*

Specifies whether the constructor stores the indices in the auxiliary index file and accesses them via memory maps (`true`) or loads the indices into memory at construction time (`false`).

---

**Tip** If memory is not an issue and you want to maximize performance when accessing entries in the object, set *MemMapIndexValue* to `false`.

---

**Default:** `true`

### *InterpreterValue*

Handle to a function that the `read` method uses when parsing entries from the source file. The interpreter function must accept a single string of one or more concatenated entries and return a structure or an array of structures containing the interpreted data.

When *Format* is a general-purpose format such as `'TABLE'`, `'MRTAB'`, or `'FLAT'`, then the default is `[]`, which means *InterpreterValue* is an anonymous function in which the output is equivalent to the input.

When *Format* is an application-specific format such as `'SAM'`, `'FASTQ'`, or `'FASTA'`, then the default is a function handle appropriate for that file type and typically does not require you to change it.

### *VerboseValue*

Controls the display of the status of the object construction. Choices are `true` (default) or `false`.

### *KeyColumnValue*

Positive integer specifying the column in the `'TABLE'` or `'MRTAB'` file that contains the keys.

# BioIndexedFile class

---

**Default:** 1

## *KeyTokenValue*

String that occurs in each entry before the key, for 'FLAT' files that contain keys. Default is ' ', which indicates the key is the first string in each entry and is delimited by blank spaces.

## *HeaderPrefixValue*

String specifying a prefix that denotes header lines in the source file so the constructor ignores them when creating the object. Default is [], which means the constructor does not check for header lines in the source file.

## *CommentPrefixValue*

String specifying a prefix that denotes comment lines in the source file so the constructor ignores them when creating the object. Default is [], which means the constructor does not check for comment lines in the source file.

## *ContiguousEntriesValue*

Specifies if entries are on contiguous lines, that is, not separated by empty lines or comment lines, in the source file or not. Choices are true or false (default).

---

**Tip** Set *ContiguousEntriesValue* to true when entries are not separated by empty lines or comment lines. Doing so saves time and space when creating the object.

---

## *TableDelimiterValue*

String specifying a delimiter symbol to use as a column separator for *SourceFile* when *Format* is 'TABLE' or 'MRTAB'. Choices are '\t' (horizontal tab), ' ' (blank space), or ',', (comma).

**Default:** '\t'



## *EntryDelimiterValue*

String specifying a delimiter symbol to use as an entry separator for *SourceFile* when *Format* is 'FLAT'.

**Default:** '//'

## Properties

### FileFormat

File format of the source file

This information is read only. Possible values are:

- 'SAM' — SAM-formatted file
- 'FASTQ' — FASTQ-formatted file
- 'FASTA' — FASTA-formatted file
- 'TABLE' — Tab-delimited table with multiple columns. Keys can be in any column. Rows with the same key are considered separate entries.
- 'MRTAB' — Tab-delimited table with multiple columns. Keys can be in any column. Contiguous rows with the same key are considered a single entry. Noncontiguous rows with the same key are considered separate entries.
- 'FLAT' — Flat file with concatenated entries separated by a string, typically '//'. Within an entry, the key is separated from the rest of the entry by a white space.

### IndexedByKey

Whether or not the entries in the source file can be indexed by an alphanumeric key.

This information is read only.

### IndexFile

Path and file name of the auxiliary index file.

# BioIndexedFile class

---

This information is read only. Use this property to confirm the name and location of the index file associated with the object.

## InputFile

Path and file name of the source file.

This information is read only. Use this property to confirm the name and location of the source file from which the object was constructed.

## Interpreter

Handle to a function used by the `read` method to parse entries in the source file.

This interpreter function must accept a single string of one or more concatenated entries and return a structure or an array of structures containing the interpreted data. Set this property when your source file has a 'TABLE', 'MRTAB', or 'FLAT' format. When your source file is an application-specific format such as 'SAM', 'FASTQ', or 'FASTA', then the default is a function handle appropriate for that file type and typically does not require you to change it.

## MemoryMappedIndex

Whether the indices to the source file are stored in a memory-mapped file or in memory.

This information is read only.

## NumEntries

Number of entries in the source file.

This information is read only.

Methods

getEntryByIndex	Retrieve entries from source file associated with BioIndexedFile object using numeric index
getEntryByKey	Retrieve entries from source file associated with BioIndexedFile object using alphanumeric key
getIndexByKey	Retrieve indices from source file associated with BioIndexedFile object using alphanumeric key
getKeys	Retrieve alphanumeric keys from source file associated with BioIndexedFile object
read	Read one or more entries from source file associated with BioIndexedFile object

Copy Semantics

Value. To learn how value classes affect copy operations, see Copying Objects in the MATLAB Programming Fundamentals documentation.

Examples

Construct a BioIndexedFile object to access a table containing cross references between gene names and gene ontology (GO) terms:

```
% Create variable containing full absolute path of source file
sourcefile = which('yeastgenes.sgd');
% Construct a BioIndexedFile object from the source file. Indicate
% the source file is a tab-delimited file where contiguous rows
% with the same key are considered a single entry. Store the
% index file in the Current Folder. Indicate that keys are
% located in column 3 and that header lines are prefaced with !
gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...
                             'KeyColumn', 3, 'HeaderPrefix','!')
```

# BioIndexedFile class

---

Return the GO term from all entries that are associated with the gene YAT2:

```
% Access entries that have a key of YAT2
YAT2_entries = getEntryByKey(gene2goObj, 'YAT2');
% Adjust object interpreter to return only the column containing
% the GO term
gene2goObj.Interpreter = @(x) regexp(x,'GO:\d+', 'match')
% Parse the entries with a key of YAT2 and return all GO terms
% from those entries
GO_YAT2_entries = read(gene2goObj, 'YAT2')

GO_YAT2_entries =

'GO:0004092' 'GO:0005737' 'GO:0006066' 'GO:0006066' 'GO:0009437'
```

## See Also

| memmapfile | fastaread | fastqread | samread | genbankread

## How To

- “Extracting Information from Large Multi-Entry Text Files”

## Purpose

Contain data values from microarray experiment

## Description

The ExptData class is designed to contain data values, such as gene expression values, from a microarray experiment. It stores the data values in one or more DataMatrix objects, each having the same row names (feature names) and column names (sample names). It provides a convenient way to store related experiment data in a single data structure (object). It also lets you manage and subset the data.

The ExptData class includes properties and methods that let you access, retrieve, and change data values from a microarray experiment. These properties and methods are useful to view and analyze the data.

## Construction

*EDobj* = bioma.data.ExptData(*Data1*, *Data2*, ...) creates an ExptData object, from one or more matrices of data. Each matrix can be a logical matrix, a numeric matrix, or a DataMatrix object.

*EDobj* = bioma.data.ExptData(..., {*DMobj1*, *Name1*}, {*DMobj2*, *Name2*}, ...) specifies an element name for each DataMatrix object. *Name#* is a string specifying a unique name. Default names are Elmt1, Elmt2, etc.

*EDobj* = bioma.data.ExptData({*Data1*, *Data2*, ...}) creates an ExptData object, from a cell array of matrices of data. Each matrix can be a logical matrix, a numeric matrix, or a DataMatrix object.

*EDobj* = bioma.data.ExptData(..., '*PropertyName*', *PropertyValue*) constructs the object using options, specified as property name/property value pairs.

*EDobj* = bioma.data.ExptData(..., 'ElementNames', *ElementNamesValue*) specifies element names for the matrix inputs. *ElementNamesValue* is a cell array of strings. Default names are Elmt1, Elmt2, etc.

*EDobj* = bioma.data.ExptData(..., 'FeatureNames', *FeatureNamesValue*) specifies feature names (row names) for the ExptData object. .

# bioma.data.ExptData class

---

*EDobj* = bioma.data.ExptData(..., 'SampleNames', *SampleNamesValue*) specifies sample names (column names) for the ExptData object.

## Inputs

*Data#*

Matrix of experimental data values specified by any of the following:

- Logical matrix
- Numeric matrix
- DataMatrix object

All inputs must have the same dimensions. All DataMatrix objects must also have the same row names and columns names. If you provide logical or numeric matrices, bioma.data.ExptData converts them to DataMatrix objects with either default row and column names, or the row and column names of DataMatrix inputs, if provided.

The rows must correspond to features and the columns must correspond to samples.

*DMobj#*

Variable name of a DataMatrix object in the MATLAB Workspace.

*Name#*

String specifying an element name for the corresponding DataMatrix object

*ElementNamesValue*

Cell array of strings that specifies unique element names for the matrix inputs. The number of elements in *ElementNamesValue* must equal the number input matrices.

**Default:** {Elmt1, Elmt2, ...}

### *FeatureNamesValue*

Feature names (row names) for the ExptData object, specified by one of the following:

- Cell array of strings
- Character array
- Numeric or logical vector
- Single string, which is used as a prefix for the feature names, with feature numbers appended to the prefix
- Logical true or false (default). If true, `bioma.data.ExptData` assigns unique feature names using the format `Feature1`, `Feature2`, etc.

If you use a cell array of strings, character array, or vector, then the number of elements must be equal in number to the number of rows in *Data1*.

### *SampleNamesValue*

Sample names (column names) for the ExptData object, specified by one of the following:

- Cell array of strings
- Character array
- Numeric or logical vector
- Single string, which is used as a prefix for the sample names, with sample numbers appended to the prefix
- Logical true or false (default). If true, `bioma.data.ExptData` assigns unique sample names using the format `Sample1`, `Sample2`, etc.

# bioma.data.ExptData class

---

If you use a cell array of strings, character array, or vector, then the number of elements must be equal in number to the number of columns in *Data1*. If the ExptData object is part of an ExpressionSet object that contains a MetaData object, the sample names (column names) in the ExptData object must match the sample names (row names) in a MetaData object.

## Properties

### ElementClass

Class type of the DataMatrix objects in the experiment

Cell array of strings specifying the class type of each DataMatrix object in the ExptData object. Possible values are MATLAB classes, such as single, double, and logical. This information is read-only.

#### Attributes:

SetAccess private

### Name

Name of the ExptData object.

String specifying the name of the ExptData object. Default is [ ].

### NElements

Number of elements in the experiment

Positive integer specifying the number of elements (DataMatrix objects) in the experiment data. This value is equivalent to the number of DataMatrix objects in the ExptData object. This information is read-only.

#### Attributes:

SetAccess private

### NFeatures

Number of features in the experiment



Positive integer specifying the number of features in the experiment. This value is equivalent to the number of rows in each DataMatrix object in the ExptData object. This information is read-only.

Attributes:

SetAccess private

NSamples

Number of samples in the experiment

Positive integer specifying the number of samples in the experiment. This value is equivalent to the number of columns in each DataMatrix object in the ExptData object. This information is read-only.

Attributes:

SetAccess private

Methods

combine	Combine two ExptData objects
dmNames	Retrieve or set Name properties of DataMatrix objects in ExptData object
elementData	Retrieve or set data element (DataMatrix object) in ExptData object
elementNames	Retrieve or set element names of DataMatrix objects in ExptData object
featureNames	Retrieve or set feature names in ExptData object

# bioma.data.ExptData class

---

isempty	Determine whether ExptData object is empty
sampleNames	Retrieve or set sample names in ExptData object
size	Return size of ExptData object

**Instance Hierarchy**      An ExpressionSet object contains an ExptData object. An ExptData object contains one or more DataMatrix objects.

**Attributes**      To learn about attributes of classes, see Class Attributes in the MATLAB Object-Oriented Programming documentation.

**Copy Semantics**      Value. To learn how this affects your use of the class, see Copying Objects in the MATLAB Programming Fundamentals documentation.

**Indexing**      ExptData objects support 1-D parenthesis ( ) indexing to extract, assign, and delete data.

ExptData objects do not support:

- Dot . indexing
- Curly brace { } indexing

**Examples**      The mouseExprsData.txt file used in this example contains data from Hovatta et al., 2005.

Construct an ExptData object containing one DataMatrix object:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
```

```
EDObj = ExptData(dmObj);  
% Display information about the ExptData object  
EDObj  
% Name the ExptData object  
EDObj.Name = 'My ExptData Object'
```

## References

[1] Hovatta, I., Tennant, R S., Helton, R., et al. (2005). Glyoxalase 1 and glutathione reductase 1 regulate anxiety in mice. *Nature* 438, 662–666.

## See Also

`bioma.ExpressionSet` | `bioma.data.MetaData` | `bioma.data.MIAME`

## Tutorials

- Working with Objects for Microarray Experiment Data
- Analyzing Illumina Bead Summary Gene Expression Data

## How To

- Class Attributes
- Property Attributes
- “Representing Expression Data Values in ExptData Objects”

# bioma.data.MetaData class

---

## Purpose

Contain metadata from microarray experiment

## Description

The MetaData class is designed to contain metadata (variable values and descriptions) from a microarray experiment. It provides a convenient way to store related metadata in a single data structure (object). It also lets you manage and subset the data.

The metadata is a collection of variable names, for example related to samples or microarray features, along with descriptions and values for the variables. A MetaData object stores the metadata in two dataset arrays.

- **Values dataset array** — A dataset array containing the measured value of each variable per sample or feature. In this dataset array, the columns correspond to variables and rows correspond to either samples or features. The number and names of the columns in this dataset array must match the number and names of the rows in the Descriptions dataset array. If this dataset array contains *sample* metadata, then the number and names of the rows (samples) must match the number and names of the columns in the DataMatrix objects in the same ExpressionSet object. If this dataset array contains *feature* metadata, then the number and names of the rows (features) must match the number and names of the rows in the DataMatrix objects in the same ExpressionSet object.
- **Descriptions dataset array** — A dataset array containing a list of the variable names and their descriptions. In this dataset array, each row corresponds to a variable. The row names are the variable names, and a column, named `VariableDescription`, contains a description of the variable. The number and names of the rows in the Descriptions dataset array must match the number and names of the columns in the Values dataset array.

The MetaData class includes properties and methods that let you access, retrieve, and change metadata variables, and their values and descriptions. These properties and methods are useful to view and analyze the metadata.

## Construction

*MDobj* = bioma.data.MetaData(*VarValues*) creates a MetaData object from one dataset array whose rows correspond to sample (observation) names and whose columns correspond to variables. The dataset array contains the measured value of each variable per sample.

*MDobj* = bioma.data.MetaData(*VarValues*, *VarDescriptions*) creates a MetaData object from two dataset arrays. *VarDescriptions* is a dataset array whose rows correspond to variables. The row names are the variable names, and another column, named *VariableDescription*, contains a description of each variable.

*MDobj* = bioma.data.MetaData(*VarValues*, *VarDesc*) creates a MetaData object from a dataset array and *VarDesc* a cell array of strings containing descriptions of the variables.

*MDobj* = bioma.data.MetaData(..., '*PropertyName*', *PropertyValue*) constructs the object using options, specified as property name/property value pairs.

*MDobj* = bioma.data.MetaData('File', *FileValue*) creates a MetaData object from a text file containing a table of metadata. The table row labels must be sample names, and its column headers must be variable names.

*MDobj* = bioma.data.MetaData('File', *FileValue*, ...'*Path*', *PathValue*) specifies a folder or path and folder where *FileValue* is stored.

*MDobj* = bioma.data.MetaData('File', *FileValue*, ...'*Delimiter*', *DelimiterValue*) specifies a delimiter symbol to use as a column separator for *FileValue*. Default is '\t'.

*MDobj* = bioma.data.MetaData('File', *FileValue*, ...'*RowNames*', *RowNamesValue*) specifies the row names (sample names) for the MetaData object. Default is the information in the first column of the table.

*MDobj* = bioma.data.MetaData('File', *FileValue*, ...'*ColumnNames*', *ColumnNamesValue*) specifies the columns of data to read from the table. *ColumnNamesValue* is a cell array of strings

## bioma.data.MetaData class

---

specifying the column header names. Default is to read all columns of data from the table, assuming the first row contains column headers.

`MDobj = bioma.data.MetaData('File', FileValue, ... 'VarDescChar', VarDescCharValue)` specifies that lines in the table prefixed by *VarDescCharValue* to be read as descriptions and used to create the *VarDescriptions* dataset array. By default, `bioma.data.MetaData` does not read variable description information, and does not create a Descriptions dataset array. These prefixed lines must appear at the top of the file, before the table of metadata values.

`MDobj = bioma.data.MetaData(... 'Name', NameValue)` specifies a name for the MetaData object.

`MDobj = bioma.data.MetaData('File', FileValue, ... 'Description', DescriptionValue)` specifies a description for the MetaData object.

`MDobj = bioma.data.MetaData('File', FileValue, ... 'SampleNames', SampleNamesValue)` specifies sample names (row names) for the MetaData object.

`MDobj = bioma.data.MetaData('File', FileValue, ... 'VariableNames', VariableNamesValue)` specifies variable names (column names) for the MetaData object.

### Inputs

#### *VarValues*

Dataset array whose rows correspond to sample (observation) names and whose columns correspond to variables. The dataset array contains the measured value of each variable per sample or feature.

The number and names of the columns in the *VarValues* dataset array must match the number and names of the rows in the *VarDescriptions* dataset array. If *VarValues* contains *sample* metadata, then the number and names of the rows (samples) must match the number and names of the columns in the DataMatrix objects in the same ExpressionSet object. If *VarValues* contains

*feature* metadata, then the number and names of the rows (features) must match the number and names of the rows in the *DataMatrix* objects in the same *ExpressionSet* object.

### *VarDescriptions*

Dataset array whose rows correspond to variables. The row names are the variable names, and a column, named *VariableDescription*, contains a description of the variable. The number and names of the rows in the *VarDescriptions* dataset array must match the number and names of the columns in the *VarValues* dataset array.

### *VarDesc*

Cell array of strings containing descriptions of the variables. The number of elements in *VarDesc* must equal the number of columns (variable names) in *VarValues*.

### *FileValue*

String specifying a text file containing a table of metadata. The table row labels must be sample or feature names, and its column headers must be variable names. The text file must be on the MATLAB search path or in the Current Folder (unless you use the *Path* property).

### *PathValue*

String specifying a folder or path and folder where *FileValue* is stored.

### *DelimiterValue*

String specifying a delimiter symbol to use as a column separator for *FileValue*. Typical choices are:

- ' '
- '\t' (default)
- ','

# bioma.data.MetaData class

---

- ';'
- '|'

## *RowNamesValue*

Row names (sample or feature names) for the MetaData object, specified by one of the following:

- Cell array of strings
- Single number indicating the column of the table containing the row names
- Character string indicating the column header of the table containing the row names

If you specify [ ] for *RowNamesValue*, then `bioma.data.MetaData` provides numbered row names, starting with 1.

**Default:** 1, which specifies the information in the first column of the table

## *ColumnNamesValue*

Cell array of strings specifying the column header names to indicate which columns of data to read from the table. Default is to read all columns of data from the table, assuming the first row contains column headers. If the table does not have column headers, specify [ ] for *ColumnNamesValue* to read all columns of data and provide numbered column names, starting with 1.

## *VarDescCharValue*

String specifying a character to prefix lines in the table that are to be read as descriptions and used to create the *VarDescriptions* dataset array. By default, `bioma.data.MetaData` does not read variable description information, and does not create a *VarDescriptions* dataset array. These prefixed lines must appear at the top of the file, before the table of metadata values.



## *NameValue*

String specifying a name for the MetaData object.

## *DescriptionValue*

String specifying a description for the MetaData object.

## *SampleNamesValue*

Cell array of strings specifying sample names for the MetaData object. The number of elements in the cell array must equal the number of samples in the MetaData object. This input overwrites sample names from the input file. Default are the sample names (row names) from the input file.

## *VariableNamesValue*

Cell array of strings specifying variable names for the MetaData object. The number of elements in the cell array must equal the number of variables in the MetaData object. This input overwrites variable names from the input file. Default are the variable names (column names) from the input file.

## Properties

### Description

Description of the MetaData object.

String specifying a description of the MetaData object. Default is [].

### DimensionLabels

Row and column labels for the MetaData object.

Two-element cell array containing strings specifying labels of the rows and columns respectively in the MetaData object. Default is {'Samples', 'Variables'}.

### Name

Name of the MetaData object.

String specifying the name of the MetaData object. Default is [].

# bioma.data.MetaData class

---

## NSamples

Number of samples (observations) in the experiment

Positive integer specifying the number of samples in the experiment. This value is equivalent to the number of rows in the *VarValues* dataset array. This information is read-only

### Attributes:

SetAccess	private
-----------	---------

## NVariables

Number of variables in the experiment

Positive integer specifying the number of variables in the experiment. This value is equivalent to the number of columns in the *VarValues* dataset array. This information is read-only

### Attributes:

SetAccess	private
-----------	---------

## Methods

combine	Combine two MetaData objects
isempty	Determine whether MetaData object is empty
sampleNames	Retrieve or set sample names in MetaData object
size	Return size of MetaData object
variableDesc	Retrieve or set variable descriptions for samples in MetaData object
variableNames	Retrieve or set variable names for samples in MetaData object

variableValues	Retrieve or set variable values for samples in MetaData object
varValuesTable	Create 2-D graphic table GUI of variable values in MetaData object

## Instance Hierarchy

An ExpressionSet object contains two MetaData objects, one for sample information and one for microarray feature information. A MetaData object contains two dataset arrays. One dataset array contains the measured value of each variable per sample or feature. The other dataset array contains a list of the variable names and their descriptions.

## Attributes

To learn about attributes of classes, see Class Attributes in the MATLAB Object-Oriented Programming documentation.

## Copy Semantics

Value. To learn how this affects your use of the class, see Copying Objects in the MATLAB Programming Fundamentals documentation.

## Indexing

MetaData objects support 2-D parenthesis ( ) indexing and dot . indexing to extract, assign, and delete data.

MetaData objects do not support:

- Curly brace {} indexing
- Linear indexing

## Examples

Construct a MetaData object containing sample variable information from a text file:

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
```

# bioma.data.MetaData class

---

```
% Display information about the MetaData object
MDObj2
% Supply a description for the MetaData object
MDObj2.Description = 'This MetaData Object contains sample variable info.'
```

## See Also

[bioma.ExpressionSet](#) | [bioma.data.ExptData](#) | [bioma.data.MIAME](#)

## Tutorials

- [Working with Objects for Microarray Experiment Data](#)
- [Analyzing Illumina Bead Summary Gene Expression Data](#)

## How To

- [Class Attributes](#)
- [Property Attributes](#)
- [“Representing Sample and Feature Metadata in MetaData Objects”](#)

## Purpose

Contain experiment information from microarray gene expression experiment

## Description

The MIAME class is designed to contain information about experimental methods and conditions from a microarray gene expression experiment. It loosely follows the Minimum Information About a Microarray Experiment (MIAME) specification. It can include information about:

- Experiment design
- Microarrays used in the experiment
- Samples used
- Sample preparation and labeling
- Hybridization procedures and parameters
- Normalization controls
- Preprocessing information
- Data processing specifications

It provides a convenient way to store related information about a microarray experiment in a single data structure (object).

The MIAME class includes properties and methods that let you access, retrieve, and change experiment information related to a microarray experiment. These properties and methods are useful to view and analyze the information.

## Construction

*MIAMEobj* = `bioma.data.MIAME()` creates an empty MIAME object for storing experiment information from a microarray gene expression experiment.

*MIAMEobj* = `bioma.data.MIAME(GeoSeriesStruct)` creates a MIAME object from a structure containing Gene Expression Omnibus (GEO) Series data.

# bioma.data.MIAME class

---

*MIAMEobj* = bioma.data.MIAME(..., 'PropertyName', *PropertyValue*) constructs the object using options, specified as property name/property value pairs.

*MIAMEobj* = bioma.data.MIAME(..., 'Investigator', *InvestigatorValue*) specifies the name of the experiment investigator.

*MIAMEobj* = bioma.data.MIAME(..., 'Lab', *LabValue*) specifies the laboratory that conducted the experiment.

*MIAMEobj* = bioma.data.MIAME(..., 'Contact', *ContactValue*) specifies the contact information for the experiment investigator or laboratory.

*MIAMEobj* = bioma.data.MIAME(..., 'URL', *URLValue*) specifies the experiment URL.

## Inputs

*GeoSeriesStruct*

Gene Expression Omnibus (GEO) Series data specified by either:

- MATLAB structure returned by the `getgeodata` function
- `Structure.Header.Series` substructure returned by the `getgeodata` function

*InvestigatorValue*

String specifying the name of the experiment investigator.

*LabValue*

String specifying the laboratory that conducted the experiment.

*ContactValue*

String specifying the contact information for the experiment investigator or laboratory

*URLValue*

String specifying the experiment URL.

## Properties

### Abstract

Abstract describing the experiment

String containing an abstract describing the experiment.

### Arrays

Information about the microarray chips used in the experiment

Cell array containing information about the microarray chips used in the experiment. Information can include array name, array platform, number of features on the array, and so on.

### Contact

Contact information for the experiment investigator or laboratory

Character array containing contact information for the experiment investigator or laboratory.

### ExptDesign

Brief description of the experiment design

Character array containing description of the experiment design.

### Hybridization

Information about the experiment hybridization

Cell array containing information about the hybridization protocol used in the experiment. Information can include hybridization time, concentration, volume, temperature, and so on.

### Investigator

Name of the experiment investigator

Character array containing the name of the experiment investigator.

### Laboratory

Name of the laboratory where the experiment was conducted

Character array containing the name of laboratory.

## bioma.data.MIAME class

---

### Other

Other information about the experiment

Cell array containing other information about the experiment, not covered by the other properties.

### Preprocessing

Information about the experiment preprocessing steps

Cell array containing information about the preprocessing steps used on the data from the experiment.

### PubMedID

PubMed identifiers for relevant publications.

Character array containing PubMed identifiers for papers relevant to the data set used in the experiment.

### QualityControl

Information about the experiment quality controls

Cell array containing information about the experiment quality control steps. Information can include replicates, dye swap, and so on.

### Samples

Information about samples used in the experiment

Cell array containing information about the samples used in the experiment. Information can include sample source, sample organism, treatment type, compound, labeling protocol, external control, and so on.

### Title

Experiment title

Character array containing a single sentence experiment title.

### URL



Character array containing URL for the experiment.

combine	Combine two MIAME objects
isempty	Determine whether MIAME object is empty

An ExpressionSet object contains a MIAME object.

To learn about attributes of classes, see [Class Attributes](#) in the [MATLAB Object-Oriented Programming](#) documentation.

Value. To learn how this affects your use of the class, see [Copying Objects in the MATLAB Programming Fundamentals documentation](#).

Construct a MIAME object from a structure containing information from a Gene Expression Omnibus (GEO) Series record:

```
% Create a MATLAB structure containing GEO Series data
geoStruct = getgeodata('GSE4616');
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MIAME object
MIAMEObj1 = MIAME(geoStruct);
% Display information about the MIAME object
MIAMEObj1
% Supply a URL for the MIAME object
MIAMEObj1.URL = 'www.nonexistinglab.com'
```

# bioma.data.MIAME class

---

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MIAME object
MIAMEObj2 = MIAME('investigator', 'Jane Researcher',...
                  'lab', 'One Bioinformatics Laboratory',...
                  'contact', 'jresearcher@lab.not.exist',...
                  'url', 'www.lab.not.exist',...
                  'title', 'Normal vs. Diseased Experiment',...
                  'abstract', 'Example of using expression data',...
                  'other', {'Notes:Created from a text file.'});
% Display information about the MIAME object
MIAMEObj2
% Replace the URL for the MIAME object
MIAMEObj2.URL = 'www.nonexistinglab.com'
```

## See Also

[bioma.ExpressionSet](#) | [bioma.data.ExptData](#) |  
[bioma.data.MetaData](#) | [getgeodata](#)

## Tutorials

- [Working with Objects for Microarray Experiment Data](#)
- [Analyzing Illumina Bead Summary Gene Expression Data](#)

## How To

- [Class Attributes](#)
- [Property Attributes](#)
- [“Representing Experiment Information in a MIAME Object”](#)

**Superclasses** AExperiment

**Purpose** Contain data from microarray gene expression experiment

**Description** The ExpressionSet class is designed to contain data from a microarray gene expression experiment, including expression values, sample and feature metadata, and information about experimental methods and conditions. It provides a convenient way to store related information about a microarray gene expression experiment in a single data structure (object). It also lets you manage and subset the data.

The ExpressionSet class includes properties and methods that let you access, retrieve, and change data, metadata, and other information about the microarray gene expression experiment. These properties and methods are useful for viewing and analyzing the data.

**Construction** *ExprSetobj* = bioma.ExpressionSet(*Data*) creates an ExpressionSet object, from *Data*, a numeric matrix, a DataMatrix object, or an ExptData object, which contains one or more DataMatrix objects with the same dimensions, row names and column names.

*ExprSetobj* = bioma.ExpressionSet(*Data*, {*DMobj1*, *Name1*}, {*DMobj2*, *Name2*}, ...) creates an ExpressionSet object, from *Data*, and additional DataMatrix objects with specified element names. All DataMatrix objects must have the same dimensions, row names, and column names.

*ExprSetobj* = bioma.ExpressionSet(..., '*PropertyName*', *PropertyValue*) constructs the object using options, specified as property name/property value pairs.

*ExprSetobj* = bioma.ExpressionSet(..., '*SData*', *SDataValue*) includes a MetaData object containing sample metadata in the ExpressionSet object.

*ExprSetobj* = bioma.ExpressionSet(..., '*FData*', *FDataValue*) includes a MetaData object containing microarray feature metadata in the ExpressionSet object.

# bioma.ExpressionSet class

---

*ExprSetobj* = bioma.ExpressionSet(..., 'EInfo', *EInfoValue*) includes a MIAME object, which contains experiment information, in the ExpressionSet object.

## Inputs

*Data*

Any of the following:

- Numeric matrix
- DataMatrix object
- ExptData object, which contains one or more DataMatrix objects having the same dimensions

If you provide a DataMatrix object, bioma.ExpressionSet creates an ExptData object from it and names the DataMatrix object Expressions. If you provide an ExptData object, bioma.ExpressionSet renames the first DataMatrix object in the ExptData object to Expressions, unless another DataMatrix object in the ExptData object is already named Expressions.

*DMobj#*

Variable name of a DataMatrix object. Each DataMatrix object must have the same dimensions as *Data*.

*Name#*

String specifying an element name for the corresponding DataMatrix object. Each DataMatrix object in an ExpressionSet object has an element name. At least one DataMatrix object in an ExpressionSet object has an element name of Expressions. By default, it is the first DataMatrix object.

*SDataValue*

Variable name of a MetaData object containing sample metadata for the experiment. The variable name must exist in the MATLAB Workspace.

## *FDataValue*

Variable name of a MetaData object containing microarray feature metadata for the experiment. The variable name must exist in the MATLAB Workspace.

## *EInfoValue*

Variable name of a MIAME object, which contains information about the experiment methods and conditions. The variable name must exist in the MATLAB Workspace.

## Properties

### NElements

Number of elements in the experiment

Positive integer specifying the number of elements (DataMatrix objects) in the experiment data. This value is equivalent to the number of DataMatrix objects in the ExperimentSet object. This information is read-only.

#### Attributes:

SetAccess	private
-----------	---------

### NFeatures

Number of features in the experiment

Positive integer specifying the number of features in the experiment. This value is equivalent to the number of rows in each DataMatrix object in the ExperimentSet object. This information is read-only.

#### Attributes:

# bioma.ExpressionSet class

---

SetAccess	private
NSamples	
Number of samples in the experiment	
Positive integer specifying the number of samples in the experiment. This value is equivalent to the number of columns in each DataMatrix object in the ExperimentSet object. This information is read-only.	

**Attributes:**

SetAccess	private
-----------	---------

**Methods**

abstract	Retrieve or set abstract describing experiment in ExpressionSet object
elementData	Retrieve or set data element (DataMatrix object) in ExpressionSet object
elementNames	Retrieve or set element names of DataMatrix objects in ExpressionSet object
expressions	Retrieve or set Expressions DataMatrix object from ExpressionSet object
exprWrite	Write expression values in ExpressionSet object to text file
exptData	Retrieve or set experiment data in ExpressionSet object
exptInfo	Retrieve or set experiment information in ExpressionSet object

featureData	Retrieve or set feature metadata in ExpressionSet object
featureNames	Retrieve or set feature names in ExpressionSet object
featureVarDesc	Retrieve or set feature variable descriptions in ExpressionSet object
featureVarNames	Retrieve or set feature variable names in ExpressionSet object
featureVarValues	Retrieve or set feature variable data values in ExpressionSet object
pubMedID	Retrieve or set PubMed IDs in ExpressionSet object
sampleData	Retrieve or set sample metadata in ExpressionSet object
sampleNames	Retrieve or set sample names in ExpressionSet object
sampleVarDesc	Retrieve or set sample variable descriptions in ExpressionSet object
sampleVarNames	Retrieve or set sample variable names in ExpressionSet object
sampleVarValues	Retrieve or set sample variable values in ExpressionSet object
size	Return size of ExpressionSet object

## Instance Hierarchy

An ExpressionSet object contains an ExptData object, two MetaData objects, and a MIAME object. These objects can be empty.

# bioma.ExpressionSet class

---

## Attributes

To learn about attributes of classes, see Class Attributes in the MATLAB Object-Oriented Programming documentation.

## Copy Semantics

Value. To learn how this affects your use of the class, see Copying Objects in the MATLAB Programming Fundamentals documentation.

## Indexing

ExpressionSet objects support 2-D parenthesis () indexing to extract, assign, and delete data.

ExpressionSet objects do not support:

- Dot . indexing
- Curly brace {} indexing
- Linear indexing

## Examples

The mouseExprsData.txt file used in this example contains data from Hovatta et al., 2005.

Construct an ExpressionSet object from EDObj, an ExptData object; MDObj2, a MetaData object containing sample variable information; and MIAMEObj, a MIAME object:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Create a MATLAB structure containing GEO Series data
geoStruct = getgeodata('GSE4616');
% Construct MIAME object
MIAMEObj = MIAME(geoStruct);
```



```
% Import bioma package to make constructor function
% available
import bioma.*
% Construct ExpressionSet object
ESObj = ExpressionSet(EDObj, 'SData', MDObj2, 'EInfo', MIAMEObj);
% Display information about the ExpressionSet object
ESObj
```

## References

[1] Hovatta, I., Tennant, R S., Helton, R., et al. (2005). Glyoxalase 1 and glutathione reductase 1 regulate anxiety in mice. *Nature* 438, 662–666.

## See Also

`bioma.data.ExptData` | `bioma.data.MetaData` | `bioma.data.MIAME`

## Tutorials

- Working with Objects for Microarray Experiment Data
- Analyzing Illumina Bead Summary Gene Expression Data

## How To

- Class Attributes
- Property Attributes
- “Storing and Managing Gene Expression Data in Objects”

# BioRead class

---

## Purpose

Contain sequence and quality data

## Description

The `BioRead` class contains data from short-read sequences, including sequence headers, nucleotide sequences, and the quality scores for the sequences. This data is typically obtained from a high-throughput sequencing instrument.

You construct a `BioRead` object from short-read sequence data. Each element in the object has a sequence, header, and quality score associated with it. Use the object properties and methods to explore, access, filter, and manipulate all or a subset of the data, before doing subsequent analyses or sequence alignment and mapping.

## Construction

`BioReadobj = BioRead(BioIFobj)` constructs `BioReadobj`, a `BioRead` object, from `BioIFobj`, a `BioIndexedFile` object that was constructed from a FASTQ- or SAM-formatted file.

---

**Tip** Construct a `BioRead` object from a `BioIndexedFile` object when you do not have enough memory to construct the `BioRead` object directly from a large FASTQ- or SAM-formatted file.

---

---

**Note** If you construct a `BioRead` object from a `BioIndexedFile` object:

- Do not delete the source file (FASTQ or SAM) or the auxiliary index file.
  - You cannot modify properties of the `BioRead` object.
- 

`BioReadobj = BioRead('FASTQFile', File)` constructs `BioReadobj`, a `BioRead` object, from `File`, a FASTQ-formatted file.

`BioReadobj = BioRead('SAMFile', File)` constructs `BioReadobj`, a `BioRead` object, from `File`, a SAM-formatted file.

*BioReadobj* = BioRead(*FASTQStruct*) constructs *BioReadobj*, a BioRead object, from *FASTQStruct*, a MATLAB structure containing Header, Sequence, and Quality fields, such as returned by the fastqread function.

*BioReadobj* = BioRead(*Seqs*) constructs *BioReadobj*, a BioRead object, from *Seqs*, a cell array of strings containing the letter representations of nucleotide sequences.

*BioReadobj* = BioRead(*Seqs*, *Quals*) constructs *BioReadobj*, a BioRead object, also from *Quals*, a cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences.

*BioReadobj* = BioRead(*Seqs*, *Quals*, *Headers*) constructs *BioReadobj*, a BioRead object, also from *Headers*, a cell array of strings containing header text for nucleotide sequences.

*BioReadobj* = BioRead(..., 'PropertyName', *PropertyValue*) constructs a BioRead object using options, specified as property name and value pairs.

*BioReadobj* = BioRead(..., 'Sequence', *SequenceValue*) constructs *BioReadobj*, a BioRead object, from *SequenceValue*, a cell array of strings containing the letter representations of nucleotide sequences.

*BioReadobj* = BioRead(..., 'Quality', *QualityValue*) constructs *BioReadobj*, a BioRead object, from *QualityValue*, a cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences.

*BioReadobj* = BioRead(..., 'Header', *HeaderValue*) constructs *BioReadobj*, a BioRead object, from *HeaderValue*, a cell array of strings containing header text for nucleotide sequences.

*BioReadobj* = BioRead(..., 'Name', *NameValue*) constructs *BioReadobj*, a BioRead object, and then sets the Name property to *NameValue*, a string describing the object. Default is '', an empty string.

# BioRead class

---

## Inputs

### *BioIFobj*

BioIndexedFile object that was constructed from a FASTQ- or SAM-formatted file.

### *File*

FASTQ-formatted or SAM-formatted file.

### *FASTQStruct*

MATLAB structure containing Header, Sequence, and Quality fields, such as returned by the `fastqread` function.

### *Seqs*

Cell array of strings containing the letter representations of nucleotide sequences. This information populates the BioRead object's Sequence property.

### *Quals*

Cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences. This information populates the BioRead object's Quality property.

### *Headers*

Cell array of strings containing header text for nucleotide sequences. This information populates the BioRead object's Header property.

### *SequenceValue*

Cell array of strings containing the letter representations of nucleotide sequences. This information populates the BioRead object's Sequence property.

### *QualityValue*

Cell array of strings containing the ASCII representation of per-base quality scores for nucleotide sequences. This information populates the BioRead object's **Quality** property.

**Default:** Empty cell array

## *HeaderValue*

Cell array of strings containing header text for nucleotide sequences. This information populates the BioRead object's **Header** property.

**Default:** Empty cell array

## *NameValue*

String describing the BioRead object. This information populates the object's **Name** property.

**Default:** Empty string

## Properties

### Header

Headers associated with all sequences represented in the BioRead object.

Cell array of strings, such that there is a header for each sequence in the object. Header strings can be empty. There is a one-to-one relationship between the number and order of elements in **Header** and **Sequence**, unless **Header** is an empty cell array.

### Name

Description of the BioRead object.

Single string describing the BioRead object. Default is ' ', an empty string.

### NSeqs

Number of sequences in the BioRead object.

# BioRead class

---

This information is read-only.

## Quality

Per-base quality scores associated with all sequences represented in the BioRead object.

Cell array of strings, such that there is a quality string for each sequence in the object. Each quality string is an ASCII representation of per-base quality scores for a nucleotide sequence or an empty string. A one-to-one relationship exists between the number and order of elements in Quality and Sequence, unless Quality is an empty cell array.

## Sequence

Nucleotide sequences in the BioRead object.

Cell array of strings containing the letter representations of the nucleotide sequences.

## Methods

combine	Combine two objects
get	Retrieve property of object
getHeader	Retrieve sequence headers from object
getName	Retrieve name of object
getNSeqs	Retrieve number of sequences in object
getQuality	Retrieve sequence quality scores from object
getSequence	Retrieve sequences from object
getSubsequence	Retrieve partial sequences from object
getSubset	Retrieve elements from object

set	Set property of object
setHeader	Set sequence headers for object
setName	Set name of object
setQuality	Set sequence quality scores for object
setSequence	Set sequences for object
setSubsequence	Set partial sequences for object
setSubset	Set elements for object

## Copy Semantics

Value. To learn how value classes affect copy operations, see [Copying Objects in the MATLAB Programming Fundamentals documentation](#).

## Indexing

BioRead objects support the following types of 1-D indexing to extract, assign, and delete data:

- Parentheses ( ) indexing
- Dot . indexing

## Examples

Construct a BioRead object from a FASTQ-formatted file that is provided with Bioinformatics Toolbox:

```
% Construct a BioRead object from a FASTQ file and set the Name
% property
BRObj1 = BioRead('fastqfile', 'SRR005164_1_50.fastq',...
                'Name', 'MyObject')

BRObj1 =

    BioRead

    Properties:
        Quality: {50x1 cell}
        Sequence: {50x1 cell}
```

## BioRead class

---

```
Header: {50x1 cell}
NSeqs: 50
Name: 'MyObject'
```

Methods, Superclasses

---

Construct a BioRead object from variables in the MATLAB Workspace:

```
% Create variables containing sequences, quality scores,
% and headers
seqs = {randseq(10); randseq(15); randseq(20)};
quals = {repmat('!', 1, 10); repmat('%', 1, 15);...
         repmat('&', 1, 20)};
headers = {'H1'; 'H2'; 'H3'};
% Construct a BioRead object from these three variables
BRObj2 = BioRead(seqs, quals, headers)
```

BRObj2 =

BioRead

Properties:

```
Quality: {3x1 cell}
Sequence: {3x1 cell}
Header: {3x1 cell}
NSeqs: 3
Name: ''
```

Methods, Superclasses

---

Construct a BioRead object from a valid MATLAB structure:

```
% Create variables containing sequences, quality scores,
% and headers
seqs = {randseq(10); randseq(15); randseq(20)};
```



```
quals = {repmat('!', 1, 10); repmat('%', 1, 15);...
         repmat('&', 1, 20)};
headers = {'H1'; 'H2'; 'H3'};
% Construct a structure containing Header, Sequence, and
% Quality fields
BRStruct = struct('Header', headers, 'Sequence', seqs,...
                  'Quality', quals);
% Construct a BioRead object from this structure
BRObj3 = BioRead(BRStruct)
```

BRObj3 =

BioRead

Properties:

Quality: {3x1 cell}

Sequence: {3x1 cell}

Header: {3x1 cell}

NSeqs: 3

Name: ''

Methods, Superclasses

## See Also

[BioMap](#) | [BioIndexedFile](#) | [fastqinfo](#) | [fastqread](#) | [saminfo](#) | [samread](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)

**Purpose** Create local BLAST database

**Syntax**

```
blastformat('Inputdb', InputdbValue)
blastformat(..., 'FormatPath', FormatPathValue, ...)
blastformat(..., 'Title', TitleValue, ...)
blastformat(..., 'Log', LogValue, ...)
blastformat(..., 'Protein', ProteinValue, ...)
blastformat(..., 'FormatArgs', FormatArgsValue, ...)
```

**Arguments**

<i>InputdbValue</i>	String specifying a file name or path and file name of a FASTA file containing a set of sequences to be formatted as a blastable database. If you specify only a file name, that file must be on the MATLAB search path or in the current folder. (This corresponds to the <code>formatdb</code> option <code>-i</code> .)
<i>FormatPathValue</i>	String specifying the full path to the <code>formatdb</code> executable file, including the name and extension of the executable file. Default is the system path.
<i>TitleValue</i>	String specifying the title for the local database. Default is the input FASTA file name. (This corresponds to the <code>formatdb</code> option <code>-t</code> .)
<i>LogValue</i>	String specifying the file name or path and file name for the log file associated with the local database. Default is <code>formatdb.log</code> . (This corresponds to the <code>formatdb</code> option <code>-l</code> .)

<i>ProteinValue</i>	Specifies whether the sequences formatted as a local BLAST database are protein or not. Choices are <code>true</code> (default) or <code>false</code> . (This corresponds to the <code>formatdb</code> option <code>-p</code> .)
<i>FormatArgsValue</i>	NCBI <code>formatdb</code> command string, that is, a string containing one or more instances of <code>-x</code> and the option associated with it, used to specify input arguments. For an example, see Using <code>blastformat</code> with <code>formatdb</code> Syntax and Input Arguments on page 3-252.

## Description

---

**Note** To use the `blastformat` function, you must have a local copy of the NCBI `formatdb` executable file available from your system. You can download the `formatdb` executable file by accessing

`http://blast.ncbi.nlm.nih.gov/download.shtml`

then clicking the **download** link under the **blast** column for your platform. Run the downloaded executable and configure it for your system. For more information, see the readme file on the NCBI ftp site at:

`ftp://ftp.ncbi.nih.gov/blast/documents/blast.html`

For convenience, consider placing the NCBI `formatdb` executable file on your system path.

---

`blastformat('Inputdb', InputdbValue)` calls a local version of the NCBI `formatdb` executable file with *InputdbValue*, a file name or path and file name of a FASTA file containing a set of sequences. If you specify only a file name, that file must be on the MATLAB search path or in the current folder. (This corresponds to the `formatdb` option `-i`.)

It then formats the sequences as a local, blastable database, by creating multiple files, each with the same name as the *InputdbValue* FASTA

file, but with different extensions. The database files are placed in the same location as the FASTA file.

---

**Note** If you rename the database files, make sure they all have the same name.

---

`blastformat(..., 'PropertyName', PropertyValue, ...)` calls `blastformat` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows.

`blastformat(..., 'FormatPath', FormatPathValue, ...)` specifies the full path to the `formatdb` executable file, including the name and extension of the executable file. Default is the system path.

`blastformat(..., 'Title', TitleValue, ...)` specifies the title for the local database. Default is the input FASTA file name. (This corresponds to the `formatdb` option `-t`.)

---

**Note** The 'Title' property does not change the file name of the database files. This title is used internally only, and appears in the report structure returned by the `blastlocal` function.

---

`blastformat(..., 'Log', LogValue, ...)` specifies the file name or path and file name for the log file associated with the local database. Default is `formatdb.log`. The log file captures the progress of the database creation and formatting. (This corresponds to the `formatdb` option `-l`.)

`blastformat(..., 'Protein', ProteinValue, ...)` specifies whether the sequences formatted as a local BLAST database are protein or not. Choices are `true` (default) or `false`. (This corresponds to the `formatdb` option `-p`.)

`blastformat(..., 'FormatArgs', FormatArgsValue, ...)` specifies options using the input arguments for the NCBI `formatdb` function. *FormatArgsValue* is a string containing one or more instances of `-x` and the option associated with it. For example, to specify that the input is a database in ASN.1 format, instead of a FASTA file, you would use the following syntax:

```
blastformat('Inputdb', 'ecoli.asn', 'FormatArgs', '-a T')
```

---

**Tip** Use the 'FormatArgs' property to specify `formatdb` options for which there are no corresponding property name/property value pairs.

---

---

**Note** For a complete list of valid input arguments for the NCBI `formatdb` function, make sure that the `formatdb` executable file is located on your system path or current folder, then type the following at your system's command prompt.

```
formatdb -
```

---

## Using formatdb Syntax

You can also use the syntax and input arguments accepted by the NCBI `formatdb` function, instead of the property name/property value pairs listed previously. To do so, supply a single string containing multiple options using the `-x option` syntax. For example, you can specify the `ecoli.nt` FASTA file, a title of `myecoli`, and that the sequences are not protein by using

```
blastformat('-i ecoli.nt -t myecoli -p F')
```

---

**Note** For a complete list of valid input arguments for the NCBI `formatdb` function, make sure that the `formatdb` executable file is located on your system path or current folder, then type the following at your system's command prompt.

```
formatdb -
```

---

## Examples

### Using blastformat with Property Name/Value Pairs

The following example assumes you have a FASTA nucleotide file, such as the *E. coli* file `NC_004431.fna`, which you can download from [NCBI](#), saved to your MATLAB current folder.

Create a local blastable database from the `NC_004431.fna` FASTA file and give it a title using the 'title' property.

```
blastformat('inputdb', 'NC_004431.fna', 'protein', 'false', ...  
            'title', 'myecoli_nt');
```

### Using blastformat with formatdb Syntax and Input Arguments

The following example assumes you have a FASTA amino acid file, such as the *E. coli* file `NC_004431.faa`, which you can download from [NCBI](#), saved to your MATLAB current folder.

Create a local blastable database from the `NC_004431.faa` FASTA file and rename the title and log file using `formatdb` syntax and input arguments.

```
blastformat('inputdb', 'NC_004431.faa', ...  
            'formatargs', '-t myecoli_aa -l ecoli_aa.log');
```

## References

- [1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.
- [2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST:

a new generation of protein database search programs. *Nucleic Acids Res.* 25, 3389–3402.

For more information on the NCBI `formatdb` function, see:

<http://blast.ncbi.nlm.nih.gov/docs/formatdb.html>

## See Also

Bioinformatics Toolbox functions: `blastlocal`, `blastncbi`, `blastread`, `blastreadlocal`, `getblast`

## Purpose

Perform search on local BLAST database to create BLAST report

## Syntax

```
blastlocal('InputQuery', InputQueryValue)
Data = blastlocal('InputQuery', InputQueryValue)
... blastlocal(..., 'Program', ProgramValue, ...)
... blastlocal(..., 'Database', DatabaseValue, ...)
... blastlocal(..., 'BlastPath', BlastPathValue, ...)
... blastlocal(..., 'Expect', ExpectValue, ...)
... blastlocal(..., 'Format', FormatValue, ...)
... blastlocal(..., 'ToFile', ToFileValue, ...)
... blastlocal(..., 'Filter', FilterValue, ...)
... blastlocal(..., 'GapOpen', GapOpenValue, ...)
... blastlocal(..., 'GapExtend', GapExtendValue, ...)
... blastlocal(..., 'BLASTArgs', BLASTArgsValue, ...)
```

## Arguments

*InputQueryValue* String specifying the file name or path and file name of a FASTA file containing query nucleotide or amino acid sequence(s). (This corresponds to the blastall option -i.)

*ProgramValue* String specifying a BLAST program. Choices are:

- 'blastp' (default) — Search protein query versus protein database.
- 'blastn' — Search nucleotide query versus nucleotide database.
- 'blastx' — Search translated nucleotide query versus protein database.
- 'tblastn' — Search protein query versus translated nucleotide database.
- 'tblastx' — Search translated nucleotide query versus translated nucleotide database.



---

	(The <i>ProgramValue</i> argument corresponds to the <code>blastall</code> option <code>-p</code> .)
<i>DatabaseValue</i>	String specifying a file name or path and file name of a local BLAST database (formatted using the NCBI <code>formatdb</code> function) to search. Default is a local version of the <code>nr</code> database in the MATLAB current folder. (This corresponds to the <code>blastall</code> option <code>-d</code> .)
<i>BlastPathValue</i>	String specifying the full path to the <code>blastall</code> executable file, including the name and extension of the executable file. Default is the system path.
<i>ExpectValue</i>	Value specifying the statistical significance threshold for matches against database sequences. Choices are any real number. Default is 10. (This corresponds to the <code>blastall</code> option <code>-e</code> .)
<i>FormatValue</i>	Integer specifying the alignment format of the BLAST search results. Choices are: <ul style="list-style-type: none"><li>• 0 (default) — Pairwise</li><li>• 1 — Query-anchored, showing identities</li><li>• 2 — Query-anchored, no identities</li><li>• 3 — Flat query-anchored, showing identities</li><li>• 4 — Flat query-anchored, no identities</li><li>• 5 — Query-anchored, no identities and blunt ends</li><li>• 6 — Flat query-anchored, no identities and blunt ends</li><li>• 8 — Tabular</li><li>• 9 — Tabular with comment lines</li></ul>

	(This corresponds to the blastall option -m.)
<i>ToFileValue</i>	String specifying a file name or path and file name in which to save the contents of the BLAST report. (This corresponds to the blastall option -o.)
<i>FilterValue</i>	Controls the application of a filter (DUST filter for the blastn program or SEG filter for other programs) to the query sequence(s). Choices are true (default) or false. (This corresponds to the blastall option -F.)
<i>GapOpenValue</i>	Integer that specifies the penalty for opening a gap in the alignment of sequences. Default is -1. (This corresponds to the blastall option -G.)
<i>GapExtendValue</i>	Integer that specifies the penalty for extending a gap in the alignment of sequences. Default is -1. (This corresponds to the blastall option -E.)
<i>BLASTArgsValue</i>	NCBI blastall command string, that is a string containing one or more instances of -x and the option associated with it, used to specify input arguments. For an example, see step 2 in “Examples” on page 3-263.

**Return Values**

<i>Data</i>	MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from a local BLAST report.
-------------	---

**Description**

This function assumes that

The Basic Local Alignment Search Tool (BLAST) offers a fast and powerful comparative analysis of protein and nucleotide sequences against known sequences in online or local databases.

---

**Note** To use the `blastlocal` function, you must have a local copy of the NCBI `blastall` executable file (version 2.2.17) available from your system. You can download the `blastall` executable file by accessing

`http://blast.ncbi.nlm.nih.gov/download.shtml`

then clicking the **download** link under the **blast** column for your platform. Run the downloaded executable and configure it for your system. For more information, see the readme file on the NCBI ftp site at:

`ftp://ftp.ncbi.nih.gov/blast/documents/blast.html`

For convenience, consider placing the NCBI `blastall` executable file on your system path.

---

`blastlocal('InputQuery', InputQueryValue)` submits query sequence(s) specified by *InputQueryValue*, a FASTA file containing nucleotide or amino acid sequence(s), for a BLAST search of a local BLAST database, by calling a local version of the NCBI `blastall` executable file. The BLAST search results are displayed in the MATLAB Command Window. (This corresponds to the `blastall` option `-i`.)

`Data = blastlocal('InputQuery', InputQueryValue)` returns the BLAST search results in *Data*, a MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from a local BLAST report.

*Data* contains a subset of the following fields, based on the specified alignment format.

Field	Description
Algorithm	NCBI algorithm used to do a BLAST search.
Query	Identifier of the query sequence submitted to a BLAST search.
Length	Length of the query sequence.
Database	All databases searched.
Hits.Name	Name of a database sequence (subject sequence) that matched the query sequence.
Hits.Score	Alignment score between the query sequence and the subject sequence.
Hits.Expect	Expectation value for the alignment between the query sequence and the subject sequence.
Hits.Length	Length of a subject sequence.
Hits.HSPs.Score	Pairwise alignment score for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Expect	Expectation value for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Identities	Identities (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.

Field	Description
Hits.HSPs.Positives	<p>Identical or similar residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject amino acid sequence.</p> <hr/> <p><b>Note</b> This field applies only to translated nucleotide or amino acid query sequences and/or databases.</p> <hr/>
Hits.HSPs.Gaps	<p>Nonaligned residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.Mismatches	<p>Residues that are not similar to each other (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.Frame	<p>Reading frame of the translated nucleotide sequence for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when performing translated searches, that is, when using tblastx, tblastn, and blastx.</p> <hr/>

Field	Description
Hits.HSPs.Strand	<p>Sense (Plus = 5' to 3' and Minus = 3' to 5') of the DNA strands for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when using a nucleotide query sequence and database.</p> <hr/>
Hits.HSPs.Alignment	Three-row matrix showing the alignment for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.QueryIndices	Indices of the query sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.SubjectIndices	Indices of the subject sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.AlignmentLength	Length of the pairwise alignment for a high-scoring sequence pair between the query sequence and a subject sequence.
Alignment	Entire alignment for the query sequence and the subject sequence(s).
Statistics	Summary of statistical details about the performed search, such as lambda values, gap penalties, number of sequences searched, and number of hits.

... `blastlocal(..., 'PropertyName', PropertyValue, ...)` calls `blastlocal` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows.

... `blastlocal(..., 'Program', ProgramValue, ...)` specifies the BLAST program. Choices are 'blastp' (default), 'blastn', 'blastx', 'tblastn', and 'tblastx'. (This corresponds to the `blastall` option -p.) For help in selecting an appropriate BLAST program, visit:

<http://blast.ncbi.nlm.nih.gov/producttable.shtml>

... `blastlocal(..., 'Database', DatabaseValue, ...)` specifies the local BLAST database (formatted using the NCBI `formatdb` function) to search. Default is a local version of the nr database in the MATLAB current folder. (This corresponds to the `blastall` option -d.)

... `blastlocal(..., 'BlastPath', BlastPathValue, ...)` specifies the full path to the `blastall` executable file, including the name and extension of the executable file. Default is the system path.

... `blastlocal(..., 'Expect', ExpectValue, ...)` specifies a statistical significance threshold for matches against database sequences. Choices are any real number. Default is 10. (This corresponds to the `blastall` option -e.) You can learn more about the statistics of local sequence comparison at:

<http://blast.ncbi.nlm.nih.gov/tutorial/Altschul-1.html#head2>

... `blastlocal(..., 'Format', FormatValue, ...)` specifies the alignment format of the BLAST search results. Choices are:

- 0 (default) — Pairwise
- 1 — Query-anchored, showing identities
- 2 — Query-anchored, no identities

- 3 — Flat query-anchored, showing identities
- 4 — Flat query-anchored, no identities
- 5 — Query-anchored, no identities and blunt ends
- 6 — Flat query-anchored, no identities and blunt ends
- 7 — Not used
- 8 — Tabular
- 9 — Tabular with comment lines

(This corresponds to the `blastall` option `-m`.)

... `blastlocal(..., 'ToFile', ToFileValue, ...)` saves the contents of the BLAST report to the specified file. (This corresponds to the `blastall` option `-o`.)

... `blastlocal(..., 'Filter', FilterValue, ...)` specifies whether a filter (DUST filter for the `blastn` program or SEG filter for other programs) is applied to the query sequence(s). Choices are `true` (default) or `false`. (This corresponds to the `blastall` option `-F`.)

... `blastlocal(..., 'GapOpen', GapOpenValue, ...)` specifies the penalty for opening a gap in the alignment of sequences. Default is `-1`. (This corresponds to the `blastall` option `-G`.)

... `blastlocal(..., 'GapExtend', GapExtendValue, ...)` specifies the penalty for extending a gap in the alignment of sequences. Default is `-1`. (This corresponds to the `blastall` option `-E`.)

... `blastlocal(..., 'BLASTArgs', BLASTArgsValue, ...)` specifies options using the input arguments for the NCBI `blastall` function. *BLASTArgsValue* is a string containing one or more instances or `-x` and the option associated with it. For example, to specify the BLOSUM 45 matrix, you would use the following syntax:

```
blastlocal('InputQuery', ecoliquery.txt, 'BLASTArgs', '-M BLOSUM45')
```



---

**Tip** Use the 'BlastArgs' property to specify `blastall` options for which there are no corresponding property name/property value pairs.

---

---

**Note** For a complete list of valid input arguments for the NCBI `blastall` function, make sure that the `blastall` executable file is located on your system path or current folder, then type the following at your system's command prompt.

```
blastall -
```

---

### Using `blastall` Syntax

You can also use the syntax and input arguments accepted by the NCBI `blastall` function, instead of the property name/property value pairs listed previously. To do so, supply a single string containing multiple options using the `-x option` syntax. For example, you can specify the `ecoliquery.txt` FASTA file as your query sequences, the `blastp` program, and the `ecoli` local database, by using

```
blastlocal('-i ecoliquery.txt -p blastp -d ecoli')
```

---

**Note** For a complete list of valid input arguments for the NCBI `blastall` function, make sure that the `blastall` executable file is located on your system path or current folder, then type the following at your system's command prompt.

```
blastall -
```

---

## Examples

The following examples assume you have a FASTA nucleotide file and a FASTA amino acid file for *E. coli*, such as the files `NC_004431.fna` and

NC\_004431.faa, which you can download from , saved to your MATLAB current folder.

## Performing a Nucleotide Translated Search

- 1 Create local blastable databases from the NC\_004431.fna and NC\_004431.faa FASTA files by using the `blastformat` function.

```
blastformat('inputdb', 'NC_004431.fna',  
            'protein', 'false');  
blastformat('inputdb', 'NC_004431.faa');
```

- 2 Use the `getgenbank` function to retrieve sequence information for the *E. coli* threonine operon from the GenBank database.

```
S = getgenbank('M28570');
```

- 3 Create a query file by using the `fastawrite` function to create a FASTA file named `query_nt.fa` from this sequence information, using only the accession number as the header.

```
S.Header = S.Accession;  
fastawrite('query_nt.fa', S);
```

- 4 Use MATLAB syntax to submit the query sequence in the `query_nt.fa` FASTA file for a BLAST search of the local amino acid database NC\_004431.faa. Specify the BLAST program `blastx`. Return the BLAST search results in `results`, a MATLAB structure.

```
results = blastlocal('inputquery', 'query_nt.fa',...  
                    'database', 'NC_004431.faa',...  
                    'program', 'blastx');
```

## Performing a Nucleotide Search Using `blastall` Syntax

- 1 If you have not already done so, create local blastable databases and a query file as described in steps 1 through 3 in Performing a Nucleotide Translated Search on page 3-264.

- 2 Use `blastall` syntax to submit the query sequence in the `query_nt.fa` FASTA file for a BLAST search of the local nucleotide database `NC_004431.fna`. Specify the BLAST program `blastn` and an expectation value of 0.0001. Return the BLAST search results in `results`, a MATLAB structure.

```
results = blastlocal('-i query_nt.fa -d NC_004431.fna ...
                    -p blastn -e 0.0001');
```

### Performing a Nucleotide Search and Creating a Formatted Report

- 1 If you have not already done so, create local blastable databases and a query file as described in steps 1 through 3 in Performing a Nucleotide Translated Search on page 3-264.
- 2 Submit the query sequence in the `query_nt.fa` FASTA file for a BLAST search of the local nucleotide database `NC_004431.fna`. Specify the BLAST program `blastn` and a tabular alignment format. Save the contents of the BLAST report to a file named `myecoli_nt.txt`.

```
blastlocal('inputquery', 'query_nt.fa',...
           'database', 'NC_004431.fna', 'tofile',...
           'myecoli_nt.txt', 'blastargs', '-p blastn -m 8');
```

## References

- [1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.
- [2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* *25*, 3389–3402.

For more information on the NCBI `blastall` function, see:

<http://blast.ncbi.nlm.nih.gov/docs/blastall.html>

# blastlocal

---

## See Also

Bioinformatics Toolbox functions: `blastformat`, `blastncbi`, `blastread`, `blastreadlocal`, `getblast`

**Purpose**

Create remote NCBI BLAST report request ID or link to NCBI BLAST report

**Syntax**

```
blastncbi(Seq, Program)
RID = blastncbi(Seq, Program)
[RID, RTOE] = blastncbi(Seq, Program)
... blastncbi(Seq, Program, ...'Database',
DatabaseValue, ...)
... blastncbi(Seq, Program, ...'Descriptions',
DescriptionsValue, ...)
... blastncbi(Seq, Program, ...'Alignments',
AlignmentsValue,
...)
... blastncbi(Seq, Program, ...'Filter', FilterValue, ...)
... blastncbi(Seq, Program, ...'Expect', ExpectValue, ...)
... blastncbi(Seq, Program, ...'Word', WordValue, ...)
... blastncbi(Seq, Program, ...'Matrix', MatrixValue, ...)
... blastncbi(Seq, Program, ...'GapOpen',
GapOpenValue, ...)
... blastncbi(Seq, Program, ...'ExtendGap', ExtendGapValue,
...)
... blastncbi(Seq, Program, ...'GapCosts', GapCostsValue,
...)
... blastncbi(Seq, Program, ...'Inclusion', InclusionValue,
...)
... blastncbi(Seq, Program, ...'Pct', PctValue, ...)
... blastncbi(Seq, Program, ...'Entrez', EntrezValue, ...)
```

Arguments	Seq	<p>Nucleotide or amino acid sequence specified by any of the following:</p> <ul style="list-style-type: none"><li>• GenBank, GenPept, or RefSeq accession number</li><li>• GI sequence identifier</li><li>• FASTA file</li><li>• URL pointing to a sequence file</li><li>• String</li><li>• Character array</li><li>• MATLAB structure containing a <b>Sequence</b> field</li></ul>
	Program	<p>String specifying a BLAST program. Choices are:</p> <ul style="list-style-type: none"><li>• 'blastn' — Search nucleotide query versus nucleotide database.</li><li>• 'blastp' — Search protein query versus protein database.</li><li>• 'blastx' — Search translated nucleotide query versus protein database.</li><li>• 'megablast' — Quickly search for highly similar nucleotide sequences.</li><li>• 'psiblast' — Search protein query using position-specific iterative BLAST.</li><li>• 'tblastn' — Search protein query versus translated nucleotide database.</li><li>• 'tblastx' — Search translated nucleotide query versus translated nucleotide database.</li></ul>

<i>DatabaseValue</i>	<p>String specifying a database. Compatible databases depend on the type of sequence specified by <i>Seq</i>, and the program specified by <i>Program</i>.</p> <p>For a list of database choices for nucleotide sequences and amino acid sequences, see the lists in the section “Description” on page 3-273.</p>
<i>DescriptionsValue</i>	<p>Value specifying the number of short descriptions to include in the report. Default is 100, unless <i>Program</i> = 'psiblast', then default is 500.</p>
<i>AlignmentsValue</i>	<p>Value specifying the number of sequences for which high-scoring segment pairs (HSPs) are reported. Default is 100, unless <i>Program</i> = 'psiblast', then default is 500.</p>
<i>FilterValue</i>	<p>String specifying a filter. Possible choices are:</p> <ul style="list-style-type: none"><li>• 'L' (default) — Low complexity.</li><li>• 'R' — Human repeats.</li><li>• 'm' — Mask for lookup table.</li><li>• 'lcase' — Turn on the lowercase mask.</li></ul> <p>Choices vary depending on the selected <i>Program</i>. For more information, see the table Choices for Optional Properties by BLAST Program on page 3-279.</p>
<i>ExpectValue</i>	<p>Value specifying the statistical significance threshold for matches against database sequences. Choices are any real number. Default is 10.</p>

<i>WordValue</i>	<p>Value specifying a word length for the query sequence.</p> <p>Choices for amino acid sequences are:</p> <ul style="list-style-type: none"><li>• 2</li><li>• 3 (default)</li></ul> <p>Choices for nucleotide sequences are:</p> <ul style="list-style-type: none"><li>• 7</li><li>• 11 (default)</li><li>• 15</li></ul> <p>Choices when <i>Program</i> = 'megablast' are:</p> <ul style="list-style-type: none"><li>• 11</li><li>• 12</li><li>• 16</li><li>• 20</li><li>• 24</li><li>• 28 (default)</li><li>• 32</li><li>• 48</li><li>• 64</li></ul>
------------------	--



*MatrixValue* String specifying the substitution matrix for amino acid sequences only. The matrix assigns the score for a possible alignment of any two amino acid residues. Choices are:

- 'PAM30'
- 'PAM70'
- 'BLOSUM45'
- 'BLOSUM62' (default)
- 'BLOSUM80'

*GapOpenValue* Integer that specifies the penalty for opening a gap in the alignment of amino acid sequences.

Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

*ExtendGapValue* Integer that specifies the penalty for extending a gap in the alignment of amino acid sequences.

Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

*GapCostsValue* Vector containing two integers: the first is the penalty for opening a gap, and the second is the penalty for extending the gap, in the alignment of amino acid sequences.

Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

*InclusionValue* Value specifying the statistical significance threshold for including a sequence in the Position-Specific Scoring Matrix (PSSM) created by PSI-BLAST for the subsequent iteration. Default is 0.005.

---

**Note** Specify an *InclusionValue* only when *Program* = 'psiblast'.

---

*PctValue* Value specifying the percent identity and the corresponding match and mismatch score for matching existing sequences in a public database. Choices are:

- None
- 99 (default) — 99, 1, -3
- 98 — 98, 1, -3
- 95 — 95, 1, -3
- 90 — 90, 1, -2
- 85 — 85, 1, -2
- 80 — 80, 2, -3
- 75 — 75, 4, -5
- 60 — 60, 1, -1

---

**Note** Specify a *PctValue* only when *Program* = 'megablast'.

---

*EntrezValue*

String specifying Entrez query syntax to search a subset of the selected database.

---

**Tip** Use this property to limit searches based on molecule types, sequence lengths, organisms, and so on.

---

## Return Values

*RID*

Request ID for the NCBI BLAST report.

*RTOE*

Request Time Of Execution, which is an estimate of the time (in minutes) until completion.

---

**Tip** Use this time estimate with the 'WaitTime' property when using the `getblast` function.

---

## Description

The Basic Local Alignment Search Tool (BLAST) offers a fast and powerful comparative analysis of protein and nucleotide sequences against known sequences in online databases.

`blastncbi(Seq, Program)` sends a BLAST request to NCBI against a *Seq*, a nucleotide or amino acid sequence, using *Program*, a specified BLAST program, and then returns a command window link to the NCBI BLAST report. For help in selecting an appropriate BLAST program, visit:

<http://blast.ncbi.nlm.nih.gov/producttable.shtml>

*RID* = `blastncbi(Seq, Program)` returns *RID*, the Request ID for the report.

`[RID, RTOE] = blastncbi(Seq, Program)` returns both *RID*, the Request ID for the NCBI BLAST report, and *RTOE*, the Request Time Of Execution, which is an estimate of the time until completion.

---

**Tip** Use *RTOE* with the 'WaitTime' property when using the `getblast` function.

---

`... blastncbi(..., 'PropertyName', PropertyValue,...)` calls `blastncbi` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are explained below. Additional information on these optional properties can be found at:

[http://www.ncbi.nlm.nih.gov/staff/tao/URLAPI/blastcgihelp\\_new.html](http://www.ncbi.nlm.nih.gov/staff/tao/URLAPI/blastcgihelp_new.html)

`... blastncbi(Seq, Program, ... 'Database', DatabaseValue, ...)` specifies a database for the alignment search. Compatible databases depend on the type of sequence specified by *Seq*, and the program specified by *Program*.

Database choices for nucleotide sequences are:

- 'nr' (default)
- 'refseq\_rna'
- 'refseq\_genomic'
- 'est'
- 'est\_human'
- 'est\_mouse'
- 'est\_others'
- 'gss'

- 'htgs'
- 'pat'
- 'pdb'
- 'month'
- 'alu\_repeats'
- 'dbsts'
- 'chromosome'
- 'wgs'
- 'env\_nt'

Database choices for amino acid sequences are:

- 'nr' (default)
- 'refseq\_protein'
- 'swissprot'
- 'pat'
- 'month'
- 'pdb'
- 'env\_nr'

For help in selecting an appropriate database, visit:

<http://blast.ncbi.nlm.nih.gov/producttable.shtml>

... `blastncbi(Seq, Program, ... 'Descriptions',  
DescriptionsValue, ...)` specifies the number of short descriptions  
to include in the report, when you do not specify return values.

... `blastncbi(Seq, Program, ... 'Alignments',  
AlignmentsValue, ...)` specifies the number of sequences for which

high-scoring segment pairs (HSPs) are reported, when you do not specify return values.

... `blastncbi(Seq, Program, ...'Filter', FilterValue, ...)` specifies the filter to apply to the query sequence.

... `blastncbi(Seq, Program, ...'Expect', ExpectValue, ...)` specifies a statistical significance threshold for matches against database sequences. Choices are any real number. Default is 10. You can learn more about the statistics of local sequence comparison at:

<http://blast.ncbi.nlm.nih.gov/tutorial/Altschul-1.html#head2>

... `blastncbi(Seq, Program, ...'Word', WordValue, ...)` specifies a word size for the query sequence.

... `blastncbi(Seq, Program, ...'Matrix', MatrixValue, ...)` specifies the substitution matrix for amino acid sequences only. This matrix assigns the score for a possible alignment of two amino acid residues.

... `blastncbi(Seq, Program, ...'GapOpen', GapOpenValue, ...)` specifies the penalty for opening a gap in the alignment of amino acid sequences. Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

For more information about allowed gap penalties for various matrices, see:

[http://blast.ncbi.nlm.nih.gov/html/sub\\_matrix.html](http://blast.ncbi.nlm.nih.gov/html/sub_matrix.html)

... `blastncbi(Seq, Program, ...'ExtendGap', ExtendGapValue, ...)` specifies the penalty for extending a gap greater than one space in the alignment of amino acid sequences. Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

... `blastncbi(Seq, Program, ...'GapCosts', GapCostsValue, ...)` specifies the penalty for opening and extending a gap in the

alignment of amino acid sequences. *GapCostsValue* is a vector containing two integers: the first is the penalty for opening a gap, and the second is the penalty for extending the gap. Choices and default depend on the substitution matrix specified by the 'Matrix' property. For more information, see the table Choices for the GapCosts Property by Matrix on page 3-280.

... `blastncbi(Seq, Program, ...'Inclusion', InclusionValue, ...)` specifies the statistical significance threshold for including a sequence in the Position-Specific Scoring Matrix (PSSM) created by PSI-BLAST for the subsequent iteration. Default is 0.005.

---

**Note** Specify an *InclusionValue* only when *Program* = 'psiblast'.

---

... `blastncbi(Seq, Program, ...'Pct', PctValue, ...)` specifies the percent identity and the corresponding match and mismatch score for matching existing sequences in a public database. Default is 99.

---

**Note** Specify a *PctValue* only when *Program* = 'megablast'.

---

... `blastncbi(Seq, Program, ...'Entrez', EntrezValue, ...)` specifies Entrez query syntax to search a subset of the selected database.

---

**Note** For more information about Entrez query syntax, see:

<http://www.ncbi.nlm.nih.gov/books/bv.fcgi?rid=helpentrez.chapter.EntrezHelp>

---

---

**Tip** Use this property to limit searches based on molecule types, sequence lengths, organisms, and so on. For more information on limiting searches, see:

[http://blast.ncbi.nlm.nih.gov/blastcgihelp.shtml#entrez\\_query](http://blast.ncbi.nlm.nih.gov/blastcgihelp.shtml#entrez_query)

---



Choices for Optional Properties by BLAST Program

Then choices for the following properties are...						
When BLAST program is...	Database	Filter	Word	Matrix	GapCosts	Pct
'blastn'	'nr' (default)	'L' (default)	7	—	—	—
	'est'	'R'	11			
	'est_human'	'm'	(default)			
'megablast'	'est_mouse'	'lcase'	15	None 99 (default) 98 95 90 85 80 75 60		
	'est_others'	'L'	11			
	'gss'		12			
	'htgs'		16			
	'pat'		20			
	'pdb'		24			
	'month'		28			
	'alu_repeats'		(default)			
	'dbsts'		32			
	'chromosome'		48			
	'wgs'		64			
	'refseq_rna'		2			
'tblastn'	'refseq_genomic'	'L' (default)	3 (default)	'PAM30' 'PAM70' 'BLOSUM45' 'BLOSUM62' (default) 'BLOSUM80'	See the next table.	—
'tblastx'	'env_nt'	'm'				
		'lcase'				
		'L' (default)				
'blastp'		'R'				
		'm'				
		'lcase'				
		'L' (default)				
'blastx'	'nr' (default)	'L' (default)				
	'swissprot'	'm'				
	'pat'	'lcase'				
	'pdb'					
'psiblast'	'month'					
	'refseq_protein'					
	'env_nr'					

Choices for the GapCosts Property by Matrix

When substitution matrix is...	Then choices for GapCosts are...
' PAM30 '	[ 7 2] [ 6 2] [ 5 2] [10 1] [ 9 1] (default) [ 8 1]
' PAM70 '	[ 8 2] [ 7 2] [ 6 2] [11 1] [10 1] (default) [ 9 1]
' BLOSUM80 '	
' BLOSUM45 '	[13 3] [12 3] [11 3] [10 3] [15 2] (default) [14 2] [13 2] [12 2] [19 1] [18 1] [17 1] [16 1]
' BLOSUM62 '	[ 9 2] [ 8 2] [ 7 2] [12 1] [11 1] (default) [10 1]

## Examples

```
% Get a sequence from the Protein Data Bank and create
% a MATLAB structure.
S = getpdb('1CIV')

% Use the structure as input for a BLAST search with an
% expectation of 1e-10.
blastncbi(S,'blastp','expect',1e-10)

% Click the URL link (Link to NCBI BLAST Request) to go
% directly to the NCBI request.

% You can also perform a typical BLAST protein search directly
% with an accession number and an alternative scoring matrix.
RID = blastncbi('AAA59174','blastp','matrix','PAM70',...
               'expect',1e-10)

% You can pass the RID to GETBLAST to parse the report and
% load it into a MATLAB structure.
Struct = getblast(RID)
```

## References

- [1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.
- [2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* *25*, 3389–3402.

## See Also

Bioinformatics Toolbox functions: `blastformat`, `blastlocal`, `blastread`, `blastreadlocal`, `getblast`

<b>Purpose</b>	Read data from NCBI BLAST report file	
<b>Syntax</b>	<i>Data</i> = blastread( <i>BLASTReport</i> )	
<b>Arguments</b>	<i>BLASTReport</i>	<p>NCBI BLAST-formatted report specified by any of the following:</p> <ul style="list-style-type: none"><li>• File name or path and file name, such as returned by the <code>getblast</code> function with the 'ToFile' property.</li><li>• URL pointing to an NCBI BLAST report.</li><li>• MATLAB character array that contains the text for an NCBI BLAST report.</li></ul> <p>If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</p>
<b>Return Values</b>	<i>Data</i>	MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from an NCBI BLAST report.
<b>Description</b>	<p>The Basic Local Alignment Search Tool (BLAST) offers a fast and powerful comparative analysis of protein and nucleotide sequences against known sequences in online databases. BLAST reports can be lengthy, and parsing the data from the various formats can be cumbersome.</p> <p><i>Data</i> = blastread(<i>BLASTReport</i>) reads a BLAST report from <i>BLASTReport</i>, an NCBI-formatted report, and returns <i>Data</i>, a MATLAB structure or array of structures (if multiple query sequences) containing</p>	

fields corresponding to the BLAST keywords. `blastread` parses the basic BLAST reports BLASTN, BLASTP, BLASTX, TBLASTN, and TBLASTX.

*Data* contains the following fields.

Field	Description
RID	Request ID for retrieving results for a specific NCBI BLAST search.
Algorithm	NCBI algorithm used to do a BLAST search.
Query	Identifier of the query sequence submitted to a BLAST search.
Database	All databases searched.
Hits.Name	Name of a database sequence (subject sequence) that matched the query sequence.
Hits.Length	Length of a subject sequence.
Hits.HSPs.Score	Pairwise alignment score for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Expect	Expectation value for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Identities	Identities (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.

Field	Description
Hits.HSPs.Positives	<p>Identical or similar residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject amino acid sequence.</p> <hr/> <p><b>Note</b> This field applies only to translated nucleotide or amino acid query sequences and/or databases.</p> <hr/>
Hits.HSPs.Gaps	<p>Nonaligned residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.Frame	<p>Reading frame of the translated nucleotide sequence for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when performing translated searches, that is, when using tblastx, tblastn, and blastx.</p> <hr/>

Field	Description
Hits.HSPs.Strand	<p>Sense (Plus = 5' to 3' and Minus = 3' to 5') of the DNA strands for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when using a nucleotide query sequence and database.</p> <hr/>
Hits.HSPs.Alignment	Three-row matrix showing the alignment for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.QueryIndices	Indices of the query sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.SubjectIndices	Indices of the subject sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Statistics	Summary of statistical details about the performed search, such as lambda values, gap penalties, number of sequences searched, and number of hits.

Examples

- 1 Create an NCBI BLAST report request using a GenPept accession number.

```
RID = blastncbi('AAA59174', 'blastp', 'expect', 1e-10)
```

```
RID =
```

```
'1175088155-31624-126008617054.BLASTQ3'
```

- 2** Pass the Request ID for the report to the `getblast` function, and save the report data to a text file.

```
getblast(RID, 'ToFile' , 'AAA59174_BLAST.rpt');
```

---

**Note** You may need to wait for the report to become available on the NCBI Web site before you can run the preceding command.

---

- 3** Using the saved file, read the results into a MATLAB structure.

```
resultsStruct = blastread('AAA59174_BLAST.rpt')
```

```
resultsStruct =
```

```
        RID: '1175093446-29831-201366571074.BLASTQ2'  
    Algorithm: 'BLASTP 2.2.16 [Mar-11-2007]'  
      Query: [1x63 char]  
    Database: [1x96 char]  
        Hits: [1x50 struct]  
  Statistics: [1x1034 char]
```

## References

- [1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.
- [2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* *25*, 3389–3402.

For more information about reading and interpreting NCBI BLAST reports, see:



[http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/Blast\\_output.html](http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/Blast_output.html)

## See Also

Bioinformatics Toolbox functions: `blastformat`, `blastlocal`, `blastncbi`, `blastreadlocal`, `getblast`

# blastreadlocal

---

<b>Purpose</b>	Read data from local BLAST report	
<b>Syntax</b>	<i>Data</i> = blastreadlocal( <i>BLASTReport</i> , <i>Format</i> )	
<b>Arguments</b>	<i>BLASTReport</i>	<p>BLAST report specified by any of the following:</p> <ul style="list-style-type: none"><li>• File name or path and file name of a locally created BLAST report file, such as returned by the <code>blastlocal</code> function with the 'ToFile' property.</li><li>• MATLAB character array that contains the text for a local BLAST report.</li></ul> <p>If you specify only a file name, that file must be on the MATLAB search path or in the current folder.</p>
	<i>Format</i>	<p>Integer specifying the alignment format used to create <i>BLASTReport</i>. Choices are:</p> <ul style="list-style-type: none"><li>• 0 — Pairwise</li><li>• 1 — Query-anchored, showing identities</li><li>• 2 — Query-anchored, no identities</li><li>• 3 — Flat query-anchored, showing identities</li><li>• 4 — Flat query-anchored, no identities</li><li>• 5 — Query-anchored, no identities and blunt ends</li><li>• 6 — Flat query-anchored, no identities and blunt ends</li><li>• 7 — Not used</li><li>• 8 — Tabular</li><li>• 9 — Tabular with comment lines</li></ul>

Return Values

Data

MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from a local BLAST report.

Description

The Basic Local Alignment Search Tool (BLAST) offers a fast and powerful comparative analysis of protein and nucleotide sequences against known sequences in online and local databases. BLAST reports can be lengthy, and parsing the data from the various formats can be cumbersome.

Data = blastreadlocal(BLASTReport, Format) reads BLASTReport, a locally created BLAST report file, and returns Data, a MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from a local BLAST report. Format is an integer specifying the alignment format used to create BLASTReport.

Note

The function assumes the BLAST report was produced using version 2.2.17 of the blastall executable.

Data contains a subset of the following fields, based on the specified alignment format.

Field	Description
Algorithm	NCBI algorithm used to do a BLAST search.
Query	Identifier of the query sequence submitted to a BLAST search.
Length	Length of the query sequence.
Database	All databases searched.

Field	Description
Hits.Name	Name of a database sequence (subject sequence) that matched the query sequence.
Hits.Score	Alignment score between the query sequence and the subject sequence.
Hits.Expect	Expectation value for the alignment between the query sequence and the subject sequence.
Hits.Length	Length of a subject sequence.
Hits.HSPs.Score	Pairwise alignment score for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Expect	Expectation value for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Identities	Identities (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.

Field	Description
Hits.HSPs.Positives	<p>Identical or similar residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject amino acid sequence.</p> <hr/> <p><b>Note</b> This field applies only to translated nucleotide or amino acid query sequences and/or databases.</p> <hr/>
Hits.HSPs.Gaps	<p>Nonaligned residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.Mismatches	<p>Residues that are not similar to each other (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>

Field	Description
Hits.HSPs.Frame	<p>Reading frame of the translated nucleotide sequence for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when performing translated searches, that is, when using tblastx, tblastn, and blastx.</p> <hr/>
Hits.HSPs.Strand	<p>Sense (Plus = 5' to 3' and Minus = 3' to 5') of the DNA strands for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when using a nucleotide query sequence and database.</p> <hr/>
Hits.HSPs.Alignment	<p>Three-row matrix showing the alignment for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.QueryIndices	<p>Indices of the query sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.</p>

Field	Description
Hits.HSPs.SubjectIndices	Indices of the subject sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.AlignmentLength	Length of the pairwise alignment for a high-scoring sequence pair between the query sequence and a subject sequence.
Alignment	Entire alignment for the query sequence and the subject sequence(s).
Statistics	Summary of statistical details about the performed search, such as lambda values, gap penalties, number of sequences searched, and number of hits.

Examples

The following examples assume you have a FASTA nucleotide file for *E. coli*, such as the file `NC_004431.fna`, which you can download from , saved to your MATLAB current folder.

Reading Data Using a Tabular Alignment Format

- 1 Create a local blastable database from the `NC_004431.fna` FASTA file.

```
blastformat('inputdb', 'NC_004431.fna', 'protein', 'false');
```
- 2 Use the `getgenbank` function to retrieve two sequences from the GenBank database.

```
S1 = getgenbank('M28570.1');
```

```
S2 = getgenbank('M12565');
```

- 3 Create a query file by using the `fastawrite` function to create a FASTA file named `query_multi_nt.fa` from these two sequences, using the only accession number as the header.

```
Seqs(1).Header = S1.Accession;  
Seqs(1).Sequence = S1.Sequence;  
Seqs(2).Header = S2.Accession;  
Seqs(2).Sequence = S2.Sequence;  
fastawrite('query_multi_nt.fa', Seqs);
```

- 4 Submit the query sequences in the `query_multi_nt.fa` FASTA file for a BLAST search of the local nucleotide database `NC_004431.fna`. Specify the BLAST program `blastn` and a tabular alignment format. Save the contents of the BLAST report to a file named `myecoli_nt8.txt`, and then read the local BLAST report.

```
blastlocal('inputquery', 'query_multi_nt.fa',...  
           'database', 'NC_004431.fna',...  
           'tofile', 'myecoli_nt8.txt', 'program', 'blastn',...  
           'format', 8);  
blastreadlocal('myecoli_nt8.txt', 8);
```

## Reading Data Using a Query Anchored Format

- 1 If you have not already done so, create a local blastable database and a query file as described in steps 1 through 3 in Reading Data Using a Tabular Alignment Format on page 3-293.
- 2 Submit the query sequences in the `query_multi_nt.fa` FASTA file for a BLAST search of the local nucleotide database `NC_004431.fna`. Specify the BLAST program `blastn` and a query-anchored format. Save the contents of the BLAST report to a file named `myecoli_nt1.txt`, and then read the local BLAST report, saving the results in `results`, an array of structures.

```
blastlocal('inputquery', 'query_multi_nt.fa',...
```



```
'database', 'NC_004431.fna',...
'tofile', 'myecoli_nt1.txt', 'program', 'blastn',...
'format', 1);
results = blastreadlocal('myecoli_nt1.txt', 1);
```

## References

[1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.

[2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W., and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* *25*, 3389–3402.

For more information about reading and interpreting BLAST reports, see:

<http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/information3.html>

## See Also

Bioinformatics Toolbox functions: `blastformat`, `blastlocal`, `blastncbi`, `blastread`, `getblast`

<b>Purpose</b>	Return BLOSUM scoring matrix	
<b>Syntax</b>	<pre>Matrix = blosum(Identity) [Matrix, MatrixInfo] = blosum(Identity) ... = blosum(Identity, ...'Extended', ExtendedValue, ...) ... = blosum(Identity, ...'Order', OrderValue, ...)</pre>	
<b>Arguments</b>	<i>Identity</i>	Scalar specifying a percent identity level. Choices are: <ul style="list-style-type: none"><li>• Values from 30 to 90 in increments of 5</li><li>• 62</li><li>• 100</li></ul>
	<i>ExtendedValue</i>	Controls the listing of extended amino acid codes. Choices are <b>true</b> (default) or <b>false</b> .
	<i>OrderValue</i>	Character string of legal amino acid characters that specifies the order amino acids are listed in the matrix. The length of the character string must be 20 or 24.
<b>Return Values</b>	<i>Matrix</i>	BLOSUM (Blocks Substitution Matrix) scoring matrix with a specified percent identity.
	<i>MatrixInfo</i>	Structure of information about <i>Matrix</i> containing the following fields: <ul style="list-style-type: none"><li>• Name</li><li>• Scale</li><li>• Entropy</li><li>• ExpectedScore</li><li>• HighestScore</li></ul>

- LowestScore
- Order

## Description

*Matrix* = `blosum(Identity)` returns a BLOSUM (Blocks Substitution Matrix) scoring matrix with a specified percent identity. The default ordering of the output includes the extended characters B, Z, X, and \*.

A R N D C Q E G H I L K M F P S T W Y V B Z X \*

[*Matrix*, *MatrixInfo*] = `blosum(Identity)` returns *MatrixInfo*, a structure of information about *Matrix*, a BLOSUM matrix. *MatrixInfo* contains the following fields:

- Name
- Scale
- Entropy
- ExpectedScore
- HighestScore
- LowestScore
- Order

`... = blosum(Identity, ...'PropertyName', PropertyValue, ...)` calls `blosum` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = blosum(Identity, ...'Extended', ExtendedValue, ...)` controls the listing of extended amino acid codes. Choices are `true` (default) or `false`. If *ExtendedValue* is `false`, returns the scoring matrix for the standard 20 amino acids. Ordering of the output when *ExtendedValue* is `false` is

# blosum

---

A R N D C Q E G H I L K M F P S T W Y V

`...` = `blosum(Identity, ...'Order', OrderValue, ...)` returns a BLOSUM matrix ordered by *OrderValue*, a character string of legal amino acid characters that specifies the order amino acids are listed in the matrix. The length of the character string must be 20 or 24.

## Examples

Return a BLOSUM matrix with a percent identity level of 50.

```
B50 = blosum(50)
```

Return a BLOSUM matrix with the amino acids in a specific order.

```
B75 = blosum(75, 'Order', 'CSTPAGNDEQHRKMILVFYW')
```

## See Also

Bioinformatics Toolbox functions: `dayhoff`, `gonnet`, `localalign`, `nuc44`, `nwalign`, `pam`, `swalign`

## Purpose

Read probe intensities from Affymetrix CEL files

## Syntax

```
ProbeStructure = celintensityread(CELFiles, CDFFile)
ProbeStructure = celintensityread(..., 'CELPath',
CELPathValue, ...)
ProbeStructure = celintensityread(..., 'CDFPath',
CDFPathValue, ...)
ProbeStructure = celintensityread(..., 'PMOnly',
PMOnlyValue,
...)
ProbeStructure = celintensityread(..., 'Verbose',
VerboseValue, ...)
```

## Arguments

*CELFiles*

Any of the following:

- String specifying a single CEL file name.
- '\*', which reads all CEL files in the current folder.
- ' ', which opens the Select CEL Files dialog box from which you select the CEL files. From this dialog box, you can press and hold **Ctrl** or **Shift** while clicking to select multiple CEL files.
- Cell array of CEL file names.

*CDFFile*

Either of the following:

- String specifying a CDF file name.
- ' ', which opens the Select CDF File dialog box from which you select the CDF file.

*CELPathValue*

String specifying the path and folder where the files specified in *CELFiles* are stored.

<i>CDFPathValue</i>	String specifying the path and folder where the file specified in <i>CDFFile</i> is stored.
<i>PMOnlyValue</i>	Property to include or exclude the mismatch (MM) probe intensity values in the returned structure. Enter <b>true</b> to return only perfect match (PM) probe intensities. Enter <b>false</b> to return both PM and MM probe intensities. Default is <b>true</b> .
<i>VerboseValue</i>	Controls the display of a progress report showing the name of each CEL file as it is read. When <i>VerboseValue</i> is <b>false</b> , no progress report is displayed. Default is <b>true</b> .

**Return Values**

<i>ProbeStructure</i>	MATLAB structure containing information from the CEL files, including probe intensities, probe indices, and probe set IDs.
-----------------------	--

**Description**

*ProbeStructure* = celintensityread(*CELFiles*, *CDFFile*) reads the specified Affymetrix CEL files and the associated CDF library file (created from Affymetrix GeneChip arrays for expression or genotyping assays), and then creates *ProbeStructure*, a structure containing information from the CEL files, including probe intensities, probe indices, and probe set IDs. *CELFiles* is a string or cell array of CEL file names. *CDFFile* is a string specifying a CDF file name.

If you set *CELFiles* to '\*', then it reads all CEL files in the current folder. If you set *CELFiles* to ' ', then it opens the Select CEL Files dialog box from which you select the CEL files. From this dialog box, you can press and hold **Ctrl** or **Shift** while clicking to select multiple CEL files.

If you set *CDFFile* to ' ', then it opens the Select CDF File dialog box from which you select the CDF file.

*ProbeStructure* = celintensityread(..., 'PropertyName', *PropertyValue*, ...) calls celintensityread with optional

properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*ProbeStructure* = celintensityread(..., 'CELPPath', *CELPPathValue*, ...) specifies a path and folder where the files specified by *CELFiles* are stored.

*ProbeStructure* = celintensityread(..., 'CDFPath', *CDFPathValue*, ...) specifies a path and folder where the file specified by *CDFFile* is stored.

*ProbeStructure* = celintensityread(..., 'PMOnly', *PMOnlyValue*, ...) includes or excludes the mismatch (MM) probe intensity values. When *PMOnlyValue* is true, celintensityread returns only perfect match (PM) probe intensities. When *PMOnlyValue* is false, celintensityread returns both PM and MM probe intensities. Default is true.

You can learn more about the Affymetrix CEL files and download sample files from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

---

**Note** Some Affymetrix CEL files are combined with other data files in a DTT or CAB file. You must download and use the Affymetrix Data Transfer Tool to extract these files from the DTT or CAB file. You can download the Affymetrix Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

You will have to register and log in at the Affymetrix Web site to download the Affymetrix Data Transfer Tool.

---

**Tip** Reading a large number of CEL files and/or a large CEL file can require extended amounts of memory from the operating system. If you receive any errors related to memory or have trouble reading CEL files, try the following:

- Increase the virtual memory (swap space) for your operating system (with a recommended initial size of 3,069 and a maximum size of 16,368) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1106.html#6>

- Set the 3 GB switch (32-bit Windows XP only) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1107.html>

*ProbeStructure* contains the following fields.

Field	Description
CDFName	File name of the Affymetrix CDF library file.
CELNames	Cell array of names of the Affymetrix CEL files.
NumChips	Number of CEL files read into the structure.
NumProbeSets	Number of probe sets in each CEL file.
NumProbes	Number of probes in each CEL file.
ProbeSetIDs	Cell array of the probe set IDs from the Affymetrix CDF library file.
ProbeIndices	Column vector containing probe indexing information. Probes within a probe set are numbered 0 through N - 1, where N is the number of probes in the probe set.



Field	Description
GroupNumbers	Column vector containing group numbers for probes within the probe set. For gene expression data, the group number for all probes is 1. For SNP (genotyping) data, the group numbers for probes are: <ul style="list-style-type: none"><li>• 1 — Allele A – (sense)</li><li>• 2 — Allele B – (sense)</li><li>• 3 — Allele A + (antisense)</li><li>• 4 — Allele B + (antisense)</li></ul>
PMIntensities	Matrix containing perfect match (PM) probe intensity values. Each row corresponds to a probe, and each column corresponds to a CEL file. The rows are ordered the same way as in <code>ProbeIndices</code> , and the columns are ordered the same way as in the <i>CELFiles</i> input argument.
MMIntensities (optional)	Matrix containing mismatch (MM) probe intensity values. Each row corresponds to a probe, and each column corresponds to a CEL file. The rows are ordered the same way as in <code>ProbeIndices</code> , and the columns are ordered the same way as in the <i>CELFiles</i> input argument.

`ProbeStructure = celintensityread(..., 'Verbose', VerboseValue, ...)` controls the display of a progress report showing the name of each CEL file as it is read. When *VerboseValue* is false, no progress report is displayed. Default is true.

## Examples

The following example assumes that you have the HG\_U95Av2.CDF library file stored at D:\Affymetrix\LibFiles\HGGenome, and that your current folder points to a location containing CEL files associated

with this CDF library file. In this example, the `celintensityread` function reads all the CEL files in the current folder and a CDF file in a specified folder. The next command line uses the `rmabackadj` function to perform background adjustment on the PM probe intensities in the `PMIntensities` field of `PMProbeStructure`.

```
PMProbeStructure = celintensityread('*', 'HG_U95Av2.CDF',...  
                                     'CDFPath', 'D:\Affymetrix\LibFiles\HGGenome');  
BackAdjustedMatrix = rmabackadj(PMProbeStructure.PMIntensities);
```

The following example lets you select CEL files and a CDF file to read using Open File dialog boxes:

```
PMProbeStructure = celintensityread(' ', ' ');
```

## See Also

Bioinformatics Toolbox functions: `affygcrcma`, `affyinvarsetnorm`, `affyprobeseqread`, `affyread`, `affyrma`, `affysnpintensitiesplit`, `agferead`, `gcrcma`, `gcrcmabackadj`, `gprread`, `ilmnbsread`, `probelibraryinfo`, `probesetlink`, `probesetlookup`, `probesetplot`, `probesetvalues`, `rmabackadj`, `rmasummary`, `sptread`

**Purpose**

Perform circular binary segmentation (CBS) on array-based comparative genomic hybridization (aCGH) data

**Syntax**

```
SegmentStruct = cghcbs(CGHData)
SegmentStruct = cghcbs(CGHData, ...'Alpha',
AlphaValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Permutations',
    PermutationsValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Method', MethodValue,
    ...)
SegmentStruct = cghcbs(CGHData, ...'StoppingRule',
    StoppingRuleValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Smooth', SmoothValue,
    ...)
SegmentStruct = cghcbs(CGHData, ...'Prune',
    PruneValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Errsum', ErrsumValue,
    ...)
SegmentStruct = cghcbs(CGHData, ...'WindowSize',
    WindowSizeValue, ...)
SegmentStruct = cghcbs(CGHData, ...'SampleIndex',
    SampleIndexValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Chromosome',
    ChromosomeValue, ...)
SegmentStruct = cghcbs(CGHData, ...'Showplot',
    ShowplotValue,
    ...)
SegmentStruct = cghcbs(CGHData, ...'Verbose', VerboseValue,
    ...)
```

## Arguments

<i>CGHData</i>	<p>Array-based comparative genomic hybridization (aCGH) data in either of the following forms:</p> <ul style="list-style-type: none"> <li>• Structure with the following fields: <ul style="list-style-type: none"> <li>▪ <b>Sample</b> — Cell array of strings containing the sample names (optional).</li> <li>▪ <b>Chromosome</b> — Vector containing the chromosome numbers on which the clones are located.</li> <li>▪ <b>GenomicPosition</b> — Vector containing the genomic positions (in any unit) to which the clones are mapped.</li> <li>▪ <b>Log2Ratio</b> — Matrix containing <math>\log_2</math> ratio of test to reference signal intensity for each clone. Each row corresponds to a clone, and each column corresponds to a sample.</li> </ul> </li> <li>• Matrix in which each row corresponds to a clone. The first column contains the chromosome number, the second column contains the genomic position, and the remaining columns each contain the <math>\log_2</math> ratio of test to reference signal intensity for a sample.</li> </ul>
<i>AlphaValue</i>	<p>Scalar that specifies the significance level for the statistical tests to accept change points. Default is 0.01.</p>
<i>PermutationsValue</i>	<p>Scalar that specifies the number of permutations used for p-value estimation. Default is 10,000.</p>

*MethodValue* String that specifies the method to estimate the p-values. Choices are 'Perm' or 'Hybrid' (default). 'Perm' does a full permutation, while 'Hybrid' uses a faster, tail probability-based permutation. When using the 'Hybrid' method, the 'Perm' method is applied automatically when segment data length becomes less than 200.

*StoppingRuleValue* Controls the use of a heuristic stopping rule, based on the method described by Venkatraman and Olshen (2007), to declare a change without performing the full number of permutations for the p-value estimation, whenever it becomes very likely that a change has been detected. Choices are true or false (default).

---

**Tip** Set this property to true to increase processing speed. Set this property to false to maximize accuracy.

---

*SmoothValue* Controls the smoothing of outliers before segmenting using the procedure explained by Olshen et al. (2004). Choices are true (default) or false.

*PruneValue* Controls the elimination of change points identified due to local trends in the data that are not indicative of real copy number change, using the procedure explained by Olshen et al. (2004). Choices are true or false (default).

<i>ErrsumValue</i>	Scalar that specifies the allowed proportional increase in the error sum of squares when eliminating change points using the 'Prune' property. Commonly used values are 0.05 and 0.1. Default is 0.05.
<i>WindowSizeValue</i>	Scalar that specifies the size of the window (in data points) used to divide the data when using the 'Perm' method on large data sets. Default is 200.
<i>SampleIndexValue</i>	A single sample index or a vector of sample indices that specify the sample(s) to analyze. Default is all sample indices.
<i>ChromosomeValue</i>	A single chromosome number or a vector of chromosome numbers that specify the data to analyze. Default is all chromosome numbers.
<i>ShowplotValue</i>	Controls the display of plots of the segment means over the original data. Choices are either: <ul style="list-style-type: none"><li>• true — All chromosomes in all samples are plotted. If there are multiple samples in <i>CGHData</i>, then each sample is plotted in a separate Figure window.</li><li>• false — No plot.</li><li>• W — The layout displays all chromosomes in the whole genome in one plot in the Figure window.</li><li>• S — The layout displays each chromosome in a subplot in the Figure window.</li><li>• I — An integer specifying only one of the chromosomes in <i>CGHData</i> to be plotted.</li></ul>

Default is:

Return Values

	<ul style="list-style-type: none"><li>• <code>false</code> — When return values are specified.</li><li>• <code>true</code> and <code>W</code> — When return values are not specified.</li></ul>
<code>VerboseValue</code>	Controls the display of a progress report of the analysis. Choices are <code>true</code> (default) or <code>false</code> .
<code>SegmentStruct</code>	<p>Structure containing segmentation information in the following fields:</p> <ul style="list-style-type: none"><li>• <code>Sample</code> — Sample name from <i>CGHData</i> input argument. If the input argument does not include sample names, then sample names are assigned as <code>Sample1</code>, <code>Sample2</code>, and so forth.</li><li>• <code>SegmentData</code> — Structure array containing segment data for the sample in the following fields:<ul style="list-style-type: none"><li>▪ <code>Chromosome</code> — Chromosome number on which the segment is located.</li><li>▪ <code>Start</code> — Genomic position at the start of the segment (in the same units as used for the <i>CGHData</i> input).</li><li>▪ <code>End</code> — Genomic position at the end of the segment (in the same units as used for the <i>CGHData</i> input).</li><li>▪ <code>Mean</code> — Mean value of the <math>\log_2</math> ratio of the test to reference signal intensity for the segment.</li></ul></li></ul>

## Description

*SegmentStruct* = *cghcbs*(*CGHData*) performs circular binary segmentation (CBS) on array-based comparative genomic hybridization (aCGH) data to determine the copy number alteration segments (neighboring regions of DNA that exhibit a statistical difference in copy number) and change points.

---

**Note** The CBS algorithm recursively splits chromosomes into segments based on a maximum t statistic estimated by permutation. This computation can be time consuming. If  $n$  = number of data points, then computation time  $\sim O(n^2)$ .

---

*SegmentStruct* = *cghcbs*(*CGHData*, ...'*PropertyName*', *PropertyValue*, ...) calls *cghcbs* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*SegmentStruct* = *cghcbs*(*CGHData*, ...'*Alpha*', *AlphaValue*, ...) specifies the significance level for the statistical tests to accept change points. Default is 0.01.

*SegmentStruct* = *cghcbs*(*CGHData*, ...'*Permutations*', *PermutationsValue*, ...) specifies the number of permutations used for p-value estimation. Default is 10,000.

*SegmentStruct* = *cghcbs*(*CGHData*, ...'*Method*', *MethodValue*, ...) specifies the method to estimate the p-values. Choices are 'Perm' or 'Hybrid' (default). 'Perm' does a full permutation, while 'Hybrid' uses a faster, tail probability-based permutation. When using the 'Hybrid' method, the 'Perm' method is applied automatically when segment data length becomes less than 200.

*SegmentStruct* = *cghcbs*(*CGHData*, ...'*StoppingRule*', *StoppingRuleValue*, ...) controls the use of a heuristic stopping rule, based on the method described by Venkatraman and Olshen (2007), to declare a change without performing the full number of permutations



for the p-value estimation, whenever it becomes very likely that a change has been detected. Choices are `true` or `false` (default).

`SegmentStruct = cghcbs(CGHData, ...'Smooth', SmoothValue, ...)` controls the smoothing of outliers before segmenting, using the procedure explained by Olshen et al. (2004). Choices are `true` (default) or `false`.

`SegmentStruct = cghcbs(CGHData, ...'Prune', PruneValue, ...)` controls the elimination of change points identified due to local trends in the data that are not indicative of real copy number change, using the procedure explained by Olshen et al. (2004). Choices are `true` or `false` (default).

`SegmentStruct = cghcbs(CGHData, ...'Errsum', ErrsumValue, ...)` specifies the allowed proportional increase in the error sum of squares when eliminating change points using the 'Prune' property. Commonly used values are 0.05 and 0.1. Default is 0.05.

`SegmentStruct = cghcbs(CGHData, ...'WindowSize', WindowSizeValue, ...)` specifies the size of the window (in data points) used to divide the data when using the 'Perm' method on large data sets. Default is 200.

`SegmentStruct = cghcbs(CGHData, ...'SampleIndex', SampleIndexValue, ...)` analyzes only the sample(s) specified by *SampleIndexValue*, which can be a single sample index or a vector of sample indices. Default is all sample indices.

`SegmentStruct = cghcbs(CGHData, ...'Chromosome', ChromosomeValue, ...)` analyzes only the data on the chromosomes specified by *ChromosomeValue*, which can be a single chromosome number or a vector of chromosome numbers. Default is all chromosome numbers.

`SegmentStruct = cghcbs(CGHData, ...'Showplot', ShowplotValue, ...)` controls the display of plots of the segment means over the original data. Choices are `true`, `false`, `W`, `S`, or `I`, an integer specifying one of the chromosomes in *CGHData*. When *ShowplotValue* is `true`, all chromosomes in all samples are plotted. If

there are multiple samples in *CGHData*, then each sample is plotted in a separate Figure window. When *ShowplotValue* is *W*, the layout displays all chromosomes in one plot in the Figure window. When *ShowplotValue* is *S*, the layout displays each chromosome in a subplot in the Figure window. When *ShowplotValue* is *I*, only the specified chromosome is plotted. Default is either:

- *false* — When return values are specified.
- *true* and *W* — When return values are not specified.

*SegmentStruct* = *cghcbs*(*CGHData*, ...'Verbose', *VerboseValue*, ...) controls the display of a progress report of the analysis. Choices are *true* (default) or *false*.

## Examples


### Analyzing Data from the Coriell Cell Line Study

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains *coriell\_data*, a structure of array-based CGH data.

```
load coriell_baccgh
```

- 2 Analyze all chromosomes of sample 3 (GM05296) of the aCGH data and return segmentation data in a structure, *S*. Plot the segment means over the original data for all chromosomes of this sample.

```
S = cghcbs(coriell_data,'sampleindex',3,'showplot',true);
```



Chromosome 10 shows a gain, while chromosome 11 shows a loss.

The `coriell_baccgh.mat` file used in this example contains data from Snijders et al., 2001.


### Analyzing Data from a Pancreatic Cancer Study

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains `pancrea_data`, a structure of array-based CGH data from a pancreatic cancer study.

```
load pancrea_oligocgh
```

- 2 Analyze only chromosome 9 in sample 32 of the CGH data and return the segmentation data in a structure, PS. Plot the segment means over the original data for chromosome 9 in this sample.


```
PS = cghcbs(pancrea_data,'sampleindex',32,'chromosome',9,...
            'showplot',9);
```



Chromosome 9 contains two segments that indicate losses. For more detailed information on interpreting the data, see Aguirre et al. (2004).

- 3 Use the `chromosomeplot` function with the `'addtoplot'` property to add the ideogram of chromosome 9 for *Homo sapiens* to the plot of the segmentation data.

```
chromosomeplot('hs_cytoBand.txt', 9, 'addtoplot', gca)
```



The `pancrea_oligocgh.mat` file used in this example contains data from Aguirre et al., 2004.

### **Displaying Copy Number Alteration Regions Aligned to a Chromosome Ideogram**

- 1** Create a structure containing segment gain and loss information for chromosomes 10 and 11 from sample 3 from the Coriell cell line study, making sure the segment data is in bp units. (You can determine copy number variance (CNV) information by exploring `S`, the structure of segments returned by the `cghcbs` function in Analyzing Data from the Coriell Cell Line Study on page 3-312.) For the `'CNVType'` field, use 1 to indicate a loss and 2 to indicate a gain.


```
cnvStruct = struct('Chromosome', [10 11],...  
    'CNVType', [2 1],...  
    'Start', [S.SegmentData(10).Start(2),...  
    S.SegmentData(11).Start(2)]*1000,...  
    'End', [S.SegmentData(10).End(2),...  
    S.SegmentData(11).End(2)]*1000)
```

```
cnvStruct =
```

```
Chromosome: [10 11]  
CNVType: [2 1]  
Start: [66905000 35416000]  
End: [110412000 43357000]
```

- 2** Pass the structure to the `chromosomeplot` function using the `'CNV'` property to display the copy number gains (green) and losses (red) aligned to the human chromosome ideogram. Specify kb units for the display of segment information in the data tip.

```
chromosomeplot('hs_cytoBand.txt', 'cnv', cnvStruct, 'unit', 2)
```



The `coriell_baccgh.mat` file used in this example contains data from Snijders et al., 2001.

## References

- [1] Olshen, A.B., Venkatraman, E.S., Lucito, R., and Wigler, M. (2004). Circular binary segmentation for the analysis of array-based DNA copy number data. *Biostatistics* 5, 4, 557–572.
- [2] Venkatraman, E.S., and Olshen, A.B. (2007). A Faster Circular Binary Segmentation Algorithm for the Analysis of Array CGH Data. *Bioinformatics* 23(6), 657–663.

[3] Venkatraman, E.S., and Olshen, A.B. (2006).  
DNACopy: A Package for Analyzing DNA Copy Data.  
<http://www.bioconductor.org/packages/2.1/bioc/html/DNACopy.html>

[4] Snijders, A.M., Nowak, N., Segraves, R., Blackwood, S., Brown, N., Conroy, J., Hamilton, G., Hindle, A.K., Huey, B., Kimura, K., Law, S., Myambo, K., Palmer, J., Ylstra, B., Yue, J.P., Gray, J.W., Jain, A.N., Pinkel, D., and Albertson, D.G. (2001). Assembly of microarrays for genome-wide measurement of DNA copy number. *Nature Genetics* *29*, 263–264.

[5] Aguirre, A.J., Brennan, C., Bailey, G., Sinha, R., Feng, B., Leo, C., Zhang, Y., Zhang, J., Gans, J.D., Bardeesy, N., Cauwels, C., Cordon-Cardo, C., Redston, M.S., DePinho, R.A., and Chin, L. (2004). High-resolution characterization of the pancreatic adenocarcinoma genome. *PNAS* *101*, *24*, 9067–9072.

**See Also**

Bioinformatics Toolbox functions: `chromosomeplot`, `cytobandread`



## Purpose

Display frequency of DNA copy number alterations across multiple samples

## Syntax

```
FreqStruct = cghfreqplot(CGHData)
FreqStruct = cghfreqplot(CGHData, ...'Threshold',
ThresholdValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'Group', GroupValue,
...)
FreqStruct = cghfreqplot(CGHData, ...'Subgrp', SubgrpValue,
...)
FreqStruct = cghfreqplot(CGHData, ...'Subplot',
SubplotValue,
...)
FreqStruct = cghfreqplot(CGHData, ...'Cutoff', CutoffValue,
...)
FreqStruct = cghfreqplot(CGHData, ...'Chromosome',
ChromosomeValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'IncludeX',
IncludeXValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'IncludeY',
IncludeYValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'Chrominfo',
ChrominfoValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'ShowCentr',
ShowCentrValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'Color', ColorValue,
...)
FreqStruct = cghfreqplot(CGHData, ...'YLim',
YLimValue, ...)
FreqStruct = cghfreqplot(CGHData, ...'Titles', TitlesValue,
...)
```

## Arguments

*CGHData*

Array-based comparative genomic hybridization (aCGH) data in either of the following forms:

- Structure with the following fields:
  - **Sample** — Cell array of strings containing the sample names (optional).
  - **Chromosome** — Vector containing the chromosome numbers on which the clones are located.
  - **GenomicPosition** — Vector containing the genomic positions (in bp, kb, or mb units) to which the clones are mapped.
  - **Log2Ratio** — Matrix containing  $\log_2$  ratio of test to reference signal intensity for each clone. Each row corresponds to a clone, and each column corresponds to a sample.
- Matrix in which each row corresponds to a clone. The first column contains the chromosome number, the second column contains the genomic position, and the remaining columns each contain the  $\log_2$  ratio of test to reference signal intensity for a sample.

*ThresholdValue*

Positive scalar or vector that specifies the gain/loss threshold. A clone is considered to be a gain if its  $\log_2$  ratio is above *ThresholdValue*, and a loss if its  $\log_2$  ratio is below negative *ThresholdValue*.

The *ThresholdValue* is applied as follows:

- If a positive scalar, it is the gain and loss threshold for all the samples.

- If a two-element vector, the first element is the gain threshold for all samples, and the second element is the loss threshold for all samples.
- If a vector of the same length as the number of samples, each element in the vector is considered as a unique gain and loss threshold for each sample.

Default is 0.25.

*GroupValue*

Specifies the sample groups to calculate the frequency from. Choices are:

- A vector of sample column indices (for data with only one group). The samples specified in the vector are considered a group.
- A cell array of vectors of sample column indices (for data divided into multiple groups). Each element in the cell array is considered a group.

Default is a single group of all the samples in *CGHData*.

*SubgrpValue*

Controls the analysis of samples by subgroups. Choices are *true* (default) or *false*.

*SubplotValue*

Controls the display of all plots in one Figure window when more than one subgroup is analyzed. Choices are *true* (default) or *false* (displays plots in separate windows).

<i>CutoffValue</i>	Scalar or two-element numeric vector that specifies a cutoff, which controls the plotting of only the clones with frequency gains or losses greater than or equal to <i>CutoffValue</i> . If a two-element vector, the first element is the cutoff for gains, and the second element is for losses. Default is 0.
<i>ChromosomeValue</i>	Single chromosome number or a vector of chromosome numbers that specify the chromosomes for which to display frequency plots. Default is all chromosomes in <i>CGHData</i> .
<i>IncludeXValue</i>	Controls the inclusion of the X chromosome in the analysis. Choices are <code>true</code> (default) or <code>false</code> .
<i>IncludeYValue</i>	Controls the inclusion of the Y chromosome in the analysis. Choices are <code>true</code> or <code>false</code> (default).
<i>ChrominfoValue</i>	<p>Cytogenetic banding information specified by either of the following:</p> <ul style="list-style-type: none"><li>• Structure returned by the <code>cytobandread</code> function</li><li>• String specifying the file name of an NCBI ideogram text file or a UCSC Genome Browser <code>cytoband</code> text file</li></ul> <p>Default is <i>Homo sapiens</i> cytogenetic banding information from the UCSC Genome Browser, NCBI Build 36.1 (<a href="http://genome.ucsc.edu">http://genome.ucsc.edu</a>).</p>

*ShowCentrValue* Controls the display of the centromere positions as vertical dashed lines in the frequency plot. Choices are `true` (default) or `false`.

---

**Tip** The centromere positions are obtained from *ChrominfoValue*.

---

*ColorValue* Color scheme for the vertical lines in the plot, indicating the frequency of the gains and losses, specified by either of the following:

- Name of or handle to a function that returns a colormap
- M-by-3 matrix containing RGB values. If M equals 1, then that single color is used for all gains and losses. If M equals 2 or more, then the first row is used for gains, the second row is used for losses, and remaining rows are ignored. For example, `[0 1 0;1 0 0]` specifies green for gain and red for loss.

The default color scheme is a range of colors from pure green (gain = 1) through yellow (0) to pure red (loss = -1).

*YLimValue* Two-element vector specifying the minimum and maximum values on the vertical axis. Default is `[1, -1]`.

*TitlesValue* Single string or a cell array of strings that specifies titles for the group(s), which are added to the tops of the plot(s).

Return  
Values

*FreqStruct*

Structure containing frequency data in the following fields:

- **Group** — Structure array, with each structure representing a group of samples. Each structure contains the following fields:
  - **Sample** — Cell array containing names of samples within the group.
  - **GainFrequency** — Column vector containing the average gain for each clone for a group of samples.
  - **LossFrequency** — Column vector containing the average loss for each clone for a group of samples.
- **Chromosome** — Column vector containing the chromosome numbers on which the clones are located.
- **GenomicPosition** — Column vector containing the genomic positions of the clones.

---

**Tip** You can use this output structure as input to the `cghfreqplot` function.

---

Description

*FreqStruct* = `cghfreqplot(CGHData)` displays the frequency of copy number gain or loss across multiple samples for each clone on an array against their genomic position along the chromosomes.

*FreqStruct* = `cghfreqplot(CGHData, ...'PropertyName', PropertyValue, ...)` calls `cghfreqplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single

quotation marks and is case insensitive. These property name/property value pairs are as follows:

*FreqStruct* = cghfreqplot(*CGHData*, ...'Threshold', *ThresholdValue*, ...) specifies the gain/loss threshold. A clone is considered to be a gain if its  $\log_2$  ratio is above *ThresholdValue*, and a loss if its  $\log_2$  ratio is below negative *ThresholdValue*.

The *ThresholdValue* is applied as follows:

- If a positive scalar, it is the gain and loss threshold for all the samples.
- If a two-element vector, the first element is the gain threshold for all samples, and the second element is the loss threshold for all samples.
- If a vector of the same length as the number of samples, each element in the vector is considered as a unique gain and loss threshold for each sample.

Default is 0.25.

*FreqStruct* = cghfreqplot(*CGHData*, ...'Group', *GroupValue*, ...) specifies the sample groups to calculate the frequency from.

Choices are:

- A vector of sample column indices (for data with only one group). The samples specified in the vector are considered a group.
- A cell array of vectors of sample column indices (for data divided into multiple groups). Each element in the cell array is considered a group.

Default is a single group of all the samples in *CGHData*.

*FreqStruct* = cghfreqplot(*CGHData*, ...'Subgrp', *SubgrpValue*, ...) controls the analysis of samples by subgroups. Choices are true (default) or false.

*FreqStruct* = cghfreqplot(*CGHData*, ...'Subplot', *SubplotValue*, ...) controls the display of all plots in one Figure

window when more than one subgroup is analyzed. Choices are `true` (default) or `false` (displays plots in separate windows).

*FreqStruct* = `cghfreqplot(CGHData, ...'Cutoff', CutoffValue, ...)` specifies a cutoff value, which controls the plotting of only the clones with frequency gains or losses greater than or equal to *CutoffValue*. *CutoffValue* is a scalar or two-element numeric vector. If a two-element numeric vector, the first element is the cutoff for gains, and the second element is for losses. Default is 0.

*FreqStruct* = `cghfreqplot(CGHData, ...'Chromosome', ChromosomeValue, ...)` displays the frequency plots only of chromosome(s) specified by *ChromosomeValue*, which can be a single chromosome number or a vector of chromosome numbers. Default is all chromosomes in *CGHData*.

*FreqStruct* = `cghfreqplot(CGHData, ...'IncludeX', IncludeXValue, ...)` controls the inclusion of the X chromosome in the analysis. Choices are `true` (default) or `false`.

*FreqStruct* = `cghfreqplot(CGHData, ...'IncludeY', IncludeYValue, ...)` controls the inclusion of the Y chromosome in the analysis. Choices are `true` or `false` (default).

*FreqStruct* = `cghfreqplot(CGHData, ...'Chrominfo', ChrominfoValue, ...)` specifies the cytogenetic banding information for the chromosomes. *ChrominfoValue* can be either of the following

- Structure returned by the `cytobandread` function
- String specifying the file name of an NCBI ideogram text file or a UCSC Genome Browser `cytoband` text file

Default is *Homo sapiens* cytogenetic banding information from the UCSC Genome Browser, NCBI Build 36.1 (<http://genome.ucsc.edu>).



---

**Tip** You can download files containing cytogenetic G-banding data from the NCBI or UCSC Genome Browser ftp site. For example, you can download the cytogenetic banding data for *Homo sapiens* from:

```
ftp://ftp.ncbi.nlm.nih.gov/genomes/H_sapiens/mapview/ideogram.gz
```

or

```
ftp://hgdownload.cse.ucsc.edu/goldenPath/hg18/database/cytoBandIdeo.txt.gz
```

---

*FreqStruct* = `cghfreqplot(CGHData, ...'ShowCentr', ShowCentrValue, ...)` controls the display of the centromere positions as vertical dashed lines in the frequency plot. Choices are `true` (default) or `false`.

---

**Tip** The centromere positions are obtained from *ChrominfoValue*.

---

*FreqStruct* = `cghfreqplot(CGHData, ...'Color', ColorValue, ...)` specifies a color scheme for the vertical lines in the plot, indicating the frequency of the gains and losses. Choices are:

- Name of or handle to a function that returns a colormap.
- M-by-3 matrix containing RGB values. If M equals 1, then that single color is used for all gains and losses. If M equals 2 or more, then the first row is used for gains, the second row is used for losses, and remaining rows are ignored. For example, `[0 1 0;1 0 0]` specifies green for gain and red for loss.

The default color scheme is a range of colors from pure green (gain = 1) through yellow (0) to pure red (loss = -1).

*FreqStruct* = `cghfreqplot(CGHData, ...'YLim', YLimValue, ...)` specifies the y vertical limits for the frequency plot. *YLimValue* is

a two-element vector specifying the minimum and maximum values on the vertical axis. Default is [1, -1].

*FreqStruct* = cghfreqplot(*CGHData*, ...'Titles', *TitlesValue*, ...) specifies titles for the group(s), which are added to the tops of the plot(s). *TitlesValue* can be a single string or a cell array of strings.

## Examples


### Plotting Data from the Coriell Cell Line Study



- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains `coriell_data`, a structure of array-based CGH data.

```
load coriell_baccgh
```

- 2 Display a frequency plot of the copy number alterations across all samples in the Coriell aCGH data.

```
Struct = cghfreqplot(coriell_data);
```



- 3 View data tips for the data, chromosomes, and centromeres by clicking the Data Cursor  button on the toolbar, then clicking data, a blue chromosome boundary line, or a dotted centromere line in the plot. To delete this data tip, right-click it, then select **Delete Current Datatip**.
- 4 Display a color bar indicating the degree of gain or loss by clicking the Insert Colorbar  button on the toolbar.

The `coriell_baccgh.mat` file used in this example contains data from Snijders et al., 2001.


## Plotting Pancreatic Cancer Study Data Using a Green and Red Color Scheme

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains `pancrea_data`, a structure of array-based CGH data from a pancreatic cancer study.

```
load pancrea_oligocgh
```

- 2 Display a frequency plot of the copy number alterations across all samples in the pancreatic cancer data, using a green and red color scheme.

```
cghfreqplot(pancrea_data, 'Color', [0 1 0; 1 0 0])
```



The `pancrea_oligocgh.mat` file used in this example contains data from Aguirre et al., 2004.

### **Plotting Groups of aCGH Data, Specifying a Frequency Value Cutoff, and Adding a Chromosome Ideogram**

- 1** Load a MAT-file, included with the Bioinformatics Toolbox software, which contains `pancrea_data`, a structure of array-based CGH data from a pancreatic cancer study.


```
load pancrea_oligocgh
```

- 2** Define two groups of data.

```
grp1=strmatch('PA.C', pancrea_data.Sample);  
grp2=strmatch('PA.T', pancrea_data.Sample);
```


- 3** Display a frequency plot of the copy number alterations across all samples in the two groups and limit the plotting to only the clones with frequency gains or losses greater than or equal to 0.25.

```
SP = cghfreqplot(pancrea_data, 'Group', {grp1, grp2},...  
                'Title', {'CL', 'PT'}, 'Cutoff', 0.25);
```




- 4 Display a frequency plot of the copy number alterations across all samples in the first group and limit the plot to chromosome 4 only.

```
SP = cghfreqplot(pancrea_data, 'Group', grp1, ...
                 'Title', 'CL Group on Chr 4', 'Chromosome', 4);
```



- 5 Use the `chromosomeplot` function with the `'addtoplot'` property to add the ideogram of chromosome 4 for *Homo sapiens* to this frequency plot. Because the plot of the frequency data from the pancreatic cancer study is in kb units, use the `'Unit'` property to convert the ideogram data to kb units.

```
chromosomeplot('hs_cytoBand.txt', 4, 'addtoplot', gca, 'unit', 2)
```



The `pancrea_oligocgh.mat` file used in this example contains data from Aguirre et al., 2004.

## References

- [1] Snijders, A.M., Nowak, N., Segaves, R., Blackwood, S., Brown, N., Conroy, J., Hamilton, G., Hindle, A.K., Huey, B., Kimura, K., Law, S., Myambo, K., Palmer, J., Ylstra, B., Yue, J.P., Gray, J.W., Jain, A.N., Pinkel, D., and Albertson, D.G. (2001). Assembly of microarrays for genome-wide measurement of DNA copy number. *Nature Genetics* 29, 263–264.
- [2] Aguirre, A.J., Brennan, C., Bailey, G., Sinha, R., Feng, B., Leo, C., Zhang, Y., Zhang, J., Gans, J.D., Bardeesy, N., Cauwels, C., Cordon-Cardo, C., Redston, M.S., DePinho, R.A., and Chin, L. (2004).



High-resolution characterization of the pancreatic adenocarcinoma genome. *PNAS* *101*, *24*, 9067–9072.

## See Also

Bioinformatics Toolbox functions: `cghcbs`, `chromosomeplot`, `cytobandread`

**Purpose** Plot chromosome ideogram with G-banding pattern

**Syntax**

```
chromosomeplot(CytoData)
chromosomeplot(CytoData, ChromNum)
chromosomeplot(CytoData, ChromNum, ..., 'Orientation',
OrientationValue, ...)
chromosomeplot(CytoData, ChromNum, ..., 'ShowBandLabel',
ShowBandLabelValue, ...)
chromosomeplot(CytoData, ChromNum, ..., 'AddToPlot',
AddToPlotValue, ...)
chromosomeplot(..., 'Unit', UnitValue, ...)
chromosomeplot(..., 'CNV', CNVValue, ...)
```

**Arguments**

<i>CytoData</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String specifying a file containing cytogenetic G-banding data (in bp units), such as an NCBI ideogram text file or a UCSC Genome Browser cytoband text file.</li><li>• Structure containing cytogenetic G-banding data (in bp units) in the following fields:<ul style="list-style-type: none"><li>▪ ChromLabels</li><li>▪ BandStartBPs</li><li>▪ BandEndBPs</li><li>▪ BandLabels</li><li>▪ GieStains</li></ul></li></ul>
-----------------	--

---

**Tip** Use the cytobandread function to create the structure to use for *CytoData*.

---

*ChromNum*                      Scalar or string specifying a single chromosome to plot. Valid entries are integers, 'X', and 'Y'.

---

**Note** Setting *ChromNum* to 0 will plot ideograms for all chromosomes.

---

*OrientationValue*              String or number that specifies the orientation of the ideogram of a single chromosome specified by *ChromNum*. Choices are 'Vertical' or 1 (default) and 'Horizontal' or 2.

*ShowBandLabelValue*          Controls the display of band labels (such as q25.3) when plotting a single chromosome ideogram, specified by *ChromNum*. Choices are true (default) or false.

*AddToPlotValue*                Variable name of a figure axis to which to add the single chromosome ideogram, specified by *ChromNum*.

---

**Note** If you use this property to add the ideogram to a plot of genomic data that is in units other than bp, use the 'Unit' property to convert the ideogram data to the appropriate units.

---

	<div><div></div><div><b>Tip</b> Before printing a figure containing an added chromosome ideogram, change the background to white by issuing the following command:  <pre>set(gcf, 'color', 'w')</pre></div></div>
<i>UnitValue</i>	Integer that specifies the units (base pairs, kilo base pairs, or mega base pairs) for the starting and ending genomic positions. This unit is used in the data tip displayed when you hover the cursor over chromosomes in the ideogram. This unit can also be used when using the 'AddToPlot' property to add the ideogram to a plot that is in units other than bp. Choices are 1 (bp), 2 (kb), or 3 (mb). Default is 1 (bp).
<i>CNVValue</i>	Controls the display of copy number variance (CNV) data, provided by <i>CNVValue</i> , aligned to the chromosome ideogram. Gains are shown in green to the right or above the ideogram, while losses are shown in red to the left or below the ideogram. <i>CNVValue</i> is a structure array containing the four fields described in the table below.

Description

chromosomeplot(*CytoData*) plots the ideogram of all chromosomes, using information from *CytoData*, a structure containing cytogenetic G-banding data (in bp units), or a string specifying a file containing cytogenetic G-banding data (in bp units), such as an NCBI ideogram text file or a UCSC Genome Browser cytoband text file. The G bands

distinguish different areas of the chromosome. For example, for the *Homo sapiens* ideogram, possible G bands are:

- gneg — white
- gpos25 — light gray
- gpos50 — medium gray
- gpos75 — dark gray
- gpos100 — black
- acen — red (centromere)
- stalk — light blue (regions with repeats)
- gvar — indented region

Darker bands are AT-rich, while lighter bands are GC-rich.

`chromosomeplot(CytoData, ChromNum)` plots the ideogram of a single chromosome specified by *ChromNum*.

`chromosomeplot(..., 'PropertyName', PropertyValue, ...)` calls `chromosomeplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`chromosomeplot(CytoData, ChromNum, ..., 'Orientation', OrientationValue, ...)` specifies the orientation of the ideogram of a single chromosome specified by *ChromNum*. Choices are 'Vertical' or 1 (default) and 'Horizontal' or 2.

---

**Note** When plotting the ideogram of all chromosomes, the orientation is always vertical.

---

`chromosomeplot(CytoData, ChromNum, ..., 'ShowBandLabel', ShowBandLabelValue, ...)` displays band labels (such as q25.3) when plotting a single chromosome ideogram, specified by *ChromNum*. Choices are `true` (default) or `false`.

`chromosomeplot(CytoData, ChromNum, ..., 'AddToPlot', AddToPlotValue, ...)` adds the single chromosome ideogram, specified by *ChromNum*, to a figure axis specified by *AddToPlotValue*.

---

**Note** If you use this property to add the ideogram to a plot of genomic data that is in units other than bp, use the 'Unit' property to convert the ideogram data to the appropriate units.

---

---

**Tip** Before printing a figure containing an added chromosome ideogram, change the background to white by issuing the following command:

```
set(gcf, 'color', 'w')
```

---

`chromosomeplot(..., 'Unit', UnitValue, ...)` specifies the units (base pairs, kilo base pairs, or mega base pairs) for the starting and ending genomic positions. This unit is used in the data tip displayed when you hover the cursor over chromosomes in the ideogram. This unit can also be used when using the 'AddToPlot' property to add the ideogram to a plot that is in units other than bp. Choices are 1 (bp), 2 (kb), or 3 (mb). Default is 1 (bp).

`chromosomeplot(..., 'CNV', CNVValue, ...)` displays copy number variance (CNV) data, provided by *CNVValue*, aligned to the chromosome ideogram. Gains are shown in green to the right or above the ideogram, while losses are shown in red to the left or below the ideogram. *CNVValue* is a structure array containing the following fields. Each field must contain the same number of elements.

Field	Description
Chromosome	<p>Either of the following:</p> <ul style="list-style-type: none"><li>Numeric vector containing the chromosome number on which each CNV is located.</li></ul> <hr/> <p><b>Note</b> For the sex chromosome, X, use <math>N</math>, where <math>N</math> = number of autosomes + 1. For the sex chromosome, Y, use <math>M</math>, where <math>M</math> = number of autosomes + 2. For example, for <i>Homo sapiens</i> use 23 for X and 24 for Y, and for <i>Mus musculus</i> (lab mouse), use 20 for X and 21 for Y.</p> <hr/> <ul style="list-style-type: none"><li>Character array containing the chromosome number on which each CNV is located.</li></ul> <hr/> <p><b>Note</b> Using a character array lets you use the characters X and Y (instead of numbers) for sex chromosomes. However, all elements in the array must be the same width, which may require you to add spaces to the strings. For example:</p> <pre>[ ' 1'; ' 2'; '10'; ' X']</pre> <p>Or you can use the <code>char</code> function with a cell array to create a character array of the chromosome numbers and letters. For example: .</p> <pre>char({' 1', ' 2', '10', 'X'})</pre> <hr/>
CNVType	<p>Numeric vector containing the type of each CNV, either 1 (loss) or 2 (gain).</p>

Field	Description
Start	Numeric vector containing the starting genomic position of each CNV. Units must be in base pairs.
End	Numeric vector containing the ending genomic position of each CNV. Units must be in base pairs.

## Examples

### Plotting Chromosome Ideograms

- 1** Read the cytogenetic banding information for *Homo sapiens* into a structure.

```
hs_cytobands = cytobandread('hs_cytoBand.txt')


hs_cytobands =

    ChromLabels: {862x1 cell}
    BandStartBPs: [862x1 int32]
    BandEndBPs: [862x1 int32]
    BandLabels: {862x1 cell}
    GieStains: {862x1 cell}
```

- 2** Plot the entire chromosome ideogram for *Homo sapiens*.


```
chromosomeplot(hs_cytobands);
title('Human Karyogram')
```






- 3 Display the ideogram of only chromosome 7 for *Homo sapiens* by right-clicking chromosome 7 in the plot, then selecting **Display in New Figure > Vertical**.


# chromosomeplot



- 4 Plot the ideogram of only chromosome 15 for *Homo sapiens* in a horizontal orientation. Set the units used in the data tip to kilo base pairs.

```
chromosomeplot(hs_cytobands, 15, 'Orientation', 2, 'Unit', 2);
```



- 5 View a data tip with information about the chromosome by hovering the cursor over the chromosome. View a data tip with detailed information about a specific band by clicking the Data Cursor  button on the toolbar, then clicking the band in the plot. To delete this data tip, right-click it, then select **Delete Current Datatip**.

---

**Tip** You can change the orientation of a single chromosome ideogram by right-clicking, selecting **Display > Vertical** or **Horizontal**. You can show or hide the band labels of a single chromosome ideogram by right-clicking, then selecting **Show G-band Labels** or **Hide G-band Labels**.

---


## Adding a Chromosome Ideogram to a Plot

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains `coriell_data`, a structure of CGH data.

```
load coriell_baccgh
```

- 2 Use the `cghcbs` function to analyze chromosome 10 of sample 3 (GM05296) of the CGH data and return copy number variance (CNV) data in a structure, `S`. Plot the segment means over the original data for only chromosome 10 of sample 3.


```
S = cghcbs(coriell_data,'sampleindex',3,'chromosome',10,...  
          'showplot',10);
```



- 3 Use the `chromosomeplot` function with the `'addtoplot'` property to add the ideogram of chromosome 10 for *Homo sapiens* to the plot. Because the plot of the CNV data from the Coriell cell line study is in kb units, use the `'Unit'` property to convert the ideogram data to kb units.

```
chromosomeplot('hs_cytoBand.txt', 10, 'addtoplot', gca,...  
               'Unit', 2)
```

# chromosomeplot



**Tip** Before printing the above figure containing an added chromosome ideogram, change the background to white by issuing the following command:

```
set(gcf,'color','w')
```


## Displaying Copy Number Alteration Regions Aligned to a Chromosome Ideogram

- 1 Create a structure containing segment gain and loss information for chromosomes 10, 11, and X from sample 3 from the Coriell cell line study, making sure the segment data is in bp units. (You can determine copy number variance (CNV) information by exploring `S`, the structure of segments returned by the `cghcbs` function in step 2 in Adding a Chromosome Ideogram to a Plot on page 3-346.) For the `'CNVType'` field, use 1 to indicate a loss and 2 to indicate a gain.

```
cnvStruct = struct('Chromosome', char({'10', '11', 'X'}),...
                  'CNVType', [2 1 2],...
                  'Start', [66905000 25416000 1],...
                  'End',    [110412000 39389000 154913755]);
```

- 2 Pass the structure to the `chromosomeplot` function using the `'CNV'` property to display the copy number gains (green) and losses (red) aligned to the human chromosome ideogram.

```
chromosomeplot('hs_cytoBand.txt', 'cnv', cnvStruct);
```



The `coriell_baccgh.mat` file used in this example contains data from Snijders et al., 2001.

## References

[1] Snijders, A.M., Nowak, N., Segaves, R., Blackwood, S., Brown, N., Conroy, J., Hamilton, G., Hindle, A.K., Huey, B., Kimura, K., Law, S., Myambo, K., Palmer, J., Ylstra, B., Yue, J.P., Gray, J.W., Jain, A.N., Pinkel, D., and Albertson, D.G. (2001). Assembly of microarrays for genome-wide measurement of DNA copy number. *Nature Genetics* 29, 263–264.

## See Also

Bioinformatics Toolbox functions: `cghcbs`, `cytobandread`



<b>Purpose</b>	Evaluate performance of classifier	
<b>Syntax</b>	<pre>classperf CP = classperf(truelabels) CP = classperf(truelabels, classout) CP = classperf(..., 'Positive', PositiveValue, 'Negative',     NegativeValue) classperf(CP, classout) classperf(CP, classout, testidx)</pre>	
<b>Arguments</b>	<i>truelabels</i>	<p>True class labels for each observation, specified by one of the following:</p> <ul style="list-style-type: none"><li>• Numeric vector</li><li>• Cell array of strings</li></ul> <hr/> <p><b>Note</b> When used in a cross-validation design experiment, <i>truelabels</i> should have the same size as the total number of observations.</p> <hr/>
	<i>classout</i>	<p>Classifier output, specified by one of the following:</p> <ul style="list-style-type: none"><li>• Numeric vector</li><li>• Cell array of strings</li></ul> <hr/> <p><b>Note</b> <i>classout</i> must contain the same number of elements as <i>truelabels</i>.</p> <hr/>

<i>PositiveValue</i>	Numeric vector or cell array of strings that specifies the positive labels to identify the target class(es). Default is the first class returned by <i>grp2idx(trueLabels)</i> .
<i>NegativeValue</i>	Numeric vector or cell array of strings that specifies the negative labels to identify the control class(es). Default is all classes other than the first class returned by <i>grp2idx(trueLabels)</i> .
<i>testidx</i>	Vector that indicates the observations that were used in the current validation. Choices are: <ul style="list-style-type: none"><li>• Index vector</li><li>• Logical index vector of the same size as <i>trueLabels</i> used to construct the classifier performance object</li></ul>

**Return Values**

<i>CP</i>	Classifier performance object with performance properties listed in the following table.
-----------	--

**Description**

`classperf` provides an interface to keep track of the performance during the validation of classifiers. `classperf` creates and, optionally, updates a classifier performance object, *CP*, which accumulates the results of the classifier. The performance properties of a classifier performance object are listed in the following table.

`classperf`, without input arguments, displays all the performance properties of a classifier performance object.

`CP = classperf(trueLabels)` creates and initializes an empty classifier performance object. *CP* is the handle to the object. *trueLabels* is a vector or cell array of strings containing the true class labels for every observation. When used in a cross-validation design experiment, *trueLabels* must have the same size as the total number of observations.

`CP = classperf(truelabels, classout)` creates *CP* using *truelabels*, then updates *CP* using the classifier output, *classout*.

---

**Tip** This syntax is useful when you want to know the performance of a single validation.

---

`CP = classperf(..., 'Positive', PositiveValue, 'Negative', NegativeValue)` specifies the positive and negative labels to identify the target and the control classes, respectively. These labels are used to compute clinical diagnostic test performance.

If *truelabels* is a numeric vector, *PositiveValue* and *NegativeValue* must be numeric vectors whose entries are subsets of `grp2idx(truelabels)`. If *truelabels* is a cell array of strings, *PositiveValue* and *NegativeValue* can be cell arrays of strings or numeric vectors whose entries are subsets of `grp2idx(truelabels)`. *PositiveValue* defaults to the first class returned by `grp2idx(truelabels)`, while *NegativeValue* defaults to all other classes.

*PositiveValue* and *NegativeValue* must consist of disjoint sets of the labels used in *truelabels*. For example, if

```
truelabels = [1 2 2 1 3 4 4 1 3 3 3 2]
```

you could set

```
p = [1 2];  
n = [3 4];
```

For example, if you have a data set with data from six samples: five different types of cancer (ovarian, lung, prostate, skin, brain) and no cancer, then `ClassLabels = {'Ovarian', 'Lung', 'Prostate', 'Skin', 'Brain', 'Healthy'}`.

You could test a detector for lung cancer by using a *PositiveValue* of 2, and a *NegativeValue* = [1 3 4 5 6].

Or you can test for any type of cancer by using *PositiveValue* = [1 2 3 4 5] and a *NegativeValue* of 6.

In clinical tests, inconclusive values such as '' or NaN are counted as false negatives for the computation of the specificity, and as false positives for the computation of the sensitivity. That is, inconclusive results may decrease the diagnostic value of the test. Tested observations for which *trueLabels* is not within the union of *PositiveValue* and *NegativeValue* are not considered. However, tested observations that result in a class not covered by the vector *trueLabels* are counted as inconclusive.

`classperf(CP, classout)` updates *CP*, the classifier performance object, with the classifier output *classout*. *classout* must be the same size as *trueLabels*, the vector or cell array used to construct the classifier performance object. When *classout* is a cell array of strings, an empty string, '', represents an inconclusive result of the classifier. For numeric arrays, NaN represents an inconclusive result.

`classperf(CP, classout, testidx)` updates *CP*, the classifier performance object, with the classifier output *classout*. *classout* has a smaller size than *trueLabels*. *testidx* is an index vector or a logical index vector of the same size as *trueLabels*, the vector or cell array used to construct the classifier performance object. *testidx* indicates the observations that were used in the current validation.

---

**Note** In the two previous syntaxes, you do not need to create a separate output variable to update the classifier performance object, *CP*.

---

## Properties of a Classifier Performance Object

You can access classifier performance object properties by using the `get` function

```
get(CP, 'ControlClasses')
```

or using dot notation

```
CP.ControlClasses
```

You cannot directly modify the classifier performance object properties by using the `set` function, with the exception of the `Label` and `Description` properties.

---

**Tip** To modify properties, use either of the following syntaxes:

```
classperf(CP, classout)
classperf(CP, classout, testidx)
```

---

Property	Description
Label	String to label the classifier performance object. Default is ''.
Description	String to describe the classifier performance object. Default is ''.
ClassLabels	Numeric vector or cell array of strings specifying a unique set of class labels from <code>unique(trueLabels)</code> .
GroundTruth	Numeric vector or cell array of strings that specifies the true class labels for each observation. The number of elements = <code>NumberOfObservations</code> .
NumberOfObservations	Positive integer specifying the number of observations in the study.

Property	Description
ControlClasses	<p>Indices to the <code>ClassLabels</code> vector or cell array, indicating which classes to be considered as the control or negative classes in a diagnostic test.</p> <hr/> <p><b>Tip</b> You set the <code>ControlClasses</code> property with the 'Negative' property name/value pair. If you do not specify the 'Negative' property, <code>ControlClasses</code> defaults to all classes other than the first class returned by <code>grp2idx(trueLabels)</code>.</p> <hr/>
TargetClasses	<p>Indices to the <code>ClassLabels</code> vector or cell array, indicating which classes to be considered as the target or positive classes in a diagnostic test.</p> <hr/> <p><b>Tip</b> You set the <code>TargetClasses</code> property with the 'Positive' property name/value pair. If you do not specify the 'Positive' property, <code>TargetClasses</code> defaults to the first class returned by <code>grp2idx(trueLabels)</code>.</p> <hr/>
ValidationCounter	<p>Positive integer specifying the number of validations performed.</p>

Property	Description
SampleDistribution	<p>Numeric vector indicating how many times each sample was considered in the validation.</p> <p>For example, if you use resubstitution, SampleDistribution is a vector of ones and ValidationCounter = 1. If you have a ten-fold cross-validation, SampleDistribution is also a vector of ones, but ValidationCounter = 10.</p> <hr/> <p><b>Tip</b> SampleDistribution is more useful when doing Monte Carlo partitions of the test sets, as this will help determine if all the samples are being equally tested.</p> <hr/>
ErrorDistribution	Numeric vector indicating how many times each sample was misclassified.
SampleDistributionByClass	Numeric vector indicating the frequency of the true classes in the validation.
ErrorDistributionByClass	Numeric vector indicating the frequency of errors for each class in the validation.

Property	Description
CountingMatrix	<p>The classification confusion matrix. The order of rows and columns is the same as <code>grp2idx(trueLabels)</code>. Columns represent the true classes, and rows represent the classifier prediction. The last row in <code>CountingMatrix</code> is reserved to count inconclusive results. There are some families of classifiers that can reserve the right to make a hard class assignment; this can be based on metrics, such as the posterior probabilities, or on how close a sample is to the class boundaries.</p>
CorrectRate	<p>Correctly Classified Samples / Classified Samples</p> <hr/> <p><b>Note</b> Inconclusive results are not counted.</p> <hr/>
ErrorRate	<p>Incorrectly Classified Samples / Classified Samples</p> <hr/> <p><b>Note</b> Inconclusive results are not counted.</p> <hr/>



Property	Description
LastCorrectRate	<p>The following equation applies only to samples considered the last time the classifier performance object was updated:</p> $\frac{\text{Correctly Classified Samples}}{\text{Classified Samples}}$
LastErrorRate	<p>The following equation applies only to samples considered the last time the classifier performance object was updated:</p> $\frac{\text{Incorrectly Classified Samples}}{\text{Classified Samples}}$
InconclusiveRate	$\frac{\text{Nonclassified Samples}}{\text{Total Number of Samples}}$
ClassifiedRate	$\frac{\text{Classified Samples}}{\text{Total Number of Samples}}$
Sensitivity	<p><math display="block">\frac{\text{Correctly Classified Positive Samples}}{\text{True Positive Samples}}</math></p> <hr/> <p><b>Note</b> Inconclusive results that are true positives are counted as errors for computing <b>Sensitivity</b> (following a conservative approach). This is the same as being incorrectly classified as negatives.</p> <hr/>

Property	Description
Specificity	<div>Correctly Classified Negative Samples / True Negative Samples</div> <div><b>Note</b> Inconclusive results that are true negatives are counted as errors for computing Specificity (following a conservative approach). This is the same as being incorrectly classified as positives.</div>
PositivePredictiveValue	<div>Correctly Classified Positive Samples / Positive Classified Samples</div> <div><b>Note</b> Inconclusive results are classified as negatives when computing PositivePredictiveValue.</div>
NegativePredictiveValue	<div>Correctly Classified Negative Samples / Negative Classified Samples</div> <div><b>Note</b> Inconclusive results are classified as positives when computing NegativePredictiveValue.</div>
PositiveLikelihood	<div>Sensitivity / (1 – Specificity)</div>
NegativeLikelihood	<div>(1 – Sensitivity) / Specificity</div>

Property	Description
Prevalence	True Positive Samples / Total Number of Samples
DiagnosticTable	<p>A 2-by-2 numeric array with diagnostic counts. The first row indicates the number of samples that were classified as positive, with the number of true positives in the first column, and the number of false positives in the second column. The second row indicates the number of samples that were classified as negative, with the number of false negatives in the first column, and the number of true negatives in the second column.</p> <p>Correct classifications appear in the diagonal elements, and errors appear in the off-diagonal elements. Inconclusive results are considered errors and counted in the off-diagonal elements.</p> <p>For an illustration of a diagnostic table, see below.</p>

### Example Diagnostic Table

In a cancer study of ten patients, suppose we get the following results:

Patient	Classifier Output	Has Cancer
1	Positive	Yes
2	Positive	Yes
3	Positive	Yes
4	Positive	No

Patient	Classifier Output	Has Cancer
5	Negative	Yes
6	Negative	No
7	Negative	No
8	Negative	No
9	Negative	No
10	Inconclusive	Yes

The diagnostic table would look as follows:

		True State	
		1	0
Classifier Output	1	3	1
	0	1+1	4

Examples

```
% Classify the fisheriris data with a K-Nearest Neighbor classifier
load fisheriris
c = knnclassify(meas,meas,species,4,'euclidean','Consensus');
cp = classperf(species,c)
get(cp)

% 10-fold cross-validation on the fisheriris data using linear
% discriminant analysis and the third column as only feature for
% classification
load fisheriris
indices = crossvalind('Kfold',species,10);
cp = classperf(species); % initializes the CP object
for i = 1:10
    test = (indices == i); train = ~test;
```

```

class = classify(meas(test,3),meas(train,3),species(train));
% updates the CP object with the current classification results
classperf(cp,class,test)
end
cp.CorrectRate % queries for the correct classification rate

```

```
cp =
```

```

biolearning.classperformance

    Label: ''
  Description: ''
  ClassLabels: {3x1 cell}
   trueLabels: [150x1 double]
NumberOfObservations: 150
   ControlClasses: [2x1 double]
    TargetClasses: 1
  ValidationCounter: 1
  SampleDistribution: [150x1 double]
   ErrorDistribution: [150x1 double]
SampleDistributionByClass: [3x1 double]
ErrorDistributionByClass: [3x1 double]
    CountingMatrix: [4x3 double]
      CorrectRate: 1
        ErrorRate: 0
   InconclusiveRate: 0.0733
     ClassifiedRate: 0.9267
        Sensitivity: 1
       Specificity: 0.8900
PositivePredictiveValue: 0.8197
NegativePredictiveValue: 1
   PositiveLikelihood: 9.0909
   NegativeLikelihood: 0
        Prevalence: 0.3333
   DiagnosticTable: [2x2 double]

```

```
ans =  
    0.9467
```

## See Also

Bioinformatics Toolbox functions: `crossvalind`, `knnclassify`,  
`svmclassify`

Statistics Toolbox™ functions: `classify`, `grp2idx`

## Purpose

Cleave amino acid sequence with enzyme

## Syntax

```

Fragments = cleave(SeqAA, Enzyme)
Fragments = cleave(SeqAA, PeptidePattern, Position)
[Fragments, CuttingSites] = cleave(...)
[Fragments, CuttingSites, Lengths] = cleave(...)
[Fragments, CuttingSites, Lengths, Missed] = cleave(...)
cleave(..., 'PartialDigest', PartialDigestValue, ...)
cleave(..., 'MissedSites', MissedSitesValue, ...)
cleave(..., 'Exception', ExceptionValue, ...)

```

## Arguments

*SeqAA*

One of the following:

- String of single-letter codes specifying an amino acid sequence.
- Row vector of integers specifying an amino acid sequence.
- MATLAB structure containing a **Sequence** field that contains an amino acid sequence, such as returned by **fastaread**, **getgenpept**, **genpeptread**, **getpdb**, or **pdbread**.

Examples: 'ARN' or [1 2 3].

*Enzyme*

String specifying a name or abbreviation code for an enzyme or compound for which the literature specifies a cleavage rule.

---

**Tip** Use the **cleavelookup** function to display the names of enzymes and compounds in the cleavage rule library.

---

*PeptidePattern* Short amino acid sequence to search for in *SeqAA*, a larger sequence. *PeptidePattern* can be any of the following:

- Character string
- Vector of integers
- Regular expression

*Position* Integer from 0 to the length of the *PeptidePattern*, that specifies a position in the *PeptidePattern* to cleave.

---

**Note** Position 0 corresponds to the N terminal end of *PeptidePattern*.

---

*PartialDigestValue* Value from 0 to 1 (default) specifying the probability that a cleavage site will be cleaved.

*MissedSitesValue* Nonnegative integer specifying the maximum number of missed cleavage sites. The output includes all possible peptide fragments that can result from missing *MissedSitesValue* or less cleavage sites. Default is 0, which is equivalent to an ideal digestion.

*ExceptionValue* Regular expression specifying an exception rule to the cleavage rule associated with *Enzyme*. By default, *cleave* applies no exception rule.



**Return Values**

<i>Fragments</i>	Cell array of strings representing the fragments from the cleavage.
<i>CuttingSites</i>	Numeric vector containing indices representing the cleavage sites.

---

**Note** The `cleave` function adds a 0 to the list, so `numel(CuttingSites)==numel(Fragments)`. Use `CuttingSites + 1` to point to the first amino acid of every fragment respective to the original sequence.

---

<i>Lengths</i>	Numeric vector containing the length of each fragment.
<i>Missed</i>	Numeric vector containing the number of missed cleavage sites for every peptide fragment.

**Description**

`Fragments = cleave(SeqAA, Enzyme)` cuts `SeqAA`, an amino acid sequence, into parts at the cleavage sites specific for `Enzyme`, a string specifying a name or abbreviation code for an enzyme or compound for which the literature specifies a cleavage rule. It returns `Fragments`, a cell array of strings representing the fragments from the cleavage.

---

**Tip** Use the `cleavelookup` function to display the names of enzymes and compounds in the cleavage rule library.

---

`Fragments = cleave(SeqAA, PeptidePattern, Position)` cuts `SeqAA`, an amino acid sequence, into parts at the cleavage sites specified by a peptide pattern and position.

`[Fragments, CuttingSites] = cleave(...)` returns a numeric vector containing indices representing the cleavage sites.

**Note** The `cleave` function adds a 0 to the list, so `numel(CuttingSites)==numel(Fragments)`. Use `CuttingSites + 1` to point to the first amino acid of every fragment respective to the original sequence.

`[Fragments, CuttingSites, Lengths] = cleave(...)` returns a numeric vector containing the length of each fragment.

`[Fragments, CuttingSites, Lengths, Missed] = cleave(...)` returns a numeric vector containing the number of missed cleavage sites for every fragment.

`cleave(..., 'PropertyName', PropertyValue, ...)` calls `cleave` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`cleave(..., 'PartialDigest', PartialDigestValue, ...)` simulates a partial digestion where *PartialDigestValue* is the probability of a cleavage site being cut. *PartialDigestValue* is a value from 0 to 1 (default).

This table lists some common proteases and their cleavage sites.

Protease	Peptide Pattern	Position
Aspartic acid N	D	1
Chymotrypsin	[WYF](?!P)	1
Glutamine C	[ED](?!P)	1
Lysine C	[K](?!P)	1
Trypsin	[KR](?!P)	1

`cleave(..., 'MissedSites', MissedSitesValue, ...)` returns all possible peptide fragments that can result from missing *MissedSitesValue* or less cleavage sites. *MissedSitesValue* is a nonnegative integer. Default is 0, which is equivalent to an ideal digestion.

`cleave(..., 'Exception', ExceptionValue, ...)` specifies an exception rule to the cleavage rule associated with *Enzyme*. *ExceptionValue* is a regular expression. By default, cleave applies no exception rule.

## Examples

- 1 Retrieve a protein sequence from the GenPept database.

```
S = getgenpept('AAA59174');
```

- 2 Cleave the sequence using proteinase K.

```
[partsPK, sitesPK, lengthsPK] = cleave(S.Sequence, ...
    'proteinase K');
```

- 3 Display the indices of the cleavage sites, lengths, and sequences of the first ten fragments.

```
for i=1:10
    fprintf('%5d%5d %s\n',sitesPK(i),lengthsPK(i),partsPK{i})
end
```

0	3	MGT
3	6	GGRRGA
9	1	A
10	1	A
11	1	A
12	2	PL
14	1	L
15	1	V
16	1	A
17	1	V

- 4** Cleave the same sequence using one of trypsin's cleavage rules (cleave after K or R when the next residue is not P).

```
[partsT, sitesT, lengthsT] = cleave(S.Sequence, '[KR](?!P)',1);
```

- 5** Display the indices of the cleavage sites, lengths, and sequences of the first ten fragments.

```
for i=1:10
    fprintf('%5d%5d    %s\n',sitesT(i),lengthsT(i),partsT{i})
end
```

```

0      6   MGTGGR
6      1    R
7     34  GAAAAPLLVAVAALLLGAAGHLYPGEVCPGMDIR
41     5  >NNLTR
46    21  LHELENCVIEGHLQILLMFK
67     7   TRPEDFR
74     6   DLSFPK
80    12  LIMITDYLLLFR
92     8   VYGLESLK
100    10  DLFPNLTVIR
```

- 6** Cleave the same sequence using trypsin's cleavage rule, but allow for one missed cleavage site.

```
[partsT2, sitesT2, lengthsT2, missedT2] = cleave(S.Sequence, ...
                                                'trypsin','missedsites',1);
```

- 7** Cleave the same sequence using trypsin's cleavage rule, except do not to cleave after K when K is following by a D.

```
partsT3 = cleave(S.Sequence, 'trypsin', 'exception', 'KD');
```

## See Also

Bioinformatics Toolbox functions: `cleavelookup`, `rebasecuts`, `restrict`, `seqshowwords`

MATLAB function: `regexp`

**Purpose** Find cleavage rule for enzyme or compound

**Syntax**  
cleavelookup  
cleavelookup('Code', *CodeValue*)  
cleavelookup('Name', *NameValue*)

**Arguments**

<i>CodeValue</i>	String specifying a code representing an abbreviation code for an enzyme or compound. For valid codes, see the table Cleave Lookup on page 3-371.
<i>NameValue</i>	String specifying an enzyme or compound name. For valid names, see the table Cleave Lookup on page 3-371.

**Description** cleavelookup displays a table of abbreviation codes, cleavage positions, cleavage patterns, and full names of enzymes and compounds for which cleavage rules are specified by the cleavage rule library. For more information, see the ExPASy PeptideCutter tool.

Cleave Lookup

Code	Position	Pattern	Full Name
ARG - C	1	R	ARG-C proteinase
ASP - N	2	D	ASP-N endopeptidase
BNPS	1	W	BNPS-Skatole
CASP1	1	( ?<=[ FWYL ] \w[ HAT ] ) D ( ?=[ ^PEDQKR ] )	Caspase 1
CASP2	1	( ?<=DVA ) D ( ?=[ ^PEDQKR ] )	Caspase 2
CASP3	1	( ?<=DMQ ) D ( ?=[ ^PEDQKR ] )	Caspase 3

Cleave Lookup (Continued)

Code	Position	Pattern	Full Name
CASP4	1	(?<=LEV)D(?=[^PEDQKR])	Caspase 4
CASP5	1	(?<=[LW]EH)D	Caspase 5
CASP6	1	(?<=VE[HI])D(?=[^PEDQKR])	Caspase 6
CASP7	1	(?<=DEV)D(?=[^PEDQKR])	Caspase 7
CASP8	1	(?<=[IL]ET)D(?=[^PEDQKR])	Caspase 8
CASP9	1	(?<=LEH)D	Caspase 9
CASP10	1	(?<=IEA)D	Caspase 10
CH-HI	1	([FY](?=[^P])) (W(?=[^MP]))	Chymotrypsin-high specificity
CH-LO	1	([FLY](?=[^P])) (W(?=[^MP])) (M(?=[^PY])) (H(?=[^DMPW]))	Chymotrypsin-low specificity
CLOST	1	R	Clostripain
CNBR	1	M	CNBR
ENTKIN	1	(?<=[DN][DN][DN])K	Enterokinase
FACTXA	1	(?<=[AFGILTVM][DE]G)R	Factor XA
FORMIC	1	D	Formic acid
GLUEND	1	E	Glutamyl endopeptidase
GRANB	1	(?<=IEP)D	Granzyme B
HYDROX	1	N(?=G)	Hydroxylamine
IODOB	1	W	Iodosobenzoic acid
LYSC	1	K	Lysc

Cleave Lookup (Continued)

Code	Position	Pattern	Full Name
NTCB	1	C	NTCB
PEPS	1	((?<=[^HKR][^P])[^R](?=[FLWY][^P]))  ((?<=[^HKR][^P])[FLWY](?=\w[^P]))	Pepsin PH = 1.3
PEPS2	1	((?<=[^HKR][^P])[^R](?=[FL][^P]))  ((?<=[^HKR][^P])[FL](?=\w[^P]))	Pepsin PH > 2
PROEND	1	(?<=[HKR])P(?=[^P])	Proline endopeptidase
PROTK	1	[AEFILTVWY]	Proteinase K
STAPHP	1	(?<=[^E])E	Staphylococcal peptidase I
THERMO	1	[^DE](?=[AFILMV])	Thermolysin
THROMB	1	((?<=\w\wG)R(?=G))  ((?<=[AFGILTVM][AFGILTVWA]P)R(?=[^DE][^DE]))	Thrombin
TRYPS	1	((?<=\w)[KR](?=[^P]))  ((?<=W)K(?=P)) ((?<=M)R(?=P))	Trypsin

`cleavelookup('Code', CodeValue)` displays the cleavage position, cleavage pattern, and full name of the enzyme or compound specified by *CodeValue*, a string specifying an abbreviation code.

`cleavelookup('Name', NameValue)` displays the cleavage position, cleavage pattern, and abbreviation code of the enzyme or compound specified by *NameValue*, a string specifying an enzyme or compound name.

Examples

Using cleavelookup with an Enzyme Name

Display the cleavage position, cleavage pattern, and abbreviation code of the enzyme Caspase 1.

```
cleavelookup('name', 'CASPASE 1')
```

# cleavelookup

---

```
ans =
```

```
1 (?<=[FWYL]\w[HAT])D(?=[^PEDQKR]) CASP1
```

## Using cleavelookup with an Abbreviation Code

Display the cleavage position, cleavage pattern, and full name of the enzyme with a abbreviation code of CASP1.

```
cleavelookup('code', 'CASP1')
```

```
ans =
```

```
1 (?<=[FWYL]\w[HAT])D(?=[^PEDQKR]) CASPASE 1
```

## See Also

Bioinformatics Toolbox functions: `cleave`, `rebasecuts`, `restrict`



## Purpose

Validate clusters in phylogenetic tree

## Syntax

```
LeafClusters = cluster(Tree, Threshold)
[LeafClusters, NodeClusters] = cluster(Tree, Threshold)
[LeafClusters, NodeClusters, Branches] = cluster(Tree,
    Threshold)
cluster(..., 'Criterion', CriterionValue, ...)
cluster(..., 'MaxClust', MaxClustValue, ...)
cluster(..., 'Distances', DistancesValue, ...)
```

## Arguments

*Tree* Phylogenetic tree object created, such as created with the `phytree` constructor function.

*Threshold* Scalar specifying a threshold value.

*CriterionValue* String specifying the criterion to determine the number of clusters as a function of the species pairwise distances. Choices are:

- 'maximum' (default) — Maximum within cluster pairwise distance ( $W_{max}$ ). Cluster splitting stops when  $W_{max} \leq Threshold$ .
- 'median' — Median within cluster pairwise distance ( $W_{med}$ ). Cluster splitting stops when  $W_{med} \leq Threshold$ .
- 'average' — Average within cluster pairwise distance ( $W_{avg}$ ). Cluster splitting stops when  $W_{avg} \leq Threshold$ .
- 'ratio' — Between/within cluster pairwise distance ratio, defined as

$$BW_{rat} = (\text{trace}(B)/(k - 1)) / (\text{trace}(W)/(n - k))$$

where  $B$  and  $W$  are the between- and within-scatter matrices, respectively.  $k$  is the

# cluster (phytree)

---

number of clusters, and  $n$  is the number of species in the tree. Cluster splitting stops when  $BW_{rat} \geq Threshold$ .

- 'gain' — Within cluster pairwise distance gain, defined as

$$W_{gain} = (\text{trace}(W_{old}) / (\text{trace}(W) - 1) * (n - k - 1))$$

where  $W$  and  $W_{old}$  are the within-scatter matrices for  $k$  and  $k - 1$ , respectively.  $k$  is the number of clusters, and  $n$  is the number of species in the tree. Cluster splitting stops when  $W_{gain} \leq Threshold$ .

- 'silhouette' — Average silhouette width ( $SW_{avg}$ ).  $SW_{avg}$  ranges from -1 to +1. Cluster splitting stops when  $SW_{avg} \geq Threshold$ . For more information, see silhouette.

*MaxClustValue* Positive integer specifying the maximum number of possible clusters for the tested partitions. Default is the number of leaves in the tree.

---

**Tip** When using the 'maximum', 'median', or 'average' criteria, set *Threshold* to [] (empty) to force cluster to return *MaxClustValue* clusters. It does so because such metrics monotonically decrease as  $k$  increases.

---

---

**Tip** When using the 'ratio', 'gain', or 'silhouette' criteria, you may find it hard to estimate an appropriate *Threshold* in advance. Set *Threshold* to [ ] (empty) to find the optimal number of clusters below *MaxClustValue*. Also, set *MaxClustValue* to a small value to avoid expensive computation due to testing all possible number of clusters.

---

*DistancesValue* Matrix of pairwise distances, such as returned by the `seqpdist` function, containing biological distances between each pair of sequences. `cluster` substitutes this matrix for the patristic distances in *Tree*. For example, this matrix can contain the real sample pairwise distances.

**Return  
Values**

*LeafClusters* Column vector containing a cluster index for each species (leaf) in *Tree*, a phylogenetic tree object.

*NodeClusters* Column vector containing the cluster index for each leaf node and branch node in *Tree*.

---

**Tip** Use the *LeafClusters* or *NodeClusters* output vectors with the handle returned by the `plot` method to modify graphic elements of the phylogenetic tree object. For more information, see “Examples” on page 3-379.

---

*Branches* Two-column matrix containing, for each step in the algorithm, the index of the branch being considered and the value of the criterion. Each row corresponds to a step in the algorithm. The first

# cluster (phytree)

---

column contains branch indices, and the second column contains criterion values.

---

**Tip** To obtain the whole curve of the criterion versus the number of clusters in *Branches*, set *Threshold* to [ ] (empty) and do not specify a *MaxClustValue*. Be aware that computation of some criteria can be computationally intensive.

---

## Description

*LeafClusters* = `cluster(Tree, Threshold)` returns a column vector containing a cluster index for each species (leaf) in a phylogenetic tree object. It determines the optimal number of clusters as follows:

- Starting with two clusters ( $k = 2$ ), selects the partition that optimizes the criterion specified by the 'Criterion' property
- Increments  $k$  by 1 and again selects the optimal partition
- Continues incrementing  $k$  and selecting the optimal partition until a criterion value = *Threshold* or  $k$  = the maximum number of clusters (that is, number of leaves)
- From all possible  $k$  values, selects the  $k$  value whose partition optimizes the criterion

`[LeafClusters, NodeClusters] = cluster(Tree, Threshold)` returns a column vector containing the cluster index for each leaf node and branch node in *Tree*.

`[LeafClusters, NodeClusters, Branches] = cluster(Tree, Threshold)` returns a two-column matrix containing, for each step in the algorithm, the index of the branch being considered and the value of the criterion. Each row corresponds to a step in the algorithm. The first column contains branch indices, and the second column contains criterion values.

`cluster(..., 'PropertyName', PropertyValue, ...)` calls `cluster` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:.

`cluster(..., 'Criterion', CriterionValue, ...)` specifies the criterion to determine the number of clusters as a function of the species pairwise distances.

`cluster(..., 'MaxClust', MaxClustValue, ...)` specifies the maximum number of possible clusters for the tested partitions. Default is the number of leaves in the tree.

`cluster(..., 'Distances', DistancesValue, ...)` substitutes the patristic distances in *Tree* with a user-provided pairwise distance matrix.

## Examples

Validate the clusters in a phylogenetic tree:


```
% Read sequences from a multiple alignment file into a MATLAB
% structure
gagaa = multialignread('aagag.aln');

% Build a phylogenetic tree from the sequences
gag_tree = seqneighjoin(seqpdist(gagaa), 'equivar', gagaa);

% Validate the clusters in the tree and find the best partition
% using the 'gain' criterion
[i,j] = cluster(gag_tree,[], 'criterion', 'gain', 'maxclust', 10);

% Use the returned vector of indices to color the branches of each
% cluster in a plot of the tree
h = plot(gag_tree);
set(h.BranchLines(j==2), 'Color', 'b')
set(h.BranchLines(j==1), 'Color', 'r')
```

# cluster (phytree)



## References

[1] Dudoit, S. and Fridlyan, J. (2002). A prediction-based resampling method for estimating the number of clusters in a dataset. *Genome Biology* 3(7), research 0036.1–0036.21.

[2] Theodoridis, S. and Koutroumbas, K. (1999). *Pattern Recognition* (Academic Press), pp. 434–435.

[3] Kaufman, L. and Rousseeuw, P.J. (1990). *Finding Groups in Data: An Introduction to Cluster Analysis* (New York, Wiley).

[4] Calinski, R. and Harabasz, J. (1974). A dendrite method for cluster analysis. *Commun Statistics* 3, 1–27.

[5] Hartigan, J.A. (1985). Statistical theory in clustering. *J Classification* 2, 63–76.

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `seqlinkage`, `seqneighjoin`, `seqpdist`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `plot`, `view`

Statistics Toolbox functions: `cluster`, `silhouette`

# clustergram object

---

<b>Purpose</b>	Object containing hierarchical clustering analysis data																
<b>Description</b>	<p>A clustergram object contains hierarchical clustering analysis data that you can view in a heat map and dendrograms.</p> <p>Create a clustergram object using the object constructor function <code>clustergram</code>. View a graphical representation of the clustergram object in a heat map and dendrograms using the <code>view</code> method.</p> <p>The clustergram class is a subclass of the <code>HeatMap</code> class.</p>																
<b>Method Summary</b>	<p>Following are methods of a clustergram object:</p> <table><tr><td><code>addTitle (clustergram)</code></td><td>Add title to clustergram</td></tr><tr><td><code>addXLabel (clustergram)</code></td><td>Label x-axis of clustergram</td></tr><tr><td><code>addYLabel (clustergram)</code></td><td>Label y-axis of clustergram</td></tr><tr><td><code>clusterGroup (clustergram)</code></td><td>Select cluster group</td></tr><tr><td><code>get (clustergram)</code></td><td>Retrieve information about clustergram object</td></tr><tr><td><code>plot (clustergram)</code></td><td>Render clustergram and dendrograms for clustergram object</td></tr><tr><td><code>set (clustergram)</code></td><td>Set property of clustergram object</td></tr><tr><td><code>view (clustergram)</code></td><td>View clustergram and dendrograms of clustergram object</td></tr></table>	<code>addTitle (clustergram)</code>	Add title to clustergram	<code>addXLabel (clustergram)</code>	Label x-axis of clustergram	<code>addYLabel (clustergram)</code>	Label y-axis of clustergram	<code>clusterGroup (clustergram)</code>	Select cluster group	<code>get (clustergram)</code>	Retrieve information about clustergram object	<code>plot (clustergram)</code>	Render clustergram and dendrograms for clustergram object	<code>set (clustergram)</code>	Set property of clustergram object	<code>view (clustergram)</code>	View clustergram and dendrograms of clustergram object
<code>addTitle (clustergram)</code>	Add title to clustergram																
<code>addXLabel (clustergram)</code>	Label x-axis of clustergram																
<code>addYLabel (clustergram)</code>	Label y-axis of clustergram																
<code>clusterGroup (clustergram)</code>	Select cluster group																
<code>get (clustergram)</code>	Retrieve information about clustergram object																
<code>plot (clustergram)</code>	Render clustergram and dendrograms for clustergram object																
<code>set (clustergram)</code>	Set property of clustergram object																
<code>view (clustergram)</code>	View clustergram and dendrograms of clustergram object																



Property  
Summary

Properties for Clustering Analysis and Clustergram Creation

Property Name	Description
Standardize	<p>String or number specifying the dimension for standardizing the data values. This property transforms the standardized values so that the mean is 0 and the standard deviation is 1 in the specified dimension. Choices are:</p> <ul style="list-style-type: none"><li>• 'column' or 1 — Standardize along the columns of data.</li><li>• 'row' or 2 (default) — Standardize along the rows of data.</li><li>• 'none' or 3 — Do not standardize.</li></ul>
Cluster	<p>String or number specifying the dimension for clustering the values in the data. Choices are:</p> <ul style="list-style-type: none"><li>• 'column' or 1 — Cluster along the columns of data only, which results in clustered rows.</li><li>• 'row' or 2 — Cluster along the rows of data only, which results in clustered columns.</li><li>• 'all' or 3 (default) — Cluster along the columns of data, then cluster along the rows of row-clustered data.</li></ul>

Properties for Clustering Analysis and Clustergram Creation  
(Continued)

Property Name	Description
RowPDist	<p>String specifying the distance metric to pass to the <code>pdist</code> function (Statistics Toolbox software) to calculate the pairwise distances between rows. For information on choices, see the <code>pdist</code> function. Default is <code>'euclidean'</code>.</p> <hr/> <p><b>Note</b> If the distance metric requires extra arguments, then <i>RowPDistValue</i> is a cell array. For example, to use the Minkowski distance with exponent <i>P</i>, you would use <code>{'minkowski', P}</code>.</p> <hr/>
ColumnPDist	<p>String specifying the distance metric to pass to the <code>pdist</code> function (Statistics Toolbox software) to calculate the pairwise distances between columns. For information on choices, see the <code>pdist</code> function. Default is <code>'euclidean'</code>.</p> <hr/> <p><b>Note</b> If the distance metric requires extra arguments, then <i>ColumnPDistValue</i> is a cell array. For example, to use the Minkowski distance with exponent <i>P</i>, you would use <code>{'minkowski', P}</code>.</p> <hr/>

## Properties for Clustering Analysis and Clustergram Creation (Continued)

Property Name	Description
Linkage	String or two-element cell array of strings specifying the linkage method to pass to the <code>linkage</code> function (Statistics Toolbox software) to create the hierarchical cluster tree for rows and columns. If a two-element cell array of strings, this property uses the first element for linkage between rows, and the second element for linkage between columns. For information on choices, see the <code>linkage</code> function. Default is 'average'.
Dendrogram	Scalar or two-element numeric vector or cell array of strings specifying the 'colorthreshold' property to pass to the <code>dendrogram</code> function (Statistics Toolbox software) to create the dendrogram plot. If a two-element numeric vector or cell array, the first element is for the rows, and the second element is for the columns. For more information, see the <code>dendrogram</code> function.
OptimalLeafOrder	Enables or disables the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves. Choices are <code>true</code> (enable) or <code>false</code> (disable). Default depends on the size of <i>Data</i> , the matrix of data used to create the clustergram object. If the number of rows or columns in <i>Data</i> exceeds 1000, default is <code>false</code> ; otherwise, default is <code>true</code> .


Properties for Clustering Analysis and Clustergram Creation  
(Continued)

Property Name	Description
	<div><b>Tip</b> Disabling the optimal leaf ordering calculation can be useful when working with large data sets, because this calculation consumes a lot of memory and time.</div>
Colormap	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• <i>M</i>-by-3 matrix of RGB values</li><li>• Name or function handle of a function that returns a colormap, such as <code>redgreenmap</code> or <code>redbluecmap</code></li></ul> <p>Default is <code>redgreenmap</code>.</p>
DisplayRange	<p>Positive scalar specifying the display range of standardized values. Default is 3, which means there is a color variation for values between <math>-3</math> and 3, but values <math>&gt;3</math> are the same color as 3, and values <math>&lt;-3</math> are the same color as <math>-3</math>.</p> <p>For example, if you specify <code>redgreenmap</code> for the 'Colormap' property, pure red represents values <math>\geq \text{DisplayRangeValue}</math>, and pure green represents values <math>\leq -\text{DisplayRangeValue}</math>.</p>
Symmetric	<p>Forces the color scale of the heat map to be symmetric around zero. Choices are <code>true</code> (default) or <code>false</code>.</p>

Properties for Clustering Analysis and Clustergram Creation  
(Continued)

Property Name	Description
LogTrans	Controls the $\log_2$ transform of the data from natural scale. Choices are true or false (default).
DisplayRatio	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• Scalar</li><li>• Two-element vector</li></ul> <p>This property specifies the ratio of space that the row and column dendrograms occupy relative to the heat map. If <code>DisplayRatio</code> is a scalar, it is used as the ratio for both dendrograms. If <code>DisplayRatio</code> is a two-element vector, the first element is used for the ratio of the row dendrogram width to the heat map width, and the second element is used for the ratio of the column dendrogram height to the heat map height. The second element is ignored for one-dimensional clustergrams. Default is 1/5.</p>

Properties for Clustering Analysis and Clustergram Creation  
(Continued)

Property Name	Description
ImputeFun	One of the following: <ul style="list-style-type: none"><li>• Name of a function that imputes missing data.</li><li>• Handle to a function that imputes missing data.</li><li>• Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.</li></ul>
ShowDendrogram	<p>Shows and hides the dendrogram tree diagrams with the clustergram. Choices are 'on' (default) or 'off'.</p> <hr/> <p><b>Tip</b> After displaying a clustergram in a Clustergram window, click the Show Dendrogram  button on the toolbar to show and hide the dendrograms.</p> <hr/>

Properties for Group Labels

Property Name	Description
RowGroupMarker	<p>Structure or structure array containing information for annotating the groups (clusters) of rows determined by the <code>clustergram</code> function. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <code>GroupNumber</code> — Scalar specifying the row group number to annotate.</li><li>• <code>Annotation</code> — String specifying text to annotate the row group.</li><li>• <code>Color</code> — String or three-element vector of RGB values specifying a color to label the row group. For more information on specifying colors, see <code>ColorSpec</code>. If this field is empty, default is <code>'blue'</code>.</li></ul>
ColumnGroupMarker	<p>Structure or structure array containing information for annotating the groups (clusters) of columns determined by the <code>clustergram</code> function. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <code>GroupNumber</code> — Scalar specifying the column group number to annotate.</li><li>• <code>Annotation</code> — String specifying text to annotate the column group.</li></ul>

Properties for Group Labels (Continued)

Property Name	Description
	<ul style="list-style-type: none"><li>Color — String or three-element vector of RGB values specifying a color to label the column group. For more information on specifying colors, see ColorSpec. If this field is empty, default is 'blue'.</li></ul>

Properties for Row and Column Labels

Property Name	Description
RowLabels	Vector of numbers or cell array of text strings to label the rows in the dendrogram and heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of rows in <i>Data</i> , the matrix of data used by the clustergram function to create the clustergram object.
ColumnLabels	Vector of numbers or cell array of text strings to label the columns in the dendrogram and heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of columns in <i>Data</i> , the matrix of data used by the clustergram function to create the clustergram object.
ColumnLabelsLocation	Read-only string specifying the location of the column labels. For clustergram objects, it is always 'bottom' (default).
RowLabelsLocation	Read-only string specifying the location of the row labels. For clustergram objects, it is always 'right' (default).




Properties for Row and Column Labels (Continued)

Property Name	Description
RowLabelsColor	<p>Structure or structure array containing color information for labeling the rows (<i>y</i>-axis) of the clustergram. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <b>Labels</b> — String specifying a row label listed in the <b>RowLabels</b> vector.</li><li>• <b>Colors</b> — String or three-element vector of RGB values specifying a color for the row label specified in the <b>Labels</b> field. For more information on specifying colors, see <b>ColorSpec</b>. If this field is empty, default colors are assigned to the row label.</li></ul>
ColumnLabelsColor	<p>Structure or structure array containing color information for labeling the columns (<i>x</i>-axis) of the clustergram. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <b>Labels</b> — String specifying a column label listed in the <b>ColumnLabels</b> vector.</li><li>• <b>Colors</b> — String or three-element vector of RGB values specifying a color for the column label specified in the <b>Labels</b> field. For more information on specifying colors,</li></ul>

Properties for Row and Column Labels (Continued)

Property Name	Description
	see ColorSpec. If this field is empty, default colors are assigned to the column label.
LabelsWithMarkers	Controls the display of colored markers instead of colored text for the row labels and column labels. Choices are true or false (default).
RowLabelsRotate	Numeric value in degrees rotation specifying the orientation of row (y-axis) labels. Default is 0 degrees, which is horizontal. Positive values cause counterclockwise rotation.
ColumnLabelsRotate	Numeric value in degrees rotation specifying the orientation of column (x-axis) labels. Default is 90 degrees, which is vertical. Values greater than 90 degrees cause counterclockwise rotation.

Properties for Annotating Data

Property Name	Description
Annotate	<p>Controls the display of intensity values on each area of the heat map. Choices are true or false (default).</p> <hr/> <p><b>Tip</b> After displaying a clustergram in a Clustergram window, click the Annotate  button on the toolbar to show and hide the intensity values.</p> <hr/>

## Properties for Annotating Data (Continued)

Property Name	Description
AnnotPrecision	Positive integer specifying the precision of the intensity values when displayed on the heat map. Default is 2.
AnnotColor	String or three-element vector of RGB values specifying a color, which is used for the text of the intensity values when displayed on the heat map. Default is 'white'. For more information on specifying colors, see ColorSpec.

## Examples

**Note** The following examples use the `get` and `set` methods with property names and values of a clustergram object. When supplying a *PropertyName*, be aware that it is case sensitive.

### Determining Properties and Property Values of a Clustergram Object

Display all properties and their current values of a clustergram object, *CGobj*:

```
get(CGobj)
```

Return all properties and their current values of *CGobj*, a clustergram object, to *CGstruct*, a scalar structure, in which each field name is a property of a clustergram object, and each field contains the value of that property:

```
CGstruct = get(CGobj)
```

Return the value of a specific property of a clustergram object, *CGobj*, using either:

```
PropertyValue = get(CGobj, 'PropertyName')
```

# clustergram object

---

```
PropertyValue = CGobj.PropertyName
```

Return the value of specific properties of a clustergram object, *CGobj*:

```
[Property1Value, Property2Value, ...] = get(CGobj, ...  
'Property1Name', 'Property2Name', ...)
```

## Determining Possible Values of Clustergram Object Properties

Display possible values for all properties that have a fixed set of property values in a clustergram object, *CGobj*:

```
set(CGobj)
```

Display possible values for a specific property that has a fixed set of property values in a clustergram object, *CGobj*:

```
set(CGobj, 'PropertyName')
```

## Specifying Properties of a Clustergram Object

Set a specific property of a clustergram object, *CGobj*, using either:

```
set(CGobj, 'PropertyName', PropertyValue)
```

```
CGobj.PropertyName = PropertyValue
```

Set multiple properties of a clustergram object, *CGobj*:

```
set(CGobj, 'Property1Name', Property1Value, ...  
'Property2Name', Property2Value, ...)
```

## See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox methods of a clustergram object: `addTitle`, `addXLabel`, `addYLabel`, `clusterGroup`, `get`, `plot`, `set`, `view`

MATLAB function: `display`

Bioinformatics Toolbox object: `HeatMap` object

## Purpose

Compute hierarchical clustering, display dendrogram and heat map, and create clustergram object

## Syntax

```
CGobj = clustergram(Data)
CGobj = clustergram(Data, ...'RowLabels',
RowLabelsValue, ...)
CGobj = clustergram(Data, ...'ColumnLabels',
ColumnLabelsValue, ...)
CGobj = clustergram(Data, ...'Standardize',
StandardizeValue,
...)
CGobj = clustergram(Data, ...'Cluster', ClusterValue, ...)
CGobj = clustergram(Data, ...'RowPDist',
RowPDistValue, ...)
CGobj = clustergram(Data, ...'ColumnPDist',
ColumnPDistValue,
...)
CGobj = clustergram(Data, ...'Linkage', LinkageValue, ...)
CGobj = clustergram(Data, ...'Dendrogram', DendrogramValue,
...)
CGobj = clustergram(Data, ...'OptimalLeafOrder',
OptimalLeafOrderValue, ...)
CGobj = clustergram(Data, ...'Colormap',
ColormapValue, ...)
CGobj = clustergram(Data, ...'DisplayRange',
DisplayRangeValue, ...)
CGobj = clustergram(Data, ...'Symmetric', SymmetricValue,
...)
CGobj = clustergram(Data, ...'LogTrans',
LogTransValue, ...)
CGobj = clustergram(Data, ...'DisplayRatio',
DisplayRatioValue, ...)
CGobj = clustergram(Data, ...'ImputeFun', ImputeFunValue,
...)
CGobj = clustergram(Data, ...'RowGroupMarker',
RowGroupMarkerValue, ...)
CGobj = clustergram(Data, ...'ColumnGroupMarker',
```

*ColumnGroupMarkerValue, ...)*

**Arguments**

<i>Data</i>	DataMatrix object or numeric matrix of data. If the matrix contains gene expression data, typically each row corresponds to a gene and each column corresponds to a sample.
<i>RowLabelsValue</i>	Vector of numbers or cell array of text strings to label the rows in the dendrogram and heat map. Default is a vector of values 1 through <i>M</i> , where <i>M</i> is the number of rows in <i>Data</i> .
<i>ColumnLabelsValue</i>	Vector of numbers or cell array of text strings to label the columns in the dendrogram and heat map. Default is a vector of values 1 through <i>N</i> , where <i>N</i> is the number of columns in <i>Data</i> .
<i>StandardizeValue</i>	<p>String or number specifying the dimension for standardizing the values in <i>Data</i>. The <code>clustergram</code> function transforms the standardized values so that the mean is 0 and the standard deviation is 1 in the specified dimension. Choices are:</p> <ul style="list-style-type: none"><li>• 'column' or 1 — Standardize along the columns of data.</li><li>• 'row' or 2 (default) — Standardize along the rows of data.</li><li>• 'none' or 3 — Do not standardize.</li></ul>

*ClusterValue*

String or number specifying the dimension for clustering the values in *Data*. Choices are:

- 'column' or 1 — Cluster along the columns of data only, which results in clustered rows.
- 'row' or 2 — Cluster along the rows of data only, which results in clustered columns.
- 'all' or 3 (default) — Cluster along the columns of data, then cluster along the rows of row-clustered data.

*RowPDistValue*

String, function handle, or cell array specifying the distance metric to pass to the `pdist` function (Statistics Toolbox software) to calculate the pairwise distances between rows. For information on choices, see the `pdist` function. Default is 'euclidean'.

---

**Note** If the distance metric requires extra arguments, then *RowPDistValue* is a cell array. For example, to use the Minkowski distance with exponent *P*, you would use {'minkowski', *P*}.

---

*ColumnPDistValue*

String, function handle, or cell array specifying the distance metric to pass to the `pdist` function (Statistics Toolbox software) to use to calculate the pairwise distances between columns. For information on choices, see the `pdist` function. Default is `'euclidean'`.

---

**Note** If the distance metric requires extra arguments, then *ColumnPDistValue* is a cell array. For example, to use the Minkowski distance with exponent *P*, you would use `{'minkowski', P}`.

---

*LinkageValue*

String or two-element cell array of strings specifying the linkage method to pass to the `linkage` function (Statistics Toolbox software) to create the hierarchical cluster tree for rows and columns. If a two-element cell array of strings, the `clustergram` function uses the first element for linkage between rows, and the second element for linkage between columns. For information on choices, see the `linkage` function. Default is `'average'`.

---

**Tip** To specify the linkage method for only one dimension, set the other dimension to `''`.

---



## *DendrogramValue*

Scalar or two-element numeric vector or cell array of strings specifying the 'colorthreshold' property to pass to the `dendrogram` function (Statistics Toolbox software) to create the dendrogram plot. If a two-element numeric vector or cell array, the first element is for the rows, and the second element is for the columns. For more information, see the `dendrogram` function.

---

**Tip** To specify the 'colorthreshold' property for only one dimension, set the other dimension to ''.

---

## *OptimalLeafOrderValue*

Enables or disables the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves. Choices are `true` (enable) or `false` (disable). Default depends on the size of *Data*. If the number of rows or columns in *Data* exceeds 1000, default is `false`; otherwise, default is `true`.

---

**Note** Disabling the optimal leaf ordering calculation can be useful when working with large data sets, because this calculation consumes a lot of memory and time.

---

<i>ColormapValue</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• <i>M</i>-by-3 matrix of RGB values</li><li>• Name of or handle to a function that returns a colormap, such as <code>redgreencmap</code> or <code>redbluecmap</code></li></ul> <p>Default is <code>redgreencmap</code>, in which red represents values above the mean, black represents the mean, and green represents values below the mean of a row (gene) across all columns (samples).</p>
<i>DisplayRangeValue</i>	<p>Positive scalar that specifies the display range of standardized values. Default is 3, which means there is a color variation for values between <math>-3</math> and <math>3</math>, but values <math>&gt;3</math> are the same color as <math>3</math>, and values <math>&lt;-3</math> are the same color as <math>-3</math>.</p> <p>For example, if you specify <code>redgreencmap</code> for the <code>'Colormap'</code> property, pure red represents values <math>\geq</math> <i>DisplayRangeValue</i>, and pure green represents values <math>\leq -</math><i>DisplayRangeValue</i>.</p>
<i>SymmetricValue</i>	<p>Forces the color scale of the heat map to be symmetric around zero. Choices are <code>true</code> (default) or <code>false</code>.</p>
<i>LogTransValue</i>	<p>Controls the <math>\log_2</math> transform of <i>Data</i> from natural scale. Choices are <code>true</code> or <code>false</code> (default).</p>

*DisplayRatioValue*

Either of the following:

- Scalar
- Two-element vector

This property specifies the ratio of space that the row and column dendrograms occupy relative to the heat map. If *DisplayRatioValue* is a scalar, the `clustergram` function uses it as the ratio for both dendrograms. If *DisplayRatioValue* is a two-element vector, the `clustergram` function uses the first element for the ratio of the row dendrogram width to the heat map width, and the second element for the ratio of the column dendrogram height to the heat map height. The `clustergram` function ignores the second element for one-dimensional clustergrams. Default is 1/5.

*ImputeFunValue*

One of the following:

- Name of a function that imputes missing data.
- Handle to a function that imputes missing data.
- Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.

---

**Caution** If data points are missing, use the 'ImputeFun' property. Otherwise, the clustergram function errors.

---

*RowGroupMarkerValue* Structure or structure array containing information for annotating the groups (clusters) of rows determined by the clustergram function. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain a single element.

- **GroupNumber** — Scalar specifying the row group number to annotate.
- **Annotation** — String specifying text to annotate the row group.
- **Color** — String or three-element vector of RGB values specifying a color, which the clustergram function uses to label the row group. For more information on specifying colors, see ColorSpec. If this field is empty, default is 'blue'.

*ColumnGroupMarkerValue* Structure or structure array containing information for annotating the groups (clusters) of columns determined by the clustergram function. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain a single element.

- **GroupNumber** — Scalar specifying the column group number to annotate.
- **Annotation** — String specifying text to annotate the column group.
- **Color** — String or three-element vector of RGB values specifying a color, which the `clustergram` function uses to label the column group. For more information on specifying colors, see `ColorSpec`. If this field is empty, default is 'blue'.

## Description

`CGobj = clustergram(Data)` performs hierarchical clustering analysis on the values in *Data*, a `DataMatrix` object or numeric matrix. It creates *CGobj*, an object containing the analysis data, and displays a dendrogram and heat map. It uses hierarchical clustering with Euclidean distance metric and average linkage to generate the hierarchical tree. It clusters first along the columns (producing row-clustered data), and then along the rows in the matrix *Data*. If *Data* contains gene expression data, typically the rows correspond to genes and the columns correspond to samples.

`CGobj = clustergram(Data, ...'PropertyName', PropertyValue, ...)` calls `clustergram` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`CGobj = clustergram(Data, ...'RowLabels', RowLabelsValue, ...)` uses the contents of *RowLabelsValue*, a vector of numbers or cell array of text strings, as labels for the rows in the dendrogram and heat map. Default is a vector of values 1 through *M*, where *M* is the number of rows in *Data*.

`CGobj = clustergram(Data, ...'ColumnLabels', ColumnLabelsValue, ...)` uses the contents of *ColumnLabelsValue*, a vector of numbers or cell array of text strings, as labels for the columns in the dendrogram and heat map. Default is a vector of values 1 through *M*, where *M* is the number of columns in *Data*.

`CGobj = clustergram(Data, ...'Standardize', StandardizeValue, ...)` specifies the dimension for standardizing the values in *Data*. The `clustergram` function transforms the standardized values so that the mean is 0 and the standard deviation is 1 in the specified dimension. *StandardizeValue* can be:

- 'column' or 1 — Standardize along the columns of data.
- 'row' or 2 (default) — Standardize along the rows of data.
- 'none' or 3 — Do not standardize.

`CGobj = clustergram(Data, ...'Cluster', ClusterValue, ...)` specifies the dimension for clustering the values in *Data*. *ClusterValue* can be:

- 'column' or 1 — Cluster along the columns of data only, which results in clustered rows.
- 'row' or 2 — Cluster along the rows of data only, which results in clustered columns.
- 'all' or 3 (default) — Cluster along the columns of data, then cluster along the rows of row-clustered data.

`CGobj = clustergram(Data, ...'RowPDist', RowPDistValue, ...)` specifies the distance metric to pass to the `pdist` function (Statistics Toolbox software) to use to calculate the pairwise distances between rows. *RowPDistValue* is a string, function handle, or cell array. For information on choices, see the `pdist` function. Default is 'euclidean'.

`CGobj = clustergram(Data, ...'ColumnPDist', ColumnPDistValue, ...)` specifies the distance metric to

pass to the `pdist` function (Statistics Toolbox software) to use to calculate the pairwise distances between columns. *ColumnPDistValue* is a string, function handle, or cell array. For information on choices, see the `pdist` function. Default is 'euclidean'.

---

**Note** If the distance metric requires extra arguments, then *RowPDistValue* or *ColumnPDistValue* is a cell array. For example, to use the Minkowski distance with exponent *P*, you would use {'minkowski', *P*}.

---

*CGobj* = `clustergram`(*Data*, ...'Linkage', *LinkageValue*, ...) specifies the linkage method to pass to the `linkage` function (Statistics Toolbox software) to use to create the hierarchical cluster tree for rows and columns. *LinkageValue* is a string or two-element cell array of strings. If a two-element cell array of strings, the `clustergram` function uses first element for linkage between rows, and the second element for linkage between columns. For information on choices, see the `linkage` function. Default is 'average'.

---

**Tip** To specify the linkage method for only one dimension, set the other dimension to ''.

---

*CGobj* = `clustergram`(*Data*, ...'Dendrogram', *DendrogramValue*, ...) specifies the 'colorthreshold' property to pass to the `dendrogram` function (Statistics Toolbox software) to create the dendrogram plot. *DendrogramValue* is a scalar or two-element numeric vector or cell array of strings that specifies the 'colorthreshold' property. If a two-element numeric vector or cell array, the first element is for the rows, and the second element is for the columns. For more information, see the `dendrogram` function.

---

**Tip** To specify the 'colorthreshold' property for only one dimension, set the other dimension to ''.

---

*CGobj* = clustergram(*Data*, ...'OptimalLeafOrder', *OptimalLeafOrderValue*, ...) enables or disables the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves. Choices are `true` (enable) or `false` (disable). Default depends on the size of *Data*. If the number of rows or columns in *Data* exceeds 1000, default is `false`; otherwise, default is `true`.

---

**Tip** Disabling the optimal leaf ordering calculation can be useful when working with large data sets, because this calculation consumes a lot of memory and time.

---

*CGobj* = clustergram(*Data*, ...'Colormap', *ColormapValue*, ...) specifies the colormap to use to create the clustergram. The colormap controls the colors used to display the heat map. *ColormapValue* is either an *M*-by-3 matrix of RGB values or the name of or handle to a function that returns a colormap, such as `redgreenmap` or `redbluecmap`. Default is `redgreenmap`.

---

**Note** In `redgreenmap`, red represents values above the mean, black represents the mean, and green represents values below the mean of a row (gene) across all columns (samples). In `redbluecmap`, red represents values above the mean, white represents the mean, and blue represents values below the mean of a row (gene) across all columns (samples).

---

*CGobj* = clustergram(*Data*, ...'DisplayRange', *DisplayRangeValue*, ...) specifies the display range of standardized values. *DisplayRangeValue* must be a positive scalar.



Default is 3, which means there is a color variation for values between  $-3$  and  $3$ , but values  $>3$  are the same color as  $3$ , and values  $<-3$  are the same color as  $-3$ .

For example, if you specify `redgreencmap` for the 'Colormap' property, pure red represents values  $\geq \text{DisplayRangeValue}$ , and pure green represents values  $\leq -\text{DisplayRangeValue}$ .

`CGobj = clustergram(Data, ...'Symmetric', SymmetricValue, ...)` controls whether the color scale of the heat map is symmetric around zero. *SymmetricValue* can be true (default) or false.

`CGobj = clustergram(Data, ...'LogTrans', LogTransValue, ...)` controls the  $\log_2$  transform of *Data* from natural scale. Choices are true or false (default).

`CGobj = clustergram(Data, ...'DisplayRatio', DisplayRatioValue, ...)` specifies the ratio of space that the row and column dendrograms occupy relative to the heat map. If *DisplayRatioValue* is a scalar, the `clustergram` function uses it as the ratio for both dendrograms. If *DisplayRatioValue* is a two-element vector, the `clustergram` function uses the first element for the ratio of the row dendrogram width to the heat map width, and the second element for the ratio of the column dendrogram height to the heat map height. The `clustergram` function ignores the second element for one-dimensional clustergrams. Default is 1/5.

`CGobj = clustergram(Data, ...'ImputeFun', ImputeFunValue, ...)` specifies a function and optional inputs that impute missing data. *ImputeFunValue* can be any of the following:

- Name of a function that imputes missing data.
- Handle to a function that imputes missing data.
- Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.

---


**Tip** If data points are missing, use the 'ImputeFun' property. Otherwise, the clustergram function errors.

---

`CGobj = clustergram(Data, ... 'RowGroupMarker',  
RowGroupMarkerValue, ...)` specifies a structure or structure array containing information for annotating the groups (clusters) of rows determined by the clustergram function.

`CGobj = clustergram(Data, ... 'ColumnGroupMarker',  
ColumnGroupMarkerValue, ...)` specifies a structure or structure array containing information for annotating the groups of columns determined by the clustergram function.

---

**Tip** If necessary, view row labels (right) and column labels (bottom) by clicking the Zoom In  button on the toolbar to zoom the clustergram.

---

## Examples

The following example uses data from an experiment (DeRisi et al., 1997) that used DNA microarrays to study temporal gene expression of almost all genes in *Saccharomyces cerevisiae* (yeast) during the metabolic shift from fermentation to respiration. Expression levels were measured at seven time points during the diauxic shift.

- 1 Load the MAT-file, provided with Bioinformatics Toolbox, that contains filtered yeast data.


```
load filteredyeastdata
```

This MAT-file includes three variables, which are added to the MATLABWorkspace:

- `yeastvalues` — A matrix of gene expression data from *Saccharomyces cerevisiae* (yeast) during the metabolic shift from fermentation to respiration

- **genes** — A cell array of GenBank accession numbers for labeling the rows in `yeastvalues`
  - **times** — A vector of time values for labeling the columns in `yeastvalues`
- 2** Create a clustergram object and display the dendrograms and heat map from the gene expression data in the first 30 rows of the `yeastvalues` matrix.


```
cgo = clustergram(yeastvalues(1:30,:))
Clustergram object with 30 rows of nodes and 7 columns of nodes.
```






- 3** Use the `set` method and the `genes` and `times` vectors to add meaningful row and column labels to the clustergram.

# clustergram

```
set(cgo,'RowLabels',genes(1:30),'ColumnLabels',times)
```




- 4 Add a color bar to the clustergram by clicking the Insert Colorbar  button on the toolbar.
- 5 View a data tip containing the intensity value, row label, and column label for a specific area of the heat map by clicking the Data Cursor  button on the toolbar, then clicking an area in the heat map. To delete this data tip, right-click it, then select **Delete Current Datatip**.

- 6 Display intensity values for each area of the heat map by clicking the Annotate  button on the toolbar. Click the Annotate button again to remove the intensity values.

---

**Tip** If the amount of data is large enough, the cells within the clustergram are too small to display the intensity annotations. Zoom the clustergram to see the intensity annotations.

---

- 7 Remove the dendrogram tree diagrams from the figure by clicking the Show Dendrogram  button on the toolbar. Click the Show Dendrogram button again to display the dendrograms.
- 8 Use the `get` method to display the properties of the clustergram object, `cgo`:

```
get(cgo)
```


```

Cluster: 'ALL'
RowPDist: {'Euclidean'}
ColumnPDist: {'Euclidean'}
Linkage: {'Average'}
Dendrogram: {}
OptimalLeafOrder: 1
LogTrans: 0
DisplayRatio: [0.2000 0.2000]
RowGroupMarker: []
ColumnGroupMarker: []
ShowDendrogram: 'on'
ColumnLabels: {' 9.5' ' 0' '11.5' '13.5' '15.5' '20.5' '18.5'}
RowLabels: {30x1 cell}
ColumnLabelsRotate: 90
RowLabelsRotate: 0
ColumnLabelsLocation: 'bottom'
RowLabelsLocation: 'right'
```

```
Standardize: 'ROW'  
Symmetric: 1  
DisplayRange: 3  
Colormap: [11x3 double]  
ImputeFun: []  
Annotate: 'off'  
AnnotPrecision: 2  
AnnotColor: 'w'  
ColumnLabelsColor: []  
RowLabelsColor: []  
LabelsWithMarkers: 0
```


- 9 Change the clustering parameters by changing the linkage method and changing the color of the groups of nodes in the dendrogram whose linkage is less than a threshold of 3.

```
set(cgo,'Linkage','complete','Dendrogram',3)
```




- 10 Place the cursor on a branch node in the dendrogram to highlight (in blue) the group associated with it. Press and hold the mouse button to display a data tip listing the group number and the nodes (genes or samples) in the group.

---



- 11** Right-click a branch node in the dendrogram to display a menu of options.





The following options are available:

- **Set Group Color** — Change the cluster group color.
- **Print Group to Figure** — Print the group to a Figure window.
- **Copy Group to New Clustergram** — Copy the group to a new Clustergram window.
- **Export Group to Workspace** — Create a clustergram object of the group in the MATLAB Workspace.
- **Export Group Info to Workspace** — Create a structure containing information about the group in the MATLAB Workspace. The structure contains these fields:

- **GroupNames** — Cell array of text strings containing the names of the row or column groups.
- **RowNodeNames** — Cell array of text strings containing the names of the row nodes.
- **ColumnNodeNames** — Cell array of text strings containing the names of the column nodes.
- **ExprValues** — An  $M$ -by- $N$  matrix of intensity values, where  $M$  and  $N$  are the number of row nodes and of column nodes respectively. If the matrix contains gene expression data, typically each row corresponds to a gene and each column corresponds to sample.

**12** Create a clustergram object in the MATLAB Workspace of Group 18 by right-clicking it, then selecting **Export Group to Workspace**. In the Export to Workspace dialog box, type **Group18**, then click **OK**.

**13** Use the `get` method to display the properties of the clustergram object, `Group18`.

```
get(Group18)


Cluster: 'ALL'
RowPDist: {'Euclidean'}
ColumnPDist: {'Euclidean'}
Linkage: 'complete'
Dendrogram: 3
OptimalLeafOrder: 1
LogTrans: 0
DisplayRatio: [0.2000 0.2000]
RowGroupMarker: []
ColumnGroupMarker: []
ShowDendrogram: 'on'
ColumnLabels: {' 9.5' ' 0' '11.5' '13.5' '15.5' '20.5' '18.5'}
RowLabels: {3x1 cell}
ColumnLabelsRotate: 90
RowLabelsRotate: 0
```

```
ColumnLabelsLocation: 'bottom'  
RowLabelsLocation: 'right'  
    Standardize: 'ROW'  
    Symmetric: 1  
DisplayRange: 3  
    Colormap: [11x3 double]  
    ImputeFun: []  
    Annotate: 'off'  
AnnotPrecision: 2  
    AnnotColor: 'w'  
ColumnLabelsColor: []  
RowLabelsColor: []  
LabelsWithMarkers: 0
```

- 14** Use the `view` method to view the clustergram (dendrograms and heat map) of the clustergram object, `Group18`.


```
view(Group18)
```

# clustergram



- 15** View all the gene expression data using a diverging red and blue colormap.

```
cgo_all = clustergram(yeastvalues,'Colormap',redbluecmap)  
Clustergram object with 614 rows of nodes and 7 columns of nodes.
```




- 16** Create structure arrays to specify marker colors and annotations for two groups of rows (510 and 593) and two groups of columns (4 and 5).

```
rm = struct('GroupNumber',{510,593},'Annotation',{'A','B'},...
           'Color',{'b','m'});
cm = struct('GroupNumber',{4,5},'Annotation',{'Time1','Time2'},...
           'Color',{[1 1 0],[0.6 0.6 1]});
```

- 17** Use the 'RowGroupMarker' and 'ColumnGroupMarker' properties to add the color markers and annotations to the clustergram.

```
set(cgo_all,'RowGroupMarker',rm,'ColumnGroupMarker',cm)
```



**18** Click the color column markers to display the annotations.

## References

- [1] Bar-Joseph, Z., Gifford, D.K., and Jaakkola, T.S. (2001). Fast optimal leaf ordering for hierarchical clustering. *Bioinformatics* 17, Suppl 1:S22 – 9. PMID: 11472989.
- [2] Eisen, M.B., Spellman, P.T., Brown, P.O., and Botstein, D. (1998). Cluster analysis and display of genome-wide expression patterns. *Proc Natl Acad Sci USA* 95, 14863–8.
- [3] DeRisi, J.L., Iyer, V.R., and Brown, P.O. (1997). Exploring the metabolic and genetic control of gene expression on a genomic scale. *Science* 278, 680–686s.

[4] Golub, T.R., Slonim, D.K., and Tamayo, P., et al. (1999). Molecular classification of cancer: class discovery and class prediction by gene expression monitoring. *Science* 286 (15), 531–537.

## See Also

Bioinformatics Toolbox functions: `redbluecmap`, `redgreencmap`

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `addTitle`, `addXLabel`, `addYLabel`, `clustergroup`, `get`, `plot`, `set`, `view`

Statistics Toolbox functions: `cluster`, `dendrogram`, `linkage`, `pdist`

# clusterGroup (clustergram)

---

<b>Purpose</b>	Select cluster group	
<b>Syntax</b>	<pre>clusterGroup(CGobj1, GroupIndex, Dim) CGobj2 = clusterGroup(CGobj1, GroupIndex, Dim) CGStruct = clusterGroup(CGobj1, GroupIndex,     Dim, 'InfoOnly',         InfoOnlyValue) CGStruct = clusterGroup(CGobj1, GroupIndex, Dim, 'Color',     ColorValue)</pre>	
<b>Arguments</b>	<i>CGobj1</i>	Clustergram object created with the function clustergram.
	<i>GroupIndex</i>	Positive integer specifying a group index for a cluster in <i>CGobj1</i> .
	<i>Dim</i>	String specifying the dimension of the cluster group. Choices are 'column' or 'row'.
	<i>InfoOnlyValue</i>	Controls the return of a structure (instead of a clustergram object) containing information about the cluster group. Choices are true or false (default).
	<i>ColorValue</i>	Color to highlight the dendrogram of the selected cluster group. Specify the color with one of the following: <ul style="list-style-type: none"><li>• Three-element numeric vector of RGB values</li><li>• String containing a predefined single-letter color code</li><li>• String containing a predefined color name</li></ul> For example, to use cyan, enter [0 1 1], 'c', or 'cyan'. For more information on specifying colors, see ColorSpec.



## Return Values

<i>CGobj2</i>	Clustergram object created from the selected cluster group in <i>CGobj1</i> .
<i>CGStruct</i>	<p>Structure containing information about the cluster group in the following fields:</p> <ul style="list-style-type: none"> <li>• <b>GroupNames</b> — Cell array of text strings containing the names of the row or column groups in the selected cluster group.</li> <li>• <b>RowNodeNames</b> — Cell array of text strings containing the names of the row nodes in the selected cluster group.</li> <li>• <b>ColumnNodeNames</b> — Cell array of text strings containing the names of the column nodes in the selected cluster group.</li> <li>• <b>ExprValues</b> — An <math>M</math>-by-<math>N</math> matrix of intensity values, where <math>M</math> and <math>N</math> are the number of row nodes and of column nodes respectively in the selected cluster group. If the matrix contains gene expression data, typically each row corresponds to a gene and each column corresponds to a sample.</li> </ul>

## Description

`clusterGroup(CGobj1, GroupIndex, Dim)` selects and highlights a cluster group in the Clustergram window, specified by a clustergram object, group index, and dimension.

`CGobj2 = clusterGroup(CGobj1, GroupIndex, Dim)` creates a clustergram object from the specified cluster group. This syntax is equivalent to selecting the **Export Group to Workspace** command from the context menu after right-clicking a group in the Clustergram window.

`CGStruct = clusterGroup(CGobj1, GroupIndex, Dim, 'InfoOnly', InfoOnlyValue)` controls the return of a structure (instead of a clustergram object) containing information about the

# clusterGroup (clustergram)


cluster group. Choices are true or false (default). Setting this property to true is equivalent to selecting the **Export Group Info to Workspace** command from the context menu after right-clicking a group in the Clustergram window.

`CGStruct = clusterGroup(CGobj1, GroupIndex, Dim, 'Color', ColorValue)` specifies a color for the dendrogram of the selected cluster group.

## Examples

Select and highlight column cluster Group 4 in the Clustergram window, from the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the `clustergram` function reference page.

```
clusterGroup(cgo,4,'column')
```



### See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `get`, `set`, `view`

**Purpose** Calculate codon frequency for each amino acid coded for in nucleotide sequence

**Syntax**

```
CodonFreq = codonbias(SeqNT)
CodonFreq = codonbias(SeqNT, ...'GeneticCode',
GeneticCodeValue, ...)
CodonFreq = codonbias(SeqNT, ...'Frame', FrameValue, ...)
CodonFreq = codonbias(SeqNT, ...'Reverse',
ReverseValue, ...)
CodonFreq = codonbias(SeqNT, ...'Pie', PieValue, ...)
```

**Arguments**

<i>SeqNT</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence</li><li>• Row vector of integers specifying a nucleotide sequence</li><li>• MATLAB structure containing a <i>Sequence</i> field that contains a nucleotide sequence, such as returned by <i>fastaread</i>, <i>fastqread</i>, <i>emblread</i>, <i>getembl</i>, <i>genbankread</i>, or <i>getgenbank</i></li></ul> <p>Valid characters include A, C, G, T, and U.</p> <p><i>codonbias</i> does not count ambiguous nucleotides or gaps.</p>
<i>GeneticCodeValue</i>	Integer or string specifying a genetic code number or code name from the table Genetic Code on page 3-428. Default is 1 or 'Standard'.

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

<i>FrameValue</i>	Integer specifying a reading frame in the nucleotide sequence. Choices are 1 (default), 2, or 3.
<i>ReverseValue</i>	Controls the return of the codon frequency for the reverse complement sequence of the nucleotide sequence specified by <i>SeqNT</i> . Choices are <code>true</code> or <code>false</code> (default).
<i>PieValue</i>	Controls the creation of a figure of 20 pie charts, one for each amino acid. Choices are <code>true</code> or <code>false</code> (default).

## Return Values

<i>CodonFreq</i>	MATLAB structure containing a field for each amino acid, each of which contains the associated codon frequencies as percentages.
------------------	--

## Description

Many amino acids are coded by two or more nucleic acid codons. However, the probability that a specific codon (from all possible codons for an amino acid) is used to code an amino acid varies between sequences. Knowing the frequency of each codon in a protein coding sequence for each amino acid is a useful statistic.

*CodonFreq* = *codonbias(SeqNT)* calculates the codon frequency in percent for each amino acid coded for in *SeqNT*, a nucleotide sequence, and returns the results in *CodonFreq*, a MATLAB structure containing a field for each amino acid.

*CodonFreq* = *codonbias(SeqNT, ...'PropertyName', PropertyValue, ...)* calls *codonbias* with optional properties that use property name/property value pairs. You can specify one or more

properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*CodonFreq* = *codonbias*(*SeqNT*, ...'GeneticCode', *GeneticCodeValue*, ...) specifies a genetic code. Choices for *GeneticCodeValue* are an integer or string specifying a code number or code name from the table Genetic Code on page 3-428. If you use a code name, you can truncate the name to the first two characters of the name. Default is 1 or 'Standard'.

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

*CodonFreq* = *codonbias*(*SeqNT*, ...'Frame', *FrameValue*, ...) calculates the codon frequency in the reading frame specified by *FrameValue*, which can be 1 (default), 2, or 3.

*CodonFreq* = *codonbias*(*SeqNT*, ...'Reverse', *ReverseValue*, ...) controls the return of the codon frequency for the reverse complement of the nucleotide sequence specified by *SeqNT*. Choices are true or false (default).

*CodonFreq* = *codonbias*(*SeqNT*, ...'Pie', *PieValue*, ...) controls the creation of a figure of 20 pie charts, one for each amino acid. Choices are true or false (default).

Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial

### Genetic Code (Continued)

Code Number	Code Name
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

### Examples


- 1 Import a nucleotide sequence from the GenBank database into the MATLAB software. For example, retrieve the DNA sequence that codes for a human insulin receptor.

```
S = getgenbank('M10051');
```

- 2 Calculate the codon frequency for each amino acid coded for by the DNA sequence, and then plot the results.

```
cb = codonbias(S.Sequence, 'PIE', true)
```

A figure with 20 pie charts for the 20 amino acids displays.



3 Get the codon frequency for the alanine (A) amino acid.

cb.Ala

ans =

Codon: { 'GCA' 'GCC' 'GCG' 'GCT' }



Freq: [0.1600 0.3867 0.2533 0.2000]

## See Also

Bioinformatics Toolbox functions: aminolookup, codoncount, geneticcode, nt2aa

**Purpose** Count codons in nucleotide sequence

**Syntax**

```
Codons = codoncount(SeqNT)
[Codons, CodonArray] = codoncount(SeqNT)
... = codoncount(SeqNT, ...'Frame', FrameValue, ...)
... = codoncount(SeqNT, ...'Reverse', ReverseValue, ...)
... = codoncount(SeqNT, ...'Figure', FigureValue, ...)
```

**Arguments**

<i>SeqNT</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226</li><li>• Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913</li><li>• MATLAB structure containing a Sequence field that contains a nucleotide sequence, such as returned by fastaread, fastqread, emblread, getembl, genbankread, or getgenbank.</li></ul>
--------------	--

Examples: 'ACGT' or [1 2 3 4]

<i>FrameValue</i>	Integer specifying a reading frame in the nucleotide sequence. Choices are 1 (default), 2, or 3.
<i>ReverseValue</i>	Controls the return of the codon count for the reverse complement sequence of the nucleotide sequence specified by <i>SeqNT</i> . Choices are true or false (default).
<i>FigureValue</i>	Controls the display of a heat map of the codon counts. Choices are true or false (default).

Return Values

<i>Codons</i>	MATLAB structure containing fields for the 64 possible codons (AAA, AAC, AAG, ..., TTG, TTT), which contain the codon counts in <i>SeqNT</i> .
<i>CodonArray</i>	A 4-by-4-by-4 array containing the raw count data for each codon. The three dimensions correspond to the three positions in the codon, and the indices to each element are represented by 1 = A, 2 = C, 3 = G, and 4 = T. For example, the element (2,3,4) in the array contains the number of CGT codons.

Description

*Codons* = codoncount(*SeqNT*) counts the codons in *SeqNT*, a nucleotide sequence, and returns the codon counts in *Codons*, a MATLAB structure containing fields for the 64 possible codons (AAA, AAC, AAG, ..., TTG, TTT).

- For sequences that have codons with the character U, these codons are added to the corresponding codons containing a T.
- If the sequence contains ambiguous nucleotide characters (R, Y, K, M, S, W, B, D, H, V, or N), or gaps indicated by a hyphen (-), then these characters are counted in the field *Others*, and the following warning message appears:

Warning: Ambiguous symbols appear in the sequence. These will be in Others.

- If the sequence contains undefined nucleotide characters (E, F, H, I, J, L, O, P, Q, X, or Z), then codons containing these characters are counted in the field *Others*, and the following warning message appears:

Warning: Unknown symbols appear in the sequence. These will be in Others.

[*Codons*, *CodonArray*] = codoncount(*SeqNT*) returns *CodonArray*, a 4-by-4-by-4 array containing the raw count data for each codon. The three dimensions correspond to the three positions in the codon, and the indices to each element are represented by 1 = A, 2 = C, 3 = G, and 4 = T. For example, the element (2,3,4) in the array contains the number of CGT codons.

`... = codoncount(SeqNT, ...'PropertyName', PropertyValue, ...)` calls `codoncount` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = codoncount(SeqNT, ...'Frame', FrameValue, ...)` counts the codons in the reading frame specified by *FrameValue*, which can be 1 (default), 2, or 3.

`... = codoncount(SeqNT, ...'Reverse', ReverseValue, ...)` controls the return of the codon count for the reverse complement sequence of *SeqNT*. Choices are `true` or `false` (default).

`... = codoncount(SeqNT, ...'Figure', FigureValue, ...)` controls the display of a heat map of the codon counts. Choices are `true` or `false` (default).

Examples

- Count the codons in a nucleotide sequence.

```
codons = codoncount('AACGTTA')


codons =
    AAA: 1  ATC: 0  CGG: 0  GCT: 0  TCA: 0
    AAC: 0  ATG: 0  CGT: 1  GGA: 0  TCC: 0
    AAG: 0  ATT: 0  CTA: 0  GGC: 0  TCG: 0
    AAT: 0  CAA: 0  CTC: 0  GGG: 0  TCT: 0
    ACA: 0  CAC: 0  CTG: 0  GGT: 0  TGA: 0
    ACC: 0  CAG: 0  CTT: 0  GTA: 0  TGC: 0
    ACG: 0  CAT: 0  GAA: 0  GTC: 0  TGG: 0
    ACT: 0  CCA: 0  GAC: 0  GTG: 0  TGT: 0
    AGA: 0  CCC: 0  GAG: 0  GTT: 0  TTA: 0
    AGC: 0  CCG: 0  GAT: 0  TAA: 0  TTC: 0
    AGG: 0  CCT: 0  GCA: 0  TAC: 0  TTG: 0
    AGT: 0  CGA: 0  GCC: 0  TAG: 0  TTT: 0
    ATA: 0  CGC: 0  GCG: 0  TAT: 0
```

- Count the codons in the second frame for the reverse complement of a sequence.

```
r2codons = codoncount('AAACGTTA','Frame',2,'Reverse',true)
```

- Create a heat map of the codons in a random nucleotide sequence.

```
a = randseq(1000);  
codoncount(a,'Figure', true);
```



See Also

Bioinformatics Toolbox functions: aacount, basecount, baselookup, codonbias, dimercount, nmercount, ntdensity, seqcomplement, seqrcomplement, seqreverse, seqwordcount

<b>Purpose</b>	Retrieve or set column names of DataMatrix object		
<b>Syntax</b>	<pre>ReturnColNames = colnames(DMObj) ReturnColNames = colnames(DMObj, ColIndices) DMObjNew = colnames(DMObj, ColIndices, ColNames)</pre>		
<b>Arguments</b>	<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).	
	<i>ColIndices</i>	One or more columns in <i>DMObj</i> , specified by any of the following: <ul style="list-style-type: none"><li>• Positive integer</li><li>• Vector of positive integers</li><li>• String specifying a column name</li><li>• Cell array of strings</li><li>• Logical vector</li></ul>	
	<i>ColNames</i>	Column names specified by any of the following: <ul style="list-style-type: none"><li>• Numeric vector</li><li>• Cell array of strings</li><li>• Character array</li><li>• Single string, which is used as a prefix for column names, with column numbers appended to the prefix</li><li>• Logical true or false (default). If true, unique column names are assigned using the format col1, col2, col3, etc. If false, no column names are assigned.</li></ul>	

# colnames (DataMatrix)

---

**Note** The number of elements in *ColNames* must equal the number of elements in *ColIndices*.

## Return Values

*ReturnColNames* String or cell array of strings containing column names in *DObj*.

*DObjNew* DataMatrix object created with names specified by *ColIndices* and *ColNames*.

## Description

*ReturnColNames* = colnames(*DObj*) returns *ReturnColNames*, a cell array of strings specifying the column names in *DObj*, a DataMatrix object.

*ReturnColNames* = colnames(*DObj*, *ColIndices*) returns the column names specified by *ColIndices*. *ColIndices* can be a positive integer, vector of positive integers, string specifying a column name, cell array of strings, or a logical vector.

*DObjNew* = colnames(*DObj*, *ColIndices*, *ColNames*) returns *DObjNew*, a DataMatrix object with columns specified by *ColIndices* set to the names specified by *ColNames*. The number of elements in *ColIndices* must equal the number of elements in *ColNames*.

## See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: rownames



<b>Purpose</b>	Combine two ExptData objects
<b>Syntax</b>	<code>NewEDObj = combine(EDObj1, EDObj2)</code>
<b>Description</b>	<code>NewEDObj = combine(EDObj1, EDObj2)</code> combines data from two ExptData objects and returns a new ExptData object. The number and names of features (rows) in both ExptData objects must match. The number and names of samples (columns) in both ExptData objects must match.
<b>Input Arguments</b>	<p><code>EDObj#</code></p> <p>Object of the <code>bioma.data.ExptData</code> class.</p>
<b>See Also</b>	<code>bioma.data.ExptData</code>
<b>How To</b>	<ul style="list-style-type: none"><li>• “Representing Expression Data Values in ExptData Objects”</li></ul>

# bioma.data.MetaData.combine

---

<b>Purpose</b>	Combine two MetaData objects
<b>Syntax</b>	<code>NewMDObj = combine(MDObj1, MDObj2)</code>
<b>Description</b>	<code>NewMDObj = combine(MDObj1, MDObj2)</code> combines data from two MetaData objects and returns a new MetaData object. The sample or feature names in the two MetaData objects being combined must be unique. The variable names in the two MetaData objects can be unique or the same. If a variable name is common to the two MetaData objects, then the variable occupies one column in the new MetaData object. Variable names unique to either of the two MetaData objects occupy their own column and contain values only for the samples or features where the variable is present.
<b>Input Arguments</b>	<div><div><code>MDObj#</code></div><div>Object of the <code>bioma.data.MetaData</code> class.</div></div>
<b>See Also</b>	<code>bioma.data.MetaData</code>
<b>How To</b>	<ul style="list-style-type: none"><li>• “Representing Sample and Feature Metadata in MetaData Objects”</li></ul>

<b>Purpose</b>	Combine two MIAME objects
<b>Syntax</b>	<code>NewMIAMEObj = combine(MIAMEObj1, MIAMEObj2)</code>
<b>Description</b>	<code>NewMIAMEObj = combine(MIAMEObj1, MIAMEObj2)</code> combines data from two MIAME objects and returns a new MIAME object. The <code>combine</code> method concatenates the properties of the two objects together.
<b>Input Arguments</b>	<p><code>MIAMEObj#</code></p> <p>Object of the <code>bioma.data.MIAME</code> class.</p>
<b>Examples</b>	<p>Construct two MIAME objects, and then combine them:</p> <pre>% Create a MATLAB structure containing GEO Series data geoStruct1 = getgeodata('GSE4616'); % Create a second MATLAB structure containing GEO Series data geoStruct2 = getgeodata('GSE11287'); % Import bioma.data package to make constructor function % available import bioma.data.* % Construct MIAME object from the first structure MIAMEObj1 = MIAME(geoStruct1); % Construct MIAME object from the second structure MIAMEObj2 = MIAME(geoStruct2); % Combine the two MIAME objects newMIAMEObj = combine(MIAMEObj1, MIAMEObj2)</pre>
<b>See Also</b>	<code>bioma.data.MIAME</code>
<b>How To</b>	<ul style="list-style-type: none"><li>• “Representing Experiment Information in a MIAME Object”</li></ul>

<b>Purpose</b>	Combine two objects
<b>Syntax</b>	<i>NewObj</i> = combine( <i>BioObj1</i> , <i>BioObj2</i> )
<b>Description</b>	<i>NewObj</i> = combine( <i>BioObj1</i> , <i>BioObj2</i> ) combines data from two objects of the same class and returns a new object. The combine method concatenates the properties of the two objects.
<b>Input Arguments</b>	<i>BioObj#</i> Object of the BioRead or BioMap class.

## Examples

Construct two BioRead objects, and then combine them:

```
% Create two structures with data from a FASTQ file
struct1 = fastqread('SRR005164_1_50.fastq', 'blockread', [1 10],...
    'trimheaders', true);
struct2 = fastqread('SRR005164_1_50.fastq', 'blockread', [11 20],...
    'trimheaders', true);
% Construct two BioRead objects from the two structures
BRObj1 = BioRead(struct1);
BRObj2 = BioRead(struct2);
% Combine the two BioRead objects, and then set the Name property
% of the new object
NewBRObj = combine(BRObj1, BRObj2);
NewBRObj = setName(NewBRObj, 'BRObj1 + BRObj2')

NewBRObj =

    BioRead

Properties:
    Quality: {20x1 cell}
    Sequence: {20x1 cell}
    Header: {20x1 cell}
    NSeqs: 20
    Name: 'BRObj1 + BRObj2'
```

Methods, Superclasses

## See Also

[BioRead](#) | [BioMap](#)

## How To

- [“Storing and Managing Short-Read Sequence Data in Objects”](#)

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

# conncomp (biograph)

---

<b>Purpose</b>	Find strongly or weakly connected components in biograph object	
<b>Syntax</b>	<pre>[S, C] = conncomp(BGObj) [S, C] = conncomp(BGObj, ...'Directed', DirectedValue, ...) [S, C] = conncomp(BGObj, ...'Weak', WeakValue, ...)</pre>	
<b>Arguments</b>	<i>BGObj</i>	Biograph object created by biograph (object constructor).
	<i>DirectedValue</i>	Property that indicates whether the graph is directed or undirected. Enter <b>false</b> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <b>true</b> . A DFS-based algorithm computes the connected components. Time complexity is $O(N+E)$ , where N and E are number of nodes and edges respectively.
	<i>WeakValue</i>	Property that indicates whether to find weakly connected components or strongly connected components. A weakly connected component is a maximal group of nodes that are mutually reachable by violating the edge directions. Set <i>WeakValue</i> to <b>true</b> to find weakly connected components. Default is <b>false</b> , which finds strongly connected components. The state of this parameter has no effect on undirected graphs because weakly and strongly connected components are the same in undirected graphs. Time complexity is $O(N+E)$ , where N and E are number of nodes and edges respectively.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[S, C] = conncomp(BGObj)` finds the strongly connected components of an N-by-N adjacency matrix extracted from a biograph object, *BGObj* using Tarjan's algorithm. A strongly connected component is a maximal group of nodes that are mutually reachable without violating the edge directions. The N-by-N sparse matrix represents a directed graph; all nonzero entries in the matrix indicate the presence of an edge.

The number of components found is returned in *S*, and *C* is a vector indicating to which component each node belongs.

Tarjan's algorithm has a time complexity of  $O(N+E)$ , where *N* and *E* are the number of nodes and edges respectively.

`[S, C] = conncomp(BGObj, ...'PropertyName', PropertyValue, ...)` calls `conncomp` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[S, C] = conncomp(BGObj, ...'Directed', DirectedValue, ...)` indicates whether the graph is directed or undirected. Set *DirectedValue* to `false` for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is `true`. A DFS-based algorithm computes the connected components. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.

`[S, C] = conncomp(BGObj, ...'Weak', WeakValue, ...)` indicates whether to find weakly connected components or strongly connected components. A weakly connected component is a maximal group of nodes that are mutually reachable by violating the edge directions. Set *WeakValue* to `true` to find weakly connected components. Default is `false`, which finds strongly connected components. The state of this parameter has no effect on undirected graphs because weakly and strongly connected components are the same in undirected graphs. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.

---

**Note** By definition, a single node can be a strongly connected component.

---

---

**Note** A directed acyclic graph (DAG) cannot have any strongly connected components larger than one.

---

## References

- [1] Tarjan, R.E., (1972). Depth first search and linear graph algorithms. *SIAM Journal on Computing* 1(2), 146–160.
- [2] Sedgewick, R., (2002). *Algorithms in C++, Part 5 Graph Algorithms* (Addison-Wesley).
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). *The Boost Graph Library User Guide and Reference Manual*, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphconncomp`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:  
`allshortestpaths`, `isdag`, `isomorphism`, `isspantree`, `maxflow`,  
`minspantree`, `shortestpath`, `topoorder`, `traverse`



## Purpose

Locate CpG islands in DNA sequence

## Syntax

```

cpgStruct = cpgisland(SeqDNA)
cpgStruct = cpgisland(SeqDNA, ...'Window',
WindowValue, ...)
cpgStruct = cpgisland(SeqDNA, ...'MinIsland',
MinIslandValue,
...)
cpgStruct = cpgisland(SeqDNA, ...'GCmin', GCminValue, ...)
cpgStruct = cpgisland(SeqDNA, ...'CpGoe', CpGoeValue, ...)
cpgStruct = cpgisland(SeqDNA, ...'Plot', PlotValue, ...)

```

## Arguments

*SeqDNA*

One of the following:

- String of codes specifying a DNA nucleotide sequence
- Row vector of integers specifying a DNA nucleotide sequence
- MATLAB structure containing a **Sequence** field that contains a DNA nucleotide sequence, such as returned by `fastaread`, `fastqread`, `emblread`, `getembl`, `genbankread`, or `getgenbank`

Valid characters include A, C, G, and T.

`cpgisland` does not count ambiguous nucleotides or gaps.

*WindowValue*

Integer specifying the window size for calculating GC content and CpGobserved/CpGexpected ratios. Default is 100 bases. A smaller window size increases the noise in a plot.

*MinIslandValue*

Integer specifying the minimum number of consecutive marked bases to report as a CpG island. Default is 200 bases.

<i>GCminValue</i>	Value specifying the minimum GC percent in a window needed to mark a base. Choices are a value between 0 and 1. Default is 0.5.
<i>CpGoeValue</i>	Value specifying the minimum CpGobserved/CpGexpected ratio in each window needed to mark a base. Choices are a value between 0 and 1. Default is 0.6. This ratio is defined as: $\text{CPGobs/CpGexp} = (\text{NumCpGs} * \text{Length}) / (\text{NumGs} * \text{NumCs})$
<i>PlotValue</i>	Controls the plotting of GC content, CpGoe content, CpG islands greater than the minimum island size, and all potential CpG islands for the specified criteria. Choices are <code>true</code> or <code>false</code> (default).

**Return Values**

<i>cpgStruct</i>	MATLAB structure containing the starting and ending bases of the CpG islands greater than the minimum island size.
------------------	--

**Description**

*cpgStruct* = `cpgisland(SeqDNA)` searches *SeqDNA*, a DNA nucleotide sequence, for CpG islands with a GC content greater than 50% and a CpGobserved/CpGexpected ratio greater than 60%. It marks bases meeting this criteria within a moving window of 100 DNA bases and then returns the results in *cpgStruct*, a MATLAB structure containing the starting and ending bases of the CpG islands greater than the minimum island size of 200 bases.

*cpgStruct* = `cpgisland(SeqDNA, ...'PropertyName', PropertyValue, ...)` calls `cpgisland` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`cpgStruct = cpgisland(SeqDNA, ...'Window', WindowValue, ...)` specifies the window size for calculating GC content and CpGobserved/CpGexpected ratios. Default is 100 bases. A smaller window size increases the noise in a plot.

`cpgStruct = cpgisland(SeqDNA, ...'MinIsland', MinIslandValue, ...)` specifies the minimum number of consecutive marked bases to report as a CpG island. Default is 200 bases.

`cpgStruct = cpgisland(SeqDNA, ...'GCmin', GCminValue, ...)` specifies the minimum GC percent in a window needed to mark a base. Choices are a value between 0 and 1. Default is 0.5.

`cpgStruct = cpgisland(SeqDNA, ...'CpGoe', CpGoeValue, ...)` specifies the minimum CpGobserved/CpGexpected ratio in each window needed to mark a base. Choices are a value between 0 and 1. Default is 0.6. This ratio is defined as:

$$\text{CPGobs/CpGexp} = (\text{NumCpGs} * \text{Length}) / (\text{NumGs} * \text{NumCs})$$

`cpgStruct = cpgisland(SeqDNA, ...'Plot', PlotValue, ...)` controls the plotting of GC content, CpGoe content, CpG islands greater than the minimum island size, and all potential CpG islands for the specified criteria. Choices are true or false (default).

## Examples

- 1 Import a nucleotide sequence from the GenBank database. For example, retrieve a sequence from *Homo sapiens* chromosome 12.

```
S = getgenbank('AC156455');
```

- 2 Calculate the CpG islands in the sequence and plot the results.


```
cpgisland(S.Sequence, 'PLOT', true)
```

```
ans =
```

```
Starts: [4470 28753 29347 36229]
```

```
Stops: [5555 29064 29676 36450]
```

The CpG islands greater than 200 bases in length are listed and a plot displays.



**See Also** Bioinformatics Toolbox functions: `basecount`, `ntdensity`, `seqshoworfs`

**Purpose**

Generate cross-validation indices

**Syntax**

```
Indices = crossvalind('Kfold', N, K)
[Train, Test] = crossvalind('HoldOut', N, P)
[Train, Test] = crossvalind('LeaveMOut', N, M)
[Train, Test] = crossvalind('Resubstitution', N, [P,Q])
[...] = crossvalind(Method, Group, ...)
[...] = crossvalind(Method, Group, ..., 'Classes', C)
[...] = crossvalind(Method, Group, ..., 'Min', MinValue)
```

**Description**

*Indices* = crossvalind('Kfold', N, K) returns randomly generated indices for a K-fold cross-validation of N observations. *Indices* contains equal (or approximately equal) proportions of the integers 1 through K that define a partition of the N observations into K disjoint subsets. Repeated calls return different randomly generated partitions. K defaults to 5 when omitted. In K-fold cross-validation, K-1 folds are used for training and the last fold is used for evaluation. This process is repeated K times, leaving one different fold for evaluation each time.

[Train, Test] = crossvalind('HoldOut', N, P) returns logical index vectors for cross-validation of N observations by randomly selecting P\*N (approximately) observations to hold out for the evaluation set. P must be a scalar between 0 and 1. P defaults to 0.5 when omitted, corresponding to holding 50% out. Using holdout cross-validation within a loop is similar to K-fold cross-validation one time outside the loop, except that non-disjointed subsets are assigned to each evaluation.

[Train, Test] = crossvalind('LeaveMOut', N, M), where M is an integer, returns logical index vectors for cross-validation of N observations by randomly selecting M of the observations to hold out for the evaluation set. M defaults to 1 when omitted. Using 'LeaveMOut' cross-validation within a loop does not guarantee disjointed evaluation sets. To guarantee disjointed evaluation sets, use 'Kfold' instead.

[Train, Test] = crossvalind('Resubstitution', N, [P,Q]) returns logical index vectors of indices for cross-validation of N observations by randomly selecting P\*N observations for the evaluation set and Q\*N observations for training. Sets are selected in order to

minimize the number of observations that are used in both sets.  $P$  and  $Q$  are scalars between 0 and 1.  $Q=1-P$  corresponds to holding out  $(100 \cdot P)\%$ , while  $P=Q=1$  corresponds to full resubstitution.  $[P, Q]$  defaults to  $[1, 1]$  when omitted.

`[...] = crossvalind(Method, Group, ...)` takes the group structure of the data into account. `Group` is a grouping vector that defines the class for each observation. `Group` can be a numeric vector, a string array, or a cell array of strings. The partition of the groups depends on the type of cross-validation: For K-fold, each group is divided into  $K$  subsets, approximately equal in size. For all others, approximately equal numbers of observations from each group are selected for the evaluation set. In both cases the training set contains at least one observation from each group.

`[...] = crossvalind(Method, Group, ..., 'Classes', C)` restricts the observations to only those values specified in `C`. `C` can be a numeric vector, a string array, or a cell array of strings, but it is of the same form as `Group`. If one output argument is specified, it contains the value 0 for observations belonging to excluded classes. If two output arguments are specified, both will contain the logical value false for observations belonging to excluded classes.

`[...] = crossvalind(Method, Group, ..., 'Min', MinValue)` sets the minimum number of observations that each group has in the training set. `Min` defaults to 1. Setting a large value for `Min` can help to balance the training groups, but adds partial resubstitution when there are not enough observations. You cannot set `Min` when using K-fold cross-validation.

### Examples

Create a 10-fold cross-validation to compute classification error.

```
load fisheriris
indices = crossvalind('Kfold', species, 10);
cp = classperf(species);
for i = 1:10
    test = (indices == i); train = ~test;
    class = classify(meas(test,:), meas(train,:), species(train,:));
```

```
        classperf(cp,class,test)
    end
    cp.ErrorRate
```

Approximate a leave-one-out prediction error estimate.

```
load carbig
x = Displacement; y = Acceleration;
N = length(x);
sse = 0;
for i = 1:100
    [train,test] = crossvalind('LeaveMOut',N,1);
    yhat = polyval(polyfit(x(train),y(train),2),x(test));
    sse = sse + sum((yhat - y(test)).^2);
end
CVerr = sse / 100

CVerr =

    4.9750
```

Divide cancer data 60/40 without using the 'Benign' observations.  
Assume groups are the true labels of the observations.

```
labels = {'Cancer','Benign','Control'};
groups = labels(ceil(rand(100,1)*3));
[train,test] = crossvalind('holdout',groups,0.6,'classes',...
                           {'Control','Cancer'});
sum(test) % Total groups allocated for testing

ans =

    35

sum(train) % Total groups allocated for training

ans =
```

### See Also

Bioinformatics Toolbox functions: `classperf`, `knnclassify`,  
`svmclassify`

Statistics Toolbox functions: `classify`, `grp2idx`



**Purpose** Read cytogenetic banding information

**Syntax** `CytoStruct = cytobandread(File)`

**Arguments**

<i>File</i>	String specifying a file containing cytogenetic G-banding data, such as an NCBI ideogram text file or a UCSC Genome Browser cytoband text file.
-------------	---

**Return Values**

<i>CytoStruct</i>	Structure containing cytogenetic G-banding data in the following fields: <ul style="list-style-type: none"><li>• ChromLabels</li><li>• BandStartBPs</li><li>• BandEndBPs</li><li>• BandLabels</li><li>• GieStains</li></ul>
-------------------	---

**Description** `CytoStruct = cytobandread(File)` reads *File*, which is a string specifying a file containing cytogenetic G-banding data, and returns *CytoStruct*, which is a structure containing the following fields.

Field	Description
ChromLabels	Cell array containing the chromosome label (number or letter) on which each band is located.
BandStartBPs	Column vector containing the number of the base pair at the start of each band.
BandEndBPs	Column vector containing the number of the base pair at the end of each band.

Field	Description
BandLabels	Cell array containing the FISH label of each band, for example, p32.3.
GieStains	<div>Cell array containing the Giemsa staining result for each band. Possible stain results depend on the species. For example, for <i>Homo sapiens</i>, the possibilities are:</div> <ul style="list-style-type: none"><li>• gneg</li><li>• gpos25</li><li>• gpos50</li><li>• gpos75</li><li>• gpos100</li><li>• acen</li><li>• stalk</li><li>• gvar</li></ul>

---

**Tip** You can download files containing cytogenetic G-banding data from the NCBI or UCSC Genome Browser ftp site. For example, you can download the cytogenetic banding data for *Homo sapiens* from:

`ftp://ftp.ncbi.nlm.nih.gov/genomes/H_sapiens/mapview/ideogram.gz`

or

`ftp://hgdownload.cse.ucsc.edu/goldenPath/hg18/database/cytoBandIdeo.txt.gz`

---

Examples

Read the cytogenetic banding information for *Homo sapiens* into a structure.

```
hs_cytobands = cytobandread('hs_cytoBand.txt')
```

```
hs_cytobands =
```

```
    ChromLabels: {862x1 cell}  
    BandStartBPs: [862x1 int32]  
    BandEndBPs:  [862x1 int32]  
    BandLabels:  {862x1 cell}  
    GieStains:   {862x1 cell}
```

## See Also

Bioinformatics Toolbox function: `chromosomeplot`

# DataMatrix object

---

**Purpose** Data structure encapsulating data and metadata from microarray experiment so that it can be indexed by gene or probe identifiers and by sample identifiers

**Description** A DataMatrix object is a data structure encapsulating measurement data and feature metadata from a microarray experiment so that it can be indexed by gene or probe identifiers and by sample identifiers. A DataMatrix object stores experimental data in a matrix, with rows typically corresponding to gene names or probe identifiers, and columns typically corresponding to sample identifiers. A DataMatrix object also stores metadata, such as the gene names or probe identifiers and sample identifiers, in row names and column names.

You create a DataMatrix object using the object constructor function DataMatrix.

**Property  
Summary**

**Properties of a DataMatrix Object**

Property	Description
Name	String that describes the DataMatrix object. Default is ''.
RowNames	Empty array or cell array of strings that specifies the names for the rows, typically gene names or probe identifiers. The number of elements in the cell array must equal the number of rows in the matrix. Default is an empty array.
ColNames	Empty array or cell array of strings that specifies the names for the columns, typically sample identifiers. The number of elements in the cell array must equal the number of columns in the matrix.

Properties of a DataMatrix Object (Continued)

Property	Description
NRows	<p>Read-only. Positive number that specifies the number of rows in the matrix.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>
NCols	<p>Read-only. Positive number that specifies the number of columns in the matrix.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>
NDims	<p>Read-only. Positive number that specifies the number of dimensions in the matrix.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>
ElementClass	<p>Read-only. String that specifies the class type of the elements in the DataMatrix object, such as <code>single</code> or <code>double</code>.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>

# DataMatrix object

---

## Method Summary

### General Methods of a DataMatrix Object

Method	Description
colnames	Retrieve or set column names of DataMatrix object.
disp	Display DataMatrix object.
display	Display DataMatrix object, printing DataMatrix object name. To invoke this method, enter the name of a DataMatrix object at the command prompt.
dmwrite	Write DataMatrix object to text file.
double	Convert DataMatrix object to double-precision array.
get	Retrieve information about DataMatrix object.
isempty	Determine if DataMatrix object is empty.
isfinite	Determine if DataMatrix object elements are finite.
isinf	Determine if DataMatrix object elements are infinite.
isnan	Determine if DataMatrix object elements are NaN.
isscalar	Determine if DataMatrix object is scalar.
isequal	Test DataMatrix objects for equality.
isequalwithequalnans	Test DataMatrix objects for equality, treating NaNs as equal.
isvector	Determine if DataMatrix object is vector.
length	Return length of DataMatrix object.

## General Methods of a DataMatrix Object (Continued)

Method	Description
<code>ndims</code>	Return number of dimensions in DataMatrix object.
<code>numel</code>	Return number of elements in DataMatrix object.
<code>plot</code>	Draw 2-D line plot of DataMatrix object.
<code>rownames</code>	Retrieve or set row names of DataMatrix object.
<code>set</code>	Set property of DataMatrix object.
<code>single</code>	Convert DataMatrix object to single-precision array.
<code>size</code>	Return size of DataMatrix object.

## Methods for Manipulating the Data in a DataMatrix Object

Method	Description
<code>cat</code>	Concatenate DataMatrix objects. The <code>horzcat</code> and <code>vertcat</code> methods implement special cases.
<code>horzcat</code>	Concatenate DataMatrix objects horizontally.
<code>sortcols</code>	Sort columns of DataMatrix object in ascending or descending order.
<code>sortrows</code>	Sort rows of DataMatrix object in ascending or descending order.
<code>subsasgn</code>	Subscripted assignment for DataMatrix object. To invoke this method, use parentheses or dot indexing described in “Accessing Data in DataMatrix Objects” in the Bioinformatics Toolbox User’s Guide.

# DataMatrix object

---

## Methods for Manipulating the Data in a DataMatrix Object (Continued)

Method	Description
suboref	Subscripted reference for DataMatrix object. To invoke this method, use parentheses or dot indexing described in “Accessing Data in DataMatrix Objects” in the Bioinformatics Toolbox User’s Guide.
transpose	Transpose DataMatrix object.
vertcat	Concatenate DataMatrix objects vertically.

## Descriptive Statistics and Statistical Learning Methods

Method	Description
kmeans	K-means clustering.
max	Return maximum values in DataMatrix object.
mean	Return average or mean values in DataMatrix object.
median	Return median values in DataMatrix object.
min	Return minimum values in DataMatrix object.
nanmax	Return maximum values in DataMatrix object ignoring NaN values.
nanmean	Return average or mean values in DataMatrix object ignoring NaN values.
nanmedian	Return median values in DataMatrix object ignoring NaN values.
nanmin	Return minimum values in DataMatrix object ignoring NaN values.



## Descriptive Statistics and Statistical Learning Methods (Continued)

Method	Description
nanstd	Return standard deviation values in DataMatrix object ignoring NaN values.
nansum	Return sum of elements in DataMatrix object ignoring NaN values.
nanvar	Return variance values in DataMatrix object ignoring NaN values.
pdist	Pairwise distance.
princomp	Principal component analysis on data.
std	Return standard deviation values in DataMatrix object.
sum	Return sum of elements in DataMatrix object.
var	Return variance values in DataMatrix object.

## Unary Methods – Exponential

Method	Description
exp	Exponential.
log	Natural logarithm.
log10	Common (base 10) logarithm.
log2	Base 2 logarithm and dissect floating-point numbers into exponent and mantissa.
pow2	Base 2 power and scale floating-point numbers.
sqrt	Square root.

# DataMatrix object

---

## Unary Methods – Integer

Method	Description
ceil	Round DataMatrix object toward infinity.
fix	Round DataMatrix object toward zero.
floor	Round DataMatrix object toward minus infinity.
round	Round DataMatrix object to nearest integer.

## Unary Methods – Custom

Method	Description
dmarrayfun	Apply function to each element in DataMatrix object.

## Binary Methods – Arithmetic Operator

Operator	Method	Description
+	plus	Add DataMatrix objects
-	minus	Subtract DataMatrix objects.
.*	times	Multiply DataMatrix objects.
./	rdivide	Right array divide DataMatrix objects.
.\	ldivide	Left array divide DataMatrix objects.
.^	power	Array power DataMatrix objects.

## Binary Methods – Relational Operator

Operator	Method	Description
<	lt	Test DataMatrix objects for less than.
<=	le	Test DataMatrix objects for less than or equal to.
>	gt	Test DataMatrix objects for greater than.
>=	ge	Test DataMatrix objects for greater than or equal to.
==	eq	Test DataMatrix objects for equality.
~=	ne	Test DataMatrix objects for inequality.

## Binary Methods – Custom

Method	Description
dmbxsfun	Apply element-by-element binary operation to two DataMatrix objects with singleton expansion enabled.

## Examples

### Determining Properties and Property Values of a DataMatrix Object

You can display all properties and their current values of a DataMatrix object, *DMobj*, by using the following syntax:

```
get(DMobj)
```

You can return all properties and their current values of *DMobj*, a DataMatrix object, to *DMstruct*, a scalar structure in which each field name is a property of a DataMatrix object, and each field contains the value of that property, by using the following syntax:

```
DMstruct = get(DMobj)
```

# DataMatrix object

---

You can return the value of a specific property of a DataMatrix object, *DMObj*, by using either of the following syntaxes:

```
PropertyValue = get(DMObj, 'PropertyName')
```

```
PropertyValue = DMObj.PropertyName
```

You can return the value of specific properties of a DataMatrix object, *DMObj*, by using the following syntax:

```
[Property1Value, Property2Value, ...] = get(DMObj, ...  
'Property1Name', 'Property2Name', ...)
```

## Determining Possible Values of DataMatrix Object Properties

You can display possible values for all properties that have a fixed set of property values in a DataMatrix object, *DMObj*, by using the following syntax:

```
set(DMObj)
```

You can display possible values for a specific property that has a fixed set of property values in a DataMatrix object, *DMObj*, by using the following syntax:

```
set(DMObj, 'PropertyName')
```

## Specifying Properties of a DataMatrix Object

You can set a specific property of a DataMatrix object, *DMObj*, by using either of the following syntaxes:

```
DMObj = set(DMObj, 'PropertyName', PropertyValue)
```

```
DMObj.PropertyName = PropertyValue
```

You can set multiple properties of a DataMatrix object, *DMObj*, by using the following syntax:

```
set(DMObj, 'PropertyName1', PropertyValue1, ...  
'PropertyName2', PropertyValue2, ...)
```

---

**Note** For more examples of creating and using DataMatrix objects, see “Representing Expression Data Values in DataMatrix Objects” in the Bioinformatics Toolbox User’s Guide.

---

## See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox methods of a DataMatrix object: `colnames`, `disp`, `dmarrayfun`, `dmbsxfun`, `dmwrite`, `double`, `eq`, `ge`, `get`, `gt`, `horzcat`, `isequal`, `isequalwithequalnans`, `ldivide`, `le`, `lt`, `max`, `mean`, `median`, `min`, `minus`, `ndims`, `ne`, `numel`, `plot`, `plus`, `power`, `rdivide`, `rownames`, `set`, `single`, `sortcols`, `sortrows`, `std`, `sum`, `times`, `var`, `vertcat`

<b>Purpose</b>	Create DataMatrix object	
<b>Syntax</b>	<pre>DMobj = DataMatrix(Matrix) DMobj = DataMatrix(Matrix, RowNames, ColumnNames) DMobj = DataMatrix('File', FileName) DMobj = DataMatrix(..., 'RowNames', RowNamesValue, ...) DMobj = DataMatrix(..., 'ColNames', ColNamesValue, ...) DMobj = DataMatrix(..., 'Name', NameValue, ...) DMobj = DataMatrix('File', FileName, ...'Delimiter',     DelimiterValue, ...) DMobj = DataMatrix('File', FileName, ...'HLine',     HLineValue,     ...) DMobj = DataMatrix('File', FileName, ...'Rows', RowsValue,     ...) DMobj = DataMatrix('File', FileName, ...'Columns',     ColumnsValue, ...)</pre>	
<b>Arguments</b>	<i>Matrix</i>	Two-dimensional numeric or logical array.
	<i>RowNames</i>	Row names for the DataMatrix object, specified by a numeric vector, character array, or cell array of strings, whose elements are equal in number to the number of rows in <i>Matrix</i> . <i>RowNames</i> are typically gene names or probe identifiers from a microarray experiment.

---

**Note** The row names do not need to be unique.

---

*ColumnNames*

Column names for the DataMatrix object, specified by a numeric vector, character array, or cell array of strings, whose elements are equal in number to the number of columns in *Matrix*. *ColumnNames* are typically sample identifiers from a microarray experiment.

---

**Note** The column names do not need to be unique.

---

*FileName*

String specifying a file name or a path and file name of a tab-delimited TXT or XLS file that contains table-oriented data and metadata.

---

**Note** Typically, the first row of the table contains column names, the first column contains row names, and the numeric data starts at the 2,2 position. The DataMatrix function will detect if the first column does not contain row names, and read data from the first column. However, if the first row does not contain header text (column names), set the HLine property to 0.

---

<i>RowNamesValue, ColNamesValue</i>	<p>Row names or column names for the DataMatrix object. Choices are:</p> <ul style="list-style-type: none"><li>• Numeric vector, character array, or a cell array of strings, whose elements are equal in number to the number of rows or number of columns of numeric data in the input matrix.</li><li>• A single string, which is used as a prefix for row or column names. Numbers will be appended to the prefix.</li><li>• <code>true</code> — Unique row or column names will be assigned using the formats <code>row1</code>, <code>row2</code>, <code>row3</code>, etc., or <code>col1</code>, <code>col2</code>, <code>col3</code>, etc.</li><li>• <code>false</code> — Default. No row or column names are assigned.</li></ul>
-------------------------------------	---

---

**Note** The row or column names do not need to be unique.

---

<i>NameValue</i>	String specifying a name for the DataMatrix object. Default is <code>''</code> .
<i>DelimiterValue</i>	<p>String specifying a delimiter symbol to use for the input file. Typical choices are:</p> <ul style="list-style-type: none"><li>• <code>' '</code></li><li>• <code>'\t'</code> (default)</li><li>• <code>','</code></li><li>• <code> ';' </code></li><li>• <code>' '</code></li></ul>



*HLineValue* Positive integer that specifies which row of the input file contains the column header text (column names). Default is 1.

When creating the DataMatrix object *DMobj*, the DataMatrix function loads data from (*HLineValue* + 1) to the end of the file.

---

**Tip** If the input file does not contain column header text (column names), set *HLineValue* to 0.

---

*RowsValue*,  
*ColumnsValue* A subset of rows or columns in *File*, for the DataMatrix function to use to create the DataMatrix object. Choices are:

- Cell array of strings
- Character array
- Numeric or logical vector

**Description** A DataMatrix object encapsulates measurement data and feature metadata from a microarray experiment so that it can be indexed by gene names or probe identifiers and by sample identifiers. For examples of creating and using DataMatrix objects, see “Representing Expression Data Values in DataMatrix Objects” in the Bioinformatics Toolbox User’s Guide.

---

**Note** The DataMatrix constructor function is part of the microarray object package. To make it available, type the following in the MATLAB command line:

```
import bioma.data.*
```

Otherwise, use `bioma.data.DataMatrix` instead of `DataMatrix`, in the following syntaxes.

---

`DMobj = DataMatrix(Matrix)` creates a DataMatrix object, *DMobj*, from *Matrix*, a two-dimensional numeric or logical array. *Matrix* can also be a DataMatrix object.

`DMobj = DataMatrix(Matrix, RowNames, ColumnNames)` creates a DataMatrix object, *DMobj*, from *Matrix*, a two-dimensional numeric or logical array, with row names and column names specified by *RowNames* and *ColumnNames*. *RowNames* and *ColumnNames* can be a numeric vector, character array, or cell array of strings, whose elements are equal in number to the number of rows and number of columns, respectively, in *Matrix*. *RowNames* are typically gene names or probe identifiers, while *ColumnNames* are typically sample identifiers.

---

**Note** The row or column names do not need to be unique.

---

`DMobj = DataMatrix('File', FileName)` creates a DataMatrix object, *DMobj*, from *FileName*, a string specifying a file name or a path and file name of a tab-delimited TXT or XLS file that contains table-oriented data and metadata.

---

**Note** Typically, the first row of the table contains column names, the first column contains row names, and the numeric data starts at the 2,2 position. The `DataMatrix` function will detect if the first column does not contain row names, and read data from the first column. However, if the first row does not contain header text (column names), set the `HLine` property to 0.

---

`DMobj = DataMatrix(..., 'PropertyName', PropertyValue, ...)` calls `DataMatrix` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`DMobj = DataMatrix(..., 'RowNames', RowNamesValue, ...)` specifies row names for *DMobj*. *RowNamesValue* can be any of the following:

- Numeric vector, character array, or a cell array of strings, whose elements are equal in number to the number of rows of numeric data in the input matrix.
- A single string, which is used as a prefix for row names. Row numbers will be appended to the prefix.
- `true` — Unique row names will be assigned using the format `row1`, `row2`, `row3`, etc.
- `false` — Default. No row names are assigned.

---

**Note** The row names do not need to be unique.

---

`DMobj = DataMatrix(..., 'ColNames', ColNamesValue, ...)` specifies column names for *DMobj*. *ColNamesValue* can be any of the following:

- Numeric vector, character array, or a cell array of strings, whose elements are equal in number to the number of columns of numeric data in the input matrix.
- A single string, which is used as a prefix for column names. Column numbers will be appended to the prefix.
- `true` — Unique column names will be assigned using the format `col1`, `col2`, `col3`, etc.
- `false` — Default. No column names are assigned.

---

**Note** The column names do not need to be unique.

---

`DMobj = DataMatrix(..., 'Name', NameValue, ...)` specifies a name for `DMobj`. Default is `''`.

`DMobj = DataMatrix('File', FileName, ...'Delimiter', DelimiterValue, ...)` specifies a delimiter symbol to use for the input file. Typical choices are:

- `''`
- `'\t'` (default)
- `','`
- `';'`
- `'|'`

`DMobj = DataMatrix('File', FileName, ...'HLine', HLineValue, ...)` specifies which row of the input file contains the column header text (column names). *HLineValue* is a positive integer. Default is 1. When creating the `DataMatrix` object `DMobj`, the `DataMatrix` function loads data from (*HLineValue* + 1) to the end of the file.

---

**Tip** If the input file does not contain column header text (column names), set *HLineValue* to 0.

---

*DMobj* = DataMatrix('File', *FileName*, ... 'Rows', *RowsValue*, ...) specifies a subset of row names in *File* for the DataMatrix function to use to create *DMobj*. *RowsValue* can be a cell array of strings, a character array, or a numeric or logical vector.

*DMobj* = DataMatrix('File', *FileName*, ... 'Columns', *ColumnsValue*, ...) specifies a subset of column names in *File* for the DataMatrix function to use to create *DMobj*. *ColumnsValue* can be a cell array of strings, a character array, or a numeric or logical vector.

## Examples

For examples of creating and using DataMatrix objects, see “Representing Expression Data Values in DataMatrix Objects” in the Bioinformatics Toolbox User’s Guide.

## See Also

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: colnames, disp, dmararrayfun, dmbsxfun, dmwrite, double, eq, ge, get, gt, horzcat, isequal, isequalwithequalnans, ldivide, le, lt, max, mean, median, min, minus, ndims, ne, numel, plot, plus, power, rdivide, rownames, set, single, sortcols, sortrows, std, sum, times, var, vertcat

# dayhoff

---

<b>Purpose</b>	Return Dayhoff scoring matrix
<b>Syntax</b>	<i>ScoringMatrix</i> = dayhoff
<b>Description</b>	<i>ScoringMatrix</i> = dayhoff returns a PAM250 type scoring matrix. The order of amino acids in the matrix is A R N D C Q E G H I L K M F P S T W Y V B Z X *.
<b>See Also</b>	Bioinformatics Toolbox functions: blosum, gonnet, localalign, nuc44, nwalignment, pam, swalign

## Purpose

Count dimers in nucleotide sequence

## Syntax

```
Dimers = dimercount(SeqNT)
[Dimers, Percent] = dimercount(SeqNT)
... = dimercount(SeqNT, 'Chart', ChartValue)
```

## Arguments

*SeqNT*

One of the following:

- String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226.
- Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.
- MATLAB structure containing a *Sequence* field that contains a nucleotide sequence, such as returned by *fastaread*, *fastqread*, *emblread*, *getembl*, *genbankread*, or *getgenbank*.

Examples: 'ACGT' or [1 2 3 4]

*ChartValue* String specifying a chart type. Choices are 'pie' or 'bar'.

Return Values

<i>Dimers</i>	MATLAB structure containing the fields AA, AC, AG, AT, CA, CC, CG, CT, GA, GC, GG, GT, TA, TC, TG, and TT, which contain the dimer counts in <i>SeqNT</i> .
<i>Percent</i>	A 4-by-4 matrix with the relative proportions of the dimers in <i>SeqNT</i> . The rows correspond to A, C, G, and T in the first element of the dimer, and the columns correspond to A, C, G, and T in the second element of the dimer.

Description

*Dimers* = dimercount(*SeqNT*) counts the nucleotide dimers in *SeqNT*, a nucleotide sequence, and returns the dimer counts in *Dimers*, a MATLAB structure containing the fields AA, AC, AG, AT, CA, CC, CG, CT, GA, GC, GG, GT, TA, TC, TG, and TT.

- For sequences that have dimers with the character U, these dimers are added to the corresponding dimers containing a T.
- If the sequence contains ambiguous nucleotide characters (R, Y, K, M, S, W, B, D, H, V, or N), or gaps indicated by a hyphen (-), then these characters are counted in the field *Others*, and the following warning message appears.

Warning: Ambiguous symbols appear in the sequence. These will be in *Others*.

- If the sequence contains undefined nucleotide characters (E, F, H, I, J, L, O, P, Q, X, or Z), then dimers containing these characters are counted in the field *Others*, and the following warning message appears:

Warning: Unknown symbols appear in the sequence. These will be in *Others*.

[*Dimers*, *Percent*] = dimercount(*SeqNT*) returns *Percent*, a 4-by-4 matrix with the relative proportions of the dimers in *SeqNT*. The rows correspond to A, C, G, and T in the first element of the dimer, and the columns correspond to A, C, G, and T in the second element of the dimer.



... = dimercount(*SeqNT*, 'Chart', *ChartValue*) creates a chart showing the relative proportions of the dimers. *ChartValue* can be 'pie' or 'bar'.

## Examples

Count the dimers in a nucleotide sequence and display a matrix of the percentage of each dimer.

```
[Dimers, Percent] = dimercount('TAGCTGGCCAAGCGAGCTTG')
```

Dimers =

```
AA: 1
AC: 0
AG: 3
AT: 0
CA: 1
CC: 1
CG: 1
CT: 2
GA: 1
GC: 4
GG: 1
GT: 0
TA: 1
TC: 0
TG: 2
TT: 1
```

Percent =

```
0.0526      0      0.1579      0
0.0526    0.0526    0.0526    0.1053
0.0526    0.2105    0.0526      0
0.0526      0    0.1053    0.0526
```

# dimercount

---

## See Also

Bioinformatics Toolbox functions: `aacount`, `basecount`, `baselookup`, `codoncount`, `nmercount`, `ntdensity`

**Purpose** Display DataMatrix object

**Syntax** `disp(DMObj)`

**Arguments** *DMObj* DataMatrix object, such as created by DataMatrix (object constructor).

**Description** `disp(DMObj)` displays the DataMatrix object *DMObj*, including row names and column names, without printing the DataMatrix object name.

**See Also** Bioinformatics Toolbox function: DataMatrix (object constructor)  
Bioinformatics Toolbox object: DataMatrix object

# dmarrayfun (DataMatrix)

---

**Purpose** Apply function to each element in DataMatrix object

**Syntax**

```
DMObjNew1 = dmarrayfun(Func, DMObj1)
DMObjNew1 = dmarrayfun(Func, DMObj1, DMObj2, ...)
[DMObjNew1, DMObjNew2, ...] = dmarrayfun(Func, DMObj1, ...)
[DMObjNew1, ...] = dmarrayfun(Func, DMObj1,
... 'UniformOutput', UniformOutputValue, ...)
[DMObjNew1, ...] = dmarrayfun(Func, DMObj1,
... 'DataMatrixOutput', DataMatrixOutputValue, ...)
[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ... 'Rows',
RowsValue, ...)
[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ... 'Columns',
ColumnsValue, ...)
[DMObjNew1, ...] = dmarrayfun(Func, DMObj1,
... 'ErrorHandler',
ErrorHandlerValue, ...)
```

<b>Arguments</b>	<i>Func</i>	Function handle for a function that returns one or more scalars, and returns values of the same class each time it is called.
	<i>DMObj1</i>	DataMatrix object, such as created by DataMatrix (object constructor).
	<i>DMObj2</i>	Either of the following: <ul style="list-style-type: none"><li>• DataMatrix object, such as created by DataMatrix (object constructor)</li><li>• MATLAB numeric array</li></ul>

---

**Note** *DMObj2* and subsequent input objects or arrays must be the same size (number of rows and columns) as *DMObj1*.

---

<i>UniformOutputValue</i>	Specifies whether <i>Func</i> must return output values without encapsulation in a cell array. Choices are true (default) or false. If true, dmarrayfun must return scalar values that can be concatenated into an array. These values can also be a cell array. If false, dmarrayfun returns a cell array (or multiple cell arrays), where the I,Jth cell contains the value equal to <i>Func(DMObj1(I,J),...)</i> .
<i>DataMatrixOutputValue</i>	Specifies whether return values must be DataMatrix objects. Choices are true (default) or false. If you set the 'UniformOutput' property to false, this property is ignored.
<i>RowsValue</i> , <i>ColumnsValue</i>	<p>Specifies the rows or columns to which to apply the function. Choices are:</p> <ul style="list-style-type: none"><li>• Positive integer</li><li>• Vector of positive integers</li><li>• String specifying a row or column name</li><li>• Cell array of strings</li><li>• Logical vector</li></ul>
<i>ErrorHandlerValue</i>	Specifies a function handle to a function that dmarrayfun calls if the call to <i>Func</i> fails.

# dmarrayfun (DataMatrix)

---

## Return Values

*DMObjNew1*,  
*DMObjNew2*

DataMatrix objects created from applying the function to each element in one or more DataMatrix objects. The size (number of rows and columns), row names, and column names will be the same as *DMObj1*.

## Description

*DMObjNew1* = dmarrayfun(*Func*, *DMObj1*) applies the function specified by *Func* to each element in *DMObj1*, a DataMatrix object, and returns the results in *DMObjNew1*, a new DataMatrix object. *DMObjNew1* has the same size (number of rows and columns), row names, and column names as *DMObj1*. The *I*,*J*th element of *DMObjNew1* is equal to *Func*(*DMObj1*(*I*,*J*)), where *Func* is a function handle for a function that takes one input argument, returns one scalar value, and returns values of the same class each time it is called.

*DMObjNew1* = dmarrayfun(*Func*, *DMObj1*, *DMObj2*, ...) evaluates the function specified by *Func* using elements in *DMObj1*, *DMObj2*, etc. as input arguments. The *I*,*J*th element of *DMObjNew1* is equal to *Func*(*DMObj1*(*I*,*J*), *DMObj2*(*I*,*J*), ...), where *Func* is a function handle for a function that takes multiple input arguments, returns one scalar, and returns values of the same class each time it is called.

[*DMObjNew1*, *DMObjNew2*, ...] = dmarrayfun(*Func*, *DMObj1*, ...) evaluates the function specified by *Func* using elements in *DMObj1*, and possibly other input arguments. *Func* is a function handle for a function that takes one or more input arguments, returns multiple scalars, and returns values of the same class each time it is called. It returns DataMatrix objects *DMObjNew1*, *DMObjNew2*, etc. with each one corresponding to one of the outputs of *Func*. The outputs of *Func* may be of different classes, however, but each output must be the same each time it is called.

[*DMObjNew1*, ...] = dmarrayfun(*Func*, *DMObj1*, ...'PropertyName', *PropertyValue*, ...) calls dmarrayfun with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName*

must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ...'UniformOutput', UniformOutputValue, ...)` specifies whether *Func* must return output values without encapsulation in a cell array. Choices are `true` (default) or `false`. If `true`, `dmarrayfun` must return scalar values that can be concatenated into an array. These values can also be a cell array. If `false`, `dmarrayfun` returns a cell array (or multiple cell arrays), where the *I,J*th cell contains the value equal to *Func*(*DMObj1*(*I,J*),...).

`[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ...'DataMatrixOutput', DataMatrixOutputValue, ...)` specifies whether return values must be `DataMatrix` objects. Choices are `true` (default) or `false`. If you set the `'UniformOutput'` property to `false`, this property is ignored.

`[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ...'Rows', RowsValue, ...)` applies the function only to the rows in the `DataMatrix` object specified by *RowsValue*, which can be a positive integer, vector of positive integers, string specifying a row name, cell array of strings, or a logical vector.

`[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ...'Columns', ColumnsValue, ...)` applies the function only to the columns in the `DataMatrix` object specified by *ColsValue*, which can be a positive integer, vector of positive integers, string specifying a column name, cell array of strings, or a logical vector.

`[DMObjNew1, ...] = dmarrayfun(Func, DMObj1, ...'ErrorHandler', ErrorHandlerValue, ...)` specifies a function handle to a function that `dmarrayfun` calls if the call to *Func* fails. The error handling function will be called with these input arguments:

- Structure with the following fields:
  - `identifier` — Identifier of the error

## dmarrayfun (DataMatrix)

---

- `message` — Error message text
- `index` — Linear index into the input array(s) at which the error occurred
- Set of input arguments at which the call to the function failed

If you do not specify *ErrorHandlerValue*, `dmarrayfun` rethrows the error from the call to *Func*.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `dmbsxfun`

MATLAB function: `arrayfun`



<b>Purpose</b>	Apply element-by-element binary operation to two DataMatrix objects with singleton expansion enabled	
<b>Syntax</b>	<i>DMObjNew</i> = dmbsxfun( <i>Func</i> , <i>DMObj1</i> , <i>DMObj2</i> )	
<b>Arguments</b>	<i>Func</i>	Function handle for a function or a built-in function. For more information on built-in functions, see <code>bsxfun</code> .
	<i>DMObj1</i> , <i>DMObj2</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• DataMatrix object, such as created by <code>DataMatrix</code> (object constructor)</li><li>• MATLAB numeric array</li></ul> <p>At least one of these input arguments must be a DataMatrix object.</p>
<b>Return Values</b>	<i>DMObjNew</i>	DataMatrix object or MATLAB numeric array created from element-by-element binary operation of two DataMatrix objects with singleton expansion enabled.
<b>Description</b>	<p><i>DMObjNew</i> = dmbsxfun(<i>Func</i>, <i>DMObj1</i>, <i>DMObj2</i>) applies an element-by-element binary operation to the DataMatrix objects <i>DMObj1</i> and <i>DMObj2</i>, with singleton expansion enabled. <i>Func</i> is a function handle, and can be for a function or a built-in function. For more information on built-in functions, see <code>bsxfun</code>.</p> <p><i>DMObj1</i> and <i>DMObj2</i> can be DataMatrix objects or MATLAB numeric arrays; however, at least one of these input arguments must be a DataMatrix object. <i>DMObj1</i> and <i>DMObj2</i> must have the same number of rows or the same number or columns. If they don't have the same number of rows, then one must be a row vector and its rows are expanded down to be equal to the larger matrix. If they don't have the</p>	

## dmbsxfun (DataMatrix)

---

same number of columns, then one must be a column vector and its columns are expanded across to be equal to the larger matrix.

*DMObjNew* is a DataMatrix object, unless the larger input argument is a MATLAB numeric array; then *DMObjNew* is also a numeric array. The size (number of rows and columns) of *DMObjNew* is equal to the larger of the two input arguments. The row names and column names of *DMObjNew* come from the larger input argument, or, if both inputs are the same size, from the first input argument.

### Examples

- 1 Use the DataMatrix constructor function to create a DataMatrix object.

```
A = bioma.data.DataMatrix(magic(3), 'RowNames', true, ...  
                           'ColNames', true)
```

- 2 Use the built-in function @minus to subtract the column means from this DataMatrix object.

```
A = dmbsxfun(@minus, A, mean(A))
```

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

MATLAB function: bsxfun

**Purpose** Retrieve or set Name properties of DataMatrix objects in ExptData object

**Syntax**

```
DMNames = dmNames(EDObj)
DMNames = dmNames(EDObj, Subset)
NewEDObj = dmNames(EDObj, Subset, NewDMNames)
```

**Description** *DMNames = dmNames(EDObj)* returns a cell array of strings specifying the Name properties of all the DataMatrix objects in an ExptData object.

*DMNames = dmNames(EDObj, Subset)* returns a cell array of strings specifying the Name properties of a subset of the DataMatrix objects in an ExptData object.

*NewEDObj = dmNames(EDObj, Subset, NewDMNames)* replaces the Name properties of DataMatrix objects specified by *Subset* in *EDObj*, an ExptData object, with *NewDMNames*, and returns *NewEDObj*, a new ExptData object.

**Input  
Arguments**

*EDObj*

Object of the bioma.data.ExptData class.

*Subset*

One of the following to specify the names of a subset of the DataMatrix objects in an ExptData object:

- String specifying a name
- Cell array of strings specifying names
- Positive integer
- Vector of positive integers
- Logical vector

*NewDMNames*

New names for specific DataMatrix objects within an ExptData object, specified by one of the following:

# bioma.data.ExptData.dmNames

---

- Numeric vector
- String or cell array of strings
- String, which `dmNames` uses as a prefix for the `DataMatrix` object names, with numbers appended to the prefix
- Logical `true` or `false` (default). If `true`, `dmNames` assigns unique names using the format `DM1`, `DM2`, etc.

The number of elements in *NewDMNames* must equal the number of `DataMatrix` objects specified by *Subset*.

## Output Arguments

*DMNames*

Cell array of strings specifying the names of all or some of the `DataMatrix` objects in an `ExptData` object.

*NewEDObj*

Object of the `bioma.data.ExptData` class, returned after replacing names of specific `DataMatrix` objects.

## Examples

Construct an `ExptData` object, and then retrieve the names of `DataMatrix` objects from it:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Retrieve DataMatrix object names
DMNames = dmNames(EDObj);
```

## See Also

`bioma.data.ExptData` | `DataMatrix` | `elementNames` | `featureNames`  
| `sampleNames`

## How To

- “Representing Expression Data Values in ExptData Objects”

# dmwrite (DataMatrix)

---

**Purpose** Write DataMatrix object to text file

**Syntax**

```
dmwrite(DMObj, File)
dmwrite(..., 'Delimiter', DelimiterValue, ...)
dmwrite(..., 'Precision', PrecisionValue, ...)
dmwrite(..., 'Header', HeaderValue, ...)
dmwrite(..., 'Annotated', AnnotatedValue, ...)
dmwrite(..., 'Append', AppendValue, ...)
```

**Arguments**

<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>File</i>	String specifying either a file name or a path and file name for saving the text file.
<i>DelimiterValue</i>	String specifying a delimiter symbol to use as a matrix column separator. Typical choices are: <ul style="list-style-type: none"><li>• ' '</li><li>• '\t' (default)</li><li>• ','</li><li>• ';' </li><li>• ' ' </li></ul>
<i>PrecisionValue</i>	Precision for writing the data to the text file, specified by either: <ul style="list-style-type: none"><li>• Positive integer specifying the number of significant digits</li><li>• C-style format string starting with %, such as '%6.5f' </li></ul> Default is 5.

<i>HeaderValue</i>	String specifying the first line of the text file. Default is the Name property for the DataMatrix object.
<i>AnnotatedValue</i>	Controls the writing of row and column names to the text file. Choices are true (default) or false.
<i>AppendValue</i>	Controls the appending of <i>DMAobj</i> to <i>File</i> when it is an existing file. Choices are true or false (default). If false, dmwrite overwrites <i>File</i> .

## Description

`dmwrite(DMAobj, File)` writes a DataMatrix object to a text file using the delimiter `\t` to separate DataMatrix columns. `dmwrite` writes the data starting at the first column of the first row in the destination file.

`dmwrite(..., 'PropertyName', PropertyValue, ...)` calls `dmwrite` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`dmwrite(..., 'Delimiter', DelimiterValue, ...)` specifies a delimiter symbol to use as a column separator for separating matrix columns. Default is `\t`.

`dmwrite(..., 'Precision', PrecisionValue, ...)` specifies the precision for writing the data to the text file. Default is 5.

`dmwrite(..., 'Header', HeaderValue, ...)` specifies the first line of the text file. Default is the Name property for the DataMatrix object.

`dmwrite(..., 'Annotated', AnnotatedValue, ...)` controls the writing of row and column names to the text file. Choices are true (default) or false.

`dmwrite(..., 'Append', AppendValue, ...)` controls the appending of *DMAobj* to *File* when it is an existing file. Choices are true or false (default). If false, `dmwrite` overwrites *File*.

# dmwrite (DataMatrix)

---

## Examples

Create a DataMatrix object and write the contents to a text file:

```
% Create a DataMatrix object
dmobj = bioma.data.DataMatrix(rand(2,3), {'Row1', 'Row2'}, ...
                                     {'Col1', 'Col2', 'Col3'})

% Write the DataMatrix object to a text file
dmwrite(dmobj, 'testdm.txt')
```

## See Also

Bioinformatics Toolbox function: [DataMatrix](#) (object constructor)

Bioinformatics Toolbox object: [DataMatrix](#) object



<b>Purpose</b>	Convert DNA sequence to RNA sequence	
<b>Syntax</b>	<i>SeqRNA</i> = dna2rna( <i>SeqDNA</i> )	
<b>Arguments</b>	<i>SeqDNA</i>	<p>DNA sequence specified by any of the following:</p> <ul style="list-style-type: none"><li>• Character string with the characters A, C, G, T, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N,</li><li>• Row vector of integers from the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a <b>Sequence</b> field that contains a DNA sequence, such as returned by <code>fastaread</code>, <code>fastqread</code>, <code>emblread</code>, <code>getembl</code>, <code>genbankread</code>, or <code>getgenbank</code>.</li></ul>
<b>Description</b>	<i>SeqRNA</i> = dna2rna( <i>SeqDNA</i> ) converts a DNA sequence to an RNA sequence by converting any thymine nucleotides (T) in the DNA sequence to uracil nucleotides (U). The RNA sequence is returned in the same format as the DNA sequence. For example, if <i>SeqDNA</i> is a vector of integers, then so is <i>SeqRNA</i> .	
<b>Examples</b>	<p>Convert a DNA sequence to an RNA sequence.</p> <pre>rna = dna2rna('ACGATGAGTCATGCTT')  rna = ACGAUGAGUCAUGCUU</pre>	
<b>See Also</b>	<p>Bioinformatics Toolbox function: <code>rna2dna</code></p> <p>MATLAB functions: <code>regexp</code>, <code>strrep</code></p>	

<b>Purpose</b>	Estimate synonymous and nonsynonymous substitution rates	
<b>Syntax</b>	<pre>[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2) [Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ... 'GeneticCode', GeneticCodeValue, ...) [Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ... 'Method',     MethodValue, ...) [Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ... 'Window',     WindowValue, ...) [Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2,     ... 'AdjustStops', AdjustStopsValue, ...) [Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ... 'Verbose',     VerboseValue, ...)</pre>	
<b>Arguments</b>	<i>SeqNT1, SeqNT2</i>	Nucleotide sequences. Enter either a string or a structure with the field <code>Sequence</code> .
	<i>GeneticCodeValue</i>	Property to specify a genetic code. Enter a Code Number or a string with a Code Name from the table Genetic Code on page 3-62. If you use a Code Name, you can truncate it to the first two characters. Default is 1 or <code>Standard</code> .
	<i>MethodValue</i>	String specifying the method for calculating substitution rates. Choices are: <ul style="list-style-type: none"><li>• NG (default) — Nei-Gojobori method (1986) uses the number of synonymous and nonsynonymous substitutions and the number of potentially synonymous and nonsynonymous sites. Based on the Jukes-Cantor model.</li><li>• LWL — Li-Wu-Luo method (1985) uses the number of transitional and transversional substitutions at three different levels of</li></ul>

degeneracy of the genetic code. Based on Kimura’s two-parameter model.

- PBL — Pamilo-Bianchi-Li method (1993) is similar to the Li-Wu-Luo method, but with bias correction. Use this method when the number of transitions is much larger than the number of transversions.

*WindowValue* Integer specifying the sliding window size, in codons, for calculating substitution rates and variances.

*AdjustStopsValue* Controls whether stop codons are excluded from calculations. Choices are `true` (default) or `false`.

*VerboseValue* Property to control the display of the codons considered in the computations and their amino acid translations. Choices are `true` or `false` (default).

---

**Tip** Specify `true` to use this display to manually verify the codon alignment of the two input sequences. The presence of stop codons (\*) in the amino acid translation can indicate that *SeqNT1* and *SeqNT2* are not codon-aligned.

---

**Return Values**

*Dn* Nonsynonymous substitution rate(s).  
*Ds* Synonymous substitution rate(s).

<i>Vardn</i>	Variance for the nonsynonymous substitution rate(s).
<i>Vards</i>	Variance for the synonymous substitutions rate(s).

Description

[*Dn*, *Ds*, *Vardn*, *Vards*] = `dnds(SeqNT1, SeqNT2)` estimates the synonymous and nonsynonymous substitution rates per site between the two homologous nucleotide sequences, *SeqNT1* and *SeqNT2*, by comparing codons using the Nei-Gojobori method.

`dnds` returns:

- *Dn* — Nonsynonymous substitution rate(s).
- *Ds* — Synonymous substitution rate(s).
- *Vardn* — Variance for the nonsynonymous substitution rate(s).
- *Vards* — Variance for the synonymous substitutions rate(s).

This analysis:

- Assumes that the nucleotide sequences, *SeqNT1* and *SeqNT2*, are codon-aligned, that is, do not have frame shifts

---

**Tip** If your sequences are not codon-aligned, use the `nt2aa` function to convert them to amino acid sequences, use the `nwalignment` function to globally align them, then use the `seqinsertgaps` function to recover the corresponding codon-aligned nucleotide sequences. See Estimating Synonymous and Nonsynonymous Substitution Rates Between Two Nucleotide Sequences That Are Not Codon-Aligned on page 3-502.

---

- Excludes codons that include ambiguous nucleotide characters or gaps

- Considers the number of codons in the shorter of the two nucleotide sequences

---

### Caution

If *SeqNT1* and *SeqNT2* are too short or too divergent, saturation can be reached, and dnds returns NaNs and a warning message.

---

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'PropertyName', PropertyValue, ...)` calls dnds with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'GeneticCode', GeneticCodeValue, ...)` calculates synonymous and nonsynonymous substitution rates using the specified genetic code. Enter a Code Number or a string with a Code Name from the table Genetic Code on page 3-62. If you use a Code Name, you can truncate it to the first two characters. Default is 1 or Standard.

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'Method', MethodValue, ...)` allows you to calculate synonymous and nonsynonymous substitution rates using the following algorithms:

- NG (default) — Nei-Gojobori method (1986) uses the number of synonymous and nonsynonymous substitutions and the number of potentially synonymous and nonsynonymous sites. Based on the Jukes-Cantor model.
- LWL — Li-Wu-Luo method (1985) uses the number of transitional and transversional substitutions at three different levels of degeneracy of the genetic code. Based on Kimura's two-parameter model.

- PBL — Pamilo-Bianchi-Li method (1993) is similar to the Li-Wu-Luo method, but with bias correction. Use this method when the number of transitions is much larger than the number of transversions.

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'Window', WindowValue, ...)` performs the calculations over a sliding window, specified in codons. Each output is an array containing a rate or variance for each window.

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'AdjustStops', AdjustStopsValue, ...)` controls whether stop codons are excluded from calculations. Choices are `true` (default) or `false`.

---

**Tip** When the 'AdjustStops' property is set to `true`, the following are true:

- Stop codons are excluded from frequency tables.
  - Paths containing stop codons are not counted in the Nei-Gojobori method.
- 

`[Dn, Ds, Vardn, Vards] = dnds(SeqNT1, SeqNT2, ...'Verbose', VerboseValue, ...)` controls the display of the codons considered in the computations and their amino acid translations. Choices are `true` or `false` (default).

---

**Tip** Specify `true` to use this display to manually verify the codon alignment of the two input sequences, `SeqNT1` and `SeqNT2`. The presence of stop codons (\*) in the amino acid translation can indicate that `SeqNT1` and `SeqNT2` are not codon-aligned.

---

## Examples

### Estimating Synonymous and Nonsynonymous Substitution Rates Between the gag Genes of Two HIV Viruses

- 1 Retrieve two sequences from the GenBank database for the gag genes of two HIV viruses.

```
gag1 = getgenbank('L11768');  
gag2 = getgenbank('L11770');
```

- 2 Estimate the synonymous and nonsynonymous substitution rates between the two sequences.

```
[dn ds vardn vards] = dnds(gag1, gag2)
```

```
dn =
```

```
0.0244
```

```
ds =
```

```
0.0697
```

```
vardn =
```

```
2.3509e-005
```

```
var ds =
```

```
2.3438e-004
```

## Estimating Synonymous and Nonsynonymous Substitution Rates Between Two Nucleotide Sequences That Are Not Codon-Aligned

- 1 Retrieve two nucleotide sequences from the GenBank database for the neuraminidase (NA) protein of two strains of the influenza A virus (H5N1).

```
hk01 = getgenbank('AF509094');
vt04 = getgenbank('DQ094287');
```

- 2 Extract the coding region from the two nucleotide sequences.

```
hk01_cds = featuresparse(hk01,'feature','CDS','Sequence',true);
vt04_cds = featuresparse(vt04,'feature','CDS','Sequence',true);
```

- 3 Align the amino acids sequences converted from the nucleotide sequences.

```
[sc,al] = nwalign(nt2aa(hk01_cds),nt2aa(vt04_cds),'extendgap',1);
```

- 4 Use the `seqinsertgaps` function to copy the gaps from the aligned amino acid sequences to their corresponding nucleotide sequences, thus codon-aligning them.

```
hk01_aligned = seqinsertgaps(hk01_cds,al(1,:))
vt04_aligned = seqinsertgaps(vt04_cds,al(3,:))
```

- 5 Estimate the synonymous and nonsynonymous substitutions rates of the codon-aligned nucleotide sequences and also display the codons considered in the computations and their amino acid translations.

```
[dn,ds] = dnds(hk01_aligned,vt04_aligned,'verbose',true)
```

## References

- [1] Li, W., Wu, C., and Luo, C. (1985). A new method for estimating synonymous and nonsynonymous rates of nucleotide substitution considering the relative likelihood of nucleotide and codon changes. *Molecular Biology and Evolution* 2(2), 150–174.



- [2] Nei, M., and Gojobori, T. (1986). Simple methods for estimating the numbers of synonymous and nonsynonymous nucleotide substitutions. *Molecular Biology and Evolution* 3(5), 418–426.
- [3] Nei, M., and Jin, L. (1989). Variances of the average numbers of nucleotide substitutions within and between populations. *Molecular Biology and Evolution* 6(3), 290–300.
- [4] Nei, M., and Kumar, S. (2000). Synonymous and nonsynonymous nucleotide substitutions” in *Molecular Evolution and Phylogenetics* (Oxford University Press).
- [5] Pamilo, P., and Bianchi, N. (1993). Evolution of the Zfx And Zfy genes: rates and interdependence between the genes. *Molecular Biology and Evolution* 10(2), 271–281.

**See Also**

Bioinformatics Toolbox functions: `dndsm1`, `featuresparse`, `geneticcode`, `nt2aa`, `nwalign`, `seqinsertgaps`, `seqpdist`

**Purpose** Estimate synonymous and nonsynonymous substitution rates using maximum likelihood method

**Syntax**

```
[Dn, Ds, Like] = dndsm1(SeqNT1, SeqNT2)
[Dn, Ds, Like] = dndsm1(SeqNT1, SeqNT2, ...'GeneticCode',
GeneticCodeValue, ...)
[Dn, Ds, Like] = dndsm1(SeqNT1, SeqNT2, ...'Verbose',
VerboseValue, ...)
```

**Arguments**

- SeqNT1, SeqNT2* Nucleotide sequences. Enter either a string or a structure with the field *Sequence*.
- GeneticCodeValue* Property to specify a genetic code. Enter a Code Number or a string with a Code Name from the table Genetic Code on page 3-62. If you use a Code Name, you can truncate it to the first two characters. Default is 1 or *Standard*.
- VerboseValue* Property to control the display of the codons considered in the computations and their amino acid translations. Choices are *true* or *false* (default).

---

**Tip** Specify *true* to use this display to manually verify the codon alignment of the two input sequences. The presence of stop codons (\*) in the amino acid translation can indicate that *SeqNT1* and *SeqNT2* are not codon-aligned.

---

**Return Values**

- Dn* Nonsynonymous substitution rate(s).
- Ds* Synonymous substitution rate(s).
- Like* Likelihood of estimate of substitution rates.

## Description

[*Dn*, *Ds*, *Like*] = dndsm1(*SeqNT1*, *SeqNT2*) estimates the synonymous and nonsynonymous substitution rates between the two homologous sequences, *SeqNT1* and *SeqNT2*, using the Goldman-Yang method (1994). This maximum likelihood method estimates an explicit model for codon substitution that accounts for transition/transversion rate bias and base/codon frequency bias. Then it uses the model to correct synonymous and nonsynonymous counts to account for multiple substitutions at the same site. The maximum likelihood method is best suited when the sample size is significant (larger than 100 bases) and when the sequences being compared can have transition/transversion rate biases and base/codon frequency biases.

dndsm1 returns:

- *Dn* — Nonsynonymous substitution rate(s).
- *Ds* — Synonymous substitution rate(s).
- *Like* — Likelihood of this estimate.

This analysis:

- Assumes that the nucleotide sequences, *SeqNT1* and *SeqNT2*, are codon-aligned, that is, do not have frame shifts.

---

**Tip** If your sequences are not codon-aligned, use the nt2aa function to convert them to amino acid sequences, use the nwalgn function to globally align them, then use the seqinsertgaps function to recover the corresponding codon-aligned nucleotide sequences. See Estimating Synonymous and Nonsynonymous Substitution Rates Between Two Nucleotide Sequences That Are Not Codon-Aligned on page 3-507

---

- Excludes any ambiguous nucleotide characters or codons that include gaps.

- Considers the number of codons in the shorter of the two nucleotide sequences.

---

## Caution

If *SeqNT1* and *SeqNT2* are too short or too divergent, saturation can be reached, and dndsml returns NaNs and a warning message.

---

`[Dn, Ds, Like] = dndsml(SeqNT1, SeqNT2, ...'PropertyName', PropertyValue, ...)` calls dnds with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`[Dn, Ds, Like] = dndsml(SeqNT1, SeqNT2, ...'GeneticCode', GeneticCodeValue, ...)` calculates synonymous and nonsynonymous substitution rates using the specified genetic code. Enter a Code Number or a string with a Code Name from the table Genetic Code on page 3-62. If you use a Code Name, you can truncate it to the first two characters. Default is 1 or Standard.

`[Dn, Ds, Like] = dndsml(SeqNT1, SeqNT2, ...'Verbose', VerboseValue, ...)` controls the display of the codons considered in the computations and their amino acid translations. Choices are true or false (default).

---

**Tip** Specify true to use this display to manually verify the codon alignment of the two input sequences, *SeqNT1* and *SeqNT2*. The presence of stop codons (\*) in the amino acid translation can indicate that *SeqNT1* and *SeqNT2* are not codon-aligned.

---

**Examples****Estimating Synonymous and Nonsynonymous Substitution Rates Between the gag Genes of Two HIV Viruses**

- 1 Retrieve two sequences from the GenBank database for the gag genes of two HIV viruses

```
gag1 = getgenbank('L11768');
gag2 = getgenbank('L11770');
```

- 2 Estimate the synonymous and nonsynonymous substitution rates between the two sequences.

```
[dn ds like] = dndsml(gag1, gag2)

dn =
    0.0259
ds =
    0.0623
like =
   -2.1857e+003
```

**Estimating Synonymous and Nonsynonymous Substitution Rates Between Two Nucleotide Sequences That Are Not Codon-Aligned**

- 1 Retrieve two nucleotide sequences from the GenBank database for the neuraminidase (NA) protein of two strains of the Influenza A virus (H5N1).

```
hk01 = getgenbank('AF509094');
vt04 = getgenbank('DQ094287');
```

- 2 Extract the coding region from the two nucleotide sequences.

```
hk01_cds = featuresparse(hk01, 'feature', 'CDS', 'Sequence', true);
vt04_cds = featuresparse(vt04, 'feature', 'CDS', 'Sequence', true);
```

- 3** Align the amino acids sequences converted from the nucleotide sequences.

```
[sc,al]=nwalign(nt2aa(hk01_cds),nt2aa(vt04_cds),'extendgap',1);
```

- 4** Use the `seqinsertgaps` function to copy the gaps from the aligned amino acid sequences to their corresponding nucleotide sequences, thus codon-aligning them.

```
hk01_aligned = seqinsertgaps(hk01_cds,al(1,:));  
vt04_aligned = seqinsertgaps(vt04_cds,al(3,:));
```

- 5** Estimate the synonymous and nonsynonymous substitutions rates of the codon-aligned nucleotide sequences and also display the codons considered in the computations and their amino acid translations.

```
[dn,ds] = dndsml(hk01_aligned,vt04_aligned,'verbose',true)
```

```
dn =  
    0.0445
```

```
ds =  
    0.1576
```

## References

- [1] Tamura, K., and Mei, M. (1993). Estimation of the number of nucleotide substitutions in the control region of mitochondrial DNA in humans and chimpanzees. *Molecular Biology and Evolution* *10*, 512–526.
- [2] Yang, Z., and Nielsen, R. (2000). Estimating synonymous and nonsynonymous substitution rates under realistic evolutionary models. *Molecular Biology and Evolution* *17*, 32–43.
- [3] Goldman, N., and Yang, Z. (1994). A Codon-based Model of Nucleotide Substitution for Protein-coding DNA Sequences. *Mol. Biol. Evol.* *11*(5), 725–736.

**See Also**

Bioinformatics Toolbox functions: `dnds`, `featuresparse`, `geneticcode`, `nt2aa`, `nwalign`, `seqinsertgaps`, `seqpdist`

# dolayout (biograph)

---

<b>Purpose</b>	Calculate node positions and edge trajectories	
<b>Syntax</b>	<code>dolayout(BGobj)</code> <code>dolayout(BGobj, 'Paths', PathsOnlyValue)</code>	
<b>Arguments</b>	<i>BGobj</i>	Biograph object created by the biograph function (object constructor).
	<i>PathsOnlyValue</i>	Controls the calculation of only the edge paths, leaving the nodes at their current positions. Choices are true or false (default).
<b>Description</b>	<hr/> <b>Note</b> To use the dolayout method, you must have accepted a Graphviz software license (free). If you have not, you will be prompted to do so. <hr/>	

`dolayout(BGobj)` calls the layout engine to calculate the optimal position for each node so that its 2-D rendering is clean and uncluttered, and then calculates the best curves to represent the edges. The layout engine uses the following properties of the biograph object:

- **LayoutType** — Specifies the layout engine as 'hierarchical', 'equilibrium', or 'radial'.
- **LayoutScale** — Rescales the sizes of the node before calling the layout engine. This gives more space to the layout and reduces the overlapping of nodes.
- **NodeAutoSize** — Controls precalculating the node size before calling the layout engine. When **NodeAutoSize** is set to 'on', the layout engine uses the node properties **FontSize** and **Shape**, and the biograph object property **LayoutScale** to precalculate the actual size of each node. When **NodeAutoSize** is set to 'off', the layout engine uses the node property **Size**.



For more information on the above properties, see Properties of a Biograph Object on page 3-182. For information on accessing and specifying the above properties of a biograph object, see Determining Properties and Property Values of a Biograph Object on page 3-188 and Specifying Properties of a Biograph Object on page 3-190.

`dolayout(BGobj, 'Paths', PathsOnlyValue)` controls the calculation of only the edge paths, leaving the nodes at their current positions. Choices are `true` or `false` (default).

## Examples

- 1 Create a biograph object.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];
bg = biograph(cm)
Biograph object with 5 nodes and 9 edges.
bg.nodes(1).Position

ans =

[]
```

Nodes do not have a position yet.

- 2 Call the layout engine and render the graph.

```
dolayout(bg)
bg.nodes(1).Position

ans =

    112    224

view(bg)
```

- 3 Manually modify a node position and recalculate the paths only.

```
bg.nodes(1).Position = [150 150];
dolayout(bg, 'Pathsonly', true)
```

## dolayout (biograph)

---

`view(bg)`

### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`

## Purpose

Convert DataMatrix object to double-precision array

## Syntax

```
B = double(DMatrix)  
B = double(DMatrix, Rows)  
B = double(DMatrix, Rows, Cols)
```

## Arguments

<i>DMatrix</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>Rows</i> , <i>Cols</i>	Row(s) or column(s) in <i>DMatrix</i> , specified by one of the following: <ul style="list-style-type: none"><li>• Scalar</li><li>• Vector of positive integers</li><li>• String specifying a row or column name</li><li>• Cell array of row or column names</li><li>• Logical vector</li></ul>

## Return Values

<i>B</i>	MATLAB numeric array.
----------	-----------------------

## Description

*B* = double(*DMatrix*) converts *DMatrix*, a DataMatrix object, to a double-precision array, which it returns in *B*.

*B* = double(*DMatrix*, *Rows*) converts a subset of *DMatrix*, a DataMatrix object, specified by *Rows*, to a double-precision array, which it returns in *B*. *Rows* can be a positive integer, vector of positive integers, string specifying a row name, cell array of row names, or a logical vector.

*B* = double(*DMatrix*, *Rows*, *Cols*) converts a subset of *DMatrix*, a DataMatrix object, specified by *Rows* and *Cols*, to a double-precision array, which it returns in *B*. *Cols* can be a positive integer, vector of

## double (DataMatrix)

---

positive integers, string specifying a column name, cell array of column names, or a logical vector.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `single`

<b>Purpose</b>	Retrieve or set data element (DataMatrix object) in ExpressionSet object
<b>Syntax</b>	<pre>DMObj = elementData(ESObj, Element) NewESObj = elementData(ESObj, Element, NewDMObj)</pre>
<b>Description</b>	<p><i>DMObj</i> = <code>elementData(ESObj, Element)</code> returns the DataMatrix object from an ExpressionSet object, specified by <i>Element</i>, a positive integer or a string specifying an element name.</p> <p><i>NewESObj</i> = <code>elementData(ESObj, Element, NewDMObj)</code> replaces the DataMatrix object specified by <i>Element</i> in <i>ESObj</i>, an ExpressionSet object, with <i>NewDMObj</i>, a new DataMatrix object, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the <code>bioma.ExpressionSet</code> class.</p> <p><i>Element</i></p> <p>Element (DataMatrix object) in an ExpressionSet object, specified by either of the following:</p> <ul style="list-style-type: none"><li>• Positive integer</li><li>• String specifying the element name</li></ul> <p><i>NewDMObj</i></p> <p>Object of the DataMatrix class. The sample names and feature names in <i>NewDMObj</i> must match the sample names and feature names in the DataMatrix object specified by <i>Element</i>.</p>
<b>Output Arguments</b>	<p><i>DMObj</i></p> <p>Object of the DataMatrix class, returned from the ExptData object of an ExpressionSet object.</p> <p><i>NewESObj</i></p>

# bioma.ExpressionSet.elementData

---

Object of the `bioma.ExpressionSet` class, returned after replacing a specified data element (DataMatrix object).

## Examples

Construct an `ExpressionSet` object, `ESObj`, as described in the “Examples” on page 3-238 section of the `bioma.ExpressionSet` class reference page. Extract a `DataMatrix` object from it:

```
% Extract first DataMatrix object
ExtractedDMObj = elementData(ESObj, 1);
```

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `DataMatrix`

## How To

- “Storing and Managing Gene Expression Data in Objects”

<b>Purpose</b>	Retrieve or set data element (DataMatrix object) in ExptData object
<b>Syntax</b>	<pre>DMObj = elementData(EDObj, Element) NewEDObj = elementData(EDObj, Element, NewDMObj)</pre>
<b>Description</b>	<p><i>DMObj</i> = <code>elementData(EDObj, Element)</code> returns the DataMatrix object from an ExptData object, specified by <i>Element</i>, a positive integer or string specifying an element name.</p> <p><i>NewEDObj</i> = <code>elementData(EDObj, Element, NewDMObj)</code> replaces the element (DataMatrix object) specified by <i>Element</i> in <i>EDObj</i>, an ExptData object, with <i>NewDMObj</i>, a new DataMatrix object, and returns <i>NewEDObj</i>, a new ExptData object.</p>
<b>Input Arguments</b>	<p><i>EDObj</i></p> <p>Object of the <code>bioma.data.ExptData</code> class.</p> <p><i>Element</i></p> <p>Element (DataMatrix object) in an ExptData object, specified by either of the following:</p> <ul style="list-style-type: none"><li>• Positive integer</li><li>• String specifying the element name</li></ul> <p><i>NewDMObj</i></p> <p>Object of the DataMatrix class. The sample names and feature names in <i>NewDMObj</i> must match the sample names and feature names of <i>EDObj</i>.</p>
<b>Output Arguments</b>	<p><i>DMObj</i></p> <p>Object of the DataMatrix class, returned from an ExptData object.</p> <p><i>NewEDObj</i></p> <p>Object of the <code>bioma.data.ExptData</code> class, returned after replacing a data element (DataMatrix object).</p>

# bioma.data.ExptData.elementData

---

## Examples

Construct an ExptData object, and then extract a DataMatrix object from it:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Extract first DataMatrix object
ExtractedDMObj = elementData(EDObj, 1);
```

## See Also

bioma.data.ExptData | DataMatrix

## How To

- “Representing Expression Data Values in ExptData Objects”



<b>Purpose</b>	Retrieve or set element names of DataMatrix objects in ExpressionSet object
<b>Syntax</b>	<pre><i>ElmtNames</i> = elementNames(<i>ESObj</i>) <i>ElmtNames</i> = elementNames(<i>ESObj</i>, <i>Subset</i>) <i>NewESObj</i> = elementNames(<i>ESObj</i>, <i>Subset</i>, <i>NewElmtNames</i>)</pre>
<b>Description</b>	<p><i>ElmtNames</i> = elementNames(<i>ESObj</i>) returns a cell array of strings specifying the element names of all the data elements (DataMatrix objects) stored in the ExptData object in an ExpressionSet object.</p> <p><i>ElmtNames</i> = elementNames(<i>ESObj</i>, <i>Subset</i>) returns a cell array of strings specifying the element names of a subset of the data elements (DataMatrix objects) in the ExptData object in an ExpressionSet object.</p> <p><i>NewESObj</i> = elementNames(<i>ESObj</i>, <i>Subset</i>, <i>NewElmtNames</i>) replaces the element names of the data elements (DataMatrix objects) specified by <i>Subset</i> in <i>ESObj</i>, an ExpressionSet object, with <i>NewElmtNames</i>, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>Subset</i></p> <p>One of the following to specify the element names of a subset of the data elements (DataMatrix objects) in the ExptData object of an ExpressionSet object:</p> <ul style="list-style-type: none"><li>• String specifying an element name</li><li>• Cell array of strings specifying element names</li><li>• Positive integer</li><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>NewElmtNames</i></p>

# bioma.ExpressionSet.elementNames

---

New element names for specific data elements (DataMatrix objects) within an ExpressionSet object, specified by one of the following:

- Numeric vector
- String or cell array of strings
- String, which `elementNames` uses as a prefix for the element names, with element numbers appended to the prefix
- Logical true or false (default). If true, `elementNames` assigns unique element names using the format `Elmt1`, `Elmt2`, etc.

The number of elements in *NewElmtNames* must equal the number of elements specified by *Subset*.

## Output Arguments

*ElmtNames*

Cell array of strings specifying the element names of all or some of the data elements (DataMatrix objects) in the `ExptData` object of an ExpressionSet object.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing element names of specific data elements (DataMatrix objects).

## Examples

Construct an ExpressionSet object, `ESObj`, as described in the “Examples” on page 3-238 section of the `bioma.ExpressionSet` class reference page. Retrieve the element names of the DataMatrix objects in it:

```
% Retrieve element names of DataMatrix objects
ENames = elementNames(ESObj);
```

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `DataMatrix` | `exptData`

## How To

- “Storing and Managing Gene Expression Data in Objects”

**Purpose** Retrieve or set element names of DataMatrix objects in ExptData object

**Syntax**

```
ElmtNames = elementNames(EDObj)  
ElmtNames = elementNames(EDObj, Subset)  
NewEDObj = elementNames(EDObj, Subset, NewElmtNames)
```

**Description**

*ElmtNames* = elementNames(*EDObj*) returns a cell array of strings specifying the element names of all the data elements (DataMatrix objects) stored in an ExptData object.

*ElmtNames* = elementNames(*EDObj*, *Subset*) returns a cell array of strings specifying the element names of a subset of the data elements (DataMatrix objects) stored in an ExptData object.

*NewEDObj* = elementNames(*EDObj*, *Subset*, *NewElmtNames*) replaces the element names of the data elements (DataMatrix objects) specified by *Subset* in *EDObj*, an ExptData object, with *NewElmtNames*, and returns *NewEDObj*, a new ExptData object.

**Input Arguments**

*EDObj*

Object of the bioma.data.ExptData class.

*Subset*

One of the following to specify the element names of a subset of the data elements (DataMatrix objects) in an ExptData object:

- String specifying an element name
- Cell array of strings specifying element names
- Positive integer
- Vector of positive integers
- Logical vector

*NewElmtNames*

# bioma.data.ExptData.elementNames

---

New element names for specific data elements (DataMatrix objects) within an ExptData object, specified by one of the following:

- Numeric vector
- String or cell array of strings
- String, which elementNames uses as a prefix for the element names, with element numbers appended to the prefix
- Logical true or false (default). If true, elementNames assigns unique element names using the format Elmt1, Elmt2, etc.

The number of elements in *NewElmtNames* must equal the number of elements specified by *Subset*.

## Output Arguments

*ElmtNames*

Cell array of strings specifying the element names of all or some of the data elements (DataMatrix objects) in an ExptData object.

*NewEDObj*

Object of the bioma.data.ExptData class, returned after replacing element names of specific data elements (DataMatrix objects).

## Examples

Construct an ExptData object, and then retrieve the element names of DataMatrix objects from it:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Retrieve element names of DataMatrix objects
ENames = elementNames(EDObj);
```

## See Also

bioma.data.ExptData | DataMatrix | dmNames | featureNames | sampleNames

## How To

- “Representing Expression Data Values in ExptData Objects”

<b>Purpose</b>	Read data from EMBL file	
<b>Syntax</b>	<pre>EMBLData = emblread(File) EMBLSeq = emblread (File, 'SequenceOnly', SequenceOnlyValue)</pre>	
<b>Arguments</b>	<i>File</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is an EMBL-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of an EMBL-formatted file</li></ul> <hr/> <p><b>Tip</b> You can use the <code>getembl</code> function with the 'ToFile' property to retrieve data from the European Molecular Biology Laboratory (EMBL) database and create an EMBL-formatted file.</p> <hr/>
	<i>SequenceOnlyValue</i>	Controls the reading of only the sequence without the metadata. Choices are <code>true</code> or <code>false</code> (default).
<b>Return Values</b>	<i>EMBLData</i>	MATLAB structure with fields corresponding to EMBL data.
	<i>EMBLSeq</i>	MATLAB character string representing the sequence.

## Description

*EMBLData* = `emblread(File)` reads data from *File*, an EMBL-formatted file, and creates *EMBLData*, a MATLAB structure with fields corresponding to the EMBL two-character line type code. Each line type code is stored as a separate element in the structure.

*EMBLData* contains the following fields.

Field
Identification.EntryName
Identification.Version
Identification.Topology
Identification.Molecule
Identification.DataClass
Identification.Division
Identification.SequenceLength
Accession
SequenceVersion
DateCreated
DateUpdated
Description
Keyword
OrganismSpecies
OrganismClassification
Organelle
Reference{#}.Number
Reference{#}.Comment
Reference{#}.Position
Reference{#}.MedLine

Field
Reference{#}.PubMed
Reference{#}.Group
Reference{#}.Authors
Reference{#}.Title
Reference{#}.Location
DatabaseCrossReference
Comments
Assembly
Feature
Basecount.BP
Basecount.A
Basecount.C
Basecount.G
Basecount.T
Basecount.Other
Sequence

---

**Note** Topology information was not included in EMBL flat files before release 87 of the database. When reading a file created before release 87, EMBLREAD returns an empty `Identification.Topology` field.

---

---

**Note** The entry name is no longer displayed in the ID line of EMBL flat files in release 87. When reading a file created in release 87, EMBLREAD returns the accession number in the `Identification.EntryName` field.

---



*EMBLSeq* = *emblread* (*File*, 'SequenceOnly', *SequenceOnlyValue*) controls the reading of only the sequence without the metadata. Choices are true or false (default).

## Examples

Retrieve sequence information from the Web, save to a file, and then read back into the MATLAB software.

- 1 Use the `getembl` function and `ToFile` property to retrieve sequence information from the Web and save to an EMBL-formatted file.

```
getembl('X00558','ToFile','rat_protein.txt');
```

- 2 Read data from the EMBL-formatted file and create a MATLAB structure.

```
EMBLData = emblread('rat_protein.txt')
```

```
EMBLData =
```

```

    Identification: [1x1 struct]
        Accession: 'X00558'
    SequenceVersion: 'X00558.1'
        DateCreated: '13-JUN-1985 (Rel. 06, Created)'
        DateUpdated: [1x46 char]
        Description: [1x75 char]
            Keyword: [1x75 char]
    OrganismSpecies: [1x75 char]
    OrganismClassification: [3x75 char]
        Organelle: ''
        Reference: {[1x1 struct]}
    DatabaseCrossReference: ''
        Comments: ''
        Assembly: ''
        Feature: [23x75 char]
    BaseCount: [1x1 struct]
    Sequence: [1x877 char]
```

# emblread

---

## See Also

Bioinformatics Toolbox functions: `fastaread`, `genbankread`, `genpeptread`, `getembl`, `pdbread`, `seqtool`

<b>Purpose</b>	Test DataMatrix objects for equality	
<b>Syntax</b>	<pre> T = eq(DMObj1, DMObj2) T = DMObj1 == DMObj2 T = eq(DMObj1, B) T = DMObj1 == B T = eq(B, DMObj1) T = B == DMObj1 </pre>	
<b>Arguments</b>	<p><i>DMObj1</i>, <i>DMObj2</i>     DataMatrix objects, such as created by DataMatrix (object constructor).</p> <p><i>B</i>     MATLAB numeric or logical array.</p>	
<b>Return Values</b>	<i>T</i>	Logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i> or <i>DMObj1</i> and <i>B</i> . It contains logical 1 (true) where elements in the first input are equal to the corresponding element in the second input, and logical 0 (false) when they are not equal.
<b>Description</b>	<p><math>T = \text{eq}(DMObj1, DMObj2)</math> or the equivalent <math>T = DMObj1 == DMObj2</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in DataMatrix object <i>DMObj2</i>, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i>, containing logical 1 (true) where elements in <i>DMObj1</i> are equal to the corresponding element in <i>DMObj2</i>, and logical 0 (false) when they are not equal. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). <i>DMObj1</i> and <i>DMObj2</i> can have different Name properties.</p> <p><math>T = \text{eq}(DMObj1, B)</math> or the equivalent <math>T = DMObj1 == B</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in <i>B</i>, a numeric or logical array, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>B</i>, containing logical 1 (true) where elements</p>	

## eq (DataMatrix)

---

in *DMObj1* are equal to the corresponding element in *B*, and logical 0 (false) when they are not equal. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{eq}(B, \text{DMObj1})$  or the equivalent  $T = B == \text{DMObj1}$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are equal to the corresponding element in *DMObj1*, and logical 0 (false) when they are not equal. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{eq}(X, Y)$  for the syntax  $T = X == Y$  when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `ne`

**Purpose**

Send RasMol script commands to Molecule Viewer window

**Syntax**

```
evalrasmolscript(FigureHandle, Command)  
evalrasmolscript(FigureHandle, 'File', FileValue)
```

**Arguments**

*FigureHandle* Figure handle to a molecule viewer returned by the molviewer function.

*Command* Either of the following:

- String specifying one or more RasMol script commands. Use a ; to separate commands.
- Character array or cell array containing strings specifying RasMol script commands.

---

**Note** For a complete list of RasMol script commands, see

<http://www.stolaf.edu/academics/chemapps/jmol/docs/>

---

*FileValue* String specifying a file name or a path and file name of a text file containing Jmol script commands. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.

**Description**

evalrasmolscript(*FigureHandle*, *Command*) sends the RasMol script commands specified by *Command* to *FigureHandle*, the figure handle of a Molecule Viewer window created using the molviewer function.

evalrasmolscript(*FigureHandle*, 'File', *FileValue*) sends the RasMol script commands specified by *FileValue* to *FigureHandle*,

the figure handle of a Molecule Viewer window created using the `molviewer` function.

## Examples

- 1 Use the `molviewer` function to create a figure handle to a Molecule Viewer window.

```
FH = molviewer('2DHB')
```

- 2 Use the `evalrasmolscript` function to send script commands to the molecule viewer that change the background to black and spin the molecule.

```
evalrasmolscript(FH, 'background white; spin')
```

## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbread`, `pdbrwrite`

<b>Purpose</b>	Retrieve or set Expressions DataMatrix object from ExpressionSet object
<b>Syntax</b>	<pre>ExpressionsDMObj = expressions(ESObj) NewESObj = expressions(ESObj, NewDMObj)</pre>
<b>Description</b>	<p><i>ExpressionsDMObj</i> = <i>expressions(ESObj)</i> returns the Expressions element (DataMatrix object), which contains expression values, from an ExpressionSet object.</p> <p><i>NewESObj</i> = <i>expressions(ESObj, NewDMObj)</i> replaces the Expressions element (DataMatrix object) in <i>ESObj</i>, an ExpressionSet object, with <i>NewDMObj</i>, a new DataMatrix object, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewDMObj</i></p> <p>Object of the DataMatrix class.</p>
<b>Output Arguments</b>	<p><i>ExpressionsDMObj</i></p> <p>DataMatrix object containing the expression values from the Expressions DataMatrix object within an ExpressionSet object.</p> <p><i>NewESObj</i></p> <p>ExpressionSet object returned after replacing the Expressions DataMatrix object.</p>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Extract the Expressions DataMatrix object from it:</p> <pre>% Extract expression values from Expressions DataMatrix object ExpressionsDMObj = expressions(ESObj);</pre>

# bioma.ExpressionSet.expressions

---

See Also	bioma.ExpressionSet   bioma.data.ExptData   DataMatrix
How To	<ul style="list-style-type: none"><li>• “Storing and Managing Gene Expression Data in Objects”</li></ul>



## Purpose

Calculate range of gene expression profiles

## Syntax

```
Range = exprprofrange(Data)
[Range, LogRange] = exprprofrange(Data)
... = exprprofrange(Data, 'ShowHist', ShowHistValue)
```

## Arguments

*Data* DataMatrix object or numeric matrix of expression values, where each row corresponds to a gene.

*ShowHistValue* Controls the display of a histogram with range data. Choices are true or false (default).

## Description

*Range* = *exprprofrange(Data)* calculates the range of each expression profile in *Data*, a DataMatrix object or numeric matrix of expression values, where each row corresponds to a gene.

*[Range, LogRange]* = *exprprofrange(Data)* returns the log range, that is,  $\log(\max(\text{prof})) - \log(\min(\text{prof}))$ , of each expression profile. If you do not specify output arguments, *exprprofrange* displays a histogram bar plot of the range.

*... = exprprofrange(Data, 'ShowHist', ShowHistValue)* controls the display of a histogram with range data. Choices for *ShowHistValue* are true or false (default).

## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: *yeastvalues*, a matrix of gene expression data, *genes*, a cell array of GenBank accession numbers for labeling the rows in *yeastvalues*, and *times*, a vector of time values for labeling the columns in *yeastvalues*

```
load yeastdata
```

- 2 Calculate the range of expression profiles for yeast data as gene expression changes during the metabolic shift from fermentation to respiration. Display a histogram of the data.

## exprprofrange

---

```
range = exprprofrange(yeastvalues,'ShowHist',true);
```

### See Also

Bioinformatics Toolbox functions: `exprprofvar`, `generangefilter`

## Purpose

Calculate variance of gene expression profiles

## Syntax

```
Variance = exprprofvar(Data)
exprprofvar(..., 'PropertyName', PropertyValue,...)
exprprofvar(..., 'ShowHist', ShowHistValue)
```

## Arguments

*Data* DataMatrix object or numeric matrix of expression values, where each row corresponds to a gene.

*ShowHistValue* Property to control the display of a histogram with variance data. Enter either true or false (default).

## Description

*Variance* = *exprprofvar(Data)* calculates the variance of each expression profile in *Data*, a DataMatrix object or numeric matrix of expression values, where each row corresponds to a gene. If you do not specify output arguments, this function displays a histogram bar plot of the range.

*exprprofvar(..., 'PropertyName', PropertyValue,...)* defines optional properties using property name/value pairs.

*exprprofvar(..., 'ShowHist', ShowHistValue)*, when *ShowHist* is true, displays a histogram of the range data .

## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: *yeastvalues*, a matrix of gene expression data, *genes*, a cell array of GenBank accession numbers for labeling the rows in *yeastvalues*, and *times*, a vector of time values for labeling the columns in *yeastvalues*

```
load yeastdata
```

- 2 Calculate the variance of expression profiles for yeast data as gene expression changes during the metabolic shift from fermentation to respiration. Display a histogram of the data.

# exprprofvar

---

```
datavar = exprprofvar(yeastvalues,'ShowHist',true);
```

## See Also

Bioinformatics Toolbox functions: `exprprofrange`, `generangefilter`, `genevarfilter`

## Purpose

Write expression values in ExpressionSet object to text file

## Syntax

```
exprWrite(ESObj, File)
exprWrite(..., 'Delimiter', DelimiterValue, ...)
exprWrite(..., 'Precision', PrecisionValue, ...)
exprWrite(..., 'Header', HeaderValue, ...)
exprWrite(..., 'Annotated', AnnotatedValue, ...)
exprWrite(..., 'Append', AppendValue, ...)
```

## Description

`exprWrite(ESObj, File)` writes the expression values in the Expressions element (DataMatrix object) from an ExpressionSet object to a text file, using the delimiter `\t` to separate columns. `exprWrite` writes the data starting at the first column of the first row in the destination file.

`exprWrite(..., 'PropertyName', PropertyValue, ...)` calls `exprWrite` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`exprWrite(..., 'Delimiter', DelimiterValue, ...)` specifies a delimiter symbol to use as a column separator. Default is `'\t'`.

`exprWrite(..., 'Precision', PrecisionValue, ...)` specifies the precision for writing the data to the text file. Default is 5.

`exprWrite(..., 'Header', HeaderValue, ...)` specifies the first line of the text file. Default is the Name property for the DataMatrix object.

`exprWrite(..., 'Annotated', AnnotatedValue, ...)` controls the writing of row and column names to the text file. Choices are `true` (default) or `false`.

`exprWrite(..., 'Append', AppendValue, ...)` controls the appending of the expression values to *File* when it is an existing file. Choices are `true` or `false` (default). If `false`, `exprWrite` overwrites *File*.

# bioma.ExpressionSet.exprWrite

---

## Input Arguments

*ESObj*

Object of the `bioma.ExpressionSet` class.

*File*

String specifying either a file name or a path and file name for saving the expression values. If you specify only a file name, `exprWrite` saves the file to the MATLAB Current Folder.

*DelimiterValue*

String specifying a delimiter symbol to use as a matrix column separator. Typical choices are:

- ' '
- '\t' (default)
- ','
- ';'
- '|'

*PrecisionValue*

Precision for writing the data to the text file, specified by either:

- Positive integer specifying the number of significant digits
- C-style format string starting with %, such as '%6.5f'

**Default:** 5

*HeaderValue*

String specifying the first line of the text file. Default is the `Name` property for the `DataMatrix` object.

*AnnotatedValue*

Controls the writing of row and column names to the text file. Choices are `true` (default) or `false`.

## *AppendValue*

Controls the appending of the expression values to *File* when it is an existing file. Choices are `true` or `false` (default). If `false`, `exprWrite` overwrites *File*.

## Examples

Construct an `ExpressionSet` object, `ESObj`, as described in the “Examples” on page 3-238 section of the `bioma.ExpressionSet` class reference page. Write the expression values in the `ExpressionSet` object to a text file:

```
% Write expression values to text file
exprWrite(ESObj, 'myexpressiondata.txt')
```

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `DataMatrix` | `dmwrite`

## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.ExpressionSet.exptData

---

<b>Purpose</b>	Retrieve or set experiment data in ExpressionSet object
<b>Syntax</b>	<pre>ExptDataObj = exptData(ESObj) NewESObj = exptData(ESObj, NewExptDataObj)</pre>
<b>Description</b>	<p><i>ExptDataObj</i> = <i>exptData(ESObj)</i> returns the ExptData object stored in an ExpressionSet object.</p> <p><i>NewESObj</i> = <i>exptData(ESObj, NewExptDataObj)</i> replaces the ExptData object in <i>ESObj</i>, an ExpressionSet object, with <i>NewExptDataObj</i>, a new ExptData object, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewExptDataObj</i></p> <p>Object of the bioma.data.ExptData class.</p>
<b>Output Arguments</b>	<p><i>ExptDataObj</i></p> <p>Object of the bioma.data.ExptData class.</p> <p><i>NewESObj</i></p> <p>Object of the bioma.ExpressionSet class, returned after replacing the ExptData object.</p>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the ExptData object stored in the ExpressionSet object:</p> <pre>% Retrieve the ExptData object NewEDObj = exptData(ESObj);</pre>
<b>See Also</b>	bioma.ExpressionSet   bioma.data.ExptData   DataMatrix   featureData   sampleData



## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.ExpressionSet.exptInfo

---

<b>Purpose</b>	Retrieve or set experiment information in ExpressionSet object
<b>Syntax</b>	<pre>MIAMEObj = exptInfo(ESObj) NewESObj = exptInfo(ESObj, NewMIAMEObj)</pre>
<b>Description</b>	<p><i>MIAMEObj</i> = <i>exptInfo(ESObj)</i> returns a MIAME object containing experiment information from an ExpressionSet object.</p> <p><i>NewESObj</i> = <i>exptInfo(ESObj, NewMIAMEObj)</i> replaces the MIAME object in <i>ESObj</i>, an ExpressionSet object, with <i>NewMIAMEObj</i>, a new MIAME object, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewMIAMEObj</i></p> <p>Object of the bioma.data.MIAME class.</p>
<b>Output Arguments</b>	<p><i>MIAMEObj</i></p> <p>Object of the bioma.data.MIAME class.</p> <p><i>NewESObj</i></p> <p>Object of the bioma.ExpressionSet class, returned after replacing the MIAME object.</p>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the MIAME object stored in the ExpressionSet object:</p> <pre>% Retrieve the MIAME object NewMIAMEObj = exptInfo(ESObj);</pre>
<b>See Also</b>	bioma.ExpressionSet   bioma.data.MIAME
<b>How To</b>	<ul style="list-style-type: none"><li>• “Storing and Managing Gene Expression Data in Objects”</li></ul>

- <http://www.mged.org/Workgroups/MIAME/miame.html>

**Purpose**

Return information about FASTA file

**Syntax**

`InfoStruct = fastainfo(File)`

**Description**

`InfoStruct = fastainfo(File)` returns a MATLAB structure containing summary information about a FASTA-formatted file.

**Input Arguments**

*File*

FASTA-formatted file specified by one of the following:

- String specifying a file name or path and file name of a FASTA-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
- URL pointing to a FASTA-formatted file.
- MATLAB character array containing the text of a FASTA-formatted file.

**Output Arguments**

*InfoStruct*

MATLAB structure containing summary information about a FASTA-formatted file. The structure contains the following fields.

Field	Description
Filename	Name of the file.
FileModDate	Modification date of the file.
FileSize	Size of the file in bytes.
NumberOfEntries	Number of sequence entries in the file.

**Examples**

Return a summary of the contents of a FASTA file:

`info = fastainfo('p53nt.txt')`

```
info =  
    Filename: 'p53nt.txt'  
    FileModDate: '31-Mar-2003 11:44:27'  
    FileSize: 2764  
    NumberOfEntries: 1
```

**See Also**

`fastaread` | `fastawrite` | `fastqinfo` | `fastqread` | `fastqwrite` |  
`sffinfo` | `sffread` | `saminfo` | `samread` | `BioIndexedFile`

<b>Purpose</b>	Read data from FASTA file	
<b>Syntax</b>	<pre>FASTAData = fastaread(File) [Header, Sequence] = fastaread(File) ... = fastaread(File, ...'IgnoreGaps', IgnoreGapsValue, ...) ... = fastaread(File, ...'Blockread', BlockreadValue, ...) ... = fastaread(File, ...'TrimHeaders', TrimHeadersValue, ...)</pre>	
<b>Arguments</b>	<i>File</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a FASTA-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a FASTA-formatted file.</li></ul>
	<i>IgnoreGapsValue</i>	<p>Controls the removal of gap symbols. Choices are true or false (default).</p>

- BlockreadValue

Scalar or vector that controls the reading of a single sequence entry or block of sequence entries from a FASTA-formatted file containing multiple sequences. Enter a scalar  $N$  to read the  $N$ th entry in the file. Enter a 1-by-2 vector  $[M1, M2]$  to read the block of entries starting at the  $M1$  entry and ending at the  $M2$  entry. To read all remaining entries in the file starting at the  $M1$  entry, enter a positive value for  $M1$  and enter Inf for  $M2$ .
- TrimHeadersValue

Specifies whether to trim the header after the first white space character. White space characters include a space (char(32)) and a tab (char(9)). Choices are true or false (default).

Return Values

- FASTAData

MATLAB structure with the fields Header and Sequence.

Description

fastaread reads data from a FASTA-formatted file into a MATLAB structure with the following fields.

Field	Description
Header	Header information.
Sequence	Single letter-code representation of a nucleotide sequence.

A FASTA-formatted file begins with a right angle bracket (>) and a single line description. Following this description is the sequence as a series of lines with fewer than 80 characters. Sequences must use the standard IUB/IUPAC amino acid and nucleotide letter codes.

For a list of codes, see aminolookup and baselookup.

*FASTAData* = *fastaread*(*File*) reads a FASTA-formatted file and returns the data in a structure. *FASTAData.Header* is the header information, while *FASTAData.Sequence* is the sequence stored as a string of letters.

[*Header*, *Sequence*] = *fastaread*(*File*) reads data from a file into separate variables. If the file contains multiple sequences, then *Header* and *Sequence* are cell arrays of header and sequence information.

... = *fastaread*(*File*, ...'*PropertyName*', *PropertyValue*, ...) calls *fastaread* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. The property name/value pairs can be in any format supported by the function *set* (for example, name-value string pairs, structures, and name-value cell array pairs). These property name/property value pairs are as follows:

... = *fastaread*(*File*, ...'*IgnoreGaps*', *IgnoreGapsValue*, ...) when *IgnoreGapsValue* is true, removes any gap symbol ('-' or '.') from the sequences. Default is false.

... = *fastaread*(*File*, ...'*Blockread*', *BlockreadValue*, ...) lets you read in a single sequence entry or block of sequence entries from a file containing multiple sequences. If *BlockreadValue* is a scalar *N*, then *fastaread* reads the *N*th entry in the file. If *BlockreadValue* is a 1-by-2 vector [*M1*, *M2*], then *fastaread* reads the block of entries starting at the *M1* entry and ending at the *M2* entry. To read all remaining entries in the file starting at the *M1* entry, enter a positive value for *M1* and enter Inf for *M2*.

... = *fastaread*(*File*, ...'*TrimHeaders*', *TrimHeadersValue*, ...) specifies whether to trim the header to the first white space.

## Examples

Read the sequence for the human p53 tumor gene:

```
p53nt = fastaread('p53nt.txt')
```

Read the sequence for the human p53 tumor protein:



```
p53aa = fastaread('p53aa.txt')
```

Read a block of entries from a FASTA file:

```
% Read the contents of reads 5 through 10 into an array of  
% structures  
pf2_5_10 = fastaread('pf00002.fa', 'blockread', [5 10], ...  
                    'ignoregaps',true)  
pf2_5_10 =  
  
6x1 struct array with fields:  
    Header  
    Sequence
```

Read the human mitochondrion genome in FASTA format:

```
entrezSite = 'http://www.ncbi.nlm.nih.gov/entrez/viewer.fcgi?';  
textOptions = '&txt=on&view=fasta';  
genbankID = '&list_uids=NC_001807';  
mitochondrion = fastaread([entrezSite textOptions genbankID])
```

## See Also

Bioinformatics Toolbox functions: aminolookup, baselookup, BioIndexedFile, emblread, fastainfo, fastawrite, fastqinfo, fastqread, fastqwrite, genbankread, genpeptread, multialignread, saminfo, samread, seqprofile, seqtool, sffinfo, sffread

**Purpose** Write to file using FASTA format

**Syntax** `fastawrite(File, Data)`  
`fastawrite(File, Header, Sequence)`

**Arguments**

<i>File</i>	String specifying either a file name or a path and file name for saving the FASTA-formatted data. If you specify only a file name, <code>fastawrite</code> saves the file to the MATLAB Current Folder. If you specify an existing file, <code>fastawrite</code> appends the data to the file, instead of overwriting the file.
<i>Data</i>	Any of the following: <ul style="list-style-type: none"><li>• String containing a sequence</li><li>• MATLAB structure containing the fields <code>Header</code> and <code>Sequence</code></li><li>• MATLAB structure containing sequence information from the GenBank or GenPept database, such as returned by <code>genbankread</code>, <code>getgenbank</code>, <code>genpeptread</code>, or <code>getgenpept</code>.</li></ul>
<i>Header</i>	String or name of variable containing information about the sequence. This text appears in the header of the FASTA-formatted file, <i>File</i> .
<i>Sequence</i>	String or name of variable containing an amino acid or nucleotide sequence using the standard IUB/IUPAC letter or integer codes. For a list of valid characters, see Amino Acid Lookup on page 3-165 or Nucleotide Lookup on page 3-176.

**Description** `fastawrite(File, Data)` writes the contents of *Data* to *File*, a FASTA-formatted file. If you specify an existing FASTA-formatted file, `fastawrite` appends the data to the file, instead of overwriting the file.

`fastawrite(File, Header, Sequence)` writes the specified header and sequence information to *File*, a FASTA-formatted file.

---

**Tip** To append FASTA-formatted data to an existing file, simply specify that file name. `fastawrite` adds the data to the end of the file.

If you are using `fastawrite` in a script, you can disable the append warning message by entering the following command lines before the `fastawrite` command:

```
warnState = warning %Save the current warning state
warning('off','Bioinfo:fastawrite:AppendToFile');
```

Then enter the following command line after the `fastawrite` command:

```
warning(warnState) %Reset warning state to previous settings
```

---

## Examples

### Writing a Coding Region to a FASTA-Formatted File

- 1 Retrieve the sequence for the human p53 gene from the GenBank database.

```
seq = getgenbank('NM_000546');
```

- 2 Read the coordinates of the coding region in the CDS line.

```
start = seq.CDS.indices(1)
```

```
start =
```

```
198
```

```
stop = seq.CDS.indices(2)
```

```
stop =
```

1379

- 3 Extract the coding region.

```
codingSeq = seq.Sequence(start:stop);
```

- 4 Write the coding region to a FASTA-formatted file, specifying Coding region for p53 for the Header in the file, and p53coding.txt for the file name.

```
fastawrite('p53coding.txt','Coding region for p53',codingSeq);
```

## **Saving Multiple Sequences to a FASTA-Formatted File**

- 1 Write two nucleotide sequences to a MATLAB structure containing the fields Header and Sequence.

```
data(1).Sequence = 'ACACAGGAAA';  
data(1).Header = 'First sequence';  
data(2).Sequence = 'ACGTCAGGTC';  
data(2).Header = 'Second sequence';
```

- 2 Write the sequences to a FASTA-formatted file, specifying my\_sequences.txt for the file name.

```
fastawrite('my_sequences.txt', data)
```

- 3 Display the FASTA-formatted file, my\_sequences.txt.

```
type('my_sequences.txt')  
  
>First sequence  
ACACAGGAAA  
  
>Second sequence  
ACGTCAGGTC
```

## Appending Sequences to a FASTA-Formatted File

**1** If you haven't already done so, create the FASTA-formatted file, `my_sequences.txt`, described in Saving Multiple Sequences to a FASTA-Formatted File on page 3-554.

**2** Append a third sequence to the file.

```
fastawrite('my_sequences.txt', 'Third sequence', 'TACTGACTTC')
```

**3** Display the FASTA-formatted file, `my_sequences.txt`.

```
type('my_sequences.txt')
```

```
>First sequence  
ACACAGGAAA
```

```
>Second sequence  
ACGTCAGGTC
```

```
>Third sequence  
TACTGACTTC
```

## See Also

Bioinformatics Toolbox functions: `fastainfo`, `fastaread`, `fastqinfo`, `fastqread`, `fastqwrite`, `genbankread`, `genpeptread`, `getgenbank`, `getgenpept`, `multialignwrite`, `saminfo`, `samread`, `seqtool`, `sffinfo`, `sffread`

**Purpose**

Return information about FASTQ file

**Syntax**

*InfoStruct* = fastqinfo(*File*)

**Description**

*InfoStruct* = fastqinfo(*File*) returns a MATLAB structure containing summary information about a FASTQ-formatted file.

**Input Arguments**

*File*

String specifying a file name or path and file name of a FASTQ-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

**Output Arguments**

*InfoStruct*

MATLAB structure containing summary information about a FASTQ-formatted file. The structure contains the following fields.

Field	Description
Filename	Name of the file.
FileModDate	Modification date of the file.
FileSize	Size of the file in bytes.
NumberOfEntries	Number of sequence reads in the file.

**Examples**

Return a summary of the contents of a FASTQ file:

```
info = fastqinfo('SRR005164_1_50.fastq')

info =

    Filename: 'SRR005164_1_50.fastq'
  FileModDate: '03-Mar-2009 14:21:51'
      FileSize: 16702
  NumberOfEntries: 50
```

## See Also

`fastqread` | `fastqwrite` | `fastainfo` | `fastaread` | `fastawrite` |  
`sffinfo` | `sffread` | `saminfo` | `samread` | `BioIndexedFile` | `BioRead`

## Tutorials

- [Working with Illumina/Solexa Next-Generation Sequencing Data](#)

## Related Links

-

## Purpose

Read data from FASTQ file

## Syntax

```
FASTQStruct = fastqread(File)  
[Header, Sequence] = fastqread(File)  
[Header, Sequence, Qual] = fastqread(File)  
fastqread(..., 'Blockread', BlockreadValue, ...)  
fastqread(..., 'HeaderOnly', HeaderOnlyValue, ...)  
fastqread(..., 'TrimHeaders', TrimHeadersValue, ...)
```

## Description

*FASTQStruct* = fastqread(*File*) reads a FASTQ-formatted file and returns the data in a MATLAB array of structures.

[*Header*, *Sequence*] = fastqread(*File*) returns only the header and sequence data in two separate variables.

[*Header*, *Sequence*, *Qual*] = fastqread(*File*) returns the data in three separate variables.

fastqread(..., '*PropertyName*', *PropertyValue*, ...) calls fastqread with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

fastqread(..., 'Blockread', *BlockreadValue*, ...) reads a single sequence entry or block of sequence entries from a FASTQ-formatted file containing multiple sequences.

fastqread(..., 'HeaderOnly', *HeaderOnlyValue*, ...) specifies whether to return only the header information.

fastqread(..., 'TrimHeaders', *TrimHeadersValue*, ...) specifies whether to trim the header to the first white space.

## Input Arguments

*File*

Either of the following:



- String specifying a file name or path and file name of a FASTQ-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.
- MATLAB character array that contains the text of a FASTQ-formatted file.

*BlockreadValue*

Scalar or vector that controls the reading of a single sequence entry or block of sequence entries from a FASTQ-formatted file containing multiple sequences. Enter a scalar  $N$  to read the  $N$ th entry in the file. Enter a 1-by-2 vector  $[M1, M2]$  to read a block of entries starting at the  $M1$  entry and ending at the  $M2$  entry. To read all remaining entries in the file starting at the  $M1$  entry, enter a positive value for  $M1$  and enter `Inf` for  $M2$ .

*HeaderOnlyValue*

Specifies whether to return only the header information. Choices are `true` or `false` (default).

*TrimHeadersValue*

Specifies whether to trim the header after the first white space character. White space characters include a space (`char(32)`) and a tab (`char(9)`). Choices are `true` or `false` (default).

## Output Arguments

*FASTQStruct*

Array of structures containing information from a FASTQ-formatted file. There is one structure for each sequence read or entry in the file. Each structure contains the following fields.

Field	Description
Header	Header information.
Sequence	Single letter-code representation of a nucleotide sequence.
Quality	ASCII representation of per-base quality scores for a nucleotide sequence.

*Header*

Variable containing header information or, if the FASTQ-formatted file contains multiple sequences, a cell array containing header information.

*Sequence*

Variable containing sequence information or, if the FASTQ-formatted file contains multiple sequences, a cell array containing sequence information.

*Qual*

Variable containing quality information or, if the FASTQ-formatted file contains multiple sequences, a cell array containing quality information.

**Definitions**

A FASTQ-formatted file contains nucleotide sequence and quality information on four lines:

- **Line 1** — Header information prefixed with an @ symbol
- **Line 2** — Nucleotide sequence
- **Line 3** — Header information prefixed with a + symbol
- **Line 4** — ASCII representation of per-base quality scores for the nucleotide sequence using Phred or Solexa encoding

**Examples**

Read a FASTQ file into an array of structures:

```
% Read the contents of a FASTQ-formatted file into
% an array of structures
reads = fastqread('SRR005164_1_50.fastq')

reads =

1x50 struct array with fields:
    Header
    Sequence
    Quality
```

---

Read a FASTQ file into three separate variables:

```
% Read the contents of a FASTQ-formatted file into
% three separate variables
[headers,seqs,quals] = fastqread('SRR005164_1_50.fastq');
```

---

Read a block of entries from a FASTQ file:

```
% Read the contents of reads 5 through 10 into
% an array of structures
reads_5_10 = fastqread('SRR005164_1_50.fastq', 'blockread', [5 10])

1x6 struct array with fields:
    Header
    Sequence
    Quality
```

**See Also**

`fastqwrite` | `fastaread` | `fastawrite` | `fastainfo` | `fastqinfo` | `sffinfo` | `sffread` | `saminfo` | `samread` | `BioIndexedFile` | `BioRead`

**Tutorials**

- [Working with Illumina/Solexa Next-Generation Sequencing Data](#)

# fastqread

---

**Related  
Links** .

**Purpose**

Write to file using FASTQ format

**Syntax**

```
fastqwrite(File, FASTQStruct)  
fastqwrite(File, Header, Sequence, Qual)
```

**Description**

`fastqwrite(File, FASTQStruct)` writes the contents of a MATLAB structure or array of structures to a FASTQ-formatted file. If you specify an existing FASTQ-formatted file, `fastqwrite` appends the data to the file, instead of overwriting the file.

`fastqwrite(File, Header, Sequence, Qual)` writes header, sequence, and quality information to a FASTQ-formatted file.

---

**Tip** To append FASTQ-formatted data to an existing file, simply specify that file name. `fastqwrite` adds the data to the end of the file.

If you are using `fastqwrite` in a script, you can disable the append warning message by entering the following command lines before the `fastqwrite` command:

```
warnState = warning %Save the current warning state  
warning('off','Bioinfo:fastqwrite:AppendToFile');
```

Then enter the following command line after the `fastqwrite` command:

```
warning(warnState) %Reset warning state to previous settings
```

---

**Input Arguments**

*File*

String specifying either a file name or a path and file name for saving the FASTQ-formatted data. If you specify only a file name, `fastqwrite` saves the file to the MATLAB Current Folder. If you specify an existing file, `fastqwrite` appends the data to the file, instead of overwriting the file.

*FASTQStruct*

MATLAB structure or array of structures containing the fields **Header**, **Sequence**, and **Quality**, such as returned by `fastqread`.

## *Header*

String or name of a variable containing information about the nucleotide sequence. This text appears in the header of the FASTQ-formatted file, *File*.

## *Sequence*

String or name of a variable containing a nucleotide sequence using the standard IUB/IUPAC letter or integer codes. For a list of valid characters, see Amino Acid Lookup on page 3-165 or Nucleotide Lookup on page 3-176.

## *Qual*

String or name of a variable containing ASCII representation of per-base quality scores for a nucleotide sequence.

## Definitions

A FASTQ-formatted file contains nucleotide sequence and quality information on four lines:

- **Line 1** — Header information prefixed with an @ symbol
- **Line 2** — Nucleotide sequence
- **Line 3** — Header information prefixed with a + symbol
- **Line 4** — ASCII representation of per-base quality scores for the nucleotide sequence using Phred or Solexa encoding

## Examples

Write multiple sequences to a FASTQ file from an array of structures:

```
% Read the contents of a FASTQ-formatted file into
% an array of structures
reads = fastqread('SRR005164_1_50.fastq');
% Create another array of structures for the first five reads
reads5 = reads(1:5);
% Write the first five reads to a separate FASTQ-formatted file
```

```
sffinfo | sffread | saminfo | samread | BioRead
```

- Working with Illumina/Solexa Next-Generation Sequencing Data

- Amino Acid Lookup on page 3-165
- Nucleotide Lookup on page 3-176

•

# bioma.ExpressionSet.featureData

---

<b>Purpose</b>	Retrieve or set feature metadata in ExpressionSet object
<b>Syntax</b>	<pre>MetaDataObj = featureData(ESObj) NewESObj = featureData(ESObj, NewMetaDataObj)</pre>
<b>Description</b>	<p><i>MetaDataObj</i> = featureData(<i>ESObj</i>) returns a MetaData object containing the feature metadata from an ExpressionSet object.</p> <p><i>NewESObj</i> = featureData(<i>ESObj</i>, <i>NewMetaDataObj</i>) replaces the feature metadata in <i>ESObj</i>, an ExpressionSet object, with <i>NewMetaDataObj</i>, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewMetaDataObj</i></p> <p>Object of the bioma.data.MetaData class, containing feature metadata, stored in two dataset arrays. The feature names and variable names in <i>NewMetaDataObj</i> must match the feature names and variable names in the <i>MetaDataObj</i> being replaced in the ExpressionSet object, <i>ESObj</i>.</p>
<b>Output Arguments</b>	<p><i>MetaDataObj</i></p> <p>Object of the bioma.data.MetaData class, containing the feature metadata, stored in two dataset arrays.</p> <p><i>NewESObj</i></p> <p>Object of the bioma.ExpressionSet class, returned after replacing the MetaData object containing the feature metadata.</p>
<b>See Also</b>	bioma.ExpressionSet   bioma.data.MetaData   featureNames   sampleData
<b>How To</b>	<ul style="list-style-type: none"><li>• “Storing and Managing Gene Expression Data in Objects”</li></ul>



## Purpose

Retrieve or set feature names in ExpressionSet object

## Syntax

```
FeatNames = featureNames(ESObj)
FeatNames = featureNames(ESObj, Subset)
NewESObj = featureNames(ESObj, Subset, NewFeatNames)
```

## Description

*FeatNames* = *featureNames(ESObj)* returns a cell array of strings specifying all feature names in an ExpressionSet object.

*FeatNames* = *featureNames(ESObj, Subset)* returns a cell array of strings specifying a subset the feature names in an ExpressionSet object.

*NewESObj* = *featureNames(ESObj, Subset, NewFeatNames)* replaces the feature names specified by *Subset* in *ESObj*, an ExpressionSet object, with *NewFeatNames*, and returns *NewESObj*, a new ExpressionSet object.

## Input Arguments

*ESObj*

Object of the bioma.ExpressionSet class.

*Subset*

One of the following to specify a subset of the feature names in an ExpressionSet object:

- String specifying a feature name
- Cell array of strings specifying feature names
- Positive integer
- Vector of positive integers
- Logical vector

*NewFeatNames*

New feature names for specific feature names within an ExpressionSet object, specified by one of the following:

# bioma.ExpressionSet.featureNames

---

- Numeric vector
- String or cell array of strings
- String, which `featureNames` uses as a prefix for the feature names, with feature numbers appended to the prefix
- Logical true or false (default). If true, `featureNames` assigns unique feature names using the format `Feature1`, `Feature2`, etc.

The number of feature names in *NewFeatNames* must equal the number of features specified by *Subset*.

## Output Arguments

*FeatNames*

Cell array of strings specifying all or some of the feature names in an `ExpressionSet` object. The feature names are the row names in the `DataMatrix` objects in the `ExpressionSet` object. The feature names are also the row names of the *VarValues* dataset array in the `MetaData` object in the `ExpressionSet` object.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing specific feature names.

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `DataMatrix` | `bioma.data.MetaData` | `sampleNames`

## How To

- “Storing and Managing Gene Expression Data in Objects”

## Purpose

Retrieve or set feature names in ExptData object

## Syntax

```
FeatNames = featureNames(EDObj)
FeatNames = featureNames(EDObj, Subset)
NewESObj = featureNames(EDObj, Subset, NewFeatNames)
```

## Description

*FeatNames* = *featureNames(EDObj)* returns a cell array of strings specifying all feature names in an ExptData object.

*FeatNames* = *featureNames(EDObj, Subset)* returns a cell array of strings specifying a subset the feature names in an ExptData object.

*NewESObj* = *featureNames(EDObj, Subset, NewFeatNames)* replaces the feature names specified by *Subset* in *EDObj*, an ExptData object, with *NewFeatNames*, and returns *NewEDObj*, a new ExptData object.

## Input Arguments

*EDObj*

Object of the `bioma.data.ExptData` class.

*Subset*

One of the following to specify a subset of the feature names in an ExptData object:

- String specifying a feature name
- Cell array of strings specifying feature names
- Positive integer
- Vector of positive integers
- Logical vector

*NewFeatNames*

New feature names for specific feature names within an ExptData object, specified by one of the following:

- Numeric vector

# bioma.data.ExptData.featureNames

---

- String or cell array of strings
- String, which `featureNames` uses as a prefix for the feature names, with feature numbers appended to the prefix
- Logical true or false (default). If true, `featureNames` assigns unique feature names using the format `Feature1`, `Feature2`, etc.

The number of feature names in *NewFeatNames* must equal the number of features specified by *Subset*.

## Output Arguments

*FeatNames*

Cell array of strings specifying all or some of the feature names in an `ExptData` object. The feature names are the row names in the `DataMatrix` objects in the `ExptData` object.

*NewEDObj*

Object of the `bioma.data.ExptData` class, returned after replacing specific feature names.

## Examples

Construct an `ExptData` object, and then retrieve the feature names from it:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Retrieve feature names
FNames = featureNames(EDObj);
```

## See Also

`bioma.data.ExptData` | `DataMatrix` | `dmNames` | `elementNames` | `sampleNames`

## How To

- “Representing Expression Data Values in ExptData Objects”

# featuresmap

---

**Purpose** Draw linear or circular map of features from GenBank structure

**Syntax**

```
featuresmap(GBStructure)
featuresmap(GBStructure, FeatList)
featuresmap(GBStructure, FeatList, Levels)
featuresmap(GBStructure, Levels)
[Handles, OutFeatList] = featuresmap(...)
featuresmap(..., 'FontSize', FontSizeValue, ...)
featuresmap(..., 'ColorMap', ColorMapValue, ...)
featuresmap(..., 'Qualifiers', QualifiersValue, ...)
featuresmap(..., 'ShowPositions', ShowPositionsValue, ...)
```

**Arguments**

<i>GBStructure</i>	GenBank structure, typically created using the <code>getgenbank</code> or the <code>genbankread</code> function.
<i>FeatList</i>	<p>Cell array of features (from the list of all features in the GenBank structure) to include in or exclude from the map.</p> <ul style="list-style-type: none"><li>• If <i>FeatList</i> is a cell array of features, these features are mapped. Any features in <i>FeatList</i> not found in the GenBank structure are ignored.</li><li>• If <i>FeatList</i> includes ' - ' as the first string in the cell array, then the remaining strings (features) are not mapped.</li></ul> <p>By default, <i>FeatList</i> is the a list of all features in the GenBank structure.</p>

<i>Levels</i>	Vector of N integers, where N is the number of features. Each integer represents the level in the map for the corresponding feature. For example, if <i>Levels</i> = [1, 1, 2, 3, 3], the first two features would appear on level 1, the third feature on level 2, and the fourth and fifth features on level 3. By default, <i>Levels</i> = [1:N].
<i>FontSizeValue</i>	Scalar that sets the font size (points) for the annotations of the features. Default is 9.
<i>ColorMapValue</i>	Three-column matrix, to specify a list of colors to use for each feature. This matrix replaces the default matrix, which specifies the following colors and order: blue, green, red, cyan, magenta, yellow, brown, light green, orange, purple, gold, and silver. In the matrix, each row corresponds to a color, and each column specifies red, green, and blue intensity respectively. Valid values for the RGB intensities are 0.0 to 1.0.
<i>QualifiersValue</i>	Cell array of strings to specify an ordered list of qualifiers to search for in the structure and use as annotations. For each feature, the first matching qualifier found from the list is used for its annotation. If a feature does not include any of the qualifiers, no annotation displays for that feature. By default, <i>QualifiersValue</i> = {'gene', 'product', 'locus_tag', 'note', 'db_xref', 'protein_id'}. Provide your own <i>QualifiersValue</i> to limit or expand the list of qualifiers or change the search order.

---

**Tip** Set *QualifiersValue* = {} to create a map with no annotations.

---

---

**Tip** To determine all qualifiers available for a given feature, do either of the following:

- Create the map, and then click a feature or its annotation to list all qualifiers for that feature.
  - Use the `featuresparse` command to parse all the features into a new structure, and then use the `fieldnames` command to list the qualifiers for a specific feature. See Determining Qualifiers for a Specific Feature on page 3-579.
- 

*ShowPositionsValue*    Property to add the sequence position to the annotation label for each feature. Enter `true` to add the sequence position. Default is `false`.

## Description

`featuresmap(GBStructure)` creates a linear or circular map of all features from a GenBank structure, typically created using the `getgenbank` or the `genbankread` function.

`featuresmap(GBStructure, FeatList)` creates a linear or circular map of a subset of features from a GenBank structure. *FeatList* lets you specify features (from the list of all features in the GenBank structure) to include in or exclude from the map.



- If *FeatList* is a cell array of features, these features are mapped. Any features in *FeatList* not found in the GenBank structure are ignored.
- If *FeatList* includes ' - ' as the first string in the cell array, then the remaining strings (features) are not mapped.

By default, *FeatList* is a list of all features in the GenBank structure.

`featuresmap(GBStructure, FeatList, Levels)` or `featuresmap(GBStructure, Levels)` indicates which level on the map each feature is drawn. Level 1 is the left-most (linear map) or inner-most (circular map) level, and level N is the right-most (linear map) or outer-most (circular map) level, where N is the number of features.

*Levels* is a vector of N integers, where N is the number of features. Each integer represents the level in the map for the corresponding feature. For example, if *Levels* = [1, 1, 2, 3, 3], the first two features would appear on level 1, the third feature on level 2, and the fourth and fifth features on level 3. By default, *Levels* = [1:N].

`[Handles, OutFeatList] = featuresmap(...)` returns a list of handles for each feature in *OutFeatList*. It also returns *OutFeatList*, which is a cell array of the mapped features.

---

**Tip** Use *Handles* and *OutFeatList* with the `legend` command to create a legend of features.

---

`featuresmap(..., 'PropertyName', PropertyValue, ...)` defines optional properties that use property name/value pairs in any order. These property name/value pairs are as follows:

`featuresmap(..., 'FontSize', FontSizeValue, ...)` sets the font size (points) for the annotations of the features. Default *FontSizeValue* is 9.

`featuresmap(..., 'ColorMap', ColorMapValue, ...)` specifies a list of colors to use for each feature. This matrix replaces the default matrix,

which specifies the following colors and order: blue, green, red, cyan, magenta, yellow, brown, light green, orange, purple, gold, and silver. *ColorMapValue* is a three-column matrix, where each row corresponds to a color, and each column specifies red, green, and blue intensity respectively. Valid values for the RGB intensities are 0.0 to 1.0.

`featuresmap(..., 'Qualifiers', QualifiersValue, ...)` lets you specify an ordered list of qualifiers to search for and use as annotations. For each feature, the first matching qualifier found from the list is used for its annotation. If a feature does not include any of the qualifiers, no annotation displays for that feature. *QualifiersValue* is a cell array of strings. By default, *QualifiersValue* = {'gene', 'product', 'locus\_tag', 'note', 'db\_xref', 'protein\_id'}. Provide your own *QualifiersValue* to limit or expand the list of qualifiers or change the search order.

---

**Tip** Set *QualifiersValue* = {} to create a map with no annotations.

---


---

**Tip** To determine all qualifiers available for a given feature, do either of the following:

- Create the map, and then click a feature or its annotation to list all qualifiers for that feature.
  - Use the `featuresparse` command to parse all the features into a new structure, and then use the `fieldnames` command to list the qualifiers for a specific feature. See [Determining Qualifiers for a Specific Feature](#) on page 3-579.
- 


`featuresmap(..., 'ShowPositions', ShowPositionsValue, ...)` lets you add the sequence position to the annotation label. If *ShowPositionsValue* is true, sequence positions are added to the annotation labels. Default is false.





After creating a map:

- Click a feature or annotation to display a list of all qualifiers for that feature.
- Zoom the plot by clicking the following buttons:



## Examples

### Creating a Circular Map with a Legend

The following example creates a circular map of five different features mapped on three levels. It also uses outputs from the `featuresmap` function as inputs to the `legend` function to add a legend to the map.

```
GBStructure = getgenbank('J01415');
[Handles, OutFeatList] = featuresmap(GBStructure, ...
    {'CDS', 'D_loop', 'mRNA', 'tRNA', 'rRNA'}, [1 2 2 2 3])
legend(Handles, OutFeatList, 'interpreter', 'none', ...
    'location', 'bestoutside')
title('Human Mitochondrion, Complete Genome')
```

### Creating a Linear Map with Sequence Position Labels and Changed Font Size

The following example creates a linear map showing only the gene feature. It changes the font of the labels to seven points and includes the sequence position in the labels.

```
herpes = getgenbank('NC_001348');
featuresmap(herpes, {'gene'}, 'fontsize', 7, 'showpositions', true)
title('Genes in Human herpesvirus 3 (strain Dumas)')
```

### Determining Qualifiers for a Specific Feature

The following example uses the `getgenbank` function to create a GenBank structure, `GBStructure`. It then uses the `featuresparse` function to parse the features in the GenBank structure into a new

## featuresmap

---

structure, features. It then uses the `fieldnames` function to return all qualifiers for one of the features, `D_loop`.

```
GenBankStructure = getgenbank('J01415');  
features = featuresparse (GenBankStructure)  
features =
```

```
    source: [1x1 struct]  
    D_loop: [1x2 struct]  
    rep_origin: [1x3 struct]  
    repeat_unit: [1x4 struct]  
    misc_signal: [1x1 struct]  
    misc_RNA: [1x1 struct]  
    variation: [1x17 struct]  
    tRNA: [1x22 struct]  
    rRNA: [1x2 struct]  
    mRNA: [1x10 struct]  
    CDS: [1x13 struct]  
    conflict: [1x1 struct]
```

```
fieldnames(features.D_loop)
```

```
ans =
```

```
    'Location'  
    'Indices'  
    'note'  
    'citation'
```

### See Also

`featuresparse`, `genbankread`, `getgenbank`, `seqtool`

**Purpose** Parse features from GenBank, GenPept, or EMBL data

**Syntax**

```
FeatStruct = featuresparse(Features)
FeatStruct = featuresparse(Features, ...'Feature',
    FeatureValue, ...)
FeatStruct = featuresparse(Features, ...'Sequence',
    SequenceValue, ...)
```

<b>Arguments</b>	<i>Features</i>	Any of the following: <ul style="list-style-type: none"><li>• String containing GenBank, GenPept, or EMBL features</li><li>• MATLAB character array including text describing GenBank, GenPept, or EMBL features</li><li>• MATLAB structure with fields corresponding to GenBank, GenPept, or EMBL data, such as those returned by <code>genbankread</code>, <code>genpeptread</code>, <code>emblread</code>, <code>getgenbank</code>, <code>getgenpept</code>, or <code>getembl</code></li></ul>
	<i>FeatureValue</i>	Name of a feature contained in <i>Features</i> . When specified, <code>featuresparse</code> returns only the substructure that corresponds to this feature. If there are multiple features with the same <i>FeatureValue</i> , then <i>FeatStruct</i> is an array of structures.
	<i>SequenceValue</i>	Property to control the extraction, when possible, of the sequences respective to each feature, joining and complementing pieces of the source sequence and storing them in the <code>Sequence</code> field of the returned structure, <i>FeatStruct</i> . When extracting the sequence from an incomplete CDS feature, <code>featuresparse</code> uses the <code>codon_start</code> qualifier to adjust the frame of the sequence. Choices are <code>true</code> or <code>false</code> (default).

<b>Return Values</b>	<i>FeatStruct</i>	Output structure containing a field for every database feature. Each field name in <i>FeatStruct</i> matches the corresponding feature name in the GenBank, GenPept, or EMBL database, with the exceptions listed in the table below. Fields in <i>FeatStruct</i> contain substructures with feature qualifiers as fields. In the GenBank, GenPept, and EMBL databases, for each feature, the only mandatory qualifier is its location, which <code>featuresparse</code> translates to the field <code>Location</code> . When possible, <code>featuresparse</code> also translates this location to numeric indices, creating an <code>Indices</code> field.
----------------------	-------------------	--

---

**Note** If you use the `Indices` field to extract sequence information, you may need to complement the sequences.

---

<b>Description</b>	<p><i>FeatStruct</i> = <code>featuresparse(Features)</code> parses the features from <i>Features</i>, which contains GenBank, GenPept, or EMBL features. <i>Features</i> can be a:</p> <ul style="list-style-type: none"><li>• String containing GenBank, GenPept, or EMBL features</li><li>• MATLAB character array including text describing GenBank, GenPept, or EMBL features</li><li>• MATLAB structure with fields corresponding to GenBank, GenPept, or EMBL data, such as those returned by <code>genbankread</code>, <code>genpeptread</code>, <code>emblread</code>, <code>getgenbank</code>, <code>getgenpept</code>, or <code>getembl</code></li></ul> <p><i>FeatStruct</i> is the output structure containing a field for every database feature. Each field name in <i>FeatStruct</i> matches the corresponding</p>
--------------------	---



feature name in the GenBank, GenPept, or EMBL database, with the following exceptions.

Feature Name in GenBank, GenPept, or EMBL Database	Field Name in MATLAB Structure
-10_signal	minus_10_signal
-35_signal	minus_35_signal
3'UTR	three_prime_UTR
3'clip	three_prime_clip
5'UTR	five_prime_UTR
5'clip	five_prime_clip
D-loop	D_loop

Fields in *FeatStruct* contain substructures with feature qualifiers as fields. In the GenBank, GenPept, and EMBL databases, for each feature, the only mandatory qualifier is its location, which *featuresparse* translates to the field *Location*. When possible, *featuresparse* also translates this location to numeric indices, creating an *Indices* field.

**Note** If you use the *Indices* field to extract sequence information, you may need to complement the sequences.

*FeatStruct* = *featuresparse* (*Features*, ...'PropertyName', *PropertyValue*, ...) calls *featuresparse* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*FeatStruct* = *featuresparse*(*Features*, ...'Feature', *FeatureValue*, ...) returns only the substructure that corresponds to *FeatureValue*,

the name of a feature contained in *Features*. If there are multiple features with the same *FeatureValue*, then *FeatStruct* is an array of structures.

*FeatStruct* = `featuresparse(Features, ...'Sequence', SequenceValue, ...)` controls the extraction, when possible, of the sequences respective to each feature, joining and complementing pieces of the source sequence and storing them in the field *Sequence*. When extracting the sequence from an incomplete CDS feature, `featuresparse` uses the `codon_start` qualifier to adjust the frame of the sequence. Choices are `true` or `false` (default).

## Examples

### Obtaining All Features from a GenBank File

The following example obtains all the features stored in the GenBank file `nm175642.txt`:

```
gbkStruct = genbankread('nm175642.txt');
features = featuresparse(gbkStruct)

features =

    source: [1x1 struct]
    gene: [1x1 struct]
    CDS: [1x1 struct]
```

### Obtaining a Subset of Features from a GenBank Record

The following example obtains only the coding sequences (CDS) feature of the *Caenorhabditis elegans* cosmid record (accession number Z92777) from the GenBank database:

```
worm = getgenbank('Z92777');
CDS = featuresparse(worm, 'feature', 'cds')

CDS =

    1x12 struct array with fields:
        Location
```

```
Indices
locus_tag
standard_name
note
codon_start
product
protein_id
db_xref
translation
```

## Extracting Sequences for Each Feature

- 1 Retrieve two nucleotide sequences from the GenBank database for the neuraminidase (NA) protein of two strains of the Influenza A virus (H5N1).

```
hk01 = getgenbank('AF509094');
vt04 = getgenbank('DQ094287');
```

- 2 Extract the sequence of the coding region for the neuraminidase (NA) protein from the two nucleotide sequences. The sequences of the coding regions are stored in the `Sequence` fields of the returned structures, `hk01_cds` and `vt04_cds`.

```
hk01_cds = featuresparse(hk01, 'feature', 'CDS', 'Sequence', true);
vt04_cds = featuresparse(vt04, 'feature', 'CDS', 'Sequence', true);
```

- 3 Once you have extracted the nucleotide sequences, you can use the `nt2aa` and `nwalgn` functions to align the amino acids sequences converted from the nucleotide sequences.

```
[sc, al] = nwalgn(nt2aa(hk01_cds), nt2aa(vt04_cds), 'extendgap', 1);
```

- 4 Then you can use the `seqinsertgaps` function to copy the gaps from the aligned amino acid sequences to their corresponding nucleotide sequences, thus codon-aligning them.

```
hk01_aligned = seqinsertgaps(hk01_cds, al(1, :))
```

```
vt04_aligned = seqinsertgaps(vt04_cds,al(3,:))
```

- 5** Once you have code aligned the two sequences, you can use them as input to other functions such as `dnds`, which calculates the synonymous and nonsynonymous substitutions rates of the codon-aligned nucleotide sequences. By setting `Verbose` to `true`, you can also display the codons considered in the computations and their amino acid translations.

```
[dn,ds] = dnds(hk01_aligned,vt04_aligned,'verbose',true)
```

### See Also

Bioinformatics Toolbox functions: `emblread`, `genbankread`, `genpeptread`, `getgenbank`, `getgenpept`

<b>Purpose</b>	Retrieve or set feature variable descriptions in ExpressionSet object
<b>Syntax</b>	<pre>DSVarDescriptions = featureVarDesc(ESObj) NewESObj = featureVarDesc(ESObj, NewDSVarDescriptions)</pre>
<b>Description</b>	<p><i>DSVarDescriptions</i> = <i>featureVarDesc(ESObj)</i> returns a dataset array containing the feature variable names and descriptions from the <i>MetaData</i> object in an <i>ExpressionSet</i> object.</p> <p><i>NewESObj</i> = <i>featureVarDesc(ESObj, NewDSVarDescriptions)</i> replaces the feature variable descriptions in <i>ESObj</i>, an <i>ExpressionSet</i> object, with <i>NewDSVarDescriptions</i>, and returns <i>NewESObj</i>, a new <i>ExpressionSet</i> object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class.</p> <p><i>NewDSVarDescriptions</i></p> <p>Descriptions of the feature variable names, specified by either of the following:</p> <ul style="list-style-type: none"><li>• A new dataset array containing the feature variable names and descriptions. In this dataset array, each row corresponds to a variable. The first column contains the variable name, and the second column (<i>VariableDescription</i>) contains a description of the variable. The row names (variable names) must match the row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</li><li>• Cell array of strings containing descriptions of the feature variables. The number of elements in <i>VarDesc</i> must equal the number of row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</li></ul>

# bioma.ExpressionSet.featureVarDesc

---

## Output Arguments

*DSVarDescriptions*

A dataset array containing the feature variable names and descriptions from the `MetaData` object of an `ExpressionSet` object. In this dataset array, each row corresponds to a variable. The first column contains the variable name, and the second column (`VariableDescription`) contains a description of the variable.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing the dataset array containing the feature variable descriptions.

## See Also

`bioma.ExpressionSet` | `bioma.data.MetaData` | `variableDesc`

## How To

- “Storing and Managing Gene Expression Data in Objects”

<b>Purpose</b>	Retrieve or set feature variable names in ExpressionSet object
<b>Syntax</b>	<pre>FeatVarNames = featureVarNames(ESObj) FeatVarNames = featureVarNames(ESObj, Subset) NewESObj = featureVarNames(ESObj, Subset, NewFeatVarNames)</pre>
<b>Description</b>	<p><i>FeatVarNames</i> = <i>featureVarNames(ESObj)</i> returns a cell array of strings specifying all feature variable names in an ExpressionSet object.</p> <p><i>FeatVarNames</i> = <i>featureVarNames(ESObj, Subset)</i> returns a cell array of strings specifying a subset the feature variable names in an ExpressionSet object.</p> <p><i>NewESObj</i> = <i>featureVarNames(ESObj, Subset, NewFeatVarNames)</i> replaces the feature variable names specified by <i>Subset</i> in <i>ESObj</i>, an ExpressionSet object, with <i>NewFeatVarNames</i>, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the feature variable names in an ExpressionSet object:</p> <ul style="list-style-type: none"><li>• String specifying a feature variable name</li><li>• Cell array of strings specifying feature variable names</li><li>• Positive integer</li><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>NewFeatVarNames</i></p> <p>New feature variable names for specific feature variable names within an ExpressionSet object, specified by one of the following:</p>

- Numeric vector
- Cell array of strings
- Character array
- String, which `featureVarNames` uses as a prefix for the feature variable names, with feature variable numbers appended to the prefix
- Logical `true` or `false` (default). If `true`, `featureVarNames` assigns unique feature variable names using the format `Var1`, `Var2`, etc.

The number of feature variable names in *NewFeatVarNames* must equal the number of feature variable names specified by *Subset*.

## Output Arguments

*FeatVarNames*

Cell array of strings specifying all or some of the feature variable names in an `ExpressionSet` object. The feature variable names are the column names of the *VarValues* dataset array. The feature variable names are also the row names of the *VarDescriptions* dataset array. Both dataset arrays are in the `MetaData` object in the `ExpressionSet` object.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing specific feature names.

## See Also

`bioma.ExpressionSet` | `bioma.data.MetaData` | `sampleNames` | `featureNames` | `sampleVarNames`

## How To

- “Storing and Managing Gene Expression Data in Objects”



<b>Purpose</b>	Retrieve or set feature variable data values in ExpressionSet object
<b>Syntax</b>	<pre>DSVarValues = featureVarValues(ESObj) NewESObj = featureVarValues(ESObj, NewDSVarValues)</pre>
<b>Description</b>	<p><i>DSVarValues</i> = <i>featureVarValues(ESObj)</i> returns a dataset array containing the measured value of each variable per feature from the <i>MetaData</i> object of an <i>ExpressionSet</i> object.</p> <p><i>NewESObj</i> = <i>featureVarValues(ESObj, NewDSVarValues)</i> replaces the feature variable values in <i>ESObj</i>, an <i>ExpressionSet</i> object, with <i>NewDSVarValues</i>, and returns <i>NewESObj</i>, a new <i>ExpressionSet</i> object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class.</p> <p><i>NewDSVarValues</i></p> <p>A dataset array containing a value for each variable per feature. In this dataset array, the columns correspond to variables and rows correspond to feature. The row names (feature names) must match the row names (feature names) in <i>DSVarValues</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</p>
<b>Output Arguments</b>	<p><i>DSVarValues</i></p> <p>A dataset array containing the measured value of each variable per feature from the <i>MetaData</i> object of an <i>ExpressionSet</i> object. In this dataset array, the columns correspond to variables and rows correspond to features.</p> <p><i>NewESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class, returned after replacing the dataset array containing the feature variable values.</p>
<b>See Also</b>	<i>bioma.ExpressionSet</i>   <i>bioma.data.MetaData</i>   <i>variableValues</i>

# bioma.ExpressionSet.featureVarValues

---

## How To

- “Storing and Managing Gene Expression Data in Objects”

**Purpose** Read microarray data from GenePix array list file

**Syntax** `GALData = galread('File')`

**Arguments** *File* GenePix array list formatted file (GAL). Enter a file name, or enter a path and file name.

**Description** galread reads data from a GenePix formatted file into a MATLAB structure.

`GALData = galread('File')` reads in a GenePix array list formatted file (*File*) and creates a structure (GALData) containing the following fields.

Field
Header
BlockData
IDs
Names

The field `BlockData` is an N-by-3 array. The columns of this array are the block data, the column data, and the row data respectively. For more information on the GAL format, see

[http://www.moleculardevices.com/pages/software/gn\\_genepix\\_file\\_formats.html#gal](http://www.moleculardevices.com/pages/software/gn_genepix_file_formats.html#gal)

For a list of supported file format versions, see

[http://www.moleculardevices.com/pages/software/gn\\_genepix\\_file\\_formats.html](http://www.moleculardevices.com/pages/software/gn_genepix_file_formats.html)

**See Also** Bioinformatics Toolbox functions: `affyread`, `geoseriesread`, `geosoftread`, `gprread`, `ilmnbsread`, `imageneread`, `sptread`

## Purpose

Perform GC Robust Multi-array Average (GCRMA) background adjustment, quantile normalization, and median-polish summarization on Affymetrix microarray probe-level data

## Syntax

```
ExpressionMatrix = gcrma(PMMatrix, MMatrix, ProbeIndices,
    AffinPM, AffinMM)
ExpressionMatrix = gcrma(PMMatrix, MMatrix, ProbeIndices,
    SequenceMatrix)
ExpressionMatrix = gcrma(..., 'ChipIndex',
    ChipIndexValue, ...)
ExpressionMatrix = gcrma(..., 'OpticalCorr',
    OpticalCorrValue, ...)
ExpressionMatrix = gcrma(..., 'CorrConst', CorrConstValue,
    ...)
ExpressionMatrix = gcrma(..., 'Method', MethodValue, ...)
ExpressionMatrix = gcrma(..., 'TuningParam',
    TuningParamValue, ...)
ExpressionMatrix = gcrma(..., 'GSBCorr', GSBCorrValue, ...)
ExpressionMatrix = gcrma(..., 'Normalize', NormalizeValue,
    ...)
ExpressionMatrix = gcrma(..., 'Verbose', VerboseValue, ...)
```

## Arguments

*PMMatrix*

Matrix of intensity values where each row corresponds to a perfect match (PM) probe and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

---

**Tip** You can use the `PMIntensities` matrix returned by the `celintensityread` function.

---

*MMatrix*

Matrix of intensity values where each row corresponds to a mismatch (MM) probe and each column corresponds to an Affymetrix CEL

file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

---

**Tip** You can use the `MMIntensities` matrix returned by the `celintensityread` function.

---

*ProbeIndices*

Column vector containing probe indices. Probes within a probe set are numbered 0 through  $N - 1$ , where  $N$  is the number of probes in the probe set.

---

**Tip** You can use the `affyprobeseqread` function to generate this column vector.

---

*AffinPM*

Column vector of PM probe affinities.

---

**Tip** You can use the `affyprobeaffinities` function to generate this column vector.

---

*AffinMM*

Column vector of MM probe affinities.

---

**Tip** You can use the `affyprobeaffinities` function to generate this column vector.

---

*SequenceMatrix* An  $N$ -by-25 matrix of sequence information for the perfect match (PM) probes on the Affymetrix GeneChip array, where  $N$  is the number of probes on the array. Each row corresponds to a probe, and each column corresponds to one of the 25 sequence positions. Nucleotides in the sequences are represented by one of the following integers:

- 0 — None
- 1 — A
- 2 — C
- 3 — G
- 4 — T

---

**Tip** You can use the `affyprobeseqread` function to generate this matrix. If you have this sequence information in letter representation, you can convert it to integer representation using the `nt2int` function.

---

*ChipIndexValue* Positive integer specifying a column index in *MMMatrix*, which specifies a chip. This chip intensity data is used to compute probe affinities. Default is 1.

*OpticalCorrValue* Controls the use of optical background correction on the PM and MM intensity values in *PMMatrix* and *MMMatrix*. Choices are `true` (default) or `false`.

---

<i>CorrConstValue</i>	Value that specifies the correlation constant, rho, for background intensity for each PM/MM probe pair. Choices are any value 0 and 1. Default is 0.7.
<i>MethodValue</i>	String that specifies the method to estimate the signal. Choices are MLE, a faster, ad hoc Maximum Likelihood Estimate method, or EB, a slower, more formal, empirical Bayes method. Default is MLE.
<i>TuningParamValue</i>	Value that specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is 5 (MLE) or 0.5 (EB).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

<i>GSBCorrValue</i>	Specifies whether to perform gene-specific binding (GSB) correction using probe affinity data. Choices are <code>true</code> (default) or <code>false</code> . If there is no probe affinity information, this property is ignored.
<i>NormalizeValue</i>	Controls whether quantile normalization is performed on background adjusted data. Choices are <code>true</code> (default) or <code>false</code> .
<i>VerboseValue</i>	Controls the display of a progress report showing the number of each chip as it is completed. Choices are <code>true</code> (default) or <code>false</code> .

## Return Values

*ExpressionMatrix* Matrix of  $\log_2$  expression values where each row corresponds to a gene (probe set) and each column corresponds to an Affymetrix CEL file, which represents a single chip.

## Description

*ExpressionMatrix* = `gcrma(PMMatrix, MMMatrix, ProbeIndices, AffinPM, AffinMM)` performs GCRMA background adjustment, quantile normalization, and median-polish summarization on Affymetrix microarray probe-level data using probe affinity data. *ExpressionMatrix* is a matrix of  $\log_2$  expression values where each row corresponds to a gene (probe set) and each column corresponds to an Affymetrix CEL file, which represents a single chip.

---

**Note** There is no column in *ExpressionMatrix* that contains probe set or gene information.

---

*ExpressionMatrix* = `gcrma(PMMatrix, MMMatrix, ProbeIndices, SequenceMatrix)` performs GCRMA background adjustment, quantile normalization, and Robust Multi-array Average (RMA) summarization on Affymetrix microarray probe-level data using probe sequence data to compute probe affinity data. *ExpressionMatrix* is a matrix of  $\log_2$  expression values where each row corresponds to a gene (probe set) and each column corresponds to an Affymetrix CEL file, which represents a single chip.

---

**Note** If *AffinPM* and *AffinMM* affinity data and *SequenceMatrix* sequence data are not available, you can still use the `gcrma` function by entering an empty matrix for these inputs in the syntax.

---

*ExpressionMatrix* = `gcrma( ...'PropertyName', PropertyValue, ...)` calls `gcrma` with optional properties that use property



name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

*ExpressionMatrix* = gcrma(..., 'ChipIndex', *ChipIndexValue*, ...) computes probe affinities from MM probe intensity data from the chip with the specified column index in *MMMatrix*. Default *ChipIndexValue* is 1. If *AffinPM* and *AffinMM* affinity data are provided, this property is ignored.

*ExpressionMatrix* = gcrma(..., 'OpticalCorr', *OpticalCorrValue*, ...) controls the use of optical background correction on the PM and MM intensity values in *PMMatrix* and *MMMatrix*. Choices are true (default) or false.

*ExpressionMatrix* = gcrma(..., 'CorrConst', *CorrConstValue*, ...) specifies the correlation constant, rho, for background intensity for each PM/MM probe pair. Choices are any value 0 and 1. Default is 0.7.

*ExpressionMatrix* = gcrma(..., 'Method', *MethodValue*, ...) specifies the method to estimate the signal. Choices are MLE, a faster, ad hoc Maximum Likelihood Estimate method, or EB, a slower, more formal, empirical Bayes method. Default is MLE.

*ExpressionMatrix* = gcrma(..., 'TuningParam', *TuningParamValue*, ...) specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is 5 (MLE) or 0.5 (EB).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

*ExpressionMatrix* = gcrma(..., 'GSBCorr', *GSBCorrValue*, ...) specifies whether to perform gene specific binding (GSB) correction

using probe affinity data. Choices are `true` (default) or `false`. If there is no probe affinity information, this property is ignored.

*ExpressionMatrix* = `gcrma(..., 'Normalize', NormalizeValue, ...)` controls whether quantile normalization is performed on background adjusted data. Choices are `true` (default) or `false`.

*ExpressionMatrix* = `gcrma(..., 'Verbose', VerboseValue, ...)` controls the display of a progress report showing the number of each chip as it is completed. Choices are `true` (default) or `false`.

## Examples

- 1 Load the MAT-file, included with the Bioinformatics Toolbox software, that contains Affymetrix data from a prostate cancer study. The variables in the MAT-file include `seqMatrix`, a matrix containing sequence information for PM probes, `pmMatrix` and `mmMatrix`, matrices containing PM and MM probe intensity values, and `probeIndices`, a column vector containing probe indexing information.

```
load prostatecancerrawdata
```

- 2 Compute the Affymetrix PM and MM probe affinities from their sequences and MM probe intensities.

```
[apm, ammm] = affyprobeaffinities(seqMatrix, mmMatrix(:,1),...  
    'ProbeIndices', probeIndices);
```

- 3 Perform GCRMA background adjustment, quantile normalization, and Robust Multi-array Average (RMA) summarization on the Affymetrix microarray probe-level data and create a matrix of expression values.

```
expdata = gcrma(pmMatrix, mmMatrix, probeIndices, seqMatrix);
```

The `prostatecancerrawdata.mat` file used in this example contains data from Best et al., 2005.

## References

- [1] Wu, Z., Irizarry, R.A., Gentleman, R., Murillo, F.M., and Spencer, F. (2004). A Model Based Background Adjustment for Oligonucleotide

Expression Arrays. *Journal of the American Statistical Association* 99(468), 909–917.

[2] Wu, Z., and Irizarry, R.A. (2005). Stochastic Models Inspired by Hybridization Theory for Short Oligonucleotide Arrays. *Proceedings of RECOMB 2004. J Comput Biol.* 12(6), 882–93.

[3] Wu, Z., and Irizarry, R.A. (2005). A Statistical Framework for the Analysis of Microarray Probe-Level Data. *Johns Hopkins University, Biostatistics Working Papers* 73.

[4] Speed, T. (2006). Background models and GCRMA. Lecture 10, Statistics 246, University of California Berkeley.  
<http://www.stat.berkeley.edu/users/terry/Courses/s246.2006/-Week10/Week10L1.pdf>.

[5] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

## See Also

Bioinformatics Toolbox functions: `affygcma`, `affyprobeseqread`, `affyread`, `affyrma`, `celintensityread`, `gcrmabackadj`, `quantilenorm`, `rmabackadj`, `rmasummary`

## Purpose

Perform GC Robust Multi-array Average (GCRMA) background adjustment on Affymetrix microarray probe-level data using sequence information

## Syntax

```
PMMatrix_Adj = gcrmabackadj(PMMatrix, MMMatrix, AffinPM,  
                             AffinMM)  
[PMMatrix_Adj, nsbStruct] = gcrmabackadj(PMMatrix,  
                                           MMMatrix,  
                                           AffinPM, AffinMM)  
... = gcrmabackadj( ... 'OpticalCorr',  
OpticalCorrValue, ...)  
... = gcrmabackadj( ... 'CorrConst', CorrConstValue, ...)  
... = gcrmabackadj( ... 'Method', MethodValue, ...)  
... = gcrmabackadj( ... 'TuningParam',  
TuningParamValue, ...)  
... = gcrmabackadj( ... 'AddVariance',  
AddVarianceValue, ...)  
... = gcrmabackadj( ... 'GSBCorr', GSBCorrValue, ...)  
... = gcrmabackadj( ... 'Showplot', ShowplotValue, ...)  
... = gcrmabackadj( ... 'Verbose', VerboseValue, ...)
```

## Arguments

*PMMatrix*

Matrix of intensity values where each row corresponds to a perfect match (PM) probe and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

---

**Tip** You can use the *PMIntensities* matrix returned by the *celintensityread* function.

---

*MMMatrix*

Matrix of intensity values where each row corresponds to a mismatch (MM) probe and each column corresponds to an Affymetrix CEL

file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

---

**Tip** You can use the `MMIntensities` matrix returned by the `celintensityread` function.

---

<i>AffinPM</i>	Column vector of PM probe affinities, such as returned by the <code>affyprobeaffinities</code> function. Each row corresponds to a probe.
<i>AffinMM</i>	Column vector of MM probe affinities, such as returned by the <code>affyprobeaffinities</code> function. Each row corresponds to a probe.
<i>OpticalCorrValue</i>	Controls the use of optical background correction on the PM and MM probe intensity values in <i>PMMatrix</i> and <i>MMMMatrix</i> . Choices are <code>true</code> (default) or <code>false</code> .
<i>CorrConstValue</i>	Value that specifies the correlation constant, $\rho$ , for log background intensity for each PM/MM probe pair. Choices are any value <code>0</code> and <code>1</code> . Default is <code>0.7</code> .
<i>MethodValue</i>	String that specifies the method to estimate the signal. Choices are <code>MLE</code> , a faster, ad hoc Maximum Likelihood Estimate method, or <code>EB</code> , a slower, more formal, empirical Bayes method. Default is <code>MLE</code> .

*TuningParamValue* Value that specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is 5 (MLE) or 0.5 (EB).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

*AddVarianceValue* Controls whether the signal variance is added to the weight function for smoothing low signal edge. Choices are `true` or `false` (default).

*GSBCorrValue* Specifies whether to perform gene-specific binding (GSB) correction using probe affinity data. Choices are `true` (default) or `false`. If there is no probe affinity information, this property is ignored.

*ShowplotValue* Controls the display of a plot showing the  $\log_2$  of probe intensity values from a specified column (chip) in *MMMatrix*, versus probe affinities in *AffinMM*. Choices are `true`, `false`, or *I*, an integer specifying a column in *MMMatrix*. If set to `true`, the first column in *MMMatrix* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.

*VerboseValue* Controls the display of a progress report showing the number of each chip as it is completed. Choices are `true` (default) or `false`.

## Return Values

<i>PMMatrix_Adj</i>	Matrix of background adjusted PM (perfect match) intensity values.
<i>nsbStruct</i>	Structure containing nonspecific binding background parameters, estimated from the intensities and affinities of probes on an Affymetrix GeneChip array. <i>nsbStruct</i> includes the following fields: <ul style="list-style-type: none"> <li>• <i>sigma</i></li> <li>• <i>mu_pm</i></li> <li>• <i>mu_mm</i></li> </ul>

## Description

*PMMatrix\_Adj* = gcrmabackadj(*PMMatrix*, *MMMatrix*, *AffinPM*, *AffinMM*) performs GCRMA background adjustment (including optical background correction and nonspecific binding correction) on Affymetrix microarray probe-level data, using probe sequence information and returns *PMMatrix\_Adj*, a matrix of background adjusted PM (perfect match) intensity values.

---

**Note** If *AffinPM* and *AffinMM* data are not available, you can still use the gcrmabackadj function by entering empty column vectors for both of these inputs in the syntax.

---

[*PMMatrix\_Adj*, *nsbStruct*] = gcrmabackadj(*PMMatrix*, *MMMatrix*, *AffinPM*, *AffinMM*) returns *nsbStruct*, a structure containing nonspecific binding background parameters, estimated from the intensities and affinities of probes on an Affymetrix GeneChip array. *nsbStruct* includes the following fields:

- *sigma*
- *mu\_pm*

- `mu_mm`

`... = gcrmabackadj( ...'PropertyName', PropertyValue, ...)` calls `gcrmabackadj` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = gcrmabackadj( ...'OpticalCorr', OpticalCorrValue, ...)` controls the use of optical background correction on the PM and MM probe intensity values in *PMatrix* and *MMMatrix*. Choices are `true` (default) or `false`.

`... = gcrmabackadj( ...'CorrConst', CorrConstValue, ...)` specifies the correlation constant,  $\rho$ , for log background intensity for each PM/MM probe pair. Choices are any value `0` and `1`. Default is `0.7`.

`... = gcrmabackadj( ...'Method', MethodValue, ...)` specifies the method to estimate the signal. Choices are `MLE`, a faster, ad hoc Maximum Likelihood Estimate method, or `EB`, a slower, more formal, empirical Bayes method. Default is `MLE`.

`... = gcrmabackadj( ...'TuningParam', TuningParamValue, ...)` specifies the tuning parameter used by the estimate method. This tuning parameter sets the lower bound of signal values with positive probability. Choices are a positive value. Default is `5` (`MLE`) or `0.5` (`EB`).

---

**Tip** For information on determining a setting for this parameter, see Wu et al., 2004.

---

`... = gcrmabackadj( ...'AddVariance', AddVarianceValue, ...)` controls whether the signal variance is added to the weight function for smoothing low signal edge. Choices are `true` or `false` (default).



```
... = gcrmabackadj( ...'GSBCorr', GSBCorrValue, ...)
```

specifies whether to perform gene specific binding (GSB) correction using probe affinity data. Choices are `true` (default) or `false`. If there is no probe affinity information, this property is ignored.

```
... = gcrmabackadj( ...'Showplot', ShowplotValue, ...)
```

controls the display of a plot showing the  $\log_2$  of probe intensity values from a specified column (chip) in *MMMatrix*, versus probe affinities in *AffinMM*. Choices are `true`, `false`, or *I*, an integer specifying a column in *MMMatrix*. If set to `true`, the first column in *MMMatrix* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.

```
... = gcrmabackadj( ...'Verbose', VerboseValue, ...)
```

controls the display of a progress report showing the number of each chip as it is completed. Choices are `true` (default) or `false`.

## Examples

- 1 Load the MAT-file, included with the Bioinformatics Toolbox software, that contains Affymetrix data from a prostate cancer study. The variables in the MAT-file include `seqMatrix`, a matrix containing sequence information for PM probes, `pmMatrix` and `mmMatrix`, matrices containing PM and MM probe intensity values, and `probeIndices`, a column vector containing probe indexing information.

```
load prostatecancerrawdata
```


- 2 Compute the Affymetrix PM and MM probe affinities from their sequences and MM probe intensities.

```
[apm, amm] = affyprobeaffinities(seqMatrix, mmMatrix(:,1),...
    'ProbeIndices', probeIndices);
```

- 3 Perform GCRMA background adjustment on the Affymetrix microarray probe-level data, creating a matrix of background adjusted PM intensity values. Also, display a plot showing the  $\log_2$

of probe intensity values from column 3 (chip 3) in mmMatrix, versus probe affinities in amm.

```
pms_adj = gcrmabackadj(pmMatrix, mmMatrix, apm, amm, 'showplot', 3);
```



- 4 Perform GCRMA background adjustment again, using the slower, more formal, empirical Bayes method.

```
pms_adj2 = gcrmabackadj(pmMatrix, mmMatrix, apm, amm, 'method', 'EB');
```

The `prostatecancerrawdata.mat` file used in this example contains data from Best et al., 2005.

## References

- [1] Wu, Z., Irizarry, R.A., Gentleman, R., Murillo, F.M., and Spencer, F. (2004). A Model Based Background Adjustment for Oligonucleotide Expression Arrays. *Journal of the American Statistical Association* *99*(468), 909–917.
- [2] Wu, Z., and Irizarry, R.A. (2005). Stochastic Models Inspired by Hybridization Theory for Short Oligonucleotide Arrays. *Proceedings of RECOMB 2004. J Comput Biol.* *12*(6), 882–93.
- [3] Wu, Z., and Irizarry, R.A. (2005). A Statistical Framework for the Analysis of Microarray Probe-Level Data. Johns Hopkins University, Biostatistics Working Papers 73.
- [4] Wu, Z., and Irizarry, R.A. (2003). A Model Based Background Adjustment for Oligonucleotide Expression Arrays. RSS Workshop on Gene Expression, Wye, England, <http://biosun01.biostat.jhsph.edu/%7Eirizarry/Talks/gctalk.pdf>.
- [5] Abd Rabbo, N.A., and Barakat, H.M. (1979). Estimation Problems in Bivariate Lognormal Distribution. *Indian J. Pure Appl. Math* *10*(7), 815–825.
- [6] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* *11*, 6823–6834.

## See Also

Bioinformatics Toolbox functions: `affygcrrma`, `affyprobeseqread`, `affyread`, `celintensityread`, `probelibraryinfo`

# ge (DataMatrix)

---

<b>Purpose</b>	Test DataMatrix objects for greater than or equal to	
<b>Syntax</b>	<pre>T = ge(DMObj1, DMObj2) T = DMObj1 &gt;= DMObj2 T = ge(DMObj1, B) T = DMObj1 &gt;= B T = ge(B, DMObj1) T = B &gt;= DMObj1</pre>	
<b>Arguments</b>	<i>DMObj1, DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
	<i>B</i>	MATLAB numeric or logical array.
<b>Return Values</b>	<i>T</i>	Logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i> or <i>DMObj1</i> and <i>B</i> . It contains logical 1 (true) where elements in the first input are greater than or equal to the corresponding element in the second input, and logical 0 (false) otherwise.
<b>Description</b>	<p><i>T</i> = ge(<i>DMObj1</i>, <i>DMObj2</i>) or the equivalent <i>T</i> = <i>DMObj1</i> &gt;= <i>DMObj2</i> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in DataMatrix object <i>DMObj2</i>, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i>, containing logical 1 (true) where elements in <i>DMObj1</i> are greater than or equal to the corresponding element in <i>DMObj2</i>, and logical 0 (false) otherwise. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). <i>DMObj1</i> and <i>DMObj2</i> can have different Name properties.</p> <p><i>T</i> = ge(<i>DMObj1</i>, <i>B</i>) or the equivalent <i>T</i> = <i>DMObj1</i> &gt;= <i>B</i> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in <i>B</i>, a numeric or logical array, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>B</i>, containing logical 1 (true) where elements</p>	

in *DMObj1* are greater than or equal to the corresponding element in *B*, and logical 0 (false) otherwise. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{ge}(B, \text{DMObj1})$  or the equivalent  $T = B \geq \text{DMObj1}$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are greater than or equal to the corresponding element in *DMObj1*, and logical 0 (false) otherwise. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{ge}(X, Y)$  for the syntax  $T = X \geq Y$  when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `le`

# genbankread

---

<b>Purpose</b>	Read data from GenBank file						
<b>Syntax</b>	<i>GenBankData</i> = genbankread( <i>File</i> )						
<b>Arguments</b>	<table><tr><td><i>File</i></td><td>Either of the following:<ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a GenBank-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a GenBank-formatted file.</li></ul></td></tr><tr><td colspan="2"><hr/><b>Tip</b> You can use the <code>getgenbank</code> function with the 'ToFile' property to retrieve sequence information from the GenBank database and create an GenBank-formatted file.<hr/></td></tr><tr><td><i>GenBankData</i></td><td>MATLAB structure with fields corresponding to GenBank keywords.</td></tr></table>	<i>File</i>	Either of the following: <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a GenBank-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a GenBank-formatted file.</li></ul>	<hr/> <b>Tip</b> You can use the <code>getgenbank</code> function with the 'ToFile' property to retrieve sequence information from the GenBank database and create an GenBank-formatted file. <hr/>		<i>GenBankData</i>	MATLAB structure with fields corresponding to GenBank keywords.
<i>File</i>	Either of the following: <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a GenBank-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a GenBank-formatted file.</li></ul>						
<hr/> <b>Tip</b> You can use the <code>getgenbank</code> function with the 'ToFile' property to retrieve sequence information from the GenBank database and create an GenBank-formatted file. <hr/>							
<i>GenBankData</i>	MATLAB structure with fields corresponding to GenBank keywords.						

**Description** *GenBankData* = genbankread(*File*) reads in a GenBank-formatted file, *File*, and creates a structure, *GenBankData*, containing fields corresponding to the GenBank keywords. Each separate sequence listed in the output structure *GenBankData* is stored as a separate element of the structure.

**Examples**

1 Retrieve sequence information for a gene (HEXA), store data in a file, and then read back into the MATLAB software.

```
getgenbank('nm_000520', 'ToFile', 'TaySachs_Gene.txt')
```

```
s = genbankread('TaySachs_Gene.txt')

s =
    LocusName: 'NM_000520'
    LocusSequenceLength: '2437'
    LocusNumberofStrands: ''
    LocusTopology: 'linear'
    LocusMoleculeType: 'mRNA'
    LocusGenBankDivision: 'PRI'
    LocusModificationDate: '18-FEB-2009'
    Definition: [1x63 char]
    Accession: 'NM_000520'
    Version: 'NM_000520.4'
    GI: '189181665'
    Project: []
    DBLink: []
    Keywords: []
    Segment: []
    Source: 'Homo sapiens (human)'
    SourceOrganism: [4x65 char]
    Reference: {1x10 cell}
    Comment: [32x67 char]
    Features: [147x74 char]
    CDS: [1x1 struct]
    Sequence: [1x2437 char]
```

## 2 Display the source organism for this sequence.

```
s.SourceOrganism

ans =

Homo sapiens
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Euarchontoglires; Primates; Haplorrhini;
Catarrhini; Hominidae; Homo.
```

# genbankread

---

## See Also

Bioinformatics Toolbox functions: `emblread`, `fastaread`, `genpeptread`, `getgenbank`, `scfread`, `seqtool`



## Purpose

Remove genes with low entropy expression values

## Syntax

```
Mask = geneentropyfilter(Data)
[Mask, FData] = geneentropyfilter(Data)
[Mask, FData, FNames] = geneentropyfilter(Data, Names)
geneentropyfilter(..., 'Percentile', PercentileValue)
```

## Arguments

<i>Data</i>	DataMatrix object or numeric matrix where each row corresponds to the experimental results for one gene. Each column is the results for all genes from one experiment.
<i>Names</i>	Cell array with the name of a gene for each row of experimental data. <i>Names</i> has same number of rows as <i>Data</i> with each row containing the name or ID of the gene in the data set.
<i>PercentileValue</i>	Property to specify a percentile below which gene data is removed. Enter a value from 0 to 100.

## Description

*Mask* = geneentropyfilter(*Data*) identifies gene expression profiles in *Data* with entropy values less than the 10th percentile.

*Mask* is a logical vector with one element for each row in *Data*. The elements of *Mask* corresponding to rows with a variance greater than the threshold have a value of 1, and those with a variance less than the threshold are 0.

[*Mask*, *FData*] = geneentropyfilter(*Data*) returns *FData*, a filtered data matrix. You can also create *FData* using *FData* = *Data*(*Mask*,:).

[*Mask*, *FData*, *FNames*] = geneentropyfilter(*Data*, *Names*) returns *FNames*, a filtered names array, where *Names* is a cell array of the names of the genes corresponding to each row of *Data*. You can also create *FNames* using *FNames* = *Names*(*Mask*).

---

**Note** If *Data* is a DataMatrix object with specified row names, you do not need to provide the second input *Names* to return the third output *FNames*.

---

geneentropyfilter(..., 'Percentile', *PercentileValue*)  
removes from *Data*, the experimental data, gene expression profiles with entropy values less than *PercentileValue*, the specified percentile.

## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: `yeastvalues`, a matrix of gene expression data, `genes`, a cell array of GenBank accession numbers for labeling the rows in `yeastvalues`, and `times`, a vector of time values for labeling the columns in `yeastvalues`

```
load yeastdata
```

- 2 Remove genes with low entropy expression values.

```
[fyeastvalues, fgenes] = geneentropyfilter(yeastvalues,genes);
```

## References

[1] Kohane I.S., Kho A.T., Butte A.J. (2003), Microarrays for an Integrative Genomics, Cambridge, MA:MIT Press.

## See Also

Bioinformatics Toolbox functions: `exprprofrange`, `exprprofvar`, `genelowvalfilter`, `generangefilter`, `genevarfilter`

## Purpose

Remove gene profiles with low absolute values

## Syntax

```
Mask = genelowvalfilter(Data)
[Mask, FData] = genelowvalfilter(Data)
[Mask, FData, FNames] = genelowvalfilter(Data, Names)
genelowvalfilter(..., 'Percentile', PercentileValue, ...)
genelowvalfilter(..., 'AbsValue', AbsValueValue, ...)
genelowvalfilter(..., 'AnyVal', AnyValValue, ...)
```

## Arguments

<i>Data</i>	DataMatrix object or numeric matrix where each row corresponds to the experimental results for one gene. Each column is the results for all genes from one experiment.
<i>Names</i>	Cell array with the same number of rows as <i>Data</i> . Each row contains the name or ID of the gene in the data set.
<i>PercentileValue</i>	Property to specify a percentile below which gene expression profiles are removed. Enter a value from 0 to 100.
<i>AbsValueValue</i>	Property to specify an absolute value below which gene expression profiles are removed.
<i>AnyValValue</i>	Property to select the minimum or maximum absolute value for comparison with <i>AbsValueValue</i> . If <i>AnyValValue</i> is true, selects the minimum absolute value. If <i>AnyValValue</i> is false, selects the maximum absolute value. The default value is false.

## Description

Gene expression profile experiments have data where the absolute values are very low. The quality of this type of data is often bad due to large quantization errors or simply poor spot hybridization.

*Mask* = `genelowvalfilter(Data)` identifies gene expression profiles in *Data* with all absolute values less than the 10th percentile.

*Mask* is a logical vector with one element for each row in *Data*. The elements of *Mask* corresponding to rows with absolute expression levels greater than the threshold have a value of 1, and those with absolute expression levels less than the threshold are 0.

`[Mask, FData] = genelowvalfilter(Data)` returns *FData*, a filtered data matrix. You can also create *FData* using `FData = Data(Mask, :)`.

`[Mask, FData, FNames] = genelowvalfilter(Data, Names)` returns *FNames*, a filtered names array, where *Names* is a cell array of the names of the genes corresponding to each row of *Data*. You can also create *FNames* using `FNames = Names(Mask)`.

---

**Note** If *Data* is a *DataMatrix* object with specified row names, you do not need to provide the second input *Names* to return the third output *FNames*.

---

`genelowvalfilter(..., 'PropertyName', PropertyValue, ...)` calls `genelowvalfilter` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`genelowvalfilter(..., 'Percentile', PercentileValue, ...)` removes from *Data*, the experimental data, the gene expression profiles with all absolute values less than *PercentileValue*, the specified percentile.

`genelowvalfilter(..., 'AbsValue', AbsValueValue, ...)` calculates the maximum absolute value for each gene expression profile and removes the profiles with maximum absolute values less than *AbsValueValue*.

`genelowvalfilter(..., 'AnyVal', AnyValValue, ...)`, when *AnyValValue* is true, calculates the minimum absolute value for

each gene expression profile and removes the profiles with minimum absolute values less than *AnyValValue*.

## Examples

```
[data, labels, I, FI] = genelowvalfilter(data,labels,'AbsValue',5);
```

## References

[1] Kohane I.S., Kho A.T., Butte A.J. (2003), Microarrays for an Integrative Genomics, Cambridge, MA:MIT Press.

## See Also

Bioinformatics Toolbox functions: `exprprofrange`, `exprprofvar`, `geneentropyfilter`, `generangefilter`, `genevarfilter`

# geneont class

---

<b>Purpose</b>	Data structure containing Gene Ontology (GO) information	
<b>Description</b>	A geneont object is a data structure containing Gene Ontology information. You can explore and traverse Gene Ontology terms using “is_a” and “part_of” relationships.	
<b>Construction</b>	geneont	Create geneont object and term objects
<b>Methods</b>	getancestors	Find terms that are ancestors of specified Gene Ontology (GO) term
	getdescendants	Find terms that are descendants of specified Gene Ontology (GO) term
	getmatrix	Convert geneont object into relationship matrix
	getrelatives	Find terms that are relatives of specified Gene Ontology (GO) term
<b>Properties</b>	date	Read-only string containing date and time OBO file was last updated
	default_namespace	Read-only string containing namespace to which GO terms are assigned

format_version	Read-only string containing version of encoding of OBO file
terms	Read-only column vector with handles to term objects of geneont object

## Instance Hierarchy

A geneont object contains term objects.

## Copy Semantics

Handle. To learn how this affects your use of the class, see Copying Objects in the MATLAB Programming Fundamentals documentation.

## Indexing

You can use parenthesis () indexing with either GO identifiers (numbers) or by GO terms (term objects) to create a subontology. See “Examples” on page 3-621 below.

## Examples

### Indexing into a geneont Object Using the GO Identifier

You can create a subontology by indexing into a geneont object by using the GO identifier.

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Create a subontology by returning the terms with GO identifiers of GO:000005 through GO:000010.

```
subontology1 = GeneontObj(5:10)
```

```
Gene Ontology object with 6 Terms.
```

- 3 Create a subontology by returning the term with a GO identifier of GO:000100.

```
subontology2 = GeneontObj(100)
```

Gene Ontology object with 1 Terms.

### Indexing into a geneont Object Using the GO Term

You can create a subontology by indexing into a geneont object by using the GO term.

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

Gene Ontology object with 27769 Terms.

- 2 Create an array of term objects containing the fifth through tenth terms of the geneont object.

```
termObject = GeneontObj.terms(5:10)
```

6x1 struct array with fields:

```
id  
name  
ontology  
definition  
comment  
synonym  
is_a  
part_of  
obsolete
```



---

**Note** The GO term of 5 is the position of the term object in the geneont object, and is not necessarily the same as the term object with a GO identifier of **GO:000005** used in the first example. This is because there are many terms that are obsolete and are not included as term objects in the geneont object.

---

- 3 Create a subontology by returning the fifth through tenth terms of the geneont object.

```
subontology3 = GeneontObj(termObject)
```

```
Gene Ontology object with 6 Terms.
```

### See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`

## Purpose

Create geneont object and term objects

## Syntax

```
GeneontObj = geneont  
GeneontObj = geneont('File', FileValue)  
GeneontObj = geneont('Live', LiveValue)  
GeneontObj = geneont('Live', LiveValue, 'ToFile',  
    ToFileValue)
```

## Description

*GeneontObj* = geneont creates *GeneontObj*, a geneont object, from the `gene_ontology.obo` file in the MATLAB current directory. It also creates multiple term objects, one for each term in the geneont object.

*GeneontObj* = geneont('File', *FileValue*) creates *GeneontObj*, a geneont object, from *FileValue*, a string specifying the file name of an Open Biomedical Ontology (OBO)-formatted file that is on the MATLAB search path.

*GeneontObj* = geneont('Live', *LiveValue*) controls the creation of *GeneontObj*, a geneont object, from the current version of the Gene Ontology database, which is the file at:

[http://www.geneontology.org/ontology/gene\\_ontology.obo](http://www.geneontology.org/ontology/gene_ontology.obo)

Choices are true or false (default).

---

**Note** The full Gene Ontology database may take several minutes to download when you run this function using the 'Live' property.

---

*GeneontObj* = geneont('Live', *LiveValue*, 'ToFile', *ToFileValue*), when *LiveValue* is true, creates *GeneontObj*, a geneont object, from the most recent version of the Gene Ontology database, which is the file at:

[http://www.geneontology.org/ontology/gene\\_ontology.obo](http://www.geneontology.org/ontology/gene_ontology.obo)

and saves the contents of this file to *ToFileValue*, a string specifying a file name or a path and file name.

Input Arguments

<i>FileValue</i>	String specifying the file name of an OBO-formatted file that is on the MATLAB search path.
<i>LiveValue</i>	Controls the creation of the most up-to-date geneont object. Enter <code>true</code> to create <i>GeneontObj</i> , a geneont object, from the most recent version of the Gene Ontology database. Default is <code>false</code> .
<i>ToFileValue</i>	String specifying a file name or path and file name to which to save the contents of the current version of the Gene Ontology database.

Output Arguments

<i>GeneontObj</i>	MATLAB object containing gene ontology information.
-------------------	---

Examples

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display information about the geneont object.

```
get(GeneontObj)

default_namespace: 'gene_ontology'
```

```
format_version: '1.0'
version: '4.509'
date: '28:11:2008 19:30'
saved_by: 'gocvs'
auto_generated_by: 'OBO-Edit 1.101'
subsetdef: {7x1 cell}
import: ''
synonymtypedef: ''
idspace: ''
default_relationship_id_prefix: ''
id_mapping: ''
remark: [1x31 char]
typeref: ''
unrecognized_tag: {1x2 cell}
Terms: [27769x1 geneont.term]
```

- 3** Search for all GO terms in the geneont object that contain the string `ribosome` in the field name, and use the `geneont.terms` property to create a MATLAB structure array of term objects containing those terms.

```
comparison = regexpi(get(GeneontObj.terms,'name'),'ribosome');
indices = find(~cellfun('isempty',comparison));
terms_with_ribosome = GeneontObj.terms(indices)
```

22x1 struct array with fields:

```
id
name
ontology
definition
comment
synonym
is_a
part_of
obsolete
```

---

**Note** Although the `terms` property is a column vector with handles to term objects, in the MATLAB Command Window, it displays as a structure array, with one structure for each GO term in the `geneont` object.

---

## See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`

Bioinformatics Toolbox property of `geneont` class: `geneont.terms`

# generangefilter

---

Purpose	Remove gene profiles with small profile ranges	
Syntax	<pre>Mask = generangefilter(Data) [Mask, FData] = generangefilter(Data) [Mask, FData, FNames] = generangefilter(Data, Names) generangefilter(..., 'Percentile', PercentileValue, ...) generangefilter(..., 'AbsValue', AbsValueValue, ...) generangefilter(..., 'LogPercentile', LogPercentileValue, ...) generangefilter(..., 'LogValue', LogValueValue, ...)</pre>	
Arguments	Data	DataMatrix object or numeric matrix where each row corresponds to the experimental results for one gene. Each column is the results for all genes from one experiment.
	Names	Cell array with the name of a gene for each row of experimental data. <i>Names</i> has same number of rows as <i>Data</i> with each row containing the name or ID of the gene in the data set.
	PercentileValue	Property to specify a percentile below which gene expression profiles are removed. Enter a value from 0 to 100.
	AbsValueValue	Property to specify an absolute value below which gene expression profiles are removed.
	LogPercentileValue	Property to specify the logarithm of a percentile.
	LogValueValue	Property to specify the logarithm of an absolute value.
Description	<i>Mask</i> = generangefilter( <i>Data</i> ) calculates the range for each gene expression profile in <i>Data</i> , a DataMatrix object or matrix of the	

experimental data, and then identifies the expression profiles with ranges less than the 10th percentile.

*Mask* is a logical vector with one element for each row in *Data*. The elements of *Mask* corresponding to rows with a range greater than the threshold have a value of 1, and those with a range less than the threshold are 0.

`[Mask, FData] = generangefilter(Data)` returns *FData*, a filtered data matrix. You can also create *FData* using `FData = Data(Mask,:)`.

`[Mask, FData, FNames] = generangefilter(Data, Names)` returns *FNames*, a filtered names array, where *Names* is a cell array of the names of the genes corresponding to each row in *Data*. You can also create *FNames* using `FNames = Names(Mask)`.

---

**Note** If *Data* is a *DataMatrix* object with specified row names, you do not need to provide the second input *Names* to return the third output *FNames*.

---

`generangefilter(..., 'PropertyName', PropertyValue, ...)` calls `generangefilter` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`generangefilter(..., 'Percentile', PercentileValue, ...)` removes from the experimental data (*Data*) gene expression profiles with ranges less than a specified percentile (*PercentileValue*).

`generangefilter(..., 'AbsValue', AbsValueValue, ...)` removes from *Data* gene expression profiles with ranges less than *AbsValueValue*.

`generangefilter(..., 'LogPercentile', LogPercentileValue, ...)` filters genes with profile ranges in the lowest percent of the log range (*LogPercentileValue*).

# generangefilter

---

`generangefilter(..., 'LogValue', LogValueValue, ...)` filters genes with profile log ranges lower than *LogValueValue*.

## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: `yeastvalues`, a matrix of gene expression data, `genes`, a cell array of GenBank accession numbers for labeling the rows in `yeastvalues`, and `times`, a vector of time values for labeling the columns in `yeastvalues`

```
load yeastdata
```

- 2 Remove gene profiles with small profile ranges.

```
[mask, fyeastvalues, fgenes] = generangefilter(yeastvalues,genes);
```

## References

[1] Kohane I.S., Kho A.T., Butte A.J. (2003), Microarrays for an Integrative Genomics, Cambridge, MA:MIT Press.

## See Also

Bioinformatics Toolbox functions: `exprprofrange`, `exprprofvar`, `geneentropyfilter`, `genelowvalfilter`, `genevarfilter`



**Purpose** Return nucleotide codon to amino acid mapping for genetic code

**Syntax**

```
Map = geneticcode  
Map = geneticcode(GeneticCode)
```

**Arguments**

<i>GeneticCode</i>	Integer or string specifying a genetic code number or code name from the table Genetic Code on page 3-632. Default is 1 or 'Standard'.
--------------------	--

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

**Return Values**

<i>Map</i>	Structure containing the mapping of nucleotide codons to amino acids for the standard genetic code. The <i>Map</i> structure contains a field for each nucleotide codon.
------------	--

**Description**

*Map* = geneticcode returns a structure containing the mapping of nucleotide codons to amino acids for the standard genetic code. The *Map* structure contains a field for each nucleotide codon.

*Map* = geneticcode(*GeneticCode*) returns a structure containing the mapping of nucleotide codons to amino acids for the specified genetic code. *GeneticCode* is either:

- An integer or string specifying a code number or code name from the table Genetic Code on page 3-632
- The transl\_table (code) number from the NCBI Web page describing genetic codes:

<http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=c>

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

## Examples

Return the mapping of nucleotide codons to amino acids for the Flatworm Mitochondrial genetic code.

```
wormmap = geneticcode('Flatworm Mitochondrial');
```

## References

[1] NCBI Web page describing genetic codes:

```
http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=c
```

## See Also

Bioinformatics Toolbox functions: `aa2nt`, `aminolookup`, `baselookup`, `codonbias`, `dnds`, `dndsm1`, `nt2aa`, `revgeneticcode`, `seqshoworfs`, `seqtool`

<b>Purpose</b>	Filter genes with small profile variance	
<b>Syntax</b>	<pre>Mask = genevarfilter(Data) [Mask, FData] = genevarfilter(Data) [Mask, FData, FNames] = genevarfilter(Data, Names) genevarfilter(..., 'Percentile', PercentileValue, ...) genevarfilter(..., 'AbsValue', AbsValueValue, ...)</pre>	
<b>Arguments</b>	<i>Data</i>	DataMatrix object or numeric matrix where each row corresponds to a gene. If a matrix, the first column is the names of the genes, and each additional column is the results from an experiment.
	<i>Names</i>	Cell array with the name of a gene for each row of experimental data. <i>Names</i> has same number of rows as <i>Data</i> with each row containing the name or ID of the gene in the data set.
	<i>PercentileValue</i>	Specifies a percentile below which gene expression profiles are removed. Enter a value from 0 to 100.
	<i>AbsValueValue</i>	Property to specify an absolute value below which gene expression profiles are removed.
<b>Description</b>	<p>Gene profiling experiments have genes that exhibit little variation in the profile and are generally not of interest in the experiment. These genes are commonly removed from the data.</p> <p><i>Mask</i> = genevarfilter(<i>Data</i>) calculates the variance for each gene expression profile in <i>Data</i> and then identifies the expression profiles with a variance less than the 10th percentile.</p> <p><i>Mask</i> is a logical vector with one element for each row in <i>Data</i>. The elements of <i>Mask</i> corresponding to rows with a variance greater than the threshold have a value of 1, and those with a variance less than the threshold are 0.</p>	

`[Mask, FData] = genevarfilter(Data)` returns *FData*, a filtered data matrix. You can also create *FData* using `FData = Data(Mask,:)`.

`[Mask, FData, FNames] = genevarfilter(Data, Names)` returns *FNames*, a filtered names array, where *Names* is a cell array of the names of the genes corresponding to each row in *Data*. You can also create *FNames* using `FNames = Names(Mask)`.

---

**Note** If *Data* is a *DataMatrix* object with specified row names, you do not need to provide the second input *Names* to return the third output *FNames*.

---

`genevarfilter(..., 'PropertyName', PropertyValue, ...)` calls `genevarfilter` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`genevarfilter(..., 'Percentile', PercentileValue, ...)` removes from *Data*, the experimental data, the gene expression profiles with a variance less than the percentile specified by *PercentileValue*.

`genevarfilter(..., 'AbsValue', AbsValueValue, ...)` removes from *Data* gene expression profiles with a variance less than *AbsValueValue*.

## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: *yeastvalues*, a matrix of gene expression data, *genes*, a cell array of GenBank accession numbers for labeling the rows in *yeastvalues*, and *times*, a vector of time values for labeling the columns in *yeastvalues*

```
load yeastdata
```

- 2 Filter genes with a small profile variance.

# genevarfilter

---

```
[fyeastvalues, fgenes] = genevarfilter(yeastvalues,genes);
```

## References

[1] Kohane I.S., Kho A.T., Butte A.J. (2003), Microarrays for an Integrative Genomics, Cambridge, MA:MIT Press.

## See Also

Bioinformatics Toolbox functions: `exprprofrange`, `exprprofvar`, `generangefilter`, `geneentropyfilter`, `genelowvalfilter`

**Purpose** Read data from GenPept file

**Syntax** GenPeptData = genpeptread('File')

**Arguments**

<i>File</i>	<p>Either of the following:</p> <ul style="list-style-type: none"> <li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a GenPept-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li> <li>• MATLAB character array that contains the text of a GenPept-formatted file.</li> </ul>
-------------	--

---

**Tip** You can use the `getgenpept` function with the 'ToFile' property to retrieve sequence information from the GenPept database and create an GenPept-formatted file.

---

**Description** genpeptread reads data from a GenPept-formatted file into a MATLAB structure.

---

**Note** NCBI has changed the name of their protein search engine from GenPept to Entrez Protein. However, the function names in the Bioinformatics Toolbox software (`getgenpept` and `genpeptread`) are unchanged representing the still-used GenPept report format.

---

*GenPeptData* = genpeptread('File') reads the GenPept-formatted sequence from *File* and creates a structure *GenPeptData*, containing fields corresponding to the GenPept keywords. Each separate sequence

listed in *File* is stored as a separate element of the structure. *GenPeptData* contains these fields:

Field
LocusName
LocusSequenceLength
LocusMoleculeType
LocusGenBankDivision
LocusModificationDate
Definition
Accession
PID
Version
GI
DBSource
Keywords
Source
SourceDatabase
SourceOrganism
Reference.Number
Reference.Authors
Reference.Title
Reference.Journal
Reference.MedLine
Reference.PubMed
Reference.Remark
Comment



Field
Features
Weight
Length
Sequence

## Examples

Retrieve sequence information for the protein coded by the gene HEXA, save to a file, and then read back into the MATLAB software.

```
getgenpept('p06865', 'ToFile', 'TaySachs_Protein.txt')
genpeptread('TaySachs_Protein.txt')
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `genbankread`, `getgenpept`, `pdbread`, `seqtool`

# geoseriesread

---

<b>Purpose</b>	Read Gene Expression Omnibus (GEO) Series (GSE) format data	
<b>Syntax</b>	<code>GEOData = geoseriesread(File)</code>	
<b>Arguments</b>	<i>File</i>	<div><p>Either of the following:</p><ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a Gene Expression Omnibus (GEO) Series (GSE) format file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a GEO Series (GSE) format file.</li></ul></div> <div><hr/><b>Tip</b> You can use the <code>getgeodata</code> function with the 'ToFile' property to retrieve GEO Series (GSE) format data from the GEO database and create a GEO Series (GSE) format file.<hr/></div>
<b>Return Values</b>	<i>GEOData</i>	<div><p>MATLAB structure containing the following fields:</p><ul style="list-style-type: none"><li>• <b>Header</b> — Header text from the GEO Series (GSE) format file, typically containing a description of the data or experiment information.</li><li>• <b>Data</b> — DataMatrix object containing the data from a GEO Series (GSE) format file. The columns and rows of the DataMatrix object correspond to the sample IDs and Ref IDs, respectively, from the GEO Series (GSE) format file.</li></ul></div>

Description

*GEOData* = geoseriesread(*File*) reads a Gene Expression Omnibus (GEO) Series (GSE) format file, and then creates a MATLAB structure, *GEOData*, with the following fields.

Fields	Description
Header	Header text from the GEO Series (GSE) format file, typically containing a description of the data or experiment information.
Data	DataMatrix object containing the data from a GEO Series (GSE) format file. The columns and rows of the DataMatrix object correspond to the sample IDs and Ref IDs, respectively, from the GEO Series (GSE) format file.

Examples

- 1 Retrieve Series (GSE) data from the GEO Web site and save it to a file.

```
geodata = getgeodata('GSE11287','ToFile','GSE11287.txt');
```

- 2 In a subsequent MATLAB session, you can access the Series (GSE) data from your local file, instead of retrieving it from the GEO Web site.

```
geodata = geoseriesread('GSE11287.txt')

geodata =

    Header: [1x1 struct]
    Data: [45101x6 bioma.data.DataMatrix]
```

- 3 Access the sample IDs using the colnames property of a DataMatrix object.

```
sampleIDs = geodata.Data.colnames

sampleIDs =
```

# geoseriesread

---

'GSM284935' 'GSM284936' 'GSM284937' 'GSM284938' 'GSM284939' 'GSM284940'

## See Also

Bioinformatics Toolbox functions: `affyread`, `agferead`, `galread`, `geosoftread`, `getgeodata`, `gprread`, `ilmnbsread`, `sptread`

Bioinformatics Toolbox object: `DataMatrix` object

<b>Purpose</b>	Read Gene Expression Omnibus (GEO) SOFT format data	
<b>Syntax</b>	<code>GEOSOFTData = geosoftread(<i>File</i>)</code>	
<b>Arguments</b>	<i>File</i>	<p>Either of the following:</p> <ul style="list-style-type: none"> <li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a Gene Expression Omnibus (GEO) SOFT format Sample file (GSM), Data Set file (GDS), or Platform (GPL) file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li> <li>• MATLAB character array that contains the text of a GEO SOFT format file.</li> </ul> <hr/> <p><b>Tip</b> You can use the <code>getgeodata</code> function with the 'ToFile' property to retrieve GEO SOFT format data from the GEO database and create a GEO SOFT format file.</p> <hr/>
<b>Return Values</b>	<i>GEOSOFTData</i>	MATLAB structure containing information from a GEO SOFT format file.
<b>Description</b>	<p><code>GEOSOFTData = geosoftread(<i>File</i>)</code> reads a Gene Expression Omnibus (GEO) SOFT format Sample file (GSM), Data Set file (GDS), or Platform (GPL) file, and then creates a MATLAB structure, <i>GEOSOFTData</i>, with the following fields.</p>	

Fields	Description
Scope	Type of file read (SAMPLE, DATASET, or PLATFORM)
Accession	Accession number for record in GEO database.
Header	Microarray experiment information.
ColumnDescriptions	Cell array containing descriptions of columns in the data.
ColumnNames	Cell array containing names of columns in the data.
Data	Array containing microarray data.
Identifier (GDS files only)	Cell array containing probe IDs.
IDRef (GDS files only)	Cell array containing indices to probes.

**Note** Currently, the `geosoftread` function supports Sample (GSM), Data Set (GDS), and Platform (GPL) records.

Examples

Retrieve GSM data from the GEO Web site and save it to a file.

```
geodata = getgeodata('GSM3258','ToFile','GSM3258.txt');
```

Use `geosoftread` to read a local copy of the GSM file, instead of accessing it from the GEO Web site.

```
geodata = geosoftread('GSM3258.txt')

geodata =

    Scope: 'SAMPLE'
Accession: 'GSM3258'
```

```
Header: [1x1 struct]
ColumnDescriptions: {6x1 cell}
ColumnNames: {6x1 cell}
Data: {5355x6 cell}
```

Read the GDS file for photosynthesis in proteobacteria.

```
gdsdata = geosoftread('GDS329.soft')
```

```
gdsdata =
```

```
Scope: 'DATASET'
Accession: 'GDS329'
Header: [1x1 struct]
ColumnDescriptions: {6x1 cell}
ColumnNames: {6x1 cell}
IDRef: {5355x1 cell}
Identifier: {5355x1 cell}
Data: [5355x6 double]
```

## **See Also**

Bioinformatics Toolbox functions: `galread`, `getgeodata`, `geoseriesread`, `gprread`, `ilmnbsread`, `sptread`

# get (biograph)

---

<b>Purpose</b>	Retrieve information about biograph object	
<b>Syntax</b>	<pre>get(BGobj) BGStruct = get(BGobj) PropertyValue = get(BGobj, 'PropertyName') [Property1Value, Property2Value, ...] = get(BGobj,     'Property1Name', 'Property2Name', ...)</pre>	
<b>Arguments</b>	<i>BGobj</i>	Biograph object created with the function biograph.
	<i>PropertyName</i>	Property name for a biograph object.
<b>Return Values</b>	<i>BGStruct</i>	Scalar structure, in which each field name is a property of a biograph object, and each field contains the value of that property.
	<i>PropertyValue</i>	Value of the property specified by <i>PropertyName</i> .
<b>Description</b>	<p><code>get(BGobj)</code> displays all properties and their current values of <i>BGobj</i>, a biograph object.</p> <p><code>BGStruct = get(BGobj)</code> returns all properties of <i>BGobj</i>, a biograph object, to <i>BGStruct</i>, a scalar structure, in which each field name is a property of a biograph object, and each field contains the value of that property.</p> <p><code>PropertyValue = get(BGobj, 'PropertyName')</code> returns the value of the specified property of <i>BGobj</i>, a biograph object.</p> <p><code>[Property1Value, Property2Value, ...] = get(BGobj, 'Property1Name', 'Property2Name', ...)</code> returns the values of the specified properties of <i>BGobj</i>, a biograph object.</p>	



Properties of a Biograph Object

Property	Description
ID	String to identify the biograph object. Default is ''.
Label	String to label the biograph object. Default is ''.
Description	String that describes the biograph object. Default is ''.
LayoutType	<p>String that specifies the algorithm for the layout engine. Choices are:</p> <ul style="list-style-type: none"><li>• 'hierarchical' (default) — Uses a topological order of the graph to assign levels, and then arranges the nodes from top to bottom, while minimizing crossing edges.</li><li>• 'radial' — Uses a topological order of the graph to assign levels, and then arranges the nodes from inside to outside of the circle, while minimizing crossing edges.</li><li>• 'equilibrium' — Calculates layout by minimizing the energy in a dynamic spring system.</li></ul>

Properties of a Biograph Object (Continued)

Property	Description
EdgeType	<p>String that specifies how edges display. Choices are:</p> <ul style="list-style-type: none"><li>'straight'</li><li>'curved' (default)</li><li>'segmented'</li></ul> <hr/> <p><b>Note</b> Curved or segmented edges occur only when necessary to avoid obstruction by nodes. Biograph objects with <code>LayoutType</code> equal to 'equilibrium' or 'radial' cannot produce curved or segmented edges.</p> <hr/>
Scale	Positive number that post-scales the node coordinates. Default is 1.
LayoutScale	Positive number that scales the size of the nodes before calling the layout engine. Default is 1.
EdgeTextColor	Three-element numeric vector of RGB values. Default is [0, 0, 0], which defines black.
EdgeFontSize	Positive number that sets the size of the edge font in points. Default is 8.
ShowArrows	Controls the display of arrows with the edges. Choices are 'on' (default) or 'off'.
ArrowSize	Positive number that sets the size of the arrows in points. Default is 8.
ShowWeights	Controls the display of text indicating the weight of the edges. Choices are 'on' (default) or 'off'.

**Properties of a Biograph Object (Continued)**

Property	Description
ShowTextInNodes	<p>String that specifies the node property used to label nodes when you display a biograph object using the view method. Choices are:</p> <ul style="list-style-type: none"><li>• 'Label' — Uses the Label property of the node object (default).</li><li>• 'ID' — Uses the ID property of the node object.</li><li>• 'None'</li></ul>
NodeAutoSize	<p>Controls precalculating the node size before calling the layout engine. Choices are 'on' (default) or 'off'.</p>
NodeCallback	<p>User-defined callback for all nodes. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the view function to display the biograph object in the Biograph Viewer, you can double-click a node to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, @(node) inspect(node), which displays the Property Inspector dialog box.</p>

Properties of a Biograph Object (Continued)

Property	Description
EdgeCallback	User-defined callback for all edges. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the view function to display the biograph object in the Biograph Viewer, you can double-click an edge to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, @(edge) inspect(edge), which displays the Property Inspector dialog box.
CustomNodeDrawFcn	Function handle to a customized function to draw nodes. Default is [].
Nodes	Read-only column vector with handles to node objects of a biograph object. The size of the vector is the number of nodes. For properties of node objects, see Properties of a Node Object on page 3-186.
Edges	Read-only column vector with handles to edge objects of a biograph object. The size of the vector is the number of edges. For properties of edge objects, see Properties of an Edge Object on page 3-188.

Examples

1 Create a biograph object and assign the node IDs.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];
ids = {'M30931','L07625','K03454','M27323','M15390'};
bg = biograph(cm,ids);
```

2 Use the get function to display the node IDs.

```
get(bg.nodes, 'ID')
```

```
ans =  
  
    'M30931 '  
    'L07625 '  
    'K03454 '  
    'M27323 '  
    'M15390 '
```

### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox method of a `biograph` object: `set`

# BioRead.get

---

## Purpose

Retrieve property of object

## Syntax

```
get(BioObj)  
Struct = get(BioObj)  
get(BioObj, 'PropertyName')
```

## Description

`get(BioObj)` lists all properties of an object and their current values.

`Struct = get(BioObj)` returns a MATLAB structure containing a field for each property of an object. Each field contains the current value of that property.

`get(BioObj, 'PropertyName')` returns the value of the property specified by *PropertyName*. If you replace '*PropertyName*' with a cell array of strings containing property names, `get` returns a cell array of property values.

## Tips

- Use the `get` method to determine all the object properties, and optionally, their current values.
- Specific `get` methods are also available for each property such as `BioRead.getName`, `BioRead.getNSeqs`, `BioRead.getHeader`, `BioRead.getSequence`, and `BioRead.getQuality`. Some of these specific `get` methods let you access all or a subset of a property.

## Input Arguments

*BioObj*

Object of the `BioRead` or `BioMap` class.

*PropertyName*

Either of the following:

- String specifying the name of a property of the class
- Cell array of strings specifying the names of properties of the class

## Output Arguments

*Struct*

MATLAB structure with a field for each property of an object.  
Each field contains the current value of that property.

## Examples

Retrieve properties from a BioRead object:

```
% Create variables containing sequences, quality scores, and header
seqs = {randseq(10); randseq(15); randseq(20)};
quals = {repmat('!', 1, 10); repmat('%', 1, 15); repmat('&', 1, 20)};
headers = {'H1'; 'H2'; 'H3'};
% Construct a BioRead object from these three variables
BRObj = BioRead(seqs, quals, headers);
% Retrieve the values of the 'Header' property
get(BRObj, 'Header')
```

```
ans =
```

```
'H1'
'H2'
'H3'
```

```
% Retrieve the values of the 'Sequence' and 'Quality' properties
get(BRObj, {'Sequence', 'Quality'});
```

---

Transform a BioRead object into a MATLAB structure:

```
% Return a MATLAB structure containing a field for each property of
% a BioRead object
BRStruct = get(BRObj)
```

```
BRStruct =
```

```
Quality: {3x1 cell}
Sequence: {3x1 cell}
Header: {3x1 cell}
NSeqs: 3
```

# BioRead.get

---

Name: ''

## See Also

BioRead | BioMap | getName | getNSeqs | getHeader | getSequence  
| getQuality | set

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification



## Purpose

Retrieve information about clustergram object

## Syntax

```
get(CGobj)
CGStruct = get(CGobj)
PropertyValue = get(CGobj, 'PropertyName')
[Property1Value, Property2Value, ...] = get(CGobj,
    'Property1Name', 'Property2Name', ...)
```

## Arguments

*CGobj* Clustergram object created with the function clustergram.

*PropertyName* Property name for a clustergram object.

## Description

`get(CGobj)` displays all properties and their current values of *CGobj*, a clustergram object.

`CGStruct = get(CGobj)` returns all properties of *CGobj*, a clustergram object, to *CGStruct*, a scalar structure, in which each field name is a property of a clustergram object, and each field contains the value of that property.

`PropertyValue = get(CGobj, 'PropertyName')` returns the value of the specified property of *CGobj*, a clustergram object.

`[Property1Value, Property2Value, ...] = get(CGobj, 'Property1Name', 'Property2Name', ...)` returns the values of the specified properties of *CGobj*, a clustergram object.

# get (clustergram)

---

## Properties of a Clustergram Object

Property	Description
RowLabels	Vector of numbers or cell array of text strings to label the rows in the dendrogram and heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of rows in <i>Data</i> , the matrix of data used by the <code>clustergram</code> function to create the clustergram object.
ColumnLabels	Vector of numbers or cell array of text strings to label the columns in the dendrogram and heat map. Default is a vector of values 1 through $N$ , where $N$ is the number of columns in <i>Data</i> , the matrix of data used by the <code>clustergram</code> function to create the clustergram object.
RowGroupNames	A cell array of text strings containing the names of the row groups exported to a clustergram object created using the <b>Export Group to Workspace</b> command in the Clustergram window.
RowNodeNames	A cell array of text strings containing the names of the row nodes exported to a clustergram object created using the <b>Export Group to Workspace</b> command in the Clustergram window.
ColumnGroupNames	A cell array of text strings containing the names of the column groups exported to a clustergram object created using the <b>Export Group to Workspace</b> command in the Clustergram window.

**Properties of a Clustergram Object (Continued)**

Property	Description
ColumnNodeNames	A cell array of text strings containing the names of the column nodes exported to a clustergram object created using the <b>Export Group to Workspace</b> command in the Clustergram window.
ExprValues	An $M$ -by- $N$ matrix of data, where $M$ and $N$ are the number of row nodes and column nodes respectively, exported to a clustergram object created using the <b>Export Group to Workspace</b> command in the Clustergram window. If the matrix contains gene expression data, typically each row corresponds to a gene and each column corresponds to a sample.
Standardize	<p>Text string that specifies the dimension for standardizing the values in the data. The standardized values are transformed so that the mean is 0 and the standard deviation is 1 in the specified dimension. Possibilities are:</p> <ul style="list-style-type: none"><li>• 'Column (1)' — Standardized along the columns of data.</li><li>• 'Row (2)' — Standardized along the rows of data.</li><li>• 'None (3)' — Did not perform standardization.</li></ul>

Properties of a Clustergram Object (Continued)

Property	Description
Cluster	<p>Text string that specifies the dimension for clustering the values in the data. Possibilities are:</p> <ul style="list-style-type: none"><li>• 'Row (1)' — Clustered rows of data only.</li><li>• 'Column (2)' — Clustered columns of data only.</li><li>• 'All (3)' — Clustered rows of data, then cluster columns of row-clustered data.</li></ul>
RowPdist	<p>String or cell array that specifies the distance metric and optional arguments passed to the pdist function (Statistics Toolbox software) used to calculate the pairwise distances between rows. For information on possibilities, see the pdist function.</p>
ColumnPdist	<p>String or cell array that specifies the distance metric and optional arguments passed to the pdist function (Statistics Toolbox software) used to calculate the pairwise distances between columns. For information on possibilities, see the pdist function.</p>
Linkage	<p>String or two-element cell array of strings that specifies the linkage method passed to the linkage function (Statistics Toolbox software) used to create the hierarchical cluster tree for rows and columns. If a two-element cell array of strings, the first element is for linkage between rows, and the second element is for linkage between columns. For information on possibilities, see the linkage function.</p>

**Properties of a Clustergram Object (Continued)**

Property	Description
Dendrogram	Scalar or two-element numeric vector or cell array that specifies the 'colorthreshold' property passed to the dendrogram function (Statistics Toolbox software) used to create the dendrogram plot. If a two-element numeric vector or cell array, the first element is for the rows, and the second element is for the columns. For more information, see the dendrogram function.
OptimalLeafOrder	Property that enabled or disabled the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves. Possibilities are 1 (enabled) or 0 (disabled).
LogTrans	Controlled the $\log_2$ transform of the data from natural scale. Possibilities are 1 (true) or 0 (false).
ColorMap	Either of the following: <ul style="list-style-type: none"> <li>• <math>M</math>-by-3 matrix of RGB values</li> <li>• Name or function handle of a function that returns a colormap, such as redgreencmap or redbluecmap</li> </ul>
DisplayRange	Positive scalar that specifies the display range of standardized values.  For example, if you specify redgreencmap for the 'ColorMap' property, pure red represents values $\geq \text{DisplayRange}$ , and pure green represents values $\leq -\text{DisplayRange}$ .

# get (clustergram)

Properties of a Clustergram Object (Continued)

Property	Description
SymmetricRange	Property to force the color scale of the heat map to be symmetric around zero. Possibilities are 1 (true) or 0 (false).
Ratio	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• Scalar</li><li>• Two-element vector</li></ul> <p>It specifies the ratio of space that the row and column dendrograms occupy relative to the heat map. If <code>Ratio</code> is a scalar, it is the ratio for both dendrograms. If <code>Ratio</code> is a two-element vector, the first element is for the ratio of the row dendrogram width to the heat map width, and the second element is for the ratio of the column dendrogram height to the heat map height. The second element is ignored for one-dimensional clustergrams.</p>
Impute	<p>Any of the following:</p> <ul style="list-style-type: none"><li>• Name of a function that imputes missing data.</li><li>• Handle to a function that imputes missing data.</li><li>• Cell array where the first element is the name of or handle to a function that imputes missing data and the remaining elements are property name/property value pairs used as inputs to the function.</li></ul>

Properties of a Clustergram Object (Continued)

Property	Description
RowMarkers	<p>Optional structure array for annotating the groups (clusters) of rows determined by the <code>clustergram</code> function. Each structure in the array represents a group of rows and contains the following fields:</p> <ul style="list-style-type: none"> <li>• <b>GroupNumber</b> — Number to annotate the row group.</li> <li>• <b>Annotation</b> — String specifying text to annotate the row group.</li> <li>• <b>Color</b> — String or three-element vector of RGB values specifying a color, which is used to label the row group. For more information on specifying colors, see <code>colormap</code>. If this field is empty, default is 'blue'.</li> </ul>
ColumnMarkers	<p>Optional structure array for annotating groups (clusters) of columns determined by the <code>clustergram</code> function. Each structure in the array represents a group of rows and contains the following fields:</p> <ul style="list-style-type: none"> <li>• <b>GroupNumber</b> — Number to annotate the column group.</li> <li>• <b>Annotation</b> — String specifying text to annotate the column group.</li> <li>• <b>Color</b> — String or three-element vector of RGB values specifying a color, which is used to label the column group. For more information on specifying colors, see <code>colormap</code>. If this field is empty, default is 'blue'.</li> </ul>

# get (clustergram)

---


## Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains `yeastvalues`, a matrix of gene expression data.

```
load filteredyeastdata
```

- 2 Create a clustergram object and display the dendrograms and heat map from the gene expression data in the first 30 rows of the `yeastvalues` matrix.

```
cgo = clustergram(yeastvalues(1:30,:))  
Clustergram object with 30 rows of nodes and 7 columns of nodes.
```



- 3 Use the `get` method to display the properties of the clustergram object, `cgo`.




```
get(cgo)
```


```
      RowLabels: {30x1 cell}  
      ColumnLabels: {7x1 cell}  
      Standardize: {'ROW (2)'}  
      Cluster: {'ALL (3)'}  
      RowPDist: {'Euclidean'}  
      ColumnPDist: {'Euclidean'}  
      Linkage: {'Average'}  
      Dendrogram: {[0]}  
OptimalLeafOrder: 1  
      LogTrans: 0  
      Colormap: [11x3 double]  
      DisplayRange: 3  
      SymmetricRange: 1  
      Ratio: [0.2000 0.2000]  
      Impute: []  
      RowMarkers: []  
      ColumnMarkers: []
```

- 4 Export a clustergram object of a group (cluster) of rows to the MATLAB Workspace by right-clicking a node in the row dendrogram, and then selecting **Export Group to Workspace**.

# get (clustergram)



- 5 In the Export to Workspace dialog box, type **cgo2** for the Workspace variable name for the clustergram object, and then click **OK**.



- 6 Use the `get` method to display the properties of `cgo2`, the clustergram object of the exported group.

```
get(cgo2)
```

```
RowGroupNames: {8x1 cell}
RowNodeNames: {9x1 cell}
ColumnGroupNames: {6x1 cell}
ColumnNodeNames: {7x1 cell}
ExprValues: [9x7 double]
Standardize: {'ROW (2)'}
Cluster: {'ALL (3)'}
RowPDist: {'Euclidean'}
ColumnPDist: {'Euclidean'}
Linkage: {'Average'}
Dendrogram: {[0]}
OptimalLeafOrder: 1
LogTrans: 0
Colormap: [11x3 double]
DisplayRange: 3
SymmetricRange: 1
Ratio: [0.2000 0.2000]
Impute: []
RowMarkers: []
ColumnMarkers: []
```

### See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: `clustergram` object

Bioinformatics Toolbox methods of a `clustergram` object: `plot`, `set`, `view`

# get (DataMatrix)

---

<b>Purpose</b>	Retrieve information about DataMatrix object	
<b>Syntax</b>	<pre>get(DMObj) DMStruct = get(DMObj) PropertyValue = get(DMObj, 'PropertyName') [Property1Value, Property2Value, ...] = get(DMObj,     'Property1Name', 'Property2Name', ...)</pre>	
<b>Arguments</b>	<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
	<i>PropertyName</i>	Property name of a DataMatrix object.
<b>Return Values</b>	<i>DMStruct</i>	Scalar structure, in which each field name is a property of a DataMatrix object, and each field contains the value of that property.
	<i>PropertyValue</i>	Value of the property specified by <i>PropertyName</i> .
<b>Description</b>	<p><code>get(DMObj)</code> displays all properties and their current values of <i>DMObj</i>, a DataMatrix object.</p> <p><code>DMStruct = get(DMObj)</code> returns all properties of <i>DMObj</i>, a DataMatrix object, to <i>DMStruct</i>, a scalar structure, in which each field name is a property of a DataMatrix object, and each field contains the value of that property.</p> <p><code>PropertyValue = get(DMObj, 'PropertyName')</code> returns the value of the specified property of <i>DMObj</i>, a DataMatrix object.</p> <p><code>[Property1Value, Property2Value, ...] = get(DMObj, 'Property1Name', 'Property2Name', ...)</code> returns the values of the specified properties of <i>DMObj</i>, a DataMatrix object.</p>	

**Properties of a DataMatrix Object**

Property	Description
Name	String that describes the DataMatrix object. Default is ''.
RowNames	Empty array or cell array of strings that specifies the names for the rows, typically gene names or probe identifiers. The number of elements in the cell array must equal the number of rows in the matrix. Default is an empty array.
ColNames	Empty array or cell array of strings that specifies the names for the columns, typically sample identifiers. The number of elements in the cell array must equal the number of columns in the matrix.
NRows	Positive number that specifies the number of rows in the matrix.
NCols	Positive number that specifies the number of columns in the matrix.
NDims	Positive number that specifies the number of dimensions in the matrix.
ElementClass	String that specifies the class type, such as single or double.

**Examples**

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: `yeastvalues`, a matrix of gene expression data, `genes`, a cell array of GenBank accession numbers for labeling the rows in `yeastvalues`, and `times`, a vector of time values for labeling the columns in `yeastvalues`.

```
load filteredyeastdata
```

## get (DataMatrix)

---

- 2** Import the microarray object package so that the `DataMatrix` constructor function will be available.

```
import bioma.data.*
```

- 3** Create a `DataMatrix` object from the gene expression data in the first 30 rows of the `yeastvalues` matrix. Use the `genes` column vector and `times` row vector to specify the row names and column names.

```
dmo = DataMatrix(yeastvalues(1:30,:),genes(1:30,:),times);
```

- 4** Use the `get` method to display the properties of the `DataMatrix` object, `dmo`.

```
get(dmo)
```

```
      Name: ''  
RowNames: {30x1 cell}  
ColNames: {' 0' ' 9.5' '11.5' '13.5' '15.5' '18.5' '20.5'}  
      NRows: 30  
       NCols: 7  
        NDims: 2  
ElementClass: 'double'
```

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `set`

**Purpose** Retrieve information about phylogenetic tree object

**Syntax**

```
[Value1, Value2,...] = get(Tree,
'Property1','Property2',...)
get(Tree)
V = get(Tree)
```

**Arguments**

<i>Tree</i>	Phytree object created with the function <code>phytree</code> .
<i>Name</i>	Property name for a <code>phytree</code> object.

**Description**

[*Value1*, *Value2*,...] = `get(Tree, 'Property1','Property2',...)` returns the specified properties from a `phytree` object (*Tree*).

Properties for a `phytree` object are listed in the following table.

Property	Description
NumLeaves	Number of leaves
NumBranches	Number of branches
NumNodes	Number of nodes (NumLeaves + NumBranches)
Pointers	Branch to leaf/branch connectivity list
Distances	Edge length for every leaf/branch
LeafNames	Names of the leaves
BranchNames	Names of the branches
NodeNames	Names of all the nodes

`get(Tree)` displays all property names and their current values for a `phytree` object (*Tree*).

## get (phytree)

---

`V = get(Tree)` returns a structure where each field name is the name of a property of a phytree object (*Tree*) and each field contains the value of that property.

### Examples

- 1 Read in a phylogenetic tree from a file.

```
tr = phytreeread('pf00002.tree')
```

Phylogenetic tree object with 33 leaves (32 branches)

- 2 Get the names of the leaves.

```
protein_names = get(tr, 'LeafNames')
```

```
protein_names =
```

```
    'Q9YHC6_RANRI/126-382'
```

```
    'VIPR1_RAT/140-397'
```

```
    'VIPR_CARAU/100-359'
```

```
    ...
```

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `getbyname`, `select`



**Purpose** Find ancestors in biograph object

**Syntax** `Nodes = getancestors(BiographNode)`  
`Nodes = getancestors(BiographNode, NumGenerations)`

**Arguments**

<i>BiographNode</i>	Node in a biograph object.
<i>NumGenerations</i>	Number of generations. Enter a positive integer.

**Description** `Nodes = getancestors(BiographNode)` returns a node (*BiographNode*) and all of its direct ancestors.

`Nodes = getancestors(BiographNode, NumGenerations)` finds the node (*BiographNode*) and its direct ancestors up to a specified number of generations (*NumGenerations*).

**Examples**

**1** Create a biograph object.


```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];  
bg = biograph(cm)
```

**2** Find one generation of ancestors for node 2.

```
ancNodes = getancestors(bg.nodes(2));  
set(ancNodes,'Color',[1 .7 .7]);  
bg.view;
```


## getancestors (biograph)

---



- 3** Find two generations of ancestors for node 2.

```
ancNodes = getancestors(bg.nodes(2),2);  
set(ancNodes,'Color',[.7 1 .7]);  
bg.view;
```



### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`

**Purpose** Find terms that are ancestors of specified Gene Ontology (GO) term

**Syntax**

```
AncestorIDs = getancestors(GeneontObj, ID)
[AncestorIDs, Counts] = getancestors(GeneontObj, ID)
... = getancestors(..., 'Height', HeightValue, ...)
... = getancestors(..., 'Relationtype', RelationtypeValue, ...)
... = getancestors(..., 'Exclude', ExcludeValue, ...)
```

**Description** *AncestorIDs* = `getancestors(GeneontObj, ID)` searches *GeneontObj*, a geneont object, for GO terms that are ancestors of the GO term(s) specified by *ID*, which is a GO term identifier or vector of identifiers. It returns *AncestorIDs*, a vector of GO term identifiers including *ID*. *ID* is a nonnegative integer or a vector containing nonnegative integers.

`[AncestorIDs, Counts] = getancestors(GeneontObj, ID)` also returns the number of times each ancestor is found. *Counts* is a column vector with the same number of elements as terms in *GeneontObj*.

---

**Tip** The *Counts* return value is useful when you tally counts in gene enrichment studies. For more information, see the Gene Ontology Enrichment in Microarray Data demo.

---

`... = getancestors(..., 'PropertyName', PropertyValue, ...)` calls `getancestors` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = getancestors(..., 'Height', HeightValue, ...)` searches up through a specified number of levels, *HeightValue*, in the gene ontology. *HeightValue* is a positive integer. Default is Inf.

`... = getancestors(..., 'Relationtype', RelationtypeValue, ...)` searches for specified relationship types, *RelationtypeValue*, in the gene ontology. *RelationtypeValue* is a string. Choices are 'is\_a', 'part\_of', or 'both' (default).

`... = getancestors(..., 'Exclude', ExcludeValue, ...)` controls excluding *ID*, the original queried term(s), from the output *AncestorIDs*, unless the term was reached while searching the gene ontology. Choices are true or false (default).

Input Arguments

<i>GeneontObj</i>	A geneont object, such as created by the <code>geneont.geneont</code> constructor function.
<i>ID</i>	GO term identifier or vector of identifiers.
<i>HeightValue</i>	Positive integer specifying the number of levels to search upward in the gene ontology.
<i>RelationtypeValue</i>	String specifying the relationship types to search for in the gene ontology. Choices are: <ul style="list-style-type: none"><li>• 'is_a'</li><li>• 'part_of'</li><li>• 'both' (default)</li></ul>
<i>ExcludeValue</i>	Controls excluding <i>ID</i> , the original queried term(s), from the output <i>AncestorIDs</i> , unless the term was reached while searching the gene ontology. Choices are true or false (default).

Output Arguments

<i>AncestorIDs</i>	Vector of GO term identifiers including <i>ID</i> .
<i>Counts</i>	Column vector with the same number of elements as terms in <i>GeneontObj</i> , indicating the number of times each ancestor is found.

## Examples

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GO = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of terms in the database.

Gene Ontology object with 24316 Terms.

- 2 Retrieve the ancestors of the Gene Ontology term with an identifier of 46680.

```
ancestors = getancestors(GO,46680)
```

```
ancestors =  
      8150  
      9636  
     17085  
     42221  
     46680  
     50896
```

- 3 Create a subordinate Gene Ontology.

```
subontology = GO(ancestors)
```

Gene Ontology object with 6 Terms.

- 4 Create and display a report of the subordinate Gene Ontology terms, that includes the GO identifier and name.


```
rpt = get(subontology.terms,{'id','name'})  
  
[ 8150]    'biological_process'  
[ 9636]    'response to toxin'  
[17085]           [1x23 char]  
[42221]           [1x29 char]  
[46680]    'response to DDT'
```

[50896]

[1x20 char]

- 5 View relationships of the subordinate Gene Ontology by using the `getmatrix` method to create a connection matrix to pass to the `biograph` function.

```
cm = getmatrix(subontology);  
BG = biograph(cm, get(subontology.terms, 'name'));  
view(BG)
```



## geneont.getancestors

---

### See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`



Purpose	Retrieve BLAST report from NCBI Web site	
Syntax	<pre>Data = getblast(RID) Data = getblast(RID, ...'Descriptions', DescriptionsValue, ...) Data = getblast(RID, ...'Alignments', AlignmentsValue, ...) Data = getblast(RID, ...'ToFile', ToFileValue, ...) Data = getblast(RID, ...'FileFormat', FileFormatValue, ...) Data = getblast(RID, ...'WaitTime', WaitTimeValue, ...)</pre>	
Arguments	<i>RID</i>	Request ID for the NCBI BLAST report, such as returned by the <code>blastncbi</code> function.
	<i>DescriptionsValue</i>	Integer that specifies the number of descriptions in a report. Choices are any value $\geq 1$ and $\leq 500$ . Default is 100.
	<i>AlignmentsValue</i>	Integer that specifies the number of alignments to include in the report. Choices are any value $\geq 1$ and $\leq 500$ . Default is 50.
<hr/>		
<b>Note</b> This value must be $\leq$ the value you specified for the 'Alignments' property when creating <i>RID</i> using the <code>blastncbi</code> function.		
<hr/>		
	<i>ToFileValue</i>	String specifying a file name for saving report data.

<i>FileFormatValue</i>	String specifying the format of the file. Choices are 'text' (default) or 'html'.
<i>WaitTimeValue</i>	Positive value that specifies a time (in minutes) for the MATLAB software to wait for a report from the NCBI Web site to be available. If the report is still not available after the wait time, <code>getblast</code> returns an error message. Default behavior is to not wait for a report.

---

**Tip** Use the *RTOE* returned by the `blastncbi` function as the *WaitTimeValue*.

---

**Return Values**

<i>Data</i>	MATLAB structure or array of structures (if multiple query sequences) containing fields corresponding to BLAST keywords and data from an NCBI BLAST report.
-------------	---

**Description**

The Basic Local Alignment Search Tool (BLAST) offers a fast and powerful comparative analysis of protein and nucleotide sequences against known sequences in online databases. `getblast` parses NCBI BLAST reports, including `blastn`, `blastp`, `psiblast`, `blastx`, `tblastn`, `tblastx`, and `megablast` reports.

*Data* = `getblast(RID)` reads *RID*, the Request ID for the NCBI BLAST report, and returns the report data in *Data*, a MATLAB structure or array of structures. The Request ID, *RID*, must be recently generated because NCBI purges reports after 24 hours.

*Data* = `getblast(RID, ...'PropertyName', PropertyValue, ...)` calls `getblast` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each

*PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Data = getblast(RID, ...'Descriptions', DescriptionsValue, ...)* specifies the number of descriptions in a report. Choices are any integer  $\geq 1$  and  $\leq 500$ . Default is 100.

*Data = getblast(RID, ...'Alignments', AlignmentsValue, ...)* specifies the number of alignments to include in the report. Choices are any integer  $\geq 1$  and  $\leq 500$ . Default is 50.

---

**Note** This value must be  $\leq$  the value you specified for the 'Alignments' property when creating *RID* using the `blastncbi` function.

---

*Data = getblast(RID, ...'ToFile', ToFileValue, ...)* saves the NCBI BLAST report data to a specified file. The default format for the file is 'text', but you can specify 'html' with the 'FileFormat' property.

*Data = getblast(RID, ...'FileFormat', FileFormatValue, ...)* specifies the format for the report. Choices are 'text' (default) or 'html'.

*Data = getblast(RID, ...'WaitTime', WaitTimeValue, ...)* pauses the MATLAB software and waits a specified time (in minutes) for a report from the NCBI Web site to be available. If the report is still unavailable after the wait time, `getblast` returns an error message. Choices are any positive value. Default behavior is to not wait for a report.

---

**Tip** Use the *RTOE* returned by the `blastncbi` function as the *WaitTimeValue*.

---

For more information about reading and interpreting BLAST reports, see:

<http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/tut1.html>

*Data* contains the following fields.

Field	Description
RID	Request ID for retrieving results for a specific NCBI BLAST search.
Algorithm	NCBI algorithm used to do a BLAST search.
Query	Identifier of the query sequence submitted to a BLAST search.
Database	All databases searched.
Hits.Name	Name of a database sequence (subject sequence) that matched the query sequence.
Hits.Length	Length of a subject sequence.
Hits.HSPs.Score	Pairwise alignment score for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Expect	Expectation value for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.Identities	Identities (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.

Field	Description
Hits.HSPs.Positives	<p>Identical or similar residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject amino acid sequence.</p> <hr/> <p><b>Note</b> This field applies only to translated nucleotide or amino acid query sequences and/or databases.</p> <hr/>
Hits.HSPs.Gaps	<p>Nonaligned residues (match, possible, and percent) for a high-scoring sequence pair between the query sequence and a subject sequence.</p>
Hits.HSPs.Frame	<p>Reading frame of the translated nucleotide sequence for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when performing translated searches, that is, when using tblastx, tblastn, and blastx.</p> <hr/>

Field	Description
Hits.HSPs.Strand	<p>Sense (Plus = 5' to 3' and Minus = 3' to 5') of the DNA strands for a high-scoring sequence pair between the query sequence and a subject sequence.</p> <hr/> <p><b>Note</b> This field applies only when using a nucleotide query sequence and database.</p> <hr/>
Hits.HSPs.Alignment	Three-row matrix showing the alignment for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.QueryIndices	Indices of the query sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Hits.HSPs.SubjectIndices	Indices of the subject sequence residue positions for a high-scoring sequence pair between the query sequence and a subject sequence.
Statistics	Summary of statistical details about the performed search, such as lambda values, gap penalties, number of sequences searched, and number of hits.

Examples

- 1 Create an NCBI BLAST report request using a GenPept accession number.

```
RID = blastncbi('AAA59174','blastp','expect',1e-10)
```

```
RID =
```

```
'1175088155-31624-126008617054.BLASTQ3'
```

- 2** Pass the Request ID for the report to the `getblast` function to parse the report, and return the report data in a MATLAB structure, and save the report data to a text file.

```
reportStruct = getblast(RID, 'ToFile', 'AAA59174_BLAST.rpt')
```

```
reportStruct =
```

```
      RID: '1175093633-2786-174709873694.BLASTQ3'  
  Algorithm: 'BLASTP 2.2.16 [Mar-11-2007]'  
      Query: [1x63 char]  
   Database: [1x96 char]  
       Hits: [1x50 struct]  
 Statistics: [1x1034 char]
```

---

**Note** You may need to wait for the report to become available on the NCBI Web site before you can run the preceding command.

---

## References

- [1] Altschul, S.F., Gish, W., Miller, W., Myers, E.W. and Lipman, D.J. (1990). Basic local alignment search tool. *J. Mol. Biol.* *215*, 403–410.
- [2] Altschul, S.F., Madden, T.L., Schäffer, A.A., Zhang, J., Zhang, Z., Miller, W. and Lipman, D.J. (1997). Gapped BLAST and PSI-BLAST: a new generation of protein database search programs. *Nucleic Acids Res.* *25*, 3389–3402.

For more information about reading and interpreting NCBI BLAST reports, see:

[http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/Blast\\_output.html](http://www.ncbi.nlm.nih.gov/Education/BLASTinfo/Blast_output.html)

## getblast

---

### See Also

Bioinformatics Toolbox functions: `blastformat`, `blastlocal`, `blastncbi`, `blastread`, `blastreadlocal`



## Purpose

Branches and leaves from phytree object

## Syntax

```
S = getbyname(Tree, Expression)
S = getbyname(Tree, String)
S = getbyname(Tree, String, 'Exact', ExactValue)
```

## Arguments

<i>Tree</i>	phytree object created by phytree function (object constructor) or phytreeread function.
<i>Expression</i>	Regular expression or cell array of regular expressions to search for in <i>Tree</i> .
<i>String</i>	String or cell array of strings to search for in <i>Tree</i> .
<i>ExactValue</i>	Controls whether the full exact node name must match the string(s), ignoring case. Choices are true or false (default). When true, S is a numeric column vector indicating which node names match a query exactly, in full.

## Description

`S = getbyname(Tree, Expression)` searches the nodes names in *Tree*, a phytree object, for the regular expression(s) specified by *Expression*. It returns *S*, a logical matrix of size NumNodes-by-M, where M is either 1 or the length of *Expression*. Each row in *S* corresponds to a node, and each column corresponds to a query in *Expression*. The logical matrix *S* indicates the node names that match *Expression*, ignoring case.

`S = getbyname(Tree, String)` searches the nodes names in *Tree*, a phytree object, for the string(s) specified by *String*. It returns *S*, a logical matrix of size NumNodes-by-M, where M is either 1 or the length of *String*. Each row in *S* corresponds to a node, and each column corresponds to a query in *String*. The logical matrix *S* indicates the node names that match *String*, ignoring case.

`S = getbyname(Tree, String, 'Exact', ExactValue)` specifies whether the full exact node name must match the string(s), ignoring case. Choices are true or false (default). When true, *S* is a numeric

## getbyname (phytree)

---

column vector indicating which node names match a query exactly, in full.


### Examples

- 1 Read a phylogenetic tree file created from a protein family into a phytree object.

```
tr = phytread('pf00002.tree');
```

- 2 Determine all the mouse and human proteins by searching for nodes that include the strings 'mouse' and 'human' in their names.

```
sel = getbyname(tr,{'mouse','human'});  
view(tr,any(sel,2));
```



## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `get`, `prune`, `select`

# getcanonical (phytree)

---

**Purpose** Calculate canonical form of phylogenetic tree

**Syntax** `Pointers = getcanonical(Tree)`  
`[Pointers, Distances, Names] = getcanonical(Tree)`

**Arguments**

<i>Tree</i>	phytree object created by phytree function (object constructor).
-------------	--

**Description** `Pointers = getcanonical(Tree)` returns the pointers for the canonical form of a phylogenetic tree (*Tree*). In a canonical tree the leaves are ordered alphabetically and the branches are ordered first by their width and then alphabetically by their first element. A canonical tree is isomorphic to all the trees with the same skeleton independently of the order of their leaves and branches.

`[Pointers, Distances, Names] = getcanonical(Tree)` returns, in addition to the pointers described above, the reordered distances (*Distances*) and node names (*Names*).

**Examples**

- 1 Create two phylogenetic trees with the same skeleton but slightly different distances.

```
b = [1 2; 3 4; 5 6; 7 8;9 10];  
tr_1 = phytree(b,[.1 .2 .3 .3 .4 ]');  
tr_2 = phytree(b,[.2 .1 .2 .3 .4 ]');
```

- 2 Plot the trees.

```
plot(tr_1)  
plot(tr_2)
```

- 3 Check whether the trees have an isomorphic construction.

```
isequal(getcanonical(tr_1),getcanonical(tr_2))
```

```
ans =  
    1
```

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `getbyname`, `select`, `subtree`

# getdescendants (biograph)

---

**Purpose** Find descendants in biograph object

**Syntax** `Nodes = getdescendants(BiographNode)`  
`Nodes = getdescendants(BiographNode,NumGenerations)`

**Arguments**

*BiographNode* Node in a biograph object.

*NumGenerations* Number of generations. Enter a positive integer.

**Description** `Nodes = getdescendants(BiographNode)` finds a given node (*BiographNode*) all of its direct descendants.

`Nodes = getdescendants(BiographNode,NumGenerations)` finds the node (*BiographNode*) and all of its direct descendants up to a specified number of generations (*NumGenerations*).


**Examples**

**1** Create a biograph object.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];  
bg = biograph(cm)
```

**2** Find one generation of descendants for node 4.

```
desNodes = getdescendants(bg.nodes(4));  
set(desNodes, 'Color', [1 .7 .7]);  
bg.view;
```




- 3** Find two generations of descendants for node 4.

```
desNodes = getdescendants(bg.nodes(4),2);  
set(desNodes,'Color',[.7 1 .7]);  
bg.view;
```

## getdescendants (biograph)

---



### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`



## Purpose

Find terms that are descendants of specified Gene Ontology (GO) term

## Syntax

```
DescendantIDs = getdescendants(GeneontObj, ID)  
[DescendantIDs, Counts] = getdescendants(GeneontObj, ID)  
... = getdescendants(..., 'Depth', DepthValue, ...)  
... = getdescendants(..., 'Relationtype',  
    RelationtypeValue,  
    ...)  
... = getdescendants(..., 'Exclude', ExcludeValue, ...)
```

## Description

*DescendantIDs* = getdescendants(*GeneontObj*, *ID*) searches *GeneontObj*, a geneont object, for GO terms that are descendants of the GO term(s) specified by *ID*, which is a GO term identifier or vector of identifiers. It returns *DescendantIDs*, a vector of GO term identifiers including *ID*. *ID* is a nonnegative integer or a vector containing nonnegative integers.

[*DescendantIDs*, *Counts*] = getdescendants(*GeneontObj*, *ID*) also returns the number of times each descendant is found. *Counts* is a column vector with the same number of elements as terms in *GeneontObj*.

---

**Tip** The *Counts* return value is useful when you tally counts in gene enrichment studies. For more information, see the Gene Ontology Enrichment in Microarray Data demo.

---

... = getdescendants(..., '*PropertyName*', *PropertyValue*, ...) calls getdescendants with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

... = getdescendants(..., 'Depth', *DepthValue*, ...) searches down through a specified number of levels, *DepthValue*, in the gene ontology. *DepthValue* is a positive integer. Default is Inf.

# geneont.getdescendants

---

`... = getdescendants(..., 'Relationtype', RelationtypeValue, ...)` searches for specified relationship types, *RelationtypeValue*, in the gene ontology. *RelationtypeValue* is a string. Choices are 'is\_a', 'part\_of', or 'both' (default).

`... = getdescendants(..., 'Exclude', ExcludeValue, ...)` controls excluding *ID*, the original queried term(s), from the output *DescendantIDs*, unless the term was found while searching the gene ontology. Choices are true or false (default).

## Input Arguments

<i>GeneontObj</i>	A geneont object, such as created by the <code>geneont.geneont</code> constructor function.
<i>ID</i>	GO term identifier or vector of identifiers.
<i>DepthValue</i>	Positive integer specifying the number of levels to search downward in the gene ontology.
<i>RelationtypeValue</i>	String specifying the relationship types to search for in the gene ontology. Choices are: <ul style="list-style-type: none"><li>• 'is_a'</li><li>• 'part_of'</li><li>• 'both' (default)</li></ul>
<i>ExcludeValue</i>	Controls excluding <i>ID</i> , the original queried term(s), from the output <i>DescendantIDs</i> , unless the term was reached while searching the gene ontology. Choices are true or false (default).

## Output Arguments

<i>DescendantIDs</i>	Vector of GO term identifiers including <i>ID</i> .
<i>Counts</i>	Column vector with the same number of elements as terms in <i>GeneontObj</i> , indicating the number of times each descendant is found.

## Examples

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GO = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of terms in the database.

```
Gene Ontology object with 27827 Terms.
```

- 2 Retrieve the descendants of the "aldo-keto reductase activity" GO term with a GO identifier of 4033.

```
descendants = getdescendants(GO,4033)
```

```
descendants =
```

```
4032  
4033  
8106  
32018  
32866  
32867  
46568  
50112  
50236
```

- 3 Create a subordinate Gene Ontology.

```
subontology = GO(descendants)
```

Gene Ontology object with 9 Terms.


- 4 Create and display a report of the subordinate Gene Ontology terms, that includes the GO identifier and name.

```
rpt = [num2goid(cell2mat(get(subontology.terms,'id')))...
      get(subontology.terms,'name')]];
disp(sprintf('%s --> %s \n',rpt{:}))

GO:0004032 --> aldehyde reductase activity
GO:0004033 --> aldo-keto reductase activity
GO:0008106 --> alcohol dehydrogenase (NADP+) activity
GO:0032018 --> 2-methylbutanal reductase activity
GO:0032866 --> xylose reductase activity
GO:0032867 --> arabinose reductase activity
GO:0046568 --> 3-methylbutanal reductase activity
GO:0050112 --> inositol 2-dehydrogenase activity
GO:0050236 --> pyridoxine 4-dehydrogenase activity
```

- 5 View relationships of the subordinate Gene Ontology by using the `getmatrix` method to create a connection matrix to pass to the `biograph` function.

```
cm = getmatrix(subontology);
BG = biograph(cm,rpt(1,:));
view(BG)
```



## See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`

# getedgesbynodeid (biograph)

---

**Purpose** Get handles to edges in biograph object

**Syntax** `Edges = getedgesbynodeid(BGobj,SourceIDs,SinkIDs)`

**Arguments**

<i>BGobj</i>	Biograph object.
<i>SourceIDs</i> , <i>SinkIDs</i>	Enter a cell string, or an empty cell array (gets all edges).

**Description** `Edges = getedgesbynodeid(BGobj,SourceIDs,SinkIDs)` gets the handles to the edges that connect the specified source nodes (*SourceIDs*) to the specified sink nodes (*SinkIDs*) in a biograph object.

**Example**

**1** Create a biograph object for the Hominidae family.

```
species = {'Homo','Pan','Gorilla','Pongo','Baboon',...  
          'Macaca','Gibbon'};  
cm = magic(7)>25 & 1-eye(7);  
bg = biograph(cm, species);
```

**2** Find all the edges that connect to the Homo node.

```
EdgesIn = getedgesbynodeid(bg,[],'Homo');  
EdgesOut = getedgesbynodeid(bg,'Homo',[]);  
set(EdgesIn,'LineColor',[0 1 0]);  
set(EdgesOut,'LineColor',[1 0 0]);  
bg.view;
```

**3** Find all edges that connect members of the Cercopithecidae family to members of the Hominidae family.

```
Cercopithecidae = {'Macaca','Baboon'};  
Hominidae = {'Homo','Pan','Gorilla','Pongo'};  
edgesSel = getedgesbynodeid(bg,Cercopithecidae,Hominidae);  
set(bg.edges,'LineColor',[.5 .5 .5]);  
set(edgesSel,'LineColor',[0 0 1]);
```

```
bg.view;
```

### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`

# getembl

---

<b>Purpose</b>	Retrieve sequence information from EMBL database	
<b>Syntax</b>	<pre>EMBLData = getembl(AccessionNumber) EMBLData = getembl(..., 'ToFile', ToFileValue, ...) EMBLSeq = getembl(..., 'SequenceOnly', SequenceOnlyValue, ...)</pre>	
<b>Arguments</b>	<i>AccessionNumber</i>	Unique identifier for a sequence record. Enter a unique combination of letters and numbers.
	<i>ToFileValue</i>	String specifying a file name or a path and file name to which to save the data. If you specify only a file name, the file is stored in the current folder.
	<i>SequenceOnlyValue</i>	Controls the retrieving of only the sequence without the metadata. Choices are true or false (default).
<b>Return Values</b>	<i>EMBLData</i>	MATLAB structure with fields corresponding to EMBL data.
	<i>EMBLSeq</i>	MATLAB character string representing the sequence.
<b>Description</b>	<p>getembl retrieves information from the European Molecular Biology Laboratory (EMBL) database for nucleotide sequences. This database is maintained by the European Bioinformatics Institute (EBI). For more details about the EMBL database, see</p> <p><a href="http://www.ebi.ac.uk/embl/Documentation/index.html">http://www.ebi.ac.uk/embl/Documentation/index.html</a></p> <p><i>EMBLData</i> = getembl(<i>AccessionNumber</i>) searches for the accession number in the EMBL database (<a href="http://www.ebi.ac.uk/embl">http://www.ebi.ac.uk/embl</a>) and returns <i>EMBLData</i>, a MATLAB structure with fields corresponding to</p>	



the EMBL two-character line type code. Each line type code is stored as a separate element in the structure.

*EMBLData* contains the following fields.

Field
Identification
Accession
SequenceVersion
DateCreated
DateUpdated
Description
Keyword
OrganismSpecies
OrganismClassification
Organelle
Reference
DatabaseCrossReference
Comments
Assembly
Feature
BaseCount
Sequence

*EMBLData* = `getembl(..., 'PropertyName', PropertyValue, ...)` calls `getembl` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*EMBLData* = `getembl(..., 'ToFile', ToFileValue, ...)` saves the information to an EMBL-formatted file. *ToFileValue* is a string specifying a file name or a path and file name to which to save the data. If you specify only a file name, the file is stored in the current folder.

---

**Tip** Read an EMBL-formatted file back into the MATLAB software using the `emblread` function.

---

*EMBLSeq* = `getembl(..., 'SequenceOnly', SequenceOnlyValue, ...)` controls the retrieving of only the sequence without the metadata. Choices are `true` or `false` (default).

## Examples

Retrieve data for the rat liver apolipoprotein A-I.

```
emblout = getembl('X00558')
```

Retrieve data for the rat liver apolipoprotein A-I and save it to the file `rat_protein`. If you specify a file name without a path, the file is stored in the current folder.

```
emblout = getembl('X00558','ToFile','c:\project\rat_protein.txt')
```

Retrieve only the sequence for the rat liver apolipoprotein A-I.

```
Seq = getembl('X00558','SequenceOnly',true)
```

## See Also

Bioinformatics Toolbox functions: `emblread`, `getgenbank`, `getgenpept`, `getpdb`, `seqtool`

<b>Purpose</b>	Retrieve entries from source file associated with BioIndexedFile object using numeric index
<b>Syntax</b>	<code>Entries = getEntryByIndex(BioIFobj, Indices)</code>
<b>Description</b>	<code>Entries = getEntryByIndex(BioIFobj, Indices)</code> extracts entries from the source file associated with <i>BioIFobj</i> , a BioIndexedFile object. It extracts and concatenates the entries specified by <i>Indices</i> , a numeric vector of positive integers. It returns <i>Entries</i> , a single string of concatenated entries. The value of each element in <i>Indices</i> must be less than or equal to the number of entries in the source file. A one-to-one relationship exists between the number and order of elements in <i>Indices</i> and the output <i>Entries</i> , even if <i>Indices</i> has repeated entries.
<b>Tips</b>	Use this method to visualize and explore a subset of the entries in the source file for validation purposes.
<b>Input Arguments</b>	<p><i>BioIFobj</i></p> <p>Object of the BioIndexedFile class.</p> <p><i>Indices</i></p> <p>Numeric vector of positive integers. The value of each element must be less than or equal to the number of entries in the source file associated with <i>BioIFobj</i>, the BioIndexedFile object.</p>
<b>Output Arguments</b>	<p><i>Entries</i></p> <p>Single string of concatenated entries extracted from the source file associated with <i>BioIFobj</i>, the BioIndexedFile object.</p>
<b>Examples</b>	<p>Construct a BioIndexedFile object to access a table containing cross-references between gene names and gene ontology (GO) terms:</p> <pre>% Create variable containing full absolute path of source file sourcefile = which('yeastgenes.sgd'); % Create a BioIndexedFile object from the source file. Indicate</pre>

# BioIndexedFile.getEntryByIndex

---

```
% the source file is a tab-delimited file where contiguous rows
% with the same key are considered a single entry. Store the
% index file in the Current Folder. Indicate that keys are
% located in column 3 and that header lines are prefaced with !
gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...
                             'KeyColumn', 3, 'HeaderPrefix', '!')
```

---

Return the first, third, and fifth entries from the source file:

```
% Access 1st, 3rd, and 5th entries
subset_entries = getEntryByIndex(gene2goObj, [1 3 5]);
```

## See Also

BioIndexedFile | BioIndexedFile.getEntryByKey

## How To

- “Extracting Information from Large Multi-Entry Text Files”

<b>Purpose</b>	Retrieve entries from source file associated with BioIndexedFile object using alphanumeric key
<b>Syntax</b>	<code>Entries = getEntryByKey(BioIFobj, Key)</code>
<b>Description</b>	<code>Entries = getEntryByKey(BioIFobj, Key)</code> extracts entries from the source file associated with <i>BioIFobj</i> , a BioIndexedFile object. It extracts and concatenates the entries specified by <i>Key</i> , a string or cell array of strings specifying one or more alphanumeric keys. It returns <i>Entries</i> , a single string of concatenated entries. If the keys in the source file are not unique, it returns all entries that match a specified key, all at the position of the key in the <i>Key</i> cell array. If the keys in the source file are unique, there is a one-to-one relationship between the number and order of elements in <i>Key</i> and the output <i>Entries</i> .
<b>Tips</b>	Use this method to visualize and explore a subset of the entries in the source file for validation purposes.
<b>Input Arguments</b>	<p><i>BioIFobj</i></p> <p>Object of the BioIndexedFile class.</p> <p><i>Key</i></p> <p>String or cell array of strings specifying one or more keys in the source file associated with <i>BioIFobj</i>, the BioIndexedFile object.</p>
<b>Output Arguments</b>	<p><i>Entries</i></p> <p>Single string of concatenated entries extracted from the source file associated with <i>BioIFobj</i>, the BioIndexedFile object.</p>
<b>Examples</b>	<p>Construct a BioIndexedFile object to access a table containing cross-references between gene names and gene ontology (GO) terms:</p> <pre>% Create variable containing full absolute path of source file sourcefile = which('yeastgenes.sgd'); % Create a BioIndexedFile object from the source file. Indicate</pre>

# BioIndexedFile.getEntryByKey

---

```
% the source file is a tab-delimited file where contiguous rows
% with the same key are considered a single entry. Store the
% index file in the Current Folder. Indicate that keys are
% located in column 3 and that header lines are prefaced with !
gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...
                             'KeyColumn', 3, 'HeaderPrefix','!')
```

---

Return the entries from the source file that are specified by the keys AAC1 and AAD10:

```
% Access entries that have the keys AAC1 and AAD10
subset_entries = getEntryByKey(gene2goObj, {'AAC1' 'AAD10'});
```

## See Also

BioIndexedFile | BioIndexedFile.getEntryByIndex |  
BioIndexedFile.getKeys

## How To

- “Extracting Information from Large Multi-Entry Text Files”

## Purpose

Retrieve sequence information from GenBank database

## Syntax

```
Data = getgenbank(AccessionNumber)
getgenbank(AccessionNumber)
getgenbank(..., 'PartialSeq', PartialSeqValue, ...)
getgenbank(..., 'ToFile', ToFileValue, ...)
getgenbank(..., 'FileFormat', FileFormatValue, ...)
getgenbank(..., 'SequenceOnly', SequenceOnlyValue, ...)
```

## Arguments

<i>AccessionNumber</i>	String specifying a unique alphanumeric identifier for a sequence record.
<i>PartialSeqValue</i>	Two-element array of integers containing the start and end positions of the subsequence [ <i>StartBP</i> , <i>EndBP</i> ] that specifies a subsequence to retrieve. <i>StartBP</i> is an integer between 1 and <i>EndBP</i> ; <i>EndBP</i> is an integer between <i>StartBP</i> and the length of the sequence.
<i>ToFileValue</i>	String specifying either a file name or a path and file name for saving the GenBank data. If you specify only a file name, the file is saved to the MATLAB Current Folder.
<i>FileFormatValue</i>	String specifying the format for the file specified with the 'ToFile' property. Choices are 'GenBank' (default) or 'FASTA'.
<i>SequenceOnlyValue</i>	Controls the return of only the sequence as a character array. Choices are true or false (default).

## Description

getgenbank retrieves nucleotide information from the GenBank database. This database is maintained by the National Center for Biotechnology Information (NCBI). For more details about the GenBank database, see

<http://www.ncbi.nlm.nih.gov/Genbank/>

*Data* = `getgenbank(AccessionNumber)` searches for the accession number in the GenBank database and returns a MATLAB structure containing information for the sequence.

---

**Tip** If an error occurs while retrieving the GenBank-formatted information, try rerunning the query. Errors can occur due to Internet connectivity issues that are unrelated to the GenBank record.

---

`getgenbank(AccessionNumber)` displays the information in the MATLAB Command Window without returning data to a variable. The displayed information includes hyperlinks to the URLs used to search for and retrieve the data.

`getgenbank(..., 'PropertyName', PropertyValue, ...)` calls `getgenbank` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`getgenbank(..., 'PartialSeq', PartialSeqValue, ...)` returns the specified subsequence in the *Sequence* field of the MATLAB structure. *PartialSeqValue* is a two-element array of integers containing the start and end positions of the subsequence [*StartBP*, *EndBP*]. *StartBP* is an integer between 1 and *EndBP*; *EndBP* is an integer between *StartBP* and the length of the sequence.

`getgenbank(..., 'ToFile', ToFileValue, ...)` saves the data returned from the GenBank database to a file. *ToFileValue* is a string specifying either a file name or a path and file name for saving the GenBank data. If you specify only a file name, the file is saved to the MATLAB Current Folder.



---

**Tip** You can read a GenBank-formatted file back into MATLAB using the `genbankread` function.

---

---

**Tip** To append GenBank data to an existing file, specify that file name, and the data will be added to the end of the file.

If you are using `getgenbank` in a script, you can disable the append warning message by entering the following command lines before the `getgenbank` command:

```
warnState = warning %Save the current warning state  
warning('off','Bioinfo:getncbidata:AppendToFile');
```

Then enter the following command line after the `getgenbank` command:

```
warning(warnState) %Reset warning state to previous settings
```

---

`getgenbank(..., 'FileFormat', FileFormatValue, ...)` returns the sequence in the specified format. Choices are 'GenBank' (default) or 'FASTA'.

`getgenbank(..., 'SequenceOnly', SequenceOnlyValue, ...)` controls the return of only the sequence as a character array. Choices are true or false (default).

---

**Note** When the 'SequenceOnly' and 'ToFile' properties are used together, the output is a FASTA-formatted file.

---

## Examples

### Retrieving an RNA Sequence

To retrieve the sequence from chromosome 19 that codes for the human insulin receptor and store it in a structure, S, in the MATLAB Command Window, type:

```
S = getgenbank('M10051')

S =

    LocusName: 'HUMINSR'
    LocusSequenceLength: '4723'
    LocusNumberOfStrands: ''
    LocusTopology: 'linear'
    LocusMoleculeType: 'mRNA'
    LocusGenBankDivision: 'PRI'
    LocusModificationDate: '06-JAN-1995'
    Definition: 'Human insulin receptor mRNA, complete cds.'
    Accession: 'M10051'
    Version: 'M10051.1'
    GI: '186439'
    Project: []
    DBLink: []
    Keywords: 'insulin receptor; tyrosine kinase.'
    Segment: []
    Source: 'Homo sapiens (human)'
    SourceOrganism: [4x65 char]
    Reference: {[1x1 struct]}
    Comment: [14x67 char]
    Features: [51x74 char]
    CDS: [1x1 struct]
    Sequence: [1x4723 char]
    SearchURL: [1x67 char]
    RetrieveURL: [1x101 char]
```

### **Retrieving a Partial RNA Sequence**

By looking at the `Features` field of the structure returned in Retrieving an RNA Sequence on page 3-712, you can determine that the coding sequence is positions 139 through 4287. To retrieve only the coding sequence from chromosome 19 that codes for the human insulin receptor and store it in a structure, `CDS`, in the MATLAB Command Window, type:

```
CDS = getgenbank('M10051','PARTIALSEQ',[139,4287]);
```

### **See Also**

Bioinformatics Toolbox functions: `genbankread`, `getembl`, `getgenpept`, `getpdb`, `seqtool`

<b>Purpose</b>	Retrieve sequence information from GenPept database										
<b>Syntax</b>	<pre>Data = getgenpept(AccessionNumber) getgenpept(AccessionNumber) getgenpept(..., 'PartialSeq', PartialSeqValue, ...) getgenpept(..., 'ToFile', ToFileValue, ...) getgenpept(..., 'FileFormat', FileFormatValue, ...) getgenpept(..., 'SequenceOnly', SequenceOnlyValue, ...)</pre>										
<b>Arguments</b>	<table><tr><td><i>AccessionNumber</i></td><td>String specifying a unique alphanumeric identifier for a sequence record.</td></tr><tr><td><i>PartialSeqValue</i></td><td>Two-element array of integers containing the start and end positions of the subsequence [<i>StartAA</i>, <i>EndAA</i>] that specifies a subsequence to retrieve. <i>StartAA</i> is an integer between 1 and <i>EndAA</i>; <i>EndAA</i> is an integer between <i>StartAA</i> and the length of the sequence.</td></tr><tr><td><i>ToFileValue</i></td><td>String specifying either a file name or a path and file name for saving the GenPept data. If you specify only a file name, the file is saved to the MATLAB Current Folder.</td></tr><tr><td><i>FileFormatValue</i></td><td>String specifying the format for the file specified with the 'ToFile' property. Choices are 'Genpept' (default) or 'FASTA'.</td></tr><tr><td><i>SequenceOnlyValue</i></td><td>Controls the return of only the sequence as a character array. Choices are <code>true</code> or <code>false</code> (default).</td></tr></table>	<i>AccessionNumber</i>	String specifying a unique alphanumeric identifier for a sequence record.	<i>PartialSeqValue</i>	Two-element array of integers containing the start and end positions of the subsequence [ <i>StartAA</i> , <i>EndAA</i> ] that specifies a subsequence to retrieve. <i>StartAA</i> is an integer between 1 and <i>EndAA</i> ; <i>EndAA</i> is an integer between <i>StartAA</i> and the length of the sequence.	<i>ToFileValue</i>	String specifying either a file name or a path and file name for saving the GenPept data. If you specify only a file name, the file is saved to the MATLAB Current Folder.	<i>FileFormatValue</i>	String specifying the format for the file specified with the 'ToFile' property. Choices are 'Genpept' (default) or 'FASTA'.	<i>SequenceOnlyValue</i>	Controls the return of only the sequence as a character array. Choices are <code>true</code> or <code>false</code> (default).
<i>AccessionNumber</i>	String specifying a unique alphanumeric identifier for a sequence record.										
<i>PartialSeqValue</i>	Two-element array of integers containing the start and end positions of the subsequence [ <i>StartAA</i> , <i>EndAA</i> ] that specifies a subsequence to retrieve. <i>StartAA</i> is an integer between 1 and <i>EndAA</i> ; <i>EndAA</i> is an integer between <i>StartAA</i> and the length of the sequence.										
<i>ToFileValue</i>	String specifying either a file name or a path and file name for saving the GenPept data. If you specify only a file name, the file is saved to the MATLAB Current Folder.										
<i>FileFormatValue</i>	String specifying the format for the file specified with the 'ToFile' property. Choices are 'Genpept' (default) or 'FASTA'.										
<i>SequenceOnlyValue</i>	Controls the return of only the sequence as a character array. Choices are <code>true</code> or <code>false</code> (default).										
<b>Description</b>	getgenpept retrieves a protein (amino acid) sequence information from the GenPept database, which is a translation of the nucleotide sequences in the GenBank database and is maintained by the National Center for Biotechnology Information (NCBI).										

---

**Note** NCBI has changed the name of their protein search engine from GenPept to Entrez Protein. However, the function names in the Bioinformatics Toolbox software (`getgenpept` and `genpeptread`) are unchanged representing the still-used GenPept report format.

---

*Data* = `getgenpept(AccessionNumber)` searches for the accession number in the GenPept database and returns a MATLAB structure containing information for the sequence.

---

**Tip** If an error occurs while retrieving the GenPept-formatted information, try rerunning the query. Errors can occur due to Internet connectivity issues that are unrelated to the GenPept record.

---

`getgenpept(AccessionNumber)` displays the information in the MATLAB Command Window without returning data to a variable. The displayed information includes hyperlinks to the URLs used to search for and retrieve the data.

`getgenpept(..., 'PropertyName', PropertyValue, ...)` calls `getgenpept` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`getgenpept(..., 'PartialSeq', PartialSeqValue, ...)` returns the specified subsequence in the *Sequence* field of the MATLAB structure. *PartialSeqValue* is a two-element array of integers containing the start and end positions of the subsequence [*StartAA*, *EndAA*]. *StartAA* is an integer between 1 and *EndAA*; *EndAA* is an integer between *StartAA* and the length of the sequence.

`getgenpept(..., 'ToFile', ToFileValue, ...)` saves the data returned from the GenPept database to a file. *ToFileValue* is a string specifying either a file name or a path and file name for saving the

GenPept data. If you specify only a file name, the file is saved to the MATLAB Current Folder.

---

**Tip** You can read a GenPept-formatted file back into MATLAB using the `genpeptread` function.

---

---

**Tip** To append GenPept data to an existing file, specify that file name, and the data will be added to the end of the file.

If you are using `getgenpept` in a script, you can disable the append warning message by entering the following command lines before the `getgenpept` command:

```
warnState = warning %Save the current warning state  
warning('off','Bioinfo:getncbidata:AppendToFile');
```

Then enter the following command line after the `getgenpept` command:

```
warning(warnState) %Reset warning state to previous settings
```

---

`getgenpept(..., 'FileFormat', FileFormatValue, ...)` returns the sequence in the specified format. Choices are 'GenPept' (default) or 'FASTA'.

`getgenpept(..., 'SequenceOnly', SequenceOnlyValue, ...)` controls the return of only the sequence as a character array. Choices are true or false (default).

---

**Note** When the 'SequenceOnly' and 'ToFile' properties are used together, the output is a FASTA-formatted file.

---

## Examples

### Retrieving a Peptide Sequence

To retrieve the sequence for the human insulin receptor and store it in a structure, `Seq`, in the MATLAB Command Window, type:

```
Seq = getgenpept('AAA59174')

Seq =

    LocusName: 'AAA59174'
    LocusSequenceLength: '1382'
    LocusNumberofStrands: ''
    LocusTopology: 'linear'
    LocusMoleculeType: ''
    LocusGenBankDivision: 'PRI'
    LocusModificationDate: '06-JAN-1995'
    Definition: 'insulin receptor precursor.'
    Accession: 'AAA59174'
    Version: 'AAA59174.1'
    GI: '307070'
    Project: []
    DBSource: 'locus HUMINSR accession M10051.1'
    Keywords: ''
    Source: 'Homo sapiens (human)'
    SourceOrganism: [4x65 char]
    Reference: {[1x1 struct]}
    Comment: [14x67 char]
    Features: [40x64 char]
    Sequence: [1x1382 char]
    SearchURL: [1x104 char]
    RetrieveURL: [1x92 char]
```

### Retrieving a Partial Peptide Sequence

By looking at the `Features` field of the structure returned in `Retrieving a Peptide Sequence` on page 3-717, you can determine that the furin-like repeats domain is positions 234 through 281. To retrieve only the furin-like repeats domain from the sequence for the human insulin

## getgenpept

---

receptor and store it in a structure, `Fur`, in the MATLAB Command Window, type:

```
Fur = getgenpept('AAA59174','PARTIALSEQ',[234,281]);
```

### See Also

Bioinformatics Toolbox functions: `genpeptread`, `getembl`, `getgenbank`, `getpdb`



## Purpose

Retrieve Gene Expression Omnibus (GEO) format data

## Syntax

```
GEOData = getgeodata(AccessionNumber)
getgeodata(AccessionNumber, 'ToFile', ToFileValue)
```

## Arguments

**AccessionNumber** String specifying a unique identifier for a GEO Sample (GSM), Data Set (GDS), Platform (GPL), or Series (GSE) record in the GEO database.

---

**Tip** Recently submitted data sets may not be available for immediate download. There can be a one- to two-day delay between an experiment being submitted to the GEO database and its availability on the FTP site.

---



---

**Tip** If you are unable to retrieve data for an accession number, increase your Java heap space as described at:

<http://www.mathworks.com/support/solutions/data/1-181>

---

**ToFileValue** String specifying a file name or path and file name for saving the data. If you specify only a file name, that file will be saved in the MATLAB Current Folder.

## Return Values

**GEOData** MATLAB structure containing information for a GEO record retrieved from the GEO database.

**Description** *GEOData* = `getgeodata(AccessionNumber)` searches the Gene Expression Omnibus database for the specified accession number of a Sample (GSM), Data Set (GDS), Platform (GPL), or Series (GSE) record and returns a MATLAB structure containing the following fields:

Field	Description
Scope	Type of data retrieved (SAMPLE, DATASET, PLATFORM, or SERIES)
Accession	Accession number for record in GEO database.
Header	Microarray experiment information.
ColumnDescriptions	Cell array containing descriptions of columns in the data.
ColumnNames	Cell array containing names of columns in the data.
Data	Array containing microarray data.
Identifier (GDS files only)	Cell array containing probe IDs.
IDRef (GDS files only)	Cell array containing indices to probes.

**Note** Currently, the `getgeodata` function supports Sample (GSM), Data Set (GDS), Platform (GPL), and Series (GSE) records.

`getgeodata(AccessionNumber, 'ToFile', ToFileValue)` saves the data returned from the database to a file.

---

**Note** You can read a GEO SOFT-formatted file back into the MATLAB software using the `geosoftread` function. You can read a GEO SERIES-formatted file back into the MATLAB software using the `geoseriesread` function.

---

For more information, see

<http://www.ncbi.nlm.nih.gov/About/disclaimer.html>

## Examples

```
geoStruct = getgeodata('GSM1768')
```

## See Also

Bioinformatics Toolbox functions: `geoseriesread`, `geosoftread`, `getgenbank`, `getgenpept`

# BioRead.getHeader

---

<b>Purpose</b>	Retrieve sequence headers from object
<b>Syntax</b>	<i>Headers</i> = <code>getHeader(<i>BioObj</i>)</code> <i>Headers</i> = <code>getHeader(<i>BioObj</i>, <i>Subset</i>)</code>
<b>Description</b>	<i>Headers</i> = <code>getHeader(<i>BioObj</i>)</code> returns <i>Headers</i> , a cell array of strings containing sequence headers from an object. <i>Headers</i> = <code>getHeader(<i>BioObj</i>, <i>Subset</i>)</code> returns header strings for only object elements specified by <i>Subset</i> .

<b>Input Arguments</b>	<i>BioObj</i> Object of the BioRead or BioMap class. <i>Subset</i> One of the following to specify a subset of the elements in <i>BioObj</i> : <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul>
------------------------	--

---

**Note** If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

<b>Output Arguments</b>	<i>Headers</i> Cell array of strings containing the sequence headers specified by <i>Subset</i> in <i>BioObj</i> .
-------------------------	---

<b>Examples</b>	Retrieve the headers from different elements of a BioRead object:  % Create variables containing sequences, quality scores, and headers seqs = {randseq(10); randseq(15); randseq(20)};
-----------------	--

```
quals = {repmat('!', 1, 10); repmat('%', 1, 15); repmat('&', 1, 20)};
headers = {'H1'; 'H2'; 'H3'};
% Construct a BioRead object from these three variables
BRObj = BioRead(seqs, quals, headers);
% Retrieve the Header value of the second element in the object
getHeader(BRObj, 2);
getHeader(BRObj, [false true false]);
% Retrieve the Header values of the first and third elements in the
% object
getHeader(BRObj, [1 3]);
getHeader(BRObj, [true false true]);
% Retrieve the Header value of all the elements in the object
getHeader(BRObj);
getHeader(BRObj, 1:3);
```

## Alternatives

An alternative to using the `getHeader` method is to use dot indexing with the `Header` property:

```
BioObj.Header(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

[BioRead](#) | [BioMap](#) | [setHeader](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

**Purpose** Retrieve multiple sequence alignment associated with hidden Markov model (HMM) profile from PFAM database

**Syntax**

```
AlignStruct = gethmmalignment(PFAMName)
AlignStruct = gethmmalignment(PFAMAccessNumber)
AlignStruct = gethmmalignment(PFAMNumber)
AlignStruct = gethmmalignment(..., 'ToFile',
ToFileValue, ...)
AlignStruct = gethmmalignment(..., 'Type', TypeValue, ...)
AlignStruct = gethmmalignment(..., 'Mirror', MirrorValue,
...)
AlignStruct = gethmmalignment(..., 'IgnoreGaps',
IgnoreGaps,
...)
```

**Arguments**

<i>PFAMName</i>	String specifying a protein family name (unique identifier) of an HMM profile record in the PFAM database. For example, '7tm_2'.
<i>PFAMAccessNumber</i>	String specifying a protein family accession number of an HMM profile record in the PFAM database. For example, 'PF00002'.
<i>PFAMNumber</i>	Integer specifying a protein family number of an HMM profile record in the PFAM database. For example, 2 is the protein family number for the protein family PF0002.
<i>ToFileValue</i>	String specifying a file name or a path and file name for saving the data. If you specify only a file name, that file will be saved in the MATLAB Current Folder.

- TypeValue

String that specifies the set of alignments returned. Choices are:

- 'full' — Default. Returns all alignments that fit the HMM profile.
  - 'seed' — Returns only the alignments used to generate the HMM profile.
- MirrorValue

String that specifies a Web database. Choices are:

- 'Sanger' (default)
  - 'Janelia'
- IgnoreGapsValue

Controls the removal of the symbols - and . from the sequence. Choices are true or false (default).

Return Values

AlignStruct

MATLAB structure array containing the multiple sequence alignment associated with an HMM profile.

Description

*AlignStruct* = `gethmmalignment(PFAMName)` searches the PFAM database for the HMM profile record represented by *PFAMName*, a protein family name, retrieves the multiple sequence alignment associated with the HMM profile, and returns *AlignStruct*, a MATLAB structure array, with each structure containing the following fields:

Field	Description
Header	Protein name
Sequence	Protein sequence

*AlignStruct* = `gethmmalignment(PFAMAccessNumber)` searches the PFAM database for the HMM profile record represented by *PFAMAccessNumber*, a protein family accession number, retrieves the

multiple sequence alignment associated with the HMM profile, and returns *AlignStruct*, a MATLAB structure array.

*AlignStruct* = `gethmmalignment(PFAMNumber)` determines a protein family accession number from *PFAMNumber*, an integer, searches the PFAM database for the associated HMM profile record, retrieves the multiple sequence alignment associated with the HMM profile, and returns *AlignStruct*, a MATLAB structure array.

*AlignStruct* = `gethmmalignment(..., 'PropertyName', PropertyValue, ...)` calls `gethmmalignment` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*AlignStruct* = `gethmmalignment(..., 'ToFile', ToFileValue, ...)` saves the data returned from the PFAM database to a file specified by *ToFileValue*.

---

**Note** You can read a FASTA-formatted file containing PFAM data back into the MATLAB software using the `fastaread` function.

---

*AlignStruct* = `gethmmalignment(..., 'Type', TypeValue, ...)` specifies the set of alignments returned. Choices are:

- 'full' — Default. Returns all sequences that fit the HMM profile.
- 'seed' — Returns only the sequences used to generate the HMM profile.

*AlignStruct* = `gethmmalignment(..., 'Mirror', MirrorValue, ...)` specifies a Web database. Choices are:

- 'Sanger' (default)
- 'Janelia'



You can reach other mirror sites by passing the complete URL to the `fastaread` function.

---

**Note** These mirror sites are maintained separately and may have slight variations.

---

For more information about the PFAM database, see:

<http://pfam.sanger.ac.uk>  
<http://pfam.janelia.org/>

*AlignStruct* = `gethmmalignment(..., 'IgnoreGaps', IgnoreGaps, ...)` controls the removal of the symbols - and . from the sequence. Choices are true or false (default).

## Examples

To retrieve a multiple alignment of the sequences used to train the HMM profile for global alignment to the 7-transmembrane receptor protein in the secretin family, enter either of the following:

```
pfamalign = gethmmalignment(2, 'Type', 'seed')

pfamalign = gethmmalignment('PF00002', 'Type', 'seed')

pfamalign =

32x1 struct array with fields:
    Header
    Sequence
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `gethmmprof`, `gethmmtree`, `multialignread`, `multialignwrite`, `pfamhmmread`

**Purpose** Retrieve hidden Markov model (HMM) profile from PFAM database

**Syntax**

```
HMMStruct = gethmmprof(PFAMName)
HMMStruct = gethmmprof(PFAMNumber)
HMMStruct = gethmmprof(..., 'ToFile', ToFileValue, ...)
HMMStruct = gethmmprof(..., 'Mode', ModeValue, ...)
HMMStruct = gethmmprof(..., 'Mirror', MirrorValue, ...)
```

**Arguments**

<i>PFAMName</i>	String specifying a protein family name (unique identifier) of an HMM profile record in the PFAM database. For example, '7tm_2'.
<i>PFAMNumber</i>	Integer specifying a protein family number of an HMM profile record in the PFAM database. For example, 2 is the protein family number for the protein family 'PF00002'.
<i>ToFileValue</i>	String specifying a file name or a path and file name for saving the data. If you specify only a file name, that file will be saved in the MATLAB Current Folder.
<i>ModeValue</i>	String that specifies the returned alignment mode. Choices are: <ul style="list-style-type: none"><li>• 'ls' — Default. Global alignment mode.</li><li>• 'fs' — Local alignment mode.</li></ul>
<i>MirrorValue</i>	String that specifies a Web database. Choices are: <ul style="list-style-type: none"><li>• 'Sanger' (default)</li><li>• 'Janelia'</li></ul>

**Return Values**

<i>HMMStruct</i>	MATLAB structure containing information for an HMM profile retrieved from the PFAM database.
------------------	--

## Description

**Note** `gethmmprof` retrieves information from PFAM-HMM profiles, from file format version HMMER2.0 to HMMER3/b.

`HMMStruct = gethmmprof(PFAMName)` searches the PFAM database for the record represented by *PFAMName* (a protein family name), retrieves the HMM profile information, and stores it in *HMMStruct*, a MATLAB structure containing the following fields corresponding to parameters of an HMM profile.

Field	Description
Name	The protein family name (unique identifier) of the HMM profile record in the PFAM database.
PfamAccessionNumber	The protein family accession number of the HMM profile record in the PFAM database.
ModelDescription	Description of the HMM profile.
ModelLength	The length of the profile (number of MATCH states).
Alphabet	The alphabet used in the model, 'AA' or 'NT'.  <b>Note</b> AlphaLength is 20 for 'AA' and 4 for 'NT'.
MatchEmission	Symbol emission probabilities in the MATCH states.  The format is a matrix of size ModelLength-by-AlphabetLength, where each row corresponds to the emission distribution for a specific MATCH state.

Field	Description
InsertEmission	Symbol emission probabilities in the INSERT state.  The format is a matrix of size <code>ModelLength</code> -by- <code>AlphaLength</code> , where each row corresponds to the emission distribution for a specific INSERT state.
NullEmission	Symbol emission probabilities in the MATCH and INSERT states for the NULL model.  The format is a 1-by- <code>AlphaLength</code> row vector.  <hr/> <b>Note</b> NULL probabilities are also known as the background probabilities. <hr/>
BeginX	BEGIN state transition probabilities.  Format is a 1-by- $(\text{ModelLength} + 1)$ row vector:  [ B->D1 B->M1 B->M2 B->M3 .... B->Mend ]
MatchX	MATCH state transition probabilities.  Format is a 4-by- $(\text{ModelLength} - 1)$ matrix:  [ M1->M2 M2->M3 ... M[end-1]->Mend; M1->I1 M2->I2 ... M[end-1]->I[end-1]; M1->D2 M2->D3 ... M[end-1]->Dend; M1->E M2->E ... M[end-1]->E ]
InsertX	INSERT state transition probabilities.  Format is a 2-by- $(\text{ModelLength} - 1)$ matrix:  [ I1->M2 I2->M3 ... I[end-1]->Mend; I1->I1 I2->I2 ... I[end-1]->I[end-1] ]

Field	Description
DeleteX	<p>DELETE state transition probabilities.</p> <p>Format is a 2-by-(ModelLength - 1) matrix:</p> <pre>[ D1-&gt;M2 D2-&gt;M3 ... D[end-1]-&gt;Mend ;   D1-&gt;D2 D2-&gt;D3 ... D[end-1]-&gt;Dend ]</pre>
FlankingInsertX	<p>Flanking insert states (N and C) used for LOCAL profile alignment.</p> <p>Format is a 2-by-2 matrix:</p> <pre>[ N-&gt;B C-&gt;T ;   N-&gt;N C-&gt;C ]</pre>
LoopX	<p>Loop states transition probabilities used for multiple hits alignment.</p> <p>Format is a 2-by-2 matrix:</p> <pre>[ E-&gt;C J-&gt;B ;   E-&gt;J J-&gt;J ]</pre>
NullX	<p>Null transition probabilities used to provide scores with log-odds values also for state transitions.</p> <p>Format is a 2-by-1 column vector:</p> <pre>[ G-&gt;F ; G-&gt;G ]</pre>

*HMMStruct* = `gethmmprof(PFAMNumber)` determines a protein family accession number from *PFAMNumber* (an integer), searches the PFAM database for the associated record, retrieves the HMM profile information, and stores it in *HMMStruct*, a MATLAB structure.

*HMMStruct* = `gethmmprof(..., 'PropertyName', PropertyValue, ...)` calls `gethmmprof` with optional properties that use property name/property value pairs. You can specify one or more properties in

any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*HMMStruct* = `gethmmprof(..., 'ToFile', ToFileValue, ...)`  
saves the data returned from the PFAM database in a file specified by *ToFileValue*.

---

**Note** You can read an HMM-formatted file back into the MATLAB software using the `pfamhmmread` function.

---

*HMMStruct* = `gethmmprof(..., 'Mode', ModeValue, ...)` specifies the returned alignment mode. Choices are:

- 'ls' (default) — Global alignment mode.
- 'fs' — Local alignment mode.

*HMMStruct* = `gethmmprof(..., 'Mirror', MirrorValue, ...)`  
specifies a Web database. Choices are:

- 'Sanger' (default)
- 'Janelia'

You can reach other mirror sites by passing the complete URL to the `pfamhmmread` function.

---

**Note** These mirror sites are maintained separately and may have slight variations.

---

For more information about the PFAM database, see:

<http://pfam.sanger.ac.uk>  
<http://pfam.janelia.org/>

For more information on HMM profile models, see “HMM Profile Model” on page 3-888.

## Examples

To retrieve a hidden Markov model (HMM) profile for the global alignment of the 7-transmembrane receptor protein in the secretin family, enter either of the following:

```
hmm = gethmmprof(2)

hmm = gethmmprof('7tm_2')

hmm =

                Name: '7tm_2'
PfamAccessionNumber: 'PF00002.14'
ModelDescription: [1x42 char]
    Modellength: 296
        Alphabet: 'AA'
    MatchEmission: [296x20 double]
    InsertEmission: [296x20 double]
    NullEmission: [1x20 double]
        BeginX: [297x1 double]
        MatchX: [295x4 double]
        InsertX: [295x2 double]
        DeleteX: [295x2 double]
    FlankingInsertX: [2x2 double]
        LoopX: [2x2 double]
        NullX: [2x1 double]
```

## See Also

Bioinformatics Toolbox functions: `gethmmalignment`, `hmmprofalign`, `hmmprofstruct`, `pfamhmmread`, `showhmmprof`

**Purpose** Retrieve phylogenetic tree data from PFAM database

**Syntax**

```
Tree = gethmmtree(PFAMName)
Tree = gethmmtree(PFAMAccessionNumber)
Tree = gethmmtree(PFAMNumber)
Tree = gethmmtree(AccessionNumber, ...'ToFile',
ToFileValue, ...)
Tree = gethmmtree(AccessionNumber, ...'Type',
TypeValue, ...)
```

**Arguments**

<i>PFAMName</i>	String specifying a protein family name (unique identifier) of an HMM profile record in the PFAM database. For example, '7tm_2'.
<i>PFAMAccessionNumber</i>	String specifying a protein family accession number of an HMM profile record in the PFAM database. For example, 'PF00002'.
<i>PFAMNumber</i>	Integer specifying a protein family number of an HMM profile record in the PFAM database. For example, 2 is the protein family number for the protein family PF0002.
<i>ToFileValue</i>	Property to specify the location and file name for saving data. Enter either a file name or a path and file name supported by your system (ASCII text file).
<i>TypeValue</i>	String that specifies which alignments to include in the tree. Choices are: <ul style="list-style-type: none"><li>• 'seed' — Returns a tree with only the alignments used to generate the HMM model.</li><li>• 'full' (default) — Returns a tree with all of the alignments that match the model.</li></ul>



## Return Values

*Tree* An object containing a phylogenetic tree representative of the protein family.

## Description

*Tree* = `gethmmtree(PFAMName)` searches the PFAM database for the record represented by *PFAMName*, a protein family name, retrieves information, and returns *Tree*, an object containing a phylogenetic tree representative of the protein family.

*Tree* = `gethmmtree(PFAMAccessionNumber)` searches the PFAM database for the record represented by *PFAMAccessionNumber*, a protein family accession number, retrieves information, and returns *Tree*, an object containing a phylogenetic tree representative of the protein family.

*Tree* = `gethmmtree(PFAMNumber)` determines a protein family accession number from *PFAMNumber*, an integer, searches the PFAM database for the associated record, retrieves information, and returns *Tree*, an object containing a phylogenetic tree representative of the protein family.

*Tree* = `gethmmtree(AccessionNumber, ...'PropertyName', PropertyValue, ...)` calls `gethmmtree` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Tree* = `gethmmtree(AccessionNumber, ...'ToFile', ToFileValue, ...)` saves the data returned from the PFAM database in the file *ToFileValue*.

*Tree* = `gethmmtree(AccessionNumber, ...'Type', TypeValue, ...)` specifies which alignments to include in the tree. Choices for *TypeValue* are:

- 'seed' — Returns a tree with only the alignments used to generate the HMM model.

- 'full' (default) — Returns a tree with all of the alignments that match the model.

## Examples

Enter either of the following to retrieve phylogenetic tree data from the multiple-aligned sequences used to train the HMM profile model for global alignment. The PFAM accession number PF00002 is for the 7-transmembrane receptor protein in the secretin family.

```
tree = gethmmtree(2, 'type', 'seed')
tree = gethmmtree('PF00002', 'type', 'seed')
```

Phylogenetic tree object with 32 leaves (31 branches)

## See Also

Bioinformatics Toolbox functions: `gethmmalignment`, `phytreeread`

<b>Purpose</b>	Retrieve indices from source file associated with BioIndexedFile object using alphanumeric key
<b>Syntax</b>	<pre><i>Indices</i> = getIndexByKey(<i>BioIFobj</i>, <i>Key</i>) [<i>Indices</i>, <i>LogicalVals</i>] = getIndexByKey(<i>BioIFobj</i>, <i>Key</i>)</pre>
<b>Description</b>	<p><i>Indices</i> = getIndexByKey(<i>BioIFobj</i>, <i>Key</i>) returns the indices of entries in the source file associated with <i>BioIFobj</i>, a BioIndexedFile object. It returns the indices of entries that have the keys specified by <i>Key</i>, a string or cell array of strings specifying one or more alphanumeric keys. It returns <i>Indices</i>, a numeric vector of the indices of entries that have the alphanumeric keys specified by <i>Key</i>. If the keys in the source file are not unique, it returns all indices of entries that match a specified key, all at the position of the key in the <i>Key</i> cell array. If the keys in the source file are unique, there is a one-to-one relationship between the number and order of elements in <i>Key</i> and the output <i>Indices</i>.</p> <p>[<i>Indices</i>, <i>LogicalVals</i>] = getIndexByKey(<i>BioIFobj</i>, <i>Key</i>) returns a logical vector that indicates only the last match for each key, such that there is a one-to-one relationship between the number and order of elements in <i>Key</i> and <i>Indices</i>(<i>LogicalVals</i>).</p>
<b>Tips</b>	Use this method to determine the indices of specific entries with known keys.
<b>Input Arguments</b>	<p><i>BioIFobj</i></p> <p>Object of the BioIndexedFile class.</p> <p><i>Key</i></p> <p>String or cell array of strings specifying one or more keys in the source file associated with <i>BioIFobj</i>, the BioIndexedFile object.</p>
<b>Output Arguments</b>	<p><i>Indices</i></p> <p>Numeric vector of the indices of entries in source file that have the alphanumeric keys specified by <i>Key</i>.</p>

# BioIndexedFile.getIndexByKey

---

*LogicalVals*

Logical vector containing the same number of elements as *Indices*. The vector indicates only the last match for each key specified in *Key*, such that there is a one-to-one relationship between the number and order of elements in *Key* and *Indices(LogicalVals)*.

---

**Tip** Some files contain repeated keys. For example, SAM-formatted files use the same key for entries that are paired end reads. Use the *Indices(LogicalVals)* syntax to return only the last index of a repeated key. For more information, see “Examples” on page 3-738.

---

## Examples

Construct a *BioIndexedFile* object to access a table containing cross-references between gene names and gene ontology (GO) terms:

```
% Create variable containing full absolute path of source file
sourcefile = which('yeastgenes.sgd');
% Create a BioIndexedFile object from the source file. Indicate
% the source file is a tab-delimited file where contiguous rows
% with the same key are considered a single entry. Store the
% index file in the Current Folder. Indicate that keys are
% located in column 3 and that header lines are prefaced with !
gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...
    'KeyColumn', 3, 'HeaderPrefix', '!')
```

---

Return the indices for the entries in the source file that are specified by the keys AAC1 and AAD10.

```
% Access indices for entries that have the keys AAC1 and AAD10
indices = getIndexByKey(gene2goObj, {'AAC1' 'AAD10'})

indices =
```

3

5

---

Construct a BioIndexedFile object to access a SAM-formatted file that has repeated keys.

```
% Create variable containing full absolute path of source file
samsourcefile = which('ex1.sam');
% Create a BioIndexedFile object from the source file. Store the
% index file in the Current Folder.
samObj = BioIndexedFile('sam', samsourcefile, '.')
```

---

Return only the last indices for the entries in the source file that are specified by two keys,'B7\_593:7:15:244:876 and EAS56\_65:4:296:78:421, both of which are repeated keys.

```
% Return all indices for entries that have two specific keys
[Indices, LogicalVal] = getIndexByKey(samObj, ...
    {'B7_593:7:15:244:876', 'EAS56_65:4:296:78:421'})
```

```
Indices =
```

```
    3058
    3238
    3292
    3293
```

```
LogicalVal =
```

```
    0
    1
    0
    1
```

# BioIndexedFile.getIndexByKey

---

```
% Return only the last index for each key
LastIndices = Indices(LogicalVal)

LastIndices =

    3238
    3293
```

## See Also

BioIndexedFile | BioIndexedFile.getEntryByKey |  
BioIndexedFile.getKeys

## How To

- “Extracting Information from Large Multi-Entry Text Files”

<b>Purpose</b>	Retrieve alphanumeric keys from source file associated with BioIndexedFile object
<b>Syntax</b>	<code>Keys = getKeys(BioIFobj)</code>
<b>Description</b>	<code>Keys = getKeys(BioIFobj)</code> returns <i>Keys</i> , a cell array of strings specifying all the keys to the entries in the source file associated with <i>BioIFobj</i> , a BioIndexedFile object. The keys appear in the same order as they do in the source file, even if they are not unique.
<b>Tips</b>	Use this method to see a complete list of the alphanumeric keys, in the order they occur in the source file from which the BioIndexedFile object was created.
<b>Input Arguments</b>	<p><i>BioIFobj</i></p> <p>Object of the BioIndexedFile class.</p>
<b>Output Arguments</b>	<p><i>Keys</i></p> <p>Cell array of strings specifying all the keys to the entries in the source file. The keys appear in the same order as they do in the source file, even if they are not unique.</p>
<b>Examples</b>	<p>Construct a BioIndexedFile object to access a table containing cross-references between gene names and gene ontology (GO) terms:</p> <pre>% Create variable containing full absolute path of source file sourcefile = which('yeastgenes.sgd'); % Create a BioIndexedFile object from the source file. Indicate % the source file is a tab-delimited file where contiguous rows % with the same key are considered a single entry. Store the % index file in the Current Folder. Indicate that keys are % located in column 3 and that header lines are prefaced with ! gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...     'KeyColumn', 3, 'HeaderPrefix', '!')</pre>

# BioIndexedFile.getKeys

---

Retrieve all the keys for the entries in the source file, then view the first 12 keys:

```
% Retrieve all keys for entries in gene2goObj
keys = getKeys(gene2goObj);
% View the first 12 keys
keys(1:12)

ans =

    '15S_RRNA'
    '21S_RRNA'
    'AAC1'
    'AAC3'
    'AAD10'
    'AAD14'
    'AAD15'
    'AAD16'
    'AAD3'
    'AAD4'
    'AAD6'
    'AAH1'
```

## See Also

[BioIndexedFile](#) | [BioIndexedFile.getEntryByKey](#) | [BioIndexedFile.getIndexByKey](#)

## How To

- “Extracting Information from Large Multi-Entry Text Files”



<b>Purpose</b>	Get connection matrix from biograph object	
<b>Syntax</b>	<code>[Matrix, ID, Distances] = getmatrix(BGObj)</code>	
<b>Arguments</b>	<i>BGObj</i>	Biograph object created by biograph (object constructor).
<b>Description</b>	<code>[Matrix, ID, Distances] = getmatrix(BGObj)</code> converts the biograph object, <i>BiographObj</i> , into a logical sparse matrix, <i>Matrix</i> , in which 1 indicates that a node (row index) is connected to another node (column index). <i>ID</i> is a cell array of strings listing the ID properties for each node, and corresponds to the rows and columns of <i>Matrix</i> . <i>Distances</i> is a column vector with one entry for every nonzero entry in <i>Matrix</i> traversed column-wise and representing the respective Weight property for each edge.	
<b>Examples</b>	<pre>cm = [0 1 1 0 0;2 0 0 4 4;4 0 0 0 0;0 0 0 0 2;4 0 5 0 0]; bg = biograph(cm); [cm, IDs, dist] = getmatrix(bg)</pre>	
<b>See Also</b>	Bioinformatics Toolbox function: <code>biograph</code> (object constructor) Bioinformatics Toolbox object: <code>biograph</code> object Bioinformatics Toolbox methods of a biograph object: <code>dolayout</code> , <code>getancestors</code> , <code>getdescendants</code> , <code>getedgesbynodeid</code> , <code>getnodesbyid</code> , <code>getrelatives</code> , <code>view</code>	

**Purpose** Convert geneont object into relationship matrix

**Syntax** `[Matrix, ID, Relationship] = getmatrix(GeneontObj)`

**Description** `[Matrix, ID, Relationship] = getmatrix(GeneontObj)` converts a geneont object, *GeneontObj*, into *Matrix*, a matrix of relationship values between nodes (row and column indices), in which 0 indicates no relationship, 1 indicates an “is\_a” relationship, and 2 indicates a “part\_of” relationship. *ID* is a column vector listing Gene Ontology IDs that correspond to the rows and columns of *Matrix*. *Relationship* is a cell array of strings defining the types of relationships.

<b>Input Arguments</b>	<i>GeneontObj</i>	A geneont object, such as created by the <code>geneont.geneont</code> constructor function.
<b>Output Arguments</b>	<i>Matrix</i>	Matrix of relationship values between nodes (row and column indices), in which 0 indicates no relationship, 1 indicates an “is_a” relationship, and 2 indicates a “part_of” relationship.
	<i>ID</i>	Column vector listing Gene Ontology IDs that correspond to the rows and columns of <i>Matrix</i> .
	<i>Relationship</i>	Cell array of strings defining the types of relationships.

**Examples**

1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

`GO = geneont('LIVE',true)`

The MATLAB software creates a geneont object and displays the number of terms in the database.

Gene Ontology object with 27595 Terms.

**2** Convert this geneont object into a relationship matrix.

```
[MATRIX, ID, REL] = getmatrix(GO);
```

### See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`

# getmatrix (phytree)

---

<b>Purpose</b>	Convert phytree object into relationship matrix
<b>Syntax</b>	<code>[Matrix, ID, Distances] = getmatrix(PhytreeObj)</code>
<b>Arguments</b>	<i>PhytreeObj</i> phytree object created by phytree (object constructor).
<b>Description</b>	<code>[Matrix, ID, Distances] = getmatrix(PhytreeObj)</code> converts a phytree object, <i>PhytreeObj</i> , into a logical sparse matrix, <i>Matrix</i> , in which 1 indicates that a branch node (row index) is connected to its child (column index). The child can be either another branch node or a leaf node. <i>ID</i> is a column vector of strings listing the labels that correspond to the rows and columns of <i>Matrix</i> , with the labels from 1 to <i>Number of Leaves</i> being the leaf nodes, then the labels from <i>Number of Leaves</i> + 1 to <i>Number of Leaves</i> + <i>Number of Branches</i> being the branch nodes, and the label for the last branch node also being the root node. <i>Distances</i> is a column vector with one entry for every nonzero entry in <i>Matrix</i> traversed column-wise and representing the distance between the branch node and the child.
<b>Examples</b>	<pre>T = phytreeread('pf00002.tree') [MATRIX, ID, DIST] = getmatrix(T);</pre>
<b>See Also</b>	Bioinformatics Toolbox functions: <code>phytree</code> (object constructor), <code>phytreetool</code> Bioinformatics Toolbox object: <code>phytree</code> object Bioinformatics Toolbox methods of <code>phytree</code> object: <code>get</code> , <code>pdist</code> , <code>prune</code>

<b>Purpose</b>	Retrieve name of object
<b>Syntax</b>	<code>getName(<i>BioObj</i>)</code>
<b>Description</b>	<code>getName(<i>BioObj</i>)</code> returns the name of an object. This is the <code>Name</code> property of the object.
<b>Input Arguments</b>	<div><i>BioObj</i> Object of the BioRead or BioMap class.</div>
<b>Examples</b>	<div>Retrieve the name of a BioRead object:  <pre>% Construct a BioRead object from a FASTQ file and set the Name % property BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq',...                'Name', 'MyObject'); % Retrieve the name of the object getName(BRObj)  ans =  MyObject</pre></div>
<b>Alternatives</b>	<div>An alternative to using the <code>getName</code> method is to use dot indexing with the <code>Name</code> property:  <i>BioObj</i>.Name</div>
<b>See Also</b>	BioRead   BioMap   setName
<b>How To</b>	<ul style="list-style-type: none"><li>“Storing and Managing Short-Read Sequence Data in Objects”</li></ul>
<b>Related Links</b>	<ul style="list-style-type: none"><li>Sequence Read Archive</li><li>SAM format specification</li></ul>

# getnewickstr (phytree)

---

**Purpose** Create Newick-formatted string

**Syntax**

```
String = getnewickstr(Tree)
getnewickstr(..., 'PropertyName', PropertyValue,...)
getnewickstr(..., 'Distances', DistancesValue)
getnewickstr(..., 'BranchNames', BranchNamesValue)
```

**Arguments**

<i>Tree</i>	Phytree object created with the function phytree.
<i>DistancesValue</i>	Property to control including or excluding distances in the output. Enter either true (include distances) or false (exclude distances). Default is true.
<i>BranchNamesValue</i>	Property to control including or excluding branch names in the output. Enter either true (include branch names) or false (exclude branch names). Default is false.

**Description**

*String* = getnewickstr(*Tree*) returns the Newick formatted string of a phylogenetic tree object (*Tree*).

getnewickstr(..., 'PropertyName', PropertyValue,...) defines optional properties using property name/value pairs.

getnewickstr(..., 'Distances', *DistancesValue*), when *DistancesValue* is false, excludes the distances from the output.

getnewickstr(..., 'BranchNames', *BranchNamesValue*), when *BranchNamesValue* is true, includes the branch names in the output.

**References**

Information about the Newick tree format.

<http://evolution.genetics.washington.edu/phylip/newicktree.html>

### Examples

- 1 Create some random sequences.

```
seqs = int2nt(ceil(rand(10)*4));
```

- 2 Calculate pairwise distances.

```
dist = seqpdist(seqs,'alpha','nt');
```

- 3 Construct a phylogenetic tree.

```
tree = seqlinkage(dist);
```

- 4 Get the Newick string.

```
str = getnewickstr(tree)
```

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `phytreewrite`, `seqlinkage`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `get`, `getbyname`, `getcanonical`

# getnodesbyid (biograph)

---

**Purpose** Get handles to nodes

**Syntax** `NodesHandles = getnodesbyid(BGobj,NodeIDs)`

**Arguments**

*BGobj* Biograph object.  
*NodeIDs* Enter a cell string of node identifications.

**Description** `NodesHandles = getnodesbyid(BGobj,NodeIDs)` gets the handles for the specified nodes (*NodeIDs*) in a biograph object.

**Example**

**1** Create a biograph object.

```
species = {'Homosapiens','Pan','Gorilla','Pongo','Baboon',...  
          'Macaca','Gibbon'};  
cm = magic(7)>25 & 1-eye(7);  
bg = biograph(cm, species)
```

**2** Find the handles to members of the Cercopithecidae family and members of the Hominidae family.

```
Cercopithecidae = {'Macaca','Baboon'};  
Hominidae = {'Homosapiens','Pan','Gorilla','Pongo'};  
CercopithecidaeNodes = getnodesbyid(bg,Cercopithecidae);  
HominidaeNodes = getnodesbyid(bg,Hominidae);
```

**3** Color the families differently and draw a graph.

**See Also**

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a biograph object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`



<b>Purpose</b>	Retrieve number of sequences in object
<b>Syntax</b>	<code>getNSeqs(<i>BioObj</i>)</code>
<b>Description</b>	<code>getNSeqs(<i>BioObj</i>)</code> returns the number of sequences in an object. This is the <code>NSeqs</code> property of the object.
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the <code>BioRead</code> or <code>BioMap</code> class.</p>
<b>Examples</b>	<p>Retrieve the number of sequences in a <code>BioRead</code> object:</p> <pre>% Construct a BioRead object from a FASTQ file BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq'); % Retrieve the number of sequences in the object getNSeqs(BRObj)  ans =      50</pre>
<b>Alternatives</b>	<p>An alternative to using the <code>getNSeqs</code> method is to use dot indexing with the <code>NSeqs</code> property:</p> <pre><i>BioObj</i>.NSeqs</pre>
<b>See Also</b>	<code>BioRead</code>   <code>BioMap</code>
<b>How To</b>	<ul style="list-style-type: none"><li>• “Storing and Managing Short-Read Sequence Data in Objects”</li></ul>
<b>Related Links</b>	<ul style="list-style-type: none"><li>• Sequence Read Archive</li><li>• SAM format specification</li></ul>

**Purpose** Retrieve protein structure data from Protein Data Bank (PDB) database

**Syntax**

```
PDBStruct = getpdb(PDBid)
PDBStruct = getpdb(PDBid, ...'ToFile', ToFileValue, ...)
PDBStruct = getpdb(PDBid, ...'SequenceOnly',
    SequenceOnlyValue, ...)
```

**Arguments**

<i>PDBid</i>	String specifying a unique identifier for a protein structure record in the PDB database.
--------------	---

---

**Note** Each structure in the PDB database is represented by a four-character alphanumeric identifier. For example, 4hhb is the identifier for hemoglobin.

---

<i>ToFileValue</i>	String specifying a file name or a path and file name for saving the PDB-formatted data. If you specify only a file name, that file will be saved in the MATLAB Current Folder.
--------------------	---

---

**Tip** After you save the protein structure record to a local PDB-formatted file, you can use the `pdbread` function to read the file into the MATLAB software offline or use the `molviewer` function to display and manipulate a 3-D image of the structure.

---

<i>SequenceOnlyValue</i>	Controls the return of the protein sequence only. Choices are <code>true</code> or <code>false</code> (default). If there is one sequence, it is returned as a character array. If there are multiple sequences, they are returned as a cell array.
--------------------------	---

**Return  
Values***PDBStruct*

MATLAB structure containing a field for each PDB record.

**Description**

The Protein Data Bank (PDB) database is an archive of experimentally determined 3-D biological macromolecular structure data. For more information about the PDB format, see:

<http://www.wwpdb.org/documentation/format23/v2.3.html>

getpdb retrieves protein structure data from the Protein Data Bank (PDB) database, which contains 3-D biological macromolecular structure data.

*PDBStruct* = getpdb(*PDBid*) searches the PDB database for the protein structure record specified by the identifier *PDBid* and returns the MATLAB structure *PDBStruct*, which contains a field for each PDB record. The following table summarizes the possible PDB records and the corresponding fields in the MATLAB structure *PDBStruct*:

PDB Database Record	Field in the MATLAB Structure
HEADER	Header
OBSLTE	Obsolete
TITLE	Title
CAVEAT	Caveat
COMPND	Compound
SOURCE	Source
KEYWDS	Keywords
EXPDTA	ExperimentData
AUTHOR	Authors
REV DAT	RevisionDate
SPRSDE	Superseded

PDB Database Record	Field in the MATLAB Structure
JRNL	Journal
REMARK 1	Remark1
REMARK <i>N</i>	Remark <i>n</i>
<b>Note</b> <i>N</i> equals 2 through 999.	<b>Note</b> <i>n</i> equals 2 through 999.
DBREF	DBReferences
SEQADV	SequenceConflicts
SEQRES	Sequence
FTNOTE	Footnote
MODRES	ModifiedResidues
HET	Heterogen
HETNAM	HeterogenName
HETSYN	HeterogenSynonym
FORMUL	Formula
HELIX	Helix
SHEET	Sheet
TURN	Turn
SSBOND	SSBond
LINK	Link
HYDBND	HydrogenBond
SLTBRG	SaltBridge
CISPEP	CISPeptides
SITE	Site

PDB Database Record	Field in the MATLAB Structure
CRYST1	Cryst1
ORIGXn	OriginX
SCALEn	Scale
MTRIXn	Matrix
TVECT	TranslationVector
MODEL	Model
ATOM	Atom
SIGATM	AtomSD
ANISOU	AnisotropicTemp
SIGUIJ	AnisotropicTempSD
TER	Terminal
HETATM	HeterogenAtom
CONECT	Connectivity

*PDBStruct* = `getpdb(PDBid, ...'PropertyName', PropertyValue, ...)` calls `getpdb` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*PDBStruct* = `getpdb(PDBid, ...'ToFile', ToFileValue, ...)` saves the data returned from the database to a PDB-formatted file, *ToFileValue*.

---

**Tip** After you save the protein structure record to a local PDB-formatted file, you can use the `pdbread` function to read the file into the MATLAB software offline or use the `molviewer` function to display and manipulate a 3-D image of the structure.

---

`PDBStruct = getpdb(PDBid, ...'SequenceOnly', SequenceOnlyValue, ...)` controls the return of the protein sequence only. Choices are `true` or `false` (default). If there is one sequence, it is returned as a character array. If there are multiple sequences, they are returned as a cell array.

## The Sequence Field

The `Sequence` field is also a structure containing sequence information in the following subfields:

- `NumOfResidues`
- `ChainID`
- `ResidueNames` — Contains the three-letter codes for the sequence residues.
- `Sequence` — Contains the single-letter codes for the sequence residues.

---

**Note** If the sequence has modified residues, then the `ResidueNames` subfield might not correspond to the standard three-letter amino acid codes. In this case, the `Sequence` subfield will contain the modified residue code in the position corresponding to the modified residue. The modified residue code is provided in the `ModifiedResidues` field.

---

## The Model Field

The `Model` field is also a structure or an array of structures containing coordinate information. If the MATLAB structure contains one model, the `Model` field is a structure containing coordinate information for that model. If the MATLAB structure contains multiple models, the `Model` field is an array of structures containing coordinate information for each model. The `Model` field contains the following subfields:

- `Atom`
- `AtomSD`

- AnisotropicTemp
- AnisotropicTempSD
- Terminal
- HeterogenAtom

### **The Atom Field**

The Atom field is also an array of structures containing the following subfields:

- AtomSerNo
- AtomName
- altLoc
- resName
- chainID
- resSeq
- iCode
- X
- Y
- Z
- occupancy
- tempFactor
- segID
- element
- charge
- AtomNameStruct — Contains three subfields: chemSymbol, remoteInd, and branch.

## Examples

Retrieve the structure information for the electron transport (heme) protein that has a PDB identifier of 5CYT, read the information into a MATLAB structure `pdbstruct`, and save the information to a PDB-formatted file `electron_transport.pdb` in the MATLAB Current Folder.

```
pdbstruct = getpdb('5CYT', 'ToFile', 'electron_transport.pdb')
```

## See Also

Bioinformatics Toolbox functions: `getembl`, `getgenbank`, `getgenpept`, `molviewer`, `pdbdistplot`, `pdbread`, `pdbsuperpose`, `pdbtransform`, `pdbwrite`



<b>Purpose</b>	Retrieve sequence quality scores from object
<b>Syntax</b>	<pre>Quality = getQuality(BioObj) Quality = getQuality(BioObj, Subset)</pre>
<b>Description</b>	<p><i>Quality</i> = <i>getQuality</i>(<i>BioObj</i>) returns <i>Quality</i>, a cell array of strings containing the ASCII representations of per-base quality scores for nucleotide sequences from an object.</p> <p><i>Quality</i> = <i>getQuality</i>(<i>BioObj</i>, <i>Subset</i>) returns quality strings for only object elements specified by <i>Subset</i>.</p>
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioRead or BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>
<b>Output Arguments</b>	<p><i>Quality</i></p> <p>Quality property of a subset of elements in <i>BioObj</i>. <i>Quality</i> is a cell array of strings containing the quality scores for sequences specified by <i>Subset</i>.</p>

# BioRead.getQuality

---

## Examples

Retrieve the quality scores from different elements of a BioRead object:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Retrieve the Quality value of the second element in the object
getQuality(BRObj, 2);
getQuality(BRObj, [false true false]);
% Retrieve the Quality values of the first and third elements
% in the object
getQuality(BRObj, [1 3]);
getQuality(BRObj, [true false true]);
% Retrieve the Quality value of all the elements in the object
getQuality(BRObj, 1:50);
```

## Alternatives

An alternative to using the `getQuality` method is to use dot indexing with the `Quality` property:

```
BioObj.Quality(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

[BioRead](#) | [BioMap](#) | [setQuality](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

## Purpose

Find relatives in biograph object

## Syntax

```
Nodes = getrelatives(BiographNode)
Nodes = getrelatives(BiographNode,NumGenerations)
```

## Arguments

<i>BiographNode</i>	Node in a biograph object.
<i>NumGenerations</i>	Number of generations. Enter a positive integer.

## Description

*Nodes* = `getrelatives(BiographNode)` finds all the direct relatives for a given node (*BiographNode*).

*Nodes* = `getrelatives(BiographNode,NumGenerations)` finds the direct relatives for a given node (*BiographNode*) up to a specified number of generations (*NumGenerations*).

## Examples

- 1 Create a biograph object.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];
bg = biograph(cm)
```

- 2 Find all nodes interacting with node 1.

```
intNodes = getrelatives(bg.nodes(1));
set(intNodes,'Color',[.7 .7 1]);
bg.view;
```

## See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object: `dolayout`, `get`, `getancestors`, `getdescendants`, `getedgesbynodeid`, `getnodesbyid`, `getrelatives`, `set`, `view`

**Purpose** Find terms that are relatives of specified Gene Ontology (GO) term

**Syntax**

```
RelativeIDs = getrelatives(GeneontObj, ID)
[RelativeIDs, Counts] = getrelatives(GeneontObj, ID)
... = getrelatives(..., 'Height', HeightValue, ...)
... = getrelatives(..., 'Depth', DepthValue, ...)
... = getrelatives(..., 'Levels', LevelsValue, ...)
... = getrelatives(..., 'Relationtype', RelationtypeValue, ...)
... = getrelatives(..., 'Exclude', ExcludeValue, ...)
```

**Description** *RelativeIDs* = `getrelatives(GeneontObj, ID)` searches *GeneontObj*, a geneont object, for GO terms that are relatives of the GO term(s) specified by *ID*, which is a GO term identifier or vector of identifiers. It returns *RelativeIDs*, a vector of GO term identifiers including *ID*. *ID* is a nonnegative integer or a vector containing nonnegative integers.

`[RelativeIDs, Counts] = getrelatives(GeneontObj, ID)` also returns the number of times each relative is found. *Counts* is a column vector with the same number of elements as terms in *GeneontObj*.

---

**Tip** The *Counts* return value is useful when you tally counts in gene enrichment studies. For more information, see the Gene Ontology Enrichment in Microarray Data demo.

---

`... = getrelatives(..., 'PropertyName', PropertyValue, ...)` calls `getrelatives` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = getrelatives(..., 'Height', HeightValue, ...)` searches up through a specified number of levels, *HeightValue*, in the gene ontology. *HeightValue* is a positive integer. Default is 1.

`... = getrelatives(..., 'Depth', DepthValue, ...)` searches down through a specified number of levels, *DepthValue*, in the gene ontology. *DepthValue* is a positive integer. Default is 1.

`... = getrelatives(..., 'Levels', LevelsValue, ...)` searches up and down through a specified number of levels, *LevelsValue*, in the gene ontology. *LevelsValue* is a positive integer. When specified, it overrides *HeightValue* and *DepthValue*.

`... = getrelatives(..., 'Relationtype', RelationtypeValue, ...)` searches for specified relationship types, *RelationtypeValue*, in the gene ontology. *RelationtypeValue* is a string. Choices are 'is\_a', 'part\_of', or 'both' (default).

`... = getrelatives(..., 'Exclude', ExcludeValue, ...)` controls excluding *ID*, the original queried term(s), from the output *RelativeIDs*, unless a term was found while searching the gene ontology. Choices are true or false (default).

## Input Arguments

<i>GeneontObj</i>	A geneont object, such as created by the <code>geneont.geneont</code> constructor function.
<i>ID</i>	GO term identifier or vector of identifiers.
<i>HeightValue</i>	Positive integer specifying the number of levels to search upward in the gene ontology.
<i>DepthValue</i>	Positive integer specifying the number of levels to search downward in the gene ontology.
<i>LevelsValue</i>	Positive integer specifying the number of levels up and down to search in the gene ontology. When specified, it overrides <i>HeightValue</i> and <i>DepthValue</i> .

<i>RelationtypeValue</i>	String specifying the relationship types to search for in the gene ontology. Choices are: <ul style="list-style-type: none"><li>• 'is_a'</li><li>• 'part_of'</li><li>• 'both' (default)</li></ul>
<i>ExcludeValue</i>	Controls excluding <i>ID</i> , the original queried term(s), from the output <i>RelativeIDs</i> , unless the term was reached while searching the gene ontology. Choices are true or false (default).

**Output Arguments**

<i>RelativeIDs</i>	Vector of GO term identifiers including <i>ID</i> .
<i>Counts</i>	Column vector with the same number of elements as terms in <i>GeneontObj</i> , indicating the number of times each relative is found.

**Examples**

- 1** Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GO = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of terms in the database.

```
Gene Ontology object with 27769 Terms.
```

- 2** Retrieve the immediate relatives for the mitochondrial membrane GO term with a GO identifier of 31966.

```
relatives = getrelatives(GO,31966,'levels',1)

relatives =
```

```
5741
5743
31090
31966
44429
```

- 3** Create a subordinate Gene Ontology.

```
subontology = GO(relatives)
```

Gene Ontology object with 5 Terms.

- 4** Create a report of the subordinate Gene Ontology terms, that includes the GO identifier and name.


```
rpt = get(subontology.terms,{'id','name'})
```

```
rpt =
```

```
 [ 5741]          [1x28 char]
 [ 5743]          [1x28 char]
 [31090]    'organelle membrane'
 [31966]          [1x22 char]
 [44429]    'mitochondrial part'
```

- 5** View relationships of the subordinate Gene Ontology by using the `getmatrix` method to create a connection matrix to pass to the `biograph` function, and color the mitochondrial membrane GO term red.

```
[cm acc rels] = getmatrix(subontology);
BG = biograph(cm, get(subontology.terms, 'name'));
BG.nodes(acc==31966).Color = [1 0 0];
view(BG)
```



- 6** Retrieve all relatives for the mitochondrial outer membrane GO term with an identifier of 5741.

```
relatives = getrelatives(GO,5741,'levels',inf);
```

- 7** Create a subordinate Gene Ontology.


```
subontology = GO(relatives)
```

Gene Ontology object with 13 Terms.

- 8** View relationships of the subordinate Gene Ontology by using the `getmatrix` method to create a connection matrix to pass to the `biograph` function and methods, and color the mitochondrial outer membrane GO terms red.



```
[cm acc rels] = getmatrix(subontology);  
BG = biograph(cm, get(subontology.terms, 'name'));  
BG.nodes(acc==5741).Color = [1 0 0];  
view(BG)
```



## See Also

Bioinformatics Toolbox functions: `goannotread`, `num2goid`

Bioinformatics Toolbox class: `term`

# BioRead.getSequence

---

Purpose	Retrieve sequences from object
Syntax	<pre>Sequences = getSequence(BioObj) Sequences = getSequence(BioObj, Subset)</pre>
Description	<p><code>Sequences = getSequence(BioObj)</code> returns <i>Sequences</i>, a cell array of strings containing the letter representations of nucleotide sequences from an object.</p> <p><code>Sequences = getSequence(BioObj, Subset)</code> returns sequence strings for only object elements specified by <i>Subset</i>.</p>
Input Arguments	<p><i>BioObj</i></p> <p>Object of the BioRead or BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul> <hr/> <p><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.</p> <hr/>
Output Arguments	<p><i>Sequences</i></p> <p>Cell array of strings containing the sequences specified by <i>Subset</i> in <i>BioObj</i>.</p>
Examples	<p>Retrieve the sequences from different elements of a BioRead object:</p> <pre>% Construct a BioRead object from a FASTQ file</pre>

```
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Retrieve the sequence of the second element in the object
getSequence(BRObj, 2);
getSequence(BRObj, {'SRR005164.2'});
getSequence(BRObj, [false true false]);
% Retrieve the sequences of the first and third elements in the object
getSequence(BRObj, [1 3]);
getSequence(BRObj, {'SRR005164.1', 'SRR005164.3'});
getSequence(BRObj, [true false true]);
% Retrieve the sequences of all the elements in the object
getSequence(BRObj, 1:50);
```

## Alternatives

An alternative to using the `getSequence` method is to use dot indexing with the `Sequence` property:

```
BioObj.Sequence(Indices)
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers.

## See Also

[BioRead](#) | [BioMap](#) | [setSequence](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

# BioRead.getSubsequence

---

Purpose	Retrieve partial sequences from object
Syntax	<i>Subsequences</i> = getSubsequence( <i>BioObj</i> , <i>Subset</i> , <i>Positions</i> )
Description	<i>Subsequences</i> = getSubsequence( <i>BioObj</i> , <i>Subset</i> , <i>Positions</i> ) returns <i>Subsequences</i> , a cell array of strings containing the letter representations of partial nucleotide sequences from an object. getSubsequence returns sequence strings for only object elements specified by <i>Subset</i> and for only sequence positions specified by <i>Positions</i> .
Input Arguments	<div><i>BioObj</i> Object of the BioRead or BioMap class.</div> <div><i>Subset</i> One of the following to specify a subset of the elements in <i>BioObj</i>:<ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul></div> <div><hr/><b>Note</b> If you use a cell array of header strings to specify <i>Subset</i>, be aware that a repeated header specifies all elements with that header.<hr/></div> <div><i>Positions</i> One of the following to specify a subset of positions in a sequence:<ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li></ul></div>

---

**Note** The last position specified by *Positions* must be within the range of positions for each sequence specified by *Subset*.

---

## Output Arguments

*SubSequences*

Cell array of strings containing the partial sequences specified by *Subset* and *Positions* in *BioObj*.

## Examples

Retrieve subsequences from different elements of a BioRead object:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Retrieve the first five positions of the first three sequences in
% the object
getSubsequence(BRObj, 1:3, 1:5)
% Retrieve the first five positions of the sequence with a header
% of SRR005164.3
getSubsequence(BRObj, 'SRR005164.3', 1:5)
```

## See Also

BioRead | BioMap | setSubsequence

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioRead.getSubset

---

Purpose	Retrieve elements from object
Syntax	<pre>NewObj = getSubset(BioObj, Subset) NewObj = getSubset(BioObj, Subset, 'ParameterName',     ParameterValue)</pre>
Description	<p><i>NewObj</i> = <i>getSubset(BioObj, Subset)</i> returns <i>NewObj</i>, a new object containing a subset of the elements from <i>BioObj</i>. <i>getSubset</i> returns object elements specified by <i>Subset</i>.</p> <p><i>NewObj</i> = <i>getSubset(BioObj, Subset, 'ParameterName', ParameterValue)</i> accepts one or more comma-separated parameter name/value pairs. Specify <i>ParameterName</i> inside single quotes.</p>
Input Arguments	<p><i>BioObj</i></p> <p>Object of the BioRead or BioMap class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the elements in <i>BioObj</i>:</p> <ul style="list-style-type: none"><li>• Vector of positive integers</li><li>• Logical vector</li><li>• Cell array of strings containing valid sequence headers</li></ul>

---

**Note** If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Parameter Name/Value Pairs

Name	String specifying a name for <i>NewObj</i> . This information populates the Name property of <i>NewObj</i> .
------	--

**Default:** Empty string

## Output Arguments

*NewObj*

Object of the BioRead or BioMap class.

## Examples

Retrieve a subset of elements from a BioRead object:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Retrieve the information associated with the second and third
% elements in the object
getSubset(BRObj, [2 3]);
getSubset(BRObj, [2:3]);
getSubset(BRObj, {'SRR005164.2', 'SRR005164.3'});
getSubset(BRObj, [false true true]);
% Create a new BioRead object containing the first and third elements
% from the object
NewBRObj = getSubset(BRObj, [1 3]);BR
```

## See Also

BioRead | BioMap | setSubset

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

<b>Purpose</b>	Read annotations from Gene Ontology annotated file	
<b>Syntax</b>	<pre>Annotation = goannotread(File) Annotation = goannotread(File, ...'Fields', FieldsValue, ...) Annotation = goannotread(File, ...'Aspect', AspectValue, ...)</pre>	
<b>Arguments</b>	<i>File</i>	String specifying a file name of a Gene Ontology (GO) annotated file.
	<i>FieldsValue</i>	String or cell array of strings specifying one or more fields to read from the Gene Ontology annotated file. Default is to read all fields. Valid fields are listed below.
	<i>AspectValue</i>	Character array specifying one or more characters. Valid aspects are: <ul style="list-style-type: none"><li>• P — Biological process</li><li>• F — Molecular function</li><li>• C — Cellular component</li></ul> Default is 'CFP', which specifies to read all aspects.
<b>Return Values</b>	<i>Annotation</i>	MATLAB array of structures containing annotations from a Gene Ontology annotated file.
<b>Description</b>	<p><i>Annotation</i> = goannotread(<i>File</i>) converts the contents of <i>File</i>, a Gene Ontology annotated file, into <i>Annotation</i>, an array of structures. Files should have the structure specified in:</p> <p><a href="http://www.geneontology.org/GO.annotation.shtml#file">http://www.geneontology.org/GO.annotation.shtml#file</a></p>	



A list with some annotated files can be found at:

<http://www.geneontology.org/GO.current.annotations.shtml>

*Annotation* = goannotread(*File*, ...'*PropertyName*', *PropertyValue*, ...) calls goannotread with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Annotation* = goannotread(*File*, ...'*Fields*', *FieldsValue*, ...) specifies the fields to read from the Gene Ontology annotated file. *FieldsValue* is a string or cell array of strings specifying one or more fields. Default is to read all fields. Valid fields are:

- Database
- DB\_Object\_ID
- DB\_Object\_Symbol
- Qualifier
- GOid
- DBReference
- Evidence
- WithFrom
- Aspect
- DB\_Object\_Name
- Synonym
- DB\_Object\_Type
- Taxon
- Date
- Assigned\_by

For more information on these fields, see:

<http://www.geneontology.org/GO.format.annotation.shtml>

*Annotation* = goannotread(*File*, ...'Aspect', *AspectValue*, ...) specifies the aspects to read from the Gene Ontology annotated file. *AspectValue* is a character array specifying one or more characters. Valid aspects are:

- P — Biological process
- F — Molecular function
- C — Cellular component

Default is 'CFP', which specifies to read all aspects.

## Examples

### Reading All Annotations from a Gene Ontology Annotated File

- 1 Open a Web browser to

<http://www.geneontology.org/GO.current.annotations.shtml>

- 2 Download `gene_association.sgd.gz`, the file containing GO annotations for the gene products of *Saccharomyces cerevisiae*, to your MATLAB Current Folder.
- 3 Uncompress the file using the `gunzip` function.

```
gunzip('gene_association.sgd.gz')
```

- 4 Read the file into the MATLAB software.

```
SGDGenes = goannotread('gene_association.sgd');
```

- 5 Create a structure with GO annotations and display a list of the first five genes.

```
S = struct2cell(SGDGenes);  
genes = S(3,1:5)'
```

```
genes =  
  
    '15S_RRNA'  
    '15S_RRNA'  
    '15S_RRNA'  
    '15S_RRNA'  
    '21S_RRNA'
```

### Reading a Subset of Annotations from a Gene Ontology Annotated File

- 1 Open a Web browser to

<http://www.geneontology.org/GO.current.annotations.shtml>

- 2 Download `gene_association.goa_human.gz`, the file containing GO annotations for the gene products of *Homo sapiens*, to your MATLAB Current Folder.

- 3 Uncompress the file using the `gunzip` function.

```
gunzip('gene_association.goa_human.gz')
```

- 4 Read the file into the MATLAB software, but limit the annotations to genes related to molecular function (F), and to the fields for the gene symbol and the associated ID, that is, `DB_Object_Symbol` and `Goid`.

```
HumanStruct = goannotread('gene_association.goa_human', ...  
    'Aspect','F','Fields',{'DB_Object_Symbol','Goid'});
```

- 5 Create a list of the *Homo sapiens* genes and a list of the associated GO terms.

```
Humangenes = {HumanStruct.DB_Object_Symbol};  
HumanGO = [HumanStruct.Goid];
```

### See Also

Bioinformatics Toolbox functions: `geneont.geneont` (object constructor), `num2goid`

Bioinformatics Toolbox class: `geneont`

Bioinformatics Toolbox methods of `geneont` object:  
`geneont.getancestors`, `geneont.getdescendants`,  
`geneont.getmatrix`, `geneont.getrelatives`

**Purpose** Return Gonnet scoring matrix

**Syntax** gonnet

**Description** gonnet returns the Gonnet matrix.

The Gonnet matrix is the recommended mutation matrix for initially aligning protein sequences. Matrix elements are ten times the logarithmic of the probability that the residues are aligned divided by the probability that the residues are aligned by chance, and then matrix elements are normalized to 250 PAM units.

Expected score = -0.6152, Entropy = 1.6845 bits Lowest score = -8, Highest score = 14.2

Order:

A R N D C Q E G H I L K M F P S T W Y V B Z X \*

## References

[1] Gaston, H., Gonnet, M., Cohen, A., and Benner, S. (1992). Exhaustive matching of the entire protein sequence database. *Science*. 256, 1443–1445.

## See Also

Bioinformatics Toolbox functions: `blosum`, `dayhoff`, `localalign`, `nuc44`, `nwalgn`, `pam`, `swalign`

# gprread

**Purpose** Read microarray data from GenePix Results (GPR) file

**Syntax** `GPRData = gprread('File')`  
`gprread(..., 'PropertyName', PropertyValue,...)`  
`gprread(..., 'CleanColNames', CleanColNamesValue)`

**Arguments**

<i>File</i>	GenePix Results (GPR) formatted file. Enter a file name or a path and file name.
<i>CleanColNamesValue</i>	Controls the creation of column names that can be used as variable names.

**Description** `GPRData = gprread('File')` reads GenePix results data from *File* and creates a MATLAB structure (*GPRData*) with the following fields.

Field
Header
Data
Blocks
Columns
Rows
Names
IDs
ColumnNames
Indices
Shape

`gprread(..., 'PropertyName', PropertyValue,...)` defines optional properties using property name/value pairs.

`gprread(..., 'CleanColNames', CleanColNamesValue)` controls the creation of column names that can be used as variable names. A

GPR file may contain column names with spaces and some characters that the MATLAB software cannot use in MATLAB variable names. If *CleanColNamesValue* is true, `gprread` returns names in the field `ColumnNames` that are valid MATLAB variable names and names that you can use in functions. By default, *CleanColNamesValue* is false and the field `ColumnNames` may contain characters that are invalid for MATLAB variable names.

The field `Indices` of the structure contains indices that can be used for plotting heat maps of the data.

For more details on the GPR format, see

[http://www.moleculardevices.com/pages/software/gn\\_genepix\\_file\\_formats.html#gpr](http://www.moleculardevices.com/pages/software/gn_genepix_file_formats.html#gpr)

[http://www.moleculardevices.com/pages/software/gn\\_gpr\\_format\\_history.html](http://www.moleculardevices.com/pages/software/gn_gpr_format_history.html)

For a list of supported file format versions, see

[http://www.moleculardevices.com/pages/software/gn\\_genepix\\_file\\_formats.html](http://www.moleculardevices.com/pages/software/gn_genepix_file_formats.html)

## Examples

```
% Read in a sample GPR file and plot the median foreground
% intensity for the 635 nm channel.
gprStruct = gprread('mouse_a1pd.gpr')
mimage(gprStruct, 'F635 Median');

% Alternatively you can create a similar plot using
% more basic graphics commands.
F635Median = magetfield(gprStruct, 'F635 Median');
imagesc(F635Median(gprStruct.Indices));
colormap bone
colorbar;
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `agferead`, `celintensityread`, `galread`, `geoseriesread`, `geosoftread`, `ilmnbsread`, `imageneread`, `magetfield`, `sptread`

# graphallshortestpaths

---

<b>Purpose</b>	Find all shortest paths in graph						
<b>Syntax</b>	<pre>[dist] = graphallshortestpaths(G) [dist] = graphallshortestpaths(G, ...'Directed', DirectedValue, ...) [dist] = graphallshortestpaths(G, ...'Weights', WeightsValue, ...)</pre>						
<b>Arguments</b>	<table><tr><td><i>G</i></td><td>N-by-N sparse matrix that represents a graph. Nonzero entries in matrix <i>G</i> represent the weights of the edges.</td></tr><tr><td><i>DirectedValue</i></td><td>Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code>.</td></tr><tr><td><i>WeightsValue</i></td><td>Column vector that specifies custom weights for the edges in matrix <i>G</i>. It must have one entry for every nonzero value (edge) in matrix <i>G</i>. The order of the custom weights in the vector must match the order of the nonzero values in matrix <i>G</i> when it is traversed column-wise. This property lets you use zero-valued weights. By default, <code>graphallshortestpaths</code> gets weight information from the nonzero entries in matrix <i>G</i>.</td></tr></table>	<i>G</i>	N-by-N sparse matrix that represents a graph. Nonzero entries in matrix <i>G</i> represent the weights of the edges.	<i>DirectedValue</i>	Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .	<i>WeightsValue</i>	Column vector that specifies custom weights for the edges in matrix <i>G</i> . It must have one entry for every nonzero value (edge) in matrix <i>G</i> . The order of the custom weights in the vector must match the order of the nonzero values in matrix <i>G</i> when it is traversed column-wise. This property lets you use zero-valued weights. By default, <code>graphallshortestpaths</code> gets weight information from the nonzero entries in matrix <i>G</i> .
<i>G</i>	N-by-N sparse matrix that represents a graph. Nonzero entries in matrix <i>G</i> represent the weights of the edges.						
<i>DirectedValue</i>	Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .						
<i>WeightsValue</i>	Column vector that specifies custom weights for the edges in matrix <i>G</i> . It must have one entry for every nonzero value (edge) in matrix <i>G</i> . The order of the custom weights in the vector must match the order of the nonzero values in matrix <i>G</i> when it is traversed column-wise. This property lets you use zero-valued weights. By default, <code>graphallshortestpaths</code> gets weight information from the nonzero entries in matrix <i>G</i> .						

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[dist] = graphallshortestpaths(G)` finds the shortest paths between every pair of nodes in the graph represented by matrix *G*, using Johnson’s algorithm. Input *G* is an N-by-N sparse matrix that



represents a graph. Nonzero entries in matrix  $G$  represent the weights of the edges.

Output  $dist$  is an  $N$ -by- $N$  matrix where  $dist(S,T)$  is the distance of the shortest path from source node  $S$  to target node  $T$ . Elements in the diagonal of this matrix are always 0, indicating the source node and target node are the same. A 0 not in the diagonal indicates that the distance between the source node and target node is 0. An Inf indicates there is no path between the source node and the target node.

Johnson's algorithm has a time complexity of  $O(N \log(N) + N \cdot E)$ , where  $N$  and  $E$  are the number of nodes and edges respectively.

`[...] = graphallshortestpaths (G, 'PropertyName', PropertyValue, ...)` calls `graphallshortestpaths` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[dist] = graphallshortestpaths(G, ...'Directed', DirectedValue, ...)` indicates whether the graph is directed or undirected. Set *DirectedValue* to false for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is true.

`[dist] = graphallshortestpaths(G, ...'Weights', WeightsValue, ...)` lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in matrix  $G$ . The order of the custom weights in the vector must match the order of the nonzero values in matrix  $G$  when it is traversed column-wise. This property lets you use zero-valued weights. By default, `graphallshortestpaths` gets weight information from the nonzero entries in matrix  $G$ .


## Examples

### Finding All Shortest Paths in a Directed Graph

- 1 Create and view a directed graph with 6 nodes and 11 edges.

```
W = [.41 .99 .51 .32 .15 .45 .38 .32 .36 .29 .21];
DG = sparse([6 1 2 2 3 4 4 5 5 6 1],[2 6 3 5 4 1 6 3 4 3 5],W)
```

```
DG =  
  
      (4,1)      0.4500  
      (6,2)      0.4100  
      (2,3)      0.5100  
      (5,3)      0.3200  
      (6,3)      0.2900  
      (3,4)      0.1500  
      (5,4)      0.3600  
      (1,5)      0.2100  
      (2,5)      0.3200  
      (1,6)      0.9900  
      (4,6)      0.3800  
  
view(biograph(DG,[],'ShowWeights','on'))
```



- 2 Find all the shortest paths between every pair of nodes in the directed graph.

```
graphallshortestpaths(DG)
```

```
ans =
```

0	1.3600	0.5300	0.5700	0.2100	0.9500
1.1100	0	0.5100	0.6600	0.3200	1.0400
0.6000	0.9400	0	0.1500	0.8100	0.5300

0.4500	0.7900	0.6700	0	0.6600	0.3800
0.8100	1.1500	0.3200	0.3600	0	0.7400
0.8900	0.4100	0.2900	0.4400	0.7300	0

The resulting matrix shows the shortest path from node 1 (first row) to node 6 (sixth column) is 0.95. You can see this in the graph by tracing the path from node 1 to node 5 to node 4 to node 6 ( $0.21 + 0.36 + 0.38 = 0.95$ ).

Finding All Shortest Paths in an Undirected Graph


1 Create and view an undirected graph with 6 nodes and 11 edges.

```
UG = tril(DG + DG')

UG =

(4,1)      0.4500
(5,1)      0.2100
(6,1)      0.9900
(3,2)      0.5100
(5,2)      0.3200
(6,2)      0.4100
(4,3)      0.1500
(5,3)      0.3200
(6,3)      0.2900
(5,4)      0.3600
(6,4)      0.3800

view(biograph(UG,[],'ShowArrows','off','ShowWeights','on'))
```



- 2 Find all the shortest paths between every pair of nodes in the undirected graph.

```
graphallshortestpaths(UG, 'directed', false)
```

```
ans =
```

0	0.5300	0.5300	0.4500	0.2100	0.8300
0.5300	0	0.5100	0.6600	0.3200	0.7000
0.5300	0.5100	0	0.1500	0.3200	0.5300

0.4500	0.6600	0.1500	0	0.3600	0.3800
0.2100	0.3200	0.3200	0.3600	0	0.7400
0.8300	0.7000	0.5300	0.3800	0.7400	0

The resulting matrix is symmetrical because it represents an undirected graph. It shows the shortest path from node 1 (first row) to node 6 (sixth column) is 0.83. You can see this in the graph by tracing the path from node 1 to node 4 to node 6 ( $0.45 + 0.38 = 0.83$ ). Because **UG** is an undirected graph, we can use the edge between node 1 and node 4, which we could not do in the directed graph **DG**.

**References**

[1] Johnson, D.B. (1977). Efficient algorithms for shortest paths in sparse networks. *Journal of the ACM* 24(1), 1-13.

[2] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

**See Also**

Bioinformatics Toolbox functions: graphconncomp, graphisdag, graphisomorphism, graphisspanntree, graphmaxflow, graphminspanntree, graphpred2path, graphshortestpath, graphtopoorder, graphtraverse

Bioinformatics Toolbox method of biograph object: allshortestpaths

**Purpose**

Find strongly or weakly connected components in graph

**Syntax**

```
[S, C] = graphconncomp(G)
[S, C] = graphconncomp(G, ...'Directed', DirectedValue, ...)
[S, C] = graphconncomp(G, ...'Weak', WeakValue, ...)
```

**Arguments**

<i>G</i>	N-by-N sparse matrix that represents a graph. Nonzero entries in matrix <i>G</i> indicate the presence of an edge.
<i>DirectedValue</i>	Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> . A DFS-based algorithm computes the connected components. Time complexity is $O(N+E)$ , where <i>N</i> and <i>E</i> are number of nodes and edges respectively.
<i>WeakValue</i>	Property that indicates whether to find weakly connected components or strongly connected components. A weakly connected component is a maximal group of nodes that are mutually reachable by violating the edge directions. Set <i>WeakValue</i> to <code>true</code> to find weakly connected components. Default is <code>false</code> , which finds strongly connected components. The state of this parameter has no effect on undirected graphs because weakly and strongly connected components are the same in undirected graphs. Time complexity is $O(N+E)$ , where <i>N</i> and <i>E</i> are number of nodes and edges respectively.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[S, C] = graphconncomp(G)` finds the strongly connected components of the graph represented by matrix *G* using Tarjan’s algorithm. A strongly connected component is a maximal group of nodes that are mutually reachable without violating the edge directions. Input *G* is an N-by-N sparse matrix that represents a graph. Nonzero entries in matrix *G* indicate the presence of an edge.

The number of components found is returned in *S*, and *C* is a vector indicating to which component each node belongs.

Tarjan’s algorithm has a time complexity of  $O(N+E)$ , where *N* and *E* are the number of nodes and edges respectively.

`[S, C] = graphconncomp(G, ...'PropertyName', PropertyValue, ...)` calls `graphconncomp` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[S, C] = graphconncomp(G, ...'Directed', DirectedValue, ...)` indicates whether the graph is directed or undirected. Set *directedValue* to `false` for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is `true`. A DFS-based algorithm computes the connected components. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.

`[S, C] = graphconncomp(G, ...'Weak', WeakValue, ...)` indicates whether to find weakly connected components or strongly connected components. A weakly connected component is a maximal group of nodes that are mutually reachable by violating the edge directions. Set *WeakValue* to `true` to find weakly connected components. Default is `false`, which finds strongly connected components. The state of this



parameter has no effect on undirected graphs because weakly and strongly connected components are the same in undirected graphs. Time complexity is  $O(N+E)$ , where  $N$  and  $E$  are number of nodes and edges respectively.

**Note** By definition, a single node can be a strongly connected component.

**Note** A directed acyclic graph (DAG) cannot have any strongly connected components larger than one.

Examples

1 Create and view a directed graph with 10 nodes and 17 edges.


```
DG = sparse([1 1 1 2 2 3 3 4 5 6 7 7 8 9 9 9 9], ...
            [2 6 8 3 1 4 2 5 4 7 6 4 9 8 10 5 3],true,10,10)
```

```
DG =

    (2,1)      1
    (1,2)      1
    (3,2)      1
    (2,3)      1
    (9,3)      1
    (3,4)      1
    (5,4)      1
    (7,4)      1
    (4,5)      1
    (9,5)      1
    (1,6)      1
    (7,6)      1
    (6,7)      1
    (1,8)      1
    (9,8)      1
```

```
(8,9)      1  
(9,10)     1
```

```
h = view(biograph(DG));
```



- 2** Find the number of strongly connected components in the directed graph and determine to which component each of the 10 nodes belongs.

```
[S,C] = graphconncomp(DG)
```

```
S =
```


```
4
```

```
C =
```

```
4    4    4    1    1    2    2    4    4    3
```

- 3** Color the nodes for each component with a different color.

```
colors = jet(S);  
for i = 1:numel(h.nodes)  
    h.Nodes(i).Color = colors(C(i),:);  
end
```



## References

- [1] Tarjan, R.E., (1972). Depth first search and linear graph algorithms. SIAM Journal on Computing 1(2), 146–160.
- [2] Sedgewick, R., (2002). Algorithms in C++, Part 5 Graph Algorithms (Addison-Wesley).
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

### See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphisdag`, `graphisomorphism`, `graphisspanntree`, `graphmaxflow`, `graphminspanntree`, `graphpred2path`, `graphshortestpath`, `graphtopoorder`, `graphtraverse`

Bioinformatics Toolbox method of `biograph` object: `conncomp`

**Purpose** Test for cycles in directed graph

**Syntax** graphisdag(*G*)

**Arguments**

*G* N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix *G* indicate the presence of an edge.

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

graphisdag(*G*) returns logical 1 (**true**) if the directed graph represented by matrix *G* is a directed acyclic graph (DAG) and logical 0 (**false**) otherwise. *G* is an N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix *G* indicate the presence of an edge.


**Examples**      **Testing for Cycles in Directed Graphs**

**1** Create and view a directed acyclic graph (DAG) with six nodes and eight edges.

```
DG = sparse([1 1 1 2 2 3 4 6],[2 4 6 3 5 4 6 5],true,6,6)
```

```
DG =  
  
      (1,2)      1  
      (2,3)      1  
      (1,4)      1  
      (3,4)      1  
      (2,5)      1  
      (6,5)      1  
      (1,6)      1  
      (4,6)      1
```

```
view(biograph(DG))
```



**2** Test for cycles in the DAG.

```
graphisdag(DG)
```

```
ans =
```

```
1
```

- 3** Add an edge to the DAG to make it cyclic, and then view the directed graph.


```
DG(5,1) = true
```

```
DG =
```

(5,1)	1
(1,2)	1
(2,3)	1
(1,4)	1
(3,4)	1
(2,5)	1
(6,5)	1
(1,6)	1
(4,6)	1

```
view(biograph(DG))
```





4 Test for cycles in the new graph.

```
graphisdag(DG)
```

```
ans =
```

```
0
```

## Testing for Cycles in a Very Large Graph (Greater Than 20,000 Nodes and 30,000 Edges)

- 1 Download the Gene Ontology database to a geneont object.

```
G0 = geneont('live',true);
```

- 2 Convert the geneont object to a matrix.

```
CM = getmatrix(G0);
```

- 3 Test for cycles in the graph.

```
graphisdag(CM)
```

## Creating a Random DAG

- 1 Create and view a random directed acyclic graph (DAG) with 15 nodes and 20 edges.

```
g = sparse([],[],true,15,15);  
while nnz(g) < 20  
    edge = randsample(15*15,1); % get a random edge  
    g(edge) = true;  
    g(edge) = graphisdag(g);  
end  
view(biograph(g))
```

- 2 Test for cycles in the graph.

```
graphisdag(g)
```

## References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisomorphism`, `graphissspantree`, `graphmaxflow`,

graphminspantree, graphpred2path, graphshortestpath,  
graphtopoorder, graphtraverse

Bioinformatics Toolbox method of biograph object: isdag

# graphisomorphism

---

<b>Purpose</b>	Find isomorphism between two graphs						
<b>Syntax</b>	<pre>[Isomorphic, Map] = graphisomorphism(G1, G2) [Isomorphic, Map] = graphisomorphism(G1, G2, 'Directed',     DirectedValue)</pre>						
<b>Arguments</b>	<table><tr><td><i>G1</i></td><td>N-by-N sparse matrix that represents a directed or undirected graph. Nonzero entries in matrix <i>G1</i> indicate the presence of an edge.</td></tr><tr><td><i>G2</i></td><td>N-by-N sparse matrix that represents a directed or undirected graph. <i>G2</i> must be the same (directed or undirected) as <i>G1</i>.</td></tr><tr><td><i>DirectedValue</i></td><td>Property that indicates whether the graphs are directed or undirected. Enter <b>false</b> when both <i>G1</i> and <i>G2</i> are undirected graphs. In this case, the upper triangles of the sparse matrices <i>G1</i> and <i>G2</i> are ignored. Default is <b>true</b>, meaning that both graphs are directed.</td></tr></table>	<i>G1</i>	N-by-N sparse matrix that represents a directed or undirected graph. Nonzero entries in matrix <i>G1</i> indicate the presence of an edge.	<i>G2</i>	N-by-N sparse matrix that represents a directed or undirected graph. <i>G2</i> must be the same (directed or undirected) as <i>G1</i> .	<i>DirectedValue</i>	Property that indicates whether the graphs are directed or undirected. Enter <b>false</b> when both <i>G1</i> and <i>G2</i> are undirected graphs. In this case, the upper triangles of the sparse matrices <i>G1</i> and <i>G2</i> are ignored. Default is <b>true</b> , meaning that both graphs are directed.
<i>G1</i>	N-by-N sparse matrix that represents a directed or undirected graph. Nonzero entries in matrix <i>G1</i> indicate the presence of an edge.						
<i>G2</i>	N-by-N sparse matrix that represents a directed or undirected graph. <i>G2</i> must be the same (directed or undirected) as <i>G1</i> .						
<i>DirectedValue</i>	Property that indicates whether the graphs are directed or undirected. Enter <b>false</b> when both <i>G1</i> and <i>G2</i> are undirected graphs. In this case, the upper triangles of the sparse matrices <i>G1</i> and <i>G2</i> are ignored. Default is <b>true</b> , meaning that both graphs are directed.						

<b>Description</b>	<hr/> <b>Tip</b> For introductory information on graph theory functions, see “Graph Theory Functions” in the <i>Bioinformatics Toolbox User’s Guide</i> . <hr/>
--------------------	---

`[Isomorphic, Map] = graphisomorphism(G1, G2)` returns logical 1 (true) in *Isomorphic* if *G1* and *G2* are isomorphic graphs, and logical 0 (false) otherwise. A graph isomorphism is a 1-to-1 mapping of the nodes in the graph *G1* and the nodes in the graph *G2* such that adjacencies are preserved. *G1* and *G2* are both N-by-N sparse matrices that represent directed or undirected graphs. Return value *Isomorphic* is Boolean. When *Isomorphic* is true, *Map* is a row vector containing the node indices that map from *G2* to *G1*. When *Isomorphic* is false, the worst-case time complexity is  $O(N!)$ , where N is the number of nodes.

`[Isomorphic, Map] = graphisomorphism(G1, G2, 'Directed', DirectedValue)` indicates whether the graphs are directed or undirected. Set *DirectedValue* to `false` when both *G1* and *G2* are undirected graphs. In this case, the upper triangles of the sparse matrices *G1* and *G2* are ignored. Default is `true`, meaning that both graphs are directed.

## Examples

- 1 Create and view a directed graph with 8 nodes and 11 edges.


```
m('ABCDEFGH') = [1 2 3 4 5 6 7 8];
g1 = sparse(m('ABDCDCGEFFG'),m('BCBDGEEFHGH'),true,8,8)
```

```
g1 =
```

(1,2)	1
(4,2)	1
(2,3)	1
(3,4)	1
(3,5)	1
(7,5)	1
(5,6)	1
(4,7)	1
(6,7)	1
(6,8)	1
(7,8)	1

```
view(biograph(g1,'ABCDEFGH'))
```

# graphisomorphism




- 2 Set a random permutation vector and then create and view a new permuted graph.

```
p = randperm(8)
```

```
p =
```

```
      7      8      2      3      6      4      1      5
```

```
g2 = g1(p,p);  
view(biograph(g2,'12345678'))
```



**3** Check if the two graphs are isomorphic.

```
[F,Map] = graphisomorphism(g2,g1)
```

# graphisomorphism

---

F =

1

Map =


7      8      2      3      6      4      1      5

Note that the Map row vector containing the node indices that map from g2 to g1 is the same as the permutation vector you created in step 2.

- 4 Reverse the direction of the D-G edge in the first graph, and then check for isomorphism again.

```
g1(m('DG'),m('GD')) = g1(m('GD'),m('DG'));  
view(biograph(g1,'ABCDEFGH'))
```





```
[F,M] = graphisomorphism(g2,g1)
```

```
F =
```

```
0
```

```
M =
```

[ ]

5 Convert the graphs to undirected graphs, and then check for isomorphism.

[F,M] = graphisomorphism(g2+g2',g1+g1','directed',false)

F =

1

M =

7        8        2        3        6        4        1        5

## References

[1] Fortin, S. (1996). The Graph Isomorphism Problem. Technical Report, 96-20, Dept. of Computer Science, University of Alberta, Edomonton, Alberta, Canada.

[2] McKay, B.D. (1981). Practical Graph Isomorphism. *Congressus Numerantium* 30, 45-87.

[3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: graphallshortestpaths, graphconncomp, graphisdag, graphisspantree, graphmaxflow, graphminspantree, graphpred2path, graphshortestpath, graphtopoorder, graphtraverse

Bioinformatics Toolbox methods of biograph object: isomorphism

**Purpose**

Determine if tree is spanning tree

**Syntax**

*TF* = graphisspanntree(*G*)

**Arguments**

*G*      N-by-N sparse matrix whose lower triangle represents an undirected graph. Nonzero entries in matrix *G* indicate the presence of an edge.

**Description**


---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

*TF* = graphisspanntree(*G*) returns logical 1 (true) if *G* is a spanning tree, and logical 0 (false) otherwise. A spanning tree must touch all the nodes and must be acyclic. *G* is an N-by-N sparse matrix whose lower triangle represents an undirected graph. Nonzero entries in matrix *G* indicate the presence of an edge.

**Examples**

- 1 Create a phytree object from a phylogenetic tree file.

```
tr = phytread('pf00002.tree')
```

Phylogenetic tree object with 33 leaves (32 branches)

- 2 Create a connection matrix from the phytree object.

```
[CM,labels,dist] = getmatrix(tr);
```

- 3 Determine if the connection matrix is a spanning tree.

```
graphisspanntree(CM)
```

```
ans =
```

```
1
```

- 4** Add an edge between the root and the first leaf in the connection matrix.

```
CM(end,1) = 1;
```

- 5** Determine if the modified connection matrix is a spanning tree.

```
graphisspantree(CM)
```

```
ans =
```

```
0
```

## References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisdag`, `graphisomorphism`, `graphmaxflow`, `graphminspantree`, `graphpred2path`, `graphshortestpath`, `graphtopoorder`, `graphtraverse`

Bioinformatics Toolbox methods of `biograph` object: `isspantree`

**Purpose**

Calculate maximum flow in directed graph

**Syntax**

```
[MaxFlow, FlowMatrix, Cut] = graphmaxflow(G, SNode, TNode)
[...] = graphmaxflow(G, SNode, TNode, ...'Capacity',
CapacityValue, ...)
[...] = graphmaxflow(G, SNode, TNode, ...'Method', MethodValue,
...)
```

**Arguments**

<i>G</i>	N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix <i>G</i> represent the capacities of the edges.
<i>SNode</i>	Node in <i>G</i> .
<i>TNode</i>	Node in <i>G</i> .
<i>CapacityValue</i>	Column vector that specifies custom capacities for the edges in matrix <i>G</i> . It must have one entry for every nonzero value (edge) in matrix <i>G</i> . The order of the custom capacities in the vector must match the order of the nonzero values in matrix <i>G</i> when it is traversed column-wise. By default, <code>graphmaxflow</code> gets capacity information from the nonzero entries in matrix <i>G</i> .
<i>MethodValue</i>	String that specifies the algorithm used to find the minimal spanning tree (MST). Choices are: <ul style="list-style-type: none"><li>• 'Edmonds' — Uses the Edmonds and Karp algorithm, the implementation of which is based on a variation called the <i>labeling algorithm</i>. Time complexity is <math>O(N \cdot E^2)</math>, where <i>N</i> and <i>E</i> are the number of nodes and edges respectively.</li><li>• 'Goldberg' — Default algorithm. Uses the Goldberg algorithm, which uses the generic method known as <i>preflow-push</i>. Time complexity is <math>O(N^2 \cdot \sqrt{E})</math>, where <i>N</i> and <i>E</i> are the number of nodes and edges respectively.</li></ul>

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[MaxFlow, FlowMatrix, Cut] = graphmaxflow(G, SNode, TNode)` calculates the maximum flow of directed graph *G* from node *SNode* to node *TNode*. Input *G* is an N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix *G* represent the capacities of the edges. Output *MaxFlow* is the maximum flow, and *FlowMatrix* is a sparse matrix with all the flow values for every edge. *FlowMatrix*(*X*,*Y*) is the flow from node *X* to node *Y*. Output *Cut* is a logical row vector indicating the nodes connected to *SNode* after calculating the minimum cut between *SNode* and *TNode*. If several solutions to the minimum cut problem exist, then *Cut* is a matrix.

---

**Tip** The algorithm that determines *Cut*, all minimum cuts, has a time complexity of  $O(2^N)$ , where *N* is the number of nodes. If this information is not needed, use the `graphmaxflow` function without the third output.

---

`[...] = graphmaxflow(G, SNode, TNode, ...'PropertyName', PropertyValue, ...)` calls `graphmaxflow` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[...] = graphmaxflow(G, SNode, TNode, ...'Capacity', CapacityValue, ...)` lets you specify custom capacities for the edges. *CapacityValue* is a column vector having one entry for every nonzero value (edge) in matrix *G*. The order of the custom capacities in the vector must match the order of the nonzero values in matrix *G* when it is traversed column-wise. By default, `graphmaxflow` gets capacity information from the nonzero entries in matrix *G*.

```
[...] = graphmaxflow(G, SNode, TNode, ...'Method',
MethodValue, ...) lets you specify the algorithm used to find the
minimal spanning tree (MST). Choices are:
```

- 'Edmonds' — Uses the Edmonds and Karp algorithm, the implementation of which is based on a variation called the *labeling algorithm*. Time complexity is  $O(N \cdot E^2)$ , where  $N$  and  $E$  are the number of nodes and edges respectively.
- 'Goldberg' — Default algorithm. Uses the Goldberg algorithm, which uses the generic method known as *preflow-push*. Time complexity is  $O(N^2 \cdot \sqrt{E})$ , where  $N$  and  $E$  are the number of nodes and edges respectively.

## Examples

- 1 Create a directed graph with six nodes and eight edges.

```
cm = sparse([1 1 2 2 3 3 4 5],[2 3 4 5 4 5 6 6],...
[2 3 3 1 1 1 2 3],6,6)cm =
```

```
(1,2)      2
(1,3)      3
(2,4)      3
(3,4)      1
(2,5)      1
(3,5)      1
(4,6)      2
(5,6)      3
```

- 2 Calculate the maximum flow in the graph from node 1 to node 6.

```
[M,F,K] = graphmaxflow(cm,1,6)
```

```
M =
```

```
4
```

```
F =
```

(1,2)	2
(1,3)	2
(2,4)	1
(3,4)	1
(2,5)	1
(3,5)	1
(4,6)	2
(5,6)	2

K =


1	1	1	1	0	0
1	0	1	0	0	0

Notice that K is a two-row matrix because there are two possible solutions to the minimum cut problem.

**3** View the graph with the original capacities.


```
h = view(biograph(cm,[], 'ShowWeights', 'on'))
```






- 4 View the graph with the calculated maximum flows.

```
view(biograph(F,[], 'ShowWeights', 'on'))
```



**5** Show one solution to the minimum cut problem in the original graph.

```
set(h.Nodes(K(1,:)), 'Color', [1 0 0])
```



Notice that in the three edges that connect the source nodes (red) to the destination nodes (yellow), the original capacities and the calculated maximum flows are the same.

## References

- [1] Edmonds, J. and Karp, R.M. (1972). Theoretical improvements in the algorithmic efficiency for network flow problems. *Journal of the ACM* 19, 248-264.
- [2] Goldberg, A.V. (1985). A New Max-Flow Algorithm. MIT Technical Report MIT/LCS/TM-291, Laboratory for Computer Science, MIT.

[3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisdag`, `graphisomorphism`, `graphisspanntree`, `graphminspanntree`, `graphpred2path`, `graphshortestpath`, `graphtopoorder`, `graphtraverse`

Bioinformatics Toolbox method of `biograph` object: `maxflow`

**Purpose**

Find minimal spanning tree in graph

**Syntax**

```
[Tree, pred] = graphminspantree(G)
[Tree, pred] = graphminspantree(G, R)
[Tree, pred] = graphminspantree(..., 'Method', MethodValue, ...)
[Tree, pred] = graphminspantree(..., 'Weights', WeightsValue,
    ...)
```

**Arguments**

*G*      N-by-N sparse matrix that represents an undirected graph. Nonzero entries in matrix *G* represent the weights of the edges.

*R*      Scalar between 1 and the number of nodes.

**Description**


---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[Tree, pred] = graphminspantree(G)` finds an acyclic subset of edges that connects all the nodes in the undirected graph *G* and for which the total weight is minimized. Weights of the edges are all nonzero entries in the lower triangle of the N-by-N sparse matrix *G*. Output *Tree* is a spanning tree represented by a sparse matrix. Output *pred* is a vector containing the predecessor nodes of the minimal spanning tree (MST), with the root node indicated by 0. The root node defaults to the first node in the largest connected component. This computation requires an extra call to the `graphconncomp` function.

`[Tree, pred] = graphminspantree(G, R)` sets the root of the minimal spanning tree to node *R*.

`[Tree, pred] = graphminspantree(..., 'PropertyName', PropertyValue, ...)` calls `graphminspantree` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes

and is case insensitive. These property name/property value pairs are as follows:

`[Tree, pred] = graphminspantree(..., 'Method', MethodValue, ...)` lets you specify the algorithm used to find the minimal spanning tree (MST). Choices are:

- 'Kruskal' — Grows the minimal spanning tree (MST) one edge at a time by finding an edge that connects two trees in a spreading forest of growing MSTs. Time complexity is  $O(E \cdot X \cdot \log(N))$ , where  $X$  is the number of edges no longer than the longest edge in the MST, and  $N$  and  $E$  are the number of nodes and edges respectively.
- 'Prim' — Default algorithm. Grows the minimal spanning tree (MST) one edge at a time by adding a minimal edge that connects a node in the growing MST with any other node. Time complexity is  $O(E \cdot \log(N))$ , where  $N$  and  $E$  are the number of nodes and edges respectively.

---

**Note** When the graph is unconnected, Prim's algorithm returns only the tree that contains  $R$ , while Kruskal's algorithm returns an MST for every component.

---

`[Tree, pred] = graphminspantree(..., 'Weights', WeightsValue, ...)` lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in matrix  $G$ . The order of the custom weights in the vector must match the order of the nonzero values in matrix  $G$  when it is traversed column-wise. By default, `graphminspantree` gets weight information from the nonzero entries in matrix  $G$ .

## Examples

- 1 Create and view an undirected graph with 6 nodes and 11 edges.


```
W = [.41 .29 .51 .32 .50 .45 .38 .32 .36 .29 .21];  
DG = sparse([1 1 2 2 3 4 4 5 5 6 6],[2 6 3 5 4 1 6 3 4 2 5],W);
```

```
UG = tril(DG + DG')
UG =
```

(2,1)	0.4100
(4,1)	0.4500
(6,1)	0.2900
(3,2)	0.5100
(5,2)	0.3200
(6,2)	0.2900
(4,3)	0.5000
(5,3)	0.3200
(5,4)	0.3600
(6,4)	0.3800
(6,5)	0.2100

```
view(biograph(UG,[],'ShowArrows','off','ShowWeights','on'))
```

# graphminspantree



**2** Find and view the minimal spanning tree of the undirected graph.

```
[ST,pred] = graphminspantree(UG)
```

ST =

(6,1)	0.2900
(6,2)	0.2900
(5,3)	0.3200
(5,4)	0.3600




(6,5)      0.2100

pred =

0      6      5      5      6      1

view(biograph(ST,[],'ShowArrows','off','ShowWeights','on'))



## References

- [1] Kruskal, J.B. (1956). On the Shortest Spanning Subtree of a Graph and the Traveling Salesman Problem. *Proceedings of the American Mathematical Society* 7, 48-50.
- [2] Prim, R. (1957). Shortest Connection Networks and Some Generalizations. *Bell System Technical Journal* 36, 1389-1401.
- [3] Siek, J.G. Lee, L-Q, and Lumsdaine, A. (2002). *The Boost Graph Library User Guide and Reference Manual*, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisdag`, `graphisomorphism`, `graphisspantree`, `graphmaxflow`, `graphpred2path`, `graphshortestpath`, `graphtopoorder`, `graphtraverse`

Bioinformatics Toolbox method of `biograph` object: `minspantree`

**Purpose** Convert predecessor indices to paths

**Syntax** `path = graphpred2path(pred, D)`

**Arguments**

*pred* Row vector or matrix of predecessor node indices. The value of the root (or source) node in *pred* must be 0.

*D* Destination node in *pred*.

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`path = graphpred2path(pred, D)` traces back a path by following the predecessor list in *pred* starting at destination node *D*.

The value of the root (or source) node in *pred* must be 0. If a NaN is found when following the predecessor nodes, `graphpred2path` returns an empty path.

If <i>pred</i> is a ...	And <i>D</i> is a ...	Then <i>path</i> is a ...
row vector of predecessor node indices	scalar	row vector listing the nodes from the root (or source) to <i>D</i> .
	row vector	row cell array with every column containing the path to the destination for every element in <i>D</i> .

If <i>pred</i> is a ...	And <i>D</i> is a ...	Then <i>path</i> is a ...
matrix	scalar	column cell array with every row containing the path for every row in <i>pred</i> .
	row vector	matrix cell array with every row containing the paths for the respective row in <i>pred</i> , and every column containing the paths to the respective destination in <i>D</i> .

**Note** If *D* is omitted, the paths to all the destinations are calculated for every predecessor listed in *pred*.


Examples

- 1 Create a phytree object from the phylogenetic tree file for the GLR\_HUMAN protein.

```
tr = phytread('pf00002.tree')
Phylogenetic tree object with 33 leaves (32 branches)
```

- 2 View the phytree object.

```
view(tr)
```



- 3 From the phytree object, create a connection matrix to represent the phylogenetic tree.

```
[CM,labels,dist] = getmatrix(tr);
```

- 4 Find the nodes from the root to one leaf in the phylogenetic tree created from the phylogenetic tree file for the GLR\_HUMAN protein.

```
root_loc = size(CM,1)
```

```
root_loc =
```

```
65

glr_loc = strmatch('GLR',labels)

glr_loc =

28

[T,PRED]=graphminspantree(CM,root_loc);
PATH = graphpred2path(PRED,glr_loc)

PATH =

65    64    53    52    46    45    44    43    28
```

References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

See Also

Bioinformatics Toolbox functions: graphallshortestpaths, graphconncomp, graphisdag, graphisomorphism, graphisspanntree, graphmaxflow, graphminspantree, graphshortestpath, graphtopoorder, graphtraverse

## Purpose

Solve shortest path problem in graph

## Syntax

```
[dist, path, pred] = graphshortestpath(G, S)
[dist, path, pred] = graphshortestpath(G, S, T)
[...] = graphshortestpath(..., 'Directed', DirectedValue, ...)
[...] = graphshortestpath(..., 'Method', MethodValue, ...)
[...] = graphshortestpath(..., 'Weights', WeightsValue, ...)
```

## Arguments

<i>G</i>	N-by-N sparse matrix that represents a graph. Nonzero entries in matrix <i>G</i> represent the weights of the edges.
<i>S</i>	Node in <i>G</i> .
<i>T</i>	Node in <i>G</i> .
<i>DirectedValue</i>	Property that indicates whether the graph is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .
<i>MethodValue</i>	String that specifies the algorithm used to find the shortest path. Choices are: <ul style="list-style-type: none"> <li>• 'Bellman-Ford' — Assumes weights of the edges to be nonzero entries in sparse matrix <i>G</i>. Time complexity is <math>O(N \cdot E)</math>, where <i>N</i> and <i>E</i> are the number of nodes and edges respectively.</li> <li>• 'BFS' — Breadth-first search. Assumes all weights to be equal, and nonzero entries in sparse matrix <i>G</i> to represent edges. Time complexity is <math>O(N+E)</math>, where <i>N</i> and <i>E</i> are the number of nodes and edges respectively.</li> <li>• 'Acyclic' — Assumes <i>G</i> to be a directed acyclic graph and that weights of the edges are nonzero entries in sparse matrix <i>G</i>. Time complexity is <math>O(N+E)</math>, where <i>N</i> and <i>E</i> are the number of nodes and edges respectively.</li> </ul>

- 'Dijkstra' — Default algorithm. Assumes weights of the edges to be positive values in sparse matrix *G*. Time complexity is  $O(\log(N)*E)$ , where *N* and *E* are the number of nodes and edges respectively.

*WeightsValue* Column vector that specifies custom weights for the edges in matrix *G*. It must have one entry for every nonzero value (edge) in matrix *G*. The order of the custom weights in the vector must match the order of the nonzero values in matrix *G* when it is traversed column-wise. This property lets you use zero-valued weights. By default, `graphshortestpaths` gets weight information from the nonzero entries in matrix *G*.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[dist, path, pred] = graphshortestpath(G, S)` determines the single-source shortest paths from node *S* to all other nodes in the graph represented by matrix *G*. Input *G* is an *N*-by-*N* sparse matrix that represents a graph. Nonzero entries in matrix *G* represent the weights of the edges. *dist* are the *N* distances from the source to every node (using `Inf`s for nonreachable nodes and 0 for the source node). *path* contains the winning paths to every node. *pred* contains the predecessor nodes of the winning paths.

`[dist, path, pred] = graphshortestpath(G, S, T)` determines the single source-single destination shortest path from node *S* to node *T*.

`[...] = graphshortestpath(..., 'PropertyName', PropertyValue, ...)` calls `graphshortestpath` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must



be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

[...] = graphshortestpath(..., 'Directed', *DirectedValue*, ...) indicates whether the graph is directed or undirected. Set *DirectedValue* to false for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is true.

[...] = graphshortestpath(..., 'Method', *MethodValue*, ...) lets you specify the algorithm used to find the shortest path. Choices are:

- 'Bellman-Ford' — Assumes weights of the edges to be nonzero entries in sparse matrix *G*. Time complexity is  $O(N \cdot E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'BFS' — Breadth-first search. Assumes all weights to be equal, and nonzero entries in sparse matrix *G* to represent edges. Time complexity is  $O(N + E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'Acyclic' — Assumes *G* to be a directed acyclic graph and that weights of the edges are nonzero entries in sparse matrix *G*. Time complexity is  $O(N + E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'Dijkstra' — Default algorithm. Assumes weights of the edges to be positive values in sparse matrix *G*. Time complexity is  $O(\log(N) \cdot E)$ , where *N* and *E* are the number of nodes and edges respectively.

[...] = graphshortestpath(..., 'Weights', *WeightsValue*, ...) lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in matrix *G*. The order of the custom weights in the vector must match the order of the nonzero values in matrix *G* when it is traversed column-wise. This property lets you use zero-valued weights. By default, graphshortestpath gets weight information from the nonzero entries in matrix *G*.

## Examples

### Finding the Shortest Path in a Directed Graph


**1** Create and view a directed graph with 6 nodes and 11 edges.

```
W = [.41 .99 .51 .32 .15 .45 .38 .32 .36 .29 .21];
DG = sparse([6 1 2 2 3 4 4 5 5 6 1],[2 6 3 5 4 1 6 3 4 3 5],W)
```

DG =

(4,1)	0.4500
(6,2)	0.4100
(2,3)	0.5100
(5,3)	0.3200
(6,3)	0.2900
(3,4)	0.1500
(5,4)	0.3600
(1,5)	0.2100
(2,5)	0.3200
(1,6)	0.9900
(4,6)	0.3800

```
h = view(biograph(DG,[],'ShowWeights','on'))
Biograph object with 6 nodes and 11 edges.
```



**2** Find the shortest path in the graph from node 1 to node 6.

```
[dist,path,pred] = graphshortestpath(DG,1,6)
```

```
dist =
```

```
0.9500
```

```
path =
```

## graphshortestpath

---


1      5      4      6

pred =

0      6      5      5      1      4

- 3** Mark the nodes and edges of the shortest path by coloring them red and increasing the line width.

```
set(h.Nodes(path), 'Color', [1 0.4 0.4])
edges = getedgesbynodeid(h, get(h.Nodes(path), 'ID'));
set(edges, 'LineColor', [1 0 0])
set(edges, 'LineWidth', 1.5)
```



## Finding the Shortest Path in an Undirected Graph

- 1 Create and view an undirected graph with 6 nodes and 11 edges.

```
UG = tril(DG + DG')
```

```
UG =
```


```
(4,1)    0.4500
(5,1)    0.2100
```

## graphshortestpath

---

(6,1)	0.9900
(3,2)	0.5100
(5,2)	0.3200
(6,2)	0.4100
(4,3)	0.1500
(5,3)	0.3200
(6,3)	0.2900
(5,4)	0.3600
(6,4)	0.3800

```
h = view(biograph(UG,[],'ShowArrows','off','ShowWeights','on'))  
Biograph object with 6 nodes and 11 edges.
```



**2** Find the shortest path in the graph from node 1 to node 6.

```
[dist,path,pred] = graphshortestpath(UG,1,6,'directed',false)
```

```
dist =
```

```
0.8200
```

```
path =
```

# graphshortestpath

---

1      5      3      6


pred =

0      5      5      1      1      3

- 3** Mark the nodes and edges of the shortest path by coloring them red and increasing the line width.

```
set(h.Nodes(path), 'Color', [1 0.4 0.4])
fowEdges = getedgesbynodeid(h, get(h.Nodes(path), 'ID'));
revEdges = getedgesbynodeid(h, get(h.Nodes(fliplr(path)), 'ID'));
edges = [fowEdges; revEdges];
set(edges, 'LineColor', [1 0 0])
set(edges, 'LineWidth', 1.5)
```





## References

- [1] Dijkstra, E.W. (1959). A note on two problems in connexion with graphs. *Numerische Mathematik 1*, 269-271.
- [2] Bellman, R. (1958). On a Routing Problem. *Quarterly of Applied Mathematics 16(1)*, 87-90.
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). *The Boost Graph Library User Guide and Reference Manual*, (Upper Saddle River, NJ:Pearson Education).

# graphshortestpath

---

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisdag`, `graphisomorphism`, `graphissspantree`, `graphmaxflow`, `graphminspantree`, `graphpred2path`, `graphtopoorder`, `graphtraverse`

Bioinformatics Toolbox method of `biograph` object: `shortestpath`

**Purpose** Perform topological sort of directed acyclic graph

**Syntax** `order = graphtopoorder(G)`

**Arguments**

`G` N-by-N sparse matrix that represents a directed acyclic graph. Nonzero entries in matrix `G` indicate the presence of an edge.

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`order = graphtopoorder(G)` returns an index vector with the order of the nodes sorted topologically. In topological order, an edge can exist between a source node `u` and a destination node `v`, if and only if `u` appears before `v` in the vector `order`. `G` is an N-by-N sparse matrix that represents a directed acyclic graph (DAG). Nonzero entries in matrix `G` indicate the presence of an edge.

**Examples**


**1** Create and view a directed acyclic graph (DAG) with six nodes and eight edges.

```
DG = sparse([6 6 6 2 2 3 5 1],[2 5 1 3 4 5 1 4],true,6,6)

DG =

      (5,1)      1
      (6,1)      1
      (6,2)      1
      (2,3)      1
      (1,4)      1
      (2,4)      1
      (3,5)      1
      (6,5)      1
```

```
view(biograph(DG))
```



**2** Find the topological order of the DAG.

```
order = graphtopoorder(DG)
```

```
order =
```

6      2      3      5      1      4


**3** Permute the nodes so that they appear ordered in the graph display.

```
DG = DG(order,order)
```

```
DG =
```

(1,2)	1
(2,3)	1
(1,4)	1
(3,4)	1
(1,5)	1
(4,5)	1
(2,6)	1
(5,6)	1

```
view(biograph(DG))
```



## References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`, `graphconncomp`, `graphisdag`, `graphisomorphism`, `graphisspantree`, `graphmaxflow`, `graphminspantree`, `graphpred2path`, `graphshortestpath`, `graphtraverse`

Bioinformatics Toolbox method of `biograph` object: `topoorder`

**Purpose**

Traverse graph by following adjacent nodes

**Syntax**

```
[disc, pred, closed] = graphtraverse(G, S)
[...] = graphtraverse(G, S, ...'Depth', DepthValue, ...)
[...] = graphtraverse(G, S, ...'Directed', DirectedValue, ...)
[...] = graphtraverse(G, S, ...'Method', MethodValue, ...)
```

**Arguments**

<i>G</i>	N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix <i>G</i> indicate the presence of an edge.
<i>S</i>	Integer that indicates the source node in graph <i>G</i> .
<i>DepthValue</i>	Integer that indicates a node in graph <i>G</i> that specifies the depth of the search. Default is <code>Inf</code> (infinity).
<i>DirectedValue</i>	Property that indicates whether graph <i>G</i> is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .
<i>MethodValue</i>	String that specifies the algorithm used to traverse the graph. Choices are: <ul style="list-style-type: none"><li>• 'BFS' — Breadth-first search. Time complexity is <math>O(N+E)</math>, where <i>N</i> and <i>E</i> are number of nodes and edges respectively.</li><li>• 'DFS' — Default algorithm. Depth-first search. Time complexity is <math>O(N+E)</math>, where <i>N</i> and <i>E</i> are number of nodes and edges respectively.</li></ul>

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[disc, pred, closed] = graphtraverse(G, S)` traverses graph *G* starting from the node indicated by integer *S*. *G* is an N-by-N sparse matrix that represents a directed graph. Nonzero entries in matrix *G* indicate the presence of an edge. *disc* is a vector of node indices in the order in which they are discovered. *pred* is a vector of predecessor node indices (listed in the order of the node indices) of the resulting spanning tree. *closed* is a vector of node indices in the order in which they are closed.

`[...] = graphtraverse(G, S, ...'PropertyName', PropertyValue, ...)` calls `graphtraverse` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[...] = graphtraverse(G, S, ...'Depth', DepthValue, ...)` specifies the depth of the search. *DepthValue* is an integer indicating a node in graph *G*. Default is Inf (infinity).

`[...] = graphtraverse(G, S, ...'Directed', DirectedValue, ...)` indicates whether the graph is directed or undirected. Set *DirectedValue* to false for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is true.

`[...] = graphtraverse(G, S, ...'Method', MethodValue, ...)` lets you specify the algorithm used to traverse the graph. Choices are:

- 'BFS' — Breadth-first search. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.
- 'DFS' — Default algorithm. Depth-first search. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.

## Examples

1 Create a directed graph with 10 nodes and 12 edges.

```
DG = sparse([1 2 3 4 5 5 6 7 8 8 9],...  
            [2 4 1 5 3 6 7 9 8 1 10 2],true,10,10)
```




DG =

(3,1)	1
(8,1)	1
(1,2)	1
(9,2)	1
(5,3)	1
(2,4)	1
(4,5)	1
(5,6)	1
(5,7)	1
(7,8)	1
(6,9)	1
(8,10)	1

h = view(biograph(DG))

Biograph object with 10 nodes and 12 edges.



**2** Traverse the graph to find the depth-first search (DFS) discovery order starting at node 4.


```
order = graphtraverse(DG,4)
```

```
order =
```

```
4      5      3      1      2      6      9      7      8      10
```

**3** Label the nodes with the DFS discovery order.

```
for i = 1:10
    h.Nodes(order(i)).Label = ...
    sprintf('%s:%d',h.Nodes(order(i)).ID,i);
end
h.ShowTextInNodes = 'label'
dolayout(h)
```



- 4** Traverse the graph to find the breadth-first search (BFS) discovery order starting at node 4.


```
order = graphtraverse(DG,4,'Method','BFS')
```

```
order =
```

```
      4      5      3      6      7      1      9      8      2     10
```

- 5** Label the nodes with the BFS discovery order.

```
for i = 1:10
    h.Nodes(order(i)).Label = ...
    sprintf('%s:%d',h.Nodes(order(i)).ID,i);
end
h.ShowTextInNodes = 'label'
dolayout(h)
```




- 6 Find and color nodes that are close to (within two edges of) node 4.

```
node_idx = graphtraverse(DG,4,'depth',2)
```

```
node_idx =
```

```
4    5    3    6    7
```

```
set(h.nodes(node_idx),'Color',[1 0 0])
```



## References

- [1] Sedgewick, R., (2002). Algorithms in C++, Part 5 Graph Algorithms (Addison-Wesley).
- [2] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `graphallshortestpaths`,  
`graphconncomp`, `graphisdag`, `graphisomorphism`, `graphissspantree`,  
`graphmaxflow`, `graphminspantree`, `graphpred2path`,  
`graphshortestpath`, `graphtopoorder`

Bioinformatics Toolbox method of `biograph` object: `traverse`

# gt (DataMatrix)

---

<b>Purpose</b>	Test DataMatrix objects for greater than	
<b>Syntax</b>	$T = \text{gt}(DMObj1, DMObj2)$ $T = DMObj1 > DMObj2$ $T = \text{gt}(DMObj1, B)$ $T = DMObj1 > B$ $T = \text{gt}(B, DMObj1)$ $T = B > DMObj1$	
<b>Arguments</b>	$DMObj1, DMObj2$	DataMatrix objects, such as created by DataMatrix (object constructor).
	$B$	MATLAB numeric or logical array.
<b>Return Values</b>	$T$	Logical matrix of the same size as $DMObj1$ and $DMObj2$ or $DMObj1$ and $B$ . It contains logical 1 (true) where elements in the first input are greater than the corresponding element in the second input, and logical 0 (false) otherwise.
<b>Description</b>	$T = \text{gt}(DMObj1, DMObj2)$ or the equivalent $T = DMObj1 > DMObj2$ compares each element in DataMatrix object $DMObj1$ to the corresponding element in DataMatrix object $DMObj2$ , and returns $T$ , a logical matrix of the same size as $DMObj1$ and $DMObj2$ , containing logical 1 (true) where elements in $DMObj1$ are greater than the corresponding element in $DMObj2$ , and logical 0 (false) otherwise. $DMObj1$ and $DMObj2$ must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). $DMObj1$ and $DMObj2$ can have different Name properties.  $T = \text{gt}(DMObj1, B)$ or the equivalent $T = DMObj1 > B$ compares each element in DataMatrix object $DMObj1$ to the corresponding element in $B$ , a numeric or logical array, and returns $T$ , a logical matrix of the same size as $DMObj1$ and $B$ , containing logical 1 (true) where elements	



in *DMObj1* are greater than the corresponding element in *B*, and logical 0 (false) otherwise. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{gt}(B, \text{DMObj1})$  or the equivalent  $T = B > \text{DMObj1}$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are greater than the corresponding element in *DMObj1*, and logical 0 (false) otherwise. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{gt}(X, Y)$  for the syntax  $T = X > Y$  when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `lt`

# HeatMap object

---

**Purpose**

Object containing matrix and heat map display properties

**Description**

A HeatMap object contains data and display properties that you can view in a heat map (2-D color image).

Create a HeatMap object using the object constructor function `HeatMap`. View a graphical representation of the HeatMap object in a heat map using the `view` method.

The HeatMap class is a superclass of the clustergram class.

**Method Summary**

Following are methods of a HeatMap object:

<code>addTitle (HeatMap)</code>	Add title to heat map
<code>addXLabel (HeatMap)</code>	Label x-axis of heat map
<code>addYLabel (HeatMap)</code>	Label y-axis of heat map
<code>plot (HeatMap)</code>	Render heat map for HeatMap object
<code>view (HeatMap)</code>	View heat map of HeatMap object

**Property Summary**

**Properties for Heat Map Creation**

Property Name	Description
Standardize	<p>String or number specifying the dimension for standardizing the data values. The standardized values are transformed so that the mean is 0 and the standard deviation is 1 in the specified dimension. Choices are:</p> <ul style="list-style-type: none"><li>'column' or 1 — Standardize along the columns of data.</li><li>'row' or 2 — Standardize along the rows of data.</li></ul>

Properties for Heat Map Creation (Continued)

Property Name	Description
	<ul style="list-style-type: none"><li>'none' or 3 (default) — Do not standardize.</li></ul>
Colormap	<p>Either of the following:</p> <ul style="list-style-type: none"><li><i>M</i>-by-3 matrix of RGB values</li><li>Name or function handle of a function that returns a colormap, such as redgreenmap or redbluecmap</li></ul> <p>Default is redgreenmap.</p>
DisplayRange	<p>Positive scalar specifying the display range of standardized values. Default is the maximum absolute value in the input matrix.</p> <p>For example, if you specify 3, there is a color variation for values between <math>-3</math> and <math>3</math>, but values <math>&gt;3</math> are the same color as <math>3</math>, and values <math>&lt;-3</math> are the same color as <math>-3</math>.</p> <p>For example, if you specify redgreenmap for the 'Colormap' property, pure red represents values <math>\geq DisplayRangeValue</math>, and pure green represents values <math>\leq -DisplayRangeValue</math>.</p>

# HeatMap object

---

## Properties for Heat Map Creation (Continued)

Property Name	Description
Symmetric	Forces the color scale of the heat map to be symmetric around zero. Choices are <code>true</code> (default) or <code>false</code> .
ImputeFun	One of the following: <ul style="list-style-type: none"><li>• Name of a function that imputes missing data.</li><li>• Handle to a function that imputes missing data.</li><li>• Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.</li></ul>

## Properties for Row and Column Labels

Property Name	Description
RowLabels	Vector of numbers or cell array of text strings to label the rows in the heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of rows in <i>Data</i> , the matrix of data used by the <code>HeatMap</code> function to create the <code>HeatMap</code> object.
ColumnLabels	Vector of numbers or cell array of text strings to label the columns in the heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of columns in <i>Data</i> , the matrix of data used by the <code>HeatMap</code> function to create the <code>HeatMap</code> object.

Properties for Row and Column Labels (Continued)

Property Name	Description
ColumnLabelsLocation	String specifying the location of the column labels. Choices are 'top' or 'bottom' (default).
RowLabelsLocation	String specifying the location of the row labels. Choices are 'left' (default) or 'right'.
RowLabelsColor	<p>Structure or structure array containing color information for labeling the rows (<i>y</i>-axis) of the heat map. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <b>Labels</b> — String specifying a row label listed in the <b>RowLabels</b> vector.</li><li>• <b>Colors</b> — String or three-element vector of RGB values specifying a color for the row label specified in the <b>Labels</b> field. For more information on specifying colors, see <b>ColorSpec</b>. If this field is empty, default colors are assigned to the row label.</li></ul>
ColumnLabelsColor	<p>Structure or structure array containing color information for labeling the columns (<i>x</i>-axis) of the heat map. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain one element:</p> <ul style="list-style-type: none"><li>• <b>Labels</b> — String specifying a column label listed in the <b>ColumnLabels</b> vector.</li><li>• <b>Colors</b> — String or three-element vector of RGB values specifying a color for the column label specified in the <b>Labels</b> field. For more information on specifying colors,</li></ul>

# HeatMap object

---

## Properties for Row and Column Labels (Continued)

Property Name	Description
	see ColorSpec. If this field is empty, default colors are assigned to the column label.
LabelsWithMarkers	Controls the display of colored markers instead of colored text for the row labels and column labels. Choices are true or false (default).
RowLabelsRotate	Numeric value in degrees rotation specifying the orientation of row (y-axis) labels. Default is 0 degrees, which is horizontal. Positive values cause counterclockwise rotation.
ColumnLabelsRotate	Numeric value in degrees rotation specifying the orientation of column (x-axis) labels. Default is 90 degrees, which is vertical. Values greater than 90 degrees cause counterclockwise rotation.

## Properties for Annotating Data

Property Name	Description
Annotate	Controls the display of intensity values on each area of the heat map. Choices are true or false (default).
AnnotPrecision	Positive integer specifying the precision of the intensity values when displayed on the heat map. Default is 2.
AnnotColor	String or three-element vector of RGB values specifying a color for the text of the intensity values when displayed on the heat map. Default is 'white'. For more information on specifying colors, see ColorSpec.

## Examples

---

**Note** The following examples use the `get` and `set` methods with property names and values of a HeatMap object. When supplying a *PropertyName*, be aware that it is case sensitive.

---

### Determining Properties and Property Values of a HeatMap Object

Display all properties and their current values of a HeatMap object, *HMobj*:

```
get(HMobj)
```

Return all properties and their current values of *HMobj*, a HeatMap object, to *CGstruct*, a scalar structure in which each field name is a property of a HeatMap object, and each field contains the value of that property.

```
CGstruct = get(HMobj)
```

Return the value of a specific property of a HeatMap object, *HMobj*, using either:

```
PropertyValue = get(HMobj, 'PropertyName')
```

```
PropertyValue = HMobj.PropertyName
```

Return the value of specific properties of a HeatMap object, *HMobj*:

```
[Property1Value, Property2Value, ...] = get(HMobj, ...  
'Property1Name', 'Property2Name', ...)
```

### Determining Possible Values of HeatMap Object Properties

Display possible values for all properties that have a fixed set of property values in a HeatMap object, *HMobj*:

```
set(HMobj)
```

# HeatMap object

---

Display possible values for a specific property that has a fixed set of property values in a HeatMap object, *HMobj*:

```
set(HMobj, 'PropertyName')
```

## Specifying Properties of a HeatMap Object

Set a specific property of a HeatMap object, *HMobj*, using either:

```
set(HMobj, 'PropertyName', PropertyValue)
```

```
HMobj.PropertyName = PropertyValue
```

Set multiple properties of a HeatMap object, *HMobj*:

```
set(HMobj, 'Property1Name', Property1Value, ...  
      'Property2Name', Property2Value, ...)
```

## See Also

Bioinformatics Toolbox function: `HeatMap` (object constructor)

Bioinformatics Toolbox methods of a HeatMap object: `addTitle`, `addXLabel`, `addYLabel`, `plot`, `view`

MATLAB function: `display`



**Purpose**

Display heat map of matrix data and create HeatMap object

**Syntax**

```

HMObj = HeatMap(Data)
HeatMap(Data, ...'RowLabels', RowLabelsValue, ...)
HeatMap(Data, ...'ColumnLabels', ColumnLabelsValue, ...)
HeatMap(Data, ...'Standardize', StandardizeValue, ...)
HeatMap(Data, ...'Colormap', ColormapValue, ...)
HeatMap(Data, ...'DisplayRange', DisplayRangeValue, ...)
HeatMap(Data, ...'Symmetric', SymmetricValue, ...)
HeatMap(Data, ...'ImputeFun', ImputeFunValue, ...)
HeatMap(Data, ...'RowLabelsColor',
RowLabelsColorValue, ...)
HeatMap(Data, ...'ColumnLabelsColor',
ColumnLabelsColorValue,
...)
HeatMap(Data, ...'LabelsWithMarkers',
LabelsWithMarkersValue,
...)

```

**Arguments**

<i>Data</i>	DataMatrix object or numeric matrix of data.
<i>RowLabelsValue</i>	Vector of numbers or cell array of text strings to label the rows in the heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of rows in <i>Data</i> .
<i>ColumnLabelsValue</i>	Vector of numbers or cell array of text strings to label the columns in the heat map. Default is a vector of values 1 through $N$ , where $N$ is the number of columns in <i>Data</i> .

## *StandardizeValue*

String or number specifying the dimension for standardizing the values in *Data*. The `HeatMap` function transforms the standardized values so that the mean is 0 and the standard deviation is 1 in the specified dimension. Choices are:

- 'column' or 1 — Standardize along the columns of data.
- 'row' or 2 — Standardize along the rows of data.
- 'none' or 3 (default) — Do not standardize.

## *ColormapValue*

Either of the following:

- *M*-by-3 matrix of RGB values
- Name of or handle to a function that returns a colormap, such as `redgreencmap` or `redbluecmap`

Default is `redgreencmap`, in which red represents values above the mean, black represents the mean, and green represents values below the mean of a row (gene) across all columns (samples).

*DisplayRangeValue*

Positive scalar that specifies the display range of standardized values. Default is the maximum absolute value in the input *Data*.

For example, if you specify 3, there is a color variation for values between  $-3$  and  $3$ , but values  $>3$  are the same color as  $3$ , and values  $<-3$  are the same color as  $-3$ .

For example, if you specify `redgreencmap` for the 'Colormap' property, pure red represents values  $\geq \text{DisplayRangeValue}$ , and pure green represents values  $\leq -\text{DisplayRangeValue}$ .

*SymmetricValue*

Forces the color scale of the heat map to be symmetric around zero. Choices are `true` (default) or `false`.

*ImputeFunValue*

One of the following:

- Name of a function that imputes missing data.
- Handle to a function that imputes missing data.
- Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.

---

**Tip** If data points are missing, you can use the 'ImputeFun' property to impute the missing values.

---

*RowLabelsColorValue* Structure or structure array containing color information for labeling the rows (y-axis) of the heat map. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain a single element.

- **Labels** — String specifying a row label listed in the **RowLabels** vector.
- **Colors** — String or three-element vectors of RGB values specifying a color for the row label you specified in the **Labels** field. For more information on specifying colors, see **ColorSpec**. If this field is empty, default colors are assigned to the row label.

*ColumnLabelsColorValue* Structure or structure array containing color information for labeling the columns (x-axis) of the heat map. The structure or structures contain the following fields. If a single structure, then the fields contain a cell array of elements. If a structure array, then the fields contain a single element.

- **Labels** — String specifying a column label listed in the **ColumnLabels** vector.
- **Colors** — String or three-element vector of RGB values specifying a color for

the column label you specified in the `Labels` field. For more information on specifying colors, see `ColorSpec`. If this field is empty, default colors are assigned to the column label.

*LabelsWithMarkersValue* Controls the display of colored markers instead of colored text for the row labels and column labels. Choices are `true` or `false` (default).

## Description

*HMObj* = `HeatMap(Data)` displays a heat map (2-D color image) of the data and returns an object containing the data and display properties.

`HeatMap(Data, ... 'PropertyName', PropertyValue, ...)` calls `HeatMap` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`HeatMap(Data, ... 'RowLabels', RowLabelsValue, ...)` uses the contents of *RowLabelsValue*, a vector of numbers or cell array of text strings, as labels for the rows in the heat map. Default is a vector of values 1 through *M*, where *M* is the number of rows in *Data*.

`HeatMap(Data, ... 'ColumnLabels', ColumnLabelsValue, ...)` uses the contents of *ColumnLabelsValue*, a vector of numbers or cell array of text strings, as labels for the columns in the heat map. Default is a vector of values 1 through *M*, where *M* is the number of columns in *Data*.

`HeatMap(Data, ... 'Standardize', StandardizeValue, ...)` specifies the dimension for standardizing the values in *Data*. The `HeatMap` function transforms the standardized values are so that the mean is 0 and the standard deviation is 1 in the specified dimension. *StandardizeValue* can be:

- 'column' or 1 — Standardize along the columns of data.

- 'row' or 2 — Standardize along the rows of data.
- 'none' or 3 (default) — Do not standardize.

`HeatMap(Data, ...'Colormap', ColormapValue, ...)` specifies the colormap to use to create the heat map. The colormap controls the colors used to display the heat map. *ColormapValue* is either an  $M$ -by-3 matrix of RGB values or the name of or handle to a function that returns a colormap, such as `redgreencmap` or `redbluecmap`. Default is `redgreencmap`.

---

**Note** In `redgreencmap`, red represents values above the mean, black represents the mean, and green represents values below the mean of a row (gene) across all columns (samples). In `redbluecmap`, red represents values above the mean, white represents the mean, and blue represents values below the mean of a row (gene) across all columns (samples).

---

`HeatMap(Data, ...'DisplayRange', DisplayRangeValue, ...)` specifies the display range of standardized values. *DisplayRangeValue* must be a positive scalar. Default is the maximum absolute value in the input *Data*. For example, if you specify 3, there is a color variation for values between  $-3$  and 3, but values  $>3$  are the same color as 3, and values  $<-3$  are the same color as  $-3$ .

For example, if you specify `redgreencmap` for the 'Colormap' property, pure red represents values  $\geq$  *DisplayRangeValue*, and pure green represents values  $\leq -$ *DisplayRangeValue*.

`HeatMap(Data, ...'Symmetric', SymmetricValue, ...)` controls whether the color scale of the heat map is symmetric around zero. *SymmetricValue* can be `true` (default) or `false`.

`HeatMap(Data, ...'ImputeFun', ImputeFunValue, ...)` specifies a function and optional inputs that impute missing data. *ImputeFunValue* can be any of the following:

- Name of a function that imputes missing data.

- Handle to a function that imputes missing data.
- Cell array where the first element is the name of or handle to a function that imputes missing data. The remaining elements are property name/property value pairs used as inputs to the function.

---

**Tip** If data points are missing, you can use the 'ImputeFun' property to impute the missing values.

---

`HeatMap(Data, ... 'RowLabelsColor', RowLabelsColorValue, ...)` specifies color information for labeling the rows (*y*-axis) of the heat map.

`HeatMap(Data, ... 'ColumnLabelsColor', ColumnLabelsColorValue, ...)` specifies color information for labeling the columns (*x*-axis) of the heat map.

`HeatMap(Data, ... 'LabelsWithMarkers', LabelsWithMarkersValue, ...)` controls the display of colored markers instead of colored text for the row labels and column labels. Choices are `true` or `false` (default).


## Examples

Create a matrix of data and use the `HeatMap` function to display a 2-D color image of the data.

```
data = gallery('invhess',20);  
hmo = HeatMap(data)
```

# HeatMap

---



## See Also

Bioinformatics Toolbox functions: `redbluecmap`, `redgreencmap`

Bioinformatics Toolbox object: `HeatMap` object

Bioinformatics Toolbox methods of a `HeatMap` object: `addTitle`, `addXLabel`, `addYLabel`, `plot`, `view`



**Purpose** Align query sequence to profile using hidden Markov model alignment

**Syntax**

```
Score = hmmprofalign(Model, Seq)
[Score, Alignment] = hmmprofalign(Model, Seq)
[Score, Alignment, Pointer] = hmmprofalign(Model, Seq)
hmmprofalign(..., 'ShowScore', ShowScoreValue, ...)
hmmprofalign(..., 'Flanks', FlanksValue, ...)
hmmprofalign(..., 'ScoreFlanks', ScoreFlanksValue, ...)
hmmprofalign(..., 'ScoreNullTransitions',
    ScoreNullTransitionsValue, ...)
```

<b>Arguments</b>	<i>Model</i>	Hidden Markov model created with the function <code>hmmprofstruct</code> .
	<i>Seq</i>	Amino acid or nucleotide sequence. You can also enter a structure with the field <code>Sequence</code> .
	<i>ShowScoreValue</i>	Controls the display of the scoring space and the winning path. Choices are <code>true</code> or <code>false</code> (default).
	<i>FlanksValue</i>	Controls the inclusion of the symbols generated by the FLANKING INSERT states in the output sequence. Choices are <code>true</code> or <code>false</code> (default).
	<i>ScoreFlanksValue</i>	Controls the inclusion of the transition probabilities for the flanking states in the raw score. Choices are <code>true</code> or <code>false</code> (default).
	<i>ScoreNullTransitionsValue</i>	Controls the adjustment of the raw score using the null model for transitions ( <code>Model.NullX</code> ). Choices are <code>true</code> or <code>false</code> (default).

## Description

`Score = hmmprofalign(Model, Seq)` returns the score for the optimal alignment of the query amino acid or nucleotide sequence (*Seq*) to the profile hidden Markov model (*Model*). Scores are computed using log-odd ratios for emission probabilities and log probabilities for state transitions.

`[Score, Alignment] = hmmprofalign(Model, Seq)` also returns a string showing the optimal profile alignment.

Uppercase letters and dashes correspond to MATCH and DELETE states respectively (the combined count is equal to the number of states in the model). Lowercase letters are emitted by the INSERT states. For more information about the HMM profile, see `hmmprofstruct`.

`[Score, Alignment, Pointer] = hmmprofalign(Model, Seq)` also returns a vector of the same length as the profile model with indices pointing to the respective symbols of the query sequence. Null pointers (NaN) mean that such states did not emit a symbol in the aligned sequence because they represent model jumps from the BEGIN state of a MATCH state, model jumps from the from a MATCH state to the END state, or because the alignment passed through DELETE states.

`hmmprofalign(..., 'PropertyName', PropertyValue, ...)` calls `hmmprofalign` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`hmmprofalign(..., 'ShowScore', ShowScoreValue, ...)`, when *ShowScoreValue* is true, displays the scoring space and the winning path.

`hmmprofalign(..., 'Flanks', FlanksValue, ...)`, when *FlanksValue* is true, includes the symbols generated by the FLANKING INSERT states in the output sequence.

`hmmprofalign(..., 'ScoreFlanks', ScoreFlanksValue, ...)`, when *ScoreFlanksValue* is true, includes the transition probabilities for the flanking states in the raw score.

`hmmprofalign(..., 'ScoreNullTransitions',  
ScoreNullTransitionsValue, ...)`, when  
*ScoreNullTransitionsValue* is true, adjusts the raw score using the  
null model for transitions (`Model.NullX`).

---

**Note** Multiple target alignment is not supported in this  
implementation. All the `Model.LoopX` probabilities are ignored.

---

## Examples

```
% load a model example  
load('hmm_model_examples','model_7tm_2')  
% load a sequence example  
load('hmm_model_examples','sequences')  
SCCR_RABIT=sequences(2).Sequence;  
[a,s]=hmmprofalign(model_7tm_2,SCCR_RABIT,'showscore',true)
```

## See Also

Bioinformatics Toolbox functions `gethmmprof`, `hmmprofestimate`,  
`hmmprofgenerate`, `hmmprofgenerate`, `hmmprofstruct`, `pfamhmmread`,  
`showhmmprof`, `multialign`, `profalign`

# hmmprofestimate

---

**Purpose** Estimate profile hidden Markov model (HMM) parameters using pseudocounts

**Syntax** `hmmprofestimate(Model, MultipleAlignment, 'PropertyName', PropertyValue...)`

`hmmprofestimate(..., 'A', AValue)`  
`hmmprofestimate(..., 'Ax', AxValue)`  
`hmmprofestimate(..., 'BE', BEValue)`  
`hmmprofestimate(..., 'BDx', BDxValue)`

**Arguments**

Model	Hidden Markov model created with the function <code>hmmprofstruc</code> .
MultipleAlignment	Array of sequences. Sequences can also be a structured array with the aligned sequences in a field <code>Aligned</code> or <code>Sequences</code> , and the optional names in a field <code>Header</code> or <code>Name</code> .
A	Property to set the pseudocount weight A. Default value is 20.
Ax	Property to set the pseudocount weight Ax. Default value is 20.
BE	Property to set the background symbol emission probabilities. Default values are taken from <code>Model.NullEmission</code> .
BMx	Property to set the background transition probabilities from any MATCH state ( <code>[M-&gt;M M-&gt;I M-&gt;D]</code> ). Default values are taken from <code>hmmprofstruct</code> .
BDx	Property to set the background transition probabilities from any DELETE state ( <code>[D-&gt;M D-&gt;D]</code> ). Default values are taken from <code>hmmprofstruct</code> .

## Description

`hmmprofestimate(Model, MultipleAlignment, 'PropertyName', PropertyValue...)` returns a structure with the fields containing the updated estimated parameters of a profile HMM. Symbol emission and state transition probabilities are estimated using the real counts and weighted pseudocounts obtained with the background probabilities. Default weight is A=20, the default background symbol emission for match and insert states is taken from `Model.NullEmission`, and the default background transition probabilities are the same as default transition probabilities returned by `hmmprofstruct`.

Model Construction: Multiple aligned sequences should contain uppercase letters and dashes indicating the model MATCH and DELETE states agreeing with `Model.ModelLength`. If model state annotation is missing, but `MultipleAlignment` is space aligned, then a "maximum entropy" criteria is used to select `Model.ModelLength` states.

---

**Note** Insert and flank insert transition probabilities are not estimated, but can be modified afterwards using `hmmprofstruct`.

---

`hmmprofestimate(..., 'A', AValue)` sets the pseudocount weight A = *Avalue* when estimating the symbol emission probabilities. Default value is 20.

`hmmprofestimate(..., 'Ax', AxValue)` sets the pseudocount weight Ax = *Axvalue* when estimating the transition probabilities. Default value is 20.

`hmmprofestimate(..., 'BE', BEValue)` sets the background symbol emission probabilities. Default values are taken from `Model.NullEmission`.

`hmmprofestimate(..., 'BMx', BMxValue)` sets the background transition probabilities from any MATCH state ([M->M M->I M->D]). Default values are taken from `hmmprofstruct`.

# hmmprofestimate

---

`hmmprofestimate(..., 'BDx', BDxValue)` sets the background transition probabilities from any DELETE state ([D->M D->D]). Default values are taken from `hmmprofstruct`.

## See Also

Bioinformatics Toolbox functions: `hmmprofalign`, `hmmprofstruct`, `showhmmprof`

## Purpose

Generate random sequence drawn from profile hidden Markov model (HMM)

## Syntax

```
Sequence = hmmprofgenerate(Model)
[Sequence, Profptr] = hmmprofgenerate(Model)
... = hmmprofgenerate(Model, ...'Align', AlignValue, ...)
... = hmmprofgenerate(Model, ...'Flanks', FlanksValue, ...)
... = hmmprofgenerate(Model, ...'Signature', SignatureValue,
    ...)
```

## Arguments

<i>Model</i>	Hidden Markov model created with the <code>hmmprofstruct</code> function.
<i>AlignValue</i>	Controls the use of uppercase letters for matches and lowercase letters for inserted letters. Choices are <code>true</code> or <code>false</code> (default).
<i>FlanksValue</i>	Controls the inclusion of the symbols generated by the FLANKING INSERT states in the output sequence. Choices are <code>true</code> or <code>false</code> (default).
<i>SignatureValue</i>	Controls the return of the most likely path and symbols. Choices are <code>true</code> or <code>false</code> (default).

## Description

`Sequence = hmmprofgenerate(Model)` returns the string *Sequence* showing a sequence of amino acids or nucleotides drawn from the profile *Model*. The length, alphabet, and probabilities of the *Model* are stored in a structure. For more information about this structure, see `hmmprofstruct`.

`[Sequence, Profptr] = hmmprofgenerate(Model)` returns a vector of the same length as the profile model pointing to the respective states in the output sequence. Null pointers (0) mean that such states do not exist in the output sequence, either because they are never touched (i.e., jumps from the BEGIN state to MATCH states or from MATCH states to the

# hmmprofgenerate

---

END state), or because DELETE states are not in the output sequence (not aligned output; see below).

`... = hmmprofgenerate(Model, ...'PropertyName', PropertyValue, ...)` calls `hmmprofgenerate` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`... = hmmprofgenerate(Model, ...'Align', AlignValue, ...)` if *Align* is true, the output sequence is aligned to the model as follows: uppercase letters and dashes correspond to MATCH and DELETE states respectively (the combined count is equal to the number of states in the model). Lowercase letters are emitted by the INSERT or FLANKING INSERT states. If *AlignValue* is false, the output is a sequence of uppercase symbols. The default value is true.

`... = hmmprofgenerate(Model, ...'Flanks', FlanksValue, ...)` if *Flanks* is true, the output sequence includes the symbols generated by the FLANKING INSERT states. The default value is false.

`... = hmmprofgenerate(Model, ...'Signature', SignatureValue, ...)` if *SignatureValue* is true, returns the most likely path and symbols. The default value is false.

## Examples

```
load('hmm_model_examples','model_7tm_2') % load a model example
rand_sequence = hmmprofgenerate(model_7tm_2)
```

## See Also

Bioinformatics Toolbox functions: `hmmprofalign`, `hmmprofstruct`, `showhmmprof`



**Purpose** Concatenate prealigned strings of several sequences to profile hidden Markov model (HMM)

**Syntax** `hmmprofmerge(Sequences)`  
`hmmprofmerge(Sequences, Names)`  
`hmmprofmerge(Sequences, Names, Scores)`

**Arguments**

<i>Sequences</i>	Array of sequences. <i>Sequences</i> can also be a structured array with the aligned sequences in a field <i>Aligned</i> or <i>Sequences</i> , and the optional names in a field <i>Header</i> or <i>Name</i> .
<i>Names</i>	Names for the sequences. Enter a vector of names.
<i>Scores</i>	Pairwise alignment scores from the function <code>hmmprofalign</code> . Enter a vector of values with the same length as the number of sequences in <i>Sequences</i> .

**Description** `hmmprofmerge(Sequences)` displays a set of prealigned sequences to an HMM model profile. The output is aligned corresponding to the HMM states.

- Match states — Uppercase letters
- Insert states — Lowercase letters or asterisks (\*)
- Delete states — Dashes

Periods (.) are added at positions corresponding to inserts in other sequences. The input sequences must have the same number of profile states, that is, the joint count of capital letters and dashes must be the same.

`hmmprofmerge(Sequences, Names)` labels the sequences with *Names*.

`hmmprofmerge(Sequences, Names, Scores)` sorts the displayed sequences using *Scores*.

# hmmprofmerge

---

## Examples

```
load('hmm_model_examples','model_7tm_2') %load model
load('hmm_model_examples','sequences') %load sequences

for ind =1:length(sequences)
    [scores(ind),sequences(ind).Aligned] =...
        hmmprofalign(model_7tm_2,sequences(ind).Sequence);
end
hmmprofmerge(sequences, scores)
```

## See Also

Bioinformatics Toolbox functions: `hmmprofalign`, `hmmprofstruct`

<b>Purpose</b>	Create or edit hidden Markov model (HMM) profile structure		
<b>Syntax</b>	<pre>Model = hmmprofstruct(Length) Model = hmmprofstruct(Length, Field1, Field1Value, Field2,     Field2Value, ...) NewModel = hmmprofstruct(Model, Field1,     Field1Value, Field2,     Field2Value, ...)</pre>		
<b>Arguments</b>	<i>Length</i>	Number of match states in the model.	
	<i>Model</i>	MATLAB structure containing fields for the parameters of an HMM profile created with the <code>hmmprofstruct</code> function.	
	<i>Field</i>	String containing a field name in the structure <i>Model</i> . See the table below for field names.	
	<i>FieldValue</i>	Value associated with <i>Field</i> . See the table below for descriptions.	
<b>Return Values</b>	<i>Model</i>	MATLAB structure containing fields for the parameters of an HMM profile.	
<b>Description</b>	<p><i>Model</i> = <code>hmmprofstruct(Length)</code> returns <i>Model</i>, a MATLAB structure containing fields for the parameters of an HMM profile. <i>Length</i> specifies the number of match states in the model. All other required parameters are set to the default values.</p> <p><i>Model</i> = <code>hmmprofstruct(Length, Field1, Field1Value, Field2, Field2Value, ...)</code> returns an HMM profile structure using the specified parameters. All other required parameters are set to default values.</p> <p><i>NewModel</i> = <code>hmmprofstruct(Model, Field1, Field1Value, Field2, Field2Value, ...)</code> returns an updated HMM profile</p>		

structure using the specified parameters. All other parameters are taken from the input *Model*.

HMM Profile Structure

The MATLAB structure *Model* contains the following fields, which are the required and optional parameters of an HMM profile. All probability values are in the [0 1] range.

Field	Description
ModelLength	Integer specifying the length of the profile (number of MATCH states).
Alphabet	String specifying the alphabet used in the model. Choices are 'AA' (default) or 'NT'.  <b>Note</b> AlphaLength is 20 for 'AA' and 4 for 'NT'.
MatchEmission	Symbol emission probabilities in the MATCH states.  Either of the following: <ul style="list-style-type: none"><li>• A matrix of size ModelLength-by-AlphaLength, where each row corresponds to the emission distribution for a specific MATCH state. Defaults to uniform distributions.</li><li>• A structure containing residue counts, such as returned by aaccount or basecount.</li></ul>

Field	Description
InsertEmission	<p>Symbol emission probabilities in the INSERT state.</p> <p>Either of the following:</p> <ul style="list-style-type: none"><li>• A matrix of size <code>ModelLength</code>-by-<code>AlphaLength</code>, where each row corresponds to the emission distribution for a specific INSERT state. Defaults to uniform distributions.</li><li>• A structure containing residue counts, such as returned by <code>aaccount</code> or <code>basecount</code>.</li></ul>
NullEmission	<p>Symbol emission probabilities in the MATCH and INSERT states for the NULL model.</p> <p>Either of the following:</p> <ul style="list-style-type: none"><li>• A 1-by-<code>AlphaLength</code> row vector. Defaults to a uniform distribution.</li><li>• A structure containing residue counts, such as returned by <code>aaccount</code> or <code>basecount</code>.</li></ul> <hr/> <p><b>Note</b> The NULL model is used to compute the log-odds ratio at every state and avoid overflow when propagating the probabilities through the model.</p> <hr/> <hr/> <p><b>Note</b> NULL probabilities are also known as the background probabilities.</p> <hr/>

Field	Description
BeginX	<p>BEGIN state transition probabilities.</p> <p>Format is a 1-by-(ModelLength + 1) row vector:</p> <pre>[B-&gt;D1 B-&gt;M1 B-&gt;M2 B-&gt;M3 .... B-&gt;Mend]</pre> <hr/> <p><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from the BEGIN state equals 1:</p> <pre>sum(Model.BeginX) = 1</pre> <p>For fragment profiles:</p> <pre>sum(Model.BeginX(3:end)) = 0</pre> <hr/> <p>Default is [0.01 0.99 0 0 ... 0].</p>
MatchX	<p>MATCH state transition probabilities.</p> <p>Format is a 4-by-(ModelLength - 1) matrix:</p> <pre>[M1-&gt;M2 M2-&gt;M3 ... M[end-1]-&gt;Mend; M1-&gt;I1 M2-&gt;I2 ... M[end-1]-&gt;I[end-1]; M1-&gt;D2 M2-&gt;D3 ... M[end-1]-&gt;Dend; M1-&gt;E M2-&gt;E ... M[end-1]-&gt;E ]</pre>

Field	Description
	<div><p><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from every MATCH state equals 1:</p><math display="block">\text{sum}(\text{Model.MatchX}) = [ 1 \ 1 \ \dots \ 1 ]</math><p>For fragment profiles:</p><math display="block">\text{sum}(\text{Model.MatchX}(4,:)) = 0</math></div> <div><p>Default is <code>repmat([0.998 0.001 0.001 0],ModelLength-1,1)</code>.</p></div>
InsertX	<div><p>INSERT state transition probabilities.</p><p>Format is a 2-by-(ModelLength - 1) matrix:</p><math display="block">\begin{bmatrix} I1-&gt;M2 &amp; I2-&gt;M3 &amp; \dots &amp; I[\text{end}-1]-&gt;M\text{end}; \\ I1-&gt;I1 &amp; I2-&gt;I2 &amp; \dots &amp; I[\text{end}-1]-&gt;I[\text{end}-1] \end{bmatrix}</math></div> <div><p><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from every INSERT state equals 1:</p><math display="block">\text{sum}(\text{Model.InsertX}) = [ 1 \ 1 \ \dots \ 1 ]</math></div> <div><p>Default is <code>repmat([0.5 0.5],ModelLength-1,1)</code>.</p></div>

Field	Description
DeleteX	<p>DELETE state transition probabilities.</p> <p>Format is a 2-by-(ModelLength - 1) matrix:</p> <pre>[ D1-&gt;M2 D2-&gt;M3 ... D[end-1]-&gt;Mend ;   D1-&gt;D2 D2-&gt;D3 ... D[end-1]-&gt;Dend ]</pre> <hr/> <p><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from every DELETE state equals 1:</p> <pre>sum(Model.DeleteX) = [ 1 1 ... 1 ]</pre> <hr/> <p>Default is repmat([0.5 0.5],ModelLength-1,1).</p>
FlankingInsertX	<p>Flanking insert states (N and C) used for LOCAL profile alignment.</p> <p>Format is a 2-by-2 matrix:</p> <pre>[ N-&gt;B C-&gt;T ;   N-&gt;N C-&gt;C]</pre> <hr/> <p><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from Flanking Insert states equals 1:</p> <pre>sum(Model.FlankingInsertsX) = [ 1 1]</pre> <hr/>



Field	Description
	<div><div><b>Note</b> To force global alignment use:  <code>Model.FlankingInsertsX = [1 1; 0 0]</code></div><div>Default is [0.01 0.01; 0.99 0.99].</div></div>
LoopX	<div><div>Loop states transition probabilities used for multiple hits alignment. Format is a 2-by-2 matrix:  <code>[ E-&gt;C  J-&gt;B ;   E-&gt;J  J-&gt;J]</code></div><div><b>Note</b> If necessary, hmmprofstruct will normalize the data such that the sum of the transition probabilities from Loop states equals 1:  <code>sum(Model.LoopX) = [1 1]</code></div><div>Default is [0.5 0.01; 0.5 0.99].</div></div>

Field	Description
NullX	<p>Null transition probabilities used to provide scores with log-odds values also for state transitions.</p> <p>Format is a 2-by-1 column vector:</p> <p>[G-&gt;F ; G-&gt;G]</p> <hr/> <p><b>Note</b> If necessary, <code>hmmprofstruct</code> will normalize the data such that the sum of the transition probabilities from Null states equals 1:</p> <p><code>sum(Model.NullX) = 1</code></p> <hr/> <p>Default is [0.01; 0.99].</p>
IDNumber	Optional. User-assigned identification number.
Description	Optional. User-assigned description of the model.

## HMM Profile Model


An HMM profile model is a common statistical tool for modeling structured sequences composed of symbols. These symbols include randomness in both the output (emission of symbols) and the state transitions of the process. Markov models are generally represented by state diagrams.

The following figure is a state diagram for an HMM profile of length four. INSERT, MATCH, and DELETE states are in the center section.

- INSERT state represents the excess of one or more symbols in the target sequence that are not included in the profile.

- MATCH state means that the target sequence is aligned to the profile at the specific location.
- DELETE state represents a gap or symbol absence in the target sequence (also known as a silent state because it does not emit any symbols).

Flanking states (S, N, B, E, C, T) are used for proper modeling of the ends of the sequence, either for global, local or fragment alignment of the profile. S, B, E, and T are silent, while N and C are used to insert symbols at the flanks.



## Examples

### Creating an HMM Profile Structure

Create an HMM profile structure with 100 MATCH states, using the amino acid alphabet.

```
hmmProfile = hmmprofstruct(100,'Alphabet','AA')
```

```
hmmProfile =
```

```

    ModelLength: 100
      Alphabet: 'AA'
    MatchEmission: [100x20 double]
    InsertEmission: [100x20 double]
    NullEmission: [1x20 double]
        BeginX: [101x1 double]
        MatchX: [99x4 double]
```

# hmmprofstruct

---

```
InsertX: [99x2 double]
DeleteX: [99x2 double]
FlankingInsertX: [2x2 double]
LoopX: [2x2 double]
NullX: [2x1 double]
```

## Editing an HMM Profile Structure

- 1 Use the `pfamhmmread` function to create an HMM profile structure from `pf00002.ls`, a PFAM HMM-formatted file included with the software.

```
hmm02 = pfamhmmread('pf00002.ls');
```

- 2 Modify the HMM profile structure to force a global alignment by setting the looping transition probabilities in the flanking insert states to zero.

```
hmm02 = hmmprofstruct(hmm02,'FlankingInsertX',[0 0;1 1]);
hmm02.FlankingInsertX
```

```
ans =
```

```
0    0
1    1
```

## See Also

Bioinformatics Toolbox functions: `aaccount`, `basecount`, `gethmmprof`, `hmmprofalign`, `hmmprofestimate`, `hmmprofgenerate`, `hmmprofmerge`, `pfamhmmread`, `showhmmprof`

## Purpose

Concatenate DataMatrix objects horizontally

## Syntax

```
DMObjNew = horzcat(DMObj1, DMObj2, ...)
DMObjNew = (DMObj1, DMObj2, ...)
DMObjNew = horzcat(DMObj1, B, ...)
DMObjNew = (DMObj1, B, ...)
```

## Arguments

<i>DMObj1</i> , <i>DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
<i>B</i>	MATLAB numeric or logical array.

## Return Values

<i>DMObjNew</i>	DataMatrix object created by horizontal concatenation.
-----------------	--

## Description

*DMObjNew* = horzcat(*DMObj1*, *DMObj2*, ...) or the equivalent *DMObjNew* = (*DMObj1*, *DMObj2*, ...) horizontally concatenates the DataMatrix objects *DMObj1* and *DMObj2* into *DMObjNew*, another DataMatrix object. *DMObj1* and *DMObj2* must have the same number of rows. The row names and the order of rows for *DMObjNew* are the same as *DMObj1*. The row names of *DMObj2* and any other DataMatrix object input arguments are not preserved. The columns names for *DMObjNew* are the column names of *DMObj1*, *DMObj2*, and other DataMatrix object input arguments.

*DMObjNew* = horzcat(*DMObj1*, *B*, ...) or the equivalent *DMObjNew* = (*DMObj1*, *B*, ...) horizontally concatenates the DataMatrix object *DMObj1* and a numeric or logical array *B* into *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same number of rows. The row names for *DMObjNew* are the same as *DMObj1*. The row names of *DMObj2* and any other DataMatrix object input arguments are not preserved. The column names for *DMObjNew* are the column names of *DMObj1* and empty for the columns from *B*.

## horzcat (DataMatrix)

---

MATLAB calls *DMObjNew* = horzcat(*X1*, *X2*, *X3*, ...) for the syntax *DMObjNew* = [*X1*, *X2*, *X3*, ...] when any one of *X1*, *X2*, *X3*, etc. is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: vertcat

**Purpose** Look up Illumina BeadStudio target (probe) sequence and annotation information

**Syntax**

```
AnnotStruct = ilmnbslookup(AnnotationFile, ID)
AnnotStruct = ilmnbslookup(AnnotationFile,
    ID, 'LookUpField',
        LookUpFieldValue)
```

**Arguments**

<i>AnnotationFile</i>	String specifying a file name or a path and file name of an Illumina annotation file (CSV, BGX, or TXT format). If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
-----------------------	--

---

**Tip** You can download Illumina annotation files, such as HumanRef-8\_V3\_0\_R0\_11282963\_A.bgx, from the Illumina Web site.

---

*ID* String or cell array of strings representing a unique identifier(s) for one or more targets (probes) on an Illumina microarray.

**Tip** By default, *ID* must match the *Search\_key* field in *AnnotationFile*. However, you can use an identifier that corresponds to any of the fields in *AnnotationFile*, then set the 'LookUpField' property appropriately. For example, if you want to look up annotation information for the targets (probes) on chromosome 7 only, set *ID* to '7', then set *LookUpFieldValue* to 'Chromosome'. For a list of all fields in *AnnotationFile*, see the following tables.

*LookUpFieldValue* Field in *AnnotationFile* where *ilmnbslookup* looks for the specified *ID*. Default is the *Search\_key* field.

**Tip** Set this property so that it corresponds to the *ID* you use as input.

Return Values

*AnnotStruct* Structure containing the probe sequence and annotation information for one or more targets (probes) specified by *ID*, and by *AnnotationFile*, an Illumina annotation file.

*AnnotStruct* contains the same fields as *AnnotationFile*. The fields are described in the following two tables.



Description

*AnnotStruct* = *ilmnbslookup*(*AnnotationFile*, *ID*) returns *AnnotStruct*, a structure containing probe sequence and annotation information for one or more targets (probes) specified by *ID*, and by *AnnotationFile*, an Illumina annotation file (CSV, BGX, or TXT format).

*AnnotStruct* contains the same fields as *AnnotationFile*. The fields are described in the following two tables.

Structure Created from Illumina CSV Annotation File

Field	Description
Search_key	Internal identifier for the target, useful for custom design array
Target	Unique identifier for the target
ProbeId	Illumina probe identifier
Gid	GenBank identifier for the gene
Transcript	Illumina internal transcript identifier
Accession	GenBank accession number for the gene
Symbol	Typically, the gene symbol
Type	Probe type
Start	Starting position of the probe sequence in the GenBank record
Probe_Sequence	Sequence of the probe
Definition	Definition field from the GenBank record
Ontology	Gene Ontology terms associated with the gene
Synonym	Synonyms for the gene (from the GenBank record)

Structure Created from a BGX or TXT Annotation File

Field	Description
Accession	GenBank accession number for the gene
Array_Address_Id	Decoder identifier
Chromosome	Chromosome on which the gene is located
Cytoband	Cytogenetic banding region of the chromosome on which the gene associated with the target is located
Definition	Definition field from the GenBank record
Entrez_Gene_ID	Entrez Gene database identifier for the gene
GI	GenBank identifier for the gene
ILMN_Gene	Illumina internal gene symbol
Obsolete_Probe_Id	Probe identifier before BGX annotation files
Ontology_Component	Gene Ontology cellular components associated with the gene
Ontology_Function	Gene Ontology molecular functions associated with the gene
Ontology_Process	Gene Ontology biological processes associated with the gene
Probe_Chr_Orientation	Orientation of the probe on the NCBI genome build
Probe_Coordinates	Genomic position of the probe on the NCBI genome build
Probe_Id	Illumina probe identifier
Probe_Sequence	Sequence of the probe

**Structure Created from a BGX or TXT Annotation File (Continued)**

Field	Description
Probe_Start	Start position of the probe relative to the 5' end of the source transcript sequence
Probe_Type	Information about what the probe is targeting
Protein_Product	NCBI protein accession number
RefSeq_ID	Identifier from the NCBI RefSeq database
Reporter_Composite_map	Information associated with control probes
Reporter_Group_Name	Information associated with control probes
Reporter_Group_id	Information associated with control probes
Search_Key	Internal identifier for the target, useful for custom design array
Source	Source from which the transcript sequence was obtained
Source_Reference_ID	Source's identifier
Species	Species associated with the gene
Symbol	Typically, the gene symbol
Synonyms	Synonyms for the gene (from the GenBank record)
Transcript	Illumina internal transcript identifier
Unigene_ID	Identifier from the NCBI UniGene database

*AnnotStruct* = *ilmnbslookup*(*AnnotationFile*, *ID*, 'LookUpField', *LookUpFieldValue*) looks for *ID* in the annotation file in the field specified by *LookUpFieldValue*. Default is the *Search\_key* field.

## Examples

---

**Note** The gene expression file, *TumorAdjacent-probe-raw.txt*, and the annotation file, *HumanRef-8\_V3\_0\_R0\_11282963\_A.bgx*, used in the following examples are not provided with the Bioinformatics Toolbox software.

---

### Look Up Annotation Information for a Single Target (Probe)

- 1 Read the contents of a tab-delimited file exported from the Illumina BeadStudio software into a MATLAB structure.

```
ilmnStruct = ilmnbsread('TumorAdjacent-probe-raw.txt')
```

```
ilmnStruct =
```

```
    Header: [1x1 struct]
   TargetID: {22184x1 cell}
 ColumnNames: {1x37 cell}
        Data: [22184x37 double]
TextColumnNames: {1x23 cell}
      TextData: {22184x23 cell}
```

- 2 Find the number of the *Search\_key* column in the *TextColumnNames* cell array, which is returned in the *ilmnStruct* structure by the *ilmnbsread* function.

```
srchCol = find(strcmpi('Search_Key',ilmnStruct.TextColumnNames))
```

```
srchCol =
```

```
1
```

- 3** Use the output from step 2 to look up the probe sequence and annotation information for the 10th entry in the annotation file, HumanRef-8\_V3\_0\_R0\_11282963\_A.bgx.

```

annotation = ilmnbslookup('HumanRef-8_V3_0_R0_11282963_A.bgx',...
                           ilmnStruct.TextData{10,srchCol})

annotation =

    Accession: 'NM_144670.2'
    Array_Address_Id: '0004050154'
    Chromosome: '12'
    Cytoband: '12p13.31b'
    Definition: 'Homo sapiens alpha-2-macroglobulin-like 1 (A2ML1), mRNA.'
    Entrez_Gene_ID: '144568'
    GI: '74271844'
    ILMN_Gene: 'A2ML1'
    Obsolete_Probe_Id: ''
    Ontology_Component: ''
    Ontology_Function: 'endopeptidase inhibitor activity [goid 4866] [evidence IEA]'
    Ontology_Process: ''
    Probe_Chr_Orientation: '+'
    Probe_Coordinates: '8920412-8920461'
    Probe_Id: 'ILMN_2136495'
    Probe_Sequence: 'TGTAATCGCAGCCCCTTGGAAGGCCAAGGCAGGAGAATCGCCTCAACACT'
    Probe_Start: '4889'
    Probe_Type: 'S'
    Protein_Product: 'NP_653271.2'
    RefSeq_ID: 'NM_144670.2'
    Reporter_Composite_map: ''
    Reporter_Group_Name: ''
    Reporter_Group_id: ''
    Search_Key: 'ILMN_17375'
    Source: 'RefSeq'
    Source_Reference_ID: 'NM_144670.2'
    Species: 'Homo sapiens'
    Symbol: 'A2ML1'
    Synonyms: [1x141 char]

```

```
Transcript: 'ILMN_17375'
```

```
Unigene_ID: ''
```

## Look Up Annotation Information for a Subset of Targets (Probes)

Use the `ilmnbslookup` function with the `'LookupField'` property to look up the annotation information for all targets located on chromosome 12 in the annotation file, `HumanRef-8_V3_0_R0_11282963_A.bgx`.

```
chr12annotation = ilmnblookup('HumanRef-8_V3_0_R0_11282963_A.bgx', ...  
                              '12', 'LookupField', 'Chromosome')
```

```
chr12annotation =
```

```
      Accession: {1x1186 cell}  
      Array_Address_Id: {1x1186 cell}  
      Chromosome: {1x1186 cell}  
      Cytoband: {1x1186 cell}  
      Definition: {1x1186 cell}  
      Entrez_Gene_ID: {1x1186 cell}  
      GI: {1x1186 cell}  
      ILMN_Gene: {1x1186 cell}  
      Obsolete_Probe_Id: {1x1186 cell}  
      Ontology_Component: {1x1186 cell}  
      Ontology_Function: {1x1186 cell}  
      Ontology_Process: {1x1186 cell}  
      Probe_Chromosome_Orientation: {1x1186 cell}  
      Probe_Coordinates: {1x1186 cell}  
      Probe_Id: {1x1186 cell}  
      Probe_Sequence: {1x1186 cell}  
      Probe_Start: {1x1186 cell}  
      Probe_Type: {1x1186 cell}  
      Protein_Product: {1x1186 cell}  
      RefSeq_ID: {1x1186 cell}  
      Reporter_Composite_map: ''  
      Reporter_Group_Name: ''  
      Reporter_Group_id: ''  
      Search_Key: {1x1186 cell}
```

```
Source: {1x1186 cell}
Source_Reference_ID: {1x1186 cell}
Species: {1x1186 cell}
Symbol: {1x1186 cell}
Synonyms: {1x1186 cell}
Transcript: {1x1186 cell}
Unigene_ID: {1x1186 cell}
```

The output structure indicates that there are 1,186 targets located on chromosome 12.

## See Also

Bioinformatics Toolbox function: `ilmnbsread`

**Purpose** Read gene expression data exported from Illumina BeadStudio software

**Syntax**

```
IlmnStruct = ilmnbsread(File)
IlmnStruct = ilmnbsread(File, ...'Columns',
ColumnsValue, ...)
IlmnStruct = ilmnbsread(File, ...'HeaderOnly',
HeaderOnlyValue, ...)
IlmnStruct = ilmnbsread(File, ...'CleanColNames',
CleanColNamesValue, ...)
```

<b>Arguments</b>	<i>File</i>	String specifying a file name or a path and file name of a tab-delimited file or comma-separated expression data file exported from Illumina BeadStudio software. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
	<i>ColumnsValue</i>	Cell array that specifies the column names to read. Default is all column names.
	<i>HeaderOnlyValue</i>	Controls the population of only the Header, ColumnNames, and TextColumnNames fields in <i>IlmnStruct</i> . Choices are true or false (default).
	<i>CleanColNamesValue</i>	Controls the conversion of any ColumnNames containing spaces or characters that cannot be used as MATLAB variable names, to valid MATLAB variable names. Choices are true or false (default).



Return Values

*IlmnStruct*

MATLAB structure containing data exported from Illumina BeadStudio software.

Description

*IlmnStruct* = `ilmnbsread(File)` reads *File*, a tab-delimited or comma-separated expression data file exported from the Illumina BeadStudio software, and creates *IlmnStruct*, a MATLAB structure containing the following fields.

Field	Description
Header	String containing a description of the data.
TargetID	Cell array containing unique identifiers for targets on an Illumina gene expression microarray.
ColumnNames	Cell array containing names of the columns that contain numeric data in the tab-delimited file exported from the Illumina BeadStudio software.
Data	<div>Matrix containing numeric microarray data for each target on an Illumina gene expression microarray.</div> <div><b>Note</b> ColumnNames and Data have the same number of columns.</div>

Field	Description
TextColumnNames	Cell array containing names of the columns that contain nonnumeric data in the tab-delimited file exported from the Illumina BeadStudio software. This field can be empty.
TextData	Cell array containing nonnumeric microarray data (such as annotations) for each target on an Illumina gene expression microarray. This field can be empty. <div><b>Note</b> TextColumnNames and TextData have the same number of columns.</div>

*IlmnStruct* = *ilmnbsread*(*File*, ...'*PropertyName*', *PropertyValue*, ...) calls *ilmnbsread* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*IlmnStruct* = *ilmnbsread*(*File*, ...'*Columns*', *ColumnsValue*, ...) reads the data only from the columns specified by *ColumnsValue*, a cell array of column names. Default behavior is to read data from all columns.

*IlmnStruct* = *ilmnbsread*(*File*, ...'*HeaderOnly*', *HeaderOnlyValue*, ...) controls the population of only the Header, ColumnNames, and TextColumnNames fields in *IlmnStruct*. Choices are true or false (default).

*IlmnStruct* = *ilmnbsread*(*File*, ...'*CleanColNames*', *CleanColNamesValue*, ...) controls the conversion of any ColumnNames containing spaces or characters that cannot be used as MATLAB variable names, to valid MATLAB variable names. Choices are true or false (default).

---

**Tip** Use the 'CleanColNames' property if you plan to use the ColumnNames field as variable names.

---

## Examples

---

**Note** The gene expression file, TumorAdjacent-probe-raw.txt used in the following example is not provided with the Bioinformatics Toolbox software.

---

Read the contents of a tab-delimited file exported from the Illumina BeadStudio software into a MATLAB structure.

```
ilmnStruct = ilmnbsread('TumorAdjacent-probe-raw.txt')
```

```
ilmnStruct =
```

```
    Header: [1x1 struct]
   TargetID: {22184x1 cell}
  ColumnNames: {1x37 cell}
         Data: [22184x37 double]
TextColumnNames: {1x23 cell}
       TextData: {22184x23 cell}
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `agferead`, `celintensityread`, `galread`, `geoseriesread`, `geosoftread`, `gprread`, `ilmnbslookup`, `imageneread`, `magetfield`, `sptread`

# imageneread

---

**Purpose** Read microarray data from ImaGene Results file

**Syntax** `imagedata = imageneread('File')`  
`imagedata = imageneread(..., 'CleanColNames',`  
`CleanColNamesValue, ...)`

**Arguments**

<i>File</i>	ImaGene Results formatted file. Enter a file name or a path and file name.
<i>CleanColNamesValue</i>	Controls the conversion of any ColumnNames containing spaces or characters that cannot be used as MATLAB variable names, to valid MATLAB variable names. Choices are true or false (default).

**Description** `imagedata = imageneread('File')` reads ImaGene results data from *File* and creates *imagedata*, a MATLAB structure containing the following fields.

Field
HeaderAA
Data
Blocks
Rows
Columns
Fields
IDs
ColumnNames
Indices
Shape

`imagenedata = imageneread(..., 'PropertyName', PropertyValue, ...)` calls `imageneread` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`imagenedata = imageneread(..., 'CleanColNames', CleanColNamesValue, ...)` controls the conversion of any `ColumnNames` containing spaces or characters that cannot be used as MATLAB variable names, to valid MATLAB variable names. Choices are `true` or `false` (default).

The field `Indices` of the structure contains indices that you can use for plotting heat maps of the data with the function `image` or `imagesc`.

For more details on the ImaGene format and example data, see the ImaGene documentation.

## Examples

- 1 Read in a sample ImaGene Results file. Note that the example file, `cy3.txt`, is not provided with the Bioinformatics Toolbox software.

```
cy3Data = imageneread('cy3.txt');
```

- 2 Plot the signal mean.

```
mimage(cy3Data, 'Signal Mean');
```

- 3 Read in a sample ImaGene Results file. Note that the example file, `cy5.txt`, is not provided with the Bioinformatics Toolbox software.

```
cy5Data = imageneread('cy5.txt');
```

- 4 Create a loglog plot of the signal median from two ImaGene Results files.

```
sigMedianCol = find(strcmp('Signal Median', cy3Data.ColumnNames));
cy3Median = cy3Data.Data(:, sigMedianCol);
cy5Median = cy5Data.Data(:, sigMedianCol);
maloglog(cy3Median, cy5Median, 'title', 'Signal Median');
```

# imageneread

---

## See Also

Bioinformatics Toolbox functions: `gprread`, `ilmnbsread`, `maboxplot`, `maimage`, `sptread`

**Purpose** Convert amino acid sequence from integer to letter representation

**Syntax** `SeqChar = int2aa(SeqInt)`  
`SeqChar = int2aa(SeqInt, 'Case', CaseValue)`

**Arguments**

<i>SeqInt</i>	Row vector of integers specifying an amino acid sequence. For valid integers, see the table Mapping Amino Acid Integers to Letter Codes on page 3-909. Integers are arbitrarily assigned to IUB/IUPAC letters.
<i>CaseValue</i>	String specifying the case of the returned string. Choices are 'upper' (default) or 'lower'.

**Return Values**

<i>SeqChar</i>	Amino acid sequence specified by a string of single-letter codes.
----------------	---

**Description** `SeqChar = int2aa(SeqInt)` converts *SeqInt*, a row vector of integers specifying an amino acid sequence, to *SeqChar*, a string of single-letter codes specifying the same amino acid sequence. For valid integers, see the table Mapping Amino Acid Integers to Letter Codes on page 3-909.

`SeqChar = int2aa(SeqInt, 'Case', CaseValue)` specifies the case of the returned string. Choices are 'upper' (default) or 'lower'.

**Mapping Amino Acid Integers to Letter Codes**

Amino Acid	Integer	Code
Alanine	1	A
Arginine	2	R
Asparagine	3	N

Mapping Amino Acid Integers to Letter Codes (Continued)

Amino Acid	Integer	Code
Aspartic acid (Aspartate)	4	D
Cysteine	5	C
Glutamine	6	Q
Glutamic acid (Glutamate)	7	E
Glycine	8	G
Histidine	9	H
Isoleucine	10	I
Leucine	11	L
Lysine	12	K
Methionine	13	M
Phenylalanine	14	F
Proline	15	P
Serine	16	S
Threonine	17	T
Tryptophan	18	W
Tyrosine	19	Y
Valine	20	V
Asparagine or Aspartic acid (Aspartate)	21	B
Glutamine or Glutamic acid (Glutamate)	22	Z
Unknown amino acid (any amino acid)	23	X
Translation stop	24	*
Gap of indeterminate length	25	-
Unknown (any integer not in table)	0 or $\geq 26$	?



## Examples

Convert an amino acid sequence from integer to letter representation.

```
s = int2aa([13 1 17 11 1 21])
```

```
s =
```

```
MATLAB
```

## See Also

Bioinformatics Toolbox functions: `aa2int`, `aminolookup`, `int2nt`, `isotopicdist`, `nt2int`

**Purpose** Convert nucleotide sequence from integer to letter representation

**Syntax**

```
SeqChar = int2nt(SeqInt)
SeqChar = int2nt(SeqInt, ...'Alphabet', AlphabetValue, ...)
SeqChar = int2nt(SeqInt, ...'Unknown', UnknownValue, ...)
SeqChar = int2nt(SeqInt, ...'Case', CaseValue, ...)
```

**Arguments**

<i>SeqInt</i>	Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913. Integers are arbitrarily assigned to IUB/IUPAC letters.
<i>AlphabetValue</i>	String specifying a nucleotide alphabet. Choices are: <ul style="list-style-type: none"><li>• 'DNA' (default) — Uses the symbols A, C, G, and T.</li><li>• 'RNA' — Uses the symbols A, C, G, and U.</li></ul>
<i>UnknownValue</i>	Character to represent unknown nucleotides, that is 0 or integers $\geq 17$ . Choices are any character other than the nucleotide characters A, C, G, T, and U and the ambiguous nucleotide characters N, R, Y, K, M, S, W, B, D, H, and V. Default is *.
<i>CaseValue</i>	String specifying the case of the returned character string. Choices are 'upper' (default) or 'lower'.

**Return Values**

<i>SeqChar</i>	Nucleotide sequence specified by a character string of codes.
----------------	---

**Description** *SeqChar* = int2nt(*SeqInt*) converts *SeqInt*, a row vector of integers specifying a nucleotide sequence, to *SeqChar*, a string of codes specifying

the same nucleotide sequence. For valid codes, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.

### Mapping Nucleotide Integers to Letter Codes

Nucleotide	Integer	Code
Adenosine	1	A
Cytidine	2	C
Guanine	3	G
Thymidine	4	T
Uridine (if 'Alphabet' set to 'RNA')	4	U
Purine (A or G)	5	R
Pyrimidine (T or C)	6	Y
Keto (G or T)	7	K
Amino (A or C)	8	M
Strong interaction (3 H bonds) (G or C)	9	S
Weak interaction (2 H bonds) (A or T)	10	W
Not A (C or G or T)	11	B
Not C (A or G or T)	12	D
Not G (A or C or T)	13	H
Not T or U (A or C or G)	14	V
Any nucleotide (A or C or G or T or U)	15	N
Gap of indeterminate length	16	-
Unknown (any integer not in table)	0 or $\geq 17$	* (default)

*SeqChar* = int2nt(*SeqInt*, ...*PropertyName*', *PropertyValue*, ...) calls int2nt with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation

marks and is case insensitive. These property name/property value pairs are as follows:

`SeqChar = int2nt(SeqInt, ...'Alphabet', AlphabetValue, ...)` specifies a nucleotide alphabet. *AlphabetValue* can be 'DNA', which uses the symbols A, C, G, and T, or 'RNA', which uses the symbols A, C, G, and U. Default is 'DNA'.

`SeqChar = int2nt(SeqInt, ...'Unknown', UnknownValue, ...)` specifies the character to represent unknown nucleotides, that is 0 or integers  $\geq 17$ . *UnknownValue* can be any character other than the nucleotide characters A, C, G, T, and U and the ambiguous nucleotide characters N, R, Y, K, M, S, W, B, D, H, and V. Default is '\*'.

`SeqChar = int2nt(SeqInt, ...'Case', CaseValue, ...)` specifies the case of the returned character string. *CaseValue* can be 'upper' (default) or 'lower'.

## Examples

- Convert a nucleotide sequence from integer to letter representation.

```
s = int2nt([1 2 4 3 2 4 1 3 2])  
  
s =  
ACTGCTAGC
```

- Convert a nucleotide sequence from integer to letter representation and define # as the symbol for unknown numbers 17 and greater.

```
si = [1 2 4 20 2 4 40 3 2];  
s = int2nt(si, 'unknown', '#')  
  
s =  
ACT#CT#GC
```

## See Also

Bioinformatics Toolbox functions: `aa2int`, `baselookup`, `int2aa`, `nt2int`

**Purpose** Test for cycles in biograph object

**Syntax** `isdag(BGObj)`

**Arguments** `BGObj` Biograph object created by `biograph` (object constructor).

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`isdag(BGObj)` returns logical 1 (`true`) if an N-by-N adjacency matrix extracted from a biograph object, `BGObj`, is a directed acyclic graph (DAG) and logical 0 (`false`) otherwise. In the N-by-N sparse matrix, all nonzero entries indicate the presence of an edge.

## References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphisdag`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a biograph object:  
`allshortestpaths`, `conncomp`, `isomorphism`, `isspantree`, `maxflow`,  
`minspantree`, `shortestpath`, `topoorder`, `traverse`

# bioma.data.ExptData.isEmpty

---

<b>Purpose</b>	Determine whether ExptData object is empty
<b>Syntax</b>	<i>TF</i> = isEmpty( <i>EDObj</i> )
<b>Description</b>	<i>TF</i> = isEmpty( <i>EDObj</i> ) returns logical 1 (true) if <i>EDObj</i> is an empty ExptData object. Otherwise, it returns logical 0 (false). An empty ExptData object contains no data elements.
<b>Input Arguments</b>	<i>EDObj</i> Object of the bioma.data.ExptData class.
<b>Examples</b>	Construct an ExptData object, and then check to see if it is empty:  <pre>% Import bioma.data package to make constructor functions % available import bioma.data.* % Create DataMatrix object from .txt file containing % expression values from microarray experiment dmObj = DataMatrix('File', 'mouseExprsData.txt'); % Construct ExptData object EDObj = ExptData(dmObj); % Determine if ExptData object is empty isEmpty(EDObj)</pre>
<b>See Also</b>	bioma.data.ExptData
<b>How To</b>	• “Representing Expression Data Values in ExptData Objects”

<b>Purpose</b>	Determine whether MetaData object is empty
<b>Syntax</b>	<i>TF</i> = isEmpty( <i>MDObj</i> )
<b>Description</b>	<i>TF</i> = isEmpty( <i>MDObj</i> ) returns logical 1 (true) if <i>MDObj</i> is an empty MetaData object. Otherwise, it returns logical 0 (false). An empty MetaData object contains no variable names, values, or descriptions.
<b>Input Arguments</b>	<i>MDObj</i> Object of the bioma.data.MetaData class.
<b>Examples</b>	Construct a MetaData object, and then check to see if it is empty:  <pre>% Import bioma.data package to make constructor function % available import bioma.data.* % Construct MetaData object from .txt file MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#'); % Determine if MetaData object is empty isEmpty(MDObj2)</pre>
<b>See Also</b>	bioma.data.MetaData
<b>How To</b>	<ul style="list-style-type: none"><li>• “Representing Sample and Feature Metadata in MetaData Objects”</li></ul>

# bioma.data.MIAME.isempty

---

<b>Purpose</b>	Determine whether MIAME object is empty
<b>Syntax</b>	<code>TF = isempty(MIAMEObj)</code>
<b>Description</b>	<code>TF = isempty(MIAMEObj)</code> returns logical 1 (true) if <i>MIAMEObj</i> is an empty MIAME object. Otherwise, it returns logical 0 (false). All properties are empty in an empty MIAME object.
<b>Input Arguments</b>	<p><i>MIAMEObj</i></p> <p>Object of the <code>bioma.data.MIAME</code> class.</p>
<b>Examples</b>	<p>Construct a MIAME object, and then check to see if it is empty:</p> <pre>% Create a MATLAB structure containing GEO Series data geoStruct = getgeodata('GSE4616'); % Import bioma.data package to make constructor function % available import bioma.data.* % Construct MIAME object MIAMEObj = MIAME(geoStruct); % Determine if MIAME object is empty isempty(MIAMEObj)</pre>
<b>See Also</b>	<code>bioma.data.MIAME</code>
<b>How To</b>	<ul style="list-style-type: none"><li>• “Representing Experiment Information in a MIAME Object”</li></ul>



<b>Purpose</b>	Test DataMatrix objects for equality	
<b>Syntax</b>	<pre>TF = isequal(DMObj1, DMObj2) TF = isequal(DMObj1, DMObj2, DMObj3, ...)</pre>	
<b>Arguments</b>	<i>DMObj1</i> , <i>DMObj2</i> , <i>DMObj3</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
<b>Return Values</b>	<i>TF</i>	Logical value indicating if inputs are numerically equal (have the same contents), have the same size (same NRows and NCols properties), and have the same RowNames and ColNames properties. NaNs are not considered equal to each other.
<b>Description</b>	<p><i>TF = isequal(DMObj1, DMObj2)</i> returns logical 1 (true) if the input DataMatrix objects, <i>DMObj1</i> and <i>DMObj2</i>, meet the following:</p> <ul style="list-style-type: none"><li>• Are numerically equal (have the same contents)</li><li>• Have the same size (same NRows and NCols properties)</li><li>• Have the same RowNames and ColNames properties</li></ul> <p>Otherwise, it returns logical 0 (false). <i>DMObj1</i> and <i>DMObj2</i> do not have to have the same Name property. NaNs are not considered equal to each other.</p> <p><i>TF = isequal(DMObj1, DMObj2, DMObj3, ...)</i> returns logical 1 (true) if all input DataMatrix objects, <i>DMObj1</i>, <i>DMObj2</i>, <i>DMObj3</i>, etc. meet the following:</p> <ul style="list-style-type: none"><li>• Are numerically equal (have the same contents)</li><li>• Have the same size (same NRows and NCols properties)</li></ul>	

## isequal (DataMatrix)

---

- Have the same RowNames and ColNames properties

Otherwise, it returns logical 0 (false). The input DataMatrix objects do not have to have the same Name property. NaNs are not considered equal to each other.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object:  
`isequalwithhequalnans`

# isequalwithequalnans (DataMatrix)

<b>Purpose</b>	Test DataMatrix objects for equality, treating NaNs as equal	
<b>Syntax</b>	<pre>TF = isequalwithequalnans(DMObj1, DMObj2) TF = isequalwithequalnans(DMObj1, DMObj2, DMObj3, ...)</pre>	
<b>Arguments</b>	<i>DMObj1</i> , <i>DMObj2</i> , <i>DMObj3</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
<b>Return Values</b>	<i>TF</i>	Logical value indicating if inputs are numerically equal (have the same contents), have the same size (same NRows and NCols properties), and have the same RowNames and ColNames properties. NaNs are considered equal to each other.
<b>Description</b>	<p><i>TF</i> = <code>isequalwithequalnans(DMObj1, DMObj2)</code> returns logical 1 (true) if the input DataMatrix objects, <i>DMObj1</i> and <i>DMObj2</i>, meet the following:</p> <ul style="list-style-type: none"><li>• Are numerically equal (have the same contents)</li><li>• Have the same size (same NRows and NCols properties)</li><li>• Have the same RowNames and ColNames properties</li></ul> <p>Otherwise, it returns logical 0 (false). <i>DMObj1</i> and <i>DMObj2</i> do not have to have the same Name property. NaNs are considered equal to each other.</p> <p><i>TF</i> = <code>isequalwithequalnans(DMObj1, DMObj2, DMObj3, ...)</code> returns logical 1 (true) if all input DataMatrix objects, <i>DMObj1</i>, <i>DMObj2</i>, <i>DMObj3</i>, etc. meet the following:</p> <ul style="list-style-type: none"><li>• Are numerically equal (have the same contents)</li><li>• Have the same size (same NRows and NCols properties)</li></ul>	

## isequalwithhequalnans (DataMatrix)

---

- Have the same RowNames and ColNames properties

Otherwise, it returns logical 0 (false). The input DataMatrix objects do not have to have the same Name property. NaNs are considered equal to each other.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object: `isequal`

**Purpose**

Estimate isoelectric point for amino acid sequence

**Syntax**

```
pI = isoelectric(SeqAA)
[pI Charge] = isoelectric(SeqAA)
isoelectric(..., 'PropertyName', PropertyValue,...)
isoelectric(..., 'PKVals', PKValsValue)
isoelectric(..., 'Charge', ChargeValue)
isoelectric(..., 'Chart', ChartValue)
```

**Arguments**

<i>SeqAA</i>	Amino acid sequence. Enter a character string or a vector of integers from the table Mapping Amino Acid Letter Codes to Integers on page 3-2. Examples: 'ARN' or [1 2 3].
<i>PKValsValue</i>	Property to provide alternative pK values.
<i>ChargeValue</i>	Property to select a specific pH for estimating charge. Enter a number between 0 and 14. The default value is 7.2.
<i>ChartValue</i>	Property to control plotting a graph of charge versus pH. Enter true or false.

**Description**

*pI* = isoelectric(SeqAA) returns the estimated isoelectric point (*pI*) for an amino acid sequence. The isoelectric point is the pH at which the protein has a net charge of zero

[*pI* *Charge*] = isoelectric(SeqAA) returns the estimated isoelectric point (*pI*) for an amino acid sequence and the estimated charge for a given pH (default is typical intracellular pH 7.2).

The estimates are skewed by the underlying assumptions that all amino acids are fully exposed to the solvent, that neighboring peptides have no influence on the pK of any given amino acid, and that the constitutive amino acids, as well as the N- and C-termini, are unmodified. Cysteine residues participating in disulfide bridges also affect the true pI and are not considered here. By default, isoelectric uses the EMBOSS amino

acid pK table, or you can substitute other values using the property PKVals.

- If the sequence contains ambiguous amino acid characters (b z \* -), isoelectric ignores the characters and displays a warning message.

Warning: Symbols other than the standard 20 amino acids appear in the sequence.

- If the sequence contains undefined amino acid characters (i j o), isoelectric ignores the characters and displays a warning message.

Warning: Sequence contains unknown characters. These will be ignored.

isoelectric(..., 'PropertyName', PropertyValue,...) defines optional properties using property name/value pairs.

isoelectric(..., 'PKVals', PKValsValue) uses the alternative pK table stored in the text file *PKValsValues*. For an example of a pK text file, see the file *Emboss.pK*.

```
N_term 8.6
K 10.8
R 12.5
H 6.5
D 3.9
E 4.1
C 8.5
Y 10.1
C_term 3.6
```

isoelectric(..., 'Charge', ChargeValue) returns the estimated charge of a sequence for a given pH (*ChargeValue*).

isoelectric(..., 'Chart', ChartValue) when *ChartValue* is true, returns a graph plotting the charge of the protein versus the pH of the solvent.

## Example

```
% Get a sequence from PDB.
pdbSeq = getpdb('1CIV', 'SequenceOnly', true)
% Estimate its isoelectric point.
isoelectric(pdbSeq)

% Plot the charge against the pH for a short polypeptide sequence.
isoelectric('PQGGGGWGQPHGGGWGQPHGGGGWGQGGSHSQG', 'CHART', true)

% Get the Rh blood group D antigen from NCBI and calculate
% its charge at pH 7.3 (typical blood pH).
gpSeq = getgenpept('AAB39602')
[pI Charge] = isoelectric(gpSeq, 'Charge', 7.38)
```

## See Also

Bioinformatics Toolbox functions: `aaccount`, `molweight`

# isomorphism (biograph)

---

<b>Purpose</b>	Find isomorphism between two biograph objects						
<b>Syntax</b>	<pre>[Isomorphic, Map] = isomorphism(BGObj1, BGObj2) [Isomorphic, Map] = isomorphism(BGObj1, BGObj2, 'Directed',     DirectedValue)</pre>						
<b>Arguments</b>	<table><tr><td><i>BGObj1</i></td><td>Biograph object created by biograph (object constructor).</td></tr><tr><td><i>BGObj2</i></td><td>Biograph object created by biograph (object constructor).</td></tr><tr><td><i>DirectedValue</i></td><td>Property that indicates whether the graphs are directed or undirected. Enter false when both <i>BGObj1</i> and <i>BGObj2</i> produce undirected graphs. In this case, the upper triangles of the sparse matrices extracted from <i>BGObj1</i> and <i>BGObj2</i> are ignored. Default is true, meaning that both graphs are directed.</td></tr></table>	<i>BGObj1</i>	Biograph object created by biograph (object constructor).	<i>BGObj2</i>	Biograph object created by biograph (object constructor).	<i>DirectedValue</i>	Property that indicates whether the graphs are directed or undirected. Enter false when both <i>BGObj1</i> and <i>BGObj2</i> produce undirected graphs. In this case, the upper triangles of the sparse matrices extracted from <i>BGObj1</i> and <i>BGObj2</i> are ignored. Default is true, meaning that both graphs are directed.
<i>BGObj1</i>	Biograph object created by biograph (object constructor).						
<i>BGObj2</i>	Biograph object created by biograph (object constructor).						
<i>DirectedValue</i>	Property that indicates whether the graphs are directed or undirected. Enter false when both <i>BGObj1</i> and <i>BGObj2</i> produce undirected graphs. In this case, the upper triangles of the sparse matrices extracted from <i>BGObj1</i> and <i>BGObj2</i> are ignored. Default is true, meaning that both graphs are directed.						

<b>Description</b>	<hr/> <b>Tip</b> For introductory information on graph theory functions, see “Graph Theory Functions” in the <i>Bioinformatics Toolbox User’s Guide</i> . <hr/>
--------------------	---

`[Isomorphic, Map] = isomorphism(BGObj1, BGObj2)` returns logical 1 (true) in *Isomorphic* if two N-by-N adjacency matrices extracted from biograph objects *BGObj1* and *BGObj2* are isomorphic graphs, and logical 0 (false) otherwise. A graph isomorphism is a 1-to-1 mapping of the nodes in the graph from *BGObj1* and the nodes in the graph from *BGObj2* such that adjacencies are preserved. Return value *Isomorphic* is Boolean. When *Isomorphic* is true, *Map* is a row vector containing the node indices that map from *BGObj2* to *BGObj1*. When *Isomorphic* is false, the worst-case time complexity is  $O(N!)$ , where N is the number of nodes.



[*Isomorphic*, *Map*] = isomorphism(*BGObj1*, *BGObj2*, 'Directed', *DirectedValue*) indicates whether the graphs are directed or undirected. Set *DirectedValue* to false when both *BGObj1* and *BGObj2* produce undirected graphs. In this case, the upper triangles of the sparse matrices extracted from *BGObj1* and *BGObj2* are ignored. The default is true, meaning that both graphs are directed.

## References

- [1] Fortin, S. (1996). The Graph Isomorphism Problem. Technical Report, 96-20, Dept. of Computer Science, University of Alberta, Edmonton, Alberta, Canada.
- [2] McKay, B.D. (1981). Practical Graph Isomorphism. *Congressus Numerantium* 30, 45-87.
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphisomorphism`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:  
`allshortestpaths`, `conncomp`, `isdag`, `isspantree`, `maxflow`,  
`minspantree`, `shortestpath`, `topoorder`, `traverse`

**Purpose** Calculate high-resolution isotope mass distribution and density function

**Syntax**

```
[MD, Info, DF] = isotopicdist(SeqAA)
[MD, Info, DF] = isotopicdist(Compound)
[MD, Info, DF] = isotopicdist(Formula)
isotopicdist(..., 'NTerminal', NTerminalValue, ...)
isotopicdist(..., 'CTerminal', CTerminalValue, ...)
isotopicdist(..., 'Resolution', ResolutionValue, ...)
isotopicdist(..., 'FFTResolution', FFTResolutionValue, ...)
isotopicdist(..., 'FFTRange', FFTRangeValue, ...)
isotopicdist(..., 'FFTLocation', FFTLocationValue, ...)
isotopicdist(..., 'NoiseThreshold',
NoiseThresholdValue, ...)
isotopicdist(..., 'ShowPlot', ShowPlotValue, ...)
```

**Description** [MD, Info, DF] = isotopicdist(SeqAA) analyzes a peptide sequence and returns a matrix containing the expected mass distribution; a structure containing the monoisotopic mass, average mass, most abundant mass, nominal mass, and empirical formula; and a matrix containing the expected density function.

[MD, Info, DF] = isotopicdist(Compound) analyzes a compound specified by a numeric vector or matrix.

[MD, Info, DF] = isotopicdist(Formula) analyzes a compound specified by an empirical chemical formula represented by the structure *Formula*. The field names in *Formula* must be valid element symbols and are case sensitive. The respective values in *Formula* are the number of atoms for each element. *Formula* can also be an array of structures that specifies multiple formulas. The field names can be in any order within a structure. However, if there are multiple structures, the order must be the same in each.

isotopicdist(..., 'PropertyName', PropertyValue, ...) calls isotopicdist with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each

*PropertyName* is case insensitive. These property name/property value pairs are as follows:

`isotopicdist(..., 'NTerminal', NTerminalValue, ...)` modifies the N-terminal of the peptide.

`isotopicdist(..., 'CTerminal', CTerminalValue, ...)` modifies the C-terminal of the peptide.

`isotopicdist(..., 'Resolution', ResolutionValue, ...)` specifies the approximate resolution of the instrument, given as the Gaussian width (in daltons) at full width at half height (FWHH).

`isotopicdist(..., 'FFTResolution', FFTResolutionValue, ...)` specifies the number of data points per dalton, to compute the fast Fourier transform (FFT) algorithm.

`isotopicdist(..., 'FFTRange', FFTRangeValue, ...)` specifies the absolute range (window size) in daltons for the FFT algorithm and output density function.

`isotopicdist(..., 'FFTLocation', FFTLocationValue, ...)` specifies the location of the FFT range (window) defined by *FFTRangeValue*. It specifies this location by setting the location of the lower limit of the range, relative to the location of the monoisotopic peak, which is computed by `isotopicdist`.

`isotopicdist(..., 'NoiseThreshold', NoiseThresholdValue, ...)` removes points in the mass distribution that are smaller than  $1/\textit{NoiseThresholdValue}$  times the most abundant mass.

`isotopicdist(..., 'ShowPlot', ShowPlotValue, ...)` controls the display of a plot of the mass distribution.

## Input Arguments

*SeqAA*

Peptide sequence specified by either a:

- String of single-letter codes
- Cell array of strings that specifies multiple peptide sequences

---

**Tip** You can use the `getgenpept` and `genpeptread` functions to retrieve peptide sequences from the GenPept database or a GenPept-formatted file. You can then use the `cleave` function to perform an insilico digestion on a peptide sequence. The `cleave` function creates a cell array of strings representing peptide fragments, which you can submit to the `isotopicdist` function.

---

## *Compound*

Compound specified by either a:

- Numeric vector of form [C H N O S], where C, H, N, O, and S are nonnegative numbers that represent the number of atoms of carbon, hydrogen, nitrogen, oxygen, and sulfur respectively in a compound.
- M-by-5 numeric matrix that specifies multiple compounds, with each row corresponding to a compound and each column corresponding to an atom.

## *Formula*

Chemical formula specified by either a:

- Structure whose field names are valid element symbols and case sensitive. Their respective values are the number of atoms for each element.
- Array of structures that specifies multiple formulas.

---

**Note** If *Formula* is a single structure, the order of the fields does not matter. If *Formula* is an array of structures, then the order of the fields must be the same in each structure.

---

## *NTerminalValue*

Modification for the N-terminal of the peptide, specified by either:

- One of the strings 'none', 'amine' (default), 'formyl', or 'acetyl'
- Custom modification specified by an empirical formula, represented by a structure. The structure must have field names that are valid element symbols and case sensitive. Their respective values are the number of atoms for each element.

#### *CTerminalValue*

Modification for the C-terminal of the peptide, specified by either:

- One of the strings 'none', 'freeacid' (default), or 'amide'
- Custom modification specified by an empirical formula, represented by a structure. The structure must have field names that are valid element symbols and case sensitive. Their respective values are the number of atoms for each element.

#### *ResolutionValue*

Value in daltons specifying the approximate resolution of the instrument, given as the Gaussian width at full width half height (FWHH).

**Default:** 1/16 Da

#### *FFTResolutionValue*

Value specifying the number of data points per dalton, used to compute the FFT algorithm.

**Default:** 1000

#### *FFTRangeValue*

Value specifying the absolute range (window size) in daltons for the FFT algorithm and output density function. By default,

this value is automatically estimated based on the weight of the molecule. The actual FFT range used internally by isotopicdist is further increased such that  $FFTRangeValue * FFTResolutionValue$  is a power of two.

---

**Tip** Increase the *FFTRangeValue* if the signal represented by the *DF* output appears to be truncated.

---

---

**Tip** Ultrahigh resolution allows you to resolve micropeaks that have the same nominal mass, but slightly different exact masses. To achieve ultrahigh resolution, increase *FFTResolutionValue* and reduce *ResolutionValue*, but ensure that  $FFTRangeValue * FFTResolutionValue$  is within the available memory.

---

## *FFTLocationValue*

Fraction that specifies the location of the FFT range (window) defined by *FFTRangeValue*. It specifies this location by setting the location of the lower limit of the FFT range, relative to the location of the monoisotopic peak, which is computed by isotopicdist. The location of the lower limit of the FFT range is set to the mass of the monoisotopic peak - ( $FFTLocationValue * FFTRangeValue$ ).

---

**Tip** You may need to shift the FFT range to the left in rare cases where a compound contains an element, such as Iron or Argon, whose most abundant isotope is not the lightest one.

---

**Default:** 1/16

## *NoiseThresholdValue*

Value that removes points in the mass distribution that are smaller than  $1/\text{NoiseThresholdValue}$  times the most abundant mass.

**Default:** 1e6

*ShowPlotValue*

Controls the display of a plot of the isotopic mass distribution. Choices are `true`, `false`, or `I`, which is an integer specifying a compound. If set to `true`, the first compound is plotted. Default is:

- `false` — When you specify return values.
- `true` — When you do not specify return values.

## Output Arguments

*MD*

Mass distribution represented by a two-column matrix in which each row corresponds to an isotope. The first column lists the isotopic mass, and the second column lists the probability for that mass.

*Info*

Structure containing mass information for the peptide sequence or compound in the following fields:

- `NominalMass`
- `MonoisotopicMass`
- `ObservedAverageMass` — Estimated from the *DF* signal output, using instrument resolution specified by the `'Resolution'` property.
- `CalculatedAverageMass` — Calculated directly from the input formula, assuming perfect instrument resolution.
- `MostAbundantMass`

- **Formula** — Structure containing the number of atoms of each element.

*DF*

Density function represented by a two-column matrix in which each row corresponds to an  $m/z$  value. The first column lists the mass, and the second column lists the relative intensity of the signal at that mass.

## Definitions

### Average Mass

Sum of the average atomic masses of the constituent elements in a molecule.

### Monoisotopic Mass

Sum of the masses of the atoms in a molecule using the unbound, ground-state, rest mass of the principle (most abundant) isotope for each element instead of the isotopic average mass.

### Most Abundant Mass

Mass of the molecule with the most-highly represented isotope distribution, based on the natural abundance of the isotopes.

### Nominal Mass

Sum of the integer masses (ignoring the mass defect) of the most abundant isotope of each element in a molecule.

## Examples

Calculate and display the isotopic mass distribution of the peptide sequence MATLAB with an Acetyl N-terminal and an Amide C-terminal:


```
MD = isotopicdist('MATLAP','nterm','Acetyl','cterm','Amide', ...  
                  'showplot',true)
```

```
MD =
```

```
643.3363    0.6676  
644.3388    0.2306
```



645.3378	0.0797
646.3386	0.0181
647.3396	0.0033
648.3409	0.0005
649.3423	0.0001
650.3439	0.0000
651.3455	0.0000




Calculate and display the isotopic mass distribution of Glutamine ( $C_5H_{10}N_2O_3$ ):

```
MD = isotopicdist([5 10 2 3 0], 'showplot', true)
```


```
MD =
```

146.0691	0.9328
147.0715	0.0595
148.0733	0.0074
149.0755	0.0004
150.0774	0.0000



Display the isotopic mass distribution of the "averagine" model, whose molecular formula represents the statistical occurrences of amino acids from all known proteins:

```
isotopicdist([4.9384 7.7583 1.3577 1.4773 0.0417])
```



## References

- [1] Rockwood, A. L., Van Orden, S. L., and Smith, R. D. (1995). Rapid Calculation of Isotope Distributions. *Anal. Chem.* *67*:15, 2699–2704.
- [2] Rockwood, A. L., Van Orden, S. L., and Smith, R. D. (1996). Ultrahigh Resolution Isotope Distribution Calculations. *Rapid Commun. Mass Spectrum* *10*, 54–59.
- [3] Senko, M.W., Beu, S. C., and McLafferty, F. W. (1995). Automated assignment of charge states from resolved isotopic peaks for multiply charged ions. *J. Am. Soc. Mass Spectrom.* *6*, 52–56.
- [4] Senko, M.W., Beu, S. C., and McLafferty, F. W. (1995). Determination of monoisotopic masses and ion populations for large

# isotopicdist

---

biomolecules from resolved isotopic distributions. J. Am. Soc. Mass Spectrom. 6, 229–233.

## See Also

`cleave | getgenpept | genpeptread | int2aa | nt2aa | aminolookup  
| cleavelookup | molweight`

**Purpose** Determine if tree created from biograph object is spanning tree

**Syntax** `TF = isspantree(BGObj)`

**Arguments**

<i>BGObj</i>	Biograph object created by biograph (object constructor).
--------------	---

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`TF = isspantree(BGObj)` returns logical 1 (true) if the N-by-N adjacency matrix extracted from a biograph object, *BGObj*, is a spanning tree, and logical 0 (false) otherwise. A spanning tree must touch all the nodes and must be acyclic. The lower triangle of the N-by-N adjacency matrix represents an undirected graph, and all nonzero entries indicate the presence of an edge.

## References

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphisspantree`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a biograph object:  
`allshortestpaths`, `conncomp`, `isdag`, `isomorphism`, `maxflow`,  
`minspantree`, `shortestpath`, `topoorder`, `traverse`

**Purpose** Read JCAMP-DX-formatted files

**Syntax** `JCAMPStruct = jcampread(File)`

**Arguments**

<i>File</i>	Either of the following:
-------------	--------------------------

- String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a JCAMP-DX-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
- MATLAB character array that contains the text of a JCAMP-DX-formatted file.

**Return Values**

<i>JCAMPStruct</i>	MATLAB structure containing information from a JCAMP-DX-formatted file.
--------------------	---

**Description** JCAMP-DX is a file format for infrared, NMR, and mass spectrometry data from the Joint Committee on Atomic and Molecular Physical Data (JCAMP). `jcampread` supports reading data from files saved with Versions 4.24, 5, or 6 of the JCAMP-DX format. For more details, see:

<http://www.jcamp-dx.org/>

`JCAMPStruct = jcampread(File)` reads data from *File*, a JCAMP-DX-formatted file, and creates *JCAMPStruct*, a MATLAB structure containing the following fields.

Field
Title
DataType
DataClass
Origin
Owner
Blocks
Notes

The **Blocks** field of the structure is an array of structures corresponding to each set of data in the file. These structures have the following fields.

Field
XData
YData
XUnits
YUnits
Notes

## Examples

- 1 Open a Web browser to

<http://www.jcamp-dx.org/testdata.html>

- 2 Download the `testdata.zip` file to your MATLAB Current Folder.
- 3 Extract `isas_ms1.dx`, a JCAMP-DX-formatted file, from the `testdata.zip` file to your MATLAB Current Folder.
- 4 Read the data from the JCAMP-DX-formatted file, `isas_ms1.dx`, into the MATLAB software


```
jcampStruct = jcampread('isas_ms1.dx')
```

```
jcampStruct =  
  
    Title: '2-Chlorphenol'  
    DataType: 'MASS SPECTRUM'  
    DataClass: 'PEAKTABLE'  
    Origin: 'H. Mayer, ISAS Dortmund'  
    Owner: 'COPYRIGHT (C) 1993 by ISAS Dortmund, FRG'  
    Blocks: [1x1 struct]  
    Notes: {8x2 cell}
```

## 5 Plot the mass spectrum.

```
data = jcampStruct.Blocks(1);  
stem(data.XData,data.YData, '.', 'MarkerEdgeColor','w');  
title(jcampStruct.Title);  
xlabel(data.XUnits);  
ylabel(data.YUnits);
```





## See Also

Bioinformatics Toolbox functions: `mslowess`, `mssgolay`, `msviewer`, `mzcdread`, `mzxmlread`, `tgspcread`

**Purpose** Join two sequences to produce shortest supersequence

**Syntax** `SeqNT3 = joinseq(SeqNT1, SeqNT2)`

**Arguments** `SeqNT1`, `SeqNT2` Nucleotide sequences.

**Description** `SeqNT3 = joinseq(SeqNT1, SeqNT2)` creates a new sequence that is the shortest supersequence of `SeqNT1` and `SeqNT2`. If there is no overlap between the sequences, then `SeqNT2` is concatenated to the end of `SeqNT1`. If the length of the overlap is the same at both ends of the sequence, then the overlap at the end of `SeqNT1` and the start of `SeqNT2` is used to join the sequences.

If `SeqNT1` is a subsequence of `SeqNT2`, then `SeqNT2` is returned as the shortest supersequence and vice versa.

**Examples** Join two sequences that contain an overlap.

```
seq1 = 'ACGTAAA';  
seq2 = 'AAATGCA';  
joined = joinseq(seq1,seq2)
```

```
joined =  
    ACGTAAATGCA
```

**See Also** MATLAB functions: `cat`, `strcat`, `strfind`

## Purpose

Classify data using nearest neighbor method

## Syntax

```
Class = knnclassify(Sample, Training, Group)
Class = knnclassify(Sample, Training, Group, k)
Class = knnclassify(Sample, Training, Group, k, distance)
Class = knnclassify(Sample, Training, Group, k, distance,
                    rule)
```

## Arguments

<i>Sample</i>	Matrix whose rows will be classified into groups. <i>Sample</i> must have the same number of columns as <i>Training</i> .
<i>Training</i>	Matrix used to group the rows in the matrix <i>Sample</i> . <i>Training</i> must have the same number of columns as <i>Sample</i> . Each row of <i>Training</i> belongs to the group whose value is the corresponding entry of <i>Group</i> .
<i>Group</i>	Vector whose distinct values define the grouping of the rows in <i>Training</i> .
<i>k</i>	The number of nearest neighbors used in the classification. Default is 1.
<i>distance</i>	String specifying the distance metric. Choices are: <ul style="list-style-type: none"> <li>• 'euclidean' — Euclidean distance (default)</li> <li>• 'cityblock' — Sum of absolute differences</li> <li>• 'cosine' — One minus the cosine of the included angle between points (treated as vectors)</li> <li>• 'correlation' — One minus the sample correlation between points (treated as sequences of values)</li> <li>• 'hamming' — Percentage of bits that differ (suitable only for binary data)</li> </ul>

- rule* String to specify the rule used to decide how to classify the sample. Choices are:
- 'nearest' — Majority rule with nearest point tie-break (default)
  - 'random' — Majority rule with random point tie-break
  - 'consensus' — Consensus rule

## Description

*Class* = knnclassify(*Sample*, *Training*, *Group*) classifies the rows of the data matrix *Sample* into groups, based on the grouping of the rows of *Training*. *Sample* and *Training* must be matrices with the same number of columns. *Group* is a vector whose distinct values define the grouping of the rows in *Training*. Each row of *Training* belongs to the group whose value is the corresponding entry of *Group*. knnclassify assigns each row of *Sample* to the group for the closest row of *Training*. *Group* can be a numeric vector, a string array, or a cell array of strings. *Training* and *Group* must have the same number of rows. knnclassify treats NaNs or empty strings in *Group* as missing values, and ignores the corresponding rows of *Training*. *Class* indicates which group each row of *Sample* has been assigned to, and is of the same type as *Group*.

*Class* = knnclassify(*Sample*, *Training*, *Group*, *k*) enables you to specify *k*, the number of nearest neighbors used in the classification. Default is 1.

*Class* = knnclassify(*Sample*, *Training*, *Group*, *k*, *distance*) enables you to specify the distance metric. Choices for *distance* are:

- 'euclidean' — Euclidean distance (default)
- 'cityblock' — Sum of absolute differences
- 'cosine' — One minus the cosine of the included angle between points (treated as vectors)
- 'correlation' — One minus the sample correlation between points (treated as sequences of values)

- 'hamming' — Percentage of bits that differ (suitable only for binary data)

*Class* = knnclassify(*Sample*, *Training*, *Group*, *k*, *distance*, *rule*) enables you to specify the rule used to decide how to classify the sample. Choices for *rule* are:

- 'nearest' — Majority rule with nearest point tie-break (default)
- 'random' — Majority rule with random point tie-break
- 'consensus' — Consensus rule

The default behavior is to use majority rule. That is, a sample point is assigned to the class the majority of the *k* nearest neighbors are from. Use 'consensus' to require a consensus, as opposed to majority rule. When using the 'consensus' option, points where not all of the *k* nearest neighbors are from the same class are not assigned to one of the classes. Instead the output *Class* for these points is NaN for numerical groups or '' for string named groups. When classifying to more than two groups or when using an even value for *k*, it might be necessary to break a tie in the number of nearest neighbors. Options are 'random', which selects a random tiebreaker, and 'nearest', which uses the nearest neighbor among the tied groups to break the tie. The default behavior is majority rule, with nearest tie-break.

## Examples

### Classifying Rows

The following example classifies the rows of the matrix *sample*:

```
sample = [.9 .8;.1 .3;.2 .6]
```

```
sample =
    0.9000    0.8000
    0.1000    0.3000
    0.2000    0.6000
```

```
training=[0 0;.5 .5;1 1]
```


```
training =  
    0    0  
    0.5000    0.5000  
    1.0000    1.0000  
  
group = [1;2;3]  
  
group =  
    1  
    2  
    3  
  
class = knnclassify(sample, training, group)  
  
class =  
    3  
    1  
    2
```

Row 1 of `sample` is closest to row 3 of `training`, so `class(1) = 3`. Row 2 of `sample` is closest to row 1 of `training`, so `class(2) = 1`. Row 3 of `sample` is closest to row 2 of `training`, so `class(3) = 2`.

## Classifying Rows into One of Two Groups


The following example classifies each row of the data in `sample` into one of the two groups in `training`. The following commands create the matrix `training` and the grouping variable `group`, and plot the rows of `training` in two groups.

```
training = [mvnrnd([ 1 1], eye(2), 100); ...  
            mvnrnd([-1 -1], 2*eye(2), 100)];  
group = [repmat(1,100,1); repmat(2,100,1)];  
gscatter(training(:,1),training(:,2),group,'rb','+x');  
legend('Training group 1', 'Training group 2');  
hold on;
```



The following commands create the matrix `sample`, classify its rows into two groups, and plot the result.

```
sample = unifrnd(-5, 5, 100, 2);  
% Classify the sample using the nearest neighbor classification  
c = knnclassify(sample, training, group);  
gscatter(sample(:,1),sample(:,2),c,'mc'); hold on;  
legend('Training group 1','Training group 2', ...  
       'Data in group 1','Data in group 2');  
hold off;
```




## Classifying Rows Using the Three Nearest Neighbors

The following example uses the same data as in Classifying Rows into One of Two Groups on page 3-948, but classifies the rows of sample using three nearest neighbors instead of one.

```
gscatter(training(:,1),training(:,2),group,'rb','+x');  
hold on;  
c3 = knnclassify(sample, training, group, 3);  
gscatter(sample(:,1),sample(:,2),c3,'mc','o');  
legend('Training group 1','Training group 2','Data in group 1','Data in group 2');
```





If you compare this plot with the one in *Classifying Rows into One of Two Groups* on page 3-948, you see that some of the data points are classified differently using three nearest neighbors.

## References

[1] Mitchell, T. (1997). *Machine Learning*, (McGraw-Hill).

## See Also

Bioinformatics Toolbox functions: `classperf`, `crossvalind`, `knnimpute`, `svmclassify`, `svmtrain`

Statistics Toolbox function: `classify`

# knnimpute

---

**Purpose** Impute missing data using nearest-neighbor method

**Syntax**

```
knnimpute(Data)  
knnimpute(Data, k)  
knnimpute(..., 'Distance', DistanceValue, ...)  
knnimpute(..., 'DistArgs', DistArgsValue, ...)  
knnimpute(..., 'Weights', WeightsValues, ...)  
knnimpute(..., 'Median', MedianValue, ...)
```

**Arguments** *Data*

*k*

**Description** `knnimpute(Data)` replaces NaNs in *Data* with the corresponding value from the nearest-neighbor column. The nearest-neighbor column is the closest column in Euclidean distance. If the corresponding value from the nearest-neighbor column is also NaN, the next nearest column is used.

`knnimpute(Data, k)` replaces NaNs in *Data* with a weighted mean of the *k* nearest-neighbor columns. The weights are inversely proportional to the distances from the neighboring columns.

`knnimpute(..., 'PropertyName', PropertyValue, ...)` calls `knnimpute` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`knnimpute(..., 'Distance', DistanceValue, ...)` computes nearest-neighbor columns using the distance metric `distfun`. The choices for *DistanceValue* are:

'euclidean'	Euclidean distance (default).
'seuclidean'	Standardized Euclidean distance — each coordinate in the sum of squares is inversely weighted by the sample variance of that coordinate.
'cityblock'	City block distance.
'mahalanobis'	Mahalanobis distance.
'minkowski'	Minkowski distance with exponent 2.
'cosine'	One minus the cosine of the included angle.
'correlation'	One minus the sample correlation between observations, treated as sequences of values.
'hamming'	Hamming distance — the percentage of coordinates that differ.
'jaccard'	One minus the Jaccard coefficient — the percentage of nonzero coordinates that differ.
'chebychev'	Chebychev distance (maximum coordinate difference).
function handle	A handle to a distance function, specified using @, for example, @distfun.

See `pdist` for more details.

`knnimpute(..., 'DistArgs', DistArgsValue, ...)` passes arguments (*DistArgsValue*) to the function `distfun`. *DistArgsValue* can be a single value or a cell array of values.

`knnimpute(..., 'Weights', WeightsValues, ...)` lets you specify the weights used in the weighted mean calculation. *w* should be a vector of length *k*.

`knnimpute(..., 'Median', MedianValue, ...)` when *MedianValue* is true, uses the median of the *k* nearest neighbors instead of the weighted mean.

## Example 1

```
A = [1 2 5;4 5 7;NaN -1 8;7 6 0]
```

```
A =
```

1	2	5
4	5	7
NaN	-1	8
7	6	0

Note that  $A(3,1) = \text{NaN}$ . Because column 2 is the closest column to column 1 in Euclidean distance, `knnimpute` imputes the (3,1) entry of column 1 to be the corresponding entry of column 2, which is -1.

```
knnimpute(A)
```

```
ans =
```

1	2	5
4	5	7
-1	-1	8
7	6	0

## Example 2

The following example loads the data set `yeastdata` and imputes missing values in the array `yeastvalues`:

```
load yeastdata
% Remove data for empty spots
emptySpots = strcmp('EMPTY',genes);
yeastvalues(emptySpots,:) = [];
genes(emptySpots) = [];
% Impute missing values
imputedValues = knnimpute(yeastvalues);
```

## References

[1] Speed, T. (2003). Statistical Analysis of Gene Expression Microarray Data (Chapman & Hall/CRC).

[2] Hastie, T., Tibshirani, R., Sherlock, G., Eisen, M., Brown, P., and Botstein, D. (1999). “Imputing missing data for gene expression arrays”, Technical Report, Division of Biostatistics, Stanford University.

[3] Troyanskaya, O., Cantor, M., Sherlock, G., Brown, P., Hastie, T., Tibshirani, R., Botstein, D., and Altman, R. (2001). Missing value estimation methods for DNA microarrays. *Bioinformatics* *17*(6), 520–525.

**See Also**

Statistics Toolbox function: `knnclassify`

MATLAB function: `isnan`

Statistics Toolbox functions: `nanmean`, `nanmedian`, `pdist`

# ldivide (DataMatrix)

---

<b>Purpose</b>	Left array divide DataMatrix objects	
<b>Syntax</b>	<pre>DMObjNew = ldivide(DMObj1, DMObj2) DMObjNew = DMObj1 .\ DMObj2 DMObjNew = ldivide(DMObj1, B) DMObjNew = DMObj1 .\ B DMObjNew = ldivide(B, DMObj1) DMObjNew = B .\ DMObj1</pre>	
<b>Arguments</b>	<i>DMObj1</i> , <i>DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
	<i>B</i>	MATLAB numeric or logical array.
<b>Return Values</b>	<i>DMObjNew</i>	DataMatrix object created by left array division.
<b>Description</b>	<p><i>DMObjNew</i> = ldivide(<i>DMObj1</i>, <i>DMObj2</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> .\ <i>DMObj2</i> performs an element-by-element left array division of the DataMatrix objects <i>DMObj1</i> and <i>DMObj2</i> and places the results in <i>DMObjNew</i>, another DataMatrix object. In other words, ldivide divides each element in <i>DMObj2</i> by the corresponding element in <i>DMObj1</i>. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for <i>DMObjNew</i> are the same as <i>DMObj1</i>, unless <i>DMObj1</i> is a scalar; then they are the same as <i>DMObj2</i>.</p> <p><i>DMObjNew</i> = ldivide(<i>DMObj1</i>, <i>B</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> .\ <i>B</i> performs an element-by-element left array division of the DataMatrix object <i>DMObj1</i> and <i>B</i>, a numeric or logical array, and places the results in <i>DMObjNew</i>, another DataMatrix object. In other words, ldivide divides each element in <i>B</i> by the corresponding element in <i>DMObj1</i>. <i>DMObj1</i> and <i>B</i> must have the same size (number of rows and</p>	

columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

*DMObjNew* = `ldivide(B, DMObj1)` or the equivalent *DMObjNew* = *B* `.\ DMObj1` performs an element-by-element left array division of *B*, a numeric or logical array, and the DataMatrix object *DMObj1*, and places the results in *DMObjNew*, another DataMatrix object. In other words, `ldivide` divides each element in *DMObj1* by the corresponding element in *B.DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls *DMObjNew* = `ldivide(X, Y)` for the syntax *DMObjNew* = *X* `.\ Y` when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: `rdivide`, `times`

# le (DataMatrix)

---

<b>Purpose</b>	Test DataMatrix objects for less than or equal to	
<b>Syntax</b>	$T = le(DMObj1, DMObj2)$ $T = DMObj1 \leq DMObj2$ $T = le(DMObj1, B)$ $T = DMObj1 \leq B$ $T = le(B, DMObj1)$ $T = B \leq DMObj1$	
<b>Arguments</b>	<i>DMObj1</i> , <i>DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
	<i>B</i>	MATLAB numeric or logical array.
<b>Return Values</b>	<i>T</i>	Logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i> or <i>DMObj1</i> and <i>B</i> . It contains logical 1 (true) where elements in the first input are less than or equal to the corresponding element in the second input, and logical 0 (false) otherwise.
<b>Description</b>	<p><math>T = le(DMObj1, DMObj2)</math> or the equivalent <math>T = DMObj1 \leq DMObj2</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in DataMatrix object <i>DMObj2</i>, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i>, containing logical 1 (true) where elements in <i>DMObj1</i> are less than or equal to the corresponding element in <i>DMObj2</i>, and logical 0 (false) otherwise. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). <i>DMObj1</i> and <i>DMObj2</i> can have different Name properties.</p> <p><math>T = le(DMObj1, B)</math> or the equivalent <math>T = DMObj1 \leq B</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in <i>B</i>, a numeric or logical array, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>B</i>, containing logical 1 (true) where elements</p>	



in *DMObj1* are less than or equal to the corresponding element in *B*, and logical 0 (false) otherwise. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{le}(B, DMObj1)$  or the equivalent  $T = B \leq DMObj1$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are less than or equal to the corresponding element in *DMObj1*, and logical 0 (false) otherwise. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{le}(X, Y)$  for the syntax  $T = X \leq Y$  when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `ge`

**Purpose** Return local optimal and suboptimal alignments between two sequences

**Syntax**

```
AlignStruct = localalign(Seq1, Seq2)
AlignStruct = localalign(Seq1, Seq2, ...'NumAln',
    NumAlnValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'MinScore',
    MinScoreValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'Percent',
    PercentValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'DoAlignment',
    DoAlignmentValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'Alphabet',
    AlphabetValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'ScoringMatrix',
    ScoringMatrixValue, ...)
AlignStruct = localalign(Seq1, Seq2, ...'Scale',
    ScaleValue,
    ...)
AlignStruct = localalign(Seq1, Seq2, ...'GapOpen',
    GapOpenValue, ...)
```

**Description** *AlignStruct* = localalign(Seq1, Seq2) returns information about the first optimal (highest scoring) local alignment between two sequences in a MATLAB structure.

*AlignStruct* = localalign(Seq1, Seq2, ...'PropertyName', PropertyValue, ...) calls localalign with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

*AlignStruct* = localalign(Seq1, Seq2, ...'NumAln', NumAlnValue, ...) returns information about one or more nonintersecting, local alignments (optimal and suboptimal). It limits the number of alignments to return by specifying the number of local alignments to return. It returns the alignments in decreasing order according to their score.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'MinScore', *MinScoreValue*, ...) returns information about nonintersecting, local alignments (optimal and suboptimal), whose score is greater than *MinScoreValue*.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'Percent', *PercentValue*, ...) returns information about one or more nonintersecting local alignments (optimal and suboptimal), whose scores are within *PercentValue* percent of the highest score. It returns the alignments in decreasing order according to their score.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'DoAlignment', *DoAlignmentValue*, ...) specifies whether to include the pairwise alignments in the Alignment field of the output structure. Choices are true (default) or false.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'Alphabet', *AlphabetValue*, ...) specifies the type of sequences. Choices are 'AA' (default) or 'NT'.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'ScoringMatrix', *ScoringMatrixValue*, ...) specifies the scoring matrix to use for the local alignment.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'Scale', *ScaleValue*, ...) specifies a scale factor applied to the output scores, thereby controlling the units of the output scores. Choices are any positive value. Default is 1, which does not change the units of the output score.

*AlignStruct* = localalign(*Seq1*, *Seq2*, ...'GapOpen', *GapOpenValue*, ...) specifies the penalty for opening a gap in the alignment. Choices are any positive value. Default is 8.

## Input Arguments

*Seq1*

First amino acid or nucleotide sequence specified by any of the following:

- Character string of letters representing amino acids or nucleotides, such as returned by `int2aa` or `int2nt`
- Vector of integers representing amino acids or nucleotides, such as returned by `aa2int` or `nt2int`
- MATLAB structure containing a `Sequence` field, such as returned by `fastaread`, `fastqread`, `emblread`, `getembl`, `genbankread`, `getgenbank`, `getgenpept`, `genpeptread`, `getpdb`, `pdbread`, or `sffread`

---

**Tip** For help with letter and integer representations of amino acids and nucleotides, see Amino Acid Lookup on page 3-165 or Nucleotide Lookup on page 3-176.

---

*Seq2*

Second amino acid or nucleotide sequence, which `localalign` aligns with *Seq1*.

*NumAlnValue*

Positive scalar specifying the number of alignments to return. `localalign` returns the top *NumAlnValue* local, nonintersecting alignments (optimal and suboptimal). If the number of optimal alignments is greater than *NumAlnValue*, then `localalign` returns the first *NumAlnValue* alignments based on their order in the trace back matrix.

---

**Note** If you specify a *NumAlnValue*, you cannot specify a *MinScoreValue* or *PercentValue*.

---

---

**Tip** Use *NumAlnValue* to return multiple alignments when you are aligning low complexity sequences and must consider several local alignments.

---

**Default:** 1

*MinScoreValue*

Positive scalar specifying the minimum score of local, nonintersecting alignments (optimal and suboptimal) to return.

---

**Note** If you specify a *MinScoreValue*, you cannot specify a *NumAlnValue* or *PercentValue*.

---

---

**Tip** Use *MinScoreValue* to return suboptimal alignments, for example when you are interested in accounting for sequencing errors or imperfect scoring matrices.

---

*PercentValue*

Positive scalar between 0 and 100 that limits the return of local, nonintersecting alignments (optimal and suboptimal) to those alignments with a score within *PercentValue* percent of the highest score. For example, if the highest score is 10.5 and you specify 5 for *PercentValue*, then localalign determines a minimum score of  $10.5 \times (1 - 0.05) = 9.975$ . It returns all alignments with a score of 9.975 or higher.

---

**Note** If you specify a *PercentValue*, you cannot specify a *NumAlnValue* or *MinScoreValue*.

---

---

**Tip** Use *PercentValue* to return optimal and suboptimal alignments when you do not know how similar the two sequences are or how well they score against a given scoring matrix.

---

## *DoAlignmentValue*

Controls the inclusion of the pairwise alignments in the *Alignment* field of the output structure. Choices are `true` (default) or `false`.

## *AlphabetValue*

String specifying the type of sequences. Choices are `'AA'` (default) or `'NT'`.

## *ScoringMatrixValue*

Either of the following:

- String specifying the scoring matrix to use for the local alignment. Choices for amino acid sequences are:
  - `'BLOSUM62'`
  - `'BLOSUM30'` increasing by 5 up to `'BLOSUM90'`
  - `'BLOSUM100'`
  - `'PAM10'` increasing by 10 up to `'PAM500'`
  - `'DAYHOFF'`
  - `'GONNET'`

Default is:

- `'BLOSUM50'` — When *AlphabetValue* equals `'AA'`
- `'NUC44'` — When *AlphabetValue* equals `'NT'`

---

**Note** The previous scoring matrices, provided with the software, also include a structure containing a scale factor that converts the units of the output score to bits. You can also use the 'Scale' property to specify an additional scale factor to convert the output score from bits to another unit.

---

- Matrix representing the scoring matrix to use for the local alignment, such as returned by the `blosum`, `pam`, `dayhoff`, `gonnet`, or `nuc44` function.

---

**Note** If you use a scoring matrix that you created or was created by one of the previous functions, the matrix does not include a scale factor. The output score is returned in the same units as the scoring matrix. You can use the 'Scale' property to specify a scale factor to convert the output score to another unit.

---

## *ScaleValue*

Positive value that specifies a scale factor that is applied to the output scores, thereby controlling the units of the output scores.

For example, if the output score is initially determined in bits, and you enter  $\log(2)$  for *ScaleValue*, then `localalign` returns *Score* in nats.

Default is 1, which does not change the units of the output score.

---

**Note** If the 'ScoringMatrix' property also specifies a scale factor, then `localalign` uses it first to scale the output score. It then applies the scale factor specified by *ScaleValue* to rescale the output score.

---

**Tip** Before comparing alignment scores from multiple alignments, ensure that the scores are in the same units. Use the 'Scale' property to control the units of the output scores.

*GapOpenValue*

Positive value specifying the penalty for opening a gap in the alignment.

**Default:** 8

**Output Arguments**

*AlignStruct*

MATLAB structure or array of structures containing information about the local optimal and suboptimal alignments between two sequences. Each structure represents an optimal or suboptimal alignment and contains the following fields.

Field	Description
Score	Score for the local optimal or suboptimal alignment.
Start	1-by-2 vector of indices indicating the starting point in each sequence for the alignment.
Stop	1-by-2 vector of indices indicating the stopping point in each sequence for the alignment.
Alignment	3-by-N character array showing the two sequences, <i>Seq1</i> and <i>Seq2</i> , in the first and third rows. It also shows symbols representing the optimal or suboptimal local alignment between the two sequences in the second row.

**Definitions**

**Nonintersecting Alignments**

Alignments having no matches or mismatches in common.



## Optimal Alignment

An alignment with the highest score.

## Suboptimal Alignment

An alignment with a score less than the highest score.

## Examples

Limit the number of alignments to return between two sequences by specifying the number of alignments:

```
% Create variables containing two amino acid sequences.
Seq1 = 'VSPAGMASGYDPGKA';
Seq2 = 'IPGKATREYDVSPAG';

% Use the NumAln property to return information about the
% top three local alignments.
struct1 = localalign(Seq1, Seq2, 'numaln', 3)

struct1 =

        Score: [3x1 double]
        Start: [3x2 double]
        Stop: [3x2 double]
    Alignment: {3x1 cell}

% View the scores of the first and second alignments.
struct1.Score(1:2)

ans =

    11.0000
     9.6667

% View the first alignment.
struct1.Alignment{1}

ans =
```

```
VSPAG
|||||
VSPAG
```

---

Limit the number of alignments to return between two sequences by specifying a minimum score:

```
% Create variables containing two amino acid sequences.
Seq1 = 'VSPAGMASGYDPGKA';
Seq2 = 'IPGKATREYDVSPAG';

% Use the MinScore property to return information about
% only local alignments with a score greater than 8.
% Use the DoAlignment property to exclude the actual alignments.
struct2 = localalign(Seq1,Seq2,'minscore',8,'doalignment',false)

struct2 =

    Score: [2x1 double]
    Start: [2x2 double]
    Stop: [2x2 double]
```

---

Limit the number of alignments to return between two sequences by specifying a percentage from the maximum score:

```
% Create variables containing two amino acid sequences.
Seq1 = 'VSPAGMASGYDPGKA';
Seq2 = 'IPGKATREYDVSPAG';

% Use the Percent property to return information about only
% local alignments with a score within 15% of the maximum score.
struct3 = localalign(Seq1, Seq2, 'percent', 15)

struct3 =
```

```
Score: [2x1 double]
Start: [2x2 double]
Stop: [2x2 double]
Alignment: {2x1 cell}
```

---

Specify a scoring matrix and gap opening penalty when aligning two sequences:

```
% Create variables containing two nucleotide sequences.
Seq1 = 'CCAATCTACTACTGCTTGCACTAC';
Seq2 = 'AGTCCGAGGGCTACTCTACTGAAC';

% Create a scoring matrix with a match score of 10 and a mismatch
% score of -9
sm = [10 -9 -9 -9;
      -9 10 -9 -9;
      -9 -9 10 -9;
      -9 -9 -9 10];

% Use the ScoringMatrix and GapOpen properties when returning
% information about the top three local alignments.
struct4 = localalign(Seq1, Seq2, 'alpha', 'nt', ...
    'scoringmatrix', sm, 'gapopen', 20, 'numaln', 3)

struct4 =

    Score: [3x1 double]
    Start: [3x2 double]
    Stop: [3x2 double]
    Alignment: {3x1 cell}
```

## References

[1] Barton, G. (1993). An efficient algorithm to locate all locally optimal alignments between two sequences allowing for gaps. *CABIOS* 9, 729–734.

**See Also**

nwalign | swalign | showalignment | blosum | pam | dayhoff |  
gonnet | nuc44

**Tutorials**

- [Aligning Pairs of Sequences](#)

**How To**

- [“Retrieving Sequence Information from a Public Database”](#)
- [“Multiple Sequence Alignment Viewer”](#)
- [Amino Acid Lookup on page 3-165](#)
- [Nucleotide Lookup on page 3-176](#)

**Related  
Links**

- 
- 
- 
-

<b>Purpose</b>	Test DataMatrix objects for less than	
<b>Syntax</b>	$T = \text{lt}(DMObj1, DMObj2)$ $T = DMObj1 < DMObj2$ $T = \text{lt}(DMObj1, B)$ $T = DMObj1 < B$ $T = \text{lt}(B, DMObj1)$ $T = B < DMObj1$	
<b>Arguments</b>	<p><i>DMObj1</i>, <i>DMObj2</i>     DataMatrix objects, such as created by DataMatrix (object constructor).</p> <p><i>B</i>     MATLAB numeric or logical array.</p>	
<b>Return Values</b>	<i>T</i>	Logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i> or <i>DMObj1</i> and <i>B</i> . It contains logical 1 (true) where elements in the first input are less than the corresponding element in the second input, and logical 0 (false) otherwise.
<b>Description</b>	<p><math>T = \text{lt}(DMObj1, DMObj2)</math> or the equivalent <math>T = DMObj1 &lt; DMObj2</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in DataMatrix object <i>DMObj2</i>, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>DMObj2</i>, containing logical 1 (true) where elements in <i>DMObj1</i> are less than the corresponding element in <i>DMObj2</i>, and logical 0 (false) otherwise. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). <i>DMObj1</i> and <i>DMObj2</i> can have different Name properties.</p> <p><math>T = \text{lt}(DMObj1, B)</math> or the equivalent <math>T = DMObj1 &lt; B</math> compares each element in DataMatrix object <i>DMObj1</i> to the corresponding element in <i>B</i>, a numeric or logical array, and returns <i>T</i>, a logical matrix of the same size as <i>DMObj1</i> and <i>B</i>, containing logical 1 (true) where elements</p>	

# lt (DataMatrix)

---

in *DMObj1* are less than the corresponding element in *B*, and logical 0 (false) otherwise. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{lt}(B, \text{DMObj1})$  or the equivalent  $T = B < \text{DMObj1}$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are less than the corresponding element in *DMObj1*, and logical 0 (false) otherwise. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{lt}(X, Y)$  for the syntax  $T = X < Y$  when *X* or *Y* is a DataMatrix object.

## See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `gt`

## Purpose

Create box plot for microarray data

## Syntax

```
maboxplot(MAData)
maboxplot(MAData, ColumnName)
maboxplot(MAStruct, FieldName)
H = maboxplot(...)
[H, HLines] = maboxplot(...)
maboxplot(..., 'Title', TitleValue, ...)
maboxplot(..., 'Notch', NotchValue, ...)
maboxplot(..., 'Symbol', SymbolValue, ...)
maboxplot(..., 'Orientation', OrientationValue, ...)
maboxplot(..., 'WhiskerLength', WhiskerLengthValue, ...)
maboxplot(..., 'BoxPlot', BoxPlotValue, ...)
```

## Arguments

<i>MAData</i>	DataMatrix object, numeric array, or a structure containing a field called <i>Data</i> . The values in the columns of <i>MAData</i> will be used to create box plots. If a DataMatrix object, the column names are used as labels in the box plot.
<i>ColumnName</i>	An array of column names corresponding to the data in <i>MAData</i> used as labels in the box plot.
<i>MAStruct</i>	A microarray data structure.
<i>FieldName</i>	A field within the microarray data structure, <i>MAStruct</i> . The values in the field <i>FieldName</i> will be used to create box plots.
<i>TitleValue</i>	A string to use as the title for the plot. The default title is <i>FieldName</i> .
<i>NotchValue</i>	Property to control the type of boxes drawn. Enter either <i>true</i> for notched boxes, or <i>false</i> , for square boxes. Default is <i>false</i> .

<i>OrientationValue</i>	Property to specify the orientation of the box plot. Enter 'Vertical' or 'Horizontal'. Default is 'Horizontal'.
<i>WhiskerLengthValue</i>	Property to specify the maximum length of the whiskers as a function of the interquartile range (IQR). The whisker extends to the most extreme data value within <i>WhiskerLengthValue</i> *IQR of the box. Default = 1.5. If <i>WhiskerLengthValue</i> equals 0, then maboxplot displays all data values outside the box, using the plotting symbol Symbol.
<i>BoxPlotValue</i>	A cell array of property name/property value pairs to pass to the Statistics Toolbox boxplot function, which creates the box plot. For valid pairs, see the boxplot function.

**Description**

maboxplot(*MAData*) displays a box plot of the values in the columns of *MAData*. *MAData* can be a DataMatrix object, numeric array, or a structure containing a field called *Data*, containing microarray data.

maboxplot(*MAData*, *ColumnName*) labels the box plot column names.

maboxplot(*MAStruct*, *FieldName*) displays a box plot of the values in the field *FieldName* in the microarray data structure *MAStruct*. If *MAStruct* is block based, maboxplot creates a box plot of the values in the field *FieldName* for each block.

---

**Note** If you provide *MAStruct*, without providing *FieldName*, maboxplot uses the *Signal* element in the *ColumnNames* field of *MAStruct*, if *Affymetrixdata*, or the first element in the in the *ColumnNames* field of *MAStruct*, otherwise.

---

*H* = maboxplot(...) returns the handle of the box plot axes.



`[H, HLines] = maboxplot(...)` returns the handles of the lines used to separate the different blocks in the image.

`maboxplot(..., 'PropertyName', PropertyValue, ...)` calls `maboxplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`maboxplot(..., 'Title', TitleValue, ...)` allows you to specify the title of the plot. The default *TitleValue* is `FieldName`.

`maboxplot(..., 'Notch', NotchValue, ...)` if *NotchValue* is true, draws notched boxes. The default is false to show square boxes.

`maboxplot(..., 'Symbol', SymbolValue, ...)` allows you to specify the symbol used for outlier values. The default Symbol is '+'.

`maboxplot(..., 'Orientation', OrientationValue, ...)` allows you to specify the orientation of the box plot. The choices are 'Vertical' and 'Horizontal'. The default is 'Vertical'.

`maboxplot(..., 'WhiskerLength', WhiskerLengthValue, ...)` allows you to specify the whisker length for the box plot. *WhiskerLengthValue* defines the maximum length of the whiskers as a function of the interquartile range (IQR) (default = 1.5). The whisker extends to the most extreme data value within *WhiskerLength*\*IQR of the box. If *WhiskerLengthValue* equals 0, then `maboxplot` displays all data values outside the box, using the plotting symbol Symbol.

`maboxplot(..., 'BoxPlot', BoxPlotValue, ...)` allows you to specify arguments to pass to the `boxplot` function, which creates the box plot. *BoxPlotValue* is a cell array of property name/property value pairs. For valid pairs, see the `boxplot` function.

## Examples

```
load yeastdata
maboxplot(yeastvalues,times);
xlabel('Sample Times');

% Using a structure
```

```
geoStruct = getgeodata('GSM1768');
maboxplot(geoStruct, 'title', 'GSM1768');

% For block-based data
madata = gprread('mouse_a1wt.gpr');
maboxplot(madata, 'F635 Median', 'Boxplot', ...
          {'Factorlabelorientation', 'horizontal'});
figure
maboxplot(madata, 'F635 Median - B635', 'TITLE', ...
          'Cy5 Channel FG - BG');
```

## See Also

Bioinformatics Toolbox functions: `magetfield`, `maimage`, `mairplot`, `maloglog`, `malowess`, `manorm`, `mavolcanoplot`

Statistics Toolbox function: `boxplot`

**Purpose** Estimate false discovery rate (FDR) of differentially expressed genes from two experimental conditions or phenotypes

**Syntax**

```
FDR = mafdr(PValues)
[FDR, Q] = mafdr(PValues)
[FDR, Q, Pi0] = mafdr(PValues)
[FDR, Q, Pi0, R2] = mafdr(PValues)
... = mafdr(PValues, ...'BHFDR', BHFDRValue, ...)
... = mafdr(PValues, ...'Lambda', LambdaValue, ...)
... = mafdr(PValues, ...'Method', MethodValue, ...)
... = mafdr(PValues, ...'Showplot', ShowplotValue, ...)
```

**Arguments**

<i>PValues</i>	Either of the following: <ul style="list-style-type: none"><li>• Column vector of p-values for each feature (for example, gene) in a data set, such as returned by <code>mattest</code>.</li><li>• <code>DataMatrix</code> object containing p-values for each feature (for example, gene) in a data set, such as returned by <code>mattest</code>.</li></ul>
<i>BHFDRValue</i>	Property to control the use of the linear step-up (LSU) procedure originally introduced by Benjamini and Hochberg, 1995. Choices are <code>true</code> or <code>false</code> (default).

---

**Note** If *BHFDRValue* is set to `true`, the `Lambda` and `Method` properties are ignored.

---

*LambdaValue* Input that specifies lambda,  $\lambda$ , the tuning parameter used to estimate the true null hypotheses,  $\hat{\pi}_0(\lambda)$ . *LambdaValue* can be either:

- A single value that is  $> 0$  and  $< 1$ .
- A series of values. Each value must be  $> 0$  and  $< 1$ . There must be at least four values in the series.

---

**Tip** The series of values can be expressed by a colon operator with the form `[first:incr:last]`, where *first* is the first value in the series, *incr* is the increment, and *last* is the last value in the series.

---

Default *LambdaValue* is the series of values `[0.01:0.01:0.95]`.

---

**Note** If *LambdaValue* is set to a single value, the *Method* property is ignored.

---

*MethodValue* String that specifies a method to calculate the true null hypothesis,  $\hat{\pi}_0(\lambda)$ , from the tuning parameter, *LambdaValue*, when *LambdaValue* is a series of values. Choices are:

- bootstrap (default)
- polynomial

*ShowplotValue* Property to display two plots:

- Plot of the estimated true null hypotheses,  $\hat{\pi}_0(\lambda)$ , versus the tuning parameter, lambda,  $\lambda$ , with a cubic polynomial fitting curve
- Plot of q-values versus p-values

Choices are `true` or `false` (default).

Return Values

<i>FDR</i>	One of the following: <ul style="list-style-type: none"><li>• Column vector of positive FDR (pFDR) values (if <i>PValues</i> is a column vector).</li><li>• DataMatrix object containing positive FDR (pFDR) values and the same row names as <i>PValues</i> (if <i>PValues</i> is a DataMatrix object).</li></ul>
<i>Q</i>	Column vector of q-values.
<i>Pi0</i>	Estimated true null hypothesis, $\hat{\pi}_0$ .
<i>R2</i>	Square of the correlation coefficient.

Description

*FDR* = mafdr(*PValues*) computes a positive FDR (pFDR) value for each value in *PValues*, a column vector or DataMatrix object containing p-values for each gene in two microarray data sets, using a procedure introduced by Storey, 2002. *FDR* is a column vector or a DataMatrix object containing positive FDR (pFDR) values.

[*FDR*, *Q*] = mafdr(*PValues*) also returns a q-value for each p-value in *PValues*. *Q* is a column vector.

[*FDR*, *Q*, *Pi0*] = mafdr(*PValues*) also returns *Pi0*, the estimated true null hypothesis,  $\hat{\pi}_0$ , if using the procedure introduced by Storey, 2002.

`[FDR, Q, Pi0, R2] = mafdr(PValues)` also returns *R2*, the square of the correlation coefficient, if using the procedure introduced by Storey, 2002, and the polynomial method to calculate the true null hypothesis,  $\hat{\pi}_0$ , from the tuning parameter,  $\lambda$ .

`... = mafdr(PValues, ...'PropertyName', PropertyValue, ...)` calls `mafdr` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = mafdr(PValues, ...'BHFDR', BHFDRValue, ...)` controls the use of the linear step-up (LSU) procedure originally introduced by Benjamini and Hochberg, 1995, to compute an FDR-adjusted p-value for each value in *PValues*. Choices are `true` or `false` (default).

---

**Note** If *BHFDRValue* is set to `true`, the *Lambda* and *Method* properties are ignored.

---

`... = mafdr(PValues, ...'Lambda', LambdaValue, ...)` specifies  $\lambda$ , the tuning parameter used to estimate the true null hypotheses,  $\hat{\pi}_0(\lambda)$ . *LambdaValue* can be either:

- A single value that is  $> 0$  and  $< 1$ .
- A series of values. Each value must be  $> 0$  and  $< 1$ . There must be at least four values in the series.

---

**Tip** The series of values can be expressed by a colon operator with the form `[first:incr:last]`, where *first* is the first value in the series, *incr* is the increment, and *last* is the last value in the series.

---

Default *LambdaValue* is the series of values `[0.01:0.01:0.95]`.

---

**Note** If *LambdaValue* is set to a single value, the *Method* property is ignored.


---

`... = mafdr(PValues, ...'Method', MethodValue, ...)` specifies a method to calculate the true null hypothesis,  $\hat{\pi}_0$ , from the tuning parameter, *LambdaValue*, when *LambdaValue* is a series of values. Choices are `bootstrap` (default) or `polynomial`.

`... = mafdr(PValues, ...'Showplot', ShowplotValue, ...)` controls the display of two plots:

- Plot of the estimated true null hypotheses,  $\hat{\pi}_0(\lambda)$ , versus the tuning parameter, `lambda`, with a cubic polynomial fitting curve
- Plot of q-values versus p-values

Choices are `true` or `false` (default).



## Examples

- 1 Load the MAT-file, included with the Bioinformatics Toolbox software, that contains Affymetrix data from a prostate cancer study, specifically probe intensity data from Affymetrix HG-U133A GeneChip arrays. The two variables in the MAT-file, `dependentData` and `independentData`, are two matrices of gene expression values from two experimental conditions.

```
load prostatecancerexpdata
```



- 2 Use the `mattest` function to calculate p-values for the gene expression values in the two matrices.

```
pvalues = mattest(dependentData, independentData, 'permute', true);
```

- 3 Use the `mafdr` function to calculate positive FDR values and q-values for the gene expression values in the two matrices and plot the data.

```
[fdr, q] = mafdr(pvalues, 'showplot', true);
```

The `prostatecancerexpdata.mat` file used in this example contains data from Best et al., 2005.

## References

- [1] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* *11*, 6823–6834.
- [2] Storey, J.D. (2002). A direct approach to false discovery rates. *Journal of the Royal Statistical Society* *64*(3), 479–498.
- [3] Storey, J.D., and Tibshirani, R. (2003). Statistical significance for genomewide studies. *Proc Nat Acad Sci* *100*(16), 9440–9445.
- [4] Storey, J.D., Taylor, J.E., and Siegmund, D. (2004). Strong control conservative point estimation and simultaneous conservative consistency of false discovery rates: A unified approach. *Journal of the Royal Statistical Society* *66*, 187–205.
- [5] Benjamini, Y., and Hochberg, Y. (1995). Controlling the false discovery rate: A practical and powerful approach to multiple testing. *Journal of the Royal Statistical Society* *57*, 289–300.

### See Also

Bioinformatics Toolbox functions: `affygcma`, `affyrma`, `gcma`, `mairplot`, `maloglog`, `mapcaplot`, `mattest`, `mavolcanoplot`, `rmasummary`

**Purpose** Extract data from microarray structure

**Syntax** `magetfield(MAStruct, FieldName)`

**Arguments**

<i>MAStruct</i>	Microarray structure.
<i>FieldName</i>	A column in <i>MAStruct</i> .

**Description** `magetfield(MAStruct, FieldName)` extracts data for *FieldName*, a column in *MAStruct*, microarray structure.

The benefit of this function is to hide the details of extracting a column of data from a structure created with one of the microarray reader functions (`gprread`, `agferead`, `sptread`, `imageneread`).

**Examples**

```
maStruct = gprread('mouse_a1wt.gpr');
cy3data = magetfield(maStruct, 'F635 Median');
cy5data = magetfield(maStruct, 'F532 Median');
mairplot(cy3data,cy5data,'title','R vs G IR plot');
```

**See Also** Bioinformatics Toolbox functions: `agferead`, `gprread`, `ilmnbsread`, `imageneread`, `maboxplot`, `mairplot`, `maloglog`, `malowess`, `sptread`

<b>Purpose</b>	Spatial image for microarray data	
<b>Syntax</b>	<pre>mimage(<i>X</i>, <i>FieldName</i>) H = mimage(...) [H, HLines] = mimage(...) mimage(..., '<i>PropertyName</i>', <i>PropertyValue</i>,...) mimage(..., '<i>Title</i>', <i>TitleValue</i>) mimage(..., '<i>ColorBar</i>', <i>ColorBarValue</i>) mimage(..., '<i>HandleGraphicsPropertyName</i>' <i>PropertyValue</i>)</pre>	
<b>Arguments</b>	<i>X</i>	A microarray data structure.
	<i>FieldName</i>	A field in the microarray data structure <i>X</i> .
	<i>TitleValue</i>	A string to use as the title for the plot. The default title is <i>FieldName</i> .
	<i>ColorBarValue</i>	Property to control displaying a color bar in the Figure window. Enter either <i>true</i> or <i>false</i> . The default value is <i>false</i> .
<b>Description</b>	<p><code>mimage(<i>X</i>, <i>FieldName</i>)</code> displays an image of field <i>FieldName</i> from microarray data structure <i>X</i>. Microarray data can be GenPix Results (GPR) format. After creating the image, click a data point to display the value and ID, if known.</p> <p><code>H = mimage(...)</code> returns the handle of the image.</p> <p><code>[H, HLines] = mimage(...)</code> returns the handles of the lines used to separate the different blocks in the image.</p> <p><code>mimage(..., '<i>PropertyName</i>', <i>PropertyValue</i>,...)</code> defines optional properties using property name/value pairs.</p> <p><code>mimage(..., '<i>Title</i>', <i>TitleValue</i>)</code> allows you to specify the title of the plot. The default title is <i>FieldName</i>.</p>	

`mimage(..., 'ColorBar', ColorBarValue)`, when *ColorBarValue* is true, a color bar is shown. If *ColorBarValue* is false, no color bar is shown. The default is for the color bar to be shown.

`mimage(..., 'HandleGraphicsPropertyName' PropertyValue)` allows you to pass optional Handle Graphics® property name/value pairs to the function. For example, a name/value pair for color could be `mimage(..., 'color' 'r')`.

## Examples

```
madata = gprread('mouse_a1wt.gpr');
mimage(madata,'F635 Median');
figure;
mimage(madata,'F635 Median - B635',...
       'Title','Cy5 Channel FG - BG');
colormap hot
```

## See Also

Bioinformatics Toolbox functions: `maboxplot`, `magetfield`, `mairplot`, `maloglog`, `malowess`

MATLAB function: `imagesc`

# mainvarsetnorm

---

<b>Purpose</b>	Perform rank invariant set normalization on gene expression values from two experimental conditions or phenotypes	
<b>Syntax</b>	<pre>NormDataY = mainvarsetnorm(DataX, DataY) NormDataY = mainvarsetnorm(..., 'Thresholds', ThresholdsValue, ...) NormDataY = mainvarsetnorm(..., 'Exclude', ExcludeValue, ...) NormDataY = mainvarsetnorm(..., 'Percentile', PercentileValue, ...) NormDataY = mainvarsetnorm(..., 'Iterate', IterateValue, ...) NormDataY = mainvarsetnorm(..., 'Method', MethodValue, ...) NormDataY = mainvarsetnorm(..., 'Span', SpanValue, ...) NormDataY = mainvarsetnorm(..., 'Showplot', ShowplotValue, ...)</pre>	
<b>Arguments</b>	<i>DataX</i>	Vector of gene expression values from a single experimental condition or phenotype, where each row corresponds to a gene. These data points are used as the baseline.
	<i>DataY</i>	Vector of gene expression values from a single experimental condition or phenotype, where each row corresponds to a gene. These data points will be normalized using the baseline.

*ThresholdsValue* Vector that sets the thresholds for the lowest average rank and the highest average rank between the two data sets. The average rank for each data point is determined by first converting the values in *DataX* and *DataY* to ranks, then averaging the two ranks for each data point. Then, the threshold for each data point is determined by interpolating between the threshold for the lowest average rank and the threshold for the highest average rank.

---

**Note** These individual thresholds are used to determine the rank invariant set, which is a set of data points, each having a proportional rank difference (*prd*) smaller than its predetermined threshold. For more information on the rank invariant set, see “Description” on page 3-991.

---

*ThresholdsValue* is a 1-by-2 vector [*LT*, *HT*], where *LT* is the threshold for the lowest average rank and *HT* is threshold for the highest average rank. Select these two thresholds empirically to limit the spread of the invariant set, but allow enough data points to determine the normalization relationship. Values must be between 0 and 1. Default is [0.03, 0.07].

*ExcludeValue* Property to filter the invariant set of data points, by excluding the data points whose average rank (between *DataX* and *DataY*) is in the highest *N* ranked averages or lowest *N* ranked averages.

*PercentileValue* Property to stop the iteration process when the number of data points in the invariant set reaches *N* percent of the total number of input data points. Default is 1.

---

**Note** If you do not use this property, the iteration process continues until no more data points are eliminated.

---

*IterateValue* Property to control the iteration process for determining the invariant set of data points. Enter `true` to repeat the process until either no more data points are eliminated, or a predetermined percentage of data points (*PercentileValue*) is reached. Enter `false` to perform only one iteration of the process. Default is `true`.

---

**Tip** Select `false` for smaller data sets, typically less than 200 data points.

---

*MethodValue* Property to select the smoothing method used to normalize the data. Enter `'lowess'` or `'runmedian'`. Default is `'lowess'`.



<i>SpanValue</i>	Property to set the window size for the smoothing method. If <i>SpanValue</i> is less than 1, the window size is that percentage of the number of data points. If <i>SpanValue</i> is equal to or greater than 1, the window size is of size <i>SpanValue</i> . Default is 0.05, which corresponds to a window size equal to 5% of the total number of data points in the invariant set.
<i>ShowplotValue</i>	Property to control the plotting of a pair of M-A scatter plots (before and after normalization). M is the ratio between <i>DataX</i> and <i>DataY</i> . A is the average of <i>DataX</i> and <i>DataY</i> . Enter <code>true</code> to create the pair of M-A scatter plots. Default is <code>false</code> .

## Description

*NormDataY* = `mainvarsetnorm(DataX, DataY)` normalizes the values in *DataY*, a vector of gene expression values, to a reference vector, *DataX*, using the invariant set method. *NormDataY* is a vector of normalized gene expression values from *DataY*.

Specifically, `mainvarsetnorm`:

- Determines the proportional rank difference (*prd*) for each pair of ranks, *RankX* and *RankY*, from the two vectors of gene expression values, *DataX* and *DataY*.  
$$prd = \text{abs}(\text{RankX} - \text{RankY})$$
- Determines the invariant set of data points by selecting data points whose proportional rank differences (*prd*) are below *threshold*, which is a predetermined threshold for a given data point (defined by the *ThresholdsValue* property). It optionally repeats the process until either no more data points are eliminated, or a predetermined percentage of data points is reached.

The invariant set is data points with a  $prd < \text{threshold}$ .

- Uses the invariant set of data points to calculate the lowess or running median smoothing curve, which is used to normalize the data in *DataY*.

---

**Note** If *DataX* or *DataY* contains NaN values, then *NormDataY* will also contain NaN values at the corresponding positions.

---

---

**Tip** `mainvarsetnorm` is useful for correcting for dye bias in two-color microarray data.

---

*NormDataY* = `mainvarsetnorm(..., 'PropertyName', PropertyValue, ...)` calls `mainvarsetnorm` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*NormDataY* = `mainvarsetnorm(..., 'Thresholds', ThresholdsValue, ...)` sets the thresholds for the lowest average rank and the highest average rank between the two data sets. The average rank for each data point is determined by first converting the values in *DataX* and *DataY* to ranks, then averaging the two ranks for each data point. Then, the threshold for each data point is determined by interpolating between the threshold for the lowest average rank and the threshold for the highest average rank.

---

**Note** These individual thresholds are used to determine the rank invariant set, which is a set of data points, each having a proportional rank difference (prd) smaller than its predetermined threshold. For more information on the rank invariant set, see “Description” on page 3-991.

---

*ThresholdsValue* is a 1-by-2 vector [*LT*, *HT*], where *LT* is the threshold for the lowest average rank and *HT* is threshold for the highest average rank. Select these two thresholds empirically to limit the spread of the invariant set, but allow enough data points to determine the normalization relationship. Values must be between 0 and 1. Default is [0.03, 0.07].

*NormDataY* = mainvarsetnorm(..., 'Exclude', *ExcludeValue*, ...) filters the invariant set of data points, by excluding the data points whose average rank (between *DataX* and *DataY*) is in the highest *N* ranked averages or lowest *N* ranked averages.

*NormDataY* = mainvarsetnorm(..., 'Percentile', *PercentileValue*, ...) stops the iteration process when the number of data points in the invariant set reaches *N* percent of the total number of input data points. Default is 1.

---

**Note** If you do not use this property, the iteration process continues until no more data points are eliminated.

---

*NormDataY* = mainvarsetnorm(..., 'Iterate', *IterateValue*, ...) controls the iteration process for determining the invariant set of data points. When *IterateValue* is true, mainvarsetnorm repeats the process until either no more data points are eliminated, or a predetermined percentage of data points (*PercentileValue*) is reached. When *IterateValue* is false, performs only one iteration of the process. Default is true.

---

**Tip** Select false for smaller data sets, typically less than 200 data points.

---


*NormDataY* = mainvarsetnorm(..., 'Method', *MethodValue*, ...) selects the smoothing method for normalizing the data. When *MethodValue* is 'lowess', mainvarsetnorm uses the lowess method.

When *MethodValue* is 'runmedian', mainvarsetnorm uses the running median method. Default is 'lowess'.

*NormDataY* = mainvarsetnorm(..., 'Span', *SpanValue*, ...) sets the window size for the smoothing method. If *SpanValue* is less than 1, the window size is that percentage of the number of data points. If *SpanValue* is equal to or greater than 1, the window size is of size *SpanValue*. Default is 0.05, which corresponds to a window size equal to 5% of the total number of data points in the invariant set.

*NormDataY* = mainvarsetnorm(..., 'Showplot', *ShowplotValue*, ...) determines whether to plot a pair of M-A scatter plots (before and after normalization). M is the ratio between *DataX* and *DataY*. A is the average of *DataX* and *DataY*. When *ShowplotValue* is true, mainvarsetnorm plots the M-A scatter plots. Default is false.

The following example illustrates how mainvarsetnorm can correct for dye bias or scanning differences between two channels of data from a two-color microarray experiment. Under perfect experimental conditions, data points with equal expression values would fall along the  $M = 0$  line, which represents a gene expression ratio of 1. However, dye bias caused the measured values in one channel to be higher than the other channel, as seen in the Before Normalization plot. Normalization corrected the variance, as seen in the After Normalization plot.



## Examples

The following example extracts data from a GPR file and creates two column vectors of gene expression values from different experimental conditions. It then normalizes one of the data sets.

```
maStruct = gprread('mouse_a1wt.gpr');
cy3data = magetfield(maStruct, 'F635 Median');
cy5data = magetfield(maStruct, 'F532 Median');
Normcy5data = mainvarsetnorm(cy3data, cy5data);
```

## References

[1] Tseng, G.C., Oh, Min-Kyu, Rohlin, L., Liao, J.C., and Wong, W.H. (2001) Issues in cDNA microarray analysis: quality filtering, channel

normalization, models of variations and assessment of gene effects. Nucleic Acids Research. 29, 2549-2557.

[2] Hoffmann, R., Seidl, T., and Dugas, M. (2002) Profound effect of normalization on detection of differentially expressed genes in oligonucleotide microarray data analysis. Genome Biology. 3(7): research 0033.1-0033.11.

### See Also

affyinvarsetnorm, malowess, manorm, quantilenorm

## Purpose

Create intensity versus ratio scatter plot of microarray data

## Syntax

```
mairplot(DataX, DataY)
[Intensity, Ratio] = mairplot(DataX, DataY)
[Intensity, Ratio, H] = mairplot(DataX, DataY)
... = mairplot(..., 'Type', TypeValue, ...)
... = mairplot(..., 'LogTrans', LogTransValue, ...)
... = mairplot(..., 'FactorLines', FactorLinesValue, ...)
... = mairplot(..., 'Title', TitleValue, ...)
... = mairplot(..., 'Labels', LabelsValue, ...)
... = mairplot(..., 'Normalize', NormalizeValue, ...)
... = mairplot(..., 'LowessOptions', LowessOptionsValue, ...)
... = mairplot(..., 'Showplot', ShowplotValue, ...)
... = mairplot(..., 'PlotOnly', PlotOnlyValue, ...)
```

## Arguments

*DataX, DataY*

DataMatrix object or vector of gene expression values where each row corresponds to a gene. For example, in a two-color microarray experiment, *DataX* could be cy3 intensity values and *DataY* could be cy5 intensity values.

*TypeValue*

String that specifies the plot type. Choices are 'IR' (plots  $\log_{10}$  of the product of the *DataX* and *DataY* intensities versus  $\log_2$  of the intensity ratios) or 'MA' (plots  $(1/2)\log_2$  of the product of the *DataX* and *DataY* intensities versus  $\log_2$  of the intensity ratios). Default is 'IR'.

*LogTransValue*

Controls the conversion of data in *X* and *Y* from natural scale to  $\log_2$  scale. Set *LogTransValue* to false, when the data is already  $\log_2$  scale. Default is true, which assumes the data is natural scale.

*FactorLinesValue* Adds lines to the plot showing a factor of *N* change. Default is 2, which corresponds to a level of 1 and -1 on a  $\log_2$  scale.

---

**Tip** You can also change the factor lines interactively, after creating the plot.

---

*TitleValue* String that specifies a title for the plot.

*LabelsValue* Cell array of labels for the data. If labels are defined, then clicking a point on the plot shows the label corresponding to that point.

*NormalizeValue* Controls the display of lowess normalized ratio values. Enter `true` to display to lowess normalized ratio values. Default is `false`.

---

**Tip** You can also normalize the data from the MAIR Plot window, after creating the plot.

---

*LowessOptionsValue* Cell array of one, two, or three property name/value pairs in any order that affect the lowess normalization. Choices for property name/value pairs are:

- 'Order', *OrderValue*
- 'Robust', *RobustValue*
- 'Span', *SpanValue*

For more information on the preceding property name/value pairs, see `malowess`.



<i>ShowplotValue</i>	Controls the display of the scatter plot. Choices are <code>true</code> (default) or <code>false</code> .
<i>PlotOnlyValue</i>	Controls the display of the scatter plot without user interface components. Choices are <code>true</code> or <code>false</code> (default).

---

**Note** If you set the 'PlotOnly' property to `true`, you can still display labels for data points by clicking a data point, and you can still adjust the horizontal fold change lines by click-dragging the lines.

---

**Return Values**

<i>Intensity</i>	DataMatrix object or vector containing intensity values for the microarray gene expression data, calculated as: <ul style="list-style-type: none"><li>• <math>\log_{10}</math> of the product of the <i>DataX</i> and <i>DataY</i> intensities (when Type is 'IR')</li><li>• <math>(1/2)\log_2</math> of the product of the <i>DataX</i> and <i>DataY</i> intensities (when Type is 'MA')</li></ul>
------------------	---

---

**Note** If *DataX* or *DataY* is a DataMatrix object, then *Intensity* is also a DataMatrix object with the same properties.

---

<i>Ratio</i>	DataMatrix object or vector containing ratios of the microarray gene expression data, calculated as $\log_2(DataX./DataY)$ .
--------------	--

---

**Note** If *DataX* or *DataY* is a *DataMatrix* object, then *Ratio* is also a *DataMatrix* object with the same properties.

---

*H* Handle of the plot.

## Description

`mairplot(DataX, DataY)` creates a scatter plot that plots  $\log_{10}$  of the product of the *DataX* and *DataY* intensities versus  $\log_2$  of the intensity ratios.

`[Intensity, Ratio] = mairplot(DataX, DataY)` returns the intensity and ratio values. If you set 'Normalize' to true, the returned ratio values are normalized.

`[Intensity, Ratio, H] = mairplot(DataX, DataY)` returns the handle of the plot.

`... = mairplot(..., 'PropertyName', PropertyValue, ...)` calls `mairplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = mairplot(..., 'Type', TypeValue, ...)` specifies the plot type. Choices are 'IR' (plots  $\log_{10}$  of the product of the *DataX* and *DataY* intensities versus  $\log_2$  of the intensity ratios) or 'MA' (plots  $(1/2)\log_2$  of the product of the *DataX* and *DataY* intensities versus  $\log_2$  of the intensity ratios). Default is 'IR'.

`... = mairplot(..., 'LogTrans', LogTransValue, ...)` controls the conversion of data in *X* and *Y* from natural to  $\log_2$  scale. Set *LogTransValue* to false, when the data is already  $\log_2$  scale. Default is true, which assumes the data is natural scale.

`... = mairplot(..., 'FactorLines', FactorLinesValue, ...)` adds lines to the plot showing a factor of *N* change. Default is 2, which corresponds to a level of 1 and -1 on a  $\log_2$  scale.

---

**Tip** You can also change the factor lines interactively, after creating the plot.

---

`... = mairplot(..., 'Title', TitleValue, ...)` specifies a title for the plot.

`... = mairplot(..., 'Labels', LabelsValue, ...)` specifies a cell array of labels for the data. If labels are defined, then clicking a point on the plot shows the label corresponding to that point.

`... = mairplot(..., 'Normalize', NormalizeValue, ...)` controls the display of lowess normalized ratio values. Enter `true` to display to lowess normalized ratio values. Default is `false`.

---

**Tip** You can also normalize the data from the MAIR Plot window, after creating the plot.

---

`... = mairplot(..., 'LowessOptions', LowessOptionsValue, ...)` lets you specify up to three property name/value pairs (in any order) that affect the lowess normalization. Choices for property name/value pairs are:

- 'Order', *OrderValue*
- 'Robust', *RobustValue*
- 'Span', *SpanValue*


For more information on the previous three property name/value pairs, see the `malowess` function.

`... = mairplot(..., 'Showplot', ShowplotValue, ...)` controls the display of the scatter plot. Choices are `true` (default) or `false`.


`... = mairplot(..., 'PlotOnly', PlotOnlyValue, ...)` controls the display of the scatter plot without user interface components. Choices are `true` or `false` (default).

**Note** If you set the 'PlotOnly' property to `true`, you can still display labels for data points by clicking a data point, and you can still adjust the horizontal fold change lines by click-dragging the lines.

Following is an IR plot of normalized data.



Following is an MA plot of unnormalized data.



The intensity versus ratio scatter plot displays the following:

- $\log_{10}$  (Intensity) versus  $\log_2$  (Ratio) scatter plot of genes.
- Two horizontal fold change lines at a fold change level of 2, which corresponds to a ratio of 1 and  $-1$  on a  $\log_2$  (Ratio) scale. (Lines will be at different fold change levels, if you used the 'FactorLines' property.)
- Data points for genes that are considered differentially expressed (outside of the fold change lines) appear in orange.

After you display the intensity versus ratio scatter plot, you can interactively do the following:

- Adjust the horizontal fold change lines by click-dragging one line or entering a value in the **Fold Change** text box, then clicking **Update**.
- Display labels for data points by clicking a data point.
- Select a gene from the **Up Regulated** or **Down Regulated** list to highlight the corresponding data point in the plot. Press and hold **Ctrl** or **Shift** to select multiple genes.
- Zoom the plot by selecting **Tools > Zoom In** or **Tools > Zoom Out**.
- View lists of significantly up-regulated and down-regulated genes, and optionally, export the gene labels and indices to a structure in the MATLAB Workspace by clicking **Export**.
- Normalize the data by clicking the **Normalize** button, then selecting whether to show the normalized plot in a separate window. If you show the normalized plot in a separate window, the **Show smooth curve** check box becomes available in the original (unnormalized) plot.

---

**Tip** To select different lowess normalization options before normalizing, select **Tools > Set LOWESS Normalization Options**, then enter options in the Options for LOWESS dialog box.

---

## Examples

- 1 Use the `gprread` function to create a structure containing microarray data.


```
maStruct = gprread('mouse_a1wt.gpr');
```

- 2** Use the `magetfield` function to extract the green (cy3) and red (cy5) signals from the structure.

```
cy3data = magetfield(maStruct, 'F635 Median');  
cy5data = magetfield(maStruct, 'F532 Median');
```

- 3** Create an intensity versus ratio scatter plot of the cy3 and cy5 data. Normalize the data and add a title and labels:

```
mairplot(cy3data, cy5data, 'Normalize', true, ...  
         'Title', 'Normalized R vs G IR plot', ...  
         'Labels', maStruct.Names)
```




- 4 Return intensity values and ratios without displaying the plot.

```
[intensities, ratios] = mairplot(cy3data, cy5data, 'Showplot', false);
```

- 5 Create a normalized MA plot of the cy3 and cy5 data without the user interface components.

```
mairplot(cy3data, cy5data, 'Normalize', true, ...
         'Type', 'MA', 'PlotOnly', true)
```





## References

- [1] Quackenbush, J. (2002). Microarray Data Normalization and Transformation. *Nature Genetics Suppl.* 32, 496–501.
- [2] Dudoit, S., Yang, Y.H., Callow, M.J., and Speed, T.P. (2002). Statistical Methods for Identifying Differentially Expressed Genes in Replicated cDNA Microarray Experiments. *Statistica Sinica* 12, 111–139.

## See Also

Bioinformatics Toolbox functions: `maboxplot`, `magetfield`, `maimage`, `mainvarsetnorm`, `maloglog`, `malowess`, `manorm`, `matteest`, `mavolcanoplot`

## Purpose

Create loglog plot of microarray data

## Syntax

```
maloglog(X, Y)
maloglog(X, Y, ...'FactorLines', N, ...)
maloglog(X, Y, ...'Title', TitleValue, ...)
maloglog(X, Y, ...'Labels', LabelsValues, ...)
maloglog(X, Y, ...'HandleGraphicsName', HGValue, ...)
H = maloglog(...)
```

## Arguments

<i>X, Y</i>	DataMatrix object or numeric array of microarray expression values from a single experimental condition.
<i>N</i>	Property to add two lines to the plot showing a factor of <i>N</i> change.
<i>TitleValue</i>	A string to use as the title for the plot.
<i>LabelsValue</i>	A cell array of labels for the data in <i>X</i> and <i>Y</i> . If you specify <i>LabelsValue</i> , then clicking a data point in the plot shows the label corresponding to that point.

## Description

`maloglog(X, Y)` creates a loglog scatter plot of *X* versus *Y*. *X* and *Y* are DataMatrix objects or numeric arrays of microarray expression values from two different experimental conditions.

`maloglog(X, Y, ...'PropertyName', PropertyValue, ...)` calls `maloglog` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`maloglog(X, Y, ...'FactorLines', N, ...)` adds two lines to the plot showing a factor of *N* change.

`maloglog(X, Y, ...'Title', TitleValue, ...)` allows you to specify a title for the plot.

`maloglog(X, Y, ... 'Labels', LabelsValues, ...)` allows you to specify a cell array of labels for the data. If *LabelsValues* is defined, then clicking a data point in the plot shows the label corresponding to that point.

`maloglog(X, Y, ... 'HandleGraphicsName', HGValue, ...)` allows you to pass optional Handle Graphics property name/property value pairs to the function.

*H* = `maloglog(...)` returns the handle to the plot.

## Examples

```
maStruct = gprread('mouse_a1wt.gpr');
Red = magetfield(maStruct,'F635 Median');
Green = magetfield(maStruct,'F532 Median');
maloglog(Red,Green,'title','Red vs Green');
% Add factorlines and labels
figure
maloglog(Red,Green,'title','Red vs Green',...
         'FactorLines',2,'LABELS',maStruct.Names);
% Now create a normalized plot
figure
maloglog(manorm(Red),manorm(Green),'title',...
         'Normalized Red vs Green','FactorLines',2,...
         'LABELS',maStruct.Names);
```

## See Also

Bioinformatics Toolbox functions: `maboxplot`, `magetfield`, `mainvarsetnorm`, `maimage`, `mairplot`, `malowess`, `manorm`, `mattest`, `mavolcanoplot`

MATLAB function: `loglog`

## Purpose

Smooth microarray data using Lowess method

## Syntax

```
YSmooth = malowess(X, Y)  
YSmooth = malowess(X, Y, ...'Order', OrderValue, ...)  
YSmooth = malowess(X, Y, ...'Robust', RobustValue, ...)  
YSmooth = malowess(X, Y, ...'Span', SpanValue, ...)
```

## Arguments

<i>X</i> , <i>Y</i>	DataMatrix object or numeric vector containing scatter data.
<i>OrderValue</i>	Property to select the order of the algorithm. Enter either 1 (linear fit) or 2 (quadratic fit). The default order is 1.
<i>RobustValue</i>	Property to select a robust fit. Enter either <code>true</code> or <code>false</code> .
<i>SpanValue</i>	Property to specify the window size. The default value is 0.05 (5% of total points in <i>X</i> )

## Description

*YSmooth* = malowess(*X*, *Y*) smooths scatter data in *X* and *Y* using the Lowess smoothing method. The default window size is 5% of the length of *X*. *YSmooth* is a numeric vector or, if *Y* is a DataMatrix object, also a DataMatrix object with the same properties as *Y*.

*YSmooth* = malowess(*X*, *Y*, ...'*PropertyName*', *PropertyValue*, ...) calls malowess with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*YSmooth* = malowess(*X*, *Y*, ...'Order', *OrderValue*, ...) chooses the order of the algorithm. Note that the Curve Fitting Toolbox™ software refers to Lowess smoothing of order 2 as Loess smoothing.

*YSmooth* = malowess(*X*, *Y*, ...'Robust', *RobustValue*, ...) uses a robust fit when *RobustValue* is set to true. This option can take a long time to calculate.

*YSmooth* = malowess(*X*, *Y*, ...'Span', *SpanValue*, ...) modifies the window size for the smoothing function. If *SpanValue* is less than 1, the window size is taken to be a fraction of the number of points in the data. If *SpanValue* is greater than 1, the window is of size *SpanValue*.

## Examples

```
maStruct = gprread('mouse_a1wt.gpr');
cy3data = magetfield(maStruct, 'F635 Median');
cy5data = magetfield(maStruct, 'F532 Median');
[x,y] = mairplot(cy3data, cy5data);
drawnow
ysmooth = malowess(x,y);
hold on;
plot(x, ysmooth, 'rx')
ynorm = y - ysmooth;
```

## See Also

Bioinformatics Toolbox functions: `affyinvarsetnorm`, `maboxplot`, `magetfield`, `maimage`, `mainvarsetnorm`, `mairplot`, `maloglog`, `manorm`, `quantilenorm`

Statistics Toolbox function: `robustfit`

## Purpose

Normalize microarray data

## Syntax

```
XNorm = manorm(X)  
XNorm = manorm(MAStruct, FieldName)  
[XNorm, ColVal] = manorm(...)  
manorm(..., 'Method', MethodValue, ...)  
manorm(..., 'Extra_Args', Extra_ArgsValue, ...)  
manorm(..., 'LogData', LogDataValue, ...)  
manorm(..., 'Percentile', PercentileValue, ...)  
manorm(..., 'Global', GlobalValue, ...)  
manorm(..., 'StructureOutput', StructureOutputValue, ...)  
manorm(..., 'NewColumnName', NewColumnNameValue, ...)
```

## Arguments

*X*                Numeric array or DataMatrix object of microarray data.  
*MAStruct*        Microarray structure.  
*FieldName*       Field.

## Description

*XNorm* = manorm(*X*) scales the values in each column of *X*, a numeric array or DataMatrix object of microarray data, by dividing by the mean column intensity. *XNorm* is a vector, matrix, or DataMatrix object of normalized microarray data.

*XNorm* = manorm(*MAStruct*, *FieldName*) scales the data in *MAStruct*, a microarray structure, for a field specified by *FieldName*, for each block or print-tip by dividing each block by the mean column intensity. The output is a matrix with each column corresponding to the normalized data for each block.

[*XNorm*, *ColVal*] = manorm(...) returns the values used to normalize the data.

manorm(..., 'PropertyName', *PropertyValue*, ...) calls manorm with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`manorm(..., 'Method', MethodValue, ...)` allows you to choose the method for scaling or centering the data. *MethodValue* can be 'Mean' (default), 'Median', 'STD' (standard deviation), 'MAD' (median absolute deviation), or a function handle. If you pass a function handle, then the function should ignore NaNs and must return a single value per column of the input data.

`manorm(..., 'Extra_Args', Extra_ArgsValue, ...)` allows you to pass extra arguments to the function *MethodValue*. *Extra\_ArgsValue* must be a cell array.

`manorm(..., 'LogData', LogDataValue, ...)`, when *LogDataValue* is true, works with log ratio data in which case the mean (or *MethodValue*) of each column is subtracted from the values in the columns, instead of dividing the column by the normalizing value.

`manorm(..., 'Percentile', PercentileValue, ...)` only uses the percentile (*PercentileValue*) of the data preventing large outliers from skewing the normalization. If *PercentileValue* is a vector containing two values, then the range from the *PercentileValue(1)* percentile to the *PercentileValue(2)* percentile is used. The default value is 100, that is to use all the data in the data set.

`manorm(..., 'Global', GlobalValue, ...)` when *GlobalValue* is true, normalizes the values in the data set by the global mean (or *MethodValue*) of the data, as opposed to normalizing each column or block of the data independently.

`manorm(..., 'StructureOutput', StructureOutputValue, ...)`, when *StructureOutputValue* is true, the input data is a structure returns the input structure with an additional data field for the normalized data.

`manorm(..., 'NewColumnName', NewColumnNameValue, ...)`, when using *StructureOutput*, allows you to specify the name of the column that is appended to the list of *ColumnNames* in the structure. The default behavior is to prefix 'Block Normalized' to the *FieldName* string.

## Examples

```
maStruct = gprread('mouse_a1wt.gpr');
% Extract some data of interest.
```

```
Red = magetfield(maStruct,'F635 Median');
Green = magetfield(maStruct,'F532 Median');
% Create a log-log plot.
maloglog(Red,Green,'factorlines',true)
% Center the data.
normRed = manorm(Red);
normGreen = manorm(Green);
% Create a log-log plot of the centered data.
figure
maloglog(normRed,normGreen,'title','Normalized','factorlines',true)

% Alternatively, you can work directly with the structure
normRedBs = manorm(maStruct,'F635 Median - B635');
normGreenBs = manorm(maStruct,'F532 Median - B532');
% Create a log-log plot of the centered data. This includes some
% zero values so turn off the warning.
figure
w = warning('off','Bioinfo:maloglog:ZeroValues');
warning('off','Bioinfo:maloglog:NegativeValues');
maloglog(normRedBs,normGreenBs,'title',...
          'Normalized Background-Subtracted Median Values',...
          'factorlines',true)
warning(w);
```

### See Also

Bioinformatics Toolbox functions: `affyinvarsetnorm`, `maboxplot`, `magetfield`, `mainvarsetnorm`, `mairplot`, `maloglog`, `malowess`, `quantilenorm`, `rmasummary`



**Purpose** Create Principal Component Analysis (PCA) plot of microarray data


**Syntax** `mapcaplot(Data)`  
`mapcaplot(Data, Label)`

**Arguments**

<i>Data</i>	DataMatrix object or numeric array containing microarray expression profile data. If a DataMatrix object, the row names are used as labels in the plot, unless you provide labels with the second input <i>Label</i> .
<i>Label</i>	Cell array of strings representing labels for the data points in the plot.

**Description** `mapcaplot(Data)` creates 2-D scatter plots of principal components of *Data*, a DataMatrix object or numeric array containing microarray expression profile data.

`mapcaplot(Data, Label)` uses the elements of the cell array of strings *Label*, instead of the row numbers, to label the data points in the PCA plots.



Once you plot the principal components, you can:

- Select principal components for the x and y axes from the drop-down list boxes below each scatter plot.
- Click a data point to display its label.
- Select a subset of data points by click-dragging a box around them. This will highlight the points in the selected region and the corresponding points in the other axes. The labels of the selected data points appear in the list box.
- Select a label in the list box to highlight the corresponding data point in the plot. Press and hold **Ctrl** or **Shift** to select multiple data points.
- Export the gene labels and indices to a structure in the MATLAB workspace by clicking **Export**.

## Examples

```
load filteredyeastdata
mapcaplot(yeastvalues, genes)
```

## See Also

Bioinformatics Toolbox functions: `clustergram`, `mattest`, `mavolcanoplot`

Statistics Toolbox function: `princomp`

## Purpose

Perform two-sample t-test to evaluate differential expression of genes from two experimental conditions or phenotypes

## Syntax

```
PValues = mattest(DataX, DataY)
[PValues, TScores] = mattest(DataX, DataY)
[PValues, TScores, DFs] = mattest(DataX, DataY)
... = mattest(..., 'VarType', VarTypeValue, ...)
... = mattest(..., 'Permute', PermuteValue, ...)
... = mattest(..., 'Bootstrap', BootstrapValue, ...)
... = mattest(..., 'Showhist', ShowhistValue, ...)
... = mattest(..., 'Showplot', ShowplotValue, ...)
... = mattest(..., 'Labels', LabelsValue, ...)
```

## Arguments

*DataX, DataY* DataMatrix object or a matrix of gene expression values where each row corresponds to a gene and each column corresponds to a replicate. *DataX* and *DataY* must have the same number of rows and are assumed to be normally distributed in each class with equal variances.

*DataX* contains data from one experimental condition and *DataY* contains data from a different experimental condition. For example, *DataX* could be expression values from cancer cells, and *DataY* could be expression values from normal cells.

*VarTypeValue* String that specifies the variance type of the test. *VarTypeValue* can be 'equal' or 'unequal' (default). If set to 'equal', *mattest* performs the test assuming the two samples have equal variances. If set to 'unequal', *mattest* performs the test assuming the two samples have unknown and unequal variances.

<i>PermuteValue</i>	Controls whether permutation tests are run, and if so, how many. Choices are <code>true</code> , <code>false</code> (default), or any integer greater than 2. If set to <code>true</code> , the number of permutations is 1000.
<i>BootstrapValue</i>	Controls whether bootstrap tests are run, and if so, how many. Choices are <code>true</code> , <code>false</code> (default), or any integer greater than 2. If set to <code>true</code> , the number of bootstrap tests is 1000.
<i>ShowhistValue</i>	Controls the display of histograms of t-score distributions and p-value distributions. Choices are <code>true</code> or <code>false</code> (default).
<i>ShowplotValue</i>	Controls the display of a normal t-score quantile plot. Choices are <code>true</code> or <code>false</code> (default). In the t-score quantile plot, data points with t-scores $> (1 - 1/(2N))$ or $< 1/(2N)$ display with red circles. N is the total number of genes.
<i>LabelsValue</i>	Cell array of labels (typically gene names or probe set IDs) for each row in <i>DataX</i> and <i>DataY</i> . The labels display if you click a data point in the t-score quantile plot.

## Return Values

<i>PValues</i>	One of the following: <ul style="list-style-type: none"><li>• Column vector of p-values for each gene in <i>DataX</i> and <i>DataY</i> (if both inputs are matrices).</li><li>• DataMatrix object with row names the same as the first input DataMatrix object and a column name of <b>p-values</b> (if at least one input is a DataMatrix object).</li></ul>
<i>TScores</i>	Column vector of t-scores for each gene in <i>DataX</i> and <i>DataY</i> .

*DFs* Column vector containing the degree of freedom for each gene in *DataX* and *DataY*.

## Description

*PValues* = `mattest(DataX, DataY)` performs an unpaired t-test for differential expression with a standard two-tailed and two-sample t-test on every gene in *DataX* and *DataY* and returns a p-value for each gene. *DataX* and *DataY* are either a `DataMatrix` object or a matrix of gene expression values, in which each row corresponds to a gene, and each column corresponds to a replicate. *DataX* contains data from one experimental condition and *DataY* contains data from another experimental condition. *DataX* and *DataY* must have the same number of rows and are assumed to be normally distributed in each class. *PValues* is a column vector of p-values for each gene, or, if at least one of the inputs is a `DataMatrix` object, a `DataMatrix` object with row names the same as the first input `DataMatrix` object and a column name of p-values.

`[PValues, TScores] = mattest(DataX, DataY)` also returns a t-score for each gene in *DataX* and *DataY*. *TScores* is a column vector of t-scores for each gene.

`[PValues, TScores, DFs] = mattest(DataX, DataY)` also returns *DFs*, a column vector containing the degree of freedom for each gene across both data sets, *DataX* and *DataY*.


`... = mattest(..., 'PropertyName', PropertyValue, ...)` calls `mattest` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = mattest(..., 'VarType', VarTypeValue, ...)` specifies the variance type of the test. *VarTypeValue* can be 'equal' or 'unequal' (default). If set to 'equal', `mattest` performs the test assuming the two samples have equal variances. If set to 'unequal', `mattest` performs the test assuming the two samples have unknown and unequal variances.

`... = mattest(..., 'Permute', PermuteValue, ...)` controls whether permutation tests are run, and if so, how many. *PermuteValue* can be `true`, `false` (default), or any integer greater than 2. If set to `true`, the number of permutations is 1000.


`... = mattest(..., 'Bootstrap', BootstrapValue, ...)` controls whether bootstrap tests are run, and if so, how many. *BootstrapValue* can be `true`, `false` (default), or any integer greater than 2. If set to `true`, the number of bootstrap tests is 1000.

`... = mattest(..., 'Showhist', ShowhistValue, ...)` controls the display of histograms of t-score distributions and p-value distributions. When *ShowhistValue* is `true`, `mattest` displays histograms. Default is `false`.



`... = mattest(..., 'Showplot', ShowplotValue, ...)` controls the display of a normal t-score quantile plot. When *ShowplotValue* is true, `mattest` displays a quantile-quantile plot. Default is false. In the t-score quantile plot, the black diagonal line represents the sample quantile being equal to the theoretical quantile. Data points of genes considered to be differentially expressed lie farther away from this line. Specifically, data points with t-scores  $> (1 - 1/(2N))$  or  $< 1/(2N)$  display with red circles.  $N$  is the total number of genes.





`... = mattest(..., 'Labels', LabelsValue, ...)` controls the display of labels when you click a data point in the t-score quantile plot. *LabelsValue* is a cell array of labels (typically gene names or probe set IDs) for each row in *DataX* and *DataY*.

## Examples

- 1 Load the MAT-file, included with the Bioinformatics Toolbox software, that contains Affymetrix data from a prostate cancer study, specifically probe intensity data from Affymetrix HG-U133A GeneChip arrays. The two variables in the MAT-file, *dependentData* and *independentData*, are two matrices of gene expression values from two experimental conditions.

```
load prostatecancerexpdata
```

- 2** Calculate the p-values and t-scores for the gene expression values in the two matrices and display a normal t-score quantile plot.


```
[pvalues,tscores] = mattest(dependentData, independentData,...  
                             'showplot',true);
```


- 3** Calculate the p-values and t-scores again using permutation tests (1000 permutations) and displaying histograms of t-score distributions and p-value distributions.

```
[pvalues,tscores] = mattest(dependentData,independentData,...  
                             'permute',true,'showhist',true,...  
                             'showplot',true);
```

- 4** Calculate the p-values and t-scores again using bootstrap tests (2000 tests) and displaying histograms of t-score distributions and p-value distributions.

```
[pvalues,tscores] = mattest(dependentData,independentData,...  
                             'bootstrap',2000,'showhist',true,...  
                             'showplot',true);
```





The `prostatecancerexpdata.mat` file used in this example contains data from Best et al., 2005.

## References

- [1] Review Literature: Huber, W., von Heydebreck, A., Sltmann, H., Poustka, A., and Vingron, M. (2002). Variance stabilization applied to microarray data calibration and to the quantification of differential expression. *Bioinformatics 18 (Suppl. 1)*, S96–S104.
- [2] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan,

W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* *11*, 6823–6834.

**See Also**

Bioinformatics Toolbox functions: `affygcRMA`, `affyRMA`, `maboxplot`, `maFDR`, `mainvarsetnorm`, `mairplot`, `maloglog`, `malowess`, `manorm`, `mavolcanoplot`, `rmasummary`

# mavolcanoplot

---

**Purpose** Create significance versus gene expression ratio (fold change) scatter plot of microarray data

**Syntax**

```
mavolcanoplot(DataX, DataY, PValues)
SigStructure = mavolcanoplot(DataX, DataY, PValues)
... mavolcanoplot(..., 'Labels', LabelsValue, ...)
... mavolcanoplot(..., 'LogTrans', LogTransValue, ...)
... mavolcanoplot(..., 'PCutoff', PCutoffValue, ...)
... mavolcanoplot(..., 'Foldchange', FoldchangeValue, ...)
... mavolcanoplot(..., 'PlotOnly', PlotOnlyValue, ...)
```

**Arguments**

<i>DataX, DataY</i>	DataMatrix object, matrix, or vector of gene expression values from a single experimental condition. If a DataMatrix object or a matrix, each row is a gene, each column is a sample, and an average expression value is calculated for each gene.
---------------------	--

---

**Note** If the values in *DataX* or *DataY* are natural scale, use the *LogTrans* property to convert them to log<sub>2</sub> scale.

---

<i>PValues</i>	Either of the following: <ul style="list-style-type: none"><li>• Column vector of p-values for each feature (for example, gene) in a data set, such as returned by <i>mattest</i>.</li><li>• DataMatrix object containing p-values for each feature (for example, gene) in a data set, such as returned by <i>mattest</i>.</li></ul>
----------------	--

<i>LabelsValue</i>	Cell array of labels (typically gene names or probe set IDs) for the data. After creating the plot, you can click a data point to display the label associated with it. If you do not provide a <i>LabelsValue</i> , data points are labeled with row numbers from <i>DataX</i> and <i>DataY</i> .
<i>LogTransValue</i>	Property to control the conversion of data in <i>DataX</i> and <i>DataY</i> from natural scale to $\log_2$ scale. Enter <code>true</code> to convert data to $\log_2$ scale, or <code>false</code> . Default is <code>false</code> , which assumes data is already $\log_2$ scale.
<i>PCutoffValue</i>	Lets you specify a cutoff p-value to define data points that are statistically significant. This value is displayed graphically as a horizontal line on the plot. Default is <code>0.05</code> , which is equivalent to 1.3010 on the $-\log_{10}$ (p-value) scale.

---

**Note** You can also change the p-value cutoff interactively after creating the plot.

---

<i>FoldchangeValue</i>	Lets you specify a ratio fold change to define data points that are differentially expressed. Default is <code>2</code> , which corresponds to a ratio of 1 and $-1$ on a $\log_2$ (ratio) scale.
------------------------	---

---

**Note** You can also change the fold change interactively after creating the plot.

---

<i>PlotOnlyValue</i>	Controls the display of the volcano plot without user interface components. Choices are <code>true</code> or <code>false</code> (default).
----------------------	--

**Note** If you set the 'PlotOnly' property to true, you can still display labels for data points by clicking a data point, and you can still adjust vertical fold change lines and the horizontal p-value cutoff line by click-dragging the lines.

<b>Return Values</b>	<i>SigStructure</i>	Structure containing information for genes that are considered to be both statistically significant (above the p-value cutoff) and significantly differentially expressed (outside of the fold change values). The fields are listed below.
----------------------	---------------------	---

**Description** `mavolcanoplot(DataX, DataY, PValues)` creates a scatter plot of gene expression data, plotting significance versus fold change of gene expression ratios of two data sets, *DataX* and *DataY*. It plots significance as the  $-\log_{10}$  (p-value) from the input, *PValues*. *DataX* and *DataY* can be vectors, matrices, or DataMatrix objects. *PValues* is a column vector or DataMatrix object.

`SigStructure = mavolcanoplot(DataX, DataY, PValues)` returns a structure containing information for genes that are considered to be both statistically significant (above the p-value cutoff) and significantly differentially expressed (outside of the fold change values). The fields within *SigStructure* are sorted by p-value and include:

- Name
- PCutoff
- FCThreshold
- GeneLabels
- PValues



- FoldChanges

---

**Note** The fields *PValues* and *FoldChanges* will be either vectors or *DataMatrix* objects depending on the type of input *PValues*.

---

... `mavolcanoplot(..., 'PropertyName', PropertyValue, ...)` defines optional properties that use property name/value pairs in any order. These property name/value pairs are as follows:

... `mavolcanoplot(..., 'Labels', LabelsValue, ...)` lets you provide a cell array of labels (typically gene names or probe set IDs) for the data. After creating the plot, you can click a data point to display the label associated with it. If you do not provide a *LabelsValue*, data points are labeled with row numbers from *DataX* and *DataY*.

... `mavolcanoplot(..., 'LogTrans', LogTransValue, ...)` controls the conversion of data from *DataX* and *DataY* to  $\log_2$  scale. When *LogTransValue* is true, `mavolcanoplot` converts data from natural to  $\log_2$  scale. Default is false, which assumes the data is already  $\log_2$  scale.

... `mavolcanoplot(..., 'PCutoff', PCutoffValue, ...)` lets you specify a p-value cutoff to define data points that are statistically significant. This value displays graphically as a horizontal line on the plot. Default is 0.05, which is equivalent to 1.3010 on the  $-\log_{10}$  (p-value) scale.

---

**Note** You can also change the p-value cutoff interactively after creating the plot.

---

... `mavolcanoplot(..., 'Foldchange', FoldchangeValue, ...)` lets you specify a ratio fold change to define data points that are differentially expressed. Fold changes display graphically as two

vertical lines on the plot. Default is 2, which corresponds to a ratio of 1 and  $-1$  on a  $\log_2$  (ratio) scale.

---

**Note** You can also change the fold change interactively after creating the plot.


---

`... mavolcanoplot(..., 'PlotOnly', PlotOnlyValue, ...)` controls the display of the volcano plot without user interface components. Choices are `true` or `false` (default).

---

**Note** If you set the 'PlotOnly' property to `true`, you can still display labels for data points by clicking a data point, and you can still adjust vertical fold change lines and the horizontal p-value cutoff line by click-dragging the lines.

---



The volcano plot displays the following:

- $-\log_{10}$  (p-value) versus  $\log_2$  (ratio) scatter plot of genes
- Two vertical fold change lines at a fold change level of 2, which corresponds to a ratio of 1 and  $-1$  on a  $\log_2$  (ratio) scale. (Lines will be at different fold change levels, if you used the 'Foldchange' property.)
- One horizontal line at the 0.05 p-value level, which is equivalent to 1.3010 on the  $-\log_{10}$  (p-value) scale. (The line will be at a different p-value level, if you used the 'PCutoff' property.)

- Data points for genes that are considered both statistically significant (above the p-value line) and differentially expressed (outside of the fold changes lines) appear in orange.

After you display the volcano scatter plot, you can interactively:

- Adjust the vertical fold change lines by click-dragging one line or entering a value in the **Fold Change** text box.
- Adjust the horizontal p-value cutoff line by click-dragging or entering a value in the **p-value Cutoff** text box.
- Display labels for data points by clicking a data point.
- Select a gene from the **Up Regulated** or **Down Regulated** list to highlight the corresponding data point in the plot. Press and hold **Ctrl** or **Shift** to select multiple genes.
- Zoom the plot by selecting **Tools > Zoom In** or **Tools > Zoom Out**.
- View lists of significantly up-regulated and down-regulated genes and their associated p-values, and optionally, export the labels, p-values, and fold changes to a structure in the MATLAB Workspace by clicking **Export**.

## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains Affymetrix data variables, including `dependentData` and `independentData`, two matrices of gene expression values from two experimental conditions.

```
load prostatecancerexpdata
```

- 2 Use the `mattest` function to calculate p-values for the gene expression values in the two matrices.

```
pvalues = mattest(dependentData, independentData);
```


- 3 Using the two matrices, the `pvalues` calculated by `mattest`, and the `probesetIDs` column vector of labels provided, use `mavolcanoplot` to

create a significance versus gene expression ratio scatter plot of the microarray data from the two experimental conditions.

```
mavolcanoplot(dependentData, independentData, pvalues,...
'Labels', probesetIDs)
```

#### 4 View the volcano plot without the user interface components.

```
mavolcanoplot(dependentData, independentData, pvalues,...
'Labels', probesetIDs, 'Plotonly', true)
```



The prostatecancerexpdata.mat file used in the previous example contains data from Best et al., 2005.

## References

[1] Cui, X., Churchill, G.A. (2003). Statistical tests for differential expression in cDNA microarray experiments. *Genome Biology* 4, 210.

[2] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

## See Also

Bioinformatics Toolbox functions: `maboxplot`, `maimage`, `mainvarsetnorm`, `mairplot`, `maloglog`, `malowess`, `manorm`, `mapcaplot`, `mattest`

## Purpose

Return maximum values in DataMatrix object

## Syntax

```
M = max(DMObj1)
[M, Indices] = max(DMObj1)
[M, Indices, Names] = max(DMObj1)
... = max(DMObj1, [], Dim)
MA = max(DMObj1, DMObj2)
```

## Arguments

*DMObj1*, *DMObj2* DataMatrix objects, such as created by DataMatrix (object constructor).

---

**Note** *DMObj1* and *DMObj2* must be the same size, unless one is a scalar.

---

*Dim*

Scalar specifying the dimension of *DMObj* to return the maximum values. Choices are:

- 1 — Default. Returns a row vector containing a maximum value for each column.
- 2 — Returns a column vector containing a maximum value for each row.

## Return Values

*M*

One of the following:

- Scalar specifying the maximum value in *DMObj* when it contains vector of data
- Row vector containing the maximum value for each column in *DMObj* (when *Dim* = 1)
- Column vector containing the maximum value for each row in *DMObj* (when *Dim* = 2)

# max (DataMatrix)

---

<i>Indices</i>	Either of the following: <ul style="list-style-type: none"><li>• Positive integer specifying the index of the maximum value in a DataMatrix object containing a vector of data</li><li>• Vector containing the indices for the maximum value in each column (if <i>Dim</i> = 1) or row (if <i>Dim</i> = 2) in a DataMatrix object containing a matrix of data</li></ul>
<i>Names</i>	Vector of the row names (if <i>Dim</i> = 1) or column names (if <i>Dim</i> = 2) corresponding to the maximum value in each column or each row of a DataMatrix object.
<i>MA</i>	Numeric array created from the maximum elements in either of the following: <ul style="list-style-type: none"><li>• Two DataMatrix objects</li><li>• A DataMatrix object and a numeric array</li></ul>

## Description

$M = \max(DMObj1)$  returns the maximum value(s) in *DMObj1*, a DataMatrix object. If *DMObj1* contains a vector of data, *M* is a scalar. If *DMObj1* contains a matrix of data, *M* is a row vector containing a maximum value in each column.

$[M, Indices] = \max(DMObj1)$  returns *Indices*, the indices of the maximum value(s) in *DMObj1*, a DataMatrix object. If *DMObj1* contains a vector of data, *Indices* is a positive integer. If *DMObj1* contains a matrix of data, *Indices* is a vector containing the indices for the maximum value in each column (if *Dim* = 1) or row (if *Dim* = 2). If there are multiple maximum values in a column or row, the index for the first value is returned.

$[M, Indices, Names] = \max(DMObj1)$  returns *Names*, a vector of the row names (if *Dim* = 1) or column names (if *Dim* = 2) corresponding to the maximum value in each column or each row of *DMObj1*, a DataMatrix object. If there are multiple maximum values in a column or row, the row or column name for the first value is returned.



`... = max(DMObj1, [], Dim)` specifies which dimension to return the maximum values for, that is each column or each row in a DataMatrix object. If `Dim = 1`, returns `M`, a row vector containing the maximum value in each column. If `Dim = 2`, returns `M`, a column vector containing the maximum value in each row. Default `Dim = 1`.

`MA = max(DMObj1, DMObj2)` returns `MA`, a numeric array containing the larger of the two values from each position of `DMObj1` and `DMObj2`. `DMObj1` and `DMObj2` can both be DataMatrix objects, or one can be a DataMatrix object and the other a numeric array. They must be the same size, unless one is a scalar. `MA` has the same size (number of rows and columns) as the first nonscalar input.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object: `min`, `sum`

# maxflow (biograph)

---

<b>Purpose</b>	Calculate maximum flow in biograph object	
<b>Syntax</b>	<pre>[MaxFlow, FlowMatrix, Cut] = maxflow(BGObj, SNode, TNode) [...] = maxflow(BGObj, SNode, TNode, ...'Capacity', CapacityValue, ...) [...] = maxflow(BGObj, SNode, TNode, ...'Method', MethodValue, ...)</pre>	
<b>Arguments</b>	<i>BGObj</i>	Biograph object created by biograph (object constructor).
	<i>SNode</i>	Node in a directed graph represented by an N-by-N adjacency matrix extracted from biograph object, <i>BGObj</i> .
	<i>TNode</i>	Node in a directed graph represented by an N-by-N adjacency matrix extracted from biograph object, <i>BGObj</i> .
	<i>CapacityValue</i>	Column vector that specifies custom capacities for the edges in the N-by-N adjacency matrix. It must have one entry for every nonzero value (edge) in the N-by-N adjacency matrix. The order of the custom capacities in the vector must match the order of the nonzero values in the N-by-N adjacency matrix when it is traversed column-wise. By default, maxflow gets capacity information from the nonzero entries in the N-by-N adjacency matrix.
	<i>MethodValue</i>	String that specifies the algorithm used to find the minimal spanning tree (MST). Choices are: <ul style="list-style-type: none"><li>• 'Edmonds' — Uses the Edmonds and Karp algorithm, the implementation of which is based on a variation called the <i>labeling algorithm</i>. Time complexity is <math>O(N \cdot E^2)</math>, where N and E are the number of nodes and edges respectively.</li></ul>

- 'Goldberg' — Default algorithm. Uses the Goldberg algorithm, which uses the generic method known as *preflow-push*. Time complexity is  $O(N^2 \sqrt{E})$ , where  $N$  and  $E$  are the number of nodes and edges respectively.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[MaxFlow, FlowMatrix, Cut] = maxflow(BGObj, SNode, TNode)` calculates the maximum flow of a directed graph represented by an  $N$ -by- $N$  adjacency matrix extracted from a biograph object, *BGObj*, from node *SNode* to node *TNode*. Nonzero entries in the matrix determine the capacity of the edges. Output *MaxFlow* is the maximum flow, and *FlowMatrix* is a sparse matrix with all the flow values for every edge. *FlowMatrix(X,Y)* is the flow from node *X* to node *Y*. Output *Cut* is a logical row vector indicating the nodes connected to *SNode* after calculating the minimum cut between *SNode* and *TNode*. If several solutions to the minimum cut problem exist, then *Cut* is a matrix.

---

**Tip** The algorithm that determines *Cut*, all minimum cuts, has a time complexity of  $O(2^N)$ , where  $N$  is the number of nodes. If this information is not needed, use the `maxflow` method without the third output.

---

`[...] = maxflow(BGObj, SNode, TNode, ...'PropertyName', PropertyValue, ...)` calls `maxflow` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

# maxflow (biograph)

---

[...] = maxflow(*BGObj*, *SNode*, *TNode*, ...'Capacity', *CapacityValue*, ...) lets you specify custom capacities for the edges. *CapacityValue* is a column vector having one entry for every nonzero value (edge) in the N-by-N adjacency matrix. The order of the custom capacities in the vector must match the order of the nonzero values in the matrix when it is traversed column-wise. By default, graphmaxflow gets capacity information from the nonzero entries in the matrix.

[...] = maxflow(*BGObj*, *SNode*, *TNode*, ...'Method', *MethodValue*, ...) lets you specify the algorithm used to find the minimal spanning tree (MST). Choices are:

- 'Edmonds' — Uses the Edmonds and Karp algorithm, the implementation of which is based on a variation called the *labeling algorithm*. Time complexity is  $O(N \cdot E^2)$ , where N and E are the number of nodes and edges respectively.
- 'Goldberg' — Default algorithm. Uses the Goldberg algorithm, which uses the generic method known as *preflow-push*. Time complexity is  $O(N^2 \cdot \sqrt{E})$ , where N and E are the number of nodes and edges respectively.

## References

- [1] Edmonds, J. and Karp, R.M. (1972). Theoretical improvements in the algorithmic efficiency for network flow problems. *Journal of the ACM* 19, 248-264.
- [2] Goldberg, A.V. (1985). A New Max-Flow Algorithm. MIT Technical Report MIT/LCS/TM-291, Laboratory for Computer Science, MIT.
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: biograph (object constructor), graphmaxflow

Bioinformatics Toolbox object: biograph object

Bioinformatics Toolbox methods of a biograph object:  
allshortestpaths, conncomp, isdag, isomorphism, isspantree,  
minspantree, shortestpath, topoorder, traverse

# mean (DataMatrix)

---

<b>Purpose</b>	Return average or mean values in DataMatrix object	
<b>Syntax</b>	$M = \text{mean}(DMObj)$ $M = \text{mean}(DMObj, Dim)$ $M = \text{mean}(DMObj, Dim, IgnoreNaN)$	
<b>Arguments</b>	<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
	<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to calculate the means. Choices are: <ul style="list-style-type: none"><li>• 1 — Default. Returns mean values for elements in each column.</li><li>• 2 — Returns mean values for elements in each row.</li></ul>
	<i>IgnoreNaN</i>	Specifies if NaNs should be ignored. Choices are <code>true</code> (default) or <code>false</code> .
<b>Return Values</b>	<i>M</i>	Either of the following: <ul style="list-style-type: none"><li>• Row vector containing the mean values from elements in each column in <i>DMObj</i> (when <i>Dim</i> = 1)</li><li>• Column vector containing the mean values from elements in each row in <i>DMObj</i> (when <i>Dim</i> = 2)</li></ul>
<b>Description</b>	<p><math>M = \text{mean}(DMObj)</math> returns the mean values of the elements in the columns of a DataMatrix object, treating NaNs as missing values. <i>M</i> is a row vector containing the mean values for elements in each column in <i>DMObj</i>.</p> <p><math>M = \text{mean}(DMObj, Dim)</math> returns the mean values of the elements in the columns or rows of a DataMatrix object, as specified by <i>Dim</i>. If <i>Dim</i> = 1,</p>	

returns  $M$ , a row vector containing the mean values for elements in each column in  $DMObj$ . If  $Dim = 2$ , returns  $M$ , a column vector containing the mean values for elements in each row in  $DMObj$ . Default  $Dim = 1$ .

$M = \text{mean}(DMObj, Dim, IgnoreNaN)$  specifies if NaNs should be ignored. *IgnoreNaN* can be true (default) or false.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object: `max`, `median`, `min`, `sum`

# median (DataMatrix)

---

<b>Purpose</b>	Return median values in DataMatrix object	
<b>Syntax</b>	<i>Med</i> = median( <i>DMObj</i> ) <i>Med</i> = median( <i>DMObj</i> , <i>Dim</i> ) <i>Med</i> = median( <i>DMObj</i> , <i>Dim</i> , <i>IgnoreNaN</i> )	
<b>Arguments</b>	<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
	<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to calculate the medians. Choices are: <ul style="list-style-type: none"><li>• 1 — Default. Returns median values for elements in each column.</li><li>• 2 — Returns median values for elements in each row.</li></ul>
	<i>IgnoreNaN</i>	Specifies if NaNs should be ignored. Choices are <b>true</b> (default) or <b>false</b> .
<b>Return Values</b>	<i>Med</i>	Either of the following: <ul style="list-style-type: none"><li>• Row vector containing the median values from elements in each column in <i>DMObj</i> (when <i>Dim</i> = 1)</li><li>• Column vector containing the median values from elements in each row in <i>DMObj</i> (when <i>Dim</i> = 2)</li></ul>
<b>Description</b>	<i>Med</i> = median( <i>DMObj</i> ) returns the median values of the elements in the columns of a DataMatrix object, treating NaNs as missing values. <i>Med</i> is a row vector containing the median values for elements in each column in <i>DMObj</i> .	



*Med* = median(*DObj*, *Dim*) returns the median values of the elements in the columns or rows of a DataMatrix object, as specified by *Dim*. If *Dim* = 1, returns *Med*, a row vector containing the median values for elements in each column in *DObj*. If *Dim* = 2, returns *Med*, a column vector containing the median values for elements in each row in *DObj*. Default *Dim* = 1.

*Med* = median(*DObj*, *Dim*, *IgnoreNaN*) specifies if NaNs should be ignored. *IgnoreNaN* can be true (default) or false.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: max, mean, min, sum

# microplateplot

---

## Purpose

Display visualization of microtiter plate

## Syntax

```
microplateplot(Data)  
Handle = microplateplot(...)  
microplateplot(Data, ...'RowLabels', RowLabelsValue, ...)  
microplateplot(Data, ...'ColumnLabels', ColumnLabelsValue,  
    ...)  
microplateplot(Data, ...'TextLabels', TextLabelsValue, ...)  
microplateplot(Data, ...'TextFontSize', TextFontSizeValue,  
    ...)  
microplateplot(Data, ...'MissingValueColor',  
    MissingValueColorValue, ...)  
microplateplot(Data, ...'ToolTipFormat',  
    ToolTipFormatValue,  
    ...)
```

## Description

`microplateplot(Data)` displays an image of a microtiter plate with each well colored according to intensity values, such as from a plate reader.

`Handle = microplateplot(...)` returns the handle to the axes of the plot.

`microplateplot(..., 'PropertyName', PropertyValue, ...)` calls `microplateplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`microplateplot(Data, ...'RowLabels', RowLabelsValue, ...)` lets you specify labels for the rows of data.

`microplateplot(Data, ...'ColumnLabels', ColumnLabelsValue, ...)` lets you specify labels for the columns of data.

`microplateplot(Data, ...'TextLabels', TextLabelsValue, ...)` lets you specify text to overlay of the wells in the image.

`microplateplot(Data, ...'TextFontSize', TextFontSizeValue, ...)` lets you specify the font size of the text you specify with the 'TextLabels' property.

`microplateplot(Data, ...'MissingValueColor', MissingValueColorValue, ...)` lets you specify the color of wells with missing values (NaN values).

`microplateplot(Data, ...'ToolTipFormat', ToolTipFormatValue, ...)` lets you specify the format of the text used in the well tooltips. The well tooltips display the actual value from the input matrix when you click a well. *ToolTipFormatValue* is a format string, such as used by the `sprintf` function. Default is 'Value: %.3f', which specifies including three digits to the right of the decimal in fixed-point notation.

## Input Arguments

### *Data*

DataMatrix object or matrix containing intensity values, such as from a plate reader.

---

**Tip** For help importing data from a spreadsheet or data file into a MATLAB matrix, see “Importing Text Data Files”.

---

---

**Note** The `microplateplot` function converts any nonnumeric symbols or characters in the matrix to NaN values.

---

### *RowLabelsValue*

Cell array of strings that specifies labels for the rows of data. Default is the first *N* letters of the alphabet, where *N* is the number of rows in *Data*. If there are more than 26 rows in *Data*, then the default is AA, AB, ..., ZZ. If *Data* is a DataMatrix object, then the default is the row labels of *Data*.

## *ColumnLabelsValue*

Cell array of strings that specifies labels for the columns of data. Default is 1, 2, ...,  $M$ , where  $M$  is the number of columns in *Data*. If *Data* is a DataMatrix object, then the default is the column labels of *Data*.

## *TextLabelValue*

Cell array of strings the same size as *Data* that specifies text to overlay on the wells of the image.

## *TextFontSizeValue*

Positive integer specifying the font size of the text you specify with the 'TextLabels' property. Default font size is determined automatically based on the size of the Figure window.

## *MissingValueColorValue*

Three-element numeric vector of RGB values that specifies the color of wells with missing values (NaN values). Default is [0, 0, 0], which defines black.

## *ToolTipFormatValue*

Format string, such as used by the `sprintf` function, that specifies the format of the text used in the well tooltips. The well tooltips display the actual value from the input matrix when you click a well.

**Default:** 'Value: %.3f', which specifies including three digits to the right of the decimal in fixed-point notation.

## Output Arguments

### *Handle*

Handle to the axes of the plot.

---

**Tip** Use the *Handle* output with the `set` function and the 'YDir' or 'XDir' property to reverse the order of the A through H labels or 1 through 12 labels respectively. Note that in the microplate plot, the default order for the A through H labels, or 'YDir' property, is 'reverse' (top to bottom), and the default order for the 1 through 12 labels, or 'XDir' property, is 'normal' (left to right). For more information on the 'XDir' and 'YDir' properties, see “Properties That Control the X-, Y-, or Z-Axis”.

---

## Examples

### Creating a Plot of a Microplate, Changing the Colormap, Viewing Well Values, and Adding Text Labels

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains two variables: `assaydata`, an 8-by-12 matrix of data values from a microtiter plate, and `whiteToRed`, a 64-by-3 matrix that defines a colormap.

```
load microPlateAssay
```


- 2 Create a visualization of the data from the microtiter plate.

```
microplateplot(assaydata)
```

- 3 Change the visualization to use a white-to-red colormap, and then view a tooltip displaying the value of well D6 by clicking the well.

```
colormap(whiteToRed)
```

# microplateplot



Notice that all wells in column 12 are black, indicating missing data.

**4** Overlay an X on well E8.

- a** Create an empty cell array.


```
mask = cell(8,12);
```

- b** Add the string 'X' to the cell in the fifth row and eighth column of the array.

```
mask{5,8} = 'X';
```

- c Pass the cell array to the `microplateplot` function using the 'TextLabels' property.

```
microplateplot(assaydata,'TEXTLABELS',mask);
```




## Changing the Order of Row Labels in the Plot

- 1 If you have not already done so, create a plot of a microplate by completing steps 1 through 3 in Creating a Plot of a Microplate,

Changing the Colormap, Viewing Well Values, and Adding Text Labels on page 3-1051.

- 2 Return a handle to the axes of the plot, and then reverse the order of the row letter labels.

```
h = microplateplot(assaydata);  
set(h,'YDir','normal')
```





### **Adding a Title and Axis Labels to the Plot**

For information on adding a title and  $x$ -axis and  $y$ -axis labels to your plot, see “Annotating Graphs”.

---

### **Printing and Exporting the Plot**

For information on printing or exporting your plot, see “Printing and Exporting”.

### **See Also**

`imagesc` | `sprintf` | `set`

### **How To**

- “Importing Text Data Files”
- “Properties That Control the X-, Y-, or Z-Axis”
- “Annotating Graphs”
- “Printing and Exporting”

# min (DataMatrix)

**Purpose** Return minimum values in DataMatrix object

**Syntax**

```
M = min(DMObj1)
[M, Indices] = min(DMObj1)
[M, Indices, Names] = min(DMObj1)
... = min(DMObj1, [], Dim)
MA = min(DMObj1, DMObj2)
```

**Arguments**

<i>DMObj1, DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
-----------------------	---

---

**Note** *DMObj1* and *DMObj2* must be the same size, unless one is a scalar.

---

<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to return the minimum values. Choices are: <ul style="list-style-type: none"><li>• 1 — Default. Returns a row vector containing a minimum value for each column.</li><li>• 2 — Returns a column vector containing a minimum value for each row.</li></ul>
------------	---

**Return Values**

<i>M</i>	One of the following: <ul style="list-style-type: none"><li>• Scalar specifying the minimum value in <i>DMObj</i> when it contains vector of data</li><li>• Row vector containing the minimum value for each column in <i>DMObj</i> (when <i>Dim</i> = 1)</li><li>• Column vector containing the minimum value for each row in <i>DMObj</i> (when <i>Dim</i> = 2)</li></ul>
----------	---

<i>Indices</i>	<p>Either of the following:</p> <ul style="list-style-type: none"> <li>• Positive integer specifying the index of the minimum value in a DataMatrix object containing a vector of data</li> <li>• Vector containing the indices for the minimum value in each column (if <i>Dim</i> = 1) or row (if <i>Dim</i> = 2) in a DataMatrix object containing a matrix of data</li> </ul>
<i>Names</i>	Vector of the row names (if <i>Dim</i> = 1) or column names (if <i>Dim</i> = 2) corresponding to the minimum value in each column or each row of a DataMatrix object.
<i>MA</i>	<p>Numeric array created from the minimum elements in either of the following:</p> <ul style="list-style-type: none"> <li>• Two DataMatrix objects</li> <li>• A DataMatrix object and a numeric array</li> </ul>

## Description

$M = \min(DMObj1)$  returns the minimum value(s) in *DMObj1*, a DataMatrix object. If *DMObj1* contains a vector of data, *M* is a scalar. If *DMObj1* contains a matrix of data, *M* is a row vector containing a minimum value in each column.

$[M, Indices] = \min(DMObj1)$  returns *Indices*, the indices of the minimum value(s) in *DMObj1*, a DataMatrix object. If *DMObj1* contains a vector of data, *Indices* is a positive integer. If *DMObj1* contains a matrix of data, *Indices* is a vector containing the indices for the minimum value in each column (if *Dim* = 1) or row (if *Dim* = 2). If there are multiple minimum values in a column or row, the index for the first value is returned.

$[M, Indices, Names] = \min(DMObj1)$  returns *Names*, a vector of the row names (if *Dim* = 1) or column names (if *Dim* = 2) corresponding to the minimum value in each column or each row of *DMObj1*, a DataMatrix object. If there is more than one minimum value in a column or row, the row or column name for the first value is returned.

## min (DataMatrix)

---

`... = min(DMObj1, [], Dim)` specifies which dimension to return the minimum values for, that is each column or each row in a DataMatrix object. If *Dim* = 1, returns *M*, a row vector containing the minimum value in each column. If *Dim* = 2, returns *M*, a column vector containing the minimum value in each row. Default *Dim* = 1.

`MA = min(DMObj1, DMObj2)` returns *MA*, a numeric array containing the smaller of the two values from each position of *DMObj1* and *DMObj2*. *DMObj1* and *DMObj2* can both be DataMatrix objects, or one can be a DataMatrix object and the other a numeric array. They must be the same size, unless one is a scalar. *MA* has the same size (number of rows and columns) as the first nonscalar input.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: max, sum

## Purpose

Find minimal spanning tree in biograph object

## Syntax

```
[Tree, pred] = minspantree(BGObj)
[Tree, pred] = minspantree(BGObj, R)
[Tree, pred] = minspantree(..., 'Method', MethodValue, ...)
[Tree, pred] = minspantree(..., 'Weights', WeightsValue, ...)
```

## Arguments

<i>BGObj</i>	Biograph object created by biograph (object constructor).
<i>R</i>	Scalar between 1 and the number of nodes.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[Tree, pred] = minspantree(BGObj)` finds an acyclic subset of edges that connects all the nodes in the undirected graph represented by an N-by-N adjacency matrix extracted from a biograph object, *BGObj*, and for which the total weight is minimized. Weights of the edges are all nonzero entries in the lower triangle of the N-by-N sparse matrix. Output *Tree* is a spanning tree represented by a sparse matrix. Output *pred* is a vector containing the predecessor nodes of the minimal spanning tree (MST), with the root node indicated by 0. The root node defaults to the first node in the largest connected component. This computation requires an extra call to the `graphconncomp` function.

`[Tree, pred] = minspantree(BGObj, R)` sets the root of the minimal spanning tree to node *R*.

`[Tree, pred] = minspantree(..., 'PropertyName', PropertyValue, ...)` calls `minspantree` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

# minspantree (biograph)

---

`[Tree, pred] = minspantree(..., 'Method', MethodValue, ...)` lets you specify the algorithm used to find the minimal spanning tree (MST). Choices are:

- 'Kruskal' — Grows the minimal spanning tree (MST) one edge at a time by finding an edge that connects two trees in a spreading forest of growing MSTs. Time complexity is  $O(E+X\log(N))$ , where  $X$  is the number of edges no longer than the longest edge in the MST, and  $N$  and  $E$  are the number of nodes and edges respectively.
- 'Prim' — Default algorithm. Grows the minimal spanning tree (MST) one edge at a time by adding a minimal edge that connects a node in the growing MST with any other node. Time complexity is  $O(E\log(N))$ , where  $N$  and  $E$  are the number of nodes and edges respectively.

---

**Note** When the graph is unconnected, Prim's algorithm returns only the tree that contains  $R$ , while Kruskal's algorithm returns an MST for every component.

---

`[Tree, pred] = minspantree(..., 'Weights', WeightsValue, ...)` lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in the  $N$ -by- $N$  sparse matrix. The order of the custom weights in the vector must match the order of the nonzero values in the  $N$ -by- $N$  sparse matrix when it is traversed column-wise. By default, `minspantree` gets weight information from the nonzero entries in the  $N$ -by- $N$  sparse matrix.

## References

- [1] Kruskal, J.B. (1956). On the Shortest Spanning Subtree of a Graph and the Traveling Salesman Problem. *Proceedings of the American Mathematical Society* 7, 48-50.
- [2] Prim, R. (1957). Shortest Connection Networks and Some Generalizations. *Bell System Technical Journal* 36, 1389-1401.

[3] Siek, J.G. Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

### See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphminspantree`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:  
`allshortestpaths`, `conncomp`, `isdag`, `isomorphism`, `isspantree`,  
`maxflow`, `shortestpath`, `topoorder`, `traverse`

# minus (DataMatrix)

---

<b>Purpose</b>	Subtract DataMatrix objects	
<b>Syntax</b>	$DMObjNew = \text{minus}(DMObj1, DMObj2)$ $DMObjNew = DMObj1 - DMObj2$ $DMObjNew = \text{minus}(DMObj1, B)$ $DMObjNew = DMObj1 - B$ $DMObjNew = \text{minus}(B, DMObj1)$ $DMObjNew = B - DMObj1$	
<b>Arguments</b>	$DMObj1, DMObj2$	DataMatrix objects, such as created by DataMatrix (object constructor).
	$B$	MATLAB numeric or logical array.
<b>Return Values</b>	$DMObjNew$	DataMatrix object created by subtraction.
<b>Description</b>	<p><math>DMObjNew = \text{minus}(DMObj1, DMObj2)</math> or the equivalent <math>DMObjNew = DMObj1 - DMObj2</math> performs an element-by-element subtraction of the DataMatrix object <math>DMObj2</math> from the DataMatrix object <math>DMObj1</math> and places the results in <math>DMObjNew</math>, another DataMatrix object. <math>DMObj1</math> and <math>DMObj2</math> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for <math>DMObjNew</math> are the same as <math>DMObj1</math>, unless <math>DMObj1</math> is a scalar; then they are the same as <math>DMObj2</math>.</p> <p><math>DMObjNew = \text{minus}(DMObj1, B)</math> or the equivalent <math>DMObjNew = DMObj1 - B</math> performs an element-by-element subtraction of <math>B</math>, a numeric or logical array, from the DataMatrix object <math>DMObj1</math>, and places the results in <math>DMObjNew</math>, another DataMatrix object. <math>DMObj1</math> and <math>B</math> must have the same size (number of rows and columns), unless <math>B</math> is a scalar. The size (number of rows and columns), row names, and column names for <math>DMObjNew</math> are the same as <math>DMObj1</math>.</p>	



*DMObjNew* = `minus`(*B*, *DMObj1*) or the equivalent *DMObjNew* = *B* - *DMObj1* performs an element-by-element subtraction of the DataMatrix object *DMObj1* from *B*, a numeric or logical array, and places the results in *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls *DMObjNew* = `minus`(*X*, *Y*) for the syntax *DMObjNew* = *X* - *Y* when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `plus`

# molweight

---

**Purpose** Calculate molecular weight of amino acid sequence

**Syntax** `molweight(SeqAA)`

**Arguments**

*SeqAA* Amino acid sequence. Enter a character string or a vector of integers from the tableAmino Acid Lookup on page 3-165. Examples: 'ARN', [1 2 3]. You can also enter a structure with the field Sequence.

**Description** `molweight(SeqAA)` calculates the molecular weight for the amino acid sequence *SeqAA*.

**Examples**

**1** Retrieve an amino acid sequence from the NCBI GenPept database.

```
rhodopsin = getgenpept('NP_000530');
```

**2** Calculate the molecular weight of the sequence.

```
rhodopsinMW = molweight(rhodopsin)
```

```
rhodopsinMW =
```

```
3.8892e+004
```

**See Also**

Bioinformatics Toolbox functions: `aaccount`, `atomiccomp`, `isoelectric`, `isotopicdist`, `proteinplot`

**Purpose**

Display and manipulate 3-D molecule structure

**Syntax**

```
molviewer  
molviewer(File)  
molviewer(pdbID)  
molviewer(pdbStruct)  
FigureHandle = molviewer(...)
```

**Arguments**

*File*

String specifying one of the following:

- File name of a file on the MATLAB search path or in the MATLAB Current Folder
- Path and file name
- URL pointing to a file (URL must begin with a protocol such as `http://`, `ftp://`, or `file://`)

The referenced file is a molecule model file, such as a Protein Data Bank (PDB)-formatted file (ASCII text file). Valid file types include:

- PDB
- MOL (MDL)
- SDF
- XYZ
- SMOL
- JVXL
- CIF/mmCIF

*pdbID*

String specifying a unique identifier for a protein structure record in the PDB database.

---

**Note** Each structure in the PDB database is represented by a four-character alphanumeric identifier. For example, 4hhb is the identifier for hemoglobin.

---

*pdbStruct* A structure containing a field for each PDB record, such as returned by the `getpdb` or `pdbread` function.

## Return Values

*FigureHandle* Figure handle to a Molecule Viewer window.

## Description

`molviewer` opens a blank Molecule Viewer window. You can display 3-D molecular structures by selecting **File > Open**, **File > Load PDB ID**, or **File > Open URL**.

`molviewer(File)` reads the data in a molecule model file, *File*, and opens a Molecule Viewer window displaying the 3-D molecular structure for viewing and manipulation.

`molviewer(pdbID)` retrieves the data for a protein structure record, *pdbID*, from the PDB database and opens a Molecule Viewer window displaying the 3-D molecular structure for viewing and manipulation.

`molviewer(pdbStruct)` reads the data from *pdbStruct*, a structure containing a field for each PDB record, and opens a Molecule Viewer window displaying a 3-D molecular structure for viewing and manipulation.

`FigureHandle = molviewer(...)` returns the figure handle to the Molecule Viewer window.

---

**Tip** You can pass the *FigureHandle* to the `evalrasmolscript` function, which sends RasMol script commands to the Molecule Viewer window.


---

---

**Tip** If you receive any errors related to memory or Java™ heap space, try increasing your Java heap space as described at:

<http://www.mathworks.com/support/solutions/data/1-18I2C.html>

---







After displaying the 3-D molecule structure, you can:

- Click-drag the molecule to spin, rotate, and view it from different angles.
- Hover the mouse over a subcomponent of the molecule to display an identification label for it.
- Zoom the plot by turning the mouse scroll wheel or clicking the following buttons:



or


- Spin the molecule by clicking .
- Change the background color between black and white by clicking .
- Reset the molecule position by clicking .
- Show or hide the Control Panel by clicking .
- Manipulate and annotate the 3-D structure by selecting options in the Control Panel or, for a complete list of options, by right-clicking the Molecule Viewer window to select commands:



- Display the Jmol Script Console by clicking







## Examples

View the acetylsalicylic acid (aspirin) molecule, whose structural information is contained in the Elsevier MDL molecule file `aspirin.mol`.

```
molviewer('aspirin.mol')
```

View the H5N1 influenza virus hemagglutinin molecule, whose structural information is located at [www.rcsb.org/pdb/files/2FK0.pdb.gz](http://www.rcsb.org/pdb/files/2FK0.pdb.gz).

```
molviewer('http://www.rcsb.org/pdb/files/2FK0.pdb.gz')
```

View the molecule with a PDB identifier of 2DHB.

```
molviewer('2DHB')
```

View the molecule with a PDB identifier of 4hhb, and create a figure handle for the molecule viewer.

```
FH = molviewer('4hhb')
```

Use the `getpdb` function to retrieve protein structure data from the PDB database and create a MATLAB structure. Then view the protein molecule.

```
pdbstruct = getpdb('1vqx')  
molviewer(pdbstruct)
```

## See Also

Bioinformatics Toolbox functions: `evalrasmolscript`, `getpdb`, `pdbread`, `pdbsuperpose`, `pdbtransform`, `pdbwrite`

**Purpose**

Align peaks in signal to reference peaks

**Syntax**

```

IntensitiesOut = msalign(X, Intensities, RefX)
... = msalign(..., 'Rescaling', RescalingValue, ...)
... = msalign(..., 'Weights', WeightsValue, ...)
... = msalign(..., 'MaxShift', MaxShiftValue, ...)
... = msalign(..., 'WidthOfPulses',
WidthOfPulsesValue, ...)
... = msalign(..., 'WindowSizeRatio', WindowSizeRatioValue,
...)
... = msalign(..., 'Iterations', IterationsValue, ...)
... = msalign(..., 'GridSteps', GridStepsValue, ...)
... = msalign(..., 'SearchSpace', SearchSpaceValue, ...)
... = msalign(..., 'ShowPlot', ShowPlotValue, ...)
[IntensitiesOut, RefXOut] = msalign(...,
'Group', GroupValue,
...)
```

**Arguments**

*X*

Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix *Intensities*. The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data.

*Intensities*

Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector *X*.

*RefX* Vector of separation-unit values of known reference masses in a sample signal.

---

**Tip** For reference peaks, select compounds that are not expected to have significant shifts among the different signals. For example, in mass spectrometry, select compounds that do not undergo structural transformation, such as phosphorylation. Doing so increases the accuracy of your alignment and lets you detect compounds that exhibit structural transformations among the sample signal.

---

*RescalingValue* Controls the rescaling of *X*. Choices are `true` (default) or `false`. When `false`, the output signal is aligned only to the reference peaks by using constant shifts. By default, `msalign` estimates a rescaling factor, unless *RefX* contains only one reference peak.

*WeightsValue* Vector of positive values, with the same number of elements as *RefX*. The default vector is `ones(size(RefX))`.

*MaxShiftValue* Two-element vector, in which the first element is negative and the second element is positive, that specifies the lower and upper limits of a range, in separation units, relative to each peak. No peak shifts beyond these limits. Default is `[-100 100]`.

<i>WidthOfPulsesValue</i>	Positive value that specifies the width, in separation units, for all the Gaussian pulses used to build the correlating synthetic signal. The point of the peak where the Gaussian pulse reaches 60.65% of its maximum is set to the width specified by <i>WidthOfPulsesValue</i> . Default is 10.
<i>WindowSizeRatioValue</i>	Positive value that specifies a scaling factor that determines the size of the window around every alignment peak. The synthetic signal is compared to the input signal only within these regions, which saves computation time. The size of the window is given in separation-units by <i>WidthOfPulsesValue</i> * <i>WindowSizeRatioValue</i> . Default is 2.5, which means at the limits of the window, the Gaussian pulses have a value of 4.39% of their maximum.
<i>IterationsValue</i>	Positive integer that specifies the number of refining iterations. At every iteration, the search grid is scaled down to improve the estimates. Default is 5.
<i>GridStepsValue</i>	Positive integer that specifies the number of steps for the search grid. At every iteration, the search area is divided by <i>GridStepsValue</i> <sup>2</sup> . Default is 20.
<i>SearchSpaceValue</i>	String that specifies the type of search space. Choices are: <ul style="list-style-type: none"><li>• 'regular' — Default. Evenly spaced lattice.</li><li>• 'latin' — Random Latin hypercube with <i>GridStepsValue</i><sup>2</sup> samples.</li></ul>

## *ShowPlotValue*

Controls the display of a plot of an original and aligned signal over the reference masses specified by *RefX*. Choices are `true`, `false`, or *I*, an integer specifying the index of a signal in *Intensities*. If you set to `true`, the first signal in *Intensities* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.

## *GroupValue*

Controls the creation of *RefXOut*, a new vector of separation-unit values to be used as reference masses for aligning the peaks. This vector is created by adjusting the values in *RefX*, based on the sample data from multiple signals in *Intensities*, such that the overall shifting and scaling of the peaks is minimized. Choices are `true` or `false` (default).

---

**Tip** Set *GroupValue* to `true` only if *Intensities* contains data for a large number of signals, and you are not confident of the separation-unit values used for your reference peaks in *RefX*. Leave *GroupValue* set to `false` if you are confident of the separation-unit values used for your reference peaks in *RefX*.

---

**Return Values***IntensitiesOut*

Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The intensity values represent a shifting and scaling of the data.

*RefXOut*

Vector of separation-unit values of reference masses, calculated from *RefX* and the sample data from multiple signals in *Intensities*, when you set *GroupValue* to true.

**Description**

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

*IntensitiesOut* = msalign(*X*, *Intensities*, *RefX*) aligns the peaks in raw, noisy signal data, represented by *Intensities* and *X*, to reference peaks, provided by *RefX*. First, it creates a synthetic signal from the reference peaks using Gaussian pulses centered at the separation-unit values specified by *RefX*. Then, it shifts and scales the separation-unit scale to find the maximum alignment between the input signals and the synthetic signal. (It uses an iterative multiresolution grid search until it finds the best scale and shift factors for each signal.) Once the new separation-unit scale is determined, the corrected signals are created by resampling their intensities at the original separation-unit values, creating *IntensitiesOut*, a vector or matrix of corrected intensity values. The resampling method preserves the shape of the peaks.

---

**Tip** The `msalign` function works best with three to five reference peaks that you know will appear in the signal. If you use a single reference peak (internal standard), there is a possibility of aligning sample peaks to the incorrect reference peaks as `msalign` both scales and shifts the  $X$  vector. If using a single reference peak, you might need to only shift the  $X$  vector. To do this, use `IntensitiesOut = interp1(X, Intensities, X - (ReferencePeak - ExperimentalPeak))`. For more information, see [Aligning a Mass Spectrum with One Reference Peak](#) on page 3-1083.

---

`... = msalign(..., 'PropertyName', PropertyValue, ...)` calls `msalign` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = msalign(..., 'Rescaling', RescalingValue, ...)` controls the rescaling of  $X$ . Choices are `true` (default) or `false`. When `false`, the output signal is aligned only to the reference peaks by using constant shifts. By default, `msalign` estimates a rescaling factor, unless *RefX* contains only one reference peak.

`... = msalign(..., 'Weights', WeightsValue, ...)` specifies the relative weight for each mass in *RefX*, the vector of reference separation-unit values. *WeightsValue* is a vector of positive values, with the same number of elements as *RefX*. The default vector is `ones(size(RefX))`, which means each reference peak is weighted equally, so that more intense reference peaks have a greater effect in the alignment algorithm. If you have a less intense reference peak, you can increase its weight to emphasize it more in the alignment algorithm.

`... = msalign(..., 'MaxShift', MaxShiftValue, ...)` specifies the lower and upper limits of the range, in separation units, relative to each peak. No peak shifts beyond these limits. *MaxShiftValue* is a two-element vector, in which the first element is negative and the second element is positive. Default is `[-100 100]`.



---

**Note** Use these values to tune the robustness of the algorithm. Ideally, you should keep the range within the maximum expected shift. If you try to correct larger shifts by increasing the limits, you increase the possibility of picking incorrect peaks to align to the reference masses.

---

`... = msalign(..., 'WidthOfPulses', WidthOfPulsesValue, ...)` specifies the width, in separation units, for all the Gaussian pulses used to build the correlating synthetic signal. The point of the peak where the Gaussian pulse reaches 60.65% of its maximum is set to the width you specify with *WidthOfPulsesValue*. Choices are any positive value. Default is 10. *WidthOfPulsesValue* may also be a function handle. The function is evaluated at the respective separation-unit values and returns a variable width for the pulses. Its evaluation should give reasonable values from 0 to `max(abs(Range))`; otherwise, the function returns an error.

---

**Note** Tuning the spread of the Gaussian pulses controls a tradeoff between robustness (wider pulses) and precision (narrower pulses). However, the spread of the pulses is unrelated to the shape of the observed peaks in the signal. The purpose of the pulse spread is to drive the optimization algorithm.

---

`... = msalign(..., 'WindowSizeRatio', WindowSizeRatioValue, ...)` specifies a scaling factor that determines the size of the window around every alignment peak. The synthetic signal is compared to the sample signal only within these regions, which saves computation time. The size of the window is given in separation units by *WidthOfPulsesValue* \* *WindowSizeRatioValue*. Choices are any positive value. Default is 2.5, which means at the limits of the window, the Gaussian pulses have a value of 4.39% of their maximum.

`... = msalign(..., 'Iterations', IterationsValue, ...)`  
specifies the number of refining iterations. At every iteration, the search grid is scaled down to improve the estimates. Choices are any positive integer. Default is 5.

`... = msalign(..., 'GridSteps', GridStepsValue, ...)`  
specifies the number of steps for the search grid. At every iteration, the search area is divided by  $\text{GridStepsValue}^2$ . Choices are any positive integer. Default is 20.

`... = msalign(..., 'SearchSpace', SearchSpaceValue, ...)`  
specifies the type of search space. Choices are:

- 'regular' — Default. Evenly spaced lattice.
- 'latin' — Random Latin hypercube with  $\text{GridStepsValue}^2$  samples.

`... = msalign(..., 'ShowPlot', ShowPlotValue, ...)` controls the display of a plot of an original and aligned signal over the reference masses specified by *RefX*. Choices are `true`, `false`, or *I*, an integer specifying the index of a signal in *Intensities*. If set to `true`, the first signal in *Intensities* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.

`[IntensitiesOut, RefXOut] = msalign(..., 'Group', GroupValue, ...)` controls the creation of *RefXOut*, a new vector of separation-unit values to use as reference masses for aligning the peaks. This vector is created by adjusting the values in *RefX*, based on the sample data from multiple signals in *Intensities*, such that the overall shifting and scaling of the peaks is minimized. Choices are `true` or `false` (default).

---

**Tip** Set *GroupValue* to true only if *Intensities* contains data for a large number of signals, and you are not confident of the separation-unit values used for your reference peaks in *RefX*. Leave *GroupValue* set to false if you are confident of the separation-unit values used for your reference peaks in *RefX*.

---

## Examples


### Aligning a Mass Spectrum with Three or More Reference Peaks

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains sample data, reference masses, and parameter data for synthetic peak width.

```
load sample_lo_res
R = [3991.4 4598 7964 9160];
W = [60 100 60 100];
```


- 2 Display a color image of the mass spectra before alignment.

```
msheatmap(MZ_lo_res,Y_lo_res,'markers',R,'range',[3000 10000])
title('before alignment')
```



- 3** Align spectra with reference masses and display a color image of mass spectra after alignment.

```
YA = msalign(MZ_lo_res,Y_lo_res,R,'weights',W);  
msheatmap(MZ_lo_res,YA,'markers',R,'range',[3000 10000])  
title('after alignment')
```




### Aligning a Mass Spectrum with One Reference Peak


It is not recommended to use the `msalign` function if you have only one reference peak. Instead, use the following procedure, which shifts the  $X$  input vector, but does not scale it.


- 1 Load sample data and view the first sample spectrum.

```
load sample_lo_res
MZ = MZ_lo_res;
Y = Y_lo_res(:,1);
```

msviewer(MZ, Y)



- 2 Use the tall peak around 4000 m/z as the reference peak. To determine the reference peak's m/z value, click , and then click-drag to zoom in on the peak. Right-click in the center of the peak, and then click **Add Marker** to label the peak with its m/z value.




- 3 Shift a spectrum by the difference between RP, the known reference mass of 4000 m/z, and SP, the experimental mass of 4051.14 m/z.

```
RP = 4000;  
SP = 4051.14;  
YOut = interp1(MZ, Y, MZ-(RP-SP));
```

- 4 Plot the original spectrum in red and the shifted spectrum in blue and zoom in on the reference peak.

```
plot(MZ,Y,'r',MZ,YOut,'b:')  
xlabel('Mass/Charge (M/Z)')  
ylabel('Relative Intensity')
```

```
legend('Y','YOut')  
axis([3600 4800 -2 60])
```



## References

[1] Monchamp, P., Andrade-Cetto, L., Zhang, J.Y., and Henson, R. (2007) Signal Processing Methods for Mass Spectrometry. In Systems Bioinformatics: An Engineering Case-Based Approach, G. Alterovitz and M.F. Ramoni, eds. (Artech House Publishers).

## See Also

Bioinformatics Toolbox functions: msbackadj, msheatmap, mspalign, mspeaks, msresample, msviewer



Bioinformatics Toolbox demo:

Preprocessing Raw Mass Spectrometry Data

## Purpose

Correct baseline of signal with peaks

## Syntax

```
Yout = msbackadj(X, Intensities)
Yout = msbackadj(X, Intensities, ...'WindowSize',
WindowSizeValue, ...)
Yout = msbackadj(X, Intensities, ...'StepSize',
StepSizeValue, ...)
Yout = msbackadj(X, Intensities, ...'RegressionMethod',
RegressionMethodValue, ...)
Yout = msbackadj(X, Intensities, ...'EstimationMethod',
EstimationMethodValue, ...)
Yout = msbackadj(X, Intensities, ...'SmoothMethod',
SmoothMethodValue, ...)
Yout = msbackadj(X, Intensities, ...'QuantileValue',
QuantileValueValue, ...)
Yout = msbackadj(X, Intensities, ...'PreserveHeights',
PreserveHeightsValue, ...)
Yout = msbackadj(X, Intensities, ...'ShowPlot',
ShowPlotValue, ...)
```

## Arguments

- |                    |  |
|--------------------|--|
| <i>X</i>           | Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix <i>Intensities</i> . The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data. |
| <i>Intensities</i> | Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector <i>X</i> .         |

## Description

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

*Yout* = msbackadj(*X*, *Intensities*) adjusts the variable baseline of a raw signal with peaks by following steps:

- 1 Estimates the baseline within multiple shifted windows of width 200 separation units
- 2 Regresses the varying baseline to the window points using a spline approximation
- 3 Adjusts the baseline of the peak signals supplied by *Intensities*

*Yout* = msbackadj(*X*, *Intensities*, ...'*PropertyName*', *PropertyValue*, ...) calls msbackadj with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Yout* = msbackadj(*X*, *Intensities*, ...'*WindowSize*', *WindowSizeValue*, ...) specifies the width for the shifting window. *WindowSizeValue* can also be a function handle. The function is evaluated at the respective *X* values and returns a variable width for the windows. This option is useful for cases where the resolution of the signal is dissimilar at different regions. The default value is 200 (baseline point estimated for windows with a width of 200 separation units).

---

**Note** The result of this algorithm depends on carefully choosing the window size and the step size. Consider the width of your peaks in the signal and the presence of possible drifts. If you have wider peaks toward the end of the signal, you may want to use variable parameters.

---

*Yout* = msbackadj(*X*, *Intensities*, ...'StepSize', *StepSizeValue*, ...) specifies the steps for the shifting window. The default value is 200 separation units (baseline point is estimated for windows placed every 200 separation units). *StepSizeValue* can also be a function handle. The function is evaluated at the respective separation-unit values and returns the distance between adjacent windows.

*Yout* = msbackadj(*X*, *Intensities*, ...'RegressionMethod', *RegressionMethodValue*, ...) specifies the method to regress the window estimated points to a soft curve. Enter 'pchip' (shape-preserving piecewise cubic interpolation), 'linear' (linear interpolation), or 'spline' (spline interpolation). The default value is 'pchip'.

*Yout* = msbackadj(*X*, *Intensities*, ...'EstimationMethod', *EstimationMethodValue*, ...) specifies the method for finding the likely baseline value in every window. Enter 'quantile' (quantile value is set to 10%) or 'em' (assumes a doubly stochastic model). With em, every sample is the independent and identically distributed (i.i.d.) draw of any of two normal distributed classes (background or peaks). Because the class label is hidden, the distributions are estimated with an Expectation-Maximization algorithm. The ultimate baseline value is the mean of the background class.

*Yout* = msbackadj(*X*, *Intensities*, ...'SmoothMethod', *SmoothMethodValue*, ...) specifies the method for smoothing the curve of estimated points and eliminating the effects of possible outliers. Enter 'none', 'lowess' (linear fit), 'loess' (quadratic fit), 'rloess' (robust linear), or 'rloess' (robust quadratic fit). Default is 'none'.

`Yout = msbackadj(X, Intensities, ...'QuantileValue', QuantileValueValue, ...)` specifies the quantile value. The default value is 0.10.

`Yout = msbackadj(X, Intensities, ...'PreserveHeights', PreserveHeightsValue, ...)`, when *PreserveHeightsValue* is true, sets the baseline subtraction mode to preserve the height of the tallest peak in the signal. The default value is false and peak heights are not preserved.

`Yout = msbackadj(X, Intensities, ...'ShowPlot', ShowPlotValue, ...)` plots the baseline-estimated points, the regressed baseline, and the original signal. When you call `msbackadj` without output arguments, the signal is plotted unless *ShowPlotValue* is false. When *ShowPlotValue* is true, only the first signal in *Intensities* is plotted. *ShowPlotValue* can also contain an index to one of the signals in *Intensities*.


## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains some sample data.

```
load sample_lo_res
```


- 2 Adjust the baseline for a group of spectra and show only the third spectrum and its estimated background.

```
YB = msbackadj(MZ_lo_res,Y_lo_res,'SHOWPLOT',3);
```



- 3** Plot the estimated baseline for the fourth spectrum in `Y_lo_res` using an anonymous function to describe an  $m/z$  dependent parameter.

```
wf = @(mz) 200 + .001 .* mz;
msbackadj(MZ_lo_res,Y_lo_res(:,4),'STEPWISE',wf);
```



## See Also

Bioinformatics Toolbox functions: `msalign`, `msheatmap`, `mslowess`, `msnorm`, `mspeaks`, `msresample`, `mssgolay`, `msviewer`

**Purpose** Plot set of peak lists from LC/MS or GC/MS data set

**Syntax**

```
msdotplot(Peaklist, Times)
msdotplot(FigHandle, Peaklist, Times)
msdotplot(..., 'Quantile', QuantileValue)
PlotHandle = msdotplot(...)
```

**Arguments**

<i>Peaklist</i>	Cell array of peak lists, where each element is a two-column matrix with m/z values in the first column and ion intensity values in the second column. Each element corresponds to a spectrum or retention time.
<hr/>	
<b>Tip</b> You can use the <code>mzxml2peaks</code> function to create the <i>Peaklist</i> cell array.	
<hr/>	
<i>Times</i>	Vector of retention times associated with an LC/MS or GC/MS data set. The number of elements in <i>Times</i> equals the number of elements in the cell array <i>Peaklist</i> .
<hr/>	
<b>Tip</b> You can use the <code>mzxml2peaks</code> function to create the <i>Times</i> vector.	
<hr/>	
<i>FigHandle</i>	Handle to an open Figure window such as one created by the <code>msheatmap</code> function.
<hr/>	
<i>QuantileValue</i>	Value that specifies a percentage. When peaks are ranked by intensity, only those that rank above this percentage are plotted. Choices are any value 0 and 1. Default is 0. For example, setting <i>QuantileValue</i> = 0 plots all peaks, and setting <i>QuantileValue</i> = 0.8 plots only the 20% most intense peaks.



## Return Values

*PlotHandle*      Handle to the line series object (figure plot).

## Description

`msdotplot(Peaklist, Times)` plots a set of peak lists from a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set represented by *Peaklist*, a cell array of peak lists, where each element is a two-column matrix with m/z values in the first column and ion intensity values in the second column, and *Times*, a vector of retention times associated with the spectra. *Peaklist* and *Times* have the same number of elements. The data is plotted into any existing figure generated by the `msheatmap` function; otherwise, the data is plotted into a new Figure window.

`msdotplot(FigHandle, Peaklist, Times)` plots the set of peak lists into the axes contained in an open Figure window with the handle *FigHandle*.

---

**Tip** This syntax is useful to overlay a dot plot on top of a heat map of mass spectrometry data created with the `msheatmap` function.

---

`msdotplot(..., 'Quantile', QuantileValue)` plots only the most intense peaks, specifically those in the percentage above the specified *QuantileValue*. Choices are any value 0 and 1. Default is 0. For example, setting *QuantileValue* = 0 plots all peaks, and setting *QuantileValue* = 0.8 plots only the 20% most intense peaks.

*PlotHandle* = `msdotplot(...)` returns a handle to the line series object (figure plot). You can use this handle as input to the `get` function to display a list of the plot's properties. You can use this handle as input to the `set` function to change the plot's properties, including showing and hiding points.

## Examples


- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains LC/MS data variables, including `peaks` and `ret_time`.

`peaks` is a cell array of peak lists, where each element is a two-column matrix of  $m/z$  values and ion intensity values, and each element corresponds to a spectrum or retention time. `ret_time` is a column vector of retention times associated with the LC/MS data set.

```
load lcmsdata
```


- 2 Create a dot plot with only the 5% most intense peaks.

```
msdotplot(peaks,ret_time,'Quantile',0.95)
```




- 3** Resample the data, then create a heat map of the LC/MS data.

```
[MZ,Y] = msppresample(peaks,5000);  
msheatmap(MZ,ret_time,log(Y))
```



- 4** Overlay the dot plot on the heat map, and then zoom in to see the detail.

```
msdotplot(peaks,ret_time)  
axis([480 532 375 485])
```



## See Also

Bioinformatics Toolbox functions: `msheatmap`, `mssalign`, `mspeaks`, `msspresample`, `mzcdf2peaks`, `mzcdfread`, `mzxml2peaks`, `mzxmlread`

**Purpose**

Create pseudocolor image of set of mass spectra

**Syntax**

```
msheatmap(MZ, Intensities)
msheatmap(MZ, Times, Intensities)
msheatmap(..., 'Midpoint', MidpointValue, ...)
msheatmap(..., 'Range', RangeValue, ...)
msheatmap(..., 'Markers', MarkersValue, ...)
msheatmap(..., 'SpecIdx', SpecIdxValue, ...)
msheatmap(..., 'Group', GroupValue, ...)
msheatmap(..., 'Resolution', ResolutionValue, ...)
```

**Arguments**

*MZ*

Column vector of common mass/charge (m/z) values for a set of spectra. The number of elements in the vector equals the number of rows in the matrix *Intensities*.

---

**Note** You can use the `mppresample` function to create the *MZ* vector.

---

*Times*

Column vector of retention times associated with a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set. The number of elements in the vector equals the number of columns in the matrix *Intensities*. The retention times are used to label the y-axis of the heat map.

---

**Tip** You can use the `mzxml2peaks` function to create the *Times* vector.

---

*Intensities* Matrix of intensity values for a set of mass spectra that share the same  $m/z$  range. Each row corresponds to an  $m/z$  value, and each column corresponds to a spectrum or retention time. The number of rows equals the number of elements in vector *MZ*. The number of columns equals the number of elements in vector *Times*.

---

**Note** You can use the `msppresample` function to create the *Intensities* matrix.

---

*MidpointValue* Value specifying a quantile of the ion intensity values to fall below the midpoint of the colormap, meaning they do not represent peaks. `msheatmap` uses a custom colormap where cool colors represent nonpeak regions, white represents the midpoint, and warm colors represent peaks. Choices are any value 0 and 1. Default is:

- 0.99 — For LC/MS or GC/MS data or when input *T* is provided. This means that 1% of the pixels are warm colors and represent peaks.
- 0.95 — For non-LC/MS or non-GC/MS data or when input *T* is not provided. This means that 5% of the pixels are warm colors and represent peaks.

---

**Tip** You can also change the midpoint interactively after creating the heat map by right-clicking the color bar, selecting **Interactive Colormap Shift**, and then click-dragging the cursor vertically on the color bar. This technique is useful when comparing multiple heat maps.

---

<i>RangeValue</i>	1-by-2 vector specifying the m/z range for the x-axis of the heat map. <i>RangeValue</i> must be within $[\min(MZ) \ \max(MZ)]$ . Default is the full range $[\min(MZ) \ \max(MZ)]$ .
<i>MarkersValue</i>	Vector of m/z values to mark on the top horizontal axis of the heat map. Default is <code>[]</code> .
<i>SpecIdxValue</i>	Either of the following: <ul style="list-style-type: none"><li>• Vector of values with the same number of elements as columns (spectra) in the matrix <i>Intensities</i>.</li><li>• Cell array of strings with the same number of elements as columns (spectra) in the matrix <i>Intensities</i>.</li></ul>

Each value or string specifies a label for the corresponding spectrum. These values or strings are used to label the y-axis of the heat map.

---

**Note** If input *Times* is provided, it is assumed that *Intensities* contains LC/MS or GC/MS data, and *SpecIdxValue* is ignored.

---

*GroupValue* Either of the following:

- Vector of values with the same number of elements as rows in the matrix *Intensities*
- Cell array of strings with the same number of elements as rows (spectra) in the matrix *Intensities*

Each value or string specifies a group to which the corresponding spectrum belongs. The spectra are sorted and combined into groups along the *y*-axis in the heat map.

---

**Note** If input *Times* is provided, it is assumed that *Intensities* contains LC/MS or GC/MS data, and *GroupValue* is ignored.

---

*ResolutionValue* Value specifying the horizontal resolution of the heat map image. Increase this value to enhance details. Decrease this value to reduce memory usage. Default is:

- 0.5 — When *MZ* contains > 2,500 elements.
- 0.05 — When *MZ* contains <= 2,500 elements.

**Description** `msheatmap(MZ, Intensities)` displays a pseudocolor heat map image of the intensities for the spectra in matrix *Intensities*.

`msheatmap(MZ, Times, Intensities)` displays a pseudocolor heat map image of the intensities for the spectra in matrix *Intensities*, using the retention times in vector *Times* to label the *y*-axis.

`msheatmap(..., 'PropertyName', PropertyValue, ...)` calls `msheatmap` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:



`msheatmap(..., 'Midpoint', MidpointValue, ...)` specifies a quantile of the ion intensity values to fall below the midpoint of the colormap, meaning they do not represent peaks. `msheatmap` uses a custom colormap where cool colors represent nonpeak regions, white represents the midpoint, and warm colors represent peaks. Choices are any value between 0 and 1. Default is:

- 0.99 — For LC/MS or GC/MS data or when input *T* is provided. This means that 1% of the pixels are warm colors and represent peaks.
- 0.95 — For non-LC/MS or non-GC/MS data or when input *T* is not provided. This means that 5% of the pixels are warm colors and represent peaks.

---

**Tip** You can also change the midpoint interactively after creating the heat map by right-clicking the color bar, selecting **Interactive Colormap Shift**, then click-dragging the cursor vertically on the color bar. This technique is useful when comparing multiple heat maps.

---

`msheatmap(..., 'Range', RangeValue, ...)` specifies the *m/z* range for the x-axis of the heat map. *RangeValue* is a 1-by-2 vector that must be within `[min(MZ) max(MZ)]`. Default is the full range `[min(MZ) max(MZ)]`.

`msheatmap(..., 'Markers', MarkersValue, ...)` places markers along the top horizontal axis of the heat map for the *m/z* values specified in the vector *MarkersValue*. Default is `[]`.

`msheatmap(..., 'SpecIdx', SpecIdxValue, ...)` labels the spectra along the *y*-axis in the heat map. The labels are specified by *SpecIdxValue*, a vector of values or cell array of strings. The number of values or strings is the same as the number of columns (spectra) in the matrix *Intensities*. Each value or string specifies a label for the corresponding spectrum.

`msheatmap(..., 'Group', GroupValue, ...)` sorts and combines spectra into groups along the *y*-axis in the heat map. The groups are

specified by *GroupValue*, a vector of values or cell array of strings. The number of values or strings is the same as the number of rows in the matrix *Intensities*. Each value or string specifies a group to which the corresponding spectrum belongs.

`msheatmap(..., 'Resolution', ResolutionValue, ...)` specifies the horizontal resolution of the heat map image. Increase this value to enhance details. Decrease this value to reduce memory usage. Default is:

- 0.5 — When *MZ* contains > 2,500 elements.
- 0.05 — When *MZ* contains ≤ 2,500 elements.

## Examples

### SELDI-TOF Data

- 1 Load SELDI-TOF sample data.


```
load sample_lo_res
```

- 2 Create a vector of four m/z values to mark along the top horizontal axis of the heat map.

```
M = [3991.4 4598 7964 9160];
```


- 3 Display the heat map with m/z markers and a limited m/z range.

```
msheatmap(MZ_lo_res,Y_lo_res,'markers',M,'range',[3000 10000])
```



- 4 Display the heat map again grouping each spectrum into one of two groups.

```
TwoGroups = [1 1 2 2 1 1 2 2];
msheatmap(MZ_lo_res,Y_lo_res,'markers',M,'group',TwoGroups)
```



## Liquid Chromatography/Mass Spectrometry (LC/MS) Data

- 1 Load LC/MS sample data.


```
load lcmsdata
```

- 2 Resample the peak lists to create a vector of m/z values and a matrix of intensity values.

```
[MZ, Intensities] = msppresample(peaks, 5000);
```

- 3 Display the heat map showing mass spectra at different retention times.

```
msheatmap(MZ, ret_time, log(Intensities))
```



## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `msdotplot`, `mslowess`, `msnorm`, `mssalign`, `msresample`, `mssgolay`, `msviewer`

**Purpose** Smooth signal with peaks using nonparametric method

**Syntax**

```
Yout = mslowess(X, Intensities)
mslowess(..., 'Order', OrderValue, ...)
mslowess(..., 'Span', SpanValue, ...)
mslowess(..., 'Kernel', KernelValue, ...)
mslowess(..., 'RobustIterations',
RobustIterationsValue, ...)
mslowess(..., 'ShowPlot', ShowPlotValue, ...)
```

**Arguments**

*X* Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix *Intensities*. The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data.

*Intensities* Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector *X*.

**Description**

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

*Yout* = mslowess(*X*, *Intensities*) smooths raw noisy signal data, *Intensities*, using a locally weighted linear regression (Lowess) method with a default span of 10 samples.

---

**Note** mslowess assumes the input vector, *X*, may not have uniformly spaced separation units. Therefore, the sliding window for smoothing is centered using the closest samples in terms of the *X* value and not in terms of the *X* index.

---

---

**Note** When the input vector, *X*, does not have repeated values or NaN values, the algorithm is approximately twice as fast.

---

mslowess(*X*, *Intensities*, ...'*PropertyName*', *PropertyValue*, ...) calls mslowess with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

mslowess(..., 'Order', *OrderValue*, ...) specifies the order (*OrderValue*) of the Lowess smoother. Enter 1 (linear polynomial fit or Lowess), 2 (quadratic polynomial fit or Loess), or 0 (equivalent to a weighted local mean estimator and presumably faster because only a mean computation is performed instead of a least-squares regression). The default value is 1.

---

**Note** Curve Fitting Toolbox software also refers to Lowess smoothing of order 2 as Loess smoothing.

---

mslowess(..., 'Span', *SpanValue*, ...) specifies the window size for the smoothing kernel. If *SpanValue* is greater than 1, the window is equal to *SpanValue* number of samples independent of the separation-unit vector, *X*. The default value is 10 samples. Higher values will smooth the signal more at the expense of computation time. If *SpanValue* is less than 1, the window size is taken to be a fraction

of the number of points in the data. For example, when *SpanValue* is 0.005, the window size is equal to 0.50% of the number of points in *X*.

`mslowess(..., 'Kernel', KernelValue, ...)` selects the function specified by *KernelValue* for weighting the observed intensities. Samples close to the separation-unit location being smoothed have the most weight in determining the estimate. *KernelValue* can be any of the following strings:

- 'tricubic' (default) —  $(1 - (\text{dist}/\text{dmax}))^3$
- 'gaussian' —  $\exp(-(2*\text{dist}/\text{dmax}))^2$
- 'linear' —  $1 - \text{dist}/\text{dmax}$

`mslowess(..., 'RobustIterations', RobustIterationsValue, ...)` specifies the number of iterations (*RobustValue*) for a robust fit. If *RobustIterationsValue* is 0 (default), no robust fit is performed. For robust smoothing, small residual values at every span are outweighed to improve the new estimate. 1 or 2 robust iterations are usually adequate, while larger values might be computationally expensive.

---

**Note** For an *X* vector that has uniformly spaced separation units, a nonrobust smoothing with *OrderValue* equal to 0 is equivalent to filtering the signal with the kernel vector.

---

`mslowess(..., 'ShowPlot', ShowPlotValue, ...)` plots the smoothed signal over the original signal. When you call `mslowess` without output arguments, the signals are plotted unless *ShowPlotValue* is false. When *ShowPlotValue* is true, only the first signal in *Intensities* is plotted. *ShowPlotValue* can also contain an index to one of the signals in *Intensities*.

## Examples


- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains some sample data.



```
load sample_lo_res
```


- 2** Smooth the spectra and draw a figure of the first spectrum with original and smoothed signals.

```
YS = mslowess(MZ_lo_res,Y_lo_res,'Showplot',true);
```



- 3** Zoom in on a region of the figure to see the difference in the original and smoothed signals.

```
axis([7350 7550 0.1 1.0])
```



## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `msheatmap`, `msnorm`, `mspeaks`, `msresample`, `mssgolay`, `msviewer`

Bioinformatics Toolbox demo:

Preprocessing Raw Mass Spectrometry Data

**Purpose**

Normalize set of signals with peaks

**Syntax**

```
Yout = msnorm(X, Intensities)
[Yout, NormParameters] = msnorm(...)
msnorm(X, NewY, NormParameters)
msnorm(..., 'Quantile', QuantileValue, ...)
msnorm(..., 'Limits', LimitsValue, ...)
msnorm(..., 'Consensus', ConsensusValue, ...)
msnorm(..., 'Method', MethodValue, ...)
msnorm(..., 'Max', MaxValue, ...)
```

**Arguments**

**X** Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix *Intensities*. The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data.

**Intensities** Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector *X*.

**Description**


---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

*Yout* = msnorm(*X*, *Intensities*) normalizes a group of signals with peaks by standardizing the area under the curve (AUC) to the group median.

`[Yout, NormParameters] = msnorm(...)` returns a structure containing the parameters to normalize another group of signals.

`msnorm(X, NewY, NormParameters)` uses the parameter information from a previous normalization specified by *NormParameters* to normalize a new set of signals specified by *NewY* using the same parameters to select the separation-unit positions and output scale from the previous normalization. *NormParameters* is a structure created by `msnorm`. If a consensus proportion, *ConsensusValue*, was given in the previous normalization, no new separation-unit positions are selected, and normalization is performed using the same separation-unit positions.

`msnorm(..., 'PropertyName', PropertyValue, ...)` calls `msnorm` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`msnorm(..., 'Quantile', QuantileValue, ...)` specifies a 1-by-2 vector with the quantile limits for reducing the set of separation-unit values in *X*. For example, when *QuantileValue* is `[0.9 1]`, only the largest 10% of intensities in each signal are used to compute the AUC. When *QuantileValue* is a scalar, the scalar value represents the lower quantile limit and the upper quantile limit is set to 1. The default value is `[0 1]` (use the whole area under the curve, AUC).

`msnorm(..., 'Limits', LimitsValue, ...)` specifies a 1-by-2 vector with a separation-unit range for picking normalization points. This parameter is useful to eliminate low-mass noise from the AUC calculation, for example the matrix noise that appears in the low-mass region of SELDI mass spectrometers. Default is `[0, max(X)]`.

`msnorm(..., 'Consensus', ConsensusValue, ...)` sets a consensus rule. To be included in the AUC, a separation-unit position must have an intensity within the quantile limits of at least part (specified by *ConsensusValue*) of the signals in *Intensities*. The same separation-unit positions are used to normalize all the signals. Enter a scalar from 0 to 1.

---

**Tip** Use the 'Consensus' property to eliminate low-intensity peaks and noise from the normalization.

---

`msnorm(..., 'Method', MethodValue, ...)` selects a method for normalizing the AUC of every signal. Enter either 'Median' (default) or 'Mean'.

`msnorm(..., 'Max', MaxValue, ...)`, after individually normalizing each signal, scales each signal to an overall maximum intensity specified by *MaxValue*. *MaxValue* is a scalar. If omitted, no postscaling is performed. If *QuantileValue* is [1 1], then a single point (peak height of the tallest peak) is normalized to *MaxValue*.

## Examples

### AUC Normalization

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains sample mass spec data, including `MZ_lo_res`, a vector of m/z values, and `Y_lo_res`, a matrix of intensity values.


```
load sample_lo_res
```

- 2 Create a subset (four signals) of the data.

```
MZ = MZ_lo_res;
Y = Y_lo_res(:,[1 2 5 6]);
```


- 3 Plot the four spectra.

```
plot(MZ, Y)
axis([-1000 20000 -20 105])
xlabel('Mass-charge Ratio')
ylabel('Relative Ion Intensities')
title('Original Spectra')
```



- 4** Normalize the area under the curve (AUC) of every spectrum to the median, eliminating low-mass ( $m/z < 1,000$ ) noise, and post-rescaling such that the maximum intensity is 100. Plot the four spectra.

```
Y1 = msnorm(MZ,Y,'Limits',[1000 inf],'Max',100);  
plot(MZ, Y1)  
axis([-1000 20000 -20 105])  
xlabel('Mass-charge Ratio')  
ylabel('Relative Ion Intensities')  
title('AUC Normalized Spectra')
```




### Maximum Intensity Normalization

- 1 If you have not already done so, complete steps 1 through 2 in AUC Normalization on page 3-1115.
- 2 Normalize the ion intensity of every spectrum to the maximum intensity of the single highest peak from any of the spectra in the range above 1000 m/z. Plot the four spectra.

```
Y2 = msnorm(MZ,Y,'QUANTILE',[1 1],'LIMITS',[1000 inf]);
plot(MZ, Y2)
axis([-1000 20000 -20 105])
xlabel('Mass-charge Ratio')
ylabel('Relative Ion Intensities')
```

```
title('Maximum-Intensity Normalized Spectra')
```




## Quantile Normalization

- 1 If you have not already done so, complete steps 1 through 2 in AUC Normalization on page 3-1115.
- 2 Normalize using the data in the  $m/z$  regions where the intensities are within the fourth quartile in at least 90% of the spectrograms. Note that you can use the normalization parameters in the second output to normalize another set of data in the same  $m/z$  regions. Plot the four spectra.

```
[Y3,S] = msnorm(MZ,Y,'Quantile',[0.75 1],'Consensus',0.9);
```




```
area(MZ,S.Xh.*1000,'LineStyle','None','FaceColor',[.8 .8 .8])
hold on
plot(MZ, Y3)
hold off
axis([-1000 20000 -20 105])
xlabel('Mass-charge Ratio')
ylabel('Relative Ion Intensities')
title('Fourth-quartile Normalized Spectra')
```



- 3 Use the normalization parameters in the second output of the previous step to normalize a different subset of data (four signals) using the data in the same  $m/z$  regions as the previous data set. Plot the four spectra.

```
Y4 = msnorm(MZ,Y_lo_res(:,[3 4 7 8]),S);

area(MZ,S.Xh.*1000,'LineStyle','None','FaceColor',[.8 .8 .8])
hold on
plot(MZ, Y4)
hold off
axis([-1000 20000 -20 105])
xlabel('Mass-charge Ratio')
ylabel('Relative Ion Intensities')
title('Fourth-quartile Normalized Spectra')
```



## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `msheatmap`, `mslowess`, `msresample`, `mssgolay`, `msviewer`

Bioinformatics Toolbox demo:

Preprocessing Raw Mass Spectrometry Data

**Purpose**                    Align mass spectra from multiple peak lists from LC/MS or GC/MS data set

**Syntax**

```
[CMZ, AlignedPeaks] = mspalign(Peaklist)
[CMZ, AlignedPeaks] = mspalign(Peaklist, ...'Quantile',
QuantileValue, ...)
[CMZ, AlignedPeaks] = mspalign(Peaklist,
... 'EstimationMethod', EstimationMethodValue, ...)
[CMZ, AlignedPeaks] = mspalign(Peaklist,
... 'CorrectionMethod', CorrectionMethodValue, ...)
[CMZ, AlignedPeaks] = mspalign(Peaklist,
... 'ShowEstimation',
ShowEstimationValue, ...)
```

**Arguments**            *Peaklist*                    Cell array of peak lists from a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set. Each element in the cell array is a two-column matrix with m/z values in the first column and ion intensity values in the second column. Each element corresponds to a spectrum or retention time.

---

**Note** You can use the `mzxml2peaks` function or the `mspeaks` function to create the *Peaklist* cell array.

---

*QuantileValue*                    Value that determines which peaks are selected by the estimation method to create *CMZ*, the vector of common m/z values. Choices are any value 0 and 1. Default is 0.95.

*EstimationMethodValue* String specifying the method to estimate *CMZ*, the vector of common mass/charge ( $m/z$ ) values. Choices are:

- **histogram** — Default method. Peak locations are clustered using a kernel density estimation approach. The peak ion intensity is used as a weighting factor. The center of all the clusters conform to the *CMZ* vector.
- **regression** — Takes a sample of the distances between observed significant peaks and regresses the inter-peak distance to create the *CMZ* vector with similar inter-element distances.

*CorrectionMethodValue* String specifying the method to align each peak list to the *CMZ* vector. Choices are:

- **nearest-neighbor** — Default method. For each common peak in the *CMZ* vector, its counterpart in each peak list is the peak that is closest to the common peak's  $m/z$  value.
- **shortest-path** — For each common peak in the *CMZ* vector, its counterpart in each peak list is selected using the shortest path algorithm.

*ShowEstimationValue* Controls the display of an assessment plot relative to the estimation method and the vector of common mass/charge ( $m/z$ ) values. Choices are **true** or **false**. Default is either:

- **false** — When return values are specified.

- `true` — When return values are not specified.

Return Values

<i>CMZ</i>	Vector of common mass/charge (m/z) values estimated by the <code>mspalgn</code> function.
<i>AlignedPeaks</i>	Cell array of peak lists, with the same form as <i>Peaklist</i> , but with corrected m/z values in the first column of each matrix.

Description

`[CMZ, AlignedPeaks] = mspalign(Peaklist)` aligns mass spectra from multiple peak lists (centroided data), by first estimating *CMZ*, a vector of common mass/charge (m/z) values estimated by considering the peaks in all spectra in *Peaklist*, a cell array of peak lists, where each element corresponds to a spectrum or retention time. It then aligns the peaks in each spectrum to the values in *CMZ*, creating *AlignedPeaks*, a cell array of aligned peak lists.

`[CMZ, AlignedPeaks] = mspalign(Peaklist, ...'PropertyName', PropertyValue, ...)` calls `mspalgn` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`[CMZ, AlignedPeaks] = mspalign(Peaklist, ...'Quantile', QuantileValue, ...)` determines which peaks are selected by the estimation method to create *CMZ*, the vector of common m/z values. Choices are a scalar between 0 and 1. Default is 0.95.

`[CMZ, AlignedPeaks] = mspalign(Peaklist, ...'EstimationMethod', EstimationMethodValue, ...)` specifies the method used to estimate *CMZ*, the vector of common mass/charge (m/z) values. Choices are:

- **histogram** — Default method. Peak locations are clustered using a kernel density estimation approach. The peak ion intensity is used as a weighting factor. The center of all the clusters conform to the *CMZ* vector.
- **regression** — Takes a sample of the distances between observed significant peaks and regresses the inter-peak distance to create the *CMZ* vector with similar inter-element distances.

`[CMZ, AlignedPeaks] = mspalign(Peaklist, ... 'CorrectionMethod', CorrectionMethodValue, ...)` specifies the method used to align each peak list to the *CMZ* vector. Choices are:

- **nearest-neighbor** — Default method. For each common peak in the *CMZ* vector, its counterpart in each peak list is the peak that is closest to the common peak's *m/z* value.
- **shortest-path** — For each common peak in the *CMZ* vector, its counterpart in each peak list is selected using the shortest path algorithm.

`[CMZ, AlignedPeaks] = mspalign(Peaklist, ... 'ShowEstimation', ShowEstimationValue, ...)` controls the display of an assessment plot relative to the estimation method and the estimated vector of common mass/charge (*m/z*) values. Choices are `true` or `false`. Default is either:

- `false` — When return values are specified.
- `true` — When return values are not specified.


## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains liquid chromatography/mass spectrometry (LC/MS) data variables, including `peaks` and `ret_time`. `peaks` is a cell array of peak lists, where each element is a two-column matrix of *m/z* values and ion intensity values, and each element corresponds to a spectrum or retention time. `ret_time` is a column vector of retention times associated with the LC/MS data set.

```
load lcmsdata
```

- 2 Resample the unaligned data, display it in a heat map, and then overlay a dot plot.

```
[MZ,Y] = msppresample(peaks,5000);  
msheatmap(MZ,ret_time,log(Y))
```



```
msdotplot(peaks,ret_time)
```




- 3 Align the peak lists from the mass spectra using the default estimation and correction methods.

```
[CMZ, aligned_peaks] = mspalign(peaks);
```

- 4 Resample the unaligned data, display it in a heat map, and then overlay a dot plot.


```
[MZ2,Y2] = msppresample(aligned_peaks,5000);  
msheatmap(MZ2,ret_time,log(Y2))
```




```
msdotplot(aligned_peaks,ret_time)
```

- 5 Link the axes of the two heat plots and zoom in to observe the detail to compare the unaligned and aligned LC/MS data sets.

```
linkaxes(findobj(0,'Tag','MSHeatMap'))  
axis([480 532 375 485])
```





## References

- [1] Jeffries, N. (2005) Algorithms for alignment of mass spectrometry proteomic data. *Bioinformatics* 21:14, 3066–3073.
- [2] Purvine, S., Kolker, N., and Kolker, E. (2004) Spectral Quality Assessment for High-Throughput Tandem Mass Spectrometry Proteomics. *OMICS: A Journal of Integrative Biology* 8:3, 255–265.

## See Also

Bioinformatics Toolbox functions: `msalign`, `msdotplot`, `msheatmap`, `mspeaks`, `mppresample`, `mzcdf2peaks`, `mzxml2peaks`

## Purpose

Convert raw peak data to peak list (centroided data)

## Syntax

```
Peaklist = mspeaks(X, Intensities)  
[Peaklist, PFWHH] = mspeaks(X, Intensities)  
[Peaklist, PFWHH, PExt] = mspeaks(X, Intensities)  
mspeaks(X, Intensities, ...'Base', BaseValue, ...)   
mspeaks(X, Intensities, ...'Levels', LevelsValue, ...)   
mspeaks(X, Intensities, ...'NoiseEstimator',   
    NoiseEstimatorValue, ...)   
mspeaks(X, Intensities, ...'Multiplier', MultiplierValue,   
    ...)   
mspeaks(X, Intensities, ...'Denoising',   
    DenoisingValue, ...)   
mspeaks(X, Intensities, ...'PeakLocation',   
    PeakLocationValue,   
    ...)   
mspeaks(X, Intensities, ...'FWHHFilter', FWHHFilterValue,   
    ...)   
mspeaks(X, Intensities, ...'OverSegmentationFilter',   
    OverSegmentationFilterValue, ...)   
mspeaks(X, Intensities, ...'HeightFilter',   
    HeightFilterValue,   
    ...)   
mspeaks(X, Intensities, ...'ShowPlot', ShowPlotValue, ...)   
mspeaks(X, Intensities, ...'Style', StyleValue, ...)
```

## Description

*Peaklist* = mspeaks(*X*, *Intensities*) finds relevant peaks in raw, noisy peak signal data, and creates *Peaklist*, a two-column matrix, containing the separation-axis value and intensity for each peak. *X* is a vector of separation-unit values for a set of signals with peaks. *Intensities* is a matrix of intensity values for a set of peaks that share the same separation-unit range.

[*Peaklist*, *PFWHH*] = mspeaks(*X*, *Intensities*) returns *PFWHH*, a two-column matrix indicating the left and right locations of the full width at half height (FWHH) markers for each peak. For any peak not resolved at FWHH, mspeaks returns the peak shape extents instead.

When *Intensities* includes multiple signals, then *PFWHH* is a cell array of matrices.

[*Peaklist*, *PFWHH*, *PExt*] = mspeaks(*X*, *Intensities*) returns *PExt*, a two-column matrix indicating the left and right locations of the peak shape extents determined after wavelet denoising. When *Intensities* includes multiple signals, then *PExt* is a cell array of matrices.

mspeaks(*X*, *Intensities*, ...'PropertyName', *PropertyValue*, ...) calls mspeaks with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

mspeaks(*X*, *Intensities*, ...'Base', *BaseValue*, ...) specifies the wavelet base.

mspeaks(*X*, *Intensities*, ...'Levels', *LevelsValue*, ...) specifies the number of levels for the wavelet decomposition.

mspeaks(*X*, *Intensities*, ...'NoiseEstimator', *NoiseEstimatorValue*, ...) specifies the method to estimate the threshold, *T*, to filter out noisy components in the first high-band decomposition (*y\_h*).

mspeaks(*X*, *Intensities*, ...'Multiplier', *MultiplierValue*, ...) specifies the threshold multiplier constant.

mspeaks(*X*, *Intensities*, ...'Denoising', *DenoisingValue*, ...) controls the use of wavelet denoising to smooth the signal. Choices are true (default) or false.

mspeaks(*X*, *Intensities*, ...'PeakLocation', *PeakLocationValue*, ...) specifies the proportion of the peak height to use to select the points used to compute the centroid separation-axis value of the respective peak. *PeakLocationValue* must be a value 0 and 1. Default is 1.0.

`mspeaks(X, Intensities, ...'FWHHFilter', FWHHFilterValue, ...)` specifies the minimum full width at half height (FWHH), in separation units, for reported peaks. Peaks with FWHH below this value are excluded from the output list *Peaklist*.

`mspeaks(X, Intensities, ...'OverSegmentationFilter', OverSegmentationFilterValue, ...)` specifies the minimum distance, in separation units, between neighboring peaks. When the signal is not smoothed appropriately, multiple maxima can appear to represent the same peak. Increase this filter value to join oversegmented peaks into a single peak.

`mspeaks(X, Intensities, ...'HeightFilter', HeightFilterValue, ...)` specifies the minimum height for reported peaks. Peaks with heights below this value are excluded from the output list *Peaklist*.

`mspeaks(X, Intensities, ...'ShowPlot', ShowPlotValue, ...)` controls the display of a plot of the original and the smoothed signal, with the peaks included in the output matrix *Peaklist* marked.

`mspeaks(X, Intensities, ...'Style', StyleValue, ...)` specifies the style for marking the peaks in the plot.

`mspeaks` finds peaks in data from any separation technique that produces signal data, such as spectroscopy, nuclear magnetic resonance (NMR), electrophoresis, chromatography, or mass spectrometry.

## Input Arguments

*X*

Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix *Intensities*. The separation unit can quantify wavelength, frequency, distance, time, or *m/z* depending on the instrument that generates the signal data.

*Intensities*

Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with

peaks or a retention time. The number of rows equals the number of elements in vector *X*.

*BaseValue*

Integer from 2 to 20 that specifies the wavelet base.

**Default:** 4

*LevelsValue*

Integer from 1 to 12 that specifies the number of levels for the wavelet decomposition.

**Default:** 10

*NoiseEstimatorValue*

String or scalar that specifies the method to estimate the threshold, *T*, to filter out noisy components in the first high-band decomposition (*y\_h*). Choices are:

- *mad* — Default. Median absolute deviation, which calculates  $T = \sqrt{2 \cdot \log(n)} \cdot \text{mad}(y_h) / 0.6745$ , where *n* = the number of rows in the *Intensities* matrix.
- *std* — Standard deviation, which calculates  $T = \text{std}(y_h)$ .
- A positive real value.

*MultiplierValue*

Positive real value that specifies the threshold multiplier constant.

**Default:** 1.0

*DenoisingValue*

Controls the use of wavelet denoising to smooth the signal. Choices are *true* (default) or *false*.

---

**Tip** If your data was previously smoothed, for example, with the `mslowess` or `mssgolay` function, you do not need to use wavelet denoising. Set this property to `false`.

---

## *PeakLocationValue*

Value that specifies the proportion of the peak height to use to select the points to compute the centroid separation-axis value of the respective peak. The value must be 0 and 1.

---

**Note** When *PeakLocationValue* = 1.0, the peak location is at the maximum of the peak. When *PeakLocationValue* = 0, `mspeaks` computes the peak location with all the points from the closest minimum to the left of the peak to the closest minimum to the right of the peak.

---

**Default:** 1.0

## *FWHHFilterValue*

Positive real value that specifies the minimum full width at half height (FWHH), in separation units, for reported peaks. Peaks with FWHH below this value are excluded from the output list *Peaklist*.

**Default:** 0

## *OverSegmentationFilterValue*

Positive real value that specifies the minimum distance, in separation units, between neighboring peaks. When the signal is not smoothed appropriately, multiple maxima can appear to represent the same peak. Increase this filter value to join oversegmented peaks into a single peak.



**Default: 0**

*HeightFilterValue*

Positive real value that specifies the minimum height for reported peaks.

**Default: 0**

*ShowPlotValue*

Controls the display of a plot of the original signal and the smoothed signal, with the peaks included in the output matrix *Peaklist* marked. Choices are `true`, `false`, or *I*, an integer specifying the index of a spectrum in *Intensities*. If set to `true`, the first spectrum in *Intensities* is plotted. Default is:

- `false` — When you specify return values.
- `true` — When you do not specify return values.

*StyleValue*

String specifying the style for marking the peaks in the plot. Choices are:

- `'peak'` (default) — Places a marker at the peak crest.
- `'exttriangle'` — Draws a triangle using the peak crest and the extents.
- `'fwhhtriangle'` — Draws a triangle using the peak crest and the FWHH points.
- `'extline'` — Places a marker at the peak crest and vertical lines at the extents.
- `'fwhhline'` — Places a marker at the peak crest and a horizontal line at FWHH.

## Output Arguments

### *Peaklist*

Two-column matrix where each row corresponds to a peak. The first column contains separation-unit values (indicating the location of peaks along the separation axis). The second column contains intensity values. When *Intensities* includes multiple signals, then *Peaklist* is a cell array of matrices, each containing a peak list.

### *PFWHH*

Two-column matrix indicating the left and right locations of the full width at half height (FWHH) markers for each peak. For any peak not resolved at FWHH, *mspeaks* returns the peak shape extents instead. When *Intensities* includes multiple signals, then *PFWHH* is a cell array of matrices.

### *PExt*

Two-column matrix indicating the left and right locations of the peak shape extents determined after wavelet denoising. When *Intensities* includes multiple signals, then *PExt* is a cell array of matrices.

## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains two mass spectrometry data variables, *MZ\_lo\_res* and *Y\_lo\_res*. *MZ\_lo\_res* is a vector of m/z values for a set of spectra. *Y\_lo\_res* is a matrix of intensity values for a set of mass spectra that share the same m/z range.

```
load sample_lo_res
```

- 2 Adjust the baseline of the eight spectra stored in *Y\_lo\_res*.


```
YB = msbackadj(MZ_lo_res,Y_lo_res);
```

- 3 Convert the raw mass spectrometry data to a peak list by finding the relevant peaks in each spectrum.

```
P = mspeaks(MZ_lo_res,YB);
```


- 4 Plot the third spectrum in YB, the matrix of baseline-corrected intensity values, with the detected peaks marked.

```
P = mspeaks(MZ_lo_res,YB,'SHOWPLOT',3);
```




- 5 Smooth the signal using the `mslowess` function. Then convert the smoothed data to a peak list by finding relevant peaks and plot the third spectrum.

```
YS = mslowess(MZ_lo_res,YB,'SHOWPLOT',3);
```




```
P = mspeaks(MZ_lo_res,YS,'DENOISING',false,'SHOWPLOT',3);
```



- 6 Use the `cellfun` function to remove all peaks with  $m/z$  values less than 2000 from the eight peaks listed in output P. Then plot the peaks of the third spectrum (in red) over its smoothed signal (in blue).

```
Q = cellfun(@(p) p(p(:,1)>2000,:),P,'UniformOutput',false);
figure
plot(MZ_lo_res,YS(:,3),'b',Q{3}(:,1),Q{3}(:,2),'rx')
xlabel('Mass/Charge (M/Z)')
ylabel('Relative Intensity')
axis([0 20000 -5 95])
```



## Algorithm

mspeaks converts raw peak data to a peak list (centroided data) by:

- 1 Smoothing the signal using undecimated wavelet transform with Daubechies coefficients
- 2 Assigning peak locations
- 3 Estimating noise
- 4 Eliminating peaks that do not satisfy specified criteria

## References

- [1] Morris, J.S., Coombes, K.R., Koomen, J., Baggerly, K.A., and Kobayash, R. (2005) Feature extraction and quantification for mass spectrometry in biomedical applications using the mean spectrum. *Bioinformatics* 21:9, 1764–1775.
- [2] Yasui, Y., Pepe, M., Thompson, M.L., Adam, B.L., Wright, G.L., Qu, Y., Potter, J.D., Winget, M., Thornquist, M., and Feng, Z. (2003) A data-analytic strategy for protein biomarker discovery: profiling of high-dimensional proteomic data for cancer detection. *Biostatistics* 4:3, 449–463.
- [3] Donoho, D.L., and Johnstone, I.M. (1995) Adapting to unknown smoothness via wavelet shrinkage. *J. Am. Statist. Asso.* 90, 1200–1224.
- [4] Strang, G., and Nguyen, T. (1996) *Wavelets and Filter Banks* (Wellesley: Cambridge Press).
- [5] Coombes, K.R., Tsavachidis, S., Morris, J.S., Baggerly, K.A., Hung, M.C., and Kuerer, H.M. (2005) Improved peak detection and quantification of mass spectrometry data acquired from surface-enhanced laser desorption and ionization by denoising spectra with the undecimated discrete wavelet transform. *Proteomics* 5(16), 4107–4117.

## See Also

`msbackadj` | `msdotplot` | `mslowess` | `mssalign` | `msspresample` | `mssgolay` | `cellfun`

## Tutorials

- [Preprocessing Raw Mass Spectrometry Data](#)
- [Visualizing and Preprocessing Hyphenated Mass Spectrometry Data Sets for Metabolite and Protein/Peptide Profiling](#)

# msppresample

---

**Purpose** Resample signal with peaks while preserving peaks

**Syntax**

```
[X, Intensities] = msppresample(Peaklist, N)
msppresample(Peaklist, N, ...'Range', RangeValue, ...)
msppresample(Peaklist, N, ...'FWHH', FWHHValue, ...)
msppresample(Peaklist, N,
... 'ShowPlot', ShowPlotValue, ...)
```

**Arguments**

<i>Peaklist</i>	Either of the following: <ul style="list-style-type: none"><li>• Two-column matrix, where the first column contains separation-unit values and the second column contains intensity values. The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data.</li><li>• Cell array of peak lists, where each element is a two-column matrix of separation-unit values and intensity values, and each element corresponds to a signal or retention time.</li></ul>
-----------------	--

---

**Tip** You can use the `mzxml2peaks` function or the `mspeaks` function to create the *Peaklist* matrix or cell array.

---

<i>N</i>	Integer specifying the number of equally spaced points (separation-unit values) in the resampled signal.
----------	--



---

<i>RangeValue</i>	1-by-2 vector specifying the minimum and maximum separation-unit values for the output matrix <i>Intensities</i> . <i>RangeValue</i> must be within $[\min(inputSU) \max(inputSU)]$ , where <i>inputSU</i> is the concatenated separation-unit values from the input <i>PeakList</i> . Default is the full range $[\min(inputSU) \max(inputSU)]$ .
<i>FWHHValue</i>	Value that specifies the full width at half height (FWHH) in separation units. The FWHH is used to convert each peak to a Gaussian shaped curve. Default is $\text{median}(\text{diff}(inputSU))/2$ , where <i>inputSU</i> is the concatenated separation-unit values from the input <i>PeakList</i> . The default is a rough approximation of resolution observed in the input data, <i>PeakList</i> .

---

**Tip** To ensure that the resolution of the peaks is preserved, set *FWHHValue* to half the distance between the two peaks of interest that are closest to each other.

---

*ShowPlotValue* Controls the display of a plot of an original and resampled signal. Choices are `true`, `false`, or *I*, an integer specifying the index of a signal in *Intensities*. If you set to `true`, the first signal in *Intensities* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.

Return Values	<i>X</i>	Vector of equally spaced, common separation-unit values for a set of signals with peaks. The number of elements in the vector equals <i>N</i> , or the number of rows in matrix <i>Intensities</i> .
	<i>Intensities</i>	Matrix of reconstructed intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals <i>N</i> , or the number of elements in vector <i>X</i> .

Description

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

`[X, Intensities] = msppresample(Peaklist, N)` resamples *Peaklist*, a peak list, by converting centroided peaks to a semicontinuous, raw signal that preserves peak information. The resampled signal has *N* equally spaced points. Output *X* is a vector of *N* elements specifying the equally spaced, common separation-unit values for the set of signals with peaks. Output *Intensities* is a matrix of reconstructed intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals *N*.

`msppresample` uses a Gaussian kernel to reconstruct the signal. The intensity at any given separation-unit value is taken from the maximum intensity of any contributing (overlapping) peaks.

---

**Tip** `msppresample` is useful to prepare a set of signals for imaging functions such as `msheatmap` and preprocessing functions such as `msbackadj` and `msnorm`.

---

`msppresample(Peaklist, N, ... 'PropertyName', PropertyValue, ...)` calls `msppresample` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`msppresample(Peaklist, N, ... 'Range', RangeValue, ...)` specifies a separation-unit range for the output matrix *Intensities* using the minimum and maximum separation values specified in the 1-by-2 vector *RangeValue*. *RangeValue* must be within `[min(inputSU) max(inputSU)]`, where *inputSU* is the concatenated separation-unit values from the input *Peaklist*. Default is the full range `[min(inputSU) max(inputSU)]`

`msppresample(Peaklist, N, ... 'FWHH', FWHHValue, ...)` sets the full width at half height (FWHH) in separation units. The FWHH is used to convert each peak to a Gaussian shaped curve. Default is `median(diff(inputSU))/2`, where *inputSU* is the concatenated separation-unit values from the input *Peaklist*. The default is a rough approximation of resolution observed in the input data, *Peaklist*.

---

**Tip** To ensure that the resolution of the peaks is preserved, set *FWHHValue* to half the distance between the two peaks of interest that are closest to each other.

---

`msppresample(Peaklist, N, ... 'ShowPlot', ShowPlotValue, ...)` controls the display of a plot of an original and resampled signal. Choices are `true`, `false`, or `I`, an

integer specifying the index of a signal in *Intensities*. If you set to `true`, the first signal in *Intensities* is plotted. Default is:

- `false` — When return values are specified.
- `true` — When return values are not specified.


## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains liquid chromatography/mass spectrometry (LC/MS) data variables. It includes `peaks`, a cell array of peak lists, where each element is a two-column matrix of *m/z* values and ion intensity values, and each element corresponds to a spectrum or retention time.

```
load lcmsdata
```


- 2 Resample the data, specifying 5000 *m/z* values in the resampled signal. Then create a heat map of the LC/MS data.

```
[MZ,Y] = msppresample(peaks,5000);  
msheatmap(MZ,ret_time,log(Y))
```




**3** Plot the reconstructed profile spectra between two retention times.

```
figure
t1 = 3370;
t2 = 3390;
h = find(ret_time>t1 & ret_time<t2);
[MZ,Y] = msspresample(peaks(h),10000);
plot3(repmat(MZ,1,numel(h)),repmat(ret_time(h)',10000,1),Y)
xlabel('Mass/Charge (M/Z)')
ylabel('Retention Time')
zlabel('Relative Intensity')
```




**4** Resample the data to plot the Total Ion Chromatogram (TIC).

```
figure
[MZ,Y] = msppresample(peaks,5000);
plot(ret_time,sum(Y))
title('Total Ion Chromatogram (TIC)')
xlabel('Retention Time')
ylabel('Relative Intensity')
```



- 5 Resample the data to plot the Extracted Ion Chromatogram (XIC) in the 450 to 500 m/z range.

```
figure
[MZ,Y] = msppresample(peaks,5000,'Range',[450 500]);
plot(ret_time,sum(Y))
title('Extracted Ion Chromatogram (XIC) from 450 to 500 M/Z')
xlabel('Retention Time')
ylabel('Relative Intensity')
```



## See Also

Bioinformatics Toolbox functions: `msdotplot`, `mspalign`, `mspeaks`, `msresample`, `mzcdf2peaks`, `mzcdfread`, `mzxml2peaks`, `mzxmlread`

Bioinformatics Toolbox demo:

Differential Analysis of Complex Protein and Metabolite Mixtures  
Using Liquid Chromatography/Mass Spectrometry (LC/MS)



## Purpose

Resample signal with peaks

## Syntax

```
[Xout, Intensitiesout] = msresample(X, Intensities, N)
msresample(..., 'Uniform', UniformValue, ...)
msresample(..., 'Range', RangeValue, ...)
msresample(..., 'RangeWarnOff', RangeWarnOffValue, ...)
msresample(..., 'Missing', MissingValue, ...)
msresample(..., 'Window', WindowValue, ...)
msresample(..., 'Cutoff', CutoffValue, ...)
msresample(..., 'ShowPlot', ShowPlotValue, ...)
```

## Arguments

- |                    |  |
|--------------------|--|
| <i>X</i>           | Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix <i>Intensities</i> . The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data. |
| <i>Intensities</i> | Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector <i>X</i> .         |
| <i>N</i>           | Positive integer specifying the total number of samples.   |

## Description

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

```
[Xout, Intensitiesout] = msresample(X, Intensities, N)
```

resamples raw noisy signal data, *Intensities*. The output signal has *N* samples with a spacing that increases linearly within the range  $[\min(X)]$

$\max(X)$ ].  $X$  can be a linear or a quadratic function of its index. When you set input arguments such that down-sampling takes place, `msresample` applies a lowpass filter before resampling to minimize aliasing.

For the antialias filter, `msresample` uses a linear-phase FIR filter with a least-squares error minimization. The cutoff frequency is set by the largest down-sampling ratio when comparing the same regions in the  $X$  and  $X_{out}$  vectors.

---

**Tip** `msresample` is particularly useful when you have signals with different separation-unit vectors and you want to match the scales.

---

`msresample(..., 'PropertyName', PropertyValue, ...)` calls `msresample` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`msresample(..., 'Uniform', UniformValue, ...)`, when *UniformValue* is true, it forces the vector  $X$  to be uniformly spaced. The default value is false.

`msresample(..., 'Range', RangeValue, ...)` specifies a 1-by-2 vector with the separation-unit range for the output signal, *Intensitiesout*. *RangeValue* must be within  $[\min(X) \max(X)]$ . Default value is the full range  $[\min(X) \max(X)]$ . When *RangeValue* values exceed the values in  $X$ , `msresample` extrapolates the signal with zeros and returns a warning message.

`msresample(..., 'RangeWarnOff', RangeWarnOffValue, ...)` controls the return of a warning message when *RangeValue* values exceed the values in  $X$ . *RangeWarnOffValue* can be true or false (default).

`msresample(..., 'Missing', MissingValue, ...)`, when *MissingValue* is true, analyzes the input vector,  $X$ , for dropped samples. The default value is false. If the down-sample factor is

large, checking for dropped samples might not be worth the extra computing time. Dropped samples can only be recovered if the original separation-unit values follow a linear or a quadratic function of the  $X$  vector index.

`msresample(..., 'Window', WindowValue, ...)` specifies the window used when calculating parameters for the lowpass filter. Enter 'Flattop', 'Blackman', 'Hamming', or 'Hanning'. The default value is 'Flattop'.

`msresample(..., 'Cutoff', CutoffValue, ...)` specifies the cutoff frequency. Enter a scalar value from 0 to 1 (Nyquist frequency or half the sampling frequency). By default, `msresample` estimates the cutoff value by inspecting the separation-unit vectors,  $X$  and  $XOut$ . However, the cutoff frequency might be underestimated if  $X$  has anomalies.

`msresample(..., 'ShowPlot', ShowPlotValue, ...)` plots the original and the resampled signal. When `msresample` is called without output arguments, the signals are plotted unless *ShowPlotValue* is false. When *ShowPlotValue* is true, only the first signal in *Intensities* is plotted. *ShowPlotValue* can also contain an index to one of the signals in *Intensities*.

---

**Tip** LC/MS data analysis requires extended amounts of memory from the operating system.

- If you receive errors related to memory, try the following:
  - Increase the virtual memory (swap space) for your operating system (with a recommended initial size of 3,069 and a maximum size of 16,368) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1106.html#6>

- Set the 3 GB switch (32-bit Windows XP only) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1107.html>

- If you receive errors related to Java heap space, increase your Java heap space as described at:

<http://www.mathworks.com/support/solutions/data/1-18I2C.html>

---

## Examples


- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains mass spectrometry data, and then extract m/z and intensity value vectors.

```
load sample_hi_res;  
mz = MZ_hi_res;  
y = Y_hi_res;
```

- 2 Plot the original data to a lower resolution.

```
plot(mz, y, ' . ')
```

A figure appears.




**3** Resample the data.

```
[mz1,y1] = msresample(mz, y, 10000, 'range',[2000 max(mz)]);
```

**4** Plot the resampled data.

```
plot(mz1,y1,'.')
```

A figure appears with the down-sampled data.



## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `msheatmap`, `mslowess`, `msnorm`, `mppresample`, `mssgolay`, `msviewer`

Bioinformatics Toolbox demo:

Preprocessing Raw Mass Spectrometry Data

**Purpose**

Smooth signal with peaks using least-squares polynomial

**Syntax**

```
Yout = mssgolay(X, Intensities)  
mssgolay(X, Intensities, ...'Span', SpanValue, ...)  
mssgolay(X, Intensities, ...'Degree', DegreeValue, ...)  
mssgolay(X, Intensities, ...'ShowPlot', ShowPlotValue, ...)
```

**Arguments**

*X* Vector of separation-unit values for a set of signals with peaks. The number of elements in the vector equals the number of rows in the matrix *Intensities*. The separation unit can quantify wavelength, frequency, distance, time, or m/z depending on the instrument that generates the signal data.

*Intensities* Matrix of intensity values for a set of peaks that share the same separation-unit range. Each row corresponds to a separation-unit value, and each column corresponds to either a set of signals with peaks or a retention time. The number of rows equals the number of elements in vector *X*.

**Description**

---

**Tip** Use the following syntaxes with data from any separation technique that produces signal data, such as spectroscopy, NMR, electrophoresis, chromatography, or mass spectrometry.

---

*Yout* = mssgolay(*X*, *Intensities*) smooths raw noisy signal data, *Intensities*, using a least-squares digital polynomial filter (Savitzky and Golay filters). The default span or frame is 15 samples.

mssgolay(*X*, *Intensities*, ...'*PropertyName*', *PropertyValue*, ...) calls mssgolay with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation

marks and is case insensitive. These property name/property value pairs are as follows:

`mssgolay(X, Intensities, ...'Span', SpanValue, ...)` modifies the frame size for the smoothing function. If *SpanValue* is greater than 1, the window is the size of *SpanValue* in samples independent of the *X* vector. Higher values smooth the signal more with an increase in computation time. If *SpanValue* is less than 1, the window size is a fraction of the number of points in the input data, *X*. For example, if *SpanValue* is 0.05, the window size is equal to 5% of the number of points in *X*.

---

**Note** The original algorithm by Savitzky and Golay assumes the input vector, *X*, has uniformly spaced separation units, while `mssgolay` also allows one that is not uniformly spaced. Therefore, the sliding frame for smoothing is centered using the closest samples in terms of the *X* value and not in terms of the *X* index.

When the input vector, *X*, does not have repeated values or NaN values, the algorithm is approximately twice as fast.

When the input vector, *X*, is evenly spaced, the least-squares fitting is performed once so that the signal is filtered with the same coefficients, and the speed of the algorithm increases considerably.

If the input vector, *X*, is evenly spaced and *SpanValue* is even, span is incremented by 1 to include both edge samples in the frame.

---

`mssgolay(X, Intensities, ...'Degree', DegreeValue, ...)` specifies the degree of the polynomial (*DegreeValue*) fitted to the points in the moving frame. The default value is 2. *DegreeValue* must be smaller than *SpanValue*.

`mssgolay(X, Intensities, ...'ShowPlot', ShowPlotValue, ...)` plots smoothed signals over the original. When `mssgolay` is called without output arguments, the signals are plotted unless



*ShowPlotValue* is false. When *ShowPlotValue* is true, only the first signal in *Intensities* is plotted. *ShowPlotValue* can also contain an index to one of the signals in *Intensities*.

## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, that contains mass spectrometry data variables, including *MZ\_lo\_res*, a vector of m/z values for a set of spectra, and *Y\_lo\_res*, a matrix of intensity values for a set of mass spectra that share the same m/z range.


```
load sample_lo_res
```

- 2 Smooth the spectrograms.

```
YS = mssgolay(MZ_lo_res, Y_lo_res);
```

- 3 Plot the third spectrogram in *Y\_lo\_res* and its smoothed signal.

```
mssgolay(MZ_lo_res,Y_lo_res,'SHOWPLOT',3);
```



## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `msheatmap`, `mslowess`, `msnorm`, `mspeaks`, `msresample`, `msviewer`

Bioinformatics Toolbox demo:

Preprocessing Raw Mass Spectrometry Data

## Purpose

Explore mass spectrum or set of mass spectra

## Syntax

```
msviewer(MZ , Y)
msviewer(..., 'Markers', MarkersValue)
msviewer(..., 'Group', GroupValue)
```

## Arguments

<i>MZ</i>	Mass/charge vector with the range of ions in the spectra.
<i>Y</i>	Ion intensity vector with the same length as the mass/charge vector ( <i>MZ</i> ). <i>Y</i> can also be a matrix with several spectra that share the same mass/charge ( <i>MZ</i> ) range.

## Description

`msviewer(MZ , Y)` creates a GUI to display and explore a mass spectrum, *Y*.

`msviewer(..., 'Markers', MarkersValue)` specifies a list of marker positions from the mass/charge vector, *MZ*, for exploration and easy navigation. Enter a column vector with *MZ* values.

`msviewer(..., 'Group', GroupValue)` specifies a class label for every spectrum with a different color for every class. Enter a column vector of size [numSpectra x 1] with integers. The default value is [numSpectra].

MSViewer GUI features include the following:

- Plot mass spectra. The spectra are plotted with different colors according to their class labels.
- An overview displays a full spectrum, and a box indicates the region that is currently displayed in the main window.
- Five different zoom in options, one zoom out option, and a reset view option resize the spectrum.
- Add/focus/move/delete marker operations

- Import/Export markers from/to MATLAB workspace
- Print and preview the spectra plot
- Print the spectra plot to a MATLAB Figure window

MSViewer has five components:

- Menu bar: **File**, **Tools**, **Window**, and **Help**
- Toolbar: Zoom XY, Zoom X, Zoom Y, Reset view, Zoom out, and Help
- Main window: display the spectra
- Overview window: display the overview of a full spectrum (the average of all spectra in display)
- Marker control panel: a list of markers, Add Marker, Delete Marker, up and down buttons

## Examples

### 1 Load and plot sample data

```
load sample_lo_res
msviewer(MZ_lo_res, Y_lo_res)
```

### 2 Add a marker by pointing to a mass peak, right-clicking, and then clicking **Add Marker**.

### 3 From the **File** menu, select

- **Import Markers from Workspace** — Opens the Import Markers From MATLAB Workspace dialog. The dialog should display a list of double Mx1 or 1xM variables. If the selected variable is out of range, the viewer displays an error message
- **Export Markers to Workspace** — Opens the Export Markers to MATLAB Workspace dialog. You can enter a variable name for the markers. All markers are saved. If there is no marker available, this menu item should be disabled.
- **Print to Figure** — Prints the spectra plot in the main display to a MATLAB Figure window

**4** From the **Tools** menu, click

- **Add Marker** — Opens the Add Marker dialog. Enter an m/z marker.
- **Delete Marker** — Removes the currently selected m/z marker from the **Markers** (m/z) list.
- **Next Marker** or **Previous Marker** — Moves the selection up and down the **Markers** (m/z) list.
- **Zoom XY, Zoom X, Zoom Y, or Zoom Out** — Changes the cursor from an arrow to crosshairs. Left-click and drag a rectangle box over an area and then release the mouse button. The display zooms the area covered by the box.

**5** Move the cursor to the range window at the bottom. Click and drag the view box to a new location.

## See Also

Bioinformatics Toolbox functions: `msalign`, `msbackadj`, `mslowess`, `msnorm`, `msheatmap`, `msresample`, `mssgolay`

# multialign

---

**Purpose**                      Align multiple sequences using progressive method

**Syntax**                      *SeqsMultiAligned* = multialign(*Seqs*)  
                                 *SeqsMultiAligned* = multialign(*Seqs*, *Tree*)  
                                 multialign(..., 'PropertyName', *PropertyValue*,...)  
                                 multialign(..., 'Weights', *WeightsValue*)  
                                 multialign(..., 'ScoringMatrix', *ScoringMatrixValue*)  
                                 multialign(..., 'SMInterp', *SMInterpValue*)  
                                 multialign(..., 'GapOpen', *GapOpenValue*)  
                                 multialign(..., 'ExtendGap', *ExtendGapValue*)  
                                 multialign(..., 'DelayCutoff', *DelayCutoffValue*)  
                                 multialign(..., 'UseParallel', *UseParallelValue*)  
                                 multialign(..., 'Verbose', *VerboseValue*)  
                                 multialign(..., 'ExistingGapAdjust',  
                                 *ExistingGapAdjustValue*)  
                                 multialign(..., 'TerminalGapAdjust',  
                                 *TerminalGapAdjustValue*)

<b>Arguments</b>	<i>Seqs</i>	Vector of structures with the fields 'Sequence' for the residues and 'Header' or 'Name' for the labels.  <i>Seqs</i> can also be a cell array of strings or a char array.
	<i>Tree</i>	Phylogenetic tree calculated with the seqlinkage or seqneighjoin function.
	<i>WeightsValue</i>	Property to select the sequence weighting method. Enter 'THG' (default) or 'equal'.

*ScoringMatrixValue* Property to select or specify the scoring matrix. Enter an [MxM] matrix or [MxMxN] array of matrixes with N user-defined scoring matrices. *ScoringMatrixValue* can also be a cell array of strings with matrix names.

The default is the BLOSUM80 to BLOSUM30 series for amino acids or a fixed matrix NUC44 for nucleotides. When passing your own series of scoring matrices, ensure they share the same scale.

*SMInterpValue* Property to specify whether linear interpolation of the scoring matrices is on or off. When `false`, the scoring matrix is assigned to a fixed range depending on the distances between the two profiles (or sequences) being aligned. Default is `true`.

*GapOpenValue* Scalar or a function specified using @. If you enter a function, `multialign` passes four values to the function: the average score for two matched residues (`sm`), the average score for two mismatched residues (`sx`), and, the length of both profiles or sequences (`len1`, `len2`). Default is `@(sm,sx,len1,len2) 5*sm`.

*ExtendGapValue* Scalar or a function specified using @. If you enter a function, `multialign` passes four values to the function: the average score for two matched residues (`sm`), the average score for two mismatched residues (`sx`), and the length of both profiles or sequences (`len1`, `len2`). Default is `@(sm,sx,len1,len2) sm/4`.

<i>DelayCutoffValue</i>	Property to specify the threshold delay of divergent sequences. Default is unity where sequences with the closest sequence farther than the median distance are delayed.
<i>UseParallelValue</i>	Controls the computation of the pairwise alignments using parfor-loops. When true, and Parallel Computing Toolbox™ is installed and a MATLAB pool is open, computation occurs in parallel. If Parallel Computing Toolbox is not installed, or a MATLAB pool is not open, then computation uses parfor-loops in serial mode. Default is false, which uses for-loops in serial mode.
<i>VerboseValue</i>	Property to control displaying the sequences with sequence information. Default is false.
<i>ExistingGapAdjustValue</i>	Property to control automatic adjustment based on existing gaps. Default is true.
<i>TerminalGapAdjustValue</i>	Property to adjust the penalty for opening a gap at the ends of the sequence. Default is false.

**Return Values**

<i>SeqsMultiAligned</i>	<p>Vector of structures (same as <i>Seqs</i>) but with the field 'Sequence' updated with the alignment.</p> <p>When <i>Seqs</i> is a cell or char array, <i>SeqsMultiAligned</i> is a char array with the output alignment following the same order as the input.</p>
-------------------------	---



## Description

*SeqsMultiAligned* = multialign(*Seqs*) performs a progressive multiple alignment for a set of sequences (*Seqs*). Pairwise distances between sequences are computed after pairwise alignment with the Gonnet scoring matrix and then by counting the proportion of sites at which each pair of sequences are different (ignoring gaps). The guide tree is calculated by the neighbor-joining method assuming equal variance and independence of evolutionary distance estimates.

*SeqsMultiAligned* = multialign(*Seqs*, *Tree*) uses a tree (*Tree*) as a guide for the progressive alignment. The sequences (*Seqs*) should have the same order as the leaves in the tree (*Tree*) or use a field ('Header' or 'Name') to identify the sequences.

multialign(..., '*PropertyName*', *PropertyValue*,...) enters optional arguments as property name/property value pairs. Specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

multialign(..., 'Weights', *WeightsValue*) selects the sequence weighting method. Weights emphasize highly divergent sequences by scaling the scoring matrix and gap penalties. Closer sequences receive smaller weights.

Values of the property Weights are:

- 'THG' (default) — Thompson-Higgins-Gibson method using the phylogenetic tree branch distances weighted by their thickness.
- 'equal' — Assigns the same weight to every sequence.

multialign(..., 'ScoringMatrix', *ScoringMatrixValue*) selects the scoring matrix (*ScoringMatrixValue*) for the progressive alignment. Match and mismatch scores are interpolated from the series of scoring matrices by considering the distances between the two profiles or sequences being aligned. The first matrix corresponds to the smallest distance, and the last matrix to the largest distance. Intermediate distances are calculated using linear interpolation.

`multialign(..., 'SMInterp', SMInterpValue)`, when *SMInterpValue* is false, turns off the linear interpolation of the scoring matrices. Instead, each supplied scoring matrix is assigned to a fixed range depending on the distances between the two profiles or sequences being aligned.

`multialign(..., 'GapOpen', GapOpenValue)` specifies the initial penalty for opening a gap.

`multialign(..., 'ExtendGap', ExtendGapValue)` specifies the initial penalty for extending a gap.

`multialign(..., 'DelayCutoff', DelayCutoffValue)` specifies a threshold to delay the alignment of divergent sequences whose closest neighbor is farther than

$(\textit{DelayCutoffValue}) * (\text{median patristic distance between sequences})$

`multialign(..., 'UseParallel', UseParallelValue)` specifies whether to use `parfor`-loops when computing the pairwise alignments. When true, and Parallel Computing Toolbox is installed and a MATLAB pool is open, computation occurs in parallel. If Parallel Computing Toolbox is not installed, or a MATLAB pool is not open, then computation uses `parfor`-loops in serial mode. Default is false, which uses `for`-loops in serial mode.

`multialign(..., 'Verbose', VerboseValue)`, when *VerboseValue* is true, turns on verbosity.

The remaining input optional arguments are analogous to the function `proalign` and are used through every step of the progressive alignment of profiles.

`multialign(..., 'ExistingGapAdjust', ExistingGapAdjustValue)`, when *ExistingGapAdjustValue* is false, turns off the automatic adjustment based on existing gaps of the position-specific penalties for opening a gap.

When *ExistingGapAdjustValue* is true, for every profile position, `proalign` proportionally lowers the penalty for opening a gap toward

the penalty of extending a gap based on the proportion of gaps found in the contiguous symbols and on the weight of the input profile.


`multialign(..., 'TerminalGapAdjust', TerminalGapAdjustValue)`, when *TerminalGapAdjustValue* is true, adjusts the penalty for opening a gap at the ends of the sequence to be equal to the penalty for extending a gap.

## Example 1

- 1 Align seven cellular tumor antigen p53 sequences.

```
p53 = fastaread('p53samples.txt')
ma = multialign(p53, 'verbose', true)
showalignment(ma)
```

# multialign




- 2 Use an UPGMA phylogenetic tree instead as a guiding tree.

```
dist = seqpdist(p53,'ScoringMatrix',gonnet);  
tree = seqlinkage(dist,'UPGMA',p53)
```

Phylogenetic tree object with 7 leaves (6 branches)

- 3 Score the progressive alignment with the PAM family.

```
ma = multialign(p53,tree,'ScoringMatrix',...  
               {'pam150','pam200','pam250'})  
showalignment(ma)
```



## Example 2

- 1 Enter an array of sequences.

```
seqs = {'CACGTAACATCTC', 'ACGACGTAACATCTTCT', 'AAACGTAACATCTCGC'};
```

- 2 Promote terminations with gaps in the alignment.

```
multialign(seqs, 'terminalGapAdjust', true)
```

```
ans =
--CACGTAACATCTC--
ACGACGTAACATCTTCT
-AAACGTAACATCTCGC
```

**3** Compare the alignment without termination gap adjustment.

```
multialign(seqs)

ans =
CA--CGTAACATCT--C
ACGACGTAACATCTTCT
AA-ACGTAACATCTCGC
```

## See Also

Bioinformatics Toolbox functions: `hmmprofalign`, `multialignread`, `multialignwrite`, `nwalign`, `profalign`, `seqprofile`, `seqconsensus`, `seqneighjoin`, `showalignment`

Purpose	Read multiple sequence alignment file	
Syntax	<pre>S = multialignread(File) [Headers, Sequences] = multialignread(File) ... = multialignread(File, 'IgnoreGaps', IgnoreGapsValue)</pre>	
Arguments	File	Multiple sequence alignment file specified by one of the following: <ul style="list-style-type: none"><li>• File name or path and file name</li><li>• URL pointing to a file</li><li>• MATLAB character array that contains the text of a multiple sequence alignment file</li></ul> You can read common multiple sequence alignment file types, such as ClustalW (.aln), GCG (.msf), and PHYLIP.
	IgnoreGapsValue	Controls removing gap symbols, such as '-' or '.', from the sequences. Choices are true or false (default).
Return Values	S	MATLAB structure array containing the following fields: <ul style="list-style-type: none"><li>• Header — Header information from the file.</li><li>• Sequence — Amino acid or nucleotide sequences.</li></ul>
	Headers	Cell array containing the header information from the file.
	Sequences	Cell array containing the amino acid or nucleotide sequences.

# multialignread

---

## Description

`S = multialignread(File)` reads a multiple sequence alignment file. The file contains multiple sequence lines that start with a sequence header followed by an optional number (not used by `multialignread`) and a section of the sequence. The multiple sequences are broken into blocks with the same number of blocks for every sequence. To view an example multiple sequence alignment file, type `open aagag.aln` at the MATLAB command line.

The output, `S`, is a structure array where `S.Header` contains the header information and `S.Sequence` contains the amino acid or nucleotide sequences.

`[Headers, Sequences] = multialignread(File)` reads the file into separate variables, `Headers` and `Sequences`, which are cell arrays containing header information and amino acid or nucleotide sequences, respectively.

`... = multialignread(File, 'IgnoreGaps', IgnoreGapsValue)` controls the removal of any gap symbol, such as '-' or '.', from the sequences. Choices are `true` or `false` (default).

## Examples

Read a multiple sequence alignment of the gag polyprotein for several HIV strains.

```
gagaa = multialignread('aagag.aln')
```

```
gagaa =
```

```
1x16 struct array with fields:
```

```
Header
```

```
Sequence
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `gethmmalignment`, `multialign`, `multialignviewer`, `multialignwrite`, `seqconsensus`, `seqdisp`, `seqprofile`



**Purpose**

Display and interactively adjust multiple sequence alignment

**Syntax**

```
multialignviewer  
multialignviewer(Alignment)  
multialignviewer('close')  
multialignviewer(..., 'Alphabet', AlphabetValue, ...)  
multialignviewer(..., 'SeqHeaders', SeqHeadersValue, ...)
```

**Description**

`multialignviewer` opens the Multiple Sequence Alignment Viewer window, where you can display and interactively adjust a multiple sequence alignment.

`multialignviewer(Alignment)` loads a group of previously multiply aligned sequences into the Multiple Sequence Alignment Viewer window, where you can view and interactively adjust the alignment.

`multialignviewer('close')` closes the Multiple Sequence Alignment Viewer window.

`multialignviewer(..., 'PropertyName', PropertyValue, ...)` calls `multialignviewer` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`multialignviewer(..., 'Alphabet', AlphabetValue, ...)` specifies the alphabet type for the sequences.

`multialignviewer(..., 'SeqHeaders', SeqHeadersValue, ...)` specifies a list of names to label the sequences in the Multiple Sequence Alignment Viewer window.

**Input Arguments**

*Alignment*

Group of multiply aligned amino acid or nucleotide sequences specified by one of the following:

- MATLAB structure containing a `Sequence` field, such as returned by `fastaread`, `gethmmalignment`, `multialign`, or `multialignread`
- MATLAB character array that contains a multiple sequence alignment, such as returned by `multialign`
- String specifying a file name, path and file name, or URL pointing to a file, where the file contains a multiple sequence alignment
- 3-by-N character array showing the pairwise alignment of two sequences, such as returned by `nwalign` or `swalign`

## *AlphabetValue*

String that specifies the alphabet type for the sequences. Choices are 'AA' for amino acids or 'NT' for nucleotides. If you do not specify an alphabet type, `multialignviewer` attempts to determine the correct alphabet. If it cannot, it defaults to 'AA'.

## *SeqHeadersValue*

List of names to label the sequences in the Multiple Sequence Alignment Viewer window, specified by either of the following:

- MATLAB array of structures containing a `Header` or `Name` field, such as returned by `fastaread`, `gethmmalignment`, `multialign`, or `multialignread`
- Cell array of strings

*SeqHeadersValue* must contain the same number of elements as there are sequences in *Alignment*.


## Examples

Load a file containing a multiple sequence alignment in the Multiple Sequence Alignment Viewer window, then close the window:

```
% Load multiple sequence alignment file
% in Multiple Sequence Alignment Viewer
```

```
multialignviewer('aagag.aln')
```

```
% Close Multiple Sequence Alignment Viewer window
multialignviewer('close')
```



## Alternatives

You can also display a color-coded multiple or pairwise sequence alignment using the `showalignment` function. However, the alignment displays in a MATLAB Figure window, where you cannot interact with it.

# multialignviewer

---

**See Also**      [fastaread](#) | [gethmmalignment](#) | [multialign](#) | [multialignread](#) | [multialignwrite](#) | [seqtool](#) | [showalignment](#) | [nwalgn](#) | [swalign](#)

**Tutorials**      • [Investigating the Bird Flu Virus](#)

**How To**      • [“Multiple Sequence Alignment Viewer”](#)

## Purpose

Write multiple alignment to file

## Syntax

```
multialignwrite(File, Alignment)  
multialignwrite(..., 'Format', FormatValue, ...)  
multialignwrite(..., 'Header', HeaderValue, ...)  
multialignwrite(..., 'WriteCount', WriteCountValue, ...)
```

## Description

`multialignwrite(File, Alignment)` writes the contents of an alignment to a ClustalW ALN-formatted (default) or MSF-formatted file.

`multialignwrite(..., 'PropertyName', PropertyValue, ...)` calls `multialignwrite` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`multialignwrite(..., 'Format', FormatValue, ...)` specifies the format of the file. *FormatValue* can be 'ALN' (default) or 'MSF'.

`multialignwrite(..., 'Header', HeaderValue, ...)` specifies the first line of the file. The default for *HeaderValue* is 'MATLAB multiple sequence alignment'.

`multialignwrite(..., 'WriteCount', WriteCountValue, ...)` specifies whether to add the residue counts to the end of each line. *WriteCountValue* can be true (default) or false.

## Input Arguments

*Alignment*

An alignment, such as returned by the `multialign` function, represented by either a:

- Vector of structures, each containing the fields `Header` and `Sequence`
- Character array

## *File*

String specifying either a file name or a path and file name for saving the data. If you specify only a file name, the file is saved to the MATLAB Current Folder browser.

---

**Tip** If you use an `.msf` extension when supplying a file name for *File*, the data is written to an MSF-formatted file. Otherwise, the data is written to a ClustalW ALN-formatted file.

---

Below the columns of the ClustalW ALN-formatted file, symbols can appear that denote:

- \* — Residues or nucleotides in the column are identical in all sequences in the alignment.
- : — Conserved substitutions exist in the column for all sequences in the alignment.
- . — Semiconserved substitutions exist in the column for all sequences in the alignment.

For more information on these symbols, see <http://www.ebi.ac.uk/help/formats.html#aln>.

For more information on the groups of residues considered conserved and semiconserved, see section 12 in “Changes since version 1.6” at [http://web.mit.edu/clustalw\\_v1.83/README](http://web.mit.edu/clustalw_v1.83/README).

## *FormatValue*

String that specifies the format of *File*. Choices are 'ALN' (default) or 'MSF'.

---

**Tip** You can also write to an MSF-formatted file by using an `.msf` extension when supplying a file name for *File*.

---

## *HeaderValue*

String that specifies the first line of the file.

---

**Tip** Use the 'Header' property if your file header must be a specific format for a third-party software application.

---

**Default:** 'MATLAB multiple sequence alignment'

## *WriteCountValue*

Specifies whether to add the residue counts to the end of each line. Choices are true (default) or false.

## Examples

- 1 Use the `fastaread` function to read `p53samples.txt`, a FASTA-formatted file included with the Bioinformatics Toolbox software, which contains seven cellular tumor antigen p53 sequences.

```
p53 = fastaread('p53samples.txt')
```

```
p53 =
```

```
7x1 struct array with fields:
```

```
Header
```

```
Sequence
```

- 2 Use the `multialign` function to align the seven cellular tumor antigen p53 sequences.

```
ma = multialign(p53,'verbose',true);
```

- 3 Write the alignment to a file named `p53.aln`.

```
multialignwrite('p53.aln',ma)
```

# multialignwrite

---

## See Also

`fastaread` | `fastawrite` | `gethmmalignment` | `multialign` |  
`multialignread` | `multialignviewer` | `phytreewrite` | `seqconsensus`  
| `seqdisp` | `seqprofile`



<b>Purpose</b>	Convert mzCDF structure to peak list	
<b>Syntax</b>	<code>[Peaklist, Times] = mzcdf2peaks(mzCDFStruct)</code>	
<b>Arguments</b>	<i>mzCDFStruct</i>	MATLAB structure containing information from a netCDF file, such as one created by the <code>mzcdfread</code> function. Its fields correspond to the variables and global attributes in a netCDF file. If a netCDF variable contains local attributes, an additional field is created, with the name of the field being the variable name appended with the <code>_attributes</code> string. The number and names of the fields will vary, depending on the mass spectrometer software, but typically there are <code>mass_values</code> and <code>intensity_values</code> fields.
<b>Return Values</b>	<i>Peaklist</i>	Either of the following: <ul style="list-style-type: none"><li>• Two-column matrix, where the first column contains mass/charge (<math>m/z</math>) values and the second column contains ion intensity values.</li><li>• Cell array of peak lists, where each element is a two-column matrix of <math>m/z</math> values and ion intensity values, and each element corresponds to a spectrum or retention time.</li></ul>
	<i>Times</i>	Scalar or vector of retention times associated with a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set. If <i>Times</i> is a vector, the number of elements equals the number of peak lists contained in <i>Peaklist</i> .
<b>Description</b>	<code>[Peaklist, Times] = mzcdf2peaks(mzCDFStruct)</code> extracts peak information from <i>mzCDFStruct</i> , a MATLAB structure containing	

information from a netCDF file, such as one created by the `mzcdfread` function, and creates *Peaklist*, a single matrix or a cell array of matrices containing mass/charge ( $m/z$ ) values and ion intensity values, and *Times*, a scalar or vector of retention times associated with a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set.

*mzCDFStruct* contains fields that correspond to the variables and global attributes in a netCDF file. If a netCDF variable contains local attributes, an additional field is created, with the name of the field being the variable name appended with the `_attributes` string. The number and names of the fields will vary, depending on the mass spectrometer software, but typically there are `mass_values` and `intensity_values` fields.

## Examples

In the following example, the file `results.cdf` is not provided.

- 1 Use the `mzcdfread` function to read a netCDF file into the MATLAB software as a structure. Then extract the peak information from the structure.

```
mzcdf_struct = mzcdfread('results.cdf');  
[peaks,time] = mzcdf2peaks(mzcdf_struct)
```

```
peaks =
```

```
    [7008x2 single]  
    [7008x2 single]  
    [7008x2 single]  
    [7008x2 single]
```

```
time =
```

```
    8.3430  
   12.6130  
   16.8830  
   21.1530
```

- 2** Create a color map containing a color for each peak list (retention time).

```
colors = hsv(numel(peaks));
```


- 3** Create a 3-D figure of the peaks and add labels to it.

```
figure
hold on

for i = 1:numel(peaks)
    t = repmat(time(i),size(peaks{i},1),1);
    plot3(t,peaks{i}(:,1),peaks{i}(:,2),'color',colors(i,:))
end

view(70,60)
xlabel('Time')
ylabel(mzcdf_struct.mass_axis_label)
zlabel(mzcdf_struct.intensity_axis_label)
```

# mzcdf2peaks



## See Also

Bioinformatics Toolbox functions: `msdotplot`, `mssalign`, `msspresample`, `mzcdfread`

**Purpose** Return information about netCDF file containing mass spectrometry data

**Syntax** *InfoStruct* = mzcdinfo(*File*)

**Arguments**

<i>File</i>	String containing a file name, or a path and file name, of a netCDF file that contains mass spectrometry data and conforms to the ANDI/MS or the ASTM E2077-00 (2005) standard specification or earlier specifications.  If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
-------------	---

**Return Values**

<i>InfoStruct</i>	MATLAB structure containing information from a netCDF file. It includes the fields in the following table.
-------------------	--

**Description** *InfoStruct* = mzcdinfo(*File*) returns a MATLAB structure, *InfoStruct*, containing summary information about a netCDF file, *File*.

*File* is a string containing a file name, or a path and file name, of a netCDF file that contains mass spectrometry data. The file must conform to the ANDI/MS or the ASTM E2077-00 (2005) standard specification or earlier specifications.

*InfoStruct* includes the following fields.

Field	Description
Filename	Name of the netCDF file.
FileTimeStamp	Date time stamp of the netCDF file.

Field	Description
FileSize	Size of the file in bytes.
NumberOfScans	Number of scans in the file.
StartTime	Run start time.
EndTime	Run end time.
TimeUnits	Units for time.
GlobalMassMin	Minimum m/z value in all scans.
GlobalMassMax	Maximum m/z value in all scans.
GlobalIntensityMin	Minimum intensity value in all scans.
GlobalIntensityMax	Maximum intensity value in all scans.
ExperimentType	Indicates if data is raw or centroided.

**Note** If any of the associated attributes are not in the netCDF file (because they are optional in the specifications), the value for that field will be set to N/A or NaN.

Examples

In the following example, the file `results.cdf` is not provided.

Return a MATLAB structure containing summary information about a netCDF file.

```
info = mzcdfinfo('results.cdf')

info =

    Filename: 'results.cdf'
  FileTimeStamp: '19930703134354-700'
```

```
      FileSize: 339892
    NumberOfScans: 4
      StartTime: 8.3430
      EndTime: 21.1530
    TimeUnits: 'N/A'
    GlobalMassMin: 399.9990
    GlobalMassMax: 1.8000e+003
    GlobalIntensityMin: NaN
    GlobalIntensityMax: NaN
    ExperimentType: 'Continuum Mass Spectrum'
```

**See Also**

Bioinformatics Toolbox function: `mzcdfread`

<b>Purpose</b>	Read mass spectrometry data from netCDF file	
<b>Syntax</b>	<pre>mzCDFStruct = mzcdfread(File) mzCDFStruct = mzcdfread(File, ...'TimeRange',     TimeRangeValue, ...) mzCDFStruct = mzcdfread(File, ...'ScanIndices',     ScanIndicesValue, ...) mzCDFStruct = mzcdfread(File, ...'Verbose', VerboseValue,     ...)</pre>	
<b>Arguments</b>	<i>File</i>	String containing a file name, or a path and file name, of a netCDF file that contains mass spectrometry data and conforms to the ANDI/MS or the ASTM E2077-00 (2005) standard specification or earlier specifications.  If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
	<i>TimeRangeValue</i>	Two-element numeric array [Start End] that specifies the time range in <i>File</i> for which to read spectra. Default is to read spectra from all times [0 Inf].
<hr/>		
<b>Tip</b> Time units are indicated in the netCDF global attributes. For summary information about the time ranges in a netCDF file, use the <code>mzcdfinfo</code> function.		
<hr/>		
<b>Note</b> If you specify a <i>TimeRangeValue</i> , you cannot specify a <i>ScanIndicesValue</i> .		
<hr/>		



*ScanIndicesValue* Positive integer, vector of integers, or a two-element numeric array [Start\_Ind End\_Ind] that specifies a scan, multiple scans, or a range of scans in *File* to read. Start\_Ind and End\_Ind are each positive integers indicating a scan index number. Start\_Ind must be less than End\_Ind. Default is to read all scans.

---

**Tip** For information about the scan indices in a netCDF file, check the NumberOfScans field in the structure returned by the `mzcdfinfo` function.

---

---

**Note** If you specify a *ScanIndicesValue*, you cannot specify *TimeRangeValue*.

---

*VerboseValue* Controls the display of the progress of the reading of *File*. Choices are `true` (default) or `false`.

## Return Values

*mzCDFStruct* MATLAB structure containing mass spectrometry information from a netCDF file. Its fields correspond to the variables and global attributes in a netCDF file. If a netCDF variable contains local attributes, an additional field is created, with the name of the field being the variable name appended with the `_attributes` string. The number and names of the fields will vary, depending on the mass spectrometer software, but typically there are `mass_values` and `intensity_values` fields.

## Description

`mzCDFStruct = mzcdfread(File)` reads a netCDF file, *File*, and then creates a MATLAB structure, *mzCDFStruct*.

*File* is a string containing a file name, or a path and file name, of a netCDF file that contains mass spectrometry data. The file must conform to the ANDI/MS or the ASTM E2077-00 (2005) standard specification or earlier specifications.

*mzCDFStruct* contains fields that correspond to the variables and global attributes in a netCDF file. If a netCDF variable contains local attributes, an additional field is created, with the name of the field being the variable name appended with the `_attributes` string. The number and names of the fields will vary, depending on the mass spectrometer software, but typically there are `mass_values` and `intensity_values` fields.

---

**Tip** LC/MS data analysis requires extended amounts of memory from the operating system.

- If you receive errors related to memory, try the following:
  - Increase the virtual memory (swap space) for your operating system (with a recommended initial size of 3,069 and a maximum size of 16,368) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1106.html#6>

- Set the 3 GB switch (32-bit Windows XP only) as described at:

<http://www.mathworks.com/support/tech-notes/1100/1107.html>

- If you receive errors related to Java heap space, increase your Java heap space as described at:

<http://www.mathworks.com/support/solutions/data/1-18I2C.html>

---

*mzCDFStruct* = `mzcdfread(File, ...'PropertyName', PropertyValue, ...)` calls `mzcdfread` with optional properties that use property name/property value pairs. You can specify one or more

properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

```
mzCDFStruct = mzcdfread(File, ...'TimeRange',  
TimeRangeValue, ...) specifies the range of time in File to read.  
TimeRangeValue is a two-element numeric array [Start End]. Default  
is to read spectra from all times [0 Inf].
```

---

**Tip** Time units are indicated in the netCDF global attributes. For summary information about the time ranges in a netCDF file, use the `mzcdfinfo` function.

---

---

**Note** If you specify a *TimeRangeValue*, you cannot specify *ScanIndicesValue*.

---

```
mzCDFStruct = mzcdfread(File, ...'ScanIndices',  
ScanIndicesValue, ...) specifies a scan, multiple scans, or range of  
scans in File to read. ScanIndicesValue is a positive integer, vector  
of integers, or a two-element numeric array [Start_Ind End_Ind].  
Start_Ind and End_Ind are each positive integers indicating a scan  
index number. Start_Ind must be less than End_Ind. Default is to  
read all scans.
```

---

**Tip** For information about the scan indices in a netCDF file, check the `NumberOfScans` field in the structure returned by the `mzcdfinfo` function.

---

---

**Note** If you specify a *ScanIndicesValue*, you cannot specify a *TimeRangeValue*.

---

*mzCDFStruct* = `mzcdfread(File, ...'Verbose', VerboseValue, ...)` controls the progress display when reading *File*. Choices are `true` (default) or `false`.

## Examples

In the following example, the file `results.cdf` is not provided.


- 1 Read a netCDF file into the MATLAB software as a structure.

```
out = mzcdfread('results.cdf');
```

- 2 View the second scan in the netCDF file by creating separate variables containing the intensity and m/z values, and then plotting these values. Add a title and x- and y-axis labels using fields in the output structure.

```
idx1 = out.scan_index(2)+1;
idx2 = out.scan_index(3);
y = out.intensity_values(idx1:idx2);
z = out.mass_values(idx1:idx2);
stem(z,y,'marker','none')

title(sprintf('Time: %f',out.scan_acquisition_time(2)))
xlabel(out.mass_axis_units)
ylabel(out.intensity_axis_units)
```

**See Also**

Bioinformatics Toolbox functions: `jcampread`, `mzcdf2peaks`, `mzcdfinfo`, `mzxmlread`, `tgspcread`

<b>Purpose</b>	Convert mzXML structure to peak list	
<b>Syntax</b>	<pre>[Peaklist, Times] = mzxml2peaks(mzXMLStruct) [Peaklist, Times] = mzxml2peaks(mzXMLStruct, 'Levels', LevelsValue)</pre>	
<b>Arguments</b>	<i>mzXMLStruct</i>	MATLAB structure containing information from an mzXML file, such as one created by the <code>mzxmlread</code> function. It includes the fields shown in the table below.
	<i>LevelsValue</i>	Positive integer or vector of integers that specifies the level(s) of spectra in <i>mzXMLStruct</i> to convert, assuming the spectra are from tandem MS data sets. Default is 1, which converts only the first-level spectra, that is, spectra containing precursor ions. Setting <i>LevelsValue</i> to 2 converts only the second-level spectra, which are the fragment spectra (created from a precursor ion).
<b>Return Values</b>	<i>Peaklist</i>	Either of the following: <ul style="list-style-type: none"><li>Two-column matrix, where the first column contains mass/charge (m/z) values and the second column contains ion intensity values.</li><li>Cell array of peak lists, where each element is a two-column matrix of m/z values and ion intensity values, and each element corresponds to a spectrum or retention time.</li></ul>
	<i>Times</i>	Vector of retention times associated with a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set. The number of elements in <i>Times</i> equals the number of elements in <i>Peaklist</i> .

Description

[*Peaklist*, *Times*] = mzxml2peaks(*mzXMLStruct*) extracts peak information from *mzXMLStruct*, a MATLAB structure containing information from an mzXML file, such as one created by the *mzxmlread* function, and creates *Peaklist*, a cell array of matrices containing mass/charge (*m/z*) values and ion intensity values, and *Times*, a vector of retention times associated with a liquid chromatography/mass spectrometry (LC/MS) or gas chromatography/mass spectrometry (GC/MS) data set. *mzXMLStruct* includes the following fields:

Field	Description
scan	Structure array containing the data pertaining to each individual scan, such as mass spectrometry level, total ion current, polarity, precursor mass (when it applies), and the spectrum data.
index	Structure containing indices to the positions of scan elements in the XML document.
mzXML	Structure containing: <ul style="list-style-type: none"><li>• Information in the root element of the mzXML schema, such as instrument details, experiment details, and preprocessing method</li><li>• URLs pointing to schemas for the individual scans</li><li>• Indexing approach</li><li>• Digital signature calculated for the current instance of the document</li></ul>

[*Peaklist*, *Times*] = mzxml2peaks(*mzXMLStruct*, 'Levels', *LevelsValue*) specifies the level(s) of the spectra in *mzXMLStruct* to convert, assuming the spectra are from tandem MS data sets. Default is 1, which converts only the first-level spectra, that is, spectra containing precursor ions. Setting *LevelsValue* to 2 converts only the second-level spectra, which are the fragment spectra (created from a precursor ion).

## Examples

---

**Note** In the following example, the file `results.mzxml` is not provided. Sample mzXML files can be found at:

- Open Proteomics Database
  - Peptide Atlas Repository at the Institute for Systems Biology (ISB)
  - The Sashimi Project
- 

- 1** Use the `mzxmlread` function to read an mzXML file into the MATLAB software as structure. Then extract the peak information of only the first-level ions from the structure.

```
mzxml_struct = mzxmlread('results.mzxml');  
[peaks,time] = mzxml2peaks(mzxml_struct);
```

- 2** Create a dot plot of the LC/MS data.

```
msdotplot(peaks,time)
```

## See Also

Bioinformatics Toolbox functions: `msdotplot`, `mspalign`, `msspresample`, `mzxmlread`



**Purpose**

Return information about mzXML file

**Syntax**

```
InfoStruct = mzxmlinfo(File)  
InfoStruct = mzxmlinfo(File, 'NumOfLevels',  
NumOfLevelsValue)
```

**Arguments**

*File*

String containing a file name, or a path and file name, of an mzXML file that conforms to the mzXML 2.1 specification or earlier specifications.

If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

*NumOfLevelsValue*

Controls the return of `NumOfLevels`, an additional field in *InfoStruct*, that contains the number of mass spectrometry (MS) levels of spectra in *File*. Choices are `true` or `false` (default).

**Return Values**

*InfoStruct*

MATLAB structure containing information from an mzXML file. It includes the fields shown in the table below.

**Description**

*InfoStruct* = `mzxmlinfo(File)` returns a MATLAB structure, *InfoStruct*, containing summary information about an mzXML file, *File*.

*File* is a string containing a file name, or a path and file name, of an mzXML file. The file must conform to the mzXML 2.1 specification or earlier specifications. You can view the mzXML 2.1 specification at:

[http://sashimi.sourceforge.net/schema\\_revision/mzXML\\_2.1/Doc/mzXML\\_2.1\\_tutorial.pdf](http://sashimi.sourceforge.net/schema_revision/mzXML_2.1/Doc/mzXML_2.1_tutorial.pdf)

*InfoStruct* includes the following fields.

Field	Description
Filename	Name of the mzXML file.
FileModDate	Modification date of the file.
FileSize	Size of the file in bytes.
NumberOfScans	Number of scans in the file.*
StartTime	Run start time.*
EndTime	Run end time.*
DataProcessingIntensityCutoff	Minimum mass/charge (m/z) intensity value.*
DataProcessingCentroided	Indicates if data is centroided.*
DataProcessingDeisotoped	Indicates if data is deisotoped.*
DataProcessingChargeDeconvoluted	Indicates if data is deconvoluted.*
DataProcessingSpotIntegration	For LC/MALDI experiments, indicates if peaks eluting over multiple spots have been integrated into a single spot.*

\* — These fields contain N/A if the mzXML file does not include the associated attributes. The associated attributes are optional in the mzXML file, per the mzXML 2.1 specification.

*InfoStruct* = `mzxmlinfo(File, 'NumOfLevels', NumOfLevelsValue)` controls the return of `NumOfLevels`, an additional field in *mzXMLInfo*, that contains the number of mass spectrometry levels of spectra in *File*. Choices are true or false (default).

## Examples

---

**Note** In the following example, the file `results.mzxml` is not provided. Sample mzXML files can be found at:

- Open Proteomics Database
  - Peptide Atlas Repository at the Institute for Systems Biology (ISB)
  - The Sashimi Project
- 

Return a MATLAB structure containing summary information about an mzXML file.

```
info = mzxmlinfo('results.mzxml');

info =

    Filename: 'results.mzxml'
  FileModDate: '07-May-2008 13:39:12'
    FileSize: 10607
  NumberOfScans: 2
    StartTime: 'PT0.00683333S'
    EndTime: 'PT200.036S'
DataProcessingIntensityCutoff: 'N/A'
DataProcessingCentroided: 'false'
DataProcessingDeisotoped: 'N/A'
DataProcessingChargeDeconvoluted: 'N/A'
DataProcessingSpotIntegration: 'N/A'
```

Return a MATLAB structure containing summary information, including the number of mass spectrometry levels, about an mzXML file.

```
info = mzxmlinfo('results.mzxml','numoflevels',true);

info =

    Filename: 'results.mzxml'
```

```
FileModDate: '07-May-2008 13:39:12'  
FileSize: 10607  
NumberOfScans: 2  
StartTime: 'PT0.00683333S'  
EndTime: 'PT200.036S'  
DataProcessingIntensityCutoff: 'N/A'  
DataProcessingCentroided: 'false'  
DataProcessingDeisotoped: 'N/A'  
DataProcessingChargeDeconvoluted: 'N/A'  
DataProcessingSpotIntegration: 'N/A'  
NumberOfMSLevels: 2
```

## See Also

Bioinformatics Toolbox function: `mzxmlread`

**Purpose**

Read data from mzXML file

**Syntax**

```
mzXMLStruct = mzxmlread(File)
mzXMLStruct = mzxmlread(File, ...'Levels',
LevelsValue, ...)
mzXMLStruct = mzxmlread(File, ...'TimeRange',
TimeRangeValue,
...)
mzXMLStruct = mzxmlread(File, ...'ScanIndices',
ScanIndicesValue, ...)
mzXMLStruct = mzxmlread(File, ...'Verbose', VerboseValue,
...)
```

**Arguments**

*File*

String containing a file name, or a path and file name, of an mzXML file that conforms to the mzXML 2.1 specification or earlier specifications.

If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

*LevelsValue*

Positive integer or vector of integers specifying the level(s) of spectra in *File* to read. Default is to read all levels of spectra.

---

**Tip** For summary information about the levels of spectra in an mzXML file, use the `mzxmlinfo` function.

---

---

**Note** If you specify a *LevelsValue*, you cannot specify *TimeRangeValue* or *ScanIndicesValue*.

---

*TimeRangeValue* Two-element numeric array [Start End] that specifies the range of time in *File* to read. Start is a scalar between the startTime and endTime attributes of the msRun element in *File*. End is a scalar between Start and the endTime attribute of the msRun element in *File*. Default is to read spectra from all times.

---

**Tip** For summary information about the time ranges in an mzXML file, use the `mzxmlinfo` function.

---

---

**Note** If you specify a *TimeRangeValue*, you cannot specify *LevelsValue* or *ScanIndicesValue*.

---

*ScanIndicesValue* Positive integer, vector of integers, or a two-element numeric array [Start\_Ind End\_Ind] that specifies a scan, multiple scans, or a range of scans in *File* to read. Start\_Ind and End\_Ind are each positive integers indicating a scan number in the num attribute of the msRun element in *File*. Start\_Ind must be less than End\_Ind. Default is to read all scans.

---

**Tip** For summary information about the scan indices in an mzXML file, use the `mzxmlinfo` function.

---

**Note** If you specify a *ScanIndicesValue*, you cannot specify *LevelsValue* or *TimeRangeValue*.

*VerboseValue* Controls the display of the progress of the reading of *File*. Choices are true (default) or false.

Return Values

*mzXMLStruct* MATLAB structure containing information from an mzXML file. It includes the fields shown in the table below.

Description

*mzXMLStruct* = `mzxmlread(File)` reads an mzXML file, *File*, and then creates a MATLAB structure, *mzXMLStruct*.  
*File* is a string containing a file name, or a path and file name, of an mzXML file. The file must conform to the mzXML 2.1 specification or earlier specifications. You can view the mzXML 2.1 specification at:

[http://sashimi.sourceforge.net/schema\\_revision/mzXML\\_2.1/Doc/mzXML\\_2.1\\_tutorial.pdf](http://sashimi.sourceforge.net/schema_revision/mzXML_2.1/Doc/mzXML_2.1_tutorial.pdf)

*mzXMLStruct* includes the following fields.

Field	Description
scan	Structure array containing the data pertaining to each individual scan, such as mass spectrometry level, total ion current, polarity, precursor mass (when it applies), and the spectrum data.
index	Structure containing indices to the positions of scan elements in the XML document.

Field	Description
mzXML	Structure containing: <ul style="list-style-type: none"><li>• Information in the root element of the mzXML schema, such as instrument details, experiment details, and preprocessing method</li><li>• URLs pointing to schemas for the individual scans</li><li>• Indexing approach</li><li>• Digital signature calculated for the current instance of the document</li></ul>

---

**Tip** LC/MS data analysis requires extended amounts of memory from the operating system.

- If you receive errors related to memory, try the following:
    - Increase the virtual memory (swap space) for your operating system (with a recommended initial size of 3,069 and a maximum size of 16,368) as described at:  
<http://www.mathworks.com/support/tech-notes/1100/1106.html#6>
    - Set the 3 GB switch (32-bit Windows XP only) as described at:  
<http://www.mathworks.com/support/tech-notes/1100/1107.html>
  - If you receive errors related to Java heap space, increase your Java heap space as described at:  
<http://www.mathworks.com/support/solutions/data/1-18I2C.html>
-



`mzXMLStruct = mzxmlread(File, ...'PropertyName', PropertyValue, ...)` calls `mzxmlread` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`mzXMLStruct = mzxmlread(File, ...'Levels', LevelsValue, ...)` specifies the level(s) of spectra in *File* to read. *LevelsValue* is a positive integer or vector of integers. Default is to read all levels of spectra.

---

**Tip** For summary information about the levels of spectra in an mzXML file, use the `mzxmlinio` function.

---

---

**Note** If you specify a *LevelsValue*, you cannot specify *TimeRangeValue* or *ScanIndicesValue*.

---

`mzXMLStruct = mzxmlread(File, ...'TimeRange', TimeRangeValue, ...)` specifies the range of time in *File* to read. *TimeRangeValue* is two-element numeric array [Start End]. Start is a scalar between the `startTime` and `endTime` attributes of the `msRun` element in *File*. End is a scalar between Start and the `endTime` attribute of the `msRun` element in *File*. Default is to read spectra from all times.

---

**Tip** For summary information about the time ranges in an mzXML file, use the `mzxmlinio` function.

---

---

**Note** If you specify a *TimeRangeValue*, you cannot specify *LevelsValue* or *ScanIndicesValue*.

---

*mzXMLStruct* = *mzxmlread*(*File*, ...'ScanIndices', *ScanIndicesValue*, ...) specifies a scan, multiple scans, or range of scans in *File* to read. *ScanIndicesValue* is a positive integer, vector of integers, or a two-element numeric array [Start\_Ind End\_Ind]. Start\_Ind and End\_Ind are each positive integers indicating a scan number in the num attribute of the msRun element in *File*. Start\_Ind must be less than End\_Ind. Default is to read all scan.

---

**Tip** For summary information about the scan indices in an mzXML file, use the *mzxmlinfo* function.

---

---

**Note** If you specify a *ScanIndicesValue*, you cannot specify *LevelsValue* or *TimeRangeValue*.

---

*mzXMLStruct* = *mzxmlread*(*File*, ...'Verbose', *VerboseValue*, ...) controls the display of the progress of the reading of *File*. Choices are true (default) or false.

## Examples

---

**Note** In the following example, the file *results.mzxml* is not provided. Sample mzXML files can be found at:

- Open Proteomics Database
  - Peptide Atlas Repository at the Institute for Systems Biology (ISB)
  - The Sashimi Project
-

- 1 Read an mzXML file into the MATLAB software as a structure.


```
out = mzxmlread('results.mzxml')
```

```
out =
```

```
    mzXML: [1x1 struct]  
    index: [1x1 struct]  
    scan: [2000x1 struct]
```

- 2 View the first scan in the mzXML file by creating separate variables containing the mass and charge values respectively, and then plotting these values.

```
m = out.scan(1).peaks.mz(1:2:end);  
z = out.scan(1).peaks.mz(2:2:end);  
stem(m,z,'marker','none')
```



## See Also

Bioinformatics Toolbox functions: `jcampread`, `mzcdfread`, `mzxml2peaks`, `mzxmlinfo`, `tgspread`

MATLAB function: `xmlread`

<b>Purpose</b>	Return number of dimensions in DataMatrix object	
<b>Syntax</b>	$N = \text{ndims}(\text{DMObj})$	
<b>Arguments</b>	<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<b>Return Values</b>	$N$	Positive integer representing the number of dimensions in <i>DMObj</i> . The number of dimensions in a DataMatrix object is always 2.
<b>Description</b>	$N = \text{ndims}(\text{DMObj})$ returns the number of dimensions in <i>DMObj</i> , a DataMatrix object. The number of dimensions in a DataMatrix object is always 2.	
<b>See Also</b>	Bioinformatics Toolbox function: DataMatrix (object constructor) Bioinformatics Toolbox object: DataMatrix object	

# ne (DataMatrix)

---

<b>Purpose</b>	Test DataMatrix objects for inequality	
<b>Syntax</b>	$T = ne(DMObj1, DMObj2)$ $T = DMObj1 \sim= DMObj2$ $T = ne(DMObj1, B)$ $T = DMObj1 \sim= B$ $T = ne(B, DMObj1)$ $T = B \sim= DMObj1$	
<b>Arguments</b>	$DMObj1, DMObj2$	DataMatrix objects, such as created by DataMatrix (object constructor).
	$B$	MATLAB numeric or logical array.
<b>Return Values</b>	$T$	Logical matrix of the same size as $DMObj1$ and $DMObj2$ or $DMObj1$ and $B$ . It contains logical 1 (true) where elements in the first input are not equal to the corresponding element in the second input, and logical 0 (false) when they are equal.
<b>Description</b>	$T = ne(DMObj1, DMObj2)$ or the equivalent $T = DMObj1 \sim= DMObj2$ compares each element in DataMatrix object $DMObj1$ to the corresponding element in DataMatrix object $DMObj2$ , and returns $T$ , a logical matrix of the same size as $DMObj1$ and $DMObj2$ , containing logical 1 (true) where elements in $DMObj1$ are not equal to the corresponding element in $DMObj2$ , and logical 0 (false) when they are equal. $DMObj1$ and $DMObj2$ must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). $DMObj1$ and $DMObj2$ can have different Name properties.  $T = ne(DMObj1, B)$ or the equivalent $T = DMObj1 \sim= B$ compares each element in DataMatrix object $DMObj1$ to the corresponding element in $B$ , a numeric or logical array, and returns $T$ , a logical matrix of the same size as $DMObj1$ and $B$ , containing logical 1 (true) where elements	

in *DMObj1* are not equal to the corresponding element in *B*, and logical 0 (false) when they are equal. *DMObj1* and *B* must have the same size (number of rows and columns), unless one is a scalar.

$T = \text{ne}(B, \text{DMObj1})$  or the equivalent  $T = B \sim \text{DMObj1}$  compares each element in *B*, a numeric or logical array, to the corresponding element in DataMatrix object *DMObj1*, and returns *T*, a logical matrix of the same size as *B* and *DMObj1*, containing logical 1 (true) where elements in *B* are not equal to the corresponding element in *DMObj1*, and logical 0 (false) when they are equal. *B* and *DMObj1* must have the same size (number of rows and columns), unless one is a scalar.

MATLAB calls  $T = \text{ne}(X, Y)$  for the syntax  $T = X \sim Y$  when *X* or *Y* is a DataMatrix object.

## See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: `eq`

# nmercount

---

**Purpose** Count n-mers in nucleotide or amino acid sequence

**Syntax** *Nmer* = nmercount(*Seq*, *Length*)  
*Nmer* = nmercount(*Seq*, *Length*, *C*)

**Arguments**

<i>Seq</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence or amino acid sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226 or the table Mapping Amino Acid Letter Codes to Integers on page 3-2.</li><li>• MATLAB structure containing a <i>Sequence</i> field that contains a nucleotide sequence or an amino acid sequence, such as returned by <i>fastaread</i>, <i>fastqread</i>, <i>emblread</i>, <i>getembl</i>, <i>genbankread</i>, <i>getgenbank</i>, <i>getgenpept</i>, <i>genpeptread</i>, <i>getpdb</i>, or <i>pdbread</i>.</li></ul>
<i>Length</i>	Integer specifying the length of n-mer to count.

**Return Values** *Nmer* Cell array containing the n-mer counts in *Seq*.

**Description** *Nmer* = nmercount(*Seq*, *Length*) counts the n-mers or patterns of a specific length in *Seq*, a nucleotide sequence or amino acid sequence, and returns the n-mer counts in a cell array.  
*Nmer* = nmercount(*Seq*, *Length*, *C*) returns only the n-mers with cardinality of at least *C*.

**Examples** 1 Use the *getgenpept* function to retrieve the amino acid sequence for the human insulin receptor.



```
S = getgenpept('AAA59174','SequenceOnly',true);
```

- 2** Count the number of four-mers in the amino acid sequence and display the first 20 rows in the cell array.

```
nmers = nmercount(S,4);  
nmers(1:20,:)
```

```
ans =  
    'APES'    [2]  
    'DFRD'    [2]  
    'ESLK'    [2]  
    'FRDL'    [2]  
    'GNYS'    [2]  
    'LKEL'    [2]  
    'SHCQ'    [2]  
    'SLKD'    [2]  
    'SVRI'    [2]  
    'TDYL'    [2]  
    'TSLA'    [2]  
    'TVIN'    [2]  
    'VING'    [2]  
    'VPLD'    [2]  
    'YALV'    [2]  
    'AAAA'    [1]  
    'AAAP'    [1]  
    'AAEI'    [1]  
    'AAEL'    [1]  
    'AAFP'    [1]
```

## See Also

Bioinformatics Toolbox functions: `aaccount`, `basecount`, `codoncount`, `dimercount`

**Purpose** Convert nucleotide sequence to amino acid sequence

**Syntax**

```
SeqAA = nt2aa(SeqNT)
SeqAA = nt2aa(..., 'Frame', FrameValue, ...)
SeqAA = nt2aa(..., 'GeneticCode', GeneticCodeValue, ...)
SeqAA = nt2aa(..., 'AlternativeStartCodons',
    AlternativeStartCodonsValue, ...)
SeqAA = nt2aa(..., 'ACGTOnly', ACGTOnlyValue, ...)
```

**Arguments**

<i>SeqNT</i>	One of the following:
	<ul style="list-style-type: none"><li>• String of single-letter codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226.</li><li>• Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a <i>Sequence</i> field that contains a nucleotide sequence, such as returned by <i>fastaread</i>, <i>fastqread</i>, <i>emblread</i>, <i>getembl</i>, <i>genbankread</i>, or <i>getgenbank</i></li></ul>

---

**Note** Hyphens are valid only if the codon to which it belongs represents a gap, that is, the codon contains all hyphens. Example: ACT---TGA

---

---

**Tip** Do not use a sequence with hyphens if you specify 'all' for *FrameValue*.

---

*FrameValue* Integer or string specifying a reading frame in the nucleotide sequence. Choices are 1, 2, 3, or 'all'. Default is 1.

If *FrameValue* is 'all', then *SeqAA* is a 3-by-1 cell array.

*GeneticCodeValue* Integer or string specifying a genetic code number or code name from the table Genetic Code on page 3-1219. Default is 1 or 'Standard'.

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

*AlternativeStartCodonsValue* Controls the translation of alternative codons. Choices are true (default) or false.

*ACGTOOnlyValue* Controls the behavior of ambiguous nucleotide characters (R, Y, K, M, S, W, B, D, H, V, and N) and unknown characters. *ACGTOOnlyValue* can be true (default) or false.

- If true, then the function errors if any of these characters are present.
- If false, then the function tries to resolve ambiguities. If it cannot, it returns X for the affected codon.

<b>Return Values</b>	<i>SeqAA</i>	Amino acid sequence specified by a string of single-letter codes.
----------------------	--------------	---

**Description**

*SeqAA* = nt2aa(*SeqNT*) converts a nucleotide sequence, specified by *SeqNT*, to an amino acid sequence, returned in *SeqAA*, using the standard genetic code.

*SeqAA* = nt2aa(*SeqNT*, ...'*PropertyName*', *PropertyValue*, ...) calls nt2aa with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*SeqAA* = nt2aa(..., 'Frame', *FrameValue*, ...) converts a nucleotide sequence for a specific reading frame to an amino acid sequence. Choices are 1, 2, 3, or 'all'. Default is 1. If *FrameValue* is 'all', then output *SeqAA* is a 3-by-1 cell array.

*SeqAA* = nt2aa(..., 'GeneticCode', *GeneticCodeValue*, ...) specifies a genetic code to use when converting a nucleotide sequence to an amino acid sequence. *GeneticCodeValue* can be an integer or string specifying a code number or code name from the table Genetic Code on page 3-1219. Default is 1 or 'Standard'. The amino acid to nucleotide codon mapping for the Standard genetic code is shown in the table Standard Genetic Code on page 3-1220.

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

*SeqAA* = nt2aa(..., 'AlternativeStartCodons', *AlternativeStartCodonsValue*, ...) controls the translation of alternative start codons. By default, *AlternativeStartCodonsValue* is set to true, and if the first codon of a sequence is a known alternative start codon, the codon is translated to methionine.

If this option is set to `false`, then an alternative start codon at the start of a sequence is translated to its corresponding amino acid in the genetic code that you specify, which might not necessarily be methionine. For example, in the human mitochondrial genetic code, AUA and AUU are known to be alternative start codons.

For more information about alternative start codons, see:

[www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=t#SG1](http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=t#SG1)

### Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial

Genetic Code (Continued)

Code Number	Code Name
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

Standard Genetic Code

Amino Acid Name	Amino Acid Code	Nucleotide Codon
Alanine	A	GCT GCC GCA GCG
Arginine	R	CGT CGC CGA CGG AGA AGG
Asparagine	N	ATT AAC
Aspartic acid (Aspartate)	D	GAT GAC
Cysteine	C	TGT TGC
Glutamine	Q	CAA CAG
Glutamic acid (Glutamate)	E	GAA GAG
Glycine	G	GGT GGC GGA GGG
Histidine	H	CAT CAC
Isoleucine	I	ATT ATC ATA
Leucine	L	TTA TTG CTT CTC CTA CTG
Lysine	K	AAA AAG
Methionine	M	ATG
Phenylalanine	F	TTT TTC
Proline	P	CCT CCC CCA CCG

**Standard Genetic Code (Continued)**

Amino Acid Name	Amino Acid Code	Nucleotide Codon
Serine	S	TCT TCC TCA TCG AGT AGC
Threonine	T	ACT ACC ACA ACG
Tryptophan	W	TGG
Tyrosine	Y	TAT, TAC
Valine	V	GTT GTC GTA GTG
Asparagine or Aspartic acid (Aspartate)	B	Random codon from D and N
Glutamine or Glutamic acid (Glutamate)	Z	Random codon from E and Q
Unknown amino acid (any amino acid)	X	Random codon
Translation stop	*	TAA TAG TGA
Gap of indeterminate length	-	---
Unknown character (any character or symbol not in table)	?	???

`SeqAA = nt2aa(..., 'ACGTOnly', ACGTOnlyValue, ...)` controls the behavior of ambiguous nucleotide characters (R, Y, K, M, S, W, B, D, H, V, and N) and unknown characters. *ACGTOnlyValue* can be `true` (default) or `false`. If `true`, then the function errors if any of these

characters are present. If `false`, then the function tries to resolve ambiguities. If it cannot, it returns X for the affected codon.

## Examples

### Converting the ND1 Gene

- 1 Use the `getgenbank` function to retrieve the nucleotide sequence for the human mitochondrion from the GenBank database.

```
mitochondria = getgenbank('NC_001807', 'SequenceOnly', true);
```

- 2 Extract the sequence for the ND1 gene from the nucleotide sequence.

```
ND1gene = mitochondria (3308:4261);
```

- 3 Convert the ND1 gene on the human mitochondria genome to an amino acid sequence using the Vertebrate Mitochondrial genetic code.

```
protein1 = nt2aa(ND1gene, 'GeneticCode', 2);
```

- 4 Use the `getgenpept` function to retrieve the same amino acid sequence from the GenPept database.

```
protein2 = getgenpept('NP_536843', 'SequenceOnly', true);
```

- 5 Use the `isequal` function to compare the two amino acid sequences.

```
isequal (protein1, protein2)
```

```
ans =
```

```
1
```

### Converting the ND2 Gene

- 1 Use the `getgenbank` function to retrieve the nucleotide sequence for the human mitochondrion from the GenBank database.

```
mitochondria = getgenbank('NC_001807', 'SequenceOnly', true);
```



- 2** Extract the sequence for the ND2 gene from the nucleotide sequence.

```
ND2gene = mitochondria (4471:5511);
```

- 3** Convert the ND2 gene on the human mitochondria genome to an amino acid sequence using the Vertebrate Mitochondrial genetic code.

```
protein1 = nt2aa(ND2gene,'GeneticCode', 2);
```

---

**Note** In the ND2gene nucleotide sequence, the first codon is ATT, which is translated to M, while the subsequent ATT codons are translated to I. If you set 'AlternativeStartCodons' to false, then the first ATT codon is translated to I, the corresponding amino acid in the Vertebrate Mitochondrial genetic code.

---

- 4** Use the getgenpept function to retrieve the same amino acid sequence from the GenPept database.

```
protein2 = getgenpept('NP_536844', 'SequenceOnly', true);
```

- 5** Use the isequal function to compare the two amino acid sequences.

```
isequal (protein1, protein2)
```

```
ans =
```

```
1
```

### Converting a Sequence with Ambiguous Characters

If you have a sequence with ambiguous or unknown nucleotide characters, you can set the 'ACGTOnly' property to false to have the nt2aa function try to resolve them:

```
nt2aa('agttgccgacgcgcncar','ACGTOnly', false)
```

```
ans =
```

```
SCRRAQ
```

### See Also

Bioinformatics Toolbox functions: `aa2nt`, `aminolookup`, `baselookup`, `codonbias`, `dnds`, `dndsm1`, `geneticcode`, `isotopicdist`, `revgeneticcode`, `seqtool`

<b>Purpose</b>	Convert nucleotide sequence from letter to integer representation	
<b>Syntax</b>	<pre>SeqInt = nt2int(SeqChar) SeqInt = nt2int(SeqChar, ...'Unknown', UnknownValue, ...) SeqInt = nt2int(SeqChar, ...'ACGTOnly', ACGTOnlyValue, ...)</pre>	
<b>Arguments</b>	<i>SeqChar</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226. Integers are arbitrarily assigned to IUB/IUPAC letters.</li><li>• MATLAB structure containing a <i>Sequence</i> field that contains a nucleotide sequence, such as returned by <i>fastaread</i>, <i>fastqread</i>, <i>emblread</i>, <i>getembl</i>, <i>genbankread</i>, or <i>getgenbank</i>.</li></ul>
	<i>UnknownValue</i>	Integer to represent unknown nucleotides. Choices are integers $\geq 0$ and $\leq 255$ . Default is 0.
	<i>ACGTOnlyValue</i>	Controls the prohibition of ambiguous nucleotides. Choices are <i>true</i> or <i>false</i> (default). If <i>ACGTOnlyValue</i> is <i>true</i> , you can enter only the characters A, C, G, T, and U.
<b>Return Values</b>	<i>SeqInt</i>	Nucleotide sequence specified by a row vector of integers.
<b>Description</b>	<i>SeqInt</i> = nt2int( <i>SeqChar</i> ) converts <i>SeqChar</i> , a string of codes specifying a nucleotide sequence, to <i>SeqInt</i> , a row vector of integers specifying the same nucleotide sequence. For valid codes, see the	

table Mapping Nucleotide Letter Codes to Integers on page 3-1226. Unknown characters (characters not in the table) are mapped to 0. Gaps represented with hyphens are mapped to 16.

`SeqInt = nt2int(SeqChar, ...'PropertyName', PropertyValue, ...)` calls `nt2int` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`SeqInt = nt2int(SeqChar, ...'Unknown', UnknownValue, ...)` specifies an integer to represent unknown nucleotides. *UnknownValue* can be an integer  $\geq 0$  and  $\leq 255$ . Default is 0.

`SeqInt = nt2int(SeqChar, ...'ACGTOnly', ACGTOnlyValue, ...)` controls the prohibition of ambiguous nucleotides (N, R, Y, K, M, S, W, B, D, H, and V). Choices are `true` or `false` (default). If *ACGTOnlyValue* is `true`, you can enter only the characters A, C, G, T, and U.

Mapping Nucleotide Letter Codes to Integers

Nucleotide	Code	Integer
Adenosine	A	1
Cytidine	C	2
Guanine	G	3
Thymidine	T	4
Uridine (if 'Alphabet' set to 'RNA')	U	4
Purine (A or G)	R	5
Pyrimidine (T or C)	Y	6
Keto (G or T)	K	7
Amino (A or C)	M	8
Strong interaction (3 H bonds) (G or C)	S	9

Mapping Nucleotide Letter Codes to Integers (Continued)

Nucleotide	Code	Integer
Weak interaction (2 H bonds) (A or T)	W	10
Not A (C or G or T)	B	11
Not C (A or G or T)	D	12
Not G (A or C or T)	H	13
Not T or U (A or C or G)	V	14
Any nucleotide (A or C or G or T or U)	N	15
Gap of indeterminate length	-	16
Unknown (any character not in table)	*	0 (default)

Examples

Converting a Simple Sequence

Convert a nucleotide sequence from letters to integers.

```
s = nt2int('ACTGCTAGC')

s =
    1     2     4     3     2     4     1     3     2
```

Converting a Random Sequence

- 1 Create a random character string to represent a nucleotide sequence.

```
SeqChar = randseq(20)

SeqChar =

TTATGACGTTATTCTACTTT
```

- 2 Convert the nucleotide sequence from letter to integer representation.

```
SeqInt = nt2int(SeqChar)
```

```
SeqInt =  
  
Columns 1 through 13  
    4    4    1    4    3    1    2    3    4    4    1    4    4  
  
Columns 14 through 20  
    2    4    1    2    4    4    4
```

**See Also** Bioinformatics Toolbox functions: `aa2int`, `baselookup`, `int2aa`, `int2nt`

**Purpose**

Plot density of nucleotides along sequence

**Syntax**

```
ntdensity(SeqNT)
Density = ntdensity(SeqNT)
... = ntdensity(..., 'Window', WindowValue, ...)
[Density, HighCG] = ntdensity(..., 'CGThreshold',
    CGThresholdValue, ...)
```

**Arguments**

*SeqNT*

One of the following:

- String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226.
- Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.
- MATLAB structure containing a **Sequence** field that contains a nucleotide sequence, such as returned by `emblread`, `fastaread`, `fastqread`, `genbankread`, `getembl`, or `getgenbank`.

---

**Note** Although you can submit a sequence with nucleotides other than A, C, G, and T, `ntdensity` plots only A, C, G, and T.

---

*WindowValue*

Value that specifies the window length for the density calculation. Default is `length(SeqNT)/20`.

*CGThresholdValue* Controls the return of indices for regions where the CG content of *SeqNT* is greater than *CGThresholdValue*. Default is 5.

## Description

`ntdensity(SeqNT)` plots the density of nucleotides A, C, G, and T in sequence *SeqNT*.

*Density* = `ntdensity(SeqNT)` returns a MATLAB structure with the density of nucleotides A, C, G, and T.

`... = ntdensity(SeqNT, ...'PropertyName', PropertyValue, ...)` calls `ntdensity` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = ntdensity(..., 'Window', WindowValue, ...)` uses a window of length *WindowValue* for the density calculation. Default *WindowValue* is `length(SeqNT)/20`.

`[Density, HighCG] = ntdensity(..., 'CGThreshold', CGThresholdValue, ...)` returns indices for regions where the CG content of *SeqNT* is greater than *CGThresholdValue*. Default *CGThresholdValue* is 5.

## Examples


- 1 Create a random character string to represent a nucleotide sequence.

```
s = randseq(1000, 'alphabet', 'dna');
```

- 2 Plot the density of nucleotides along the sequence.

```
ntdensity(s)
```



**See Also**

Bioinformatics Toolbox functions: `basecount`, `codoncount`, `cpgisland`, `dimercount`

MATLAB function: `filter`

<b>Purpose</b>	Return NUC44 scoring matrix for nucleotide sequences
<b>Syntax</b>	<pre>ScoringMatrix = nuc44 [ScoringMatrix, MatrixInfo] = nuc44</pre>
<b>Description</b>	<p><i>ScoringMatrix</i> = nuc44 returns the scoring matrix. The nuc44 scoring matrix uses ambiguous nucleotide codes and probabilities rounded to the nearest integer.</p> <p>Scale = 0.277316</p> <p>Expected score = -1.7495024, Entropy = 0.5164710 bits</p> <p>Lowest score = -4, Highest score = 5</p> <p>Order: A C G T R Y K M S W B D H V N</p> <p>[<i>ScoringMatrix</i>, <i>MatrixInfo</i>] = nuc44 returns a structure with information about the matrix with fields Name and Order.</p>
<b>See Also</b>	Bioinformatics Toolbox functions: <code>blosum</code> , <code>dayhoff</code> , <code>gonnet</code> , <code>localalign</code> , <code>nwalign</code> , <code>pam</code> , <code>swalign</code>

## Purpose

Convert numbers to Gene Ontology IDs

## Syntax

*GOIDs* = num2goid(*X*)

## Description

*GOIDs* = num2goid(*X*) converts the numbers in *X* to strings with Gene Ontology IDs. IDs are seven-digit numbers preceded by the prefix **GO:**, which is the standard used by the Gene Ontology database.

## Examples

Get the Gene Ontology IDs of the following numbers.

```
t = [5575 5622 5623 5737 5840 30529 43226 43228 43229 43232 43234]
ids = num2goid(t)
```

Columns 1 through 4

```
'GO:0005575'      'GO:0005622'      'GO:0005623'      'GO:0005737'
```

Columns 5 through 8

```
'GO:0005840'      'GO:0030529'      'GO:0043226'      'GO:0043228'
```

Columns 9 through 11

```
'GO:0043229'      'GO:0043232'      'GO:0043234'
```

## See Also

Bioinformatics Toolbox functions: `geneont.geneont` (object constructor), `goannotread`

Bioinformatics Toolbox class: `geneont`

Bioinformatics Toolbox methods of `geneont` object: `geneont.getancestors`, `geneont.getdescendants`, `geneont.getmatrix`, `geneont.getrelatives`

# numel (DataMatrix)

---

<b>Purpose</b>	Return number of elements in DataMatrix object	
<b>Syntax</b>	$N = \text{numel}(\text{DMObj})$ $Ns = \text{numel}(\text{DMObj}, \text{Index1}, \text{Index2})$	
<b>Arguments</b>	$\text{DMObj}$	DataMatrix object, such as created by DataMatrix (object constructor).
	$\text{Index1}$	A row or range of rows in $\text{DMObj}$ specified by a positive integer or a range using the format $x:y$ , where $x$ is the first row and $y$ is the last row.
	$\text{Index2}$	A column or range of columns in $\text{DMObj}$ specified by a positive integer or a range using the format $x:y$ , where $x$ is the first column and $y$ is the last column.
<b>Return Values</b>	$N$	Positive integer representing the number of elements in $\text{DMObj}$ , a DataMatrix object.
	$Ns$	Positive integer representing the number of subscripted elements in $\text{DMObj}$ , a DataMatrix object.
<b>Description</b>	$N = \text{numel}(\text{DMObj})$ returns 1. To find the number of elements in $\text{DMObj}$ , a DataMatrix object, use either of the following syntaxes:  $\text{prod}(\text{size}(\text{DMObj}))$ $\text{numel}(\text{DMObj}, ':', ':')$  $Ns = \text{numel}(\text{DMObj}, \text{Index1}, \text{Index2})$ returns the number of subscripted elements in $\text{DMObj}$ , a DataMatrix object. $\text{Index1}$ specifies a row or range of rows in $\text{DMObj}$ . $\text{Index2}$ specifies a column or range of columns in $\text{DMObj}$ .	
<b>See Also</b>	Bioinformatics Toolbox function: DataMatrix (object constructor)	

Bioinformatics Toolbox object: DataMatrix object

**Purpose** Globally align two sequences using Needleman-Wunsch algorithm

**Syntax**

```
Score = nwalign(Seq1,Seq2)
[Score, Alignment] = nwalign(Seq1,Seq2)
[Score, Alignment, Start] = nwalign(Seq1,Seq2)
... = nwalign(Seq1,Seq2, ...'Alphabet', AlphabetValue, ...)
... = nwalign(Seq1,Seq2, ...'ScoringMatrix',
    ScoringMatrixValue, ...)
... = nwalign(Seq1,Seq2, ...'Scale', ScaleValue, ...)
... = nwalign(Seq1,Seq2, ...'GapOpen', GapOpenValue, ...)
... = nwalign(Seq1,Seq2, ...'ExtendGap',
    ExtendGapValue, ...)
... = nwalign(Seq1,Seq2, ...'Showscore',
    ShowscoreValue, ...)
```

**Arguments**

<i>Seq1, Seq2</i>	Amino acid or nucleotide sequences. Enter any of the following: <ul style="list-style-type: none"><li>• Character string of letters representing amino acids or nucleotides, such as returned by <code>int2aa</code> or <code>int2nt</code></li><li>• Vector of integers representing amino acids or nucleotides, such as returned by <code>aa2int</code> or <code>nt2int</code></li><li>• Structure containing a <code>Sequence</code> field</li></ul>
-------------------	---

---

**Tip** For help with letter and integer representations of amino acids and nucleotides, see Amino Acid Lookup on page 3-165 or Nucleotide Lookup on page 3-176.

---

<i>AlphabetValue</i>	String specifying the type of sequence. Choices are 'AA' (default) or 'NT'.
----------------------	---

*ScoringMatrixValue* Either of the following:

- String specifying the scoring matrix to use for the global alignment. Choices for amino acid sequences are:
  - 'BLOSUM62'
  - 'BLOSUM30' increasing by 5 up to 'BLOSUM90'
  - 'BLOSUM100'
  - 'PAM10' increasing by 10 up to 'PAM500'
  - 'DAYHOFF'
  - 'GONNET'

Default is:

- 'BLOSUM50' — When *AlphabetValue* equals 'AA'
- 'NUC44' — When *AlphabetValue* equals 'NT'

---

**Note** The above scoring matrices, provided with the software, also include a structure containing a scale factor that converts the units of the output score to bits. You can also use the 'Scale' property to specify an additional scale factor to convert the output score from bits to another unit.

---

- Matrix representing the scoring matrix to use for the global alignment, such as returned by the `blosum`, `pam`, `dayhoff`, `gonnet`, or `nuc44` function.

---

**Note** If you use a scoring matrix that you created or was created by one of the above functions, the matrix does not include a scale factor. The output score will be returned in the same units as the scoring matrix. You can use the 'Scale' property to specify a scale factor to convert the output score to another unit.

---

## *ScaleValue*

Positive value that specifies a scale factor that is applied to the output score.

For example, if the output score is initially determined in bits, and you enter  $\log(2)$  for *ScaleValue*, then *nwalign* returns *Score* in nats.

Default is 1, which does not change the units of the output score.

---

**Note** If the 'ScoringMatrix' property also specifies a scale factor, then *nwalign* uses it first to scale the output score, then applies the scale factor specified by *ScaleValue* to rescale the output score.

---

---

**Tip** Before comparing alignment scores from multiple alignments, ensure the scores are in the same units. You can use the 'Scale' property to control the units of the output scores.

---



<i>GapOpenValue</i>	Positive value specifying the penalty for opening a gap in the alignment. Default is 8.
<i>ExtendGapValue</i>	Positive value specifying the penalty for extending a gap. Default is equal to <i>GapOpenValue</i> .
<i>ShowscoreValue</i>	Controls the display of the scoring space and the winning path of the alignment. Choices are true or false (default).

Return  
Values

<i>Score</i>	Optimal global alignment score in bits.
<i>Alignment</i>	3-by-N character array showing the two sequences, <i>Seq1</i> and <i>Seq2</i> , in the first and third rows, and symbols representing the optimal global alignment for them in the second row.
<i>Start</i>	2-by-1 vector of indices indicating the starting point in each sequence for the alignment. Because this is a global alignment, <i>Start</i> is always [1;1].

Description

*Score* = nwalign(*Seq1*,*Seq2*) returns the optimal global alignment score in bits. The scale factor used to calculate the score is provided by the scoring matrix.

[*Score*, *Alignment*] = nwalign(*Seq1*,*Seq2*) returns a 3-by-N character array showing the two sequences, *Seq1* and *Seq2*, in the first and third rows, and symbols representing the optimal global alignment for them in the second row. The symbol | indicates amino acids or nucleotides that match exactly. The symbol : indicates amino acids or nucleotides that are related as defined by the scoring matrix (nonmatches with a zero or positive scoring matrix value).

`[Score, Alignment, Start] = nwalign(Seq1, Seq2)` returns a 2-by-1 vector of indices indicating the starting point in each sequence for the alignment. Because this is a global alignment, *Start* is always `[1;1]`.

`... = nwalign(Seq1, Seq2, ... 'PropertyName', PropertyValue, ...)` calls `nwalign` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = nwalign(Seq1, Seq2, ... 'Alphabet', AlphabetValue, ...)` specifies the type of sequences. Choices are 'AA' (default) or 'NT'.

`... = nwalign(Seq1, Seq2, ... 'ScoringMatrix', ScoringMatrixValue, ...)` specifies the scoring matrix to use for the global alignment. Default is:


- 'BLOSUM50' — When *AlphabetValue* equals 'AA'
- 'NUC44' — When *AlphabetValue* equals 'NT'

`... = nwalign(Seq1, Seq2, ... 'Scale', ScaleValue, ...)` specifies a scale factor that is applied to the output score, thereby controlling the units of the output score. Choices are any positive value.

`... = nwalign(Seq1, Seq2, ... 'GapOpen', GapOpenValue, ...)` specifies the penalty for opening a gap in the alignment. Choices are any positive value. Default is 8.

`... = nwalign(Seq1, Seq2, ... 'ExtendGap', ExtendGapValue, ...)` specifies the penalty for extending a gap in the alignment. Choices are any positive value. Default is equal to *GapOpenValue*.

`... = nwalign(Seq1, Seq2, ... 'Showscore', ShowscoreValue, ...)` controls the display of the scoring space and winning path of the alignment. Choices are true or false (default).



The scoring space is a heat map displaying the best scores for all the partial alignments of two sequences. The color of each  $(n1, n2)$  coordinate in the scoring space represents the best score for the pairing of subsequences  $\text{Seq1}(1:n1)$  and  $\text{Seq2}(1:n2)$ , where  $n1$  is a position in  $\text{Seq1}$  and  $n2$  is a position in  $\text{Seq2}$ . The best score for a pairing of specific subsequences is determined by scoring all possible alignments of the subsequences by summing matches and gap penalties.

The winning path is represented by black dots in the scoring space, and it illustrates the pairing of positions in the optimal global alignment. The color of the last point (lower right) of the winning path represents

the optimal global alignment score for the two sequences and is the *Score* output returned by *nwalign*.

**Note** The scoring space visually indicates if there are potential alternate winning paths, which is useful when aligning sequences with big gaps. Visual patterns in the scoring space can also indicate a possible sequence rearrangement.

Examples

- 1 Globally align two amino acid sequences using the BLOSUM50 (default) scoring matrix and the default values for the GapOpen and ExtendGap properties. Return the optimal global alignment score in bits and the alignment character array.

```
[Score, Alignment] = nwalign('VSPAGMASGYD','IPGKASYD')
Score =

    7.3333

Alignment =

VSPAGMASGYD
: | | | |
I-P-GKAS-YD
```

- 2 Globally align two amino acid sequences specifying the PAM250 scoring matrix and a gap open penalty of 5.

```
[Score, Alignment] = nwalign('IGRHRYHIGG','SRYIGRG',...
                             'scoringmatrix','pam250',...
                             'gapopen',5)

Score =

    2.3333

Alignment =
```

```
IGRHRYPHIG-G
:  || || |
-S--RY-IGRG
```

- 3** Globally align two amino acid sequences returning the *Score* in nat units (nats) by specifying a scale factor of  $\log(2)$ .

```
[Score, Alignment] = nwalgn('HEAGAWGHEE', 'PAWHEAE', 'Scale', log(2))
```

```
Score =
```

```
0.2310
```

```
Alignment =
```

```
HEAGAWGHE-E
  || || |
--P-AW-HEAE
```

## References

[1] Durbin, R., Eddy, S., Krogh, A., and Mitchison, G. (1998). Biological Sequence Analysis (Cambridge University Press).

## See Also

Bioinformatics Toolbox functions: `aa2int`, `aminolookup`, `baselookup`, `blosum`, `dayhoff`, `gonnet`, `int2aa`, `int2nt`, `localalign`, `multialign`, `nt2aa`, `nt2int`, `nuc44`, `pam`, `profalign`, `seqdotplot`, `showalignment`, `swalign`

<b>Purpose</b>	Calculate sequence properties of DNA oligonucleotide	
<b>Syntax</b>	<pre>SeqProperties = oligoprop(SeqNT) SeqProperties = oligoprop(SeqNT, ...'Salt', SaltValue, ...) SeqProperties = oligoprop(SeqNT, ...'Temp', TempValue, ...) SeqProperties = oligoprop(SeqNT, ...'Primerconc',     PrimerconcValue, ...) SeqProperties = oligoprop(SeqNT, ...'HPBase', HPBaseValue,     ...) SeqProperties = oligoprop(SeqNT, ...'HPLoop', HPLoopValue,     ...) SeqProperties = oligoprop(SeqNT, ...'Dimerlength',     DimerlengthValue, ...)</pre>	
<b>Arguments</b>	<i>SeqNT</i>	DNA oligonucleotide sequence represented by any of the following: <ul style="list-style-type: none"><li>• Character string containing the letters A, C, G, T, or N</li><li>• Vector of integers containing the integers 1, 2, 3, 4, or 15</li><li>• Structure containing a <b>Sequence</b> field that contains a nucleotide sequence</li></ul>
	<i>SaltValue</i>	Value that specifies a salt concentration in moles/liter for melting temperature calculations. Default is 0.05 moles/liter.
	<i>TempValue</i>	Value that specifies the temperature in degrees Celsius for nearest-neighbor calculations of free energy. Default is 25 degrees Celsius.
	<i>PrimerconcValue</i>	Value that specifies the concentration in moles/liter for melting temperature calculations. Default is 50e-6 moles/liter.

<i>HPBaseValue</i>	Value that specifies the minimum number of paired bases that form the neck of the hairpin. Default is 4 base pairs.
<i>HPLoopValue</i>	Value that specifies the minimum number of bases that form the loop of a hairpin. Default is 2 bases.
<i>DimerlengthValue</i>	Value that specifies the minimum number of aligned bases between the sequence and its reverse. Default is 4 bases.

Return Values

<i>SeqProperties</i>	Structure containing the sequence properties for a DNA oligonucleotide.
----------------------	---

Description

*SeqProperties* = `oligoprop(SeqNT)` returns the sequence properties for a DNA oligonucleotide as a structure with the following fields:

Field	Description
GC	Percent GC content for the DNA oligonucleotide. Ambiguous N characters in <i>SeqNT</i> are considered to potentially be any nucleotide. If <i>SeqNT</i> contains ambiguous N characters, GC is the midpoint value, and its uncertainty is expressed by GCdelta.
GCdelta	The difference between GC (midpoint value) and either the maximum or minimum value GC could assume. The maximum and minimum values are calculated by assuming all N characters are G/C or not G/C, respectively. Therefore, GCdelta defines the possible range of GC content.

Field	Description
Hairpins	H-by-length( <i>SeqNT</i> ) matrix of characters displaying all potential hairpin structures for the sequence <i>SeqNT</i> . Each row is a potential hairpin structure of the sequence, with the hairpin forming nucleotides designated by capital letters. H is the number of potential hairpin structures for the sequence. Ambiguous N characters in <i>SeqNT</i> are considered to potentially complement any nucleotide.
Dimers	D-by-length( <i>SeqNT</i> ) matrix of characters displaying all potential dimers for the sequence <i>SeqNT</i> . Each row is a potential dimer of the sequence, with the self-dimerizing nucleotides designated by capital letters. D is the number of potential dimers for the sequence. Ambiguous N characters in <i>SeqNT</i> are considered to potentially complement any nucleotide.
MolWeight	Molecular weight of the DNA oligonucleotide. Ambiguous N characters in <i>SeqNT</i> are considered to potentially be any nucleotide. If <i>SeqNT</i> contains ambiguous N characters, MolWeight is the midpoint value, and its uncertainty is expressed by MolWeightdelta.
MolWeightdelta	The difference between MolWeight (midpoint value) and either the maximum or minimum value MolWeight could assume. The maximum and minimum values are calculated by assuming all N characters are G or C, respectively. Therefore, MolWeightdelta defines the possible range of molecular weight for <i>SeqNT</i> .



Field	Description
Tm	<p>A vector with melting temperature values, in degrees Celsius, calculated by six different methods, listed in the following order:</p> <ul style="list-style-type: none"> <li>• Basic (Marmur et al., 1962)</li> <li>• Salt adjusted (Howley et al., 1979)</li> <li>• Nearest-neighbor (Breslauer et al., 1986)</li> <li>• Nearest-neighbor (SantaLucia Jr. et al., 1996)</li> <li>• Nearest-neighbor (SantaLucia Jr., 1998)</li> <li>• Nearest-neighbor (Sugimoto et al., 1996)</li> </ul> <p>Ambiguous N characters in <i>SeqNT</i> are considered to potentially be any nucleotide. If <i>SeqNT</i> contains ambiguous N characters, Tm is the midpoint value, and its uncertainty is expressed by Tmdelta.</p>
Tmdelta	<p>A vector containing the differences between Tm (midpoint value) and either the maximum or minimum value Tm could assume for each of the six methods. Therefore, Tmdelta defines the possible range of melting temperatures for <i>SeqNT</i>.</p>
Thermo	<p>4-by-3 matrix of thermodynamic calculations.</p> <p>The rows correspond to nearest-neighbor parameters from:</p> <ul style="list-style-type: none"> <li>• Breslauer et al., 1986</li> <li>• SantaLucia Jr. et al., 1996</li> <li>• SantaLucia Jr., 1998</li> <li>• Sugimoto et al., 1996</li> </ul> <p>The columns correspond to:</p>

Field	Description
	<ul style="list-style-type: none"><li>delta H — Enthalpy in kilocalories per mole, kcal/mol</li><li>delta S — Entropy in calories per mole-degrees Kelvin, cal/(K)(mol)</li><li>delta G — Free energy in kilocalories per mole, kcal/mol</li></ul> <p>Ambiguous N characters in <i>SeqNT</i> are considered to potentially be any nucleotide. If <i>SeqNT</i> contains ambiguous N characters, <i>Thermo</i> is the midpoint value, and its uncertainty is expressed by <i>Thermodelta</i>.</p>
Thermodelta	4-by-3 matrix containing the differences between <i>Thermo</i> (midpoint value) and either the maximum or minimum value <i>Thermo</i> could assume for each calculation and method. Therefore, <i>Thermodelta</i> defines the possible range of thermodynamic values for <i>SeqNT</i> .

*SeqProperties* = oligoprop(*SeqNT*, ...'*PropertyName*', *PropertyValue*, ...) calls oligoprop with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*SeqProperties* = oligoprop(*SeqNT*, ...'*Salt*', *SaltValue*, ...) specifies a salt concentration in moles/liter for melting temperature calculations. Default is 0.05 moles/liter.

*SeqProperties* = oligoprop(*SeqNT*, ...'*Temp*', *TempValue*, ...) specifies the temperature in degrees Celsius for nearest-neighbor calculations of free energy. Default is 25 degrees Celsius.

*SeqProperties* = oligoprop(*SeqNT*, ...'Primerconc',  
*PrimerconcValue*, ...) specifies the concentration in moles/liter for  
melting temperatures. Default is 50e-6 moles/liter.

*SeqProperties* = oligoprop(*SeqNT*, ...'HPBase', *HPBaseValue*,  
...) specifies the minimum number of paired bases that form the neck  
of the hairpin. Default is 4 base pairs.

*SeqProperties* = oligoprop(*SeqNT*, ...'HPLoop', *HPLoopValue*,  
...) specifies the minimum number of bases that form the loop of a  
hairpin. Default is 2 bases.

*SeqProperties* = oligoprop(*SeqNT*, ...'Dimerlength',  
*DimerlengthValue*, ...) specifies the minimum number of aligned  
bases between the sequence and its reverse. Default is 4 bases.

## Examples

### Calculating Properties for a DNA Sequence

- 1 Create a random sequence.

```
seq = randseq(25)

seq =

TAGCTTCATCGTTGACTTCTACTAA
```

- 2 Calculate sequence properties of the sequence.

```
S1 = oligoprop(seq)

S1 =

          GC: 36
      GCdelta: 0
      Hairpins: [0x25 char]
          Dimers: 'tAGCTtcatcgttgacttctactaa'
      MolWeight: 7.5820e+003
MolWeightdelta: 0
          Tm: [52.7640 60.8629 62.2493 55.2870 54.0293 61.0614]
```

```
Tmdelta: [0 0 0 0 0 0]
Thermo: [4x3 double]
Thermodelta: [4x3 double]
```

3 List the thermodynamic calculations for the sequence.

```
S1.Thermo

ans =

-178.5000 -477.5700 -36.1125
-182.1000 -497.8000 -33.6809
-190.2000 -522.9000 -34.2974
-191.9000 -516.9000 -37.7863
```

Calculating Properties for a DNA Sequence with Ambiguous Characters

1 Calculate sequence properties of the sequence ACGTAGAGGACGTN.

```
S2 = oligoprop('ACGTAGAGGACGTN')

S2 =

GC: 53.5714
GCdelta: 3.5714
Hairpins: 'ACGTtagaggACGTn'
Dimers: [3x14 char]
MolWeight: 4.3329e+003
MolWeightdelta: 20.0150
Tm: [38.8357 42.2958 57.7880 52.4180 49.9633 55.1330]
Tmdelta: [1.4643 1.4643 10.3885 3.4633 0.2829 3.8074]
Thermo: [4x3 double]
Thermodelta: [4x3 double]
```

2 List the potential dimers for the sequence.

```
S2.Dimers
```

ans =

ACGTagaggacgtn

ACGTagaggACGTn

acgtagagGACGTN

## References

- [1] Breslauer, K.J., Frank, R., Blöcker, H., and Marky, L.A. (1986). Predicting DNA duplex stability from the base sequence. *Proceedings of the National Academy of Science USA* *83*, 3746–3750.
- [2] Chen, S.H., Lin, C.Y., Cho, C.S., Lo, C.Z., and Hsiung, C.A. (2003). Primer Design Assistant (PDA): A web-based primer design tool. *Nucleic Acids Research* *31(13)*, 3751–3754.
- [3] Howley, P.M., Israel, M.A., Law, M., and Martin, M.A. (1979). A rapid method for detecting and mapping homology between heterologous DNAs. Evaluation of polyomavirus genomes. *The Journal of Biological Chemistry* *254(11)*, 4876–4883.
- [4] Marmur, J., and Doty, P. (1962). Determination of the base composition of deoxyribonucleic acid from its thermal denaturation temperature. *Journal Molecular Biology* *5*, 109–118.
- [5] Panjkovich, A., and Melo, F. (2005). Comparison of different melting temperature calculation methods for short DNA sequences. *Bioinformatics* *21(6)*, 711–722.
- [6] SantaLucia Jr., J., Allawi, H.T., and Seneviratne, P.A. (1996). Improved Nearest-Neighbor Parameters for Predicting DNA Duplex Stability. *Biochemistry* *35*, 3555–3562.
- [7] SantaLucia Jr., J. (1998). A unified view of polymer, dumbbell, and oligonucleotide DNA nearest-neighbor thermodynamics. *Proceedings of the National Academy of Science USA* *95*, 1460–1465.

[8] Sugimoto, N., Nakano, S., Yoneyama, M., and Honda, K. (1996). Improved thermodynamic parameters and helix initiation factor to predict stability of DNA duplexes. *Nucleic Acids Research* *24*(22), 4501–4505.

[9] <http://www.basic.northwestern.edu/biotools/oligocalc.html> for weight calculations.

## See Also

Bioinformatics Toolbox functions: `isoelectric`, `molweight`, `ntdensity`, `palindromes`, `randseq`

## Purpose

Determine optimal leaf ordering for hierarchical binary cluster tree

## Syntax

```
Order = optimalleaforder(Tree, Dist)
Order = optimalleaforder(Tree, Dist, ...'Criteria',
CriteriaValue, ...)
Order = optimalleaforder(Tree, Dist, ...'Transformation',
TransformationValue, ...)
```

## Arguments

*Tree*

Hierarchical binary cluster tree represented by an  $(M - 1)$ -by-3 matrix, created by the linkage function, where  $M$  is the number of leaves.

*Dist*

Distance matrix, such as that created by the pdist function.

*CriteriaValue*

String that specifies the optimization criteria. Choices are:

- adjacent (default) — Minimizes the sum of distances between adjacent leaves.
- group — Minimizes the sum of distances between every leaf and all other leaves in the adjacent cluster.

*TransformationValue* Either of the following:

- String that specifies the algorithm to transform the distances in *Dist* into similarity values. Choices are:
  - linear (default) — Similarity = max(all distances) - distance
  - quadratic — Similarity = (max(all distances) - distance)<sup>2</sup>
  - inverse — Similarity = 1/distance

- A function handle created using @ to a function that transforms the distances in *Dist* into similarity values. The function is typically a monotonic decreasing function within the range of the distance values. The function must accept a vector input and return a vector of the same size.

<b>Return Values</b>	<i>Order</i>	Optimal leaf ordering for the hierarchical binary cluster tree represented by <i>Tree</i> .
----------------------	--------------	---

<b>Description</b>	<p><i>Order</i> = optimalleaforder(<i>Tree</i>, <i>Dist</i>) returns the optimal leaf ordering for the hierarchical binary cluster tree represented by <i>Tree</i>, an (<i>M</i> - 1)-by-3 matrix, created by the linkage function, where <i>M</i> is the number of leaves. Optimal leaf ordering of a binary tree maximizes the similarity between adjacent elements (clusters or leaves) by flipping tree branches, but without dividing the clusters. The input <i>Dist</i> is a distance matrix, such as that created by the pdist function.</p> <p><i>Order</i> = optimalleaforder(<i>Tree</i>, <i>Dist</i>, ...'PropertyName', <i>PropertyValue</i>, ...) calls optimalleaforder with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each <i>PropertyName</i> must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:</p> <p><i>Order</i> = optimalleaforder(<i>Tree</i>, <i>Dist</i>, ...'Criteria', <i>CriteriaValue</i>, ...) specifies the optimization criteria.</p> <p><i>Order</i> = optimalleaforder(<i>Tree</i>, <i>Dist</i>, ...'Transformation', <i>TransformationValue</i>, ...) specifies the algorithm to transform the distances in <i>Dist</i> into similarity values. The transformation is necessary because optimalleaforder maximizes the similarity between adjacent elements, which is comparable to minimizing the sum of distances between adjacent elements.</p>
--------------------	---



## Examples

- 1 Use the `rand` function to create a 10-by-2 matrix of random values.

```
X = rand(10,2);
```

- 2 Use the `pdist` function to create a distance matrix containing the city block distances between the pairs of objects in matrix `X`.

```
Dist = pdist(X,'cityblock');
```

- 3 Use the `linkage` function to create a matrix, `Tree`, that represents a hierarchical binary cluster tree, from the distance matrix, `Dist`.

```
Tree = linkage(Dist,'average');
```

- 4 Use the `optimalleaforder` function to determine the optimal leaf ordering for the hierarchical binary cluster tree represented by `Tree`, using the distance matrix `Dist`.

```
order = optimalleaforder(Tree,Dist)
```

## References

[1] Bar-Joseph, Z., Gifford, D.K., and Jaakkola, T.S. (2001). Fast optimal leaf ordering for hierarchical clustering. *Bioinformatics* 17, Suppl 1:S22–9. PMID: 11472989.

## See Also

Bioinformatics Toolbox function: `clustergram`

Statistics Toolbox functions: `linkage`, `pdist`

<b>Purpose</b>	Find palindromes in sequence	
<b>Syntax</b>	<pre>[Position, Length] = palindromes(SeqNT) [Position, Length, Pal] = palindromes(SeqNT) ... = palindromes(SeqNT, ..., 'Length', LengthValue, ...) ... = palindromes(SeqNT, ..., 'Complement',     ComplementValue,     ...)</pre>	
<b>Arguments</b>	<i>SeqNT</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226.</li><li>• Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a <b>Sequence</b> field that contains a nucleotide sequence, such as returned by <code>emblread</code>, <code>fastaread</code>, <code>fastqread</code>, <code>genbankread</code>, <code>getembl</code>, or <code>getgenbank</code>.</li></ul>
	<i>LengthValue</i>	Integer specifying a minimum length for palindromes. Default is 6.
	<i>ComplementValue</i>	Controls the return of complementary palindromes, that is, where the elements match their complementary pairs A-T (or U) and C-G instead of an exact nucleotide match. Choices are <code>true</code> or <code>false</code> (default).

## Description

`[Position, Length] = palindromes(SeqNT)` finds all palindromes in sequence *SeqNT* with a length greater than or equal to 6, and returns the starting indices, *Position*, and the lengths of the palindromes, *Length*.

`[Position, Length, Pal] = palindromes(SeqNT)` also returns a cell array, *Pal*, of the palindromes.

`... = palindromes(SeqNT, ...'PropertyName', PropertyValue, ...)` calls `palindromes` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = palindromes(SeqNT, ..., 'Length', LengthValue, ...)` finds all palindromes longer than or equal to *LengthValue*. Default is 6.

`... = palindromes(SeqNT, ..., 'Complement', ComplementValue, ...)` controls the return of complementary palindromes, that is, where the elements match their complementary pairs A-T (or A-U) and C-G instead of an exact nucleotide match. Choices for *ComplementValue* are true or false (default).

## Examples

Find the palindromes in a simple nucleotide sequence.

```
[p,l,s] = palindromes('GCTAGTAACGTATATATAAT')

p =
    11
    12
l =
     7
     7
s =
    'TATATAT'
    'ATATATA'
```

Find the complementary palindromes in a simple nucleotide sequence.

# palindromes

---

```
[pc,lc,sc] = palindromes('TAGCTTGTCAGTGGCCA',...
                        'Complement',true)

pc =
     8
lc =
     7
sc =
    'TCACTGA'
```

Find the palindromes in a random nucleotide sequence.

```
a = randseq(100)

a =
TAGCTTCATCGTTGACTTCTACTAA
AAGCAAGCTCCTGAGTAGCTGGCCA
AGCGAGCTTGCTTGTGCCCGGCTGC
GGCGGTTGTATCCTGAATACGCCAT

[pos,len,pal]=palindromes(a)

pos =
    74
len =
     6
pal =
    'GCGGCG'
```

## See Also

Bioinformatics Toolbox functions: `seqcomplement`, `seqrcomplement`, `seqreverse`, `seqshowwords`

MATLAB functions: `regexp`, `strfind`

Purpose	Return Point Accepted Mutation (PAM) scoring matrix	
Syntax	<pre>ScoringMatrix = pam(N) [ScoringMatrix, MatrixInfo] = pam(N) ... = pam(N, ...'Extended', ExtendedValue, ...) ... = pam(N, ...'Order', OrderValue, ...)</pre>	
Arguments	<i>N</i>	Integer specifying the PAM scoring matrix to return. Choices are 10:10:500.
		<div><b>Tip</b> Entering a larger value for <i>N</i> allows for sequence alignments with larger evolutionary distances.</div>
	<i>ExtendedValue</i>	Controls the return of the ambiguous characters (B, Z, and X), and the stop character (*), in addition to the 20 standard amino acid characters. Choices are true or false (default).
	<i>OrderValue</i>	String that controls the order of amino acids in the scoring matrix. Choices are a string with at least the 20 standard amino acids. The default order of the output is A R N D C Q E G H I L K M F P S T W Y V B Z X *. If <i>OrderValue</i> does not contain the characters B, Z, X, and *, then these characters are not returned.
Description	<p><i>ScoringMatrix</i> = pam(<i>N</i>) returns the PAM<i>N</i> scoring matrix for amino acid sequences.</p> <p>[<i>ScoringMatrix</i>, <i>MatrixInfo</i>] = pam(<i>N</i>) returns a structure with information about the PAM matrix. The fields in the structure are Name, Scale, Entropy, Expected, and Order.</p>	

`... = pam(N, ...'PropertyName', PropertyValue, ...)` calls `pam` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = pam(N, ...'Extended', ExtendedValue, ...)` controls the return of the ambiguous characters (B, Z, and X), and the stop character (\*), in addition to the 20 standard amino acid characters. Choices are `true` or `false` (default).

`... = pam(N, ...'Order', OrderValue, ...)` controls the order of amino acids in the returned scoring matrix. Choices are a string with at least the 20 standard amino acids. The default ordering of the output is A R N D C Q E G H I L K M F P S T W Y V B Z X \*. If *OrderValue* does not contain the extended characters B, Z, X, and \*, then these characters are not returned.

PAM50 substitution matrix in 1/2 bit units, Expected score = -3.70, Entropy = 2.00 bits, Lowest score = -13, Highest score = 13.

PAM250 substitution matrix in 1/3 bit units, Expected score = -0.844, Entropy = 0.354 bits, Lowest score = -8, Highest score = 17.

## Examples

Return the PAM50 matrix.

```
PAM50 = pam(50)
```

Return the PAM250 matrix and specify the order of amino acids in the matrix.

```
PAM250 = pam(250, 'Order', 'CSTPAGNDEQHRKMILVFYW')
```

## See Also

Bioinformatics Toolbox functions: `blosum`, `dayhoff`, `gonnet`, `localalign`, `nuc44`, `nwalgn`, `swalign`

**Purpose** Visualize intermolecular distances in Protein Data Bank (PDB) file

**Syntax** `pdbdistplot(PDBid)`  
`pdbdistplot(PDBid, Distance)`

## Arguments

*PDBid* Any of the following:

- String specifying a unique identifier for a protein structure record
- Name of a variable for a MATLAB structure containing PDB information for a molecular structure, such as returned by `getpdb` or `pdbread`.
- Name of file containing PDB information for a molecular structure, such as created by `getpdb` with the 'ToFile' property.

---

**Note** Each structure in the PDB database is represented by a four-character alphanumeric identifier. For example, 4hhb is the identification code for hemoglobin.

---

*Distance* Threshold distance in angstroms shown on a spy plot. Default is 7.

## Description

`pdbdistplot` displays the distances between atoms and amino acids in a PDB structure.

`pdbdistplot(PDBid)` retrieves information for the structure specified by *PDBid* from the Protein Data Bank (PDB) database. Creates a heat map showing interatom distances and a spy plot showing the residues where the minimum distances apart are less than 7 angstroms.

# pdbdistplot


---

`pdbdistplot(PDBid, Distance)` specifies the threshold distance shown on a spy plot. Default is 7.


## Examples

Display a heat map of the interatom distances and a spy plot at 7 angstroms of the protein cytochrome C from albacore tuna.

```
pdbdistplot('5CYT');
```









Display a spy plot at 10 angstroms of the same structure.

```
pdbdistplot('5CYT',10);
```





## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbread`, `proteinplot`, `ramachandran`

Purpose	Read data from Protein Data Bank (PDB) file	
Syntax	<pre>PDBStruct = pdbread(File) PDBStruct = pdbread(File, 'ModelNum', ModelNumValue)</pre>	
Arguments	<i>File</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a Protein Data Bank (PDB)-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a PDB-formatted file.</li></ul> <hr/> <p><b>Tip</b> You can use the <code>getpdb</code> function with the 'ToFile' property to retrieve protein structure data from the PDB database and create a PDB-formatted file.</p> <hr/>
	<i>ModelNumValue</i>	Positive integer specifying a model in a PDB-formatted file.
Return Values	<i>PDBStruct</i>	MATLAB structure containing a field for each PDB record.

Description

The Protein Data Bank (PDB) database is an archive of experimentally determined 3-D biological macromolecular structure data. For more information about the PDB format, see:

<http://www.wwpdb.org/documentation/format23/v2.3.html>

*PDBStruct* = pdbread(*File*) reads the data from PDB-formatted text file *File* and stores the data in the MATLAB structure, *PDBStruct*, which contains a field for each PDB record. The following table summarizes the possible PDB records and the corresponding fields in the MATLAB structure *PDBStruct*:

PDB Database Record	Field in the MATLAB Structure
HEADER	Header
OBSLTE	Obsolete
TITLE	Title
CAVEAT	Caveat
COMPND	Compound
SOURCE	Source
KEYWDS	Keywords
EXPDTA	ExperimentData
AUTHOR	Authors
REVDAT	RevisionDate
SPRSDE	Superseded
JRNL	Journal
REMARK 1	Remark1

PDB Database Record	Field in the MATLAB Structure
REMARK <i>N</i>  <b>Note</b> <i>N</i> equals 2 through 999.	Remark <i>n</i>  <b>Note</b> <i>n</i> equals 2 through 999.
DBREF	DBReferences
SEQADV	SequenceConflicts
SEQRES	Sequence
FTNOTE	Footnote
MODRES	ModifiedResidues
HET	Heterogen
HETNAM	HeterogenName
HETSYN	HeterogenSynonym
FORMUL	Formula
HELIX	Helix
SHEET	Sheet
TURN	Turn
SSBOND	SSBond
LINK	Link
HYDBND	HydrogenBond
SLTBRG	SaltBridge
CISPEP	CISPeptides
SITE	Site
CRYST1	Cryst1
ORIGXn	OriginX

PDB Database Record	Field in the MATLAB Structure
SCALEn	Scale
MTRIXn	Matrix
TVECT	TranslationVector
MODEL	Model
ATOM	Atom
SIGATM	AtomSD
ANISOU	AnisotropicTemp
SIGUIJ	AnisotropicTempSD
TER	Terminal
HETATM	HeterogenAtom
CONECT	Connectivity

`PDBStruct = pdbread(File, 'ModelNum', ModelNumValue)` reads only the model specified by *ModelNumValue* from the PDB-formatted text file *File* and stores the data in the MATLAB structure *PDBStruct*. If *ModelNumValue* does not correspond to an existing mode number in *File*, then `pdbread` reads the coordinate information of all the models.

## The Sequence Field

The `Sequence` field is also a structure containing sequence information in the following subfields:

- `NumOfResidues`
- `ChainID`
- `ResidueNames` — Contains the three-letter codes for the sequence residues.
- `Sequence` — Contains the single-letter codes for the sequence residues.

---

**Note** If the sequence has modified residues, then the `ResidueNames` subfield might not correspond to the standard three-letter amino acid codes. In this case, the `Sequence` subfield will contain the modified residue code in the position corresponding to the modified residue. The modified residue code is provided in the `ModifiedResidues` field.

---

## The Model Field

The `Model` field is also a structure or an array of structures containing coordinate information. If the MATLAB structure contains one model, the `Model` field is a structure containing coordinate information for that model. If the MATLAB structure contains multiple models, the `Model` field is an array of structures containing coordinate information for each model. The `Model` field contains the following subfields:

- `Atom`
- `AtomSD`
- `AnisotropicTemp`
- `AnisotropicTempSD`
- `Terminal`
- `HeterogenAtom`

## The Atom Field

The `Atom` field is also an array of structures containing the following subfields:

- `AtomSerNo`
- `AtomName`
- `altLoc`
- `resName`
- `chainID`



- resSeq
- iCode
- X
- Y
- Z
- occupancy
- tempFactor
- segID
- element
- charge
- AtomNameStruct — Contains three subfields: chemSymbol, remoteInd, and branch.

## Examples

- 1** Use the `getpdb` function to retrieve structure information from the Protein Data Bank (PDB) for the nicotinic receptor protein with identifier `1abt`, and then save the data to the PDB-formatted file `nicotinic_receptor.pdb` in the MATLAB Current Folder.

```
getpdb('1abt', 'ToFile', 'nicotinic_receptor.pdb');
```

- 2** Read the data from the `nicotinic_receptor.pdb` file into a MATLAB structure `pdbstruct`.

```
pdbstruct = pdbread('nicotinic_receptor.pdb');
```

- 3** Read only the second model from the `nicotinic_receptor.pdb` file into a MATLAB structure `pdbstruct_Model2`.

```
pdbstruct_Model2 = pdbread('nicotinic_receptor.pdb', 'ModelNum', 2);
```

- 4** View the atomic coordinate information in the model fields of both MATLAB structures `pdbstruct` and `pdbstruct_Model2`.

```
pdbstruct.Model

ans =

1x4 struct array with fields:
    MDLSerNo
    Atom
    Terminal

pdbstruct_Model12.Model

ans =

    MDLSerNo: 2
      Atom: [1x1205 struct]
    Terminal: [1x2 struct]
```

- 5** Read the data from an URL into a MATLAB structure, `gfl_pdbstruct`.

```
gfl_pdbstruct = pdbread('http://www.rcsb.org/pdb/files/1gfl.pdb');
```

## See Also

Bioinformatics Toolbox functions: `genpeptread`, `getpdb`, `molviewer`, `pdbdistplot`, `pdbsuperpose`, `pdbtransform`, `pdbwrite`

## Purpose

Superpose 3-D structures of two proteins

## Syntax

```
pdbsuperpose(PDB1, PDB2)
Dist = pdbsuperpose(PDB1, PDB2)
[Dist, RMSD] = pdbsuperpose(PDB1, PDB2)
[Dist, RMSD, Transf] = pdbsuperpose(PDB1, PDB2)
[Dist, RMSD, Transf, PDB2TX] = pdbsuperpose(PDB1, PDB2)
... = pdbsuperpose(..., 'ModelNum', ModelNumValue, ...)
... = pdbsuperpose(..., 'Scale', ScaleValue, ...)
... = pdbsuperpose(..., 'Translate', TranslateValue, ...)
... = pdbsuperpose(..., 'Reflection', ReflectionValue, ...)
... = pdbsuperpose(..., 'SeqAlign', SeqAlignValue, ...)
... = pdbsuperpose(..., 'Segment', SegmentValue, ...)
... = pdbsuperpose(..., 'Apply', ApplyValue, ...)
... = pdbsuperpose(..., 'Display', DisplayValue, ...)
```

## Arguments

*PDB1*, *PDB2*

Protein structures represented by any of the following:

- String specifying a unique identifier for a protein structure record in the Protein Data Bank (PDB) database.
- Variable containing a PDB-formatted MATLAB structure, such as returned by `getpdb` or `pdbread`.
- String specifying a file name or, a path and file name. The referenced file is a PDB-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.

*ModelNumValue*

Two-element numeric array whose elements correspond to models in *PDB1* and *PDB2* respectively when *PDB1* or *PDB2* contains multiple models. It specifies the models to consider in the

	superposition. By default, the first model in each structure is considered.
<i>ScaleValue</i>	Specifies whether to include a scaling component in the linear transformation. Choices are <b>true</b> or <b>false</b> (default).
<i>TranslateValue</i>	Specifies whether to include a translation component in the linear transformation. Choices are <b>true</b> (default) or <b>false</b> .
<i>ReflectionValue</i>	<p>Specifies whether to include a reflection component in the linear transformation. Choices are:</p> <ul style="list-style-type: none"><li>• <b>true</b> — Include reflection component.</li><li>• <b>false</b> — Exclude reflection component.</li><li>• <b>'best'</b> — Default. May or may not include the reflection component, depending on the best fit solution.</li></ul>
<i>SeqAlignValue</i>	Specifies whether to perform a local sequence alignment and then use only the portions of the structures corresponding to the segments that align to compute the linear transformation. Choices are <b>true</b> (default) or <b>false</b> .

---

**Note** If you set the 'SeqAlign' property to true, you can also specify the following properties used by the swalign function:

- 'ScoringMatrix'
- 'GapOpen'
- 'ExtendGap'

For more information on these properties, see swalign.

---

#### *SegmentValue*

Specifies the boundaries and the chain of two subsequences to consider for computing the linear transformation. *SegmentValue* is a cell array of strings with the following format:

```
{'start1-stop1:chain1',  
'start2-stop2:chain2'}
```

You can omit the boundaries to indicate the entire chain, such as in {'chain1', 'start2-stop2:chain2'}. You can specify only one pair of segments at any given time, and the specified segments are assumed to contain the same number of alpha carbon atoms.

<i>ApplyValue</i>	<p>Specifies the extent to which the linear transformation should be applied. Choices are:</p> <ul style="list-style-type: none"><li>• 'all' — Default. Apply the linear transformation to the entire PDB2 structure.</li><li>• 'chain' — Apply the linear transformation to the specified chain only.</li><li>• 'segment' — Apply the linear transformation to the specified segment only.</li></ul>
<i>DisplayValue</i>	<p>Specifies whether to display the original <i>PDB1</i> structure and the resulting transformed <i>PDB2TX</i> structure in the Molecule Viewer window using the <code>molviewer</code> function. Each structure is represented as a separate model. Choices are <code>true</code> (default) or <code>false</code>.</p>
<b>Return Values</b>	<p><i>Dist</i></p> <p>Value representing a dissimilarity measure given by the sum of the squared errors between <i>PDB1</i> and <i>PDB2</i>. For more information, see <code>procrustes</code> in the Statistics Toolbox documentation.</p>
	<p><i>RMSD</i></p> <p>Scalar representing the root mean square distance between the coordinates of the <i>PDB1</i> structure and the transformed <i>PDB2</i> structure, considering only the atoms used to compute the linear transformation.</p>

*Transf*

Linear transformation computed to superpose the chain of *PDB2* to the chain of *PDB1*. *Transf* is a MATLAB structure with the following fields:

- **T** — Orthogonal rotation and reflection component.
- **b** — Scale component.
- **c** — Translation component.

---

**Note** Only alpha carbon atom coordinates are used to compute the linear transformation.

---



---

**Tip** You can use the *Transf* output as input to the `pdtransform` function.

---

*PDB2TX*

PDB-formatted MATLAB structure that represents the coordinates in the transformed *PDB2* protein structure.

## Description

`pdbsuperpose(PDB1, PDB2)` computes and applies a linear transformation to superpose the coordinates of the protein structure represented in *PDB2* to the coordinates of the protein structure represented in *PDB1*. *PDB1* and *PDB2* are protein structures represented by any of the following:

- String specifying a unique identifier for a protein structure record in the PDB database.
- Variable containing a PDB-formatted MATLAB structure, such as returned by `getpdb` or `pdbread`.
- String specifying a file name or a path and file name. The referenced file is a PDB-formatted file. If you specify only a file name, that file

must be on the MATLAB search path or in the MATLAB Current Folder.

Alpha carbon atom coordinates of single chains for each structure are considered to compute the linear transformation (translation, reflection, orthogonal rotation, and scaling). By default, the first chain in each structure is considered to compute the transformation, and the transformation is applied to the entire molecule. By default, the original *PDB1* structure and the resulting transformed *PDB2* structure are displayed as separate models in the Molecule Viewer window using the `molviewer` function.

`Dist = pdbsuperpose(PDB1, PDB2)` returns a dissimilarity measure given by the sum of the squared errors between *PDB1* and *PDB2*. For more information, see `procrustes`.

`[Dist, RMSD] = pdbsuperpose(PDB1, PDB2)` also returns *RMSD*, the root mean square distance between the coordinates of the *PDB1* structure and the transformed *PDB2* structure, considering only the atoms used to compute the linear transformation.

`[Dist, RMSD, Transf] = pdbsuperpose(PDB1, PDB2)` also returns *Transf*, the linear transformation computed to superpose the chain of *PDB2* to the chain of *PDB1*. *Transf* is a MATLAB structure with the following fields:

- `T` — Orthogonal rotation and reflection component.
- `b` — Scale component.
- `c` — Translation component.

---

**Note** Only alpha carbon atom coordinates are used to compute the linear transformation.

---



`[Dist, RMSD, Transf, PBD2TX] = pdbsuperpose(PDB1, PDB2)` also returns *PBD2TX*, a PDB-formatted MATLAB structure that represents the coordinates in the transformed *PDB2* protein structure.

`... = pdbsuperpose(..., 'PropertyName', PropertyValue, ...)` calls `pdbsuperpose` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = pdbsuperpose(..., 'ModelNum', ModelNumValue, ...)` specifies the models to consider in the superposition when *PDB1* or *PDB2* contains multiple models. *ModelNumValue* is a two-element numeric array whose elements correspond to the models in *PDB1* and *PDB2* respectively. By default, the first model in each structure is considered.

`... = pdbsuperpose(..., 'Scale', ScaleValue, ...)` specifies whether to include a scaling component in the linear transformation. Choices are `true` or `false` (default).

`... = pdbsuperpose(..., 'Translate', TranslateValue, ...)` specifies whether to include a translation component in the linear transformation. Choices are `true` (default) or `false`.

`... = pdbsuperpose(..., 'Reflection', ReflectionValue, ...)` specifies whether to include a reflection component in the linear transformation. Choices are `true` (include reflection component), `false` (exclude reflection component), or `'best'` (may or may not include the reflection component, depending on the best fit solution). Default is `'best'`.

`... = pdbsuperpose(..., 'SeqAlign', SeqAlignValue, ...)` specifies whether to perform a local sequence alignment and then use only the portions of the structures corresponding to the segments that align to compute the linear transformation. Choices are `true` (default) or `false`.

---

**Note** If you set the 'SeqAlign' property to true, you can also specify the following properties used by the swalign function:

- 'ScoringMatrix'
- 'GapOpen'
- 'ExtendGap'

For more information on these properties, see swalign.

---

`... = pdbsuperpose(..., 'Segment', SegmentValue, ...)` specifies the boundaries and the chain of two subsequences to consider for computing the linear transformation. *SegmentValue* is a cell array of strings with the following format: {'start1-stop1:chain1', 'start2-stop2:chain2'}. You can omit the boundaries to indicate the entire chain, such as in {'chain1', 'start2-stop2:chain2'}. You can specify only one pair of segments at any given time, and the specified segments are assumed to contain the same number of alpha carbon atoms.

`... = pdbsuperpose(..., 'Apply', ApplyValue, ...)` specifies the extent to which the linear transformation should be applied. Choices are 'all' (apply the linear transformation to the entire PDB2 structure), 'chain' (apply the linear transformation to the specified chain only), or 'segment' (apply the linear transformation to the specified segment only). Default is 'all'.

`... = pdbsuperpose(..., 'Display', DisplayValue, ...)` specifies whether to display the original *PDB1* structure and the resulting transformed *PDB2TX* structure in the Molecule Viewer window using the molviewer function. Each structure is represented as a separate model. Choices are true (default) or false.

## Examples

### Superposing Two Hemoglobin Structures

- 1 Use the `getpdb` function to retrieve protein structure data from the Protein Data Bank (PDB) database for two hemoglobin structures.

```
str1 = getpdb('1dke');
str2 = getpdb('4hhb');
```

- 2 Superpose the first model of the two hemoglobin structures, applying the transformation to the entire molecule.

```
d = pdbsuperpose(str1, str2, 'model', [1 1], 'apply', 'all');
```

- 3 Superpose the two hemoglobin structures (each containing four chains), computing and applying the linear transformation chain by chain. Do not display the structures.

```
strtx = str2;
chainList1 = {str1.Sequence.ChainID};
chainList2 = {str2.Sequence.ChainID};
for i = 1:4
    [d(i), rmsd(i), tr(i), strtx] = pdbsuperpose(str1, strtx, ...
        'segment', {chainList1{i}; chainList2{i}}, ...
        'apply', 'chain', 'display', false);
end
```

### Superposing Two Chains of a Thioredoxin Structure

Superpose chain B on chain A of a thioredoxin structure (PDBID = 2trx), and then apply the transformation only to chain B.

```
[d, rmsd, tr] = pdbsuperpose('2trx', '2trx', 'segment', {'A', 'B'}, ...
    'apply', 'chain')

d =

    0.0028

rmsd =
```

```
0.6604
```

```
tr =
```

```
T: [3x3 double]
```

```
b: 1
```

```
c: [109x3 double]
```

## Superposing Two Calmodulin Structures

Superpose two calmodulin structures according to the linear transformation obtained using two 20 residue-long segments.

```
pdbsuperpose('1a29', '1c11', 'segment', {'10-30:A', '10-30:A'})
```

```
ans =
```

```
0.1945
```

## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbread`, `pdbtransform`, `swalign`

Statistics Toolbox function: `procrustes`

## Purpose

Apply linear transformation to 3-D structure of molecule

## Syntax

```

pdbtransform(PDB, Transf)
PDBTX = pdbtransform(PDB, Transf)
... = pdbtransform(..., 'ModelNum', ModelNumValue, ...)
... = pdbtransform(..., 'Segment', SegmentValue, ...)

```

## Arguments

*PDB*

Protein structure represented by any of the following:

- String specifying a unique identifier for a protein structure record in the Protein Data Bank (PDB) database.
- Variable containing a PDB-formatted MATLAB structure, such as returned by `getpdb` or `pdbread`.
- String specifying a file name or a path and file name. The referenced file is a PDB-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.

*Transf*

MATLAB structure representing a linear transformation, which is applied to the coordinates of the molecule represented by *PDB*. *Transf* contains the following fields:

- **T** — Orthogonal rotation and reflection component.
- **b** — Scale component.
- **c** — Translation component.

**Tip** You can use the *Transf* structure returned by the `pdbsuperpose` function as input.

<i>ModelNumValue</i>	Positive integer that specifies the model to which to apply the transformation, when <i>PDB</i> contains multiple models. By default, the first model is considered.
<i>SegmentValue</i>	Specifies the extent to which the linear transformation is applied. <i>SegmentValue</i> can be either: <ul style="list-style-type: none"><li>• 'all' — The transformation is applied to the entire PDB input.</li><li>• String specifying the boundaries and the chain to consider. It uses either of the following formats: 'start-stop:chain' or 'chain'. Omitting the boundaries indicates the entire chain.</li></ul>

**Return Values**

<i>PDBTX</i>	Transformed PDB-formatted MATLAB structure.
--------------	---

**Description**

`pdbtransform(PDB, Transf)` applies the linear transformation specified in *Transf*, a MATLAB structure representing a linear transformation, to the coordinates of the molecule represented by *PDB*, which can be any of the following:

- String specifying a unique identifier for a protein structure record in the PDB database.
- Variable containing a PDB-formatted MATLAB structure, such as returned by `getpdb` or `pdbread`.

- String specifying a file name or a path and file name. The referenced file is a PDB-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.

*PDBTX* = `pdbtransform(PDB, Transf)` returns *PDBTX*, the transformed PDB-formatted MATLAB structure.

`... = pdbtransform(..., 'PropertyName', PropertyValue, ...)` calls `pdbtransform` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = pdbtransform(..., 'ModelNum', ModelNumValue, ...)` specifies the model to which to apply the transformation, when *PDB* contains multiple models. *ModelNumValue* is a positive integer. By default, the first model is considered.

`... = pdbtransform(..., 'Segment', SegmentValue, ...)` specifies the extent to which the linear transformation is applied. *SegmentValue* can be either:

- 'all' — The transformation is applied to the entire PDB input.
- String specifying the boundaries and the chain to consider. It uses either of the following formats: 'start-stop:chain' or 'chain'. Omitting the boundaries indicates the entire chain.

## Examples

- 1 Create a MATLAB structure that defines a linear transformation.

```
transf.T = eye(3);  transf.b = 1;  transf.c = [11.8 -2.8 -32.3];
```

- 2 Apply the linear transformation to chain B in the thioredoxin structure, with a PDB identifier of 2trx.

```
pdmtx = pdbtransform('2trx', transf, 'segment', 'B');
```

# pdbtransform

---

## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbread`, `pdbsuperpose`

Statistics Toolbox function: `procrustes`



## Purpose

Write to file using Protein Data Bank (PDB) format

## Syntax

```
pdbwrite(File, PDBStruct)
PDBArray = pdbwrite(File, PDBStruct)
```

## Arguments

*File* String specifying either a file name or a path and file name for saving the PDB-formatted data. If you specify only a file name, the file is saved to the MATLAB Current Folder.

---

**Tip** After you save the MATLAB structure to a local PDB-formatted file, you can use the `molviewer` function to display and manipulate a 3-D image of the structure.

---

*PDBStruct* MATLAB structure containing 3-D protein structure coordinate data, created initially by using the `getpdb` or `pdbread` functions.

---

**Note** You can edit this structure to modify its 3-D protein structure data. The coordinate information is stored in the `Model` field of *PDBStruct*.

---

## Return Values

*PDBArray* Character array in which each row corresponds to a line in a PDB record.

## Description

`pdbwrite(File, PDBStruct)` writes the contents of the MATLAB structure *PDBStruct* to a PDB-formatted file (ASCII text file) whose path and file name are specified by *File*. In the output file, *File*, the

atom serial numbers are preserved. The atomic coordinate records are ordered according to their atom serial numbers.

---

**Tip** After you save the MATLAB structure to a local PDB-formatted file, you can use the `molviewer` function to display and manipulate a 3-D image of the structure.

---

`PDBArray = pdbrwrite(File, PDBStruct)` saves the formatted PDB record, converted from the contents of the MATLAB structure `PDBStruct`, to `PDBArray`, a character array in which each row corresponds to a line in a PDB record.

---

**Note** You can edit `PDBStruct` to modify its 3-D protein structure data. The coordinate information is stored in the `Model` field of `PDBStruct`.

---

## Examples

- 1 Use the `getpdb` function to retrieve structure information from the Protein Data Bank (PDB) for the green fluorescent protein with identifier 1GFL , and store the data in the MATLAB structure `gflstruct`.

```
gflstruct = getpdb('1GFL');
```

- 2 Find the *x*-coordinate of the first atom.

```
gflstruct.Model.Atom(1).X
```

```
ans =
```

```
-14.0930
```

- 3 Edit the *x*-coordinate of the first atom.

```
gflstruct.Model.Atom(1).X = -18;
```

---

**Note** Do not add or remove any `Atom` fields, because the `pdbwrite` function does not allow the number of elements in the structure to change.

---

- 4 Write the modified MATLAB structure `gflstruct` to a new PDB-formatted file `modified_gfl.pdb` in the Work folder on your C drive.

```
pdbwrite('c:\work\modified_gfl.pdb', gflstruct);
```

- 5 Use the `pdbread` function to read the modified PDB file into a MATLAB structure, then confirm that the *x*-coordinate of the first atom has changed.

```
modified_gflstruct = pdbread('c:\work\modified_gfl.pdb')
modified_gflstruct.Model.Atom(1).X
```

```
ans =
```

```
-18
```

## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbread`

# pdist (phytree)

---

**Purpose** Calculate pairwise patristic distances in phytree object

**Syntax**

```
D = pdist(Tree)
[D, C] = pdist(Tree)
pdist(..., 'Nodes', NodesValue, ...)
pdist(..., 'Squareform', SquareformValue, ...)
pdist(..., 'Criteria', CriteriaValue, ...)
```

**Arguments**

<i>Tree</i>	phytree object created by phytree function (object constructor) or phytreeread function.
<i>NodesValue</i>	String that specifies the nodes included in the computation. Choices are 'leaves' (default) or 'all'.
<i>SquareformValue</i>	Controls the creation of a square matrix. Choices are true or false (default).
<i>CriteriaValue</i>	String that specifies the criteria used to relate pairs. Choices are 'distance' (default) or 'levels'.

**Description**

*D* = `pdist(Tree)` returns *D*, a vector containing the patristic distances between every possible pair of leaf nodes of *Tree*, a phylogenetic tree object. The patristic distances are computed by following paths through the branches of the tree and adding the patristic branch distances originally created with the `seqlinkage` function.

The output vector *D* is arranged in the order ((2,1), (3,1), ..., (M,1), (3,2), ..., (M,2), ..., (M,M-1)) (the lower-left triangle of the full M-by-M distance matrix). To get the distance between the Ith and Jth nodes (*I* > *J*), use the formula  $D((J-1)*(M-J/2)+I-J)$ . *M* is the number of leaves.

`[D, C] = pdist(Tree)` returns in *C*, the index of the closest common parent nodes for every possible pair of query nodes.

`pdist(..., 'PropertyName', PropertyValue, ...)` calls `pdist` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`pdist(..., 'Nodes', NodesValue, ...)` specifies the nodes included in the computation. Choices are 'leaves' (default) or 'all'. When *NodesValue* is 'leaves', the output is ordered as before, but *M* is the total number of nodes in the tree (*NumLeaves*+*NumBranches*).

`pdist(..., 'Squareform', SquareformValue, ...)` controls the creation of a square matrix. Choices are true or false (default). When *SquareformValue* is true, `pdist` converts the output into a square-formatted matrix, so that *D(I,J)* denotes the distance between the *I*th and the *J*th nodes. The output matrix is symmetric and has a zero diagonal.

`pdist(..., 'Criteria', CriteriaValue, ...)` changes the criteria used to relate pairs. *CriteriaValue* can be 'distance' (default) or 'levels'.

## Examples

- 1 Read a phylogenetic tree file into a `phytree` object.

```
tr = phytreeread('pf00002.tree')
```

- 2 Calculate the tree distances between pairs of leaves.

```
dist = pdist(tr,'nodes','leaves','squareform',true)
```

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `seqlinkage`, `seqpdist`

Bioinformatics Toolbox object: `phytree` object

# pfamhmmread

---

**Purpose** Read data from PFAM HMM-formatted file

**Syntax** `HMMStruct = pfamhmmread(File)`

**Arguments** *File* Either of the following:

- String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a PFAM HMM-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
- MATLAB character array that contains the text of a PFAM-HMM-formatted file.

---

**Tip** You can use the `gethmmprof` function with the 'ToFile' property to retrieve HMM profile information from the PFAM database and create a PFAM HMM-formatted file.

---

**Return Values** *HMMStruct* MATLAB structure containing information from a PFAM HMM-formatted file.

**Description**

---

**Note** `pfamhmmread` reads PFAM-HMM formatted files, from file format version HMMER2.0 to HMMER3/b.

---

*HMMStruct* = `pfamhmmread(File)` reads *File*, a PFAM HMM-formatted file, and converts it to *HMMStruct*, a MATLAB structure containing the following fields corresponding to parameters of an HMM profile:

Field	Description
Name	The protein family name (unique identifier) of the HMM profile record in the PFAM database.
PfamAccessionNumber	The protein family accession number of the HMM profile record in the PFAM database.
ModelDescription	Description of the HMM profile.
ModelLength	The length of the profile (number of MATCH states).
Alphabet	<p>The alphabet used in the model, 'AA' or 'NT'.</p> <hr/> <p><b>Note</b> AlphaLength is 20 for 'AA' and 4 for 'NT'.</p> <hr/>
MatchEmission	<p>Symbol emission probabilities in the MATCH states.</p> <p>The format is a matrix of size ModelLength-by-AlphabetLength, where each row corresponds to the emission distribution for a specific MATCH state.</p>
InsertEmission	<p>Symbol emission probabilities in the INSERT state.</p> <p>The format is a matrix of size ModelLength-by-AlphabetLength, where each row corresponds to the emission distribution for a specific INSERT state.</p>
NullEmission	<p>Symbol emission probabilities in the MATCH and INSERT states for the NULL model.</p> <p>The format is a 1-by-AlphabetLength row vector.</p> <hr/> <p><b>Note</b> NULL probabilities are also known as the background probabilities.</p> <hr/>

Field	Description
BeginX	BEGIN state transition probabilities. Format is a 1-by-(ModelLength + 1) row vector:  [ B->D1 B->M1 B->M2 B->M3 .... B->Mend ]
MatchX	MATCH state transition probabilities. Format is a 4-by-(ModelLength - 1) matrix:  [ M1->M2 M2->M3 ... M[end-1]->Mend; M1->I1 M2->I2 ... M[end-1]->I[end-1]; M1->D2 M2->D3 ... M[end-1]->Dend; M1->E M2->E ... M[end-1]->E ]
InsertX	INSERT state transition probabilities. Format is a 2-by-(ModelLength - 1) matrix:  [ I1->M2 I2->M3 ... I[end-1]->Mend; I1->I1 I2->I2 ... I[end-1]->I[end-1] ]
DeleteX	DELETE state transition probabilities. Format is a 2-by-(ModelLength - 1) matrix:  [ D1->M2 D2->M3 ... D[end-1]->Mend ; D1->D2 D2->D3 ... D[end-1]->Dend ]
FlankingInsertX	Flanking insert states (N and C) used for LOCAL profile alignment. Format is a 2-by-2 matrix:  [ N->B C->T ; N->N C->C ]



Field	Description
LoopX	Loop states transition probabilities used for multiple hits alignment.  Format is a 2-by-2 matrix:  [ E->C   J->B ; E->J   J->J ]
NullX	Null transition probabilities used to provide scores with log-odds values also for state transitions.  Format is a 2-by-1 column vector:  [ G->F ; G->G ]

For more information on HMM profile models, see “HMM Profile Model” on page 3-888.

Examples

Read a locally saved PFAM HMM-formatted file into a MATLAB structure.

```
pfamhmmread('pf00002.1s')

ans =

    Name: '7tm_2'
 PfamAccessionNumber: 'PF00002.15'
  ModelDescription: '7 transmembrane receptor (Secretin family
    ModelLength: 293
     Alphabet: 'AA'
  MatchEmission: [293x20 double]
 InsertEmission: [293x20 double]
   NullEmission: [1x20 double]
      BeginX: [294x1 double]
      MatchX: [292x4 double]
```

# pfamhmmread

---

```
InsertX: [292x2 double]
DeleteX: [292x2 double]
FlankingInsertX: [2x2 double]
LoopX: [2x2 double]
NullX: [2x1 double]
```

## See Also

Bioinformatics Toolbox functions: `gethmmalignment`, `gethmmprof`, `hmmprofalign`, `hmmprofstruct`, `showhmmprof`

## Purpose

Data structure containing phylogenetic tree

## Description

A phytree object is a data structure containing a phylogenetic tree. Phylogenetic trees are binary rooted trees, which means that each branch is the parent of two other branches, two leaves, or one branch and one leaf. A phytree object can be ultrametric or nonultrametric.

## Method Summary

Following are methods of a phytree object:

cluster (phytree)	Validate clusters in phylogenetic tree
get (phytree)	Retrieve information about phylogenetic tree object
getbyname (phytree)	Branches and leaves from phytree object
getcanonical (phytree)	Calculate canonical form of phylogenetic tree
getmatrix (phytree)	Convert phytree object into relationship matrix
getnewickstr (phytree)	Create Newick-formatted string
pdist (phytree)	Calculate pairwise patristic distances in phytree object
plot (phytree)	Draw phylogenetic tree
prune (phytree)	Remove branch nodes from phylogenetic tree
reorder (phytree)	Reorder leaves of phylogenetic tree
reroot (phytree)	Change root of phylogenetic tree
select (phytree)	Select tree branches and leaves in phytree object
subtree (phytree)	Extract phylogenetic subtree

# phytree object

---

view (phytree)	View phylogenetic tree
weights (phytree)	Calculate weights for phylogenetic tree

## Property Summary

**Note** You cannot modify these properties directly. You can access these properties using the `get` method.

Property	Description
NumLeaves	Number of leaves
NumBranches	Number of branches
NumNodes	Number of nodes (NumLeaves + NumBranches)
Pointers	Branch to leaf/branch connectivity list
Distances	Edge length for every leaf/branch
LeafNames	Names of the leaves
BranchNames	Names of the branches
NodeNames	Names of all the nodes

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `phytreewrite`, `seqlinkage`, `seqneighjoin`, `seqpdist`

Bioinformatics Toolbox methods of `phytree` object: `cluster`, `get`, `getbyname`, `getcanonical`, `getmatrix`, `getnewickstr`, `pdist`, `plot`, `prune`, `reroot`, `select`, `subtree`, `view`, `weights`

## Purpose

Create phytree object

## Syntax

```
Tree = phytree(B)
Tree = phytree(B, D)
Tree = phytree(B, C)
Tree = phytree(BC)
Tree = phytree(..., N)
Tree = phytree
```

## Arguments

- B* Numeric array of size [NUMBRANCHES X 2] in which every row represents a branch of the tree. It contains two pointers to the branch or leaf nodes, which are its children.
- C* Column vector with distances for every branch.
- D* Column vector with distances from every node to their parent branch.
- BC* Combined matrix with pointers to branches or leaves, and distances of branches.
- N* Cell array with the names of leaves and branches.

## Description

*Tree* = *phytree(B)* creates an ultrametric phylogenetic tree object. In an ultrametric phylogenetic tree object, all leaves are the same distance from the root.


*B* is a numeric array of size [NUMBRANCHES X 2] in which every row represents a branch of the tree and it contains two pointers to the branch or leaf nodes, which are its children.

Leaf nodes are numbered from 1 to NUMLEAVES and branch nodes are numbered from NUMLEAVES + 1 to NUMLEAVES + NUMBRANCHES. Note that because only binary trees are allowed, NUMLEAVES = NUMBRANCHES + 1.

Branches are defined in chronological order (for example, *B(i, :)* > NUMLEAVES + *i*). As a consequence, the first row can only have pointers to leaves, and the last row must represent the root branch. Parent-child

distances are set to 1, unless the child is a leaf and to satisfy the ultrametric condition of the tree its distance is increased.

Given a tree with three leaves and two branches as an example.



In the MATLAB Command Window, type

```
B = [1 2 ; 3 4]
```


```
B =
```

```
1    2  
3    4
```

```
tree = phytree(B)
```

```
Phylogenetic tree object with 3 leaves (2 branches)
```

```
view(tree)
```



`Tree = phytree(B, D)` creates an additive (ultrametric or nonultrametric) phylogenetic tree object with branch distances defined by *D*. *D* is a numeric array of size [NUMNODES X 1] with the distances of every child node (leaf or branch) to its parent branch equal to NUMNODES = NUMLEAVES + NUMBRANCHES. The last distance in *D* is the distance of the root node and is meaningless.

```
b = [1 2 ; 3 4 ]
```

```
b =
```

```
1    2
3    4
```

```
d = [1; 2; 1.5; 1; 0]
```

```
d =  
  
    1.0000  
    2.0000  
    1.5000  
    1.0000  
    0
```

```
view(phytree(b,d))
```

*Tree* = `phytree(B, C)` creates an ultrametric phylogenetic tree object with distances between branches and leaves defined by **C**. **C** is a numeric array of size [NUMBRANCHES X 1], which contains the distance from each branch to the leaves. In ultrametric trees, all of the leaves are at the same location (same distance to the root).

```
b = [1 2 ; 3 4]
```

```
b =  
  
    1    2  
    3    4
```

```
c = [1 4]'
```

```
c =
```

```
    1  
    4
```

```
view(phytree(b,c))
```

*Tree* = `phytree(BC)` creates an ultrametric phylogenetic binary tree object with branch pointers in `BC(:, [1 2])` and branch coordinates in `BC(:, 3)`. Same as `phytree(B,C)`.



*Tree* = `phytree(..., N)` specifies the names for the leaves and/or the branches. *N* is a cell of strings. If `NUMEL(N)==NUMLEAVES`, then the names are assigned chronologically to the leaves. If `NUMEL(N)==NUMBRANCHES`, the names are assigned to the branch nodes. If `NUMEL(N)==NUMLEAVES + NUMBRANCHES`, all the nodes are named. Unassigned names default to 'Leaf #' and/or 'Branch #' as required.

*Tree* = `phytree` creates an empty phylogenetic tree object.

## Examples

Create a phylogenetic tree for a set of multiply aligned sequences.

```
Sequences = multialignread('aagag.aln')
distances = seqpdist(Sequences)
tree = seqlinkage(distances)
phytreetool(tree)
```

## See Also

Bioinformatics Toolbox functions: `phytreeread`, `phytreetool`, `phytreewrite`, `seqlinkage`, `seqneighjoin`, `seqpdist`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `cluster`, `get`, `getbyname`, `getcanonical`, `getmatrix`, `getnewickstr`, `pdist`, `plot`, `prune`, `reroot`, `select`, `subtree`, `view`, `weights`

# phytreeread

---

<b>Purpose</b>	Read phylogenetic tree file	
<b>Syntax</b>	<i>Tree</i> = phytreeread( <i>File</i> ) [ <i>Tree</i> , <i>Boot</i> ]= phytreeread( <i>File</i> )	
<b>Arguments</b>	<i>File</i>	Newick-formatted tree files (ASCII text file). Enter a file name, a path and file name, or a URL pointing to a file. <i>File</i> can also be a MATLAB character array that contains the text for a file.
<b>Return Values</b>	<i>Tree</i>	phytree object created with the function phytree.
	<i>Boot</i>	Column vector of bootstrap values for each tree node specified in <i>File</i> . If <i>File</i> does not specify a bootstrap value for a node, it returns a NaN value for that node. phytreeread considers the following values in <i>File</i> to be bootstrap values: <ul style="list-style-type: none"><li>• Values within square brackets ( [ ] ) after the branch or leaf node lengths</li><li>• Values that appear instead of branch or leaf node labels</li></ul>
<b>Description</b>	<i>Tree</i> = phytreeread( <i>File</i> ) reads a Newick-formatted tree file and returns a phytree object containing data from the file. The NEWICK tree format can be found at  <a href="http://evolution.genetics.washington.edu/phylip/newicktree.html">http://evolution.genetics.washington.edu/phylip/newicktree.html</a>	

---

**Note** This implementation allows only binary trees. Non-binary trees are translated into a binary tree with extra branches of length 0.

---

`[Tree, Boot] = phytreeread(File)` returns *Boot*, a column vector of bootstrap values for each tree node specified in *File*. If *File* does not specify a bootstrap value for a node, it returns a NaN value for that node. `phytreeread` considers the following values in *File* to be bootstrap values:

- Values within square brackets ([ ]) after the branch or leaf node lengths
- Values that appear instead of branch or leaf node labels

## Examples

```
tr = phytreeread('pf00002.tree')
```

Phylogenetic tree object with 33 leaves (32 branches)

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `gethmmtree`, `phytreetool`, `phytreewrite`

Bioinformatics Toolbox object: `phytree` object

## Purpose

View, edit, and explore phylogenetic tree data

## Syntax

`phytreetool(Tree)`  
`phytreetool(File)`

## Arguments

- Tree*    Phytrees object created with the functions `phytree` or `phytreeread`.
- File*    Newick or ClustalW tree formatted file (ASCII text file) with phylogenetic tree data. Enter a file name, a path and file name, or a URL pointing to a file. *File* can also be a MATLAB character array that contains the text for a Newick file.

## Description

`phytreetool` is an interactive GUI that allows you to view, edit, and explore phylogenetic tree data. This GUI allows branch pruning, reordering, renaming, and distance exploring. It can also open or save Newick formatted files.

`phytreetool(Tree)` loads data from a `phytree` object in the MATLAB workspace into the GUI.


`phytreetool(File)` loads data from a Newick formatted file into the GUI.

## Examples

```
tr= phytreeread('pf00002.tree')
```

Phylogenetic tree object with 33 leaves (32 branches)

```
phytreetool(tr)
```



## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreewrite`

Bioinformatics Toolbox methods of `phytree` object: `cluster`, `plot`, `view`

# phytreewrite

---

## Purpose

Write phylogenetic tree object to Newick-formatted file

## Syntax

```
phytreewrite(File, Tree)  
phytreewrite(Tree)  
phytreewrite(..., 'Distances', DistancesValue, ...)  
phytreewrite(..., 'BranchNames', BranchNamesValue, ...)
```

## Arguments

<i>File</i>	String specifying a Newick-formatted file. Enter either a file name or a path and file name supported by your operating system (ASCII text file).
<i>Tree</i>	Phylogenetic tree object, either created with <code>phytree</code> (object constructor function) or imported using the <code>phytreeread</code> function.

## Description

`phytreewrite(File, Tree)` copies the contents of a `phytree` object from the MATLAB workspace to a file. Data in the file uses the Newick format for describing trees.

The Newick tree format can be found at

<http://evolution.genetics.washington.edu/phylip/newicktree.html>

`phytreewrite(Tree)` opens the Save Phylogenetic Tree As dialog box for you to enter or select a file name.

`phytreewrite(..., 'PropertyName', PropertyValue, ...)` calls `phytreewrite` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`phytreewrite(..., 'Distances', DistancesValue, ...)` specifies whether to exclude the distances from the output. *DistancesValue* can be true (default) or false.

`phytreewrite(..., 'BranchNames', BranchNamesValue, ...)`  
 specifies whether to exclude the branch names from the output.  
*BranchNamesValue* can be true (default) or false.

## Examples


Read tree data from a Newick-formatted file.

```
tr = phytreeread('pf00002.tree')
```

Phylogenetic tree object with 33 leaves (32 branches)

Remove all the mouse proteins and view the pruned tree.

```
ind = getbyname(tr,'mouse');  
tr = prune(tr,ind);  
view(tr)
```



Write pruned tree data to a file.

```
phytreewrite('newtree.tree', tr)
```

## See Also

Bioinformatics Toolbox functions: `multialignwrite`, `phytree` (object constructor), `phytreeread`, `phytreetool`, `seqlinkage`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `getnewickstr`



<b>Purpose</b>	Render clustergram and dendrograms for clustergram object				
<b>Syntax</b>	<pre>plot(CGObject) plot(CGObject, HFig) HFig = plot(...)</pre>				
<b>Arguments</b>	<table><tr><td><i>CGObject</i></td><td>Clustergram object created with the function <code>clustergram</code>.</td></tr><tr><td><i>HFig</i></td><td>Handle to a MATLAB Figure window.</td></tr></table>	<i>CGObject</i>	Clustergram object created with the function <code>clustergram</code> .	<i>HFig</i>	Handle to a MATLAB Figure window.
<i>CGObject</i>	Clustergram object created with the function <code>clustergram</code> .				
<i>HFig</i>	Handle to a MATLAB Figure window.				
<b>Description</b>	<p><code>plot(CGObject)</code> renders a heat map and dendrograms for <i>CGObject</i>, a clustergram object, in a MATLAB Figure window.</p> <p><code>plot(CGObject, HFig)</code> renders a heat map and dendrograms for <i>CGObject</i>, a clustergram object, in a MATLAB Figure window with the handle <i>HFig</i>.</p> <p><code>HFig = plot(...)</code> returns the handle to the figure. The graphic properties are stored as application data in the figure handle.</p>				
<b>Examples</b>	<p>Plot the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the <code>clustergram</code> function reference page.</p> <pre>plot(cgo)</pre>				
<b>See Also</b>	<p>Bioinformatics Toolbox function: <code>clustergram</code> (object constructor)</p> <p>Bioinformatics Toolbox object: clustergram object</p> <p>Bioinformatics Toolbox methods of a clustergram object: <code>addTitle</code>, <code>addXLabel</code>, <code>addYLabel</code>, <code>get</code>, <code>set</code>, <code>view</code></p>				

# plot (DataMatrix)

---

**Purpose** Draw 2-D line plot of DataMatrix object

**Syntax** `plot(DMObj1)`  
`plot(DMObj1, DMObj2)`  
`plot(..., LineSpec)`

**Arguments** *DMObj1*, *DMObj2* DataMatrix objects, such as created by DataMatrix (object constructor).

---

**Note** If both *DMObj1* and *DMObj2* are input arguments, one of the inputs can be a MATLAB numeric array.

---

*LineSpec* String specifying a line style, marker symbol, and color of the plotted lines. For more information on these specifiers, see LineSpec.

**Description** `plot(DMObj1)` plots the columns of a DataMatrix object *DMObj1* versus their index.

`plot(DMObj1, DMObj2)` plots the data from *DMObj1* and *DMObj2*, two DataMatrix objects, or one DataMatrix object and one MATLAB numeric array.

- If *DMObj1* and *DMObj2* are both vectors, they must have the same number of elements, and `plot` plots one vector versus the other vector, creating a single line.
- If one is a vector and one a scalar, `plot` plots discrete points vertically or horizontally, at the scalar value.
- If one is a vector and one a matrix, the number of elements in the vector must equal either the number of rows or the number of columns in the matrix, and `plot` plots the vector versus each row or column in the matrix.

- If both are matrices, they must have the same size (number of rows and columns), and `plot` plots each column in *DMObj1* versus the corresponding column in *DMObj2*.

`plot(..., LineStyle)` plots all lines as defined by *LineStyle*, a character string specifying a line style, marker symbol, and/or color.

---

**Note** For a list of line style, marker, and color specifiers, see `LineStyle`.

---

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

MATLAB function: `plot`

# plot (HeatMap)

---

<b>Purpose</b>	Render heat map for HeatMap object				
<b>Syntax</b>	<pre>plot(HMObject) plot(HMObject, HFig) HFig = plot(...)</pre>				
<b>Arguments</b>	<table><tr><td><i>HMObject</i></td><td>HeatMap object created with the function HeatMap.</td></tr><tr><td><i>HFig</i></td><td>Handle to a MATLAB Figure window.</td></tr></table>	<i>HMObject</i>	HeatMap object created with the function HeatMap.	<i>HFig</i>	Handle to a MATLAB Figure window.
<i>HMObject</i>	HeatMap object created with the function HeatMap.				
<i>HFig</i>	Handle to a MATLAB Figure window.				
<b>Description</b>	<p><code>plot(HMObject)</code> renders a heat map for <i>HMObject</i>, a HeatMap object, in a MATLAB Figure window.</p> <p><code>plot(HMObject, HFig)</code> renders a heat map for <i>HMObject</i>, a HeatMap object, in a MATLAB Figure window with the handle <i>HFig</i>.</p> <p><code>HFig = plot(...)</code> returns the handle to the figure. The graphic properties are stored as application data in the figure handle.</p>				
<b>Examples</b>	<p>Plot the HeatMap object created in the “Examples” on page 3-869 section of the HeatMap function reference page.</p> <pre>plot(hmo)</pre>				
<b>See Also</b>	<p>Bioinformatics Toolbox function: HeatMap (object constructor)</p> <p>Bioinformatics Toolbox object: HeatMap object</p> <p>Bioinformatics Toolbox methods of a HeatMap object: addTitle, addXLabel, addYLabel, view</p>				

## Purpose

Draw phylogenetic tree

## Syntax

```
plot(Tree)
plot(Tree, ActiveBranches)
H = plot(...)
plot(..., 'Type', TypeValue, ...)
plot(..., 'Orientation', OrientationValue, ...)
plot(..., 'Rotation', RotationValue, ...)
plot(..., 'BranchLabels', BranchLabelsValue, ...)
plot(..., 'LeafLabels', LeafLabelsValue, ...)
plot(..., 'TerminalLabels', TerminalLabelsValue, ...)
plot(..., 'LLRotation', LLRotationValue, ...)
```

## Arguments

<i>Tree</i>	Phylogenetic tree object created, such as created with the <code>phytree</code> constructor function.
<i>ActiveBranches</i>	Logical array of size <code>numBranches-by-1</code> indicating the active branches, which are displayed in the Figure window.
<i>TypeValue</i>	String specifying a method for drawing the phylogenetic tree. Choices are: <ul style="list-style-type: none"> <li>• 'square' (default)</li> <li>• 'angular'</li> <li>• 'radial'</li> <li>• 'equalangle'</li> <li>• 'equaldaylight'</li> </ul>

## plot (phytree)

---

<i>OrientationValue</i>	String specifying the position of the root node, and hence the orientation of a phylogram or cladogram tree, when the 'Type' property is 'square' or 'angular'. Choices are: <ul style="list-style-type: none"><li>• 'left' (default)</li><li>• 'right'</li><li>• 'top'</li><li>• 'bottom'</li></ul>
<i>RotationValue</i>	Scalar between 0 (default) and 360 specifying rotation angle (in degrees) of the phylogenetic tree in the Figure window, when the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'.
<i>BranchLabelsValue</i>	Controls the display of branch labels next to branch nodes. Choices are true or false (default).
<i>LeafLabelsValue</i>	Controls the display of leaf labels next to leaf nodes. Choices are true or false. Default is: <ul style="list-style-type: none"><li>• true — When the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'</li><li>• false — When the 'Type' property is 'square' or 'angular'</li></ul>

<i>TerminalLabels</i>	Controls the display of terminal labels over the axis tick labels, when the 'Type' property is 'square' or 'angular'. Choices are true (default) or false.
<i>LLRotationValue</i>	Controls the rotation of leaf labels so that the text aligns to the root node, when the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'. Choices are true or false (default).

## Return Values

<i>H</i>	Structure with handles to seven graph elements. The structure includes the following fields: <ul style="list-style-type: none"><li>• axes</li><li>• BranchLines</li><li>• BranchDots</li><li>• LeafDots</li><li>• branchNodeLabels</li><li>• leafNodeLabels</li><li>• terminalNodeLabels</li></ul>
----------	--

## plot (phytree)

---

---

**Tip** Use the `set` function with the handles in this structure and their related properties to modify the plot. For more information on the properties you can modify using the `axes` handle, see `axes_props`. For more information on the properties you can modify using the `BranchLines`, `BranchDots`, or `LeafDots` handle, see `line_props`. For more information on the properties you can modify using the `branchNodeLabels`, `leafNodeLabels`, or `terminalNodeLabels` handle, see `Text Properties`.

---



## Description


`plot(Tree)` draws a phylogenetic tree object into a figure as a phylogram. The significant distances between branches and nodes are in the horizontal direction. Vertical distances are arbitrary and have no significance.


`plot(Tree, ActiveBranches)` hides the nonactive branches and all of their descendants in the Figure window. *ActiveBranches* is a logical array of size `numBranches-by-1` indicating the active branches.

`H = plot(...)` returns a structure with handles to seven graph elements.



`plot(..., 'Type', TypeValue, ...)` specifies a method for rendering the phylogenetic tree. Choices are as follows.


# plot (phytree)

Rendering Type	Description
'square' (default)	

Rendering Type	Description
'angular'	

# plot (phytree)

Rendering Type	Description
'radial'	
'equalangle'	

Rendering Type	Description
	<div><b>Tip</b> This rendering type hides the significance of the root node and emphasizes clusters, thereby making it useful for visually assessing clusters and detecting outliers.</div>
'equaldaylight'	<div></div> <div><b>Tip</b> This rendering type hides the significance of the root node and emphasizes clusters, thereby making it useful for visually assessing clusters and detecting outliers.</div>

`plot(..., 'Orientation', OrientationValue, ...)` specifies the orientation of the root node, and hence the orientation of a phylogram or cladogram phylogenetic tree in the Figure window, when the 'Type' property is 'square' or 'angular'.

## plot (phytree)

---

`plot(..., 'Rotation', RotationValue, ...)` specifies the rotation angle (in degrees) of the phylogenetic tree in the Figure window, when the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'. Choices are any scalar between 0 (default) and 360.

`plot(..., 'BranchLabels', BranchLabelsValue, ...)` hides or displays branch labels next to the branch nodes. Choices are true or false (default).

`plot(..., 'LeafLabels', LeafLabelsValue, ...)` hides or displays leaf labels next to the leaf nodes. Choices are true or false. Default is:

- true — When the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'
- false — When the 'Type' property is 'square' or 'angular'

`plot(..., 'TerminalLabels', TerminalLabelsValue, ...)` hides or displays terminal labels over the axis tick labels, when the 'Type' property is 'square' or 'angular'. Choices are true (default) or false.

`plot(..., 'LLRotation', LLRotationValue, ...)` controls the rotation of leaf labels so that the text aligns to the root node, when the 'Type' property is 'radial', 'equalangle', or 'equaldaylight'. Choices are true or false (default).

### Examples

```
% Create a phytree object from a file
tr = phytreeread('pf00002.tree')
% Plot the tree and return a structure with handles to the
% graphic elements of the phytree object
h = plot(tr,'Type','radial')

% Modify the font size and color of the leaf node labels
% by using one of the handles in the return structure
set(h.leafNodeLabels,'FontSize',6,'Color',[1 0 0])
```

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `seqlinkage`, `seqneighjoin`

Bioinformatics Toolbox object: phytree object

Bioinformatics Toolbox methods of phytree object: cluster, view

# plus (DataMatrix)

---

<b>Purpose</b>	Add DataMatrix objects	
<b>Syntax</b>	<pre>DMObjNew = plus(DMObj1, DMObj2) DMObjNew = DMObj1 + DMObj2 DMObjNew = plus(DMObj1, B) DMObjNew = DMObj1 + B DMObjNew = plus(B, DMObj1) DMObjNew = B + DMObj1</pre>	
<b>Arguments</b>	<i>DMObj1, DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
	<i>B</i>	MATLAB numeric or logical array.
<b>Return Values</b>	<i>DMObjNew</i>	DataMatrix object created by addition.
<b>Description</b>	<p><i>DMObjNew</i> = plus(<i>DMObj1</i>, <i>DMObj2</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> + <i>DMObj2</i> performs an element-by-element addition of the DataMatrix objects <i>DMObj1</i> and <i>DMObj2</i> and places the results in <i>DMObjNew</i>, another DataMatrix object. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for <i>DMObjNew</i> are the same as <i>DMObj1</i>, unless <i>DMObj1</i> is a scalar; then they are the same as <i>DMObj2</i>.</p> <p><i>DMObjNew</i> = plus(<i>DMObj1</i>, <i>B</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> + <i>B</i> performs an element-by-element addition of <i>DMObj1</i>, a DataMatrix object, and <i>B</i>, a numeric or logical array, and places the results in <i>DMObjNew</i>, another DataMatrix object. <i>DMObj1</i> and <i>B</i> must have the same size (number of rows and columns), unless <i>B</i> is a scalar. The size (number of rows and columns), row names, and column names for <i>DMObjNew</i> are the same as <i>DMObj1</i>.</p>	



*DMObjNew* = plus(*B*, *DMObj1*) or the equivalent *DMObjNew* = *B* + *DMObj1* performs an element-by-element addition of *B*, a numeric or logical array, and *DMObj1*, a DataMatrix object, and places the results in *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls *DMObjNew* = plus(*X*, *Y*) for the syntax *DMObjNew* = *X* + *Y* when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: minus

# power (DataMatrix)

---

<b>Purpose</b>	Array power DataMatrix objects	
<b>Syntax</b>	<pre>DMObjNew = power(DMObj1, DMObj2) DMObjNew = DMObj1 .^ DMObj2 DMObjNew = power(DMObj1, B) DMObjNew = DMObj1 .^ B DMObjNew = power(B, DMObj1) DMObjNew = B .^ DMObj1</pre>	
<b>Arguments</b>	<i>DMObj1</i> , <i>DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
	<i>B</i>	MATLAB numeric or logical array.
<b>Return Values</b>	<i>DMObjNew</i>	DataMatrix object created by array power.
<b>Description</b>	<p><i>DMObjNew</i> = power(<i>DMObj1</i>, <i>DMObj2</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> .^ <i>DMObj2</i> performs an element-by-element power of the DataMatrix objects <i>DMObj1</i> and <i>DMObj2</i> and places the results in <i>DMObjNew</i>, another DataMatrix object. In other words, power raises each element in <i>DMObj1</i> by the corresponding element in <i>DMObj2</i>. <i>DMObj1</i> and <i>DMObj2</i> must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for <i>DMObjNew</i> are the same as <i>DMObj1</i>, unless <i>DMObj1</i> is a scalar; then they are the same as <i>DMObj2</i>.</p> <p><i>DMObjNew</i> = power(<i>DMObj1</i>, <i>B</i>) or the equivalent <i>DMObjNew</i> = <i>DMObj1</i> .^ <i>B</i> performs an element-by-element power of the DataMatrix object <i>DMObj1</i> and <i>B</i>, a numeric or logical array, and places the results in <i>DMObjNew</i>, another DataMatrix object. In other words, power raises each element in <i>DMObj1</i> by the corresponding element in <i>B</i>. <i>DMObj1</i> and <i>B</i> must have the same size (number of rows and columns), unless <i>B</i> is a scalar. The size (number of rows and columns), row names, and column names for <i>DMObjNew</i> are the same as <i>DMObj1</i>.</p>	

*DMObjNew* = power(*B*, *DMObj1*) or the equivalent *DMObjNew* = *B* .^ *DMObj1* performs an element-by-element power of *B*, a numeric or logical array, and the DataMatrix object *DMObj1*, and places the results in *DMObjNew*, another DataMatrix object. In other words, power raises each element in *B* by the corresponding element in *DMObj1*. *DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls *DMObjNew* = power(*X*, *Y*) for the syntax *DMObjNew* = *X* .^ *Y* when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox method of a DataMatrix object: times

<b>Purpose</b>	Create table of probe set library information	
<b>Syntax</b>	<i>ProbeInfo</i> = probelibraryinfo( <i>CELStruct</i> , <i>CDFStruct</i> )	
<b>Arguments</b>	<i>CELStruct</i>	Structure created by the <i>affyread</i> function from an Affymetrix CEL file.
	<i>CDFStruct</i>	Structure created by the <i>affyread</i> function from an Affymetrix CDF library file associated with the CEL file.
<b>Return Values</b>	<i>ProbeInfo</i>	Three-column matrix with the same number of rows as the <i>Probes</i> field of the <i>CELStruct</i> . <ul style="list-style-type: none"><li>• Column 1 — Probe set ID/name to which the probe belongs. (Probes that do not belong to a probe set in the CDF library file have probe set ID/name equal to 0.)</li><li>• Column 2 — Contains the probe pair number.</li><li>• Column 3 — Indicates if the probe is a perfect match (1) or mismatch (-1) probe.</li></ul>
<b>Description</b>	<i>ProbeInfo</i> = probelibraryinfo( <i>CELStruct</i> , <i>CDFStruct</i> ) creates a table of information linking the probe data from <i>CELStruct</i> , a structure created from an Affymetrix CEL file, with probe set information from <i>CDFStruct</i> , a structure created from an Affymetrix CDF file.	

---

**Note** Affymetrix probe pair indexing is 0-based, while MATLAB software indexing is 1-based. The output from *probelibraryinfo* is 1-based.

---

## Examples

The following example uses a sample CEL file and the CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

After you download the demo data, you will need the Affymetrix Data Transfer Tool to extract the CEL file from a DTT file. You can download the Affymetrix Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

The following example assumes that the `Ecoli-antisense-121502.CEL` file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, `Ecoli_ASv2.CDF`, is stored at `D:\Affymetrix\LibFiles\Ecoli`.

- 1 Read the contents of a CEL file into a MATLAB structure.

```
celStruct = affyread('Ecoli-antisense-121502.CEL');
```

- 2 Read the contents of a CDF file into a MATLAB structure.

```
cdfStruct = affyread('D:\Affymetrix\LibFiles\Ecoli\Ecoli_ASv2.CDF');
```

- 3 Extract probe set library information.

```
ProbeInfo = probelibraryinfo(celStruct, cdfStruct);
```

- 4 Determine the probe set to which the 1104th probe belongs.

```
cdfStruct.ProbeSets(ProbeInfo(1104,1)).Name
```

```
ans =
```

```
thrA_b0002_at
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `probesetlink`, `probesetlookup`, `probesetplot`, `probesetvalues`

# probesetlink

---

<b>Purpose</b>	Display probe set information on NetAffx Web site	
<b>Syntax</b>	<pre>probesetlink(AffyStruct, PS) URL = probesetlink(AffyStruct, PS) probesetlink(AffyStruct, PS, ...'Source', SourceValue, ...) probesetlink(AffyStruct, PS, ...'Browser', BrowserValue, ...) URL = probesetlink(AffyStruct, PS, ...'NoDisplay', NoDisplayValue, ...)</pre>	
<b>Arguments</b>	<i>AffyStruct</i>	Structure created by the affyread function from an Affymetrix CHP file or an Affymetrix CDF library file.
	<i>PS</i>	Probe set index or the probe set ID/name.
	<i>SourceValue</i>	Controls the linking to the data source (for example, GenBank or Flybase) for the probe set (instead of linking to the NetAffx Web site). Choices are true or false (default).
<hr/>		
		<b>Note</b> This property requires the GIN library file associated with the CHP or CDF file to be located in the same folder as the CDF library file.
	<i>BrowserValue</i>	Controls the display of the probe set information in your system's default Web browser. Choices are true or false (default).
	<i>NoDisplayValue</i>	Controls the return of <i>URL</i> without opening a Web browser. Choices are true or false (default).
<b>Return Values</b>	<i>URL</i>	URL for the probe set information.

## Description

`probesetlink(AffyStruct, PS)` opens a Web Browser window displaying information on the NetAffx Web site about a probe set specified by *PS*, a probe set index or the probe set ID/name, and *AffyStruct*, a structure created from an Affymetrix CHP file or Affymetrix CDF library file.

*URL* = `probesetlink(AffyStruct, PS)` also returns the URL (linking to the NetAffx Web site) for the probe set information.

`probesetlink(AffyStruct, PS, ...'PropertyName', PropertyValue, ...)` calls `probesetlink` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`probesetlink(AffyStruct, PS, ...'Source', SourceValue, ...)` controls the linking to the data source (for example, GenBank or Flybase) for the probe set (instead of linking to the NetAffx Web site). Choices are `true` or `false` (default).

---

**Note** The 'Source' property requires the GIN library file associated with the CHP or CDF file to be located in the same folder as the CDF library file.

---

`probesetlink(AffyStruct, PS, ...'Browser', BrowserValue, ...)` controls the display of the probe set information in your system's default Web browser. Choices are `true` or `false` (default).

*URL* = `probesetlink(AffyStruct, PS, ...'NoDisplay', NoDisplayValue, ...)` controls the return of the URL without opening a Web browser. Choices are `true` or `false` (default).

---

**Note** The NetAffx Web site requires you to register and provide a user name and password.

---

## Examples

The following example uses a sample CHP file and the CDF library file from the *E. coli* Antisense Genome array, which you can download from:

```
http://www.affymetrix.com/support/technical/sample\_data/demo\_data.affx
```

After you download the demo data, you will need the Affymetrix Data Transfer Tool to extract the CHP file from a DTT file. You can download the Affymetrix Data Transfer Tool from:

```
http://www.affymetrix.com/products/software/specific/dtt.affx
```

The following example assumes that the `Ecoli-antisense-121502.CHP` file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, `Ecoli_ASv2.CDF`, is stored at `D:\Affymetrix\LibFiles\Ecoli`.

- 1 Read the contents of a CHP file into a MATLAB structure.

```
chpStruct = affyread('Ecoli-antisense-121502.CHP',...  
                    'D:\Affymetrix\LibFiles\Ecoli');
```

- 2 Display information from the NetAffx Web site for the `argG_b3172_at` probe set.

```
probesetlink(chpStruct, 'argG_b3172_at')
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `probelibraryinfo`, `probesetlookup`, `probesetplot`, `probesetvalues`



<b>Purpose</b>	Look up information for Affymetrix probe set
<b>Syntax</b>	<i>PSStruct</i> = probesetlookup( <i>AffyStruct</i> , <i>ID</i> )
<b>Arguments</b>	<p><i>AffyStruct</i> Structure created by the <code>affyread</code> function from an Affymetrix CHP file or an Affymetrix CDF library file for expression assays.</p> <p><i>ID</i> String or cell array of strings specifying one or more probe set IDs/names or gene IDs.</p>
<b>Return Values</b>	<p><i>PSStruct</i> Structure or array of structures containing the following fields for a probe set:</p> <ul style="list-style-type: none"> <li>• <b>Identifier</b> — Gene ID associated with the probe set</li> <li>• <b>ProbeSetName</b> — Probe set ID/name</li> <li>• <b>CDFIndex</b> — Index into the CDF structure for the probe set</li> <li>• <b>GINIndex</b> — Index into the GIN structure for the probe set</li> <li>• <b>Description</b> — Description of the probe set</li> <li>• <b>Source</b> — Source(s) of the probe set</li> <li>• <b>SourceURL</b> — Source URL(s) for the probe set</li> </ul>
<b>Description</b>	<i>PSStruct</i> = probesetlookup( <i>AffyStruct</i> , <i>ID</i> ) returns a structure or an array of structures containing information for an Affymetrix probe set specified by <i>ID</i> , a string or cell array of strings specifying one or more probe set IDs/names or gene IDs, and by <i>AffyStruct</i> , a structure created from an Affymetrix CHP file or Affymetrix CDF library file for expression assays.

---

**Note** This function works with CHP files and CDF files for expression assays only. It requires that the GIN library file associated with the CHP file or CDF file to be located in the same folder as the CDF library file.

---

## Examples

The following example uses the CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

The following example assumes that the `Ecoli_ASv2.CDF` library file is stored at `D:\Affymetrix\LibFiles\Ecoli`.

- 1 Read the contents of a CDF library file into a MATLAB structure.

```
cdfStruct = affyread('D:\Affymetrix\LibFiles\Ecoli\Ecoli_ASv2.CDF');
```

- 2 Look up the gene ID (Identifier) associated with the `argG_b3172_at` probe set.

```
probesetlookup(cdfStruct, 'argG_b3172_at')
```

```
ans =
```

```
Identifier: '3315278'
ProbeSetName: 'argG_b3172_at'
CDFIndex: 5213
GINIndex: 3074
Description: [1x82 char]
Source: 'NCBI EColi Genome'
SourceURL: [1x74 char]
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `probelibraryinfo`, `probesetlink`, `probesetplot`, `probesetvalues`, `rmabackadj`

Purpose	Plot Affymetrix probe set intensity values	
Syntax	<pre>probesetplot(CELStruct, CDFStruct, PS) probesetplot(CELStruct, CDFStruct, PS, ... 'GeneName', GeneNameValue, ...) probesetplot(CELStruct, CDFStruct, PS, ... 'Field', FieldValue, ...) probesetplot(CELStruct, CDFStruct, PS, ... 'ShowStats', ShowStatsValue, ...)</pre>	
Arguments	CELStruct	Structure created by the affyread function from an Affymetrix CEL file.
	CDFStruct	Structure created by the affyread function from an Affymetrix CDF library file associated with the CEL file.
	PS	Probe set index or the probe set ID/name.
	GeneNameValue	Controls whether the probe set name or the gene name is used for the title of the plot. Choices are true or false (default).

---

**Note** The 'GeneName' property requires the GIN library file associated with the CEL and CDF files to be located in the same folder as the CDF library file from which *CDFStruct* was created.

---

# probesetplot

---

<i>FieldValue</i>	String specifying the type of data to plot. Choices are: <ul style="list-style-type: none"><li>• 'Intensity' (default)</li><li>• 'StdDev'</li><li>• 'Background'</li><li>• 'Pixels'</li><li>• 'Outlier'</li></ul>
<i>ShowStatsValue</i>	Controls whether the mean and standard deviation lines are included in the plot. Choices are true or false (default).

## Description

`probesetplot(CELStruct, CDFStruct, PS)` plots the PM (perfect match) and MM (mismatch) intensity values for a specified probe set. *CELStruct* is a structure created by the `affyread` function from an Affymetrix CEL file. *CDFStruct* is a structure created by the `affyread` function from an Affymetrix CDF library file associated with the CEL file. *PS* is the probe set index or the probe set ID/name.

---

**Note** MATLAB software uses 1-based indexing for probe set numbers, while the Affymetrix CDF file uses 0-based indexing for probe set numbers. For example, `CDFStruct.ProbeSets(1)` has a `ProbeSetNumber` of 0 in the `ProbePairs` field.

---

`probesetplot(CELStruct, CDFStruct, PS, ...'PropertyName', PropertyValue, ...)` calls `probesetplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`probesetplot(CELStruct, CDFStruct, PS, ... 'GeneName', GeneNameValue, ...)` controls whether the probe set name or the gene name is used for the title of the plot. Choices are `true` or `false` (default).

---

**Note** The 'GeneName' property requires the GIN library file associated with the CEL and CDF files to be located in the same folder as the CDF library file from which *CDFStruct* was created.

---

`probesetplot(CELStruct, CDFStruct, PS, ... 'Field', FieldValue, ...)` specifies the type of data to plot. Choices are:

- 'Intensity' (default)
- 'StdDev'
- 'Background'
- 'Pixels'
- 'Outlier'

`probesetplot(CELStruct, CDFStruct, PS, ... 'ShowStats', ShowStatsValue, ...)` controls whether the mean and standard deviation lines are included in the plot. Choices are `true` or `false` (default).

## Examples

The following example use a sample CEL file and the CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

After you download the demo data, you will need the Affymetrix Data Transfer Tool to extract the CEL file from a DTT file. You can download the Affymetrix Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

The following example assumes that the `Ecoli-antisense-121502.CEL` file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, `Ecoli_ASv2.CDF`, is stored at `D:\Affymetrix\LibFiles\Ecoli`.

- 1 Read the contents of a CEL file into a MATLAB structure.


```
celStruct = affyread('Ecoli-antisense-121502.CEL');
```

- 2 Read the contents of a CDF file into a MATLAB structure.

```
cdfStruct = affyread('D:\Affymetrix\LibFiles\Ecoli\Ecoli_ASv2.CDF');
```

- 3 Plot the PM and MM intensity values of the `argG_b3172_at` probe set, including the mean and standard deviation.

```
probesetplot(celStruct, cdfStruct, 'argG_b3172_at', 'showstats', true)
```



## See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `probesetlink`, `probesetlookup`, `probesetvalues`

# probesetvalues

---

**Purpose** Create table of Affymetrix probe set intensity values

**Syntax**

```
PSValues = probesetvalues(CELStruct, CDFStruct, PS)
PSValues = probesetvalues(CELStruct, CDFStruct, PS,
    'Background', BackgroundValue)
ColumnNames = probesetvalues
```

**Arguments**

<i>CELStruct</i>	Structure created by the affyread function from an Affymetrix CEL file.
<i>CDFStruct</i>	Structure created by the affyread function from an Affymetrix CDF library file associated with the CEL file.
<i>PS</i>	Probe set index or the probe set ID/name.
<i>BackgroundValue</i>	Controls the background correction in the calculation. Choices are: <ul style="list-style-type: none"><li>• <b>true</b> (default) — Background values from the <b>Background</b> field in the <i>PSValues</i> matrix are used to calculate the probe intensity values.</li><li>• <b>false</b> — Background values are not calculated.</li><li>• A vector of precalculated background values (such as returned by the <i>zonebackadj</i> function) whose length is equal to the number of probes in <i>CELStruct</i>. These background values are used to calculate the probe intensity values.</li></ul>



**Tip** Including background correction in the calculation of the probe intensity values can be slow. Therefore, setting 'Background' to false can speed up the calculation. However, the values returned in the 'Background' field of the *PSValues* matrix will be zero.

Return Values

<i>PSValues</i>	Twenty-column matrix with one row for each probe pair in the probe set.
<i>ColumnNames</i>	Cell array of strings containing the column names of the <i>PSValues</i> matrix. This is returned only when you call <code>probesetvalues</code> with no input arguments.

Description

*PSValues* = `probesetvalues(CELStruct, CDFStruct, PS)` creates a table of intensity values for *PS*, a probe set, from the probe-level data in *CELStruct*, a structure created by the `affyread` function from an Affymetrix CEL file. *PS* is a probe set index or probe set ID/name from *CDFStruct*, a structure created by the `affyread` function from an Affymetrix CDF library file associated with the CEL file. *PSValues* is a twenty-column matrix with one row for each probe pair in the probe set. The columns correspond to the following fields.

Column	Field	Description
1	'ProbeSetNumber'	Number identifying the probe set to which the probe pair belongs.
2	'ProbePairNumber'	Index of the probe pair within the probe set.

# probesetvalues

Column	Field	Description
3	'UseProbePair'	This field is for backward compatibility only and is not currently used.
4	'Background'	Estimated background of probe intensity values of the probe pair.
5	'PMPosX'	x-coordinate of the perfect match probe.
6	'PMPosY'	y-coordinate of the perfect match probe.
7	'PMIntensity'	Intensity value of the perfect match probe.
8	'PMStdDev'	Standard deviation of intensity value of the perfect match probe.
9	'PMPixels'	Number of pixels in the cell containing the perfect match probe.
10	'PMOutlier'	True/false flag indicating if the perfect match probe was marked as an outlier.
11	'PMMasked'	True/false flag indicating if the perfect match probe was masked.
12	'MMPosX'	x-coordinate of the mismatch probe.
13	'MMPosY'	y-coordinate of the mismatch probe.
14	'MMIntensity'	Intensity value of the mismatch probe.
15	'MMStdDev'	Standard deviation of intensity value of the mismatch probe.
16	'MMPixels'	Number of pixels in the cell containing the mismatch probe.

Column	Field	Description
17	'MMOutlier'	True/false flag indicating if the mismatch probe was marked as an outlier.
18	'MMMasked'	True/false flag indicating if the mismatch probe was masked.
19	'GroupNumber'	Number identifying the group to which the probe pair belongs. For expression arrays, this is always 1. For genotyping arrays, this is typically 1 (allele A, sense), 2 (allele B, sense), 3 (allele A, antisense), or 4 (allele B, antisense).
20	'Direction'	Number identifying the direction of the probe pair. 1 = sense and 2 = antisense.

**Note** MATLAB software uses 1-based indexing for probe set numbers, while the Affymetrix CDF file uses 0-based indexing for probe set numbers. For example, `CDFStruct.ProbeSets(1)` has a `ProbeSetNumber` of 0 in the `ProbePairs` field.

`PSValues = probesetvalues(CELStruct, CDFStruct, PS, 'Background', BackgroundValue)` controls the background correction in the calculation. *BackgroundValue* can be:

- `true` (default) — Background values from the `Background` field in the *PSValues* matrix are used to calculate the probe intensity values.
- `false` — Background values are not calculated.
- A vector of precalculated background values (such as returned by the `zonebackadj` function) whose length is equal to the number of

probes in *CELStruct*. These background values are used to calculate the probe intensity values.

---

**Tip** Including background correction in the calculation of the probe intensity values can be slow. Therefore, setting 'Background' to false can speed up the calculation. However, the values returned in the 'Background' field of the *PSValues* matrix will be zero.

---

*ColumnNames* = probesetvalues returns a cell array of strings containing the column names of the *PSValues* matrix. *ColumnNames* is returned only when you call probesetvalues without input arguments. The information contained in *ColumnNames* is common to all Affymetrix GeneChip arrays.

## Examples

The following example uses a sample CEL file and the CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

After you download the demo data, you will need the Affymetrix Data Transfer Tool to extract the CEL file from a DTT file. You can download the Affymetrix Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

The following example assumes that the *Ecoli-antisense-121502.CEL* file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, *Ecoli\_ASv2.CDF*, is stored at *D:\Affymetrix\LibFiles\Ecoli*.

- 1 Read the contents of a CEL file into a MATLAB structure.

```
celStruct = affyread('Ecoli-antisense-121502.CEL');
```

- 2 Read the contents of a CDF file into a MATLAB structure.

```
cdfStruct = affyread('D:\Affymetrix\LibFiles\Ecoli\Ecoli_ASv2.CDF');
```

- 3 Use the `zonebackadj` function to return a matrix or cell array of vectors containing the estimated background values for each probe.

```
[baData,zones,background] = zonebackadj(celStruct,'cdf',cdfStruct);
```

- 4 Create a table of intensity values for the `argG_b3172_at` probe set.

```
psvals = probesetvalues(celStruct, cdfStruct, 'argG_b3172_at',...  
                        'background',background);
```

### See Also

Bioinformatics Toolbox functions: `affyread`, `celintensityread`, `probelibraryinfo`, `probesetlink`, `probesetlookup`, `probesetplot`, `rmabackadj`, `zonebackadj`

## Purpose

Align two profiles using Needleman-Wunsch global alignment

## Syntax

```
Prof = proalign(Prof1, Prof2)  
[Prof, H1, H2] = proalign(Prof1, Prof2)  
proalign(..., 'ScoringMatrix', ScoringMatrixValue, ...)  
proalign(..., 'GapOpen', {G1Value, G2Value}, ...)  
proalign(..., 'ExtendGap', {E1Value, E2Value}, ...)  
proalign(..., 'ExistingGapAdjust', ExistingGapAdjustValue,  
    ...)  
proalign(..., 'TerminalGapAdjust', TerminalGapAdjustValue,  
    ...)  
proalign(..., 'ShowScore', ShowScoreValue, ...)
```

## Description

*Prof* = proalign(*Prof1*, *Prof2*) returns a new profile (*Prof*) for the optimal global alignment of two profiles (*Prof1*, *Prof2*). The profiles (*Prof1*, *Prof2*) are numeric arrays of size [(4 or 5 or 20 or 21) x Profile Length] with counts or weighted profiles. Weighted profiles are used to down-weight similar sequences and up-weight divergent sequences. The output profile is a numeric matrix of size [(5 or 21) x New Profile Length] where the last row represents gaps. Original gaps in the input profiles are preserved. The output profile is the result of adding the aligned columns of the input profiles.

[*Prof*, *H1*, *H2*] = proalign(*Prof1*, *Prof2*) returns pointers that indicate how to rearrange the columns of the original profiles into the new profile.

proalign(..., '*PropertyName*', *PropertyValue*, ...) calls proalign with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

proalign(..., 'ScoringMatrix', *ScoringMatrixValue*, ...) defines the scoring matrix (*ScoringMatrixValue*) to be used for the alignment. The default is 'BLOSUM50' for amino acids or 'NUC44' for nucleotide sequences.

`profalign(..., 'GapOpen', {G1Value, G2Value}, ...)` sets the penalties for opening a gap in the first and second profiles respectively. *G1Value* and *G2Value* can be either scalars or vectors. When using a vector, the number of elements is one more than the length of the input profile. Every element indicates the position specific penalty for opening a gap between two consecutive symbols in the sequence. The first and the last elements are the gap penalties used at the ends of the sequence. The default gap open penalties are {10,10}.

`profalign(..., 'ExtendGap', {E1Value, E2Value}, ...)` sets the penalties for extending a gap in the first and second profile respectively. *E1Value* and *E2Value* can be either scalars or vectors. When using a vector, the number of elements is one more than the length of the input profile. Every element indicates the position specific penalty for extending a gap between two consecutive symbols in the sequence. The first and the last elements are the gap penalties used at the ends of the sequence. If `ExtendGap` is not specified, then extensions to gaps are scored with the same value as `GapOpen`.

`profalign(..., 'ExistingGapAdjust', ExistingGapAdjustValue, ...)`, if *ExistingGapAdjustValue* is false, turns off the automatic adjustment based on existing gaps of the position-specific penalties for opening a gap. When *ExistingGapAdjustValue* is true (default), for every profile position, `profalign` proportionally lowers the penalty for opening a gap toward the penalty of extending a gap based on the proportion of gaps found in the contiguous symbols and on the weight of the input profile.

`profalign(..., 'TerminalGapAdjust', TerminalGapAdjustValue, ...)`, when *TerminalGapAdjustValue* is true, adjusts the penalty for opening a gap at the ends of the sequence to be equal to the penalty for extending a gap. Default is false.

`profalign(..., 'ShowScore', ShowScoreValue, ...)`, when *ShowScoreValue* is true, displays the scoring space and the winning path.

## Examples

- 1** Read in sequences and create profiles.

```
ma1 = [ 'RGTANCDMQDA'; 'RGTAHCDMQDA'; 'RRRAPCDL-DA' ];  
ma2 = [ 'RGTHCDLADAT'; 'RGTACDMADAA' ];  
p1 = seqprofile(ma1,'gaps','all','counts',true);  
p2 = seqprofile(ma2,'counts',true);
```

- 2** Merge two profiles into a single one by aligning them.

```
p = profalign(p1,p2);  
seqlogo(p)
```

- 3** Use the output pointers to generate the multiple alignment.

```
[p, h1, h2] = profalign(p1,p2);  
ma = repmat('-',5,12);  
ma(1:3,h1) = ma1;  
ma(4:5,h2) = ma2;  
disp(ma)
```

- 4** Increase the gap penalty before cysteine in the second profile.

```
gapVec = 10 + [p2(aa2int('C'),:) 0] * 10  
p3 = profalign(p1,p2,'gapopen',{10,gapVec});  
seqlogo(p3)
```

- 5** Add a new sequence to a profile without inserting new gaps into the profile.

```
gapVec = [0 inf(1,11) 0];  
p4 = profalign(p3,seqprofile('PLHFMSVLWDVQQWP'),...  
    'gapopen',{gapVec,10});  
seqlogo(p4)
```

## See Also

Bioinformatics Toolbox functions: `hmmprofalign`, `multialign`, `nwalalign`, `seqprofile`, `seqconsensus`



<b>Purpose</b>	Open Protein Plot window to investigate properties of amino acid sequence	
<b>Syntax</b>	proteinplot proteinplot (SeqAA)	
<b>Arguments</b>	SeqAA	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String of single-letter codes specifying an amino acid sequence. For valid letter codes, see the table Mapping Amino Acid Letter Codes to Integers on page 3-2. Unknown characters are mapped to 0.</li><li>• MATLAB structure containing a Sequence field that contains an amino acid sequence, such as returned by fastaread, getgenpept, genpeptread, getpdb, or pdbread.</li></ul>
<b>Description</b>	<p>The Protein Plot window lets you analyze and compare properties of a single amino acid sequence. It displays smoothed line plots of various properties such as the hydrophobicity of the amino acids in the sequence.</p> <p>proteinplot opens the Protein Plot window.</p> <p>proteinplot (SeqAA) opens the Protein Plot window and loads SeqAA, an amino acid sequence, into the window.</p>	

---

**Tip** You can analyze and compare properties of an amino acid sequence from the MATLAB command line also by using the proteinproplot function.

---

## Examples

### Importing Sequences into the Protein Plot Window

You can import a sequence into the Protein Plot window from the MATLAB command line.


- 1 Retrieve an amino acid sequence from the Protein Data Bank (PDB) database.

```
prion = getpdb('1HJM', 'SEQUENCEONLY', true);
```

- 2 Load the amino acid sequence into the Protein Plot window.

```
proteinplot(prion)
```

The Protein Plot window opens, and the sequence appears in the **Sequence** text box.



You can import a sequence after the Protein Plot window is open by doing either of the following:

- Type or paste an amino acid sequence into the **Sequence** text box.
- Click the **Import Sequence** button to open the Import dialog box. From the **Import From** list, select one of the following:
  - **Workspace** — To select a variable from the MATLAB Workspace

- **Text File** — To select a text file
- **FASTA File** — To select a FASTA-formatted file
- **GenPept File** — To select a GenPept-formatted file
- **GenPept Database** — To specify an accession number in the GenPept database

## Viewing Properties of Amino Acids

Select a property from the **Properties** drop-down list box to display a smoothed plot of the property values along the sequence. You can select multiple properties from the list by holding down **Shift** or **Ctrl** while selecting properties. When you select two properties, the plots are displayed using a PLOTYY-style layout, with one *y*-axis on the left and one on the right. For all other selections, a single *y*-axis is displayed. When displaying one or two properties, the *y* values displayed are the actual property values. When displaying three or more properties, the values are normalized to the range 0–1.

## Accessing Information About the Properties

You can access information about the properties from the **Help** menu.

- 1 Select **Help > References**. The Help browser opens with a list of properties and references.
- 2 Scroll down to locate the property of interest.

## Using Other Features in the Protein Plot Window

The **Terminal Selection** boxes (N and C) let you choose to plot only part of the sequence. By default, all of the sequence is plotted.

You can add your own properties by clicking on the **Add** button next to the **Properties** list. This opens a Property dialog box that lets you specify the value for each of the amino acids. The **Display Text** box lets you specify the text that will be displayed in the **Properties** list on the main Protein Plot window. You can also save the property values to a file for future use by typing a file name in the **Filename** text box.

The default smoothing method is an unweighted linear moving average with a window length of five residues. You can change this by selecting **Edit > Filter Window Options**. The dialog box lets you select the **Window Size** from 5 to 29 residues. Increasing the window size produces a smoother plot. You can modify the shape of the smoothing window by changing the **Edge Weight** factor. And you can choose the smoothing function to be a linear moving average, an exponential moving average or a linear Lowess smoothing.

The **File** menu lets you import a sequence, save the plot that you have created to a Figure file, export the data values in the figure to a workspace variable or to a MAT-file, export the figure to a normal Figure window for customizing, or print the figure.

The **Edit** menu lets you create a new property, to reset the property values to the default values, and to modify the smoothing parameters with the **Configuration Values** menu item.

The **View** menu lets you turn the toolbar on and off, and to add a legend to the plot.

The **Tools** menu lets you zoom in and zoom out of the plot, to view **Data Statistics** such as mean, minimum and maximum values of the plot, and to normalize the values of the plot from 0 to 1.

The **Help** menu lets you view this document and to see the references for the sequence properties included with the Protein Plot window.

## See Also

Bioinformatics Toolbox functions: `aaccount`, `atomiccomp`, `molviewer`, `molweight`, `pdbdistplot`, `proteinpropplot`, `seqtool`

MATLAB function: `plotyy`

# proteinpropplot

---

**Purpose**

Plot properties of amino acid sequence

**Syntax**

```
proteinpropplot (SeqAA)
proteinpropplot(SeqAA, ...'PropertyTitle',
PropertyTitleValue, ...)
proteinpropplot(SeqAA, ...'Startat', StartatValue, ...)
proteinpropplot(SeqAA, ...'Endat', EndatValue, ...)
proteinpropplot(SeqAA, ...'Smoothing', SmoothingValue, ...)
proteinpropplot(SeqAA, ...'EdgeWeight',
EdgeWeightValue, ...)
proteinpropplot(SeqAA, ...'WindowLength',
WindowLengthValue,
...)
```

**Arguments**

SeqAA

Amino acid sequence. Enter any of the following:

- Character string of letters representing an amino acid
- Vector of integers representing an amino acid, such as returned by aa2int
- Structure containing a Sequence field that contains an amino acid sequence, such as returned by getembl, getgenpept, or getpdb

PropertyTitleValue

String that specifies the property to plot. Default is Hydrophobicity (Kyte & Doolittle). To display a list of properties to plot, enter a empty string for PropertyTitleValue. For example, type:

```
proteinpropplot(sequence, 'propertytitle', '')
```

---

**Tip** To access references for the properties, view the `proteinpropplot` file.

---

<i>StartatValue</i>	Integer that specifies the starting point for the plot from the N-terminal end of the amino acid sequence <i>SeqAA</i> . Default is 1.
<i>EndatValue</i>	Integer that specifies the ending point for the plot from the N-terminal end of the amino acid sequence <i>SeqAA</i> . Default is <code>length(SeqAA)</code> .
<i>SmoothingValue</i>	String the specifies the smoothing method. Choices are: <ul style="list-style-type: none"> <li>• linear (default)</li> <li>• exponential</li> <li>• lowess</li> </ul>
<i>EdgeWeightValue</i>	Value that specifies the edge weight used for linear and exponential smoothing methods. Decreasing this value emphasizes peaks in the plot. Choices are any value 0 and 1. Default is 1.
<i>WindowLengthValue</i>	Integer that specifies the window length for the smoothing method. Increasing this value gives a smoother plot that shows less detail. Default is 11.

## Description

`proteinpropplot (SeqAA)` displays a plot of the hydrophobicity (Kyte and Doolittle, 1982) of the residues in sequence *SeqAA*.

`proteinpropplot(SeqAA, ...'PropertyName', PropertyValue, ...)` calls `proteinpropplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed

in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`proteinpropplot(SeqAA, ...'PropertyTitle', PropertyTitleValue, ...)` specifies a property to plot for the amino acid sequence *SeqAA*. Default is *Hydrophobicity* (Kyte & Doolittle). To display a list of possible properties to plot, enter an empty string for *PropertyTitleValue*. For example, type:

```
proteinpropplot(sequence, 'propertytitle', '')
```

---

**Tip** To access references for the properties, view the `proteinpropplot` file.

---

`proteinpropplot(SeqAA, ...'Startat', StartatValue, ...)` specifies the starting point for the plot from the N-terminal end of the amino acid sequence *SeqAA*. Default is 1.

`proteinpropplot(SeqAA, ...'Endat', EndatValue, ...)` specifies the ending point for the plot from the N-terminal end of the amino acid sequence *SeqAA*. Default is `length(SeqAA)`.

`proteinpropplot(SeqAA, ...'Smoothing', SmoothingValue, ...)` specifies the smoothing method. Choices are:

- linear (default)
- exponential
- lowess

`proteinpropplot(SeqAA, ...'EdgeWeight', EdgeWeightValue, ...)` specifies the edge weight used for linear and exponential smoothing methods. Decreasing this value emphasizes peaks in the plot. Choices are any value 0 and 1. Default is 1.

`proteinpropplot(SeqAA, ...'WindowLength', WindowLengthValue, ...)` specifies the window length for the



smoothing method. Increasing this value gives a smoother plot that shows less detail. Default is 11.

## Examples


### Plotting Hydrophobicity

- 1 Use the `getpdb` function to retrieve a protein sequence.

```
prion = getpdb('1HJM', 'SEQUENCEONLY', true);
```

- 2 Plot the hydrophobicity (Kyte and Doolittle, 1982) of the residues in the sequence.

```
proteinpropplot(prion)
```




## Plotting Parallel Beta Strand

- 1 Use the `getgenpept` function to retrieve a protein sequence.

```
s = getgenpept('aad50640');
```

- 2 Plot the conformational preference for parallel beta strand for the residues in the sequence.

```
proteinpropplot(s,'propertytitle','Parallel beta strand')
```



## References

[1] Kyte, J., and Doolittle, R.F. (1982). A simple method for displaying the hydropathic character of a protein. *J Mol Biol* 157(1), 105–132.

## See Also

Bioinformatics Toolbox functions: `aaccount`, `atomiccomp`, `molviewer`, `molweight`, `pdbdistplot`, `proteinplot`, `ramachandran`, `seqtool`

MATLAB function: `plotyy`

# prune (phytree)

---

<b>Purpose</b>	Remove branch nodes from phylogenetic tree						
<b>Syntax</b>	<pre>T2 = prune(T1, Nodes) T2 = prune(T1, Nodes, 'Mode', 'Exclusive')</pre>						
<b>Arguments</b>	<table><tr><td><i>T1</i></td><td>Phylogenetic object created with the phytree constructor function.</td></tr><tr><td><i>Nodes</i></td><td>Nodes to remove from tree.</td></tr><tr><td><i>Mode</i></td><td>Property to control the method of pruning. Enter either 'Inclusive' or 'Exclusive'. The default value is 'Inclusive'.</td></tr></table>	<i>T1</i>	Phylogenetic object created with the phytree constructor function.	<i>Nodes</i>	Nodes to remove from tree.	<i>Mode</i>	Property to control the method of pruning. Enter either 'Inclusive' or 'Exclusive'. The default value is 'Inclusive'.
<i>T1</i>	Phylogenetic object created with the phytree constructor function.						
<i>Nodes</i>	Nodes to remove from tree.						
<i>Mode</i>	Property to control the method of pruning. Enter either 'Inclusive' or 'Exclusive'. The default value is 'Inclusive'.						

**Description**

`T2 = prune(T1, Nodes)` removes the nodes listed in the vector *Nodes* from the tree *T1*. `prune` removes any branch or leaf nodes listed in *Nodes* and all their descendants from the tree *T1*, and returns the modified tree *T2*. The parent nodes are connected to the 'brothers' as required. Nodes in the tree are labeled as [1:numLeaves] for the leaves and as [numLeaves+1:numLeaves+numBranches] for the branches. *Nodes* can also be a logical array of size [numLeaves+numBranches x 1] indicating the nodes to be removed.

`T2 = prune(T1, Nodes, 'Mode', 'Exclusive')` changes the *Mode* property for pruning to 'Exclusive' and removes only the descendants of the nodes listed in the vector *Nodes*. Nodes that do not have a predecessor become leaves in the list *Nodes*. In this case, pruning is the process of reducing a tree by turning some branch nodes into leaf nodes, and removing the leaf nodes under the original branch.

**Examples**

Load a phylogenetic tree created from a protein family

```
tr = phytreeread('pf00002.tree');
view(tr)
```

Remove all the 'mouse' proteins

```
ind = getbyname(tr,'mouse');  
tr = prune(tr,ind);  
view(tr)
```

Remove potential outliers in the tree

```
[sel,sel_leaves] = select(tr,'criteria','distance',...  
                        'threshold',.3,...  
                        'reference','leaves',...  
                        'exclude','leaves',...  
                        'propagate','toleaves');  
tr = prune(tr,~sel_leaves)  
view(tr)
```

### See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreetool`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `select`, `get`

<b>Purpose</b>	Retrieve or set PubMed IDs in ExpressionSet object
<b>Syntax</b>	<pre>PMIDs = pubMedID(ESObj) NewESObj = pubMedID(ESObj, NewPMIDs)</pre>
<b>Description</b>	<p><i>PMIDs = pubMedID(ESObj)</i> returns a string or cell array of strings containing the PubMed IDs from a MIAME object in an ExpressionSet object.</p> <p><i>NewESObj = pubMedID(ESObj, NewPMIDs)</i> replaces the PubMed IDs in the MIAME object in <i>ESObj</i>, an ExpressionSet object, with <i>NewPMIDs</i>, a string or cell array of strings specifying new PubMed IDs, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewPMIDs</i></p> <p>String or cell array of strings containing new PubMed IDs.</p>
<b>Output Arguments</b>	<p><i>PMIDs</i></p> <p>String or cell array of strings containing the PubMed IDs from a MIAME object in an ExpressionSet object.</p> <p><i>NewESObj</i></p> <p>Object of the bioma.ExpressionSet class, returned after replacing the PubMed IDs.</p>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the PubMed identifiers stored in the MIAME object stored in the ExpressionSet object:</p> <pre>% Retrieve PubMed IDs from the MIAME object PMIDs = pubMedID(ESObj)</pre>

## See Also

`bioma.ExpressionSet` | `bioma.data.MIAME`

## How To

- “Storing and Managing Gene Expression Data in Objects”

## Related Links

- <http://www.ncbi.nlm.nih.gov/pubmed/>

# quantilenorm

---

**Purpose** Quantile normalization over multiple arrays

**Syntax**

```
NormData = quantilenorm(Data)
NormData = quantilenorm(...,'MEDIAN', true)
NormData = quantilenorm(...,'DISPLAY', true)
```

**Description** *NormData* = quantilenorm(*Data*), where the columns of *Data* correspond to separate chips, normalizes the distributions of the values in each column.

---

**Note** If *Data* contains NaN values, then *NormData* will also contain NaN values at the corresponding positions.

---

*NormData* = quantilenorm(...,'MEDIAN', true) takes the median of the ranked values instead of the mean.

*NormData* = quantilenorm(...,'DISPLAY', true) plots the distributions of the columns and of the normalized data.

**Examples**

```
load yeastdata
normYeastValues = quantilenorm(yeastvalues,'display',1);
```

**See Also** affygcma, affyrma, malowess, manorm, rmabackadj, rmasummary



**Purpose** Draw Ramachandran plot for Protein Data Bank (PDB) data

**Syntax**

```
ramachandran(PDBid)
ramachandran(File)
ramachandran(PDBStruct)
RamaStruct = ramachandran(...)
ramachandran(..., 'Chain', ChainValue, ...)
ramachandran(..., 'Plot', PlotValue, ...)
ramachandran(..., 'Model', ModelValue, ...)
ramachandran(..., 'Glycine', GlycineValue, ...)
ramachandran(..., 'Regions', RegionsValue, ...)
ramachandran(..., 'RegionDef', RegionDefValue, ...)
```

**Arguments**

<i>PDBid</i>	String specifying a unique identifier for a protein structure record in the PDB database.
--------------	---

---

**Note** Each structure in the PDB database is represented by a four-character alphanumeric identifier. For example, 4hhb is the identifier for hemoglobin.

---

<i>File</i>	String specifying a file name or a path and file name. The referenced file is a Protein Data Bank (PDB)-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Directory.
-------------	--

<i>PDBStruct</i>	MATLAB structure containing PDB-formatted data, such as returned by <code>getpdb</code> or <code>pdbread</code> .
------------------	---

<i>ChainValue</i>	<p>String or cell array of strings that specifies the chain(s) to compute the torsion angles for and plot.</p> <p>Choices are:</p> <ul style="list-style-type: none"><li>• 'All' (default) — Torsion angles for all chains are computed and plotted.</li><li>• A string specifying the chain ID, which is case sensitive.</li><li>• A cell array of strings specifying chain IDs, which are case sensitive.</li></ul>
<i>PlotValue</i>	<p>String specifying how to plot chains. Choices are:</p> <ul style="list-style-type: none"><li>• 'None' — Plots nothing.</li><li>• 'Separate' — Plots torsion angles for all specified chains in separate plots.</li><li>• 'Combined' (default) — Plots torsion angles for all specified chains in one combined plot.</li></ul>
<i>ModelValue</i>	<p>Integer that specifies the structure model to consider. Default is 1.</p>
<i>GlycineValue</i>	<p>Controls the highlighting of glycine residues with a circle in the plot. Choices are true or false (default).</p>

*RegionsValue*

Controls the drawing of Ramachandran reference regions in the plot. Choices are true or false (default).

The default regions are core right-handed alpha, core beta, core left-handed alpha, and allowed, with the core regions corresponding to data points of preferred values of psi/phi angle pairs, and the allowed regions corresponding to possible, but disfavored values of psi/phi angle pairs, based on simple energy considerations. The boundaries of these default regions are based on the calculations by Morris et al., 1992.

---

**Note** If using the default colormap, red = right-handed core alpha, core beta, and core left-handed alpha, while yellow = allowed.

---

*RegionDefValue*

MATLAB structure or array of structures (if specifying multiple regions) containing information (name, color, and boundaries) for custom reference regions in a Ramachandran plot. Each structure must contain the following fields:

- **Name** — String specifying a name for the region.
- **Color** — String or three-element numeric vector of RGB values specifying a color for the region in the plot.
- **Patch** — A 2-by-N matrix of values, the first row containing torsion angle phi ( $\Phi$ ) values, and the second row containing torsion angle psi ( $\Psi$ ) values. When psi/phi angle pairs are plotted, the data points specify boundaries for

the region. N is the number of data points needed to define the region.

**Tip** If you specify custom reference regions in which a smaller region is contained or covered by a larger region, list the structure for the smaller region first in the array so that it is plotted last and visible in the plot.

Return Values

*RamaStruct*

MATLAB structure or array of structures (if protein contains multiple chains). Each structure contains the following fields:

- Angles
- ResidueNum
- ResidueName
- Chain
- HPoints

For descriptions of the fields, see the following table.

Description

A Ramachandran plot is a plot of the torsion angle phi,  $\Phi$ , (torsion angle between the C-N-CA-C atoms) versus the torsion angle psi,  $\Psi$ , (torsion angle between the N-CA-C-N atoms) for each residue of a protein sequence.

`ramachandran(PDBid)` generates the Ramachandran plot for the protein specified by the PDB database identifier *PDBid*.

`ramachandran(File)` generates the Ramachandran plot for the protein specified by *File*, a PDB-formatted file.

`ramachandran(PDBStruct)` generates the Ramachandran plot for the protein stored in *PDBStruct*, a MATLAB structure containing PDB-formatted data, such as returned by `getpdb` or `pdbread`.

*RamaStruct* = `ramachandran(...)` returns a MATLAB structure or array of structures (if protein contains multiple chains). Each structure contains the following fields.

Field	Description
Angles	<p>Three-column matrix containing the torsion angles phi (<math>\Phi</math>), psi (<math>\Psi</math>), and omega (<math>\omega</math>) for each residue in the sequence, ordered by residue sequence number. The number of rows in the matrix is equal to the number of rows in the <code>ResidueNum</code> column vector, which can be used to determine which residue corresponds to each row in the <code>Angles</code> matrix.</p> <hr/> <p><b>Note</b> The <code>Angles</code> matrix contains a row for each number in the range of residue sequence numbers, including residue sequence numbers missing from the PDB file. Rows corresponding to residue sequence numbers missing from the PDB file contain the value <code>NaN</code>.</p> <hr/>
ResidueNum	<p>Column vector containing the residue sequence numbers from the PDB file.</p>

Field	Description
	<div><div><b>Note</b> The ResidueNum vector starts with one of the following:</div><div><ul style="list-style-type: none"><li>• The lowest residue sequence number (if the lowest residue sequence number is negative or zero)</li><li>• The number 1 (if the lowest residue sequence number is positive)</li></ul></div><div>The ResidueNum vector ends with the highest residue sequence number and includes all numbers in the range, including residue sequence numbers missing from the PDB file.</div></div>
ResidueName	Column vector containing the residue names for the protein.
Chain	A string specifying the chains in the protein.
HPoints	Handle to the data points in the plot.

ramachandran(..., 'PropertyName', PropertyValue, ...) calls ramachandran with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

ramachandran(..., 'Chain', ChainValue, ...) specifies the chain(s) to compute the torsion angles for and plot. Choices are:

- 'All' (default) — Torsion angles for all chains are computed and plotted.
- A string specifying the chain ID, which is case sensitive.
- A cell array of strings specifying chain IDs, which are case sensitive.

`ramachandran(..., 'Plot', PlotValue, ...)` specifies how to plot chains. Choices are:

- 'None' — Plots nothing.
- 'Separate' — Plots torsion angles for all specified chains in separate plots.
- 'Combined' (default) — Plots torsion angles for all specified chains in one combined plot.

`ramachandran(..., 'Model', ModelValue, ...)` specifies the structure model to consider. Default is 1.

`ramachandran(..., 'Glycine', GlycineValue, ...)` controls the highlighting of glycine residues with a circle in the plot. Choices are true or false (default).

`ramachandran(..., 'Regions', RegionsValue, ...)` controls the drawing of Ramachandran reference regions in the plot. Choices are true or false (default).

The default regions are core right-handed alpha, core beta, core left-handed alpha, and allowed, with the core regions corresponding to data points of preferred values of psi/phi angle pairs, and the allowed regions corresponding to possible, but disfavored values of psi/phi angle pairs, based on simple energy considerations. The boundaries of these default regions are based on the calculations by Morris et al., 1992.

---

**Note** If using the default colormap, then red = core right-handed alpha, core beta, and core left-handed alpha, while yellow = allowed.

---

`ramachandran(..., 'RegionDef', RegionDefValue, ...)` specifies information (name, color, and boundary) for custom reference regions in a Ramachandran plot. *RegionDefValue* is a MATLAB structure or array of structures containing the following fields:

- **Name** — String specifying a name for the region.
- **Color** — String or three-element numeric vector of RGB values specifying a color for the region in the plot.
- **Patch** — A 2-by-N matrix of values, the first row containing torsion angle phi ( $\Phi$ ) values, and the second row containing torsion angle psi ( $\Psi$ ) values. When psi/phi angle pairs are plotted, the data points specify a boundary for the region. N is the number of data points needed to define the region.

---

**Tip** If you specify custom reference regions in which a smaller region is contained or covered by a larger region, list the structure for the smaller region first in the array so that it is plotted last and visible in the plot.

---


## Examples

### Drawing a Ramachandran Plot

Draw the Ramachandran plot for the human serum albumin complexed with octadecanoic acid, which has a PDB database identifier of 1E7I.

```
ramachandran('1E7I')
```





## Drawing a Ramachandran Plot for a Specific Chain

- 1 Use the `getpdb` function to retrieve protein structure data for the human growth hormone from the PDB database, and save the information to a file.

```
getpdb('1a22','ToFile','1a22.pdb');
```


- 2 Compute the torsion angles and draw the Ramachandran plot for chain A of the human growth hormone, represented in the pdb file, 1a22.pdb.

```
ChainA1a22Struct = ramachandran('1a22.pdb','chain','A')
```

```
ChainA1a22Struct =
```

# ramachandran

```
Angles: [191x3 double]
ResidueNum: [191x1 double]
ResidueName: {191x1 cell}
Chain: 'A'
HPoints: 370.0012
```




## Drawing Ramachandran Plots with Highlighted Glycine Residues and Ramachandran Regions

- 1 Use the `getpdb` function to retrieve protein structure data for the human growth hormone from the PDB database, and store the information in a structure.

```
Struct1a22 = getpdb('1a22');
```

- 2 Draw a combined Ramachandran plot for all chains of the human growth hormone, represented in the pdb structure, 1a22Struct. Highlight the glycine residues (with a circle), and draw the reference Ramachandran regions in the plot.

```
ramachandran(Struct1a22,'glycine',true,'regions',true);
```





**Tip** Click a data point to display a data tip with information about the residue. Click a region to display a data tip defining the region. Press and hold the **Alt** key to display multiple data tips.

# ramachandran

- 3 Draw a separate Ramachandran plot for each chain of the human growth hormone, represented in the pdb structure, 1a22Struct. Highlight the glycine residues (with a circle) and draw the reference Ramachandran regions in the plot.

```
ramachandran(Struct1a22,'plot','separate','chain','all',...  
            'glycine',true,'regions',true)
```





## Writing a Tab-Delimited Report File from a Ramachandran Structure

- 1 Create an array of two structures containing torsion angles for chains A and D in the Calcium/Calmodulin-dependent protein kinase, which has a PDB database identifier of 1hxx.

```
a = ramachandran('1hxx', 'chain', {'A', 'D'})
```

```
a =
```

```
1x2 struct array with fields:
  Angles
  ResidueNum
```


```
ResidueName  
Chain  
HPoints
```

- 2** Write a tab-delimited report file containing torsion angles  $\phi$  ( $\Phi$ ) and  $\psi$  ( $\Psi$ ) for chains A and D in the Calcium/Calmodulin-dependent protein kinase.

```
fid = fopen('rama_1hcx_report.txt', 'wt');  
  
for c = 1:numel(a)  
    for i = 1:length(a(c).Angles)  
        if ~all(isnan(a(c).Angles(i,:)))  
            fprintf(fid, '%s\t%d\t%s\t%f\t%f\n', a(c).Chain, ...  
                    a(c).ResidueNum(i), a(c).ResidueName{i}, ...  
                    a(c).Angles(i,1:2));  
        end  
    end  
end  
  
fclose(fid);
```

- 3** View the file you created in the MATLAB Editor.

```
edit rama_1hcx_report.txt
```



1	A	336	THR	-107.589510	23.018406
2	A	337	THR	-55.719152	-67.612222
3	A	338	ILE	-65.153695	163.796933
4	A	339	GLU	53.092557	74.553413
5	A	340	ASP	156.881039	-38.848811
6	A	341	GLU	-76.392611	-19.197177
7	A	342	ASP	-93.845157	-25.807018

## References

[1] Morris, A.L., MacArthur, M.W., Hutchinson, E.G., and Thornton, J.M. (1992). Stereochemical Quality of Protein Structure Coordinates. *PROTEINS: Structure, Function, and Genetics* 12, 345–364.

## See Also

Bioinformatics Toolbox functions: `getpdb`, `molviewer`, `pdbdistplot`, `pdbread`, `proteinpropplot`

# randfeatures

---

## Purpose

Generate randomized subset of features

## Syntax

```
[IDX, Z] = randfeatures(X, Group, 'PropertyName',  
    PropertyValue...)  
randfeatures(..., 'Classifier', C)  
randfeatures(..., 'ClassOptions', CO)  
randfeatures(..., 'PerformanceThreshold', PT)  
randfeatures(..., 'ConfidenceThreshold', CT)  
randfeatures(..., 'SubsetSize', SS)  
randfeatures(..., 'PoolSize', PS)  
randfeatures(..., 'NumberOfIndices', N)  
randfeatures(..., 'CrossNorm', CN)  
randfeatures(..., 'Verbose', VerboseValue)
```

## Description

[IDX, Z] = randfeatures(X, Group, 'PropertyName', PropertyValue...) performs a randomized subset feature search reinforced by classification. randfeatures randomly generates subsets of features used to classify the samples. Every subset is evaluated with the apparent error. Only the best subsets are kept, and they are joined into a single final pool. The cardinality for every feature in the pool gives the measurement of the significance.

X contains the training samples. Every column of X is an observed vector. Group contains the class labels. Group can be a numeric vector or a cell array of strings; numel(Group) must be the same as the number of columns in X, and numel(unique(Group)) must be greater than or equal to 2. Z is the classification significance for every feature. IDX contains the indices after sorting Z; i.e., the first one points to the most significant feature.

randfeatures(..., 'Classifier', C) sets the classifier. Options are

'da'	(default)	Discriminant analysis
'knn'		K nearest neighbors

randfeatures(..., 'ClassOptions', CO) is a cell with extra options for the selected classifier. Defaults are



{5, 'correlation', 'consensus'} for KNN and {'linear'} for DA. See `knnclassify` and `classify` for more information.

`randfeatures(..., 'PerformanceThreshold', PT)` sets the correct classification threshold used to pick the subsets included in the final pool. Default is 0.8 (80%).

`randfeatures(..., 'ConfidenceThreshold', CT)` uses the posterior probability of the discriminant analysis to invalidate classified subvectors with low confidence. This option is only valid when Classifier is 'da'. Using it has the same effect as using 'consensus' in KNN; i.e., it makes the selection of approved subsets very stringent. Default is  $0.95.^{(\text{number of classes})}$ .

`randfeatures(..., 'SubsetSize', SS)` sets the number of features considered in every subset. Default is 20.

`randfeatures(..., 'PoolSize', PS)` sets the targeted number of accepted subsets for the final pool. Default is 1000.

`randfeatures(..., 'NumberOfIndices', N)` sets the number of output indices in IDX. Default is the same as the number of features.

`randfeatures(..., 'CrossNorm', CN)` applies independent normalization across the observations for every feature. Cross-normalization ensures comparability among different features, although it is not always necessary because the selected classifier properties might already account for this. Options are

'none' (default)	Intensities are not cross-normalized.
'meanvar'	$x_{\text{new}} = (x - \text{mean}(x)) / \text{std}(x)$
'softmax'	$x_{\text{new}} = (1 + \exp((\text{mean}(x) - x) / \text{std}(x)))^{-1}$
'minmax'	$x_{\text{new}} = (x - \min(x)) / (\max(x) - \min(x))$

`randfeatures(..., 'Verbose', VerboseValue)`, when Verbose is true, turns off verbosity. Default is true.

## Examples

Find a reduced set of genes that is sufficient for classification of all the cancer types in the t-matrix NCI60 data set. Load sample data.

# randfeatures

---

```
load NCI60tmatrix
```

Select features.

```
I = randfeatures(X,GROUP,'SubsetSize',15,'Classifier','da');
```

Test features with a linear discriminant classifier.

```
C = classify(X(I(1:25),:),'X(I(1:25),:)',GROUP);  
cp = classperf(GROUP,C);  
cp.CorrectRate
```

## See Also

Bioinformatics Toolbox functions: `classperf`, `crossvalind`, `knnclassify`, `rankfeatures`, `svmclassify`

Statistics Toolbox functions: `classify`, `sequentialfs`

**Purpose** Generate random sequence from finite alphabet

**Syntax**

```
Seq = randseq(SeqLength)
Seq = randseq(SeqLength, ...'Alphabet', AlphabetValue, ...)
Seq = randseq(SeqLength, ...'Weights', WeightsValue, ...)
Seq = randseq(SeqLength, ...'FromStructure',
    FromStructureValue, ...)
Seq = randseq(SeqLength, ...'Case', CaseValue, ...)
Seq = randseq(SeqLength, ...'DataType', DataTypeValue, ...)
```

<b>Arguments</b>	<i>SeqLength</i>	Integer that specifies the number of nucleotides or amino acids in the random sequence .
	<i>AlphabetValue</i>	String that specifies the alphabet for the sequence. Choices are 'dna'(default), 'rna', or 'amino'.
	<i>WeightsValue</i>	Property to specify a weighted random sequence.
	<i>FromStructureValue</i>	Property to specify a weighted random sequence using output structures from the functions from basecount, dimercount, codoncount, or aacount.
	<i>CaseValue</i>	String that specifies the case of letters in a sequence when Alphabet is 'char'. Choices are 'upper' (default) or 'lower'.
	<i>DataTypeValue</i>	String that specifies the data type for a sequence. Choices are 'char'(default) for letter sequences, and 'uint8' or 'double' for numeric sequences.
		Creates a sequence as an array of <i>DataType</i> .

## Description

*Seq* = randseq(*SeqLength*) creates a random sequence with a length specified by *SeqLength*.

*Seq* = randseq(*SeqLength*, ...'*PropertyName*', *PropertyValue*, ...) calls randseq with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Seq* = randseq(*SeqLength*, ...'*Alphabet*', *AlphabetValue*, ...) generates a sequence from a specific alphabet.

*Seq* = randseq(*SeqLength*, ...'*Weights*', *WeightsValue*, ...) creates a weighted random sequence where the *i*th letter of the sequence alphabet is selected with weight *W*(*i*). The weight vector is usually a probability vector or a frequency count vector. Note that the *i*th element of the nucleotide alphabet is given by int2nt(*i*), and the *i*th element of the amino acid alphabet is given by int2aa(*i*).

*Seq* = randseq(*SeqLength*, ...'*FromStructure*', *FromStructureValue*, ...) creates a weighted random sequence with weights given by the output structure from basecount, dimercount, codoncount, or aacount.

*Seq* = randseq(*SeqLength*, ...'*Case*', *CaseValue*, ...) specifies the case for a letter sequence.

*Seq* = randseq(*SeqLength*, ...'*DataType*', *DataTypeValue*, ...) specifies the data type for the sequence array.

## Examples

Generate a random DNA sequence.

```
randseq(20)

ans =
TAGCTGGCCAAGCGAGCTTG
```

Generate a random RNA sequence.

```
randseq(20,'alphabet','rna')
```

```
ans =  
GCUGCGGCGGUUGUAUCCUG
```

Generate a random protein sequence.

```
randseq(20,'alphabet','amino')
```

```
ans =  
DYKMCLYEFGMFGHFTGHKK
```

**See Also**

Statistics Toolbox functions: `hmmgenerate`, `randsample`

MATLAB functions: `rand`, `randperm`

# rankfeatures

---

## Purpose

Rank key features by class separability criteria

## Syntax

```
[IDX, Z] = rankfeatures(X, Group)
[IDX, Z] = rankfeatures(X, Group, ...'Criterion',
CriterionValue, ...)
[IDX, Z] = rankfeatures(X, Group, ...'CCWeighting', ALPHA,
...)
[IDX, Z] = rankfeatures(X, Group, ...'NWeighting',
BETA, ...)
[IDX, Z] = rankfeatures(X, Group, ...'NumberOfIndices', N,
...)
[IDX, Z] = rankfeatures(X, Group, ...'CrossNorm', CN, ...)
```

## Description

[*IDX*, *Z*] = rankfeatures(*X*, *Group*) ranks the features in *X* using an independent evaluation criterion for binary classification. *X* is a matrix where every column is an observed vector and the number of rows corresponds to the original number of features. *Group* contains the class labels.

*IDX* is the list of indices to the rows in *X* with the most significant features. *Z* is the absolute value of the criterion used (see below).

*Group* can be a numeric vector or a cell array of strings; numel(*Group*) is the same as the number of columns in *X*, and numel(unique(*Group*)) is equal to 2.

[*IDX*, *Z*] = rankfeatures(*X*, *Group*, ...'*PropertyName*', *PropertyValue*, ...) calls rankfeatures with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

[*IDX*, *Z*] = rankfeatures(*X*, *Group*, ...'*Criterion*', *CriterionValue*, ...) sets the criterion used to assess the significance of every feature for separating two labeled groups. Choices are:

- 'ttest' (default) — Absolute value two-sample t-test with pooled variance estimate.
- 'entropy' — Relative entropy, also known as Kullback-Leibler distance or divergence.
- 'bhattacharyya' — Minimum attainable classification error or Chernoff bound.
- 'roc' — Area between the empirical receiver operating characteristic (ROC) curve and the random classifier slope.
- 'wilcoxon' — Absolute value of the u-statistic of a two-sample unpaired Wilcoxon test, also known as Mann-Whitney.

---

**Note** 'ttest', 'entropy', and 'bhattacharyya' assume normal distributed classes while 'roc' and 'wilcoxon' are nonparametric tests. All tests are feature independent.

---

[*IDX*, *Z*] = rankfeatures(*X*, *Group*, ...'CCWeighting', *ALPHA*, ...) uses correlation information to outweigh the *Z* value of potential features using  $Z * (1 - ALPHA * (RHO))$ , where *RHO* is the average of the absolute values of the cross-correlation coefficient between the candidate feature and all previously selected features. *ALPHA* sets the weighting factor. It is a scalar value between 0 and 1. When *ALPHA* is 0 (default) potential features are not weighted. A large value of *RHO* (close to 1) outweighs the significance statistic; this means that features that are highly correlated with the features already picked are less likely to be included in the output list.

[*IDX*, *Z*] = rankfeatures(*X*, *Group*, ...'NWeighting', *BETA*, ...) uses regional information to outweigh the *Z* value of potential features using  $Z * (1 - \exp(-(DIST/BETA).^2))$ , where *DIST* is the distance (in rows) between the candidate feature and previously selected features. *BETA* sets the weighting factor. It is greater than or equal to 0. When *BETA* is 0 (default) potential features are not weighted. A small *DIST* (close to 0) outweighs the significance statistics of only

close features. This means that features that are close to already picked features are less likely to be included in the output list. This option is useful for extracting features from time series with temporal correlation.

*BETA* can also be a function of the feature location, specified using @ or an anonymous function. In both cases `rankfeatures` passes the row position of the feature to `BETA()` and expects back a value greater than or equal to 0.

---

**Note** You can use 'CCWeighting' and 'NWeighting' together.

---

`[IDX, Z] = rankfeatures(X, Group, ...'NumberOfIndices', N, ...)` sets the number of output indices in *IDX*. Default is the same as the number of features when *ALPHA* and *BETA* are 0, or 20 otherwise.

`[IDX, Z] = rankfeatures(X, Group, ...'CrossNorm', CN, ...)` applies independent normalization across the observations for every feature. Cross-normalization ensures comparability among different features, although it is not always necessary because the selected criterion might already account for this. Choices are:

- 'none' (default) — Intensities are not cross-normalized.
- 'meanvar' —  $x_{\text{new}} = (x - \text{mean}(x)) / \text{std}(x)$
- 'softmax' —  $x_{\text{new}} = (1 + \exp((\text{mean}(x) - x) / \text{std}(x)))^{-1}$
- 'minmax' —  $x_{\text{new}} = (x - \min(x)) / (\max(x) - \min(x))$

## Examples

- 1 Find a reduced set of genes that is sufficient for differentiating breast cancer cells from all other types of cancer in the t-matrix NCI60 data set. Load sample data.

```
load NCI60tmatrix
```

- 2 Get a logical index vector to the breast cancer cells.

```
BC = GROUP == 8;
```



**3** Select features.

```
I = rankfeatures(X,BC,'NumberOfIndices',12);
```

**4** Test features with a linear discriminant classifier.

```
C = classify(X(I,:)',X(I,:)',double(BC));
cp = classperf(BC,C);
cp.CorrectRate
```

```
ans =
```

```
1
```

**5** Use cross-correlation weighting to further reduce the required number of genes.

```
I = rankfeatures(X,BC,'CCWeighting',0.7,'NumberOfIndices',8);
C = classify(X(I,:)',X(I,:)',double(BC));
cp = classperf(BC,C);
cp.CorrectRate
```

```
ans =
```


```
1
```

**6** Find the discriminant peaks of two groups of signals with Gaussian pulses modulated by two different sources.

```
load GaussianPulses
f = rankfeatures(y',grp,'NWeighting',@(x) x/10+5,'NumberOfIndices',5);
plot(t,y(grp==1,:), 'b',t,y(grp==2,:), 'g',t(f),1.35,'vr')
```

# rankfeatures

---



## See Also

Bioinformatics Toolbox functions: `classperf`, `crossvalind`, `randfeatures`, `svmclassify`

Statistics Toolbox functions: `classify`, `sequentialfs`

## Purpose

Right array divide DataMatrix objects

## Syntax

```
DMObjNew = rdivide(DMObj1, DMObj2)
DMObjNew = DMObj1 ./ DMObj2
DMObjNew = rdivide(DMObj1, B)
DMObjNew = DMObj1 ./ B
DMObjNew = rdivide(B, DMObj1)
DMObjNew = B ./ DMObj1
```

## Arguments

<i>DMObj1</i> , <i>DMObj2</i>	DataMatrix objects, such as created by DataMatrix (object constructor).
<i>B</i>	MATLAB numeric or logical array.

## Return Values

<i>DMObjNew</i>	DataMatrix object created by right array division.
-----------------	--

## Description

*DMObjNew* = *rdivide*(*DMObj1*, *DMObj2*) or the equivalent *DMObjNew* = *DMObj1* ./ *DMObj2* performs an element-by-element right array division of the DataMatrix objects *DMObj1* and *DMObj2* and places the results in *DMObjNew*, another DataMatrix object. In other words, *rdivide* divides each element in *DMObj1* by the corresponding element in *DMObj2*. *DMObj1* and *DMObj2* must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*, unless *DMObj1* is a scalar; then they are the same as *DMObj2*.

*DMObjNew* = *rdivide*(*DMObj1*, *B*) or the equivalent *DMObjNew* = *DMObj1* ./ *B* performs an element-by-element right array division of the DataMatrix object *DMObj1* and *B*, a numeric or logical array, and places the results in *DMObjNew*, another DataMatrix object. In other words, *rdivide* divides each element in *DMObj1* by the corresponding element in *B*. *DMObj1* and *B* must have the same size (number of rows and

## rdivide (DataMatrix)

---

columns), unless  $B$  is a scalar. The size (number of rows and columns), row names, and column names for  $DMObjNew$  are the same as  $DMObj1$ .

$DMObjNew = rdivide(B, DMObj1)$  or the equivalent  $DMObjNew = B ./ DMObj1$  performs an element-by-element right array division of  $B$ , a numeric or logical array, and the DataMatrix object  $DMObj1$ , and places the results in  $DMObjNew$ , another DataMatrix object. In other words,  $rdivide$  divides each element in  $B$  by the corresponding element in  $DMObj1$ .  $DMObj1$  and  $B$  must have the same size (number of rows and columns), unless  $B$  is a scalar. The size (number of rows and columns), row names, and column names for  $DMObjNew$  are the same as  $DMObj1$ .

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls  $DMObjNew = rdivide(X, Y)$  for the syntax  $DMObjNew = X ./ Y$  when  $X$  or  $Y$  is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: `ldivide`, `times`

<b>Purpose</b>	Read one or more entries from source file associated with BioIndexedFile object
<b>Syntax</b>	<pre>Output = read(BioIFobj, Indices) Output = read(BioIFobj, Key)</pre>
<b>Description</b>	<p><i>Output = read(BioIFobj, Indices)</i> reads the entries specified by <i>Indices</i> from the source file associated with <i>BioIFobj</i>, a BioIndexedFile object. <i>Indices</i> is a vector of positive integers specifying indices to entries in the source file. The <i>read</i> method reads and parses the entries using the function specified by the <i>Interpreter</i> property of the BioIndexedFile object. A one-to-one relationship exists between the number and order of elements in <i>Indices</i> and <i>Output</i>, even if <i>Indices</i> has repeated entries. <i>Output</i> is a structure or an array of structures containing the parsed data returned by the interpreter function.</p> <p><i>Output = read(BioIFobj, Key)</i> reads the entries specified by <i>Key</i> from the source file associated with <i>BioIFobj</i>, a BioIndexedFile object. <i>Key</i> is a string or cell array of strings specifying one or more keys to entries in the source file. The <i>read</i> method reads and parses the entries using the function specified by the <i>Interpreter</i> property of the BioIndexedFile object. If the keys in the source file are not unique, the <i>read</i> method reads all entries that match a specified key, all at the position of the key in the <i>Key</i> cell array. If the keys in the source file are unique, there is a one-to-one relationship between the number and order of elements in <i>Key</i> and <i>Output</i>.</p>
<b>Tips</b>	<p>Before using the <i>read</i> method, make sure the <i>Interpreter</i> property of the BioIndexedFile object is set appropriately. The <i>Interpreter</i> property is a handle to a function that parses the entries in the source file. The interpreter function must accept a single string of one or more concatenated entries and return a structure or an array of structures containing the interpreted data.</p> <p>If the BioIndexedFile object was created from a source file with an application-specific format such as 'SAM', 'FASTQ', or 'FASTA', the default <i>Interpreter</i> property is a handle to a function appropriate for</p>

# BioIndexedFile.read

---

that file type and typically does not require you to change it. If the BioIndexedFile object was created from a source file with a 'TABLE', 'MRTAB', or 'FLAT' format, then the default Interpreter property is [], which means the interpreter is an anonymous function in which the output is equivalent to the input.

For information on setting the Interpreter property, see BioIndexedFile class.

## Input Arguments

*BioIFobj*

Object of the BioIndexedFile class.

*Indices*

Vector of positive integers specifying indices to entries in the source file associated with *BioIFobj*, the BioIndexedFile object. The number of elements in *Indices* must be less than or equal to the number of entries in the source file. There is a one-to-one relationship between the number and order of elements in *Indices* and *Output*, even if *Indices* has repeated entries.

*Key*

String or cell array of strings specifying one or more keys in the source file.

## Output Arguments

*Output*

Structure or an array of structures containing the parsed data returned by the interpreter function.

## Examples

Construct a BioIndexedFile object to access a table containing cross-references between gene names and gene ontology (GO) terms:

```
% Create variable containing full absolute path of source file
sourcefile = which('yeastgenes.sgd');
% Create a BioIndexedFile object from the source file. Indicate
% the source file is a tab-delimited file where contiguous rows
% with the same key are considered a single entry. Store the
```

```
% index file in the Current Folder. Indicate that keys are
% located in column 3 and that header lines are prefaced with !
gene2goObj = BioIndexedFile('mrtab', sourcefile, '.', ...
                           'KeyColumn', 3, 'HeaderPrefix', '!')
```

---

Read the GO term from all entries that are associated with the gene YAT2:

```
% Access entries that have the string YAT2 in their keys
YAT2_entries = getEntryByKey(gene2goObj, 'YAT2');
% Adjust the object interpreter to return only the column
% containing the GO term
gene2goObj.Interpreter = @(x) regexp(x, 'GO:\d+', 'match')
% Parse the entries with a key of YAT2 and return all GO terms
% from those entries
GO_YAT2_entries = read(gene2goObj, 'YAT2')

GO_YAT2_entries =

'GO:0004092' 'GO:0005737' 'GO:0006066' 'GO:0006066' 'GO:0009437'
```

## See Also

BioIndexedFile

## How To

- “Extracting Information from Large Multi-Entry Text Files”

# rebasecuts

---

**Purpose** Find restriction enzymes that cut nucleotide sequence

**Syntax**

```
[Enzymes, Sites] = rebasecuts(SeqNT)
rebasecuts(SeqNT, Group)
rebasecuts(SeqNT, [Q, R])
rebasecuts(SeqNT, S)
```

**Arguments**

<i>SeqNT</i>	Nucleotide sequence.
<i>Group</i>	Cell array of strings representing the names of valid restriction enzymes.
<i>Q, R</i>	Base positions that limit the search to all sites between base <i>Q</i> and base <i>R</i> .
<i>S</i>	Base position that limits the search to all sites after base <i>S</i> .

**Return Values**

<i>Enzymes</i>	Cell array with the names of restriction enzymes from REBASE®, the Restriction Enzyme Database.
<i>Sites</i>	Vector of cut sites identified with the base position number before every cut.

**Description**

[*Enzymes*, *Sites*] = rebasecuts(*SeqNT*) finds all the restriction enzymes that cut *SeqNT*, a nucleotide sequence.

rebasecuts(*SeqNT*, *Group*) limits the search to *Group*, a list of enzymes.

rebasecuts(*SeqNT*, [*Q*, *R*]) limits the search to those enzymes that cut after the base position specified by *Q* and before the base position specified by *R*.

rebasecuts(*SeqNT*, *S*) limits the search to those enzymes that cut just after the base position specified by *S*.



REBASE, the Restriction Enzyme Database, is a collection of information about restriction enzymes and related proteins. For more information about REBASE, see:

<http://rebase.neb.com/rebase/rebase.html>

## Examples

- 1 Create a nucleotide sequence.

```
seq = 'AGAGGGGTACGCGCTCTGAAAAGCGGGAACCTCGTGGCGCTTTATTAA';
```

- 2 Find all possible enzymes and cleavage sites in the sequence.

```
[enzymes, sites] = rebasecuts(seq)
```

- 3 Find where restriction enzymes CfoI and Tru9I cut the sequence.

```
[enzymes, sites] = rebasecuts(seq, {'CfoI', 'Tru9I'})
```

```
enzymes =
```

```
    'CfoI'
    'CfoI'
    'Tru9I'
```

```
sites =
```

```
    13
    39
    45
```

- 4 Find all possible enzymes that cut after base 7.

```
enzymes = rebasecuts(seq, 7)
```

```
enzymes =
```

```
    'Csp6I'
    'CviQI'
    'RsaNI'
```

**5** Find all possible enzymes that cut between bases 11 and 37.

```
enzymes = rebasecuts(seq, [11 37])

enzymes =

    'AccII '
    'AspLEI '
    'BmiI '
    'Bsh1236I '
    'BspFNI '
    'BspLI '
    'BstFNI '
    'BstHHI '
    'BstUI '
    'CfoI '
    'FnuDII '
    'GlaI '
    'HhaI '
    'Hin6I '
    'HinP1I '
    'Hpy188I '
    'HspAI '
    'MvnI '
    'NlaIV '
    'PspN4I '
    'SetI '
```

## References

[1] Roberts, R.J., Vincze, T., Posfai, J., and Macelis, D. (2007). REBASE—enzymes and genes for DNA restriction and modification. *Nucl. Acids Res.* 35, D269–D270.

[2] Official REBASE Web site: <http://rebase.neb.com>.

## See Also

Bioinformatics Toolbox functions: `cleave`, `cleavelookup`, `restrict`, `seq2regexp`, `seqshowwords`

MATLAB function: `regexp`

# redbluecmap

---

**Purpose** Create red and blue colormap

**Syntax** `redbluecmap(Length)`

**Arguments**

*Length* Positive integer that specifies the length of (or the number of colors in) the colormap. Choices are positive integers  $\geq 3$  or  $\leq 11$ . Default is 11.


**Description**

`redbluecmap(Length)` returns a *Length*-by-3 matrix containing a red and blue diverging color palette. Low values are dark blue, values in the center of the map are white, and high values are dark red. *Length* is a positive integer  $\geq 3$  and  $\leq 11$ , which determines the number of colors in the colormap. Default is 11.

**Examples**


- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains `yeastvalues`, a matrix of gene expression data. Create a clustergram object and display the dendrograms and heat map from the gene expression data in the first 30 rows of the `yeastvalues` matrix.

```
load filteredyeastdata
cgo = clustergram(yeastvalues(1:30,:))
Clustergram object with 30 rows of nodes and 7 columns of nodes.
```



**2** Reset the colormap of the heat map to redbluecmap.

```
set(cgo,'Colormap',redbluecmap);
```



## References

[1] <http://colorbrewer.org>

## See Also

Bioinformatics Toolbox functions: `clustergram`, `redgreencmap`

MATLAB functions: `colormap`, `colormapeditor`

## Purpose

Create red and green colormap

## Syntax

```
redgreencmap(Length)
redgreencmap(Length, 'Interpolation', InterpolationValue)
```

## Arguments

*Length*

Length of the colormap. Enter either 256 or 64. Default is the length of the colormap of the current figure.

*InterpolationValue*

Property that lets you set the algorithm for color interpolation. Choices are:

- 'linear'
- 'quadratic'
- 'cubic'
- 'sigmoid' (default)

---

**Note** The sigmoid interpolation is tanh.

---

## Description

`redgreencmap(Length)` returns a *Length*-by-3 matrix containing a red and green colormap. Low values are bright green, values in the center of the map are black, and high values are red. Enter either 256 or 64 for *Length*. If *Length* is empty, the length of the map will be the same as the length of the colormap of the current figure.

`redgreencmap(Length, 'Interpolation', InterpolationValue)` lets you set the algorithm for color interpolation. Choices are:

- 'linear'
- 'quadratic'
- 'cubic'
- 'sigmoid' (default)

---


**Note** The sigmoid interpolation is  $\tanh$ .

---

## Examples

- 1 Create a MATLAB structure from the microarray data in a GenePix Results (GPR) file, then display an image of the the 'F635 Median' field.


```
pd = gprread('mouse_a1pd.gpr');  
mimage(pd, 'F635 Median')
```



- 2 Reset the colormap of the current figure.

```
colormap(redgreencmap)
```



**See Also**

Bioinformatics Toolbox function: `clustergram`, `redbluecmap`

MATLAB functions: `colormap`, `colormapeditor`

# reorder (phytree)

---

<b>Purpose</b>	Reorder leaves of phylogenetic tree	
<b>Syntax</b>	<pre>Tree1Reordered = reorder(Tree1, Order) [Tree1Reordered, OptimalOrder] = reorder(Tree1, Order,     'Approximate', ApproximateValue) [Tree1Reordered, OptimalOrder] = reorder(Tree1, Tree2)</pre>	
<b>Arguments</b>	<i>Tree1, Tree2</i>	Phytree objects.
	<i>Order</i>	Vector with position indices for each leaf.
	<i>ApproximateValue</i>	Controls the use of the optimal leaf-ordering calculation to find the closest order possible to the suggested one without dividing the clades or producing crossing branches. Enter true to use the calculation. Default is false.
<b>Return Values</b>	<i>Tree1Reordered</i>	Phytree object with reordered leaves.
	<i>OptimalOrder</i>	Vector of position indices for each leaf in <i>Tree1Reordered</i> , determined by the optimal leaf-ordering calculation.
<b>Description</b>	<p><i>Tree1Reordered</i> = reorder(<i>Tree1</i>, <i>Order</i>) reorders the leaves of the phylogenetic tree <i>Tree1</i>, without modifying its structure and distances, creating a new phylogenetic tree, <i>Tree1Reordered</i>. <i>Order</i> is a vector of position indices for each leaf. If <i>Order</i> is invalid, that is, if it divides the clades (or produces crossing branches), then reorder returns an error message.</p> <p>[<i>Tree1Reordered</i>, <i>OptimalOrder</i>] = reorder(<i>Tree1</i>, <i>Order</i>, 'Approximate', <i>ApproximateValue</i>) controls the use of the optimal leaf-ordering calculation, which finds the best approximate order closest to the suggested one, without dividing the clades or producing crossing branches. Enter true to use the calculation and return</p>	

*Tree1Reordered*, the reordered tree, and *OptimalOrder*, a vector of position indices for each leaf in *Tree1Reordered*, determined by the optimal leaf-ordering calculation. Default is false.

`[Tree1Reordered, OptimalOrder] = reorder(Tree1, Tree2)` uses the optimal leaf-ordering calculation to reorder the leaves in *Tree1* such that it matches the order of leaves in *Tree2* as closely as possible, without dividing the clades or producing crossing branches. *Tree1Reordered* is the reordered tree, and *OptimalOrder* is a vector of position indices for each leaf in *Tree1Reordered*, determined by the optimal leaf-ordering calculation

## Examples

### Reordering Leaves Using a Valid Order

- 1 Create and view a phylogenetic tree.

```
b = [1 2; 3 4; 5 6; 7 8; 9 10];
tree = phytree(b)
    Phylogenetic tree object with 6 leaves (5 branches)
view(tree)
```

- 2 Reorder the leaves on the phylogenetic tree, and then view the reordered tree.

```
treeReordered = reorder(tree, [5, 6, 3, 4, 1, 2])
view(treeReordered)
```

### Finding Best Approximate Order When Using an Invalid Order

- 1 Create a phylogenetic tree by reading a Newick-formatted tree file (ASCII text file).

```
tree = phytread('pf00002.tree')
    Phylogenetic tree object with 33 leaves (32 branches)
```

- 2 Create a row vector of the leaf names in alphabetical order.

```
[dummy, order] = sort(get(tree, 'LeafNames'));
```

## reorder (phytree)

---

- 3** Reorder the phylogenetic tree to match as closely as possible the row vector of alphabetically ordered leaf names, without dividing the clades or having crossing branches.

```
treeReordered = reorder(tree,order,'approximate',true)
Phylogenetic tree object with 33 leaves (32 branches)
```

- 4** View the original and the reordered phylogenetic trees.

```
view(tree)
view(treeReordered)
```

### Reordering Leaves to Match Leaf Order in Another Phylogenetic Tree

- 1** Create a phylogenetic tree by reading sequence data from a FASTA file, calculating the pairwise distances between sequences, and then using the neighbor-joining method.

```
seqs = fastaread('pf00002.fa')

seqs =

33x1 struct array with fields:
    Header
    Sequence

dist = seqpdist(seqs,'method','jukes-cantor','indels','pair');
NJtree = seqneighjoin(dist,'equivar',seqs)
Phylogenetic tree object with 33 leaves (32 branches)
```

- 2** Create another phylogenetic tree from the same sequence data and pairwise distances between sequences, using the single linkage method.

```
HCtree = seqlinkage(dist,'single',seqs)
Phylogenetic tree object with 33 leaves (32 branches)
```

- 3** Use the optimal leaf-ordering calculation to reorder the leaves in HCtree such that it matches the order of leaves in NJtree as closely as possible, without dividing the clades or having crossing branches.

```
HCtree_reordered = reorder(HCtree,NJtree)
Phylogenetic tree object with 33 leaves (32 branches)
```

- 4** View the reordered phylogenetic tree and the tree used to reorder it.

```
view(HCtree_reordered)
view(NJtree)
```

### See Also

Bioinformatics Toolbox function: `phytree` (object constructor)

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of a `phytree` object: `get`, `getbyname`, `prune`

# reroot (phytree)

---

**Purpose** Change root of phylogenetic tree

**Syntax**

```
Tree2 = reroot(Tree1)
Tree2 = reroot(Tree1, Node)
Tree2 = reroot(Tree1, Node, Distance)
```

**Arguments**

<i>Tree1</i>	Phylogenetic tree (phytree object) created with the function <code>phytree</code> .
<i>Node</i>	Node index returned by the phytree object method <code>getbyname</code> .
<i>Distance</i>	Distance from the reference branch.

**Description**

*Tree2 = reroot(Tree1)* changes the root of a phylogenetic tree (*Tree1*) using a midpoint method. The midpoint is the location where the mean values of the branch lengths, on either side of the tree, are equalized. The original root is deleted from the tree.

*Tree2 = reroot(Tree1, Node)* changes the root of a phylogenetic tree (*Tree1*) to a branch node using the node index (*Node*). The new root is placed at half the distance between the branch node and its parent.


*Tree2 = reroot(Tree1, Node, Distance)* changes the root of a phylogenetic tree (*Tree1*) to a new root at a given distance (*Distance*) from the reference branch node (*Node*) toward the original root of the tree. Note: The new branch representing the root in the new tree (*Tree2*) is labeled 'Root'.

**Examples**

1 Create an ultrametric tree.

```
tr_1 = phytree([5 7;8 9;6 11; 1 2;3 4;10 12;...
               14 16; 15 17;13 18])
plot(tr_1,'branchlabels',true)
```

A figure with the phylogenetic tree displays.




**2** Place the root at 'Branch 7'.

```
sel = getbyname(tr_1,'Branch 7');
tr_2 = reroot(tr_1,sel)
plot(tr_2,'branchlabels',true)
```

A figure of a phylogenetic tree displays with the root moved to the center of branch 7.

## reroot (phytree)




- 3** Move the root to a branch that makes the tree as ultrametric as possible.

```
tr_3 = reroot(tr_2)
plot(tr_3, 'branchlabels', true)
```

A figure of the new tree displays with the root moved from the center of branch 7 to branch 8.





## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `seqneighjoin`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `get`, `getbyname`, `prune`, `select`

# restrict

---

<b>Purpose</b>	Split nucleotide sequence at restriction site	
<b>Syntax</b>	<pre>Fragments = restrict(SeqNT, Enzyme) Fragments = restrict(SeqNT, NTPattern, Position) [Fragments, CuttingSites] = restrict(...) [Fragments, CuttingSites, Lengths] = restrict(...) ... = restrict(..., 'PartialDigest', PartialDigestValue)</pre>	
<b>Arguments</b>		
	<i>SeqNT</i>	One of the following: <ul style="list-style-type: none"><li>• String of codes specifying a nucleotide sequence. For valid letter codes, see the table Mapping Nucleotide Letter Codes to Integers on page 3-1226.</li><li>• Row vector of integers specifying a nucleotide sequence. For valid integers, see the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a Sequence field that contains a nucleotide sequence, such as returned by fastaread, fastqread, emblread, getembl, genbankread, or getgenbank.</li></ul>
	<i>Enzyme</i>	String specifying a name of a restriction enzyme from REBASE, the Restriction Enzyme Database.

**Tip** Some enzymes specify cutting rules for both a strand and its complement strand. `restrict` applies the cutting rule only for the 5' → 3' strand. For a workaround to applying an enzyme cutting rule for both strands, see Splitting a Double-Stranded Nucleotide Sequence on page 3-1421.

<i>NTPattern</i>	Short nucleotide sequence recognition pattern to search for in <i>SeqNT</i> , a larger sequence. <i>NTPattern</i> can be either of the following: <ul style="list-style-type: none"><li>• Character string</li><li>• Regular expression</li></ul>
<i>Position</i>	Either of the following: <ul style="list-style-type: none"><li>• Integer specifying a position in the <i>SeqNT</i> to cut, relative to <i>NTPattern</i>.</li><li>• Two-element vector specifying two positions in the <i>SeqNT</i> to cut, relative to <i>NTPattern</i>.</li></ul>
	<b>Note</b> Position 0 corresponds to a cut before the first base of <i>NTPattern</i> .
<i>PartialDigestValue</i>	Value from 0 to 1 (default) specifying the probability that a cleavage site will be cut.

**Description** `Fragments = restrict(SeqNT, Enzyme)` cuts *SeqNT*, a nucleotide sequence, into fragments at the restriction sites of *Enzyme*, a restriction

enzyme. The `restrict` function stores the return values in *Fragments*, a cell array of sequences.

*Fragments* = `restrict(SeqNT, NTPattern, Position)` cuts *SeqNT*, a nucleotide sequence, into fragments at restriction sites specified by *NTPattern*, a nucleotide recognition pattern, and *Position*.

`[Fragments, CuttingSites] = restrict(...)` returns a numeric vector with the indices representing the cutting sites. The `restrict` function adds a 0 to the beginning of the *CuttingSites* vector so that the number of elements in *CuttingSites* equals the number of elements in *Fragments*. You can use *CuttingSites* + 1 to point to the first base of every fragment respective to the original sequence.

`[Fragments, CuttingSites, Lengths] = restrict(...)` returns a numeric vector with the lengths of every fragment.

`... = restrict(..., 'PartialDigest', PartialDigestValue)` simulates a partial digest where each restriction site in the sequence has a *PartialDigestValue* or probability of being cut.

REBASE, the Restriction Enzyme Database, is a collection of information about restriction enzymes and related proteins. For more information about REBASE or to search REBASE for the name of a restriction enzyme, see:

<http://rebase.neb.com/rebase/rebase.html>

## Examples

### Splitting a Nucleotide Sequence by Specifying an Enzyme

- 1 Enter a nucleotide sequence.

```
Seq = 'AGAGGGGTACGCGCTCTGAAAAGCGGGAACCTCGTGGCGCTTTATTAA';
```

- 2 Use the restriction enzyme HspAI (which specifies a recognition sequence of GCGC and a cleavage position of 1) to cleave the nucleotide sequence.

```
fragmentsEnzyme = restrict(Seq, 'HspAI')
```

MATLAB returns:

```
fragmentsEnzyme =  
  
    'AGAGGGGTACG'  
    'CGCTCTGAAAAGCGGGAACCTCGTGG'  
    'CGCTTTATTAA'
```

### **Splitting a Nucleotide Sequence by Specifying a Pattern and Position**

- 1 Enter a nucleotide sequence.

```
Seq = 'AGAGGGGTACGCGCTCTGAAAAGCGGGAACCTCGTGGCGCTTTATTAA';
```

- 2 Use the sequence pattern GCGC with the point of cleavage at position 3 to cleave the nucleotide sequence.

```
fragmentsPattern = restrict(Seq, 'GCGC', 3)
```

MATLAB returns:

```
fragmentsPattern =  
  
    'AGAGGGGTACGCG'  
    'CTCTGAAAAGCGGGAACCTCGTGGCG'  
    'CTTTATTAA'
```

### **Splitting a Nucleotide Sequence by Specifying a Regular Expression for the Pattern**

- 1 Enter a nucleotide sequence.

```
Seq = 'AGAGGGGTACGCGCTCTGAAAAGCGGGAACCTCGTGGCGCTTTATTAA';
```

- 2 Use a regular expression to specify the sequence pattern.

```
fragmentsRegExp = restrict(Seq, 'GCG[^C]', 3)
```

MATLAB returns:

```
fragmentsRegExp =  
  
    'AGAGGGGTACGCGCTCTGAAAAGCG'  
    'GGAACCTCGTGGCGCTTTATTAA'
```

## Returning the Cutting Sites and Fragment Lengths

- 1 Enter a nucleotide sequence.

```
Seq = 'AGAGGGGTACGCGCTCTGAAAAGCGGGAACCTCGTGGCGCTTTATTAA';
```

- 2 Capture the cutting sites and fragment lengths as well as the fragments.

```
[fragments, cut_sites, lengths] = restrict(Seq, 'HspAI')
```

MATLAB returns:

```
fragments =  
    'AGAGGGGTACG'  
    'CGCTCTGAAAAGCGGGAACCTCGTGG'  
    'CGCTTTATTAA'  
  
cut_sites =  
     0  
    11  
    37  
  
lengths =  
     11  
     26  
     11
```

### Splitting a Double-Stranded Nucleotide Sequence

Some enzymes specify cutting rules for both a strand and its complement strand. `restrict` applies the cutting rule only for the 5' → 3' strand. You can apply this rule manually for the complement strand.

- 1 Enter a nucleotide sequence.

```
seq = 'CCCGCNNNNNNN';
```

- 2 Use the `seqcomplement` function to determine the complement strand, which is in the 3' → 5' direction.

```
seqc = seqcomplement(seq)
```

MATLAB returns:

```
seqc =
```

```
GGGCGNNNNNNN
```

- 3 Cut the first strand using the restriction enzyme `FauI` (which specifies a recognition sequence pattern of `CCCGC` and a cleavage position of 9).

```
cuts_strand1 = restrict(seq, 'FauI')
```

MATLAB returns:

```
cuts_strand1 =
```

```
'CCCGCNNNN'
```

```
'NNN'
```

- 4 Cut the complement strand according the rule specified by `FauI` (which specifies a recognition sequence pattern of `GGGCG` with the point of cleavage at position 11).

```
cuts_strand2 = restrict(seqc, 'GGGCG', 11)
```

MATLAB returns:

```
cuts_strand2 =  
  
    'GGGCGNNNNNN'  
    'N'
```

## References

[1] Roberts, R.J., Vincze, T., Posfai, J., and Macelis, D. (2007). REBASE—enzymes and genes for DNA restriction and modification. *Nucl. Acids Res.* 35, D269–D270.

[2] Official REBASE Web site: <http://rebase.neb.com>.

## See Also

Bioinformatics Toolbox functions: `cleave`, `cleavelookup`, `rebasecuts`, `seq2regexp`, `seqcomplement`, `seqshowwords`

MATLAB function: `regexp`



Purpose	Return reverse mapping (amino acid to nucleotide codon) for genetic code	
Syntax	<pre>Map = revgeneticcode Map = revgeneticcode(GeneticCode) Map = revgeneticcode(..., 'Alphabet', AlphabetValue, ...) Map = revgeneticcode(..., 'ThreeLetterCodes',     ThreeLetterCodesValue, ...)</pre>	
Arguments	<i>GeneticCode</i>	Integer or string specifying a genetic code number or code name from the table Genetic Code on page 3-1425. Default is 1 or 'Standard'.
		<b>Tip</b> If you use a code name, you can truncate the name to the first two letters of the name.
	<i>AlphabetValue</i>	String specifying the nucleotide alphabet to use in the map. Choices are: <ul style="list-style-type: none"><li>'DNA' (default) — Uses the symbols A, C, G, and T.</li><li>'RNA' — Uses the symbols A, C, G, and U.</li></ul>
	<i>ThreeLetterCodesValue</i>	Controls the use of three-letter amino acid codes as field names in the return structure <i>Map</i> . Choices are <code>true</code> for three-letter codes or <code>false</code> for one-letter codes. Default is <code>false</code> .

<b>Return Values</b>	<i>Map</i>	Structure containing the reverse mapping of amino acids to nucleotide codons for the standard genetic code. The <i>Map</i> structure contains a field for each amino acid.
----------------------	------------	--

**Description** *Map* = revgeneticcode returns a structure containing the reverse mapping of amino acids to nucleotide codons for the standard genetic code. The *Map* structure contains a field for each amino acid.

*Map* = revgeneticcode(*GeneticCode*) returns a structure containing the reverse mapping of amino acids to nucleotide codons for the specified genetic code. *GeneticCode* is either:

- An integer or string specifying a code number or code name from the table Genetic Code on page 3-1425
- The transl\_table (code) number from the NCBI Web page describing genetic codes:

<http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=c>

---

**Tip** If you use a code name, you can truncate the name to the first two letters of the name.

---

*Map* = revgeneticcode(..., '*PropertyName*', *PropertyValue*, ...) calls revgeneticcode with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*Map* = revgeneticcode(..., '*Alphabet*', *AlphabetValue*, ...) specifies the nucleotide alphabet to use in the map. *AlphabetValue* can

be 'DNA', which uses the symbols A, C, G, and T, or 'RNA', which uses the symbols A, C, G, and U. Default is 'DNA'.

*Map* = revgeneticcode(..., 'ThreeLetterCodes', *ThreeLetterCodesValue*, ...) controls the use of three-letter amino acid codes as field names in the return structure *Map*. *ThreeLetterCodesValue* can be true for three-letter codes or false for one-letter codes. Default is false.

Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial

Genetic Code (Continued)

Code Number	Code Name
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

Examples

- Return the reverse mapping of amino acids to nucleotide codons for the Standard genetic code.

```
map = revgeneticcode

map =
  Name: 'Standard'
  A: { 'GCT' 'GCC' 'GCA' 'GCG' }
  R: { 'CGT' 'CGC' 'CGA' 'CGG' 'AGA' 'AGG' }
  N: { 'AAT' 'AAC' }
  D: { 'GAT' 'GAC' }
  C: { 'TGT' 'TGC' }
  Q: { 'CAA' 'CAG' }
  E: { 'GAA' 'GAG' }
  G: { 'GGT' 'GGC' 'GGA' 'GGG' }
  H: { 'CAT' 'CAC' }
  I: { 'ATT' 'ATC' 'ATA' }
  L: { 'TTA' 'TTG' 'CTT' 'CTC' 'CTA' 'CTG' }
  K: { 'AAA' 'AAG' }
  M: { 'ATG' }
  F: { 'TTT' 'TTC' }
  P: { 'CCT' 'CCC' 'CCA' 'CCG' }
  S: { 'TCT' 'TCC' 'TCA' 'TCG' 'AGT' 'AGC' }
  T: { 'ACT' 'ACC' 'ACA' 'ACG' }
  W: { 'TGG' }
  Y: { 'TAT' 'TAC' }
  V: { 'GTT' 'GTC' 'GTA' 'GTG' }
```

```
Stops: {'TAA' 'TAG' 'TGA'}  
Starts: {'TTG' 'CTG' 'ATG'}
```

- Return the reverse mapping of amino acids to nucleotide codons for the Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma genetic code, using the rna alphabet.

```
moldmap = revgeneticcode(4, 'Alphabet', 'rna');
```

- Return the reverse mapping of amino acids to nucleotide codons for the Flatworm Mitochondrial genetic code, using three-letter codes for the field names in the return structure.

```
wormmap = revgeneticcode('Flatworm Mitochondrial',...  
                          'ThreeLetterCodes', true);
```

## References

- [1] NCBI Web page describing genetic codes:

<http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=c>

## See Also

Bioinformatics Toolbox functions: aa2nt, aminolookup, baselookup, geneticcode, nt2aa

**Purpose** Perform background adjustment on Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure

**Syntax**

```
BackAdjustedMatrix = rmabackadj(PMData)
BackAdjustedMatrix = rmabackadj(..., 'Method',
MethodValue, ...)
BackAdjustedMatrix = rmabackadj(..., 'Truncate',
TruncateValue, ...)
BackAdjustedMatrix = rmabackadj(..., 'Showplot',
ShowplotValue, ...)
```

**Arguments**

- |                      |  |
|----------------------|--|
| <i>PMData</i>        | Matrix of intensity values where each row corresponds to a perfect match (PM) probe and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)  |
| <i>MethodValue</i>   | Specifies the estimation method for the background adjustment model parameters. Enter either 'RMA' (to use estimation method described by Bolstad, 2005) or 'MLE' (to estimate the parameters using maximum likelihood). Default is 'RMA'.   |
| <i>TruncateValue</i> | Specifies the background noise model. Enter either true (use a truncated Gaussian distribution) or false (use a nontruncated Gaussian distribution). Default is true.  |
| <i>ShowplotValue</i> | Controls the plotting of a histogram showing the distribution of PM probe intensity values (blue) and the convoluted probability distribution function (red), with estimated parameters mu, sigma and alpha. Enter either 'all' (plot a histogram for each column or chip) or specify a subset of columns (chips) by entering the column number, list of numbers, or range of numbers.<br><br>For example: |

- ..., 'Showplot', 3, ...) plots the intensity values in column 3.
- ..., 'Showplot', [3,5,7], ...) plots the intensity values in columns 3, 5, and 7.
- ..., 'Showplot', 3:9, ...) plots the intensity values in columns 3 to 9.

## Return Values

*BackAdjustedMatrix* Matrix of background-adjusted probe intensity values.

## Description

*BackAdjustedMatrix* = `rmabackadj(PMData)` returns the background adjusted values of probe intensity values in the matrix, *PMData*. Note that each row in *PMData* corresponds to a perfect match (PM) probe and each column in *PMData* corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.) Details on the background adjustment are described by Bolstad, 2005.

*BackAdjustedMatrix* = `rmabackadj(..., 'PropertyName', PropertyValue, ...)` calls `rmabackadj` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*BackAdjustedMatrix* = `rmabackadj(..., 'Method', MethodValue, ...)` specifies the estimation method for the background adjustment model parameters. When *MethodValue* is 'RMA', `rmabackadj` implements the estimation method described by Bolstad, 2005. When *MethodValue* is 'MLE', `rmabackadj` estimates the parameters using maximum likelihood. Default is 'RMA'.

*BackAdjustedMatrix* = `rmabackadj(..., 'Truncate', TruncateValue, ...)` specifies the background noise model used.


When *TruncateValue* is false, *rmabackadj* uses nontruncated Gaussian as the background noise model. Default is true.

*BackAdjustedMatrix* = *rmabackadj*(..., 'Showplot', *ShowplotValue*, ...) lets you plot a histogram showing the distribution of PM probe intensity values (blue) and the convoluted probability distribution function (red), with estimated parameters mu, sigma and alpha. When *ShowplotValue* is 'all', *rmabackadj* plots a histogram for each column or chip. When *ShowplotValue* is a number, list of numbers, or range of numbers, *rmabackadj* plots a histogram for the indicated column number (chip).

For example:

- (... , 'Showplot' , 3,...) plots the intensity values in column 3 of *PMData*.
- (... , 'Showplot' , [3,5,7],...) plots the intensity values in columns 3, 5, and 7 of *PMData*.
- (... , 'Showplot' , 3:9,...) plots the intensity values in columns 3 to 9 of *PMData*.





## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains Affymetrix probe-level data, including `pmMatrix`, a matrix of PM probe intensity values from multiple CEL files.

```
load prostatecancerrawdata
```

- 2 Perform background adjustment on the PM probe intensity values in the matrix, `pmMatrix`, creating a new matrix, `BackgroundAdjustedMatrix`.

```
BackgroundAdjustedMatrix = rmabackadj(pmMatrix);
```

- 3** Perform background adjustment on the PM probe intensity values in only column 3 of the matrix, `pmMatrix`, creating a new matrix, `BackgroundAdjustedChip3`.

```
BackgroundAdjustedChip3 = rmabackadj(pmMatrix(:,3));
```

The `prostatecancerrawdata.mat` file used in the previous example contains data from Best et al., 2005.

## References

- [1] Irizarry, R.A., Hobbs, B., Collin, F., Beazer-Barclay, Y.D., Antonellis, K.J., Scherf, U., Speed, T.P. (2003). Exploration, Normalization, and Summaries of High Density Oligonucleotide Array Probe Level Data. *Biostatistics* 4, 249–264.
- [2] Bolstad, B. (2005). “affy: Built-in Processing Methods”  
<http://www.bioconductor.org/packages/2.1/bioc/vignettes/affy/inst/doc/builtinMethods.pdf>
- [3] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmutter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L., Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

## See Also

Bioinformatics Toolbox functions: `affyinvarsetnorm`, `affyread`, `affyrma`, `celintensityread`, `probelibraryinfo`, `probesetlink`, `probesetlookup`, `probesetvalues`, `quantilenorm`, `rmasummary`

**Purpose**

Calculate gene expression values from Affymetrix microarray probe-level data using Robust Multi-array Average (RMA) procedure

**Syntax**

```
ExpressionMatrix = rmasummary(ProbeIndices, Data)
ExpressionMatrix = rmasummary(ProbeIndices, Data,
'Output', OutputValue)
```

**Arguments**

*ProbeIndices*

Column vector of probe indices. The convention for probe indices is, for each probe set, to label each probe 0 to  $N - 1$ , where  $N$  is the number of probes in the probe set.

---

**Tip** Use the *ProbeIndices* field in the structure returned by *celintensityread* as the *ProbeIndices* input.

---

*Data*

Matrix of natural-scale intensity values where each row corresponds to a perfect match (PM) probe and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.)

---

**Tip** Using a single-precision matrix for *Data* decreases memory usage.

---

---

**Tip** You can use the matrix from the `PMIntensities` field in the structure returned by `celintensityread` as the *Data* input. However, first ensure the matrix has been background adjusted, using the `rmabackadj` or `gcrmabackadjfunction`, and normalized, using the `quantilenorm` function.

---

*OutputValue* Specifies the scale of the returned gene expression values. *OutputValue* can be:

- 'log'
- 'log2'
- 'log10'
- 'natural'
- *@functionname*

In the last instance, the data is transformed as defined by the function *functionname*. Default is 'log2'.

## Description

*ExpressionMatrix* = *rmasummary*(*ProbeIndices*, *Data*) returns gene (probe set) expression values after calculating them from natural-scale probe intensities in the matrix *Data*, using the column vector of probe indices, *ProbeIndices*. Note that each row in *Data* corresponds to a perfect match (PM) probe, and each column corresponds to an Affymetrix CEL file. (Each CEL file is generated from a separate chip. All chips should be of the same type.) Note that the column vector *ProbeIndices* designates probes within each probe set by labeling each probe 0 to  $N - 1$ , where  $N$  is the number of probes in the probe set. Note that each row in *ExpressionMatrix* corresponds to a gene (probe set) and each column in *ExpressionMatrix* corresponds to an Affymetrix CEL file, which represents a single chip.

For a given probe set  $n$ , with  $J$  probe pairs, let  $Y_{ijn}$  denote the background-adjusted, base 2 log transformed and quantile-normalized PM probe intensity value of chip  $i$  and probe  $j$ .  $Y_{ijn}$  follows a linear additive model:

$$Y_{ijn} = U_{in} + A_{jn} + E_{ijn}; i = 1, \dots, I; j = 1, \dots, J; n = 1, \dots, N$$

where:

$U_{in}$  = Gene expression of the probe set  $n$  on chip  $i$

$A_{jn}$  = Probe affinity effect for the  $j$ th probe in the probe set

$E_{ijn}$  = Residual for the  $j$ th probe on the  $i$ th chip

The RMA method assumes  $A1 + A2 + \dots + AJ = 0$  for all probe sets. A robust procedure, median polish, estimates  $U_i$  as the log scale measure of expression.

---

**Note** There is no column in *ExpressionMatrix* that contains probe set or gene information.

---

*ExpressionMatrix* = rmasummary(..., 'PropertyName', PropertyValue, ...) calls rmasummary with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*ExpressionMatrix* = rmasummary(*ProbeIndices*, *Data*, 'Output', *OutputValue*) specifies the scale of the returned gene expression values. *OutputValue* can be:

- 'log'
- 'log2'
- 'log10'
- 'natural'
- @functionname

In the last instance, the data is transformed as defined by the function *functionname*. Default is 'log2'.

## Examples

- 1 Load a MAT-file, included with the Bioinformatics Toolbox software, which contains Affymetrix data variables, including `pmMatrix`, a matrix of PM probe intensity values from multiple CEL files.

```
load prostatecancerrawdata
```

- 2 Perform background adjustment on the PM probe intensity values in the matrix, `pmMatrix`, using the `rmabackadj` function, thereby creating a new matrix, `BackgroundAdjustedMatrix`.

```
BackgroundAdjustedMatrix = rmabackadj(pmMatrix);
```

- 3 Normalize the data in `BackgroundAdjustedMatrix`, using the `quantilenorm` function.

```
NormMatrix = quantilenorm(BackgroundAdjustedMatrix);
```

- 4 Calculate gene expression values from the probe intensities in `NormMatrix`, creating a new matrix, `ExpressionMatrix`. (Use the `probeIndices` column vector provided to supply information on the probe indices.)

```
ExpressionMatrix = rmasummary(probeIndices, NormMatrix);
```

The `prostatecancerrawdata.mat` file used in the previous example contains data from Best et al., 2005.

## References

- [1] Irizarry, R.A., Hobbs, B., Collin, F., Beazer-Barclay, Y.D., Antonellis, K.J., Scherf, U., Speed, T.P. (2003). Exploration, Normalization, and Summaries of High Density Oligonucleotide Array Probe Level Data. *Biostatistics*. 4, 249–264.
- [2] Mosteller, F., and Tukey, J. (1977). *Data Analysis and Regression* (Reading, Massachusetts: Addison-Wesley Publishing Company), pp. 165–202.
- [3] Best, C.J.M., Gillespie, J.W., Yi, Y., Chandramouli, G.V.R., Perlmuter, M.A., Gathright, Y., Erickson, H.S., Georgevich, L.,

Tangrea, M.A., Duray, P.H., Gonzalez, S., Velasco, A., Linehan, W.M., Matusik, R.J., Price, D.K., Figg, W.D., Emmert-Buck, M.R., and Chuaqui, R.F. (2005). Molecular alterations in primary prostate cancer after androgen ablation therapy. *Clinical Cancer Research* 11, 6823–6834.

### See Also

affygcma, affyinvsetnorm, affyrma, celintensityread, gcrmabackadj, mainvarsetnorm, malowess, manorm, quantilenorm, rmabackadj



**Purpose** Convert RNA sequence to DNA sequence

**Syntax** `SeqDNA = rna2dna(SeqRNA)`

**Arguments**

<i>SeqRNA</i>	<p>RNA sequence specified by any of the following:</p> <ul style="list-style-type: none"> <li>• Character string with the characters A, C, G, U, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N,</li> <li>• Row vector of integers from the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li> <li>• MATLAB structure containing a <code>Sequence</code> field that contains an RNA sequence, such as returned by <code>fastaread</code>, <code>fastqread</code>, <code>emblread</code>, <code>getembl</code>, <code>genbankread</code>, or <code>getgenbank</code>.</li> </ul>
---------------	--

**Description** `SeqDNA = rna2dna(SeqRNA)` converts an RNA sequence to a DNA sequence by converting any uracil nucleotides (U) in the RNA sequence to thymine nucleotides (T). The DNA sequence is returned in the same format as the RNA sequence. For example, if *SeqRNA* is a vector of integers, then so is *SeqDNA*.

**Example** Convert an RNA sequence to a DNA sequence.

```
rna2dna('ACGAUGAGUCAUGCUU')

ans =
ACGATGAGTCATGCTT
```

**See Also** Bioinformatics Toolbox function: `dna2rna`  
 MATLAB functions: `regexp`, `strrep`,

**Purpose** Convert secondary structure of RNA sequence between bracket and matrix notations

**Syntax** `RNAStruct2 = rnaconvert(RNAStruct)`

**Arguments** `RNAStruct` Secondary structure of an RNA sequence represented by either:

- Bracket notation
- Connectivity matrix

---

**Tip** Use the `rnafold` function to create `RNAStruct`.

---

**Return Values** `RNAStruct2` Secondary structure of an RNA sequence represented by either:

- **Bracket notation** — String of dots and brackets, where each dot represents an unpaired base, while a pair of equally nested, opening and closing brackets represents a base pair.
- **Connectivity matrix** — Binary, upper-triangular matrix, where `RNAmatrix(i, j) = 1` if and only if the *i*th residue in the RNA sequence *Seq* is paired with the *j*th residue of *Seq*.

**Description** `RNAStruct2 = rnaconvert(RNAStruct)` returns `RNAStruct2`, the secondary structure of an RNA sequence, in matrix notation (if `RNAStruct` is in bracket notation), or in bracket notation (if `RNAStruct` is in matrix notation).

## Examples

### Converting from Bracket to Matrix Notation

- 1 Create a string representing a secondary structure of an RNA sequence in bracket notation.

```
Bracket = '(((..((((.....))))).((.....)).))';
```

- 2 Convert the secondary structure to a connectivity matrix representation.

```
Matrix = rnaconvert(Bracket);
```

### Converting from Matrix to Bracket Notation

- 1 Create a connectivity matrix representing a secondary structure of an RNA sequence.

```
Matrix2 = zeros(12);
Matrix2(1,12) = 1;
Matrix2(2,11) = 1;
Matrix2(3,10) = 1;
Matrix2(4,9) = 1;
```

- 2 Convert the secondary structure to bracket notation.

```
Bracket2 = rnaconvert(Matrix2)
```

```
Bracket2 =
```

```
(((((...)))))
```

## See Also

Bioinformatics Toolbox functions: `rnafold`, `rnaplot`

<b>Purpose</b>	Predict minimum free-energy secondary structure of RNA sequence	
<b>Syntax</b>	<pre>rnafold(Seq) RNABracket = rnafold(Seq) [RNABracket, Energy] = rnafold(Seq) [RNABracket, Energy, RNAMatrix] = rnafold(Seq) ... = rnafold(Seq, ...'MinLoopSize', MinLoopSizeValue, ...) ... = rnafold(Seq, ...'NoGU', NoGUValue, ...) ... = rnafold(Seq, ...'Progress', ProgressValue, ...)</pre>	
<b>Arguments</b>	<i>Seq</i>	Either of the following: <ul style="list-style-type: none"><li>• String specifying an RNA sequence.</li><li>• MATLAB structure containing a <b>Sequence</b> field that specifies an RNA sequence.</li></ul>
	<i>MinLoopSizeValue</i>	Integer specifying the minimum size of the loops (in bases) to be considered when computing the free energy. Default is 3.
	<i>NoGUValue</i>	Controls whether GU or UG pairs are forbidden to form. Choices are <b>true</b> or <b>false</b> (default).
	<i>ProgressValue</i>	Controls the display of a progress bar during the computation of the minimum free-energy secondary structure. Choices are <b>true</b> or <b>false</b> (default).

Return Values

<i>RNAbracket</i>	String of dots and brackets indicating the bracket notation for the minimum-free energy secondary structure of an RNA sequence. In the bracket notation, each dot represents an unpaired base, while a pair of equally nested, opening and closing brackets represents a base pair.
<i>Energy</i>	Value specifying the energy (in kcal/mol) of the minimum free-energy secondary structure of an RNA sequence.
<i>RNAmatrix</i>	Connectivity matrix representing the minimum free-energy secondary structure of an RNA sequence. A binary, upper-triangular matrix where $RNAmatrix(i, j) = 1$ if and only if the $i$ th residue in the RNA sequence <i>Seq</i> is paired with the $j$ th residue of <i>Seq</i> .

Description

`rnafold(Seq)` predicts and displays the secondary structure (in bracket notation) associated with the minimum free energy for the RNA sequence, *Seq*, using the thermodynamic nearest-neighbor approach.

---

**Note** For long sequences, this prediction can be time consuming. For example, a 600-nucleotide sequence can take several minutes, and sequences greater than 1000 nucleotides can take over 1 hour, depending on your system.

---

*RNAbracket* = `rnafold(Seq)` predicts and returns the secondary structure associated with the minimum free energy for the RNA sequence, *Seq*, using the thermodynamic nearest-neighbor approach. The returned structure, *RNAbracket*, is in bracket notation, that is a vector of dots and brackets, where each dot represents an unpaired

base, while a pair of equally nested, opening and closing brackets represents a base pair.

`[RNAbracket, Energy] = rnafold(Seq)` also returns *Energy*, the energy value (in kcal/mol) of the minimum free-energy secondary structure of the RNA sequence.

`[RNAbracket, Energy, RNAmatrix] = rnafold(Seq)` also returns *RNAmatrix*, a connectivity matrix representing the secondary structure associated with the minimum free energy. *RNAmatrix* is an upper triangular matrix where *RNAmatrix*(i, j) = 1 if and only if the *i*th residue in the RNA sequence *Seq* is paired with the *j*th residue of *Seq*.

`... = rnafold(Seq, ...'PropertyName', PropertyValue, ...)` calls `rnafold` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = rnafold(Seq, ...'MinLoopSize', MinLoopSizeValue, ...)` specifies the minimum size of the loops (in bases) to be considered when computing the free energy. Default is 3.

`... = rnafold(Seq, ...'NoGU', NoGUValue, ...)` controls whether GU or UG pairs are forbidden to form. Choices are true or false (default).

`... = rnafold(Seq, ...'Progress', ProgressValue, ...)` controls the display of a progress bar during the computation of the minimum free-energy secondary structure. Choices are true or false (default).

## Examples

Determine the minimum free-energy secondary structure (in both bracket and matrix notation) and the energy value of the following RNA sequence:

```
seq = 'ACCCCUCCUCCUUGGAUCAAGGGGCUAA';
[bracket, energy, matrix] = rnafold(seq);bracket

bracket =
```

..((((((...((.....))...))))).....

## References

- [1] Wuchty, S., Fontana, W., Hofacker, I., and Schuster, P. (1999). Complete suboptimal folding of RNA and the stability of secondary structures. *Biopolymers* 49, 145–165.
- [2] Matthews, D., Sabina, J., Zuker, M., and Turner, D. (1999). Expanded sequence dependence of thermodynamic parameters improves prediction of RNA secondary structure. *J. Mol. Biol.* 288, 911–940.

## See Also

Bioinformatics Toolbox functions: `rnaconvert`, `rnaplot`

**Purpose**

Draw secondary structure of RNA sequence

**Syntax**

```
rnaplot(RNA2ndStruct)
ha = rnaplot(RNA2ndStruct)
[ha, H] = rnaplot(RNA2ndStruct)
rnaplot(RNA2ndStruct, ...'Sequence', SequenceValue, ...)
rnaplot(RNA2ndStruct, ...'Format', FormatValue, ...)
rnaplot(RNA2ndStruct, ...'Selection', SelectionValue, ...)
rnaplot(RNA2ndStruct, ...'ColorBy', ColorByValue, ...)
```

**Arguments**

*RNA2ndStruct*

Secondary structure of an RNA sequence represented by either:

- String specifying bracket notation
- Connectivity matrix

---

**Tip** Use the `rnafold` function to create *RNA2ndStruct*.

---

*SequenceValue*

Sequence of the RNA secondary structure being plotted, specified by either of the following:

- String of characters
- Structure containing a `Sequence` field that contains an RNA sequence

This information is used in the data tip displayed by clicking a base in the plot of the RNA secondary structure *RNA2ndStruct*. This information is required if you specify the 'Diagram' format or if you specify to highlight any of the following paired selections: 'AU', 'UA', 'GC', 'CG', 'GU' or 'UG'.



*FormatValue* String specifying the format of the plot. Choices are:

- 'Circle' (default)
- 'Diagram'
- 'Dotdiagram'
- 'Graph'
- 'Mountain'
- 'Tree'

---

**Note** If you specify 'Diagram', you must also use the 'Sequence' property to provide the RNA sequence.

---

*SelectionValue* Either of the following:

- Numeric array specifying the indices of residues to highlight in the plot.
- String specifying the subset of residues to highlight in the plot. Choices are:
  - 'Paired'
  - 'Unpaired'
  - 'AU' or 'UA'
  - 'GC' or 'CG'
  - 'GU' or 'UG'

---

**Note** If you specify 'AU', 'UA', 'GC', 'CG', 'GU', or 'UG', you must also use the 'Sequence' property to provide the RNA sequence.

---

*ColorByValue* String specifying a color scheme for the plot. Choices are:

- 'State' (default) — Color by pair state: paired bases and unpaired bases.
- 'Residue' — Color by residue type (A, C, G, and U).
- 'Pair' — Color by pair type (AU/UA, GC/CG, and GU/UG).

---

**Note** If you specify 'residue' or 'pair', you must also use the 'Sequence' property to provide the RNA sequence.

---

---

**Note** Because internal nodes of a tree correspond to paired residues, you cannot specify 'residue' if you specify 'Tree' for the 'Format' property.

---

## Return Values

<i>ha</i>	Handle to the figure axis.
<i>H</i>	<p>A structure of handles containing a subset of the following fields, based on what you specify for the 'Selection' and 'ColorBy' properties:</p> <ul style="list-style-type: none"> <li>• Paired</li> <li>• Unpaired</li> <li>• A</li> <li>• C</li> <li>• G</li> <li>• U</li> <li>• AU</li> <li>• GC</li> <li>• GU</li> <li>• Selected</li> </ul>

## Description

`rnaplot(RNA2ndStruct)` draws the RNA secondary structure specified by *RNA2ndStruct*, the secondary structure of an RNA sequence represented by a string specifying bracket notation or a connectivity matrix.

*ha* = `rnaplot(RNA2ndStruct)` returns *ha*, a handle to the figure axis.

[*ha*, *H*] = `rnaplot(RNA2ndStruct)` also returns *H*, a structure of handles, which you can use to graph elements in a MATLAB Figure window.

---

**Tip** Use the handles returned in *H* to change properties of the graph elements, such as color, marker size, and marker type.

---

*H* contains a subset of the following fields, based on what you specify for the 'Selection' and 'ColorBy' properties.


Field	Description
Paired	Handles to all paired residues
Unpaired	Handles to all unpaired residues
A	Handles to all A residues
C	Handles to all C residues
G	Handles to all G residues
U	Handles to all U residues
AU	Handles to all AU or UA pairs
GC	Handles to all GC or CG pairs
GU	Handles to all GU or UG pairs
Selected	Handles to all selected residues


`rnaplot(RNA2ndStruct, ...'PropertyName', PropertyValue, ...)` calls `rnaplot` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:



`rnaplot(RNA2ndStruct, ...'Sequence', SequenceValue, ...)` draws the RNA secondary structure specified by *RNA2ndStruct*, and annotates it with the sequence positions supplied by *SequenceValue*, the RNA sequence specified by a string of characters or a structure containing a *Sequence* field.


`rnaplot(RNA2ndStruct, ...'Format', FormatValue, ...)` draws the RNA secondary structure specified by *RNA2ndStruct*, using the format specified by *FormatValue*.

*FormatValue* is a string specifying the format of the plot. Choices are as follows.


Format	Description
'Circle' (default)	<p>Each base is represented by a dot on the circumference of a circle of arbitrary size. Lines connect bases that pair with each other.</p>  <p>The image shows a circular RNA secondary structure plot. Red dots representing bases are arranged in a circle. Blue lines with arrows connect pairs of bases that are hydrogen-bonded to each other. The bases are numbered from 1 to 70. The plot shows several stem-loops and internal loops. For example, bases 1-5 form a stem, 10-15 form a stem, 20-25 form a stem, 30-35 form a stem, 40-45 form a stem, 50-55 form a stem, 60-65 form a stem, and 70-75 form a stem. There are also internal loops, such as one between bases 10 and 15, and another between bases 30 and 35.</p>
'Diagram'	<p>Two-dimensional representation of the RNA secondary structure. Each base is represented and identified by a letter. The backbone and hydrogen bonds between base pairs are represented by lines.</p>

Format	Description
	<div></div> <div><p><b>Note</b> If you specify 'Diagram', you must also use the 'Sequence' property to provide the RNA sequence.</p></div>
'Dotdiagram'	Two-dimensional representation of the RNA secondary structure. Each base is represented and identified by a dot. The backbone and hydrogen bonds between base pairs are represented by lines.

Format	Description
	
'Graph'	<p>Bases are displayed in their sequence position along the abscissa (<math>x</math>-axis) of a graph. Semi-elliptical lines connect bases that pair with each other. The height of the lines is proportional to the distance between paired bases.</p> 

Format	Description																																		
'Mountain'	<p>Each base is represented by a dot in a two-dimensional plot, where the base position is in the abscissa (<i>x</i>-axis) and the number of base pairs enclosing a given base is in the ordinate (<i>y</i>-axis).</p>  <p>The 'Mountain' plot displays the number of enclosing base pairs (y-axis) against the sequence position (x-axis). The y-axis ranges from 0 to 18, and the x-axis ranges from 0 to 75. The plot shows a series of peaks and valleys, with the highest peak reaching 17 base pairs at position 45. The data points are connected by a blue line, and red dots mark the peaks and valleys.</p> <table border="1"><thead><tr><th>Sequence position</th><th>Number of enclosing base pairs</th></tr></thead><tbody><tr><td>0</td><td>0</td></tr><tr><td>5</td><td>4</td></tr><tr><td>10</td><td>7</td></tr><tr><td>15</td><td>11</td></tr><tr><td>20</td><td>11</td></tr><tr><td>25</td><td>7</td></tr><tr><td>30</td><td>10</td></tr><tr><td>35</td><td>13</td></tr><tr><td>40</td><td>16</td></tr><tr><td>45</td><td>17</td></tr><tr><td>50</td><td>13</td></tr><tr><td>55</td><td>10</td></tr><tr><td>60</td><td>7</td></tr><tr><td>65</td><td>7</td></tr><tr><td>70</td><td>4</td></tr><tr><td>75</td><td>0</td></tr></tbody></table>	Sequence position	Number of enclosing base pairs	0	0	5	4	10	7	15	11	20	11	25	7	30	10	35	13	40	16	45	17	50	13	55	10	60	7	65	7	70	4	75	0
Sequence position	Number of enclosing base pairs																																		
0	0																																		
5	4																																		
10	7																																		
15	11																																		
20	11																																		
25	7																																		
30	10																																		
35	13																																		
40	16																																		
45	17																																		
50	13																																		
55	10																																		
60	7																																		
65	7																																		
70	4																																		
75	0																																		
'Tree'	<p>Each base is represented by a node in a tree graph. Leaf nodes indicate unpaired bases, while each internal node indicates a base pair. The tree root is a fictitious node, not associated with any base in the secondary structure.</p>																																		



Format	Description
	<div></div> <div><p><b>Note</b> To create a tree plot, you must have accepted a Graphviz software license (free). If you have not, you will be prompted to do so.</p></div>

`rnaplot(RNA2ndStruct, ...'Selection', SelectionValue, ...)` draws the RNA secondary structure specified by *RNA2ndStruct*, highlighting a subset of residues specified by *SelectionValue*. *SelectionValue* can be either:

- Numeric array specifying the indices of residues to highlight in the plot.
- String specifying the subset of residues to highlight in the plot. Choices are:
  - 'Paired'
  - 'Unpaired'
  - 'AU' or 'UA'
  - 'GC' or 'CG'

- 'GU' or 'UG'

---

**Note** If you specify 'AU', 'UA', 'GC', 'CG', 'GU', or 'UG', you must also use the 'Sequence' property to provide the RNA sequence.

---

`rnaplot(RNA2ndStruct, ...'ColorBy', ColorByValue, ...)` draws the RNA secondary structure specified by *RNA2ndStruct*, using a color scheme specified by *ColorByValue*, a string indicating a color scheme. Choices are:

- 'State' (default) — Color by pair state: paired bases and unpaired bases.
- 'Residue' — Color by residue type (A, C, G, and U).
- 'Pair' — Color by pair type (AU/UA, GC/CG, and GU/UG).

---

**Note** If you specify 'Residue' or 'Pair', you must also use the 'Sequence' property to provide the RNA sequence.

---

---


**Note** Because internal nodes of a tree correspond to paired residues, you cannot specify 'Residue' if you specify 'Tree' for the 'Format' property.

---

## Examples


- 1 Determine the minimum free-energy secondary structure of an RNA sequence and plot it in circle format:

```
seq = 'GCGCCCGUAGCUCAAUUGGAUAGAGCGUUUGACUACGGAUCAAAGGUUAGGGGUUCGACUCCUCUCGGGCGCG';  
ss = rnafold(seq);  
rnaplot(ss)
```




- 2 Plot the RNA sequence secondary structure in graph format and color it by pair type.

```
rnaplot(ss, 'sequence', seq, 'format', 'graph', 'colorby', 'pair')
```




- 3 Plot the RNA sequence secondary structure in mountain format and color it by residue type. Use the handle to add a title to the plot.


```
ha = rnaplot(ss, 'sequence', seq, 'format', 'mountain',...
            'colorby', 'residue')
title(ha, 'Bacillus halodurans, tRNA Arg')
```



- 4 Mutate the first six positions in the sequence and observe the effect the change has on the secondary structure by highlighting the first six residues.

```
seqMut = seq;
seqMut(1:6) = 'AAAAAA';
ssMut = rnafold(seqMut);
rnaplot(ss, 'sequence', seq, 'format', 'dotdiagram', 'selection', 1:6);
rnaplot(ssMut, 'sequence', seqMut, 'format', 'dotdiagram', 'selection', 1:6);
```





---

**Tip** If necessary, click-drag the legend to prevent it from covering the plot. Click a base in the plot to display a data tip with information on that base.

---

## See Also

Bioinformatics Toolbox functions: `rnaconvert`, `rnafold`

# rownames (DataMatrix)

---

**Purpose** Retrieve or set row names of DataMatrix object

**Syntax** *ReturnRowNames* = rownames(*DMAobj*)  
*ReturnRowNames* = rownames(*DMAobj*, *RowIndex*)  
*DMAobjNew* = rownames(*DMAobj*, *RowIndex*, *RowNames*)

**Arguments**

<i>DMAobj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>RowIndex</i>	One or more rows in <i>DMAobj</i> , specified by any of the following: <ul style="list-style-type: none"><li>• Positive integer</li><li>• Vector of positive integers</li><li>• String specifying a row name</li><li>• Cell array of strings</li><li>• Logical vector</li></ul>
<i>RowNames</i>	Row names specified by any of the following: <ul style="list-style-type: none"><li>• Numeric vector</li><li>• Cell array of strings</li><li>• Character array</li><li>• Single string, which is used as a prefix for row names, with row numbers appended to the prefix</li><li>• Logical true or false (default). If true, unique row names are assigned using the format row1, row2, row3, etc. If false, no row names are assigned.</li></ul>



**Note** The number of elements in *RowNames* must equal the number of elements in *RowIndices*.

Return Values

*ReturnRowNames* String or cell array of strings containing row names in *DMObj*.  
*DMObjNew* DataMatrix object created with names specified by *RowIndices* and *RowNames*.

Description

*ReturnRowNames* = rownames(*DMObj*) returns *ReturnRowNames*, a cell array of strings specifying the row names in *DMObj*, a DataMatrix object.  
*ReturnRowNames* = rownames(*DMObj*, *RowIndices*) returns the row names specified by *RowIndices*. *RowIndices* can be a positive integer, vector of positive integers, string specifying a row name, cell array of strings, or a logical vector.  
*DMObjNew* = rownames(*DMObj*, *RowIndices*, *RowNames*) returns *DMObjNew*, a DataMatrix object with rows specified by *RowIndices* set to the names specified by *RowNames*. The number of elements in *RowIndices* must equal the number of elements in *RowNames*.

See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)  
Bioinformatics Toolbox object: DataMatrix object  
Bioinformatics Toolbox method of a DataMatrix object: colnames

# saminfo

---

Purpose	Return information about Sequence Alignment/Map (SAM) file
Syntax	<pre>InfoStruct = saminfo(File) InfoStruct = saminfo(File, 'ParameterName', ParameterValue)</pre>
Description	<p><i>InfoStruct</i> = <code>saminfo(File)</code> returns a MATLAB structure containing summary information about a SAM-formatted file.</p> <p><i>InfoStruct</i> = <code>saminfo(File, 'ParameterName', ParameterValue)</code> accepts one or more comma-separated parameter name/value pairs. Specify <i>ParameterName</i> inside single quotes.</p>
Tips	Use the <code>saminfo</code> function to investigate the size and content of a SAM file before using the <code>samread</code> function to read the file contents into a MATLAB structure.
Input Arguments	<p><i>File</i></p> <p>String specifying a file name or path and file name of a SAM-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.</p> <p><b>Parameter Name/Value Pairs</b></p> <p><i>NumOfReads</i></p> <p>Controls the inclusion of a <code>NumReads</code> field in <i>InfoStruct</i>, the output structure. Choices are <code>true</code> or <code>false</code> (default).</p> <hr/> <p><b>Note</b> Setting <code>NumOfReads</code> to <code>true</code> can significantly increase the time to create the output structure.</p> <hr/>
Output Arguments	<p><i>InfoStruct</i></p> <p>MATLAB structure containing summary information about a SAM-formatted file. The structure contains the following fields.</p>

Field	Description
Filename	Name of the file.
FileModDate	Modification date of the file.
FileSize	Size of the file in bytes.
NumReads*	Number of sequence reads in the file.
Header**	Structure containing the file format version, sort order, and group order.
SequenceDictionary**	Structure containing the: <ul style="list-style-type: none"><li>• Sequence name</li><li>• Sequence length</li><li>• Genome assembly identifier</li><li>• MD5 checksum of sequence</li><li>• URI of sequence</li><li>• Species</li></ul>
ReadGroup**	Structure containing the: <ul style="list-style-type: none"><li>• Read group identifier</li><li>• Sample</li><li>• Library</li><li>• Description</li><li>• Platform unit</li><li>• Predicted median insert size</li><li>• Sequencing center</li><li>• Date</li></ul>

Field	Description
	<ul style="list-style-type: none"><li>Platform</li></ul>
Program**	Structure containing the: <ul style="list-style-type: none"><li>Program name</li><li>Version</li><li>Command line</li></ul>

\* — The NumReads field appears in the output structure only if you set the NumofReads parameter to true.

\*\* — These structures and their fields appear in the output structure only if they are present in the SAM file. The information in these structures depends on the information present in the SAM file.

Examples

Return information about the ex1.sam file included with Bioinformatics Toolbox:

```
info = saminfo('ex1.sam')

info =

    Filename: 'ex1.sam'
  FileModDate: '01-Dec-2009 02:37:56'
    FileSize: 559778
      Header: [1x1 struct]
SequenceDictionary: [1x1 struct]
      ReadGroup: [1x2 struct]
```

Return information about the ex1.sam file including the number of sequence reads:

```
info = saminfo('ex1.sam','numofreads', true)
```

```
info =  
  
    Filename: 'ex1.sam'  
    FileModDate: '01-Dec-2009 02:37:56'  
    FileSize: 559778  
    NumReads: 3307  
    Header: [1x1 struct]  
    SequenceDictionary: [1x1 struct]  
    ReadGroup: [1x2 struct]
```

## See Also

`samread` | `fastqread` | `fastqwrite` | `fastqinfo` | `fastainfo` |  
`fastaread` | `fastawrite` | `sffinfo` | `sffread` | `BioIndexedFile` |  
`BioMap`

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

## Purpose

Align two data sets containing sequential observations by introducing gaps

## Syntax

```
[I, J] = samplealign(X, Y)
[I, J] = samplealign(X, Y, ...'Band', BandValue, ...)
[I, J] = samplealign(X, Y, ...'Width', WidthValue, ...)
[I, J] = samplealign(X, Y, ...'Gap', GapValue, ...)
[I, J] = samplealign(X, Y, ...'Quantile',
    QuantileValue, ...)
[I, J] = samplealign(X, Y, ...'Distance',
    DistanceValue, ...)
[I, J] = samplealign(X, Y, ...'Weights', WeightsValue, ...)
[I, J] = samplealign(X, Y, ...'ShowConstraints',
    ShowConstraintsValue, ...)
[I, J] = samplealign(X, Y, ...'ShowNetwork',
    ShowNetworkValue, ...)
[I, J] = samplealign(X, Y, ...'ShowAlignment',
    ShowAlignmentValue, ...)
```

## Arguments

*X, Y*

Matrices of data where rows correspond to observations or samples, and columns correspond to features or dimensions. *X* and *Y* can have a different number of rows, but they must have the same number of columns. The first column is the reference dimension and must contain unique values in ascending order. The reference dimension could contain sample indices of the observations or a measurable value, such as time.

*BandValue*

Either of the following:

- Scalar.
- Function specified using  $@(z)$ , where  $z$  is the mid-point between a given

observation in one data set and a given observation in the other data set.

*BandValue* specifies a maximum allowable distance between observations (along the reference dimension only) in the two data sets, thus limiting the number of potential matches between observations in two data sets. If  $S$  is the value in the reference dimension for a given observation (row) in one data set, then that observation is matched only with observations in the other data set whose values in the reference dimension fall within  $S \pm \text{BandValue}$ . Then, only these potential matches are passed to the algorithm for further scoring. Default *BandValue* is Inf.

*WidthValue*

Either of the following:

- Two-element vector,  $[U, V]$
- Scalar that is used for both  $U$  and  $V$

*WidthValue* limits the number of potential matches between observations in two data sets; that is, each observation in  $X$  is scored to the closest  $U$  observations in  $Y$ , and each observation in  $Y$  is scored to the closest  $V$  observations in  $X$ . Then, only these potential matches are passed to the algorithm for further scoring. Closeness is measured using only the first column (reference dimension) in each data set. Default is Inf if 'Band' is specified; otherwise default is 10.

*GapValue*

Any of the following:

- Cell array,  $\{G, H\}$ , where  $G$  is either a scalar or a function handle specified using  $@(X)$ , and  $H$  is either a scalar or a function handle specified using  $@(Y)$ . The functions  $@(X)$  and  $@(Y)$  must calculate the penalty for each observation (row) when it is matched to a gap in the other data set. The functions  $@(X)$  and  $@(Y)$  must return a column vector with the same number of rows as  $X$  or  $Y$ , containing the gap penalty for each observation (row).
- Single function handle specified using  $@(Z)$ , which is used for both  $G$  and  $H$ . The function  $@(Z)$  must calculate the penalty for each observation (row) in both  $X$  and  $Y$  when it is matched to a gap in the other data set. The function  $@(Z)$  must take as arguments  $X$  and  $Y$ . The function  $@(Z)$  must return a column vector with the same number of rows as  $X$  or  $Y$ , containing the gap penalty for each observation (row).
- Scalar that is used for both  $G$  and  $H$ .

*GapValue* specifies the position-dependent terms for assigning gap penalties. The calculated value,  $GPX$ , is the gap penalty for matching observations from the first data set  $X$  to gaps inserted in the second data set  $Y$ , and is the product of two terms:  $GPX = G * QMS$ . The term  $G$  takes its value as a function of the observations in  $X$ . Similarly,  $GPY$  is the gap penalty for matching observations



from  $Y$  to gaps inserted in  $X$ , and is the product of two terms:  $GPY = H * QMS$ . The term  $H$  takes its value as a function of the observations in  $Y$ . By default, the term  $QMS$  is the 0.75 quantile of the score for the pairs of observations that are potential matches (that is, pairs that comply with the 'Band' and 'Width' constraints). Default *GapValue* is 1.

*QuantileValue*

Scalar between 0 and 1 that specifies the quantile value used to calculate the term  $QMS$ , which is used by the 'Gap' property to calculate gap penalties. Default is 0.75.

*DistanceValue*

Function handle specified using  $@(R,S)$ . The function  $@(R,S)$  must:

- Calculate the distance between pairs of observations that are potential matches.
- Take as arguments,  $R$  and  $S$ , matrices that have the same number of rows and columns, and whose paired rows represent all potential matches of observations in  $X$  and  $Y$  respectively.
- Return a column vector of positive values with the same number of elements as rows in  $R$  and  $S$ .

Default is the Euclidean distance between the pairs.

---

**Caution** All columns in *X* and *Y*, including the reference dimension, are considered when calculating distances. If you do not want to include the reference dimension in the distance calculations, use the 'Weight' property to exclude it.

---

*WeightsValue*

Either of the following:

- Logical row vector with the same number of elements as columns in *X* and *Y*, that specifies columns in *X* and *Y*.
- Numeric row vector with the same number of elements as columns in *X* and *Y*, that specifies the relative weights of the columns (features).

This property controls the inclusion/exclusion of columns (features) or the emphasis of columns (features) when calculating the distance score between observations that are potential matches, that is, when using the 'Distance' property. Default is a logical row vector with all elements set to `true`.

---

**Tip** Using a numeric row vector for *WeightsValue* and setting some values to 0 can simplify the distance calculation when the data sets have many columns (features).

---

**Note** The weight values are not considered when using the 'Band', 'Width', or 'Gap' property.

<i>ShowConstraintsValue</i>	Controls the display of the search space constrained by the specified 'Band' and 'Width' input parameters, thereby giving an indication of the memory required to run the algorithm with the specific 'Band' and 'Width' parameters on your data sets. Choices are true or false (default).
<i>ShowNetworkValue</i>	Controls the display of the dynamic programming network, the match scores, the gap penalties, and the winning path. Choices are true or false (default).
<i>ShowAlignmentValue</i>	Controls the display of the first and second columns of the X and Y data sets in the abscissa and the ordinate respectively, of a two-dimensional plot. Choices are true, false (default), or an integer specifying a column of the X and Y data sets to plot as the ordinate.

**Return Values**

<i>I</i>	Column vector containing indices of rows (observations) in X that match to a row (observation) in Y. Missing indices indicate that row (observation) is matched to a gap.
<i>J</i>	Column vector containing indices of rows (observations) in Y that match to a row (observation) in X. Missing indices indicate that row (observation) is matched to a gap.

## Description

`[I, J] = samplealign(X, Y)` aligns the observations in two matrices of data, *X* and *Y*, by introducing gaps. *X* and *Y* are matrices of data where rows correspond to observations or samples, and columns correspond to features or dimensions. *X* and *Y* can have different number of rows, but must have the same number of columns. The first column is the reference dimension and must contain unique values in ascending order. The reference dimension could contain sample indices of the observations or a measurable value, such as time. The `samplealign` function uses a dynamic programming algorithm to minimize the sum of positive scores resulting from pairs of observations that are potential matches and the penalties resulting from the insertion of gaps. Return values *I* and *J* are column vectors containing indices that indicate the matches for each row (observation) in *X* and *Y* respectively.

---

**Tip** If you do not specify return values, `samplealign` does not run the dynamic programming algorithm. Running `samplealign` without return values, but setting the 'ShowConstraints', 'ShowNetwork', or 'ShowAlignment' property to true, lets you explore the constrained search space, the dynamic programming network, or the aligned observations, without running into potential memory problems.

---

`[I, J] = samplealign(X, Y, ...'PropertyName', PropertyValue, ...)` calls `samplealign` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`[I, J] = samplealign(X, Y, ...'Band', BandValue, ...)` specifies a maximum allowable distance between observations (along the reference dimension only) in the two data sets, thus limiting the number of potential matches between observations in the two data sets. If *S* is the value in the reference dimension for a given observation (row) in one data set, then that observation is matched only with observations in the other data set whose values in the reference dimension fall

within  $S \pm \text{BandValue}$ . Then, only these potential matches are passed to the algorithm for further scoring. *BandValue* can be a scalar or a function specified using  $@(z)$ , where  $z$  is the mid-point between a given observation in one data set and a given observation in the other data set. Default *BandValue* is Inf.

This constraint reduces the time and memory complexity of the algorithm from  $O(MN)$  to  $O(\sqrt{MN} * K)$ , where  $M$  and  $N$  are the number of observations in  $X$  and  $Y$  respectively, and  $K$  is a small constant such that  $K \ll M$  and  $K \ll N$ . Adjust *BandValue* to the maximum expected shift between the reference dimensions in the two data sets, that is, between  $X(:,1)$  and  $Y(:,1)$ .

`[I, J] = samplealign(X, Y, ... 'Width', WidthValue, ...)` limits the number of potential matches between observations in two data sets; that is, each observation in  $X$  is scored to the closest  $U$  observations in  $Y$ , and each observation in  $Y$  is scored to the closest  $V$  observations in  $X$ . Then, only these potential matches are passed to the algorithm for further scoring. *WidthValue* is either a two-element vector,  $[U, V]$  or a scalar that is used for both  $U$  and  $V$ . Closeness is measured using only the first column (reference dimension) in each data set. Default is Inf if 'Band' is specified; otherwise default is 10.

This constraint reduces the time and memory complexity of the algorithm from  $O(MN)$  to  $O(\sqrt{MN} * \sqrt{UV})$ , where  $M$  and  $N$  are the number of observations in  $X$  and  $Y$  respectively, and  $U$  and  $V$  are small such that  $U \ll M$  and  $V \ll N$ .

---

**Note** If you specify both 'Band' and 'Width', only pairs of observations that meet both constraints are considered potential matches and passed to the algorithm for scoring.

---

---

**Tip** Specify 'Width' when you do not have a good estimate for the 'Band' property. To get an indication of the memory required to run the algorithm with specific 'Band' and 'Width' parameters on your data sets, run `samplealign`, but do not specify return values and set 'ShowConstraints' to true.

---

`[I, J] = samplealign(X, Y, ...'Gap', GapValue, ...)` specifies the position-dependent terms for assigning gap penalties.

*GapValue* is any of the following:

- Cell array,  $\{G, H\}$ , where  $G$  is either a scalar or a function handle specified using  $@(X)$ , and  $H$  is either a scalar or a function handle specified using  $@(Y)$ . The functions  $@(X)$  and  $@(Y)$  must calculate the penalty for each observation (row) when it is matched to a gap in the other data set. The functions  $@(X)$  and  $@(Y)$  must return a column vector with the same number of rows as  $X$  or  $Y$ , containing the gap penalty for each observation (row).
- Single function handle specified using  $@(Z)$ , that is used for both  $G$  and  $H$ . The function  $@(Z)$  must calculate the penalty for each observation (row) in both  $X$  and  $Y$  when it is matched to a gap in the other data set. The function  $@(Z)$  must take as arguments  $X$  and  $Y$ . The function  $@(Z)$  must return a column vector with the same number of rows as  $X$  or  $Y$ , containing the gap penalty for each observation (row).
- Scalar that is used for both  $G$  and  $H$ .

The calculated value,  $GPX$ , is the gap penalty for matching observations from the first data set  $X$  to gaps inserted in the second data set  $Y$ , and is the product of two terms:  $GPX = G * QMS$ . The term  $G$  takes its value as a function of the observations in  $X$ . Similarly,  $GPY$  is the gap penalty for matching observations from  $Y$  to gaps inserted in  $X$ , and is the product of two terms:  $GPY = H * QMS$ . The term  $H$  takes its value as a function of the observations in  $Y$ . By default, the term  $QMS$  is the 0.75 quantile of

the score for the pairs of observations that are potential matches (that is, pairs that comply with the 'Band' and 'Width' constraints).

If  $G$  and  $H$  are positive scalars, then  $GPX$  and  $GPY$  are independent of the observation where the gap is being inserted.

Default *GapValue* is 1, that is, both  $G$  and  $H$  are 1, which indicates that the default penalty for gap insertions in both sequences is equivalent to the quantile (set by the 'Quantile' property, default = 0.75) of the score for the pairs of observations that are potential matches.

---

**Note** *GapValue* defaults to a relatively safe value. However, the success of the algorithm depends on the fine tuning of the gap penalties, which is application dependent. When the gap penalties are large relative to the score of the correct matches, `samplealign` returns alignments with fewer gaps, but with more incorrectly aligned regions. When the gap penalties are smaller, the output alignment contains longer regions with gaps and fewer matched observations. Set 'ShowNetwork' to true to compare the gap penalties to the score of matched observations in different regions of the alignment.

---

`[I, J] = samplealign(X, Y, ...'Quantile', QuantileValue, ...)` specifies the quantile value used to calculate the term  $QMS$ , which is used by the 'Gap' property to calculate gap penalties. *QuantileValue* is a scalar between 0 and 1. Default is 0.75.

---

**Tip** Set *QuantileValue* to an empty array ([]) to make the gap penalties independent of  $QMS$ , that is,  $GPX$  and  $GPY$  are functions of only the  $G$  and  $H$  input parameters respectively.

---

`[I, J] = samplealign(X, Y, ...'Distance', DistanceValue, ...)` specifies a function to calculate the distance between pairs of observations that are potential matches. *DistanceValue* is a function handle specified using  $@(R,S)$ . The function  $@(R,S)$  must take as

arguments,  $R$  and  $S$ , matrices that have the same number of rows and columns, and whose paired rows represent all potential matches of observations in  $X$  and  $Y$  respectively. The function  $@(R,S)$  must return a column vector of positive values with the same number of elements as rows in  $R$  and  $S$ . Default is the Euclidean distance between the pairs.

---

## Caution

All columns in  $X$  and  $Y$ , including the reference dimension, are considered when calculating distances. If you do not want to include the reference dimension in the distance calculations, use the 'Weight' property to exclude it.

---

`[I, J] = samplealign(X, Y, ...'Weights', WeightsValue, ...)` controls the inclusion/exclusion of columns (features) or the emphasis of columns (features) when calculating the distance score between observations that are potential matches, that is when using the 'Distance' property. *WeightsValue* can be a logical row vector that specifies columns in  $X$  and  $Y$ . *WeightsValue* can also be a numeric row vector with the same number of elements as columns in  $X$  and  $Y$ , that specifies the relative weights of the columns (features). Default is a logical row vector with all elements set to true.

---

**Tip** Using a numeric row vector for *WeightsValue* and setting some values to 0 can simplify the distance calculation when the data sets have many columns (features).

---

---

**Note** The weight values are not considered when computing the constrained alignment space, that is when using the 'Band' or 'Width' properties, or when calculating the gap penalties, that is when using the 'Gap' property.

---



`[I, J] = samplealign(X, Y, ...'ShowConstraints', ShowConstraintsValue, ...)` controls the display of the search space constrained by the input parameters 'Band' and 'Width', giving an indication of the memory required to run the algorithm with specific 'Band' and 'Width' on your data sets. Choices are true or false (default).

`[I, J] = samplealign(X, Y, ...'ShowNetwork', ShowNetworkValue, ...)` controls the display of the dynamic programming network, the match scores, the gap penalties, and the winning path. Choices are true or false (default).

`[I, J] = samplealign(X, Y, ...'ShowAlignment', ShowAlignmentValue, ...)` controls the display of the first and second columns of the *X* and *Y* data sets in the abscissa and the ordinate respectively, of a two-dimensional plot. Links between all the potential matches that meet the constraints are displayed, and the matches belonging to the output alignment are highlighted. Choices are true, false (default), or an integer specifying a column of the *X* and *Y* data sets to plot as the ordinate.

## Examples

### Warping a sine wave with a smooth function to more closely follow cyclical sunspot activity

- 1 Load `sunspot.dat`, a data file included with the MATLAB software, that contains the variable `sunspot`, which is a two-column matrix containing variations in sunspot activity over the last 300 years. The first column is the reference dimension (years), and the second column contains sunspot activity values. Sunspot activity is cyclical, reaching a maximum about every 11 years.


```
load sunspot.dat
```

- 2 Create a sine wave with a known period of sunspot activity.

```
years = (1700:1990)';
T = 11.038;
f = @(y) 60 + 60 * sin(y*(2*pi/T));
```

3 Align the observations between the sine wave and the sunspot activity by introducing gaps.

```
[i,j] = samplealign([years f(years)],sunspot,'weights',...
    [0 1],'showalignment',true);
```




4 Estimate a smooth function to warp the sine wave.

```
[p,s,mu] = polyfit(years(i),years(j),15);
wy = @(y) polyval(p,(y-mu(1))./mu(2));
```

- 5 Plot the sunspot cycles, unwarped sine wave, and warped sine wave.

```
years = (1700:1/12:1990)';  
figure  
plot(sunspot(:,1),sunspot(:,2),years,f(years),wy(years),...  
      f(years))  
legend('Sunspots','Unwarped Sine Wave','Warped Sine Wave')  
title('Smooth Warping Example')
```



## Recovering a nonlinear warping between two signals containing noisy Gaussian peaks

- 1 Create two signals with noisy Gaussian peaks.

```
rand('twister',5489)
peakLoc = [30 60 90 130 150 200 230 300 380 430];
peakInt = [7 1 3 10 3 6 1 8 3 10];
time = 1:450;
comp = exp(-(bsxfun(@minus,time,peakLoc')./5).^2);
sig_1 = (peakInt + rand(1,10)) * comp + rand(1,450);
sig_2 = (peakInt + rand(1,10)) * comp + rand(1,450);
```

- 2 Define a nonlinear warping function.

```
wf = @(t) 1 + (t<=100).*0.01.*(t.^2) + (t>100).*...
      (310+150*tanh(t./100-3));
```

- 3 Warp the second signal to distort it.


```
sig_2 = interp1(time,sig_2,wf(time),'pchip');
```

- 4 Align the observations between the two signals by introducing gaps.

```
[i,j] = samplealign([time;sig_1]',[time;sig_2]',...
                    'weights',[0,1],'band',35,'quantile',.5);
```


- 5 Plot the reference signal, distorted signal, and warped (corrected) signal.

```
figure
sig_3 = interp1(time,sig_2,interp1(i,j,time,'pchip'),'pchip');
plot(time,sig_1,time,sig_2,time,sig_3)
legend('Reference','Distorted Signal','Corrected Signal')
title('Non-linear Warping Example')
```



6 Plot the real and the estimated warping functions.

```
figure
plot(time,wf(time),time,interp1(j,i,time,'pchip'))
legend('Distorting Function','Estimated Warping')
```



---

**Note** For examples of using function handles for the Band, Gap, and Distance properties, see the demo Visualizing and Preprocessing Hyphenated Mass-Spectrometry Data Sets for Metabolite and Protein/Peptide Profiling.

---

## References

[1] Myers, C.S. and Rabiner, L.R. (1981). A comparative study of several dynamic time-warping algorithms for connected word recognition. *The Bell System Technical Journal* 60:7, 1389–1409.

[2] Sakoe, H. and Chiba, S. (1978). Dynamic programming algorithm optimization for spoken word recognition. *IEEE Trans. Acoustics, Speech and Signal Processing ASSP-26(1)*, 43–49.

## See Also

Bioinformatics Toolbox functions: `msalign`, `msheatmap`, `mssalign`, `mssppresample`, `msresample`

<b>Purpose</b>	Retrieve or set sample metadata in ExpressionSet object
<b>Syntax</b>	<pre>MetaDataObj = sampleData(ESObj) NewESObj = sampleData(ESObj, NewMetaDataObj)</pre>
<b>Description</b>	<p><i>MetaDataObj</i> = sampleData(<i>ESObj</i>) returns a MetaData object containing the sample metadata from an ExpressionSet object.</p> <p><i>NewESObj</i> = sampleData(<i>ESObj</i>, <i>NewMetaDataObj</i>) replaces the sample metadata in <i>ESObj</i>, an ExpressionSet object, with <i>NewMetaDataObj</i>, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>NewMetaDataObj</i></p> <p>Object of the bioma.data.MetaData class, containing sample metadata, stored in two dataset arrays. The sample names and variable names in <i>NewMetaDataObj</i> must match the sample names and variable names in the <i>MetaDataObj</i> being replaced in the ExpressionSet object, <i>ESObj</i>.</p>
<b>Output Arguments</b>	<p><i>MetaDataObj</i></p> <p>Object of the bioma.data.MetaData class, containing the sample metadata, stored in two dataset arrays.</p> <p><i>NewESObj</i></p> <p>Object of the bioma.ExpressionSet class, returned after replacing the MetaData object containing the sample metadata.</p>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the MetaData object that contains sample metadata, stored in the ExpressionSet object:</p> <pre>% Retrieve the sample data</pre>



```
NewMDObj = sampleData(ESObj);
```

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `sampleNames` | `featureData`

## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.ExpressionSet.sampleNames

---

<b>Purpose</b>	Retrieve or set sample names in ExpressionSet object
<b>Syntax</b>	<pre>SamNames = sampleNames(ESObj) SamNames = sampleNames(ESObj, Subset) NewESObj = sampleNames(ESObj, Subset, NewSamNames)</pre>
<b>Description</b>	<p><i>SamNames = sampleNames(ESObj)</i> returns a cell array of strings specifying all sample names in an ExpressionSet object.</p> <p><i>SamNames = sampleNames(ESObj, Subset)</i> returns a cell array of strings specifying a subset the sample names in an ExpressionSet object.</p> <p><i>NewESObj = sampleNames(ESObj, Subset, NewSamNames)</i> replaces the sample names specified by <i>Subset</i> in <i>ESObj</i>, an ExpressionSet object, with <i>NewSamNames</i>, and returns <i>NewESObj</i>, a new ExpressionSet object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the sample names in an ExpressionSet object:</p> <ul style="list-style-type: none"><li>• String specifying a sample name</li><li>• Cell array of strings specifying sample names</li><li>• Positive integer</li><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>NewSamNames</i></p> <p>New sample names for specific sample names within an ExpressionSet object, specified by one of the following:</p>

- Numeric vector
- String or cell array of strings
- String, which `sampleNames` uses as a prefix for the sample names, with sample numbers appended to the prefix
- Logical true or false (default). If true, `sampleNames` assigns unique sample names using the format `Sample1`, `Sample2`, etc.

The number of sample names in *NewSamNames* must equal the number of samples specified by *Subset*.

## Output Arguments

*SamNames*

Cell array of strings specifying all or some of the sample names in an `ExpressionSet` object. The sample names are the column names in the `DataMatrix` objects in the `ExpressionSet` object. The sample names are also the row names of the *VarValues* dataset array in the `MetaData` object in the `ExpressionSet` object.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing specific sample names.

## Examples

Construct an `ExpressionSet` object, `ESObj`, as described in the “Examples” on page 3-238 section of the `bioma.ExpressionSet` class reference page. Retrieve the sample names from it:

```
% Retrieve the sample names
SNames = sampleNames(ESObj);
```

## See Also

`bioma.ExpressionSet` | `bioma.data.ExptData` | `DataMatrix` | `bioma.data.MetaData` | `featureNames`

## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.data.ExptData.sampleNames

---

<b>Purpose</b>	Retrieve or set sample names in ExptData object
<b>Syntax</b>	<pre>SamNames = sampleNames(EDObj) SamNames = sampleNames(EDObj, Subset) NewEDObj = sampleNames(EDObj, Subset, NewSamNames)</pre>
<b>Description</b>	<p><i>SamNames</i> = <i>sampleNames(EDObj)</i> returns a cell array of strings specifying all sample names in an ExptData object.</p> <p><i>SamNames</i> = <i>sampleNames(EDObj, Subset)</i> returns a cell array of strings specifying a subset the sample names in an ExptData object.</p> <p><i>NewEDObj</i> = <i>sampleNames(EDObj, Subset, NewSamNames)</i> replaces the sample names specified by <i>Subset</i> in <i>EDObj</i>, an ExptData object, with <i>NewSamNames</i>, and returns <i>NewEDObj</i>, a new ExptData object.</p>
<b>Input Arguments</b>	<p><i>EDObj</i></p> <p>Object of the bioma.data.ExptData class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the sample names in an ExptData object:</p> <ul style="list-style-type: none"><li>• String specifying a sample name</li><li>• Cell array of strings specifying sample names</li><li>• Positive integer</li><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>NewSamNames</i></p> <p>New sample names for specific sample names within an ExptData object, specified by one of the following:</p> <ul style="list-style-type: none"><li>• Numeric vector</li></ul>

- String or cell array of strings
- String, which `sampleNames` uses as a prefix for the sample names, with sample numbers appended to the prefix
- Logical true or false (default). If true, `sampleNames` assigns unique sample names using the format `Sample1`, `Sample2`, etc.

The number of sample names in *NewSamNames* must equal the number of samples specified by *Subset*.

## Output Arguments

*SamNames*

Cell array of strings specifying all or some of the sample names in an `ExptData` object. The sample names are the column names in the `DataMatrix` objects in the `ExptData` object.

*NewEDObj*

Object of the `bioma.data.ExptData` class, returned after replacing specific sample names.

## Examples

Construct an `ExptData` object, and then retrieve the sample names from it:

```
% Import bioma.data package to make constructor functions
% available
import bioma.data.*
% Create DataMatrix object from .txt file containing
% expression values from microarray experiment
dmObj = DataMatrix('File', 'mouseExprsData.txt');
% Construct ExptData object
EDObj = ExptData(dmObj);
% Retrieve sample names
SNames = sampleNames(EDObj);
```

## See Also

`bioma.data.ExptData` | `DataMatrix` | `dmNames` | `elementNames` | `featureNames`

# bioma.data.ExptData.sampleNames

---

**How To**

- “Representing Expression Data Values in ExptData Objects”

## Purpose

Retrieve or set sample names in MetaData object

## Syntax

```
SamFeatNames = sampleNames(MDObj)  
SamFeatNames = sampleNames(MDObj, Subset)  
NewMDObj = sampleNames(MDObj, Subset, NewSamFeatNames)
```

## Description

*SamFeatNames* = sampleNames(*MDObj*) returns a cell array of strings specifying all sample names in a MetaData object.

*SamFeatNames* = sampleNames(*MDObj*, *Subset*) returns a cell array of strings specifying a subset the sample names in a MetaData object.

*NewMDObj* = sampleNames(*MDObj*, *Subset*, *NewSamFeatNames*) replaces the sample names specified by *Subset* in *MDObj*, a MetaData object, with *NewSamFeatNames*, and returns *NewMDObj*, a new MetaData object.

## Input Arguments

*MDObj*

Object of the bioma.data.MetaData class.

*Subset*

One of the following to specify a subset of the sample names in a MetaData object:

- String specifying a sample name
- Cell array of strings specifying sample names
- Positive integer
- Vector of positive integers
- Logical vector

*NewSamFeatNames*

New sample names for specific names within a MetaData object, specified by one of the following:

# bioma.data.MetaData.sampleNames

---

- Numeric vector
- String or cell array of strings
- String, which `sampleNames` uses as a prefix for the sample or feature names, with numbers appended to the prefix
- Logical true or false (default). If true, `sampleNames` assigns unique names using the format `Sample1`, `Sample2`, etc.

The number of names in *NewSamFeatNames* must equal the number of samples specified by *Subset*.

## Output Arguments

*SamFeatNames*

Cell array of strings specifying all or some of the sample names in a `MetaData` object. The sample names are also the row names of the *VarValues* dataset array in the `MetaData` object.

*NewMDObj*

Object of the `bioma.data.MetaData` class, returned after replacing specific sample names.

## Examples

Construct a `MetaData` object, and then retrieve the sample names from it:

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Retrieve the sample names
SNames = sampleNames(MDObj2)
```

## See Also

`bioma.data.MetaData` | `variableDesc` | `variableValues` | `variableNames`

## How To

- “Representing Sample and Feature Metadata in `MetaData` Objects”



<b>Purpose</b>	Retrieve or set sample variable descriptions in ExpressionSet object
<b>Syntax</b>	<pre>DSVarDescriptions = sampleVarDesc(ESObj) NewESObj = sampleVarDesc(ESObj, NewDSVarDescriptions)</pre>
<b>Description</b>	<p><i>DSVarDescriptions = sampleVarDesc(ESObj)</i> returns a dataset array containing the sample variable names and descriptions from the <i>MetaData</i> object in an <i>ExpressionSet</i> object.</p> <p><i>NewESObj = sampleVarDesc(ESObj, NewDSVarDescriptions)</i> replaces the sample variable descriptions in <i>ESObj</i>, an <i>ExpressionSet</i> object, with <i>NewDSVarDescriptions</i>, and returns <i>NewESObj</i>, a new <i>ExpressionSet</i> object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class.</p> <p><i>NewDSVarDescriptions</i></p> <p>Descriptions of the sample variable names, specified by either of the following:</p> <ul style="list-style-type: none"><li>• A new dataset array containing the sample variable names and descriptions. In this dataset array, each row corresponds to a variable. The first column contains the variable name, and the second column (<i>VariableDescription</i>) contains a description of the variable. The row names (variable names) must match the row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</li><li>• Cell array of strings containing descriptions of the sample variables. The number of elements in <i>VarDesc</i> must equal the number of row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</li></ul>

# bioma.ExpressionSet.sampleVarDesc

---

## Output Arguments

*DSVarDescriptions*

A dataset array containing the sample variable names and descriptions from the MetaData object of an ExpressionSet object. In this dataset array, each row corresponds to a variable. The first column contains the variable name, and the second column (VariableDescription) contains a description of the variable.

*NewESObj*

Object of the bioma.ExpressionSet class, returned after replacing the dataset array containing the sample variable descriptions.

## Examples

Construct an ExpressionSet object, ESObj, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Retrieve the sample variable descriptions in the ExpressionSet object:

```
% Retrieve the sample variable descriptions
SVarDescriptions = sampleVarDesc(ESObj)
```

## See Also

bioma.ExpressionSet | bioma.data.MetaData | variableDesc

## How To

- “Storing and Managing Gene Expression Data in Objects”

## Purpose

Retrieve or set sample variable names in ExpressionSet object

## Syntax

```
SamVarNames = sampleVarNames(ESObj)
SamVarNames = sampleVarNames(ESObj, Subset)
NewESObj = sampleVarNames(ESObj, Subset, NewSamVarNames)
```

## Description

*SamVarNames* = *sampleVarNames(ESObj)* returns a cell array of strings specifying all sample variable names in an ExpressionSet object.

*SamVarNames* = *sampleVarNames(ESObj, Subset)* returns a cell array of strings specifying a subset the sample variable names in an ExpressionSet object.

*NewESObj* = *sampleVarNames(ESObj, Subset, NewSamVarNames)* replaces the sample variable names specified by *Subset* in *ESObj*, an ExpressionSet object, with *NewSamVarNames*, and returns *NewESObj*, a new ExpressionSet object.

## Input Arguments

*ESObj*

Object of the bioma.ExpressionSet class.

*Subset*

One of the following to specify a subset of the sample variable names in an ExpressionSet object:

- String specifying a sample variable name
- Cell array of strings specifying sample variable names
- Positive integer
- Vector of positive integers
- Logical vector

*NewSamVarNames*

New sample variable names for specific sample variable names within an ExpressionSet object, specified by one of the following:

# bioma.ExpressionSet.sampleVarNames

---

- Numeric vector
- String or cell array of strings
- String, which `sampleVarNames` uses as a prefix for the sample variable names, with sample variable numbers appended to the prefix
- Logical true or false (default). If true, `sampleVarNames` assigns unique sample variable names using the format `Var1`, `Var2`, etc.

The number of sample variable names in *NewSamVarNames* must equal the number of sample variable names specified by *Subset*.

## Output Arguments

*SamVarNames*

Cell array of strings specifying all or some of the sample variable names in an ExpressionSet object. The sample variable names are the column names of the *VarValues* dataset array. The sample variable names are also the row names of the *VarDescriptions* dataset array. Both dataset arrays are in the *MetaData* object in the ExpressionSet object.

*NewESObj*

Object of the `bioma.ExpressionSet` class, returned after replacing specific sample names.

## Examples

Construct an ExpressionSet object, `ESObj`, as described in the “Examples” on page 3-238 section of the `bioma.ExpressionSet` class reference page. Retrieve the sample variable names from the ExpressionSet object:

```
% Retrieve the sample variable names
VNames = sampleVarNames(ESObj)
```

## See Also

`bioma.ExpressionSet` | `bioma.data.MetaData` | `sampleNames` | `featureNames` | `featureVarNames`

## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.ExpressionSet.sampleVarValues

---

<b>Purpose</b>	Retrieve or set sample variable values in ExpressionSet object
<b>Syntax</b>	<pre>DSVarValues = sampleVarValues(ESObj) NewESObj = sampleVarValues(ESObj, NewDSVarValues)</pre>
<b>Description</b>	<p><i>DSVarValues</i> = <i>sampleVarValues(ESObj)</i> returns a dataset array containing the measured value of each variable per sample from the <i>MetaData</i> object of an <i>ExpressionSet</i> object.</p> <p><i>NewESObj</i> = <i>sampleVarValues(ESObj, NewDSVarValues)</i> replaces the sample variable values in <i>ESObj</i>, an <i>ExpressionSet</i> object, with <i>NewDSVarValues</i>, and returns <i>NewESObj</i>, a new <i>ExpressionSet</i> object.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class.</p> <p><i>NewDSVarValues</i></p> <p>A new dataset array containing a value for each variable per sample. In this dataset array, the columns correspond to variables and rows correspond to samples. The row names (sample names) must match the row names (sample names) in <i>DSVarValues</i>, the dataset array being replaced in the <i>MetaData</i> object in the <i>ExpressionSet</i> object, <i>ESObj</i>.</p>
<b>Output Arguments</b>	<p><i>DSVarValues</i></p> <p>A dataset array containing the measured value of each variable per sample from the <i>MetaData</i> object of an <i>ExpressionSet</i> object. In this dataset array, the columns correspond to variables and rows correspond to samples.</p> <p><i>NewESObj</i></p> <p>Object of the <i>bioma.ExpressionSet</i> class, returned after replacing the dataset array containing the sample variable values.</p>
<b>Examples</b>	Construct an <i>ExpressionSet</i> object, <i>ESObj</i> , as described in the “Examples” on page 3-238 section of the <i>bioma.ExpressionSet</i> class

reference page. Retrieve the sample variable values in ExpressionSet object:

```
% Retrieve the sample variable values
SVarValues = sampleVarValues(ESObj);
```

## See Also

[bioma.ExpressionSet](#) | [bioma.data.MetaData](#) | [variableValues](#)

## How To

- “Storing and Managing Gene Expression Data in Objects”

# samread

---

## Purpose

Read data from Sequence Alignment/Map (SAM) file

## Syntax

```
SAMStruct = samread(File)  
[SAMStruct, HeaderStruct] = samread(File)  
... = samread(File, 'ParameterName', ParameterValue)
```

## Description

*SAMStruct* = samread(*File*) reads a SAM-formatted file and returns the data in a MATLAB array of structures.

[*SAMStruct*, *HeaderStruct*] = samread(*File*) returns the alignment and header data in two separate variables.

... = samread(*File*, 'ParameterName', *ParameterValue*) accepts one or more comma-separated parameter name/value pairs. Specify *ParameterName* inside single quotes.

## Tips

- Use the `saminfo` function to investigate the size and content of a SAM-formatted file before using the `samread` function to read the file contents into a MATLAB array of structures.
- If your SAM-formatted file is too large to read using available memory, try one of the following:
  - Use the `BlockRead` parameter with the `samread` function to read a subset of entries.
  - Create a `BioIndexedFile` object from the SAM-formatted file, then access the entries using methods of the `BioIndexedFile` class.

## Input Arguments

*File*

Either of the following:

- String specifying a file name or path and file name of a SAM-formatted file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.
- MATLAB string containing the text of a SAM-formatted file.



## Parameter Name/Value Pairs

### Tags

Controls the reading of the optional tags in addition to the first 11 fields for each alignment in the SAM-formatted file. Choices are `true` (default) or `false`.

### ReadGroup

String specifying the read group ID for which to read alignment records from. Default is to read records from all groups.

---

**Tip** For a list of the read groups (if present), return the header information in a separate *Header* structure and view the `ReadGroup` field in this structure.

---

### BlockRead

Scalar or vector that controls the reading of a single sequence entry or block of sequence entries from a SAM-formatted file containing multiple sequences. Enter a scalar  $N$ , to read the  $N$ th entry in the file. Enter a 1-by-2 vector  $[M1, M2]$ , to read a block of entries starting at the  $M1$  entry and ending at the  $M2$  entry. To read all remaining entries in the file starting at the  $M1$  entry, enter a positive value for  $M1$  and enter `Inf` for  $M2$ .

## Output Arguments

### *SAMStruct*

An  $N$ -by-1 array of structures containing sequence alignment and mapping information from a SAM-formatted file, where  $N$  is the number of alignment records stored in the SAM-formatted file. Each structure contains the following fields.

Field	Description
QueryName	<p>Name of read sequence (if unpaired) or name of sequence pair (if paired).</p> <hr/> <p><b>Tip</b> You can use this information to populate the Header property of the BioMap object.</p> <hr/>
Flag	<p>Integer indicating the bit-wise information that specifies the status of each of 11 flags described by the SAM format specification.</p> <hr/> <p><b>Tip</b> You can use the bitget function to determine the status of a specific SAM flag.</p> <hr/>
ReferenceName	<p>Name of the reference sequence.</p>
Position	<p>Position of the reference sequence where the alignment of the read sequence starts.</p>
MappingQuality	<p>Integer specifying the mapping quality score for the read sequence.</p>
CigarString	<p>CIGAR-formatted string representing how the read sequence aligns with the reference sequence.</p>

Field	Description
MateReferenceName	Name of the reference sequence associated with the mate. If this name is the same as ReferenceName, then this value is =.
MatePosition	Position of the reference sequence where the alignment of the mate of the read sequence starts.
InsertSize	The number of base positions between the read sequence and its mate, when both are mapped to the same reference sequence. Otherwise, this value is 0.
Sequence	String containing the letter representations of the read sequence.
Quality	String containing the ASCII representation of the per-base quality score for the read sequence.
Tags	List of applicable SAM tags and their values.

*HeaderStruct*

Structure containing header information for the SAM-formatted file in the following fields.

Field	Description
Header*	Structure containing the file format version, sort order, and group order.
SequenceDictionary*	Structure containing the: <ul style="list-style-type: none"><li>• Sequence name</li><li>• Sequence length</li><li>• Genome assembly identifier</li><li>• MD5 checksum of sequence</li><li>• URI of sequence</li><li>• Species</li></ul>
ReadGroup*	Structure containing the: <ul style="list-style-type: none"><li>• Read group identifier</li><li>• Sample</li><li>• Library</li><li>• Description</li><li>• Platform unit</li><li>• Predicted median insert size</li><li>• Sequencing center</li><li>• Date</li><li>• Platform</li></ul>
Program*	Structure containing the: <ul style="list-style-type: none"><li>• Program name</li><li>• Version</li></ul>

Field	Description
	<ul style="list-style-type: none"><li>• Command line</li></ul>

\* — These structures and their fields appear in the output structure only if they are present in the SAM file. The information in these structures depends on the information present in the SAM file.

Examples

Read the header information and the alignment data from the `ex1.sam` file included with Bioinformatics Toolbox, and then return the information in two separate variables:

```
[data header] = samread('ex1.sam');
```

Read a block of entries, excluding the tags, from the `ex1.sam` file, and then return the information in an array of structures:

```
% Read entries 5 through 10 and do not include the tags
data = samread('ex1.sam','blockread', [5 10], 'tags', false);
```

See Also

`saminfo` | `fastqread` | `fastqwrite` | `fastqinfo` | `fastainfo` | `fastaread` | `fastawrite` | `sffinfo` | `sffread` | `BioIndexedFile` | `BioMap`

How To

- “Storing and Managing Short-Read Sequence Data in Objects”

Related Links

- Sequence Read Archive
- SAM format specification

# scfread

**Purpose** Read trace data from SCF file

**Syntax**

```
Sample = scfread(File)
[Sample, Probability] = scfread(File)
[Sample, Probability, Comments] = scfread(File)
[A, C, G, T] = scfread (File)
[A, C, G, T, ProbA, ProbC, ProbG, ProbT] = scfread (File)
[A, C, G, T, ProbA, ProbC, ProbG, ProbT, Comments, PkIndex,
    Base] = scfread (File)
```

**Arguments**

*File* String specifying the file name or a path and file name of an SCF formatted file.

**Description** scfread reads data from an SCF formatted file into MATLAB structures.

*Sample* = scfread(*File*) reads an SCF formatted file and returns the sample data in the structure *Sample*, which contains the following fields:

Field	Description
A	Column vector containing intensity of A fluorescence tag
C	Column vector containing intensity of C fluorescence tag
G	Column vector containing intensity of G fluorescence tag
T	Column vector containing intensity of T fluorescence tag

[*Sample*, *Probability*] = scfread(*File*) also returns the probability data in the structure *Probability*, which contains the following fields:

Field	Description
peak_index	Column vector containing the position in the SCF file for the start of the data for each peak
prob_A	Column vector containing the probability of each base in the sequence being an A
prob_C	Column vector containing the probability of each base in the sequence being a C
prob_G	Column vector containing the probability of each base in the sequence being a G
prob_T	Column vector containing the probability of each base in the sequence being a T
base	Column vector containing the called bases for the sequence

`[Sample, Probability, Comments] = scfread(File)` also returns the comment information from the SCF file in a character array `Comments`.

`[A, C, G, T] = scfread (File)` returns the sample data for the four bases in separate variables.

`[A, C, G, T, ProbA, ProbC, ProbG, ProbT] = scfread (File)` also returns the probabilities data for the four bases in separate variables.

`[A, C, G, T, ProbA, ProbC, ProbG, ProbT, Comments, PKIndex, Base] = scfread (File)` also returns the peak indices and called bases in separate variables.

SCF files store data from DNA sequencing instruments. Each file includes sample data, sequence information, and the relative probabilities of each of the four bases. For more information on SCF files, see

[http://www.mrc-lmb.cam.ac.uk/pubseq/manual/formats\\_unix\\_2.html](http://www.mrc-lmb.cam.ac.uk/pubseq/manual/formats_unix_2.html)

# scfread

---

## Examples

```
[sampleStruct, probStruct, Comments] = scfread('sample.scf')
sampleStruct =
```

```
A: [10827x1 double]
C: [10827x1 double]
G: [10827x1 double]
T: [10827x1 double]
```

```
probStruct =
```

```
peak_index: [742x1 double]
prob_A: [742x1 double]
prob_C: [742x1 double]
prob_G: [742x1 double]
prob_T: [742x1 double]
base: [742x1 char]
```

```
Comments =
```

```
SIGN=A=121,C=103,G=119,T=82
SPAC= 16.25
PRIM=0
MACH=Arkansas_SN312
DYEP=DT3700POP5{BD}v2.mob
NAME=HCIUP1D61207
LANE=6
GELN=
PROC=
RTRK=
CONV=phred version=0.990722.h
COMM=
SRCE=ABI 373A or 377
```

## See Also

Bioinformatics Toolbox functions: `genbankread`, `traceplot`



**Purpose** Select tree branches and leaves in phytree object

**Syntax**

```
S = select(Tree, N)
[S, Selleaves, Selbranches] = select(...)
select(..., 'Reference', ReferenceValue, ...)
select(..., 'Criteria', CriteriaValue, ...)
select(..., 'Threshold', ThresholdValue, ...)
select(..., 'Exclude', ExcludeValue, ...)
select(..., 'Propagate', PropagateValue, ...)
```

<b>Arguments</b>	<i>Tree</i>	Phylogenetic tree (phytree object) created with the function phytree.
	<i>N</i>	Number of closest nodes to the root node.
	<i>ReferenceValue</i>	Property to select a reference point for measuring distance.
	<i>CriteriaValue</i>	Property to select a criteria for measuring distance.
	<i>ThresholdValue</i>	Property to select a distance value. Nodes with distances below this value are selected.
	<i>ExcludeValue</i>	Property to remove (exclude) branch or leaf nodes from the output. Enter 'none', 'branches', or 'leaves'. The default value is 'none'.
	<i>PropagateValue</i>	Property to select propagating nodes toward the leaves or the root.

**Description**

`S = select(Tree, N)` returns a logical vector (S) of size [NumNodes x 1] indicating the N closest nodes to the root node of a phytree object (Tree) where NumNodes = NumLeaves + NumBranches. The first criterion select uses is branch levels, then patristic distance (also known as tree distance). By default, select uses inf as the value of N, and select(Tree) returns a vector with values of true.

## select (phytree)

---

`[S, SelLeaves, SelBranches] = select(...)` returns two additional logical vectors, one for the selected leaves and one for the selected branches.

`select(..., 'PropertyName', PropertyValue, ...)` calls `select` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`select(..., 'Reference', ReferenceValue, ...)` changes the reference point(s) to measure the closeness. *Reference* can be the root (default) or leaves. When using leaves, a node can have multiple distances to its descendant leaves (nonultrametric tree). If this the case, `select` considers the minimum distance to any descendant leaf.

`select(..., 'Criteria', CriteriaValue, ...)` changes the criteria `select` uses to measure closeness. If *C* = 'levels' (default), the first criterion is branch levels and then patristic distance. If *C* = 'distance', the first criterion is patristic distance and then branch levels.

`select(..., 'Threshold', ThresholdValue, ...)` selects all the nodes where closeness is less than or equal to the threshold value (*ThresholdValue*). Notice, you can also use either of the properties 'criteria' or 'reference', if *N* is not specified, then *N* = `inf`; otherwise you can limit the number of selected nodes by *N*.

`select(..., 'Exclude', ExcludeValue, ...)` when *ExcludeValue* = 'branches', sets a postfilter that excludes all the branch nodes from *S*, or when *ExcludeValue* = 'leaves', all the leaf nodes. The default is 'none'.

`select(..., 'Propagate', PropagateValue, ...)` activates a postfunctionality that propagates the selected nodes to the leaves when *P* == 'toleaves' or toward the root finding a common ancestor when *P* == 'toroot'. The default value is 'none'. *P* may also be 'both'. The 'Propagate' property acts after the 'Exclude' property.

## Examples

```
% Load a phylogenetic tree created from a protein family:
tr = phytreeread('pf00002.tree');

% To find close products for a given protein (e.g. vipr2_human):
ind = getbyname(tr,'vipr2_human');
[sel,sel_leaves] = select(tr,'criteria','distance',...
                        'threshold',0.6,'reference',ind);
view(tr,sel_leaves)

% To find potential outliers in the tree, use
[sel,sel_leaves] = select(tr,'criteria','distance',...
                        'threshold',.3,...
                        'reference','leaves',...
                        'exclude','leaves',...
                        'propagate','toleaves');
view(tr,~sel_leaves)
```

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor),  
`phytreetool`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `get`, `pdist`, `prune`

# seq2regexp

---

Purpose	Convert sequence with ambiguous characters to regular expression	
Syntax	<pre>RegExp = seq2regexp(Seq) RegExp = seq2regexp(Seq, ...'Alphabet', AlphabetValue, ...) RegExp = seq2regexp(Seq, ...'Ambiguous', AmbiguousValue, ...)</pre>	
Arguments	Seq	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• Character string of codes specifying an amino acid or nucleotide sequence.</li><li>• Structure containing a <code>Sequence</code> field that contains an amino acid or nucleotide sequence, such as returned by <code>fastaread</code>, <code>fastqread</code>, <code>getembl</code>, <code>getgenbank</code>, <code>getgenpept</code>, or <code>getpdb</code>.</li></ul>
	AlphabetValue	<p>String specifying the sequence alphabet. Choices are:</p> <ul style="list-style-type: none"><li>• 'NT' (default) — Nucleotide</li><li>• 'AA' — Amino acid</li></ul>
	AmbiguousValue	<p>Controls whether ambiguous characters are included in <i>RegExp</i>, the regular expression return value. Choices are:</p> <ul style="list-style-type: none"><li>• true (default) — Include ambiguous characters in the return value</li><li>• false — Return only unambiguous characters</li></ul>
Return Values	RegExp	Character string of codes specifying an amino acid or nucleotide sequence in regular expression format using IUB/IUPAC codes.

Description

*RegExp* = seq2regex(*Seq*) converts ambiguous amino acid or nucleotide symbols in a sequence to a regular expression format using IUB/IUPAC codes.

*RegExp* = seq2regex(*Seq*, ...'*PropertyName*', *PropertyValue*, ...) calls seq2regex with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*RegExp* = seq2regex(*Seq*, ...'*Alphabet*', *AlphabetValue*, ...) specifies the sequence alphabet. *AlphabetValue* can be either 'NT' for nucleotide sequences or 'AA' for amino acid sequences. Default is 'NT'.

*RegExp* = seq2regex(*Seq*, ...'*Ambiguous*', *AmbiguousValue*, ...) controls whether ambiguous characters are included in *RegExp*, the regular expression return value. Choices are true (default) or false. For example:

- If *Seq* = 'ACGTK', and *AmbiguousValue* is true , the MATLAB software returns ACGT[GTK] with the unambiguous characters G and T and the ambiguous character K.
- If *Seq* = 'ACGTK', and *AmbiguousValue* is false, the MATLAB software returns ACGT[GT] with only the unambiguous characters.

Nucleotide Conversions

Nucleotide Code	Nucleotide	Conversion
A	Adenosine	A
C	Cytosine	C
G	Guanine	G
T	Thymidine	T
U	Uridine	U

Nucleotide Conversions (Continued)

Nucleotide Code	Nucleotide	Conversion
R	Purine	[AG]
Y	Pyrimidine	[TC]
K	Keto	[GT]
M	Amino	[AC]
S	Strong interaction (3 H bonds)	[GC]
W	Weak interaction (2 H bonds)	[AT]
B	Not A	[CGT]
D	Not C	[AGT]
H	Not G	[ACT]
V	Not T or U	[ACG]
N	Any nucleotide	[ACGT]
-	Gap of indeterminate length	-
?	Unknown	?

Amino Acid Conversion

Amino Acid Code	Amino Acid	Conversion
B	Asparagine or Aspartic acid (Aspartate)	[DN]
Z	Glutamine or Glutamic acid (Glutamate)	[EQ]

Amino Acid Conversion (Continued)

Amino Acid Code	Amino Acid	Conversion
X	Any amino acid	[A R N D C Q E G H I L K M F P S T W Y V]

Example

1 Convert a nucleotide sequence to a regular expression.

```
seq2regex('ACWTMAN')  
  
ans =  
AC[ATW]T[ACM]A[ACGTRYKMSWBDHVN]
```

2 Convert the same nucleotide sequence, but remove ambiguous characters from the regular expression.

```
seq2regex('ACWTMAN', 'ambiguous', false)  
  
ans =  
AC[AT]T[AC]A[ACGT]
```

See Also

Bioinformatics Toolbox functions: restrict, seqwordcount  
MATLAB functions: regex, regexpi

# seqcomplement

**Purpose** Calculate complementary strand of nucleotide sequence

**Syntax** `SeqC = seqcomplement(SeqNT)`

**Arguments**

<i>SeqNT</i>	Nucleotide sequence specified by any of the following:
	<ul style="list-style-type: none"><li>• Character string with the characters A, C, G, T, U, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N.</li><li>• Row vector of integers from the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a Sequence field that contains a nucleotide sequence, such as returned by <code>emblread</code>, <code>fastaread</code>, <code>fastqread</code>, <code>genbankread</code>, <code>getembl</code>, or <code>getgenbank</code>.</li></ul>

**Description** `SeqC = seqcomplement(SeqNT)` calculates the complementary strand of a DNA or RNA nucleotide sequence. The return sequence, *SeqC*, is in the same format as *SeqNT*. For example, if *SeqNT* is a vector of integers, then so is *SeqC*.

Nucleotide in <i>SeqNT</i>	Converts to This Nucleotide in <i>SeqC</i>
A	T or U
C	G
G	C
T or U	A

**Examples** Return the complement of a DNA nucleotide sequence.

```
s = 'ATCG';
seqcomplement(s)
```



```
ans =  
TAGC
```

### See Also

Bioinformatics Toolbox functions: `codoncount`, `palindromes`, `seqrcomplement`, `seqreverse`, `seqtool`

Purpose	Calculate consensus sequence	
Syntax	<pre>CSeq = seqconsensus(Seqs) [CSeq, Score] = seqconsensus(Seqs) CSeq = seqconsensus(Profile) seqconsensus(..., 'PropertyName', PropertyValue,...) seqconsensus(..., 'ScoringMatrix', ScoringMatrixValue)</pre>	
Arguments	Seqs	Set of multiply aligned amino acid or nucleotide sequences. Enter an array of strings, a cell array of strings, or an array of structures with the field Sequence.
	Profile	Sequence profile. Enter a profile from the function seqprofile. Profile is a matrix of size [20 (or 4) x Sequence Length] with the frequency or count of amino acids (or nucleotides) for every position. Profile can also have 21 (or 5) rows if gaps are included in the consensus.
	ScoringMatrixValue	Scoring matrix. The default value is BLOSUM50 for amino acid sequences or NUC44 for nucleotide sequences. ScoringMatrix can also be a 21x21, 5x5, 20x20, or 4x4 numeric array. For the gap-included cases, gap scores (last row/column) are set to mean(diag(ScoringMatrix)) for a gap matching with another gap, and set to mean(nodiag(ScoringMatrix)) for a gap matching with another symbol
Description	<p>CSeq = seqconsensus(Seqs), for a multiply aligned set of sequences (Seqs), returns a string with the consensus sequence (CSeq). The frequency of symbols (20 amino acids, 4 nucleotides) in the set of sequences is determined with the function seqprofile. For ambiguous</p>	

nucleotide or amino acid symbols, the frequency or count is added to the standard set of symbols.

`[CSeq, Score] = seqconsensus(Seqs)` returns the conservation score of the consensus sequence. Scores are computed with the scoring matrix BLOSUM50 for amino acids or NUC44 for nucleotides. Scores are the average euclidean distance between the scored symbol and the M-dimensional consensus value. M is the size of the alphabet. The consensus value is the profile weighted by the scoring matrix.

`CSeq = seqconsensus(Profile)` returns a string with the consensus sequence (*CSeq*) from a sequence profile (*Profile*).

`seqconsensus(..., 'PropertyName', PropertyValue,...)` defines optional properties using property name/value pairs.

`seqconsensus(..., 'ScoringMatrix', ScoringMatrixValue)` specifies the scoring matrix.

The following input parameters are analogous to the function `seqprofile` when the alphabet is restricted to 'AA' or 'NT'.

`seqconsensus(..., 'Alphabet', AlphabetValue)`

`seqconsensus(..., 'Gaps', GapsValue)`

`seqconsensus(..., 'Ambiguous', AmbiguousValue)`

`seqconsensus(..., 'Limits', LimitsValue)`

## Examples

```
seqs = fastaread('pf00002.fa');  
[C,S] = seqconsensus(seqs,'limits',[50 60],'gaps','all')
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `multialignread`, `multialignwrite`, `profalign`, `seqdisp`, `seqprofile`

# seqdisp

---

<b>Purpose</b>	Format long sequence output for easy viewing	
<b>Syntax</b>	<pre>seqdisp(Seq) seqdisp(Seq, ...'Row', RowValue, ...) seqdisp(Seq, ...'Column', ColumnValue, ...) seqdisp(Seq, ...'ShowNumbers', ShowNumbersValue, ...)</pre>	
<b>Arguments</b>		
	<i>Seq</i>	<p>Nucleotide or amino acid sequence represented by any of the following:</p> <ul style="list-style-type: none"><li>• Character array</li><li>• FASTA file name</li><li>• MATLAB structure with the field <code>Sequence</code></li></ul> <p>Multiply aligned sequences are allowed.</p> <p>FASTA files can have the file extension <code>fa</code>, <code>fasta</code>, <code>fas</code>, <code>fsa</code>, or <code>fst</code>.</p>
	<i>RowValue</i>	<p>Integer that specifies the length of each row. Default is 60.</p>
	<i>ColumnValue</i>	<p>Integer that specifies the column width or number of symbols before displaying a space. Default is 10.</p>
	<i>ShowNumbersValue</i>	<p>Controls the display of numbers at the start of each row. Choices are <code>true</code> (default) to show numbers, or <code>false</code> to hide numbers.</p>
<b>Description</b>	<p><code>seqdisp(Seq)</code> displays a sequence in rows, with a default row length of 60 and a default column width of 10.</p> <p><code>seqdisp(Seq, ...'PropertyName', PropertyValue, ...)</code> calls <code>seqdisp</code> with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each</p>	

*PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`seqdisp(Seq, ...'Row', RowValue, ...)` specifies the length of each row for the displayed sequence.

`seqdisp(Seq, ...'Column', ColumnValue, ...)` specifies the number of letters to display before adding a space. *RowValue* must be larger than and evenly divisible by *ColumnValue*.

`seqdisp(Seq, ...'ShowNumbers', ShowNumbersValue, ...)` controls the display of numbers at the start of each row. Choices are `true` (default) to show numbers, or `false` to hide numbers.

## Examples

Read sequence information from the GenBank database. Display the sequence in rows with 50 letters, and within a row, separate every 10 letters with a space.

```
mouseHEXA = getgenbank('AK080777');
seqdisp(mouseHEXA, 'Row', 50, 'Column', 10)
```

Create and save a FASTA file with two sequences, and then display it.

```
hdr = ['Sequence A'; 'Sequence B'];
seq = ['TAGCTGRCCAAGGCCAAGCGAGCTTN'; 'ATCGACYGGTTCCGGTTCGCTCGAAN']
fastawrite('local.fa', hdr, seq);
seqdisp('local.fa', 'ShowNumbers', false')

ans =
>Sequence A
1 TAGCTGRCCA AGGCCAAGCG AGCTTN
>Sequence B
1 ATCGACYGGT TCCGGTTCGC TCGAAN
```

## See Also


Bioinformatics Toolbox functions: `multialignread`, `multialignwrite`, `seqconsensus`, `seqlogo`, `seqprofile`, `seqshoworfs`, `seqshowwords`, `seqtool`, `getgenbank`

# seqdotplot

---

<b>Purpose</b>	Create dot plot of two sequences	
<b>Syntax</b>	<pre>seqdotplot(Seq1, Seq2) seqdotplot(Seq1,Seq2, Window, Number) Matches = seqdotplot(...) [Matches, Matrix] = seqdotplot(...)</pre>	
<b>Arguments</b>	<i>Seq1, Seq2</i>	Nucleotide or amino acid sequences. Enter two character strings. Do not enter a vector of integers. You can also enter a structure with the field <i>Sequence</i> .
	<i>Window</i>	Enter an integer for the size of a window.
	<i>Number</i>	Enter an integer for the number of characters within the window that match.
<b>Description</b>	<p><code>seqdotplot(Seq1, Seq2)</code> plots a figure that visualizes the match between two sequences.</p> <p><code>seqdotplot(Seq1,Seq2, Window, Number)</code> plots sequence matches when there are at least <i>Number</i> matches in a window of size <i>Window</i>.</p> <p>When plotting nucleotide sequences, start with a <i>Window</i> of 11 and <i>Number</i> of 7.</p> <p><code>Matches = seqdotplot(...)</code> returns the number of dots in the dot plot matrix.</p> <p><code>[Matches, Matrix] = seqdotplot(...)</code> returns the dot plot as a sparse matrix.</p>	
<b>Examples</b>	<p>This example shows the similarities between the prion protein (PrP) nucleotide sequences of two ruminants, the moufflon and the golden takin.</p> <pre>moufflon = getgenbank('AB060288','Sequence',true); takin = getgenbank('AB060290','Sequence',true);</pre>	

```
seqdotplot(moufflon,takin,11,7)
```



---

**Note** For the correct interpretation of a dot plot, your monitor's display resolution must be able to contain the sequence lengths. If the resolution is not adequate, `seqdotplot` resizes the image and returns a warning.

---

```
Matches = seqdotplot(moufflon,takin,11,7)
```

```
Matches =  
      5552
```

```
[Matches, Matrix] = seqdotplot(moufflon,takin,11,7)
```

## See Also

Bioinformatics Toolbox functions: `nwalign`, `swalign`

# seqinsertgaps

---

<b>Purpose</b>	Insert gaps into nucleotide or amino acid sequence	
<b>Syntax</b>	<i>NewSeq</i> = seqinsertgaps( <i>Seq</i> , <i>Positions</i> ) <i>NewSeq</i> = seqinsertgaps( <i>Seq</i> , <i>GappedSeq</i> ) <i>NewSeq</i> = seqinsertgaps( <i>Seq</i> , <i>GappedSeq</i> , <i>Relationship</i> )	
<b>Arguments</b>	<i>Seq</i>	Either of the following: <ul style="list-style-type: none"><li>• String specifying a nucleotide or amino acid sequence</li><li>• MATLAB structure containing a <i>Sequence</i> field</li></ul>
	<i>Positions</i>	Vector of integers to specify the positions in <i>Seq</i> before which to insert a gap.
	<i>GappedSeq</i>	Either of the following: <ul style="list-style-type: none"><li>• String specifying a nucleotide or amino acid sequence</li><li>• MATLAB structure containing a <i>Sequence</i> field</li></ul>
	<i>Relationship</i>	Integer specifying the relationship between <i>Seq</i> and <i>GappedSeq</i> . Choices are: <ul style="list-style-type: none"><li>• 1 — Both sequences use the same alphabet, that is both are nucleotide sequences or both are amino acid sequences.</li><li>• 3 — <i>Seq</i> contains nucleotides representing codons and <i>GappedSeq</i> contains amino acids (default).</li></ul>
<b>Return Values</b>	<i>NewSeq</i>	Sequence with gaps inserted, represented by a string specifying a nucleotide or amino acid sequence.



**Description**

*NewSeq* = seqinsertgaps(*Seq*, *Positions*) inserts gaps in the sequence *Seq* before the positions specified by the integers in the vector *Positions*.

*NewSeq* = seqinsertgaps(*Seq*, *GappedSeq*) finds the gap positions in the sequence *GappedSeq*, then inserts gaps in the corresponding positions in the sequence *Seq*.

*NewSeq* = seqinsertgaps(*Seq*, *GappedSeq*, *Relationship*) specifies the relationship between *Seq* and *GappedSeq*. Enter 1 for *Relationship* when both sequences use the same alphabet, that is both are nucleotide sequences or both are amino acid sequences. Enter 3 for *Relationship* when *Seq* contains nucleotides representing codons and *GappedSeq* contains amino acids. Default is 3.

**Examples**

- 1** Retrieve two nucleotide sequences from the GenBank database for the neuraminidase (NA) protein of two strains of the Influenza A virus (H5N1).

```
hk01 = getgenbank('AF509094');
vt04 = getgenbank('DQ094287');
```

- 2** Extract the coding region from the two nucleotide sequences.

```
hk01_cds = featuresparse(hk01,'feature','CDS','Sequence',true);
vt04_cds = featuresparse(vt04,'feature','CDS','Sequence',true);
```

- 3** Align the amino acids sequences converted from the nucleotide sequences.

```
[sc,al]=nwalignment(nt2aa(hk01_cds),nt2aa(vt04_cds),'extendgap',1);
```

- 4** Use the seqinsertgaps function to copy the gaps from the aligned amino acid sequences to their corresponding nucleotide sequences, thus codon-aligning them.

```
hk01_aligned = seqinsertgaps(hk01_cds,al(1,:))
vt04_aligned = seqinsertgaps(vt04_cds,al(3,:))
```

- 5** Once you have code aligned the two sequences, you can use them as input to other functions such as `dnds`, which calculates the synonymous and nonsynonymous substitutions rates of the codon-aligned nucleotide sequences. By setting `Verbose` to `true`, you can also display the codons considered in the computations and their amino acid translations.

```
[dn,ds] = dnds(hk01_aligned,vt04_aligned,'verbose',true)
```

### See Also

Bioinformatics Toolbox functions: `dnds`, `dndsm1`, `int2aa`, `int2nt`

**Purpose**

Construct phylogenetic tree from pairwise distances

**Syntax**

```
Tree = seqlinkage(Dist)  
Tree = seqlinkage(Dist, Method)  
Tree = seqlinkage(Dist, Method, Names)
```

**Arguments**

*Dist* Matrix or vector of pairwise distances, such as returned by the `seqpdist` function.

*Method* String that specifies a distance method. Choices are:

- 'single'
- 'complete'
- 'average' (default)
- 'weighted'
- 'centroid'
- 'median'

*Names* Specifies alternative labels for leaf nodes. Choices are:

- Vector of structures, each with a `Header` or `Name` field
- Cell array of strings

The elements must be unique. The number of elements must comply with the number of samples used to generate the pairwise distances in *Dist*.

**Description**

`Tree = seqlinkage(Dist)` returns a phylogenetic tree object from the pairwise distances, *Dist*, between the species or products. *Dist* is a matrix or vector of pairwise distances, such as returned by the `seqpdist` function.

*Tree* = seqlinkage(*Dist*, *Method*) creates a phylogenetic tree object using a specified patristic distance method. The available methods are:

'single'	Nearest distance (single linkage method)
'complete'	Furthest distance (complete linkage method)
'average' (default)	Unweighted Pair Group Method Average (UPGMA, group average).
'weighted'	Weighted Pair Group Method Average (WPGMA)
'centroid'	Unweighted Pair Group Method Centroid (UPGMC)
'median'	Weighted Pair Group Method Centroid (WPGMC)

*Tree* = seqlinkage(*Dist*, *Method*, *Names*) passes a list of unique names to label the leaf nodes (for example, species or products) in a phylogenetic tree object.

## Examples

```
% Load a multiple alignment of amino acids:
seqs = fastaread('pf00002.fa');
% Measure the 'Jukes-Cantor' pairwise distances:
dist = seqpdist(seqs,'method','jukes-cantor',...
               'indels','pair');
% Build the phylogenetic tree with the single linkage
% method and pass the names of the sequences:
tree = seqlinkage(dist,'single',seqs)
view(tree)
```

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreewrite`, `seqpdist`, `seqneighjoin`

Bioinformatics Toolbox methods of `phytree` object: `cluster`, `plot`, `view`

**Purpose**

Display sequence logo for nucleotide or amino acid sequences

**Syntax**

```
seqlogo(Seqs)
seqlogo(Profile)
WgtMatrix = seqlogo(...)
[WgtMatrix, Handle] = seqlogo(...)
seqlogo(..., 'Displaylogo', DisplaylogoValue, ...)
seqlogo(..., 'Alphabet', AlphabetValue, ...)
seqlogo(..., 'Startat', StartatValue, ...)
seqlogo(..., 'Endat', EndatValue, ...)
seqlogo(..., 'SSCorrection', SSCorrectionValue, ...)
```

**Arguments**

*Seqs*

Set of pairwise or multiply aligned nucleotide or amino acid sequences, represented by any of the following:

- Character array
- Cell array of strings
- Array of structures containing a `Sequence` field

*Profile*

Sequence profile distribution matrix with the frequency of nucleotides or amino acids for every column in the multiple alignment, such as returned by the `seqprofile` function.

The size of the frequency distribution matrix is:

- For nucleotides — [4 x sequence length]
- For amino acids — [20 x sequence length]

	If gaps were included, <i>Profile</i> may have 5 rows (for nucleotides) or 21 rows (for amino acids), but <i>seqlogo</i> ignores gaps.
<i>DisplaylogoValue</i>	Controls the display of a sequence logo. Choices are true (default) or false.
<i>AlphabetValue</i>	String specifying the type of sequence (nucleotide or amino acid). Choices are 'NT' (default) or 'AA'.
<i>StartatValue</i>	Positive integer that specifies the starting position for the sequences in <i>Seqs</i> . Default starting position is 1.
<i>EndatValue</i>	Positive integer that specifies the ending position for the sequences in <i>Seqs</i> . Default ending position is the maximum length of the sequences in <i>Seqs</i> .
<i>SSCorrectionValue</i>	Controls the use of small sample correction in the estimation of the number of bits. Choices are true (default) or false.

**Return Values**

<i>WgtMatrix</i>	Cell array containing the symbol list in <i>Seqs</i> or <i>Profile</i> and the weight matrix used to graphically display the sequence logo.
<i>Handle</i>	Handle to the sequence logo figure.

**Description**

*seqlogo(Seqs)* displays a sequence logo for *Seqs*, a set of aligned sequences. The logo graphically displays the sequence conservation at a particular position in the alignment of sequences, measured in bits. The maximum sequence conservation per site is  $\log_2(4)$  bits for nucleotide sequences and  $\log_2(20)$  bits for amino acid sequences. If

the sequence conservation value is zero or negative, no logo is displayed in that position.

`seqlogo(Profile)` displays a sequence logo for *Profile*, a sequence profile distribution matrix with the frequency of nucleotides or amino acids for every column in the multiple alignment, such as returned by the `seqprofile` function.

### Color Code for Nucleotides

Nucleotide	Color
A	Green
C	Blue
G	Yellow
T, U	Red
Other	Purple

### Color Code for Amino Acids

Amino Acid	Chemical Property	Color
G S T Y C Q N	Polar	Green
A V L I P W F M	Hydrophobic	Orange
D E	Acidic	Red
K R H	Basic	Blue
Other	—	Tan

`WgtMatrix = seqlogo(...)` returns a cell array of unique symbols in the sequence *Seqs* or *Profile*, and the information weight matrix used to graphically display the logo.

`[WgtMatrix, Handle] = seqlogo(...)` returns a handle to the sequence logo figure.

`seqlogo(Seqs, ...'PropertyName', PropertyValue, ...)` calls `seqpdist` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`seqlogo(..., 'Displaylogo', DisplaylogoValue, ...)` controls the display of a sequence logo. Choices are `true` (default) or `false`.

`seqlogo(..., 'Alphabet', AlphabetValue, ...)` specifies the type of sequence (nucleotide or amino acid). Choices are `'NT'` (default) or `'AA'`.

---

**Note** If you provide amino acid sequences to `seqlogo`, you must set `Alphabet` to `'AA'`.

---

`seqlogo(..., 'Startat', StartatValue, ...)` specifies the starting position for the sequences in *Seqs*. Default starting position is 1.

`seqlogo(..., 'Endat', EndatValue, ...)` specifies the ending position for the sequences in *Seqs*. Default ending position is the maximum length of the sequences in *Seqs*.

`seqlogo(..., 'SSCorrection', SSCorrectionValue, ...)` controls the use of small sample correction in the estimation of the number of bits. Choices are `true` (default) or `false`.

---

**Note** A simple calculation of bits tends to overestimate the conservation at a particular location. To compensate for this overestimation, when `SSCorrection` is set to `true`, a rough estimate is applied as an approximate correction. This correction works better when the number of sequences is greater than 50.

---



## Examples


### Displaying a Sequence Logo for a Nucleotide Sequence

- 1 Create a series of aligned nucleotide sequences.

```
S = { 'ATTATAGCAAAC TA', ...  
      'AACATGCCAAAGTA', ...  
      'ATCATGCAAAAGGA' }
```

- 2 Display the sequence logo.

```
seqlogo(S)
```



- 3** Notice that correction for small samples prevents you from seeing columns with information equal to  $\log_2(4) = 2$  bits, but you can turn this adjustment off.

```
seqlogo(S, 'sscorrection', false)
```


## Displaying a Sequence Logo for an Amino Acid Sequence

- 1** Create a series of aligned amino acid sequences.

```
S2 = { 'LSGGQRQRVAIARALAL', ...  
      'LSGGEKQRVAIARALMN', ...  
      'LSGGQIQRVLLARALAA', ...  
      'LSGGERRRLEIACVLAL', ...  
      'FSGGEKKKNELWQMLAL', ...  
      'LSGGERRRLEIACVLAL' };
```

- 2** Display the sequence logo, specifying an amino acid sequence and limiting the logo to sequence positions 2 through 10.

```
seqlogo(S2, 'alphabet', 'aa', 'startAt', 2, 'endAt', 10)
```



## References

[1] Schneider, T.D., and Stephens, R.M. (1990). Sequence Logos: A new way to display consensus sequences. *Nucleic Acids Research* 18, 6097–6100.

## See Also

Bioinformatics Toolbox functions: `seqconsensus`, `seqdisp`, `seqprofile`

# seqmatch

---

**Purpose** Find matches for every string in library

**Syntax** Index = seqmatch(Strings, Library)

**Description** Index = seqmatch(Strings, Library) looks through the elements of Library to find strings that begin with every string in Strings. Index contains the index to the first occurrence for every string in the query. Strings and Library must be cell arrays of strings.

**Examples**

```
lib = {'VIPS_HUMAN', 'SCCR_RABIT', 'CALR_PIG', 'VIPR_RAT', 'PACR_MOUSE'};  
query = {'CALR', 'VIP'};  
h = seqmatch(query, lib);  
lib(h)
```

**See Also** MATLAB functions: regexp, strmatch

**Purpose** Neighbor-joining method for phylogenetic tree reconstruction

**Syntax**

```
Tree = seqneighjoin(Dist)
Tree = seqneighjoin(Dist, Method)
Tree = seqneighjoin(Dist, Method, Names)
seqneighjoin(..., 'Reroot', RerootValue)
```

**Arguments**

<i>Dist</i>	Matrix or vector returned by the <code>seqpdist</code> function.
<i>Method</i>	Method to compute the distances between nodes. Enter 'equivar' (default), 'firstorder', or 'average'.
<i>Names</i>	Vector of structures with the fields 'Header', 'Name', or a cell array of strings. In all cases the number of elements must equal the number of samples used to generate the pairwise distances in <i>Dist</i> .

**Description** *Tree* = `seqneighjoin(Dist)` computes a phylogenetic tree object from *Dist*, pairwise distances between the species or products using the neighbor-joining method.

*Tree* = `seqneighjoin(Dist, Method)` specifies *Method*, a method to compute the distances of the new nodes to all other nodes at every iteration. The general expression to calculate the distances between the new node, *n*, after joining *i* and *j* and all other nodes (*k*), is given by

$$D(n,k) = a*D(i,k) + (1-a)*D(j,k) - a*D(n,i) - (1-a)*D(n,j)$$

This expression is guaranteed to find the correct tree with additive data (minimum variance reduction).

Choices for *Method* are:

Method	Description
'equivar' (default)	Assumes equal variance and independence of evolutionary distance estimates ( $\alpha = 1/2$ ). Such as in Studier and Keppler, JMBE (1988).
'firstorder'	Assumes a first-order model of the variances and covariances of evolutionary distance estimates, ' $\alpha$ ' is adjusted at every iteration to a value between 0 and 1. Such as in Gascuel, JMBE (1997).
'average'	New distances are the weighted average of previous distances while the branch distances are ignored. $D(n,k) = [ D(i,k) + D(j,k) ] / 2$ As in the original neighbor-joining algorithm by Saitou and Nei, JMBE (1987).

`Tree = seqneighjoin(Dist, Method, Names)` passes a list of names (*Names*) to label the leaf nodes (e.g., species or products) in the phylogenetic tree object.

`seqneighjoin(..., 'Reroot', RerootValue)`, when *RerootValue* is `false`, excludes rerooting the resulting tree. This is useful for observing the original linkage order followed by the algorithm. By default `seqneighjoin` reroots the resulting tree using the midpoint method.

Examples

- 1 Load a multiple alignment of amino acids.  

```
seqs = fastaread('pf00002.fa');
```
- 2 Measure the Jukes-Cantor pairwise distances.  

```
dist = seqpdist(seqs,'method','jukes-cantor','indels','pair');
```
- 3 Build the phylogenetic using the neighbor-joining algorithm.  

```
tree = seqneighjoin(dist,'equivar',seqs)
view(tree)
```

**References**

- [1] Saitou, N., and Nei, M. (1987). The neighbor-joining method: A new method for reconstructing phylogenetic trees. *Molecular Biology and Evolution* 4(4), 406–425.
- [2] Gascuel, O. (1997). BIONJ: An improved version of the NJ algorithm based on a simple model of sequence data. *Molecular Biology and Evolution* 14 685–695.
- [3] Studier, J.A., Keppler, K.J. (1988). A note on the neighbor-joining algorithm of Saitou and Nei. *Molecular Biology and Evolution* 5(6) 729–731.

**See Also**

Bioinformatics Toolbox functions: `multialign`, `phytree` (object constructor), `seqlinkage` (alternative method to create a phylogenetic tree), `seqpdist`

Methods of `phytree` object: `cluster`, `plot`, `reroot`, `view`

**Purpose** Calculate pairwise distance between sequences

**Syntax**

```
D = seqpdist(Seqs)
D = seqpdist(Seqs, ...'PropertyName', PropertyValue, ...)
D = seqpdist(Seqs, ...'Method', MethodValue, ...)
D = seqpdist(Seqs, ...'Indels', IndelsValue, ...)
D = seqpdist(Seqs, ...'OptArgs', OptArgsValue, ...)
D = seqpdist(Seqs, ...'PairwiseAlignment',
    PairwiseAlignmentValue, ...)
D = seqpdist(Seqs, ...'UseParallel', UseParallelValue, ...)
D = seqpdist(Seqs, ...'SquareForm', SquareFormValue ...)
D = seqpdist(Seqs, ...'Alphabet', AlphabetValue, ...)
D = seqpdist(Seqs, ...'ScoringMatrix', ScoringMatrixValue,
    ...)
D = seqpdist(Seqs, ...'Scale', ScaleValue, ...)
D = seqpdist(Seqs, ...'GapOpen', GapOpenValue, ...)
D = seqpdist(Seqs, ...'ExtendGap', ExtendGapValue, ...)
```

<b>Arguments</b>	<i>Seqs</i>	Any of the following: <ul style="list-style-type: none"><li>• Cell array containing nucleotide or amino acid sequences</li><li>• Vector of structures containing a Sequence field</li><li>• Matrix of characters, in which each row corresponds to a nucleotide or amino acid sequence</li></ul>
	<i>MethodValue</i>	String that specifies the method to calculate pairwise distances. Default is 'Jukes-Cantor'.
	<i>IndelsValue</i>	String that specifies how to treat sites with gaps. Default is 'score'.



*OptArgsValue*

String or cell array that specifies one or more input arguments required or accepted by the distance method specified by the `Method` property.

*PairwiseAlignmentValue* Controls the global pairwise alignment of input sequences (using the `nwalign` function), while ignoring the multiple alignment of the input sequences (if any). Choices are `true` or `false`. Default is:

- `true` — When all input sequences do not have the same length.
- `false` — When all input sequences have the same length.

---

**Tip** If your input sequences are the same length, `seqpdist` aligns them. If they are not aligned, do one of the following:

- Align the sequences before passing them to `seqpdist`, for example, using the `multialign` function.
  - Set `PairwiseAlignment` to `true` when using `seqpdist`.
-

<i>UseParallelValue</i>	Controls the calculation of the pairwise distances using parfor-loops. When true, and Parallel Computing Toolbox is installed and a MATLAB pool is open, computation occurs in parallel. If Parallel Computing Toolbox is not installed, or a MATLAB pool is not open, then computation uses parfor-loops in serial mode. Default is false, which uses for-loops in serial mode.
<i>SquareFormValue</i>	Controls the conversion of the output into a square matrix. Choices are true or false (default).
<i>AlphabetValue</i>	String specifying the type of sequence (nucleotide or amino acid). Choices are 'NT' or 'AA' (default).
<i>ScoringMatrixValue</i>	<p>String that specifies the scoring matrix to use for the global pairwise alignment. Choices for amino acid sequences are:</p> <ul style="list-style-type: none"><li>• 'PAM40'</li><li>• 'PAM250'</li><li>• 'DAYHOFF'</li><li>• 'GONNET'</li><li>• 'BLOSUM30' increasing by 5 up to 'BLOSUM90'</li><li>• 'BLOSUM62'</li><li>• 'BLOSUM100'</li></ul> <p>Default is:</p>

- 'NUC44' — When *AlphabetValue* equals 'NT'
- 'BLOSUM50' — When *AlphabetValue* equals 'AA'

<i>ScaleValue</i>	Positive value that specifies the scale factor used to return the score in arbitrary units. If the scoring matrix information also provides a scale factor, then both are used.
<i>GapOpenValue</i>	Positive integer that specifies the penalty for opening a gap in the alignment. Default is 8.
<i>ExtendedGapValue</i>	Positive integer that specifies the penalty for extending a gap. Default is equal to <i>GapOpenValue</i> .

Return Values

<i>D</i>	Vector that contains biological distances between each pair of sequences stored in the <i>M</i> elements of <i>Seqs</i> .
----------	---

Description

*D* = seqpdist(*Seqs*) returns *D*, a vector containing biological distances between each pair of sequences stored in the *M* sequences of *Seqs*, a cell array of sequences, a vector of structures, or a matrix or sequences.

*D* is a 1-by- $(M*(M-1)/2)$  row vector corresponding to the  $M*(M-1)/2$  pairs of sequences in *Seqs*. The output *D* is arranged in the order  $((2,1),(3,1),\dots,(M,1),(3,2),\dots(M,2),\dots(M,M-1))$ . This is the lower-left triangle of the full *M*-by-*M* distance matrix. To get the distance between the *I*th and the *J*th sequences for  $I > J$ , use the formula  $D((J-1)*(M-J/2)+I-J)$ .

*D* = seqpdist(*Seqs*, ...'*PropertyName*', *PropertyValue*, ...) calls seqpdist with optional properties that use property name/property

value pairs. Specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

*D* = seqpdist(*Seqs*, ...'Method', *MethodValue*, ...) specifies a method to compute distances between each sequence pair. Choices are shown in the following tables.

Methods for Nucleotides and Amino Acids

Method	Description
p-distance	<p>Proportion of sites at which the two sequences are different. <i>p</i> is close to 1 for poorly related sequences, and <i>p</i> is close to 0 for similar sequences.</p> $d = p$
Jukes-Cantor (default)	<p>Maximum likelihood estimate of the number of substitutions between two sequences. <i>p</i> is described with the method p-distance.</p> <p>For nucleotides:</p> $d = -3/4 \log(1-p * 4/3)$ <p>For amino acids:</p> $d = -19/20 \log(1-p * 20/19)$
alignment-score	<p>Distance (<i>d</i>) between two sequences (1, 2) is computed from the pairwise alignment score between the two sequences (<i>score12</i>), and the pairwise alignment score between each sequence and itself (<i>score11</i>, <i>score22</i>) as follows:</p> $d = (1 - score12 / score11) * (1 - score12 / score22)$ <p>This option does not imply that prealigned input sequences will be realigned, it only scores them. Use with care; this distance method does not comply with the ultrametric condition. In the rare case where the score between sequences is greater than the score when aligning a sequence with itself, then <i>d</i> = 0</p>

**Methods with No Scoring of Gaps (Nucleotides Only)**

Method	Description
Tajima-Nei	Maximum likelihood estimate considering the background nucleotide frequencies. It can be computed from the input sequences or given by setting OptArgs to [gA gC gG gT]. gA, gC, gG, gT are scalar values for the nucleotide frequencies.
Kimura	Considers separately the transitional nucleotide substitution and the transversional nucleotide substitution.
Tamura	Considers separately the transitional nucleotide substitution, the transversional nucleotide substitution, and the GC content. GC content can be computed from the input sequences or given by setting OptArgs to the proportion of GC content (scalar value from 0 to 1).
Hasegawa	Considers separately the transitional nucleotide substitution, the transversional nucleotide substitution, and the background nucleotide frequencies. Background frequencies can be computed from the input sequences or given by setting the OptArgs property to [gA gC gG gT].
Nei-Tamura	Considers separately the transitional nucleotide substitution between purines, the transitional nucleotide substitution between pyrimidines, the transversional nucleotide substitution, and the background nucleotide frequencies. Background frequencies can be computed from the input sequences or given by setting the OptArgs property to [gA gC gG gT].

Methods with No Scoring of Gaps (Amino Acids Only)

Method	Description
Poisson	Assumes that the number of amino acid substitutions at each site has a Poisson distribution.
Gamma	Assumes that the number of amino acid substitutions at each site has a Gamma distribution with parameter $\alpha$ . Set $\alpha$ using the <code>OptArgs</code> property. Default is 2.

You can also specify a user-defined distance function using `@`, for example, `@distfun`. The distance function must have the form:

```
function D = distfun(S1, S2, OptArgsValue)
```

The `distfun` function takes the following arguments:

- `S1` , `S2` — Two sequences of the same length (nucleotide or amino acid).
- `OptArgsValue` — Optional problem-dependent arguments.

The `distfun` function returns a scalar that represents the distance between `S1` and `S2`.

`D = seqpdist(Seqs, ...'Indels', IndelsValue, ...)` specifies how to treat sites with gaps. Choices are:

- `score` (default) — Scores these sites either as a point mutation or with the alignment parameters, depending on the method selected.
- `pairwise-del` — For every pairwise comparison, it ignores the sites with gaps.
- `complete-del` — Ignores all the columns in the multiple alignment that contain a gap. This option is available only if you provided a multiple alignment as the input `Seqs`.

`D = seqpdist(Seqs, ... 'OptArgs', OptArgsValue, ...)` passes one or more arguments required or accepted by the distance method specified by the `Method` property. Use a string or cell array to pass one or more input arguments. For example, provide the nucleotide frequencies for the Tajima-Nei distance method, instead of computing them from the input sequences.

`D = seqpdist(Seqs, ... 'PairwiseAlignment', PairwiseAlignmentValue, ...)` controls the global pairwise alignment of input sequences (using the `nwalign` function), while ignoring the multiple alignment of the input sequences (if any). Default is:

- `true` — When all input sequences do not have the same length.
- `false` — When all input sequences have the same length.

---

**Tip** If your input sequences have the same length, `seqpdist` assumes they aligned. If they are not aligned, do one of the following:

- Align the sequences before passing them to `seqpdist`, for example, using the `multialign` function.
  - Set `PairwiseAlignment` to `true` when using `seqpdist`.
- 

`D = seqpdist(Seqs, ... 'UseParallel', UseParallelValue, ...)` specifies whether to use `parfor`-loops when calculating the pairwise distances. When `true`, and Parallel Computing Toolbox is installed and a MATLAB pool is open, computation occurs in parallel. If Parallel Computing Toolbox is not installed, or a MATLAB pool is not open, then computation uses `parfor`-loops in serial mode. Default is `false`, which uses `for`-loops in serial mode.

`D = seqpdist(Seqs, ... 'SquareForm', SquareFormValue ...)` controls the conversion of the output into a square matrix such that  $D(I,J)$  denotes the distance between the  $I$ th and  $J$ th sequences. The square matrix is symmetric and has a zero diagonal. Choices are `true`

or false (default). Setting `Squareform` to true is the same as using the `squareform` function in Statistics Toolbox .

`D = seqpdist(Seqs, ... 'Alphabet', AlphabetValue, ...)` specifies the type of sequence (nucleotide or amino acid). Choices are 'NT' or 'AA' (default).

The remaining input properties are available when the `Method` property equals 'alignment-score' or the `PairwiseAlignment` property equals true.

`D = seqpdist(Seqs, ... 'ScoringMatrix', ScoringMatrixValue, ...)` specifies the scoring matrix to use for the global pairwise alignment. Default is:

- 'NUC44' — When *AlphabetValue* equals 'NT'.
- 'BLOSUM50' — When *AlphabetValue* equals 'AA'.

`D = seqpdist(Seqs, ... 'Scale', ScaleValue, ...)` specifies the scale factor used to return the score in arbitrary units. Choices are any positive value. If the scoring matrix information also provides a scale factor, then both are used.

`D = seqpdist(Seqs, ... 'GapOpen', GapOpenValue, ...)` specifies the penalty for opening a gap in the alignment. Choices are any positive integer. Default is 8.

`D = seqpdist(Seqs, ... 'ExtendGap', ExtendGapValue, ...)` specifies the penalty for extending a gap in the alignment. Choices are any positive integer. Default is equal to *GapOpenValue*.

## Examples

- 1 Read amino acid alignment data into a MATLAB structure.

```
seqs = fastaread('pf00002.fa');
```

- 2 For every possible pair of sequences in the multiple alignment, ignore sites with gaps and score with the scoring matrix PAM250.

```
dist = seqpdist(seqs, 'Method', 'alignment-score', ...
```



```
'Indels', 'pairwise-delete', ...  
'ScoringMatrix', 'pam250');
```

- 3** Force the realignment of each sequence pair ignoring the provided multiple alignment.

```
dist = seqpdist(seqs, 'Method', 'alignment-score', ...  
                'Indels', 'pairwise-delete', ...  
                'ScoringMatrix', 'pam250', ...  
                'PairwiseAlignment', true);
```

- 4** Measure the Jukes-Cantor pairwise distances after realigning each sequence pair, counting the gaps as point mutations.

```
dist = seqpdist(seqs, 'Method', 'jukes-cantor', ...  
                'Indels', 'score', ...  
                'Scoringmatrix', 'pam250', ...  
                'PairwiseAlignment', true);
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `dnds`, `dndsml`, `multialign`, `nwalign`, `phytree` (object constructor), `seqlinkage`

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox method of a `phytree` object: `pdist`

**Purpose** Calculate sequence profile from set of multiply aligned sequences

**Syntax**

```
Profile = seqprofile(Seqs)
[Profile, Symbols] = seqprofile(Seqs)
seqprofile(Seqs, ...'Alphabet', AlphabetValue, ...)
seqprofile(Seqs, ...'Counts', CountsValue, ...)
seqprofile(Seqs, ...'Gaps', GapsValue, ...)
seqprofile(Seqs, ...'Ambiguous', AmbiguousValue, ...)
seqprofile(Seqs, ...'Limits', LimitsValue, ...)
```

**Arguments**

Seqs	Set of multiply aligned sequences represented by any of the following:.
------	---

- Array of strings
- Cell array of strings
- Array of structures containing the field Sequence

AlphabetValue	String specifying the sequence alphabet. Choices are:
---------------	---

- 'NT' — Nucleotides
- 'AA' — Amino acids (default)
- 'none' — No alphabet

When Alphabet is 'none', the symbol list is based on the observed symbols. Each character can be any symbol, except for a hyphen (-) and a period (.), which are reserved for gaps.

CountsValue	Controls returning frequency (ratio of counts/total counts) or counts. Choices are true (counts) or false (frequency). Default is false.
-------------	--

<i>GapsValue</i>	String that controls the counting of gaps in a sequence. Choices are: <ul style="list-style-type: none"> <li>• 'all' — Counts all gaps</li> <li>• 'noflanks' — Counts all gaps except those at the flanks of every sequence</li> <li>• 'none' — Default. Counts no gaps.</li> </ul>
<i>AmbiguousValue</i>	Controls counting ambiguous symbols. Enter 'Count' to add partial counts to the standard symbols.
<i>LimitsValue</i>	Specifies whether to use part of the sequence. Enter a [1x2] vector with the first position and the last position to include in the profile. Default is [1,SeqLength].

## Description

*Profile* = seqprofile(*Seqs*) returns *Profile*, a matrix of size [20 (or 4) x SequenceLength] with the frequency of amino acids (or nucleotides) for every column in the multiple alignment. The order of the rows is given by

- 4 nucleotides — A C G T/U
- 20 amino acids — A R N D C Q E G H I L K M F P S T W Y V

[*Profile*, *Symbols*] = seqprofile(*Seqs*) returns *Symbols*, a unique symbol list where every symbol in the list corresponds to a row in *Profile*, the profile.

seqprofile(*Seqs*, ...'*PropertyName*', *PropertyValue*, ...) calls seqprofile with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

seqprofile(*Seqs*, ...'Alphabet', *AlphabetValue*, ...) selects a nucleotide alphabet, amino acid alphabet, or no alphabet.

# seqprofile

---

`seqprofile(Seqs, ...'Counts', CountsValue, ...)` when `Counts` is `true`, returns the counts instead of the frequency.

`seqprofile(Seqs, ...'Gaps', GapsValue, ...)` appends a row to the bottom of a profile (`Profile`) with the count for gaps.

`seqprofile(Seqs, ...'Ambiguous', AmbiguousValue, ...)` when `Ambiguous` is `'count'`, counts the ambiguous amino acid symbols (B Z X) and nucleotide symbols (R Y K M S W B D H V N) with the standard symbols. For example, the amino acid X adds a 1/20 count to every row while the amino acid B counts as 1/2 at the D and N rows.

`seqprofile(Seqs, ...'Limits', LimitsValue, ...)` specifies the start and end positions for the profile relative to the indices of the multiple alignment.

## Examples

```
seqs = fastaread('pf00002.fa');  
[P,S] = seqprofile(seqs,'limits',[50 60],'gaps','all')
```

## See Also

Bioinformatics Toolbox functions: `fastaread`, `multialignread`, `multialignwrite`, `seqconsensus`, `seqdisp`, `seqlogo`

**Purpose** Calculate reverse complementary strand of nucleotide sequence

**Syntax** `SeqRC = seqrcomplement(SeqNT)`

**Arguments**

<i>SeqNT</i>	Nucleotide sequence specified by any of the following: <ul style="list-style-type: none"><li>• Character string with the characters A, C, G, T, U, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N.</li><li>• Row vector of integers from the table Mapping Nucleotide Integers to Letter Codes on page 3-913.</li><li>• MATLAB structure containing a Sequence field that contains a nucleotide sequence, such as returned by <code>emblread</code>, <code>fastaread</code>, <code>fastqread</code>, <code>genbankread</code>, <code>getembl</code>, or <code>getgenbank</code>.</li></ul>
--------------	--

**Description** `SeqRC = seqrcomplement(SeqNT)` calculates the reverse complementary strand of a DNA or RNA nucleotide sequence. The return sequence, *SeqRC*, reads from 3' --> 5' and is in the same format as *SeqNT*. For example, if *SeqNT* is a vector of integers, then so is *SeqRC*.

Nucleotide in <i>SeqNT</i>	Converts to This Nucleotide in <i>SeqRC</i>
A	T or U
C	G
G	C
T or U	A

**Examples** Return the reverse complement of a DNA nucleotide sequence.

```
s = 'ATCG'  
seqrcomplement(s)
```

# seqrcomplement

---

```
ans =  
CGAT
```

## See Also

Bioinformatics Toolbox functions: `codoncount`, `palindromes`, `seqcomplement`, `seqreverse`, `seqtool`

**Purpose**

Calculate reverse strand of nucleotide sequence

**Syntax**

*SeqR* = seqreverse(*SeqNT*)

**Arguments**

*SeqNT*

Nucleotide sequence specified by any of the following:

- Character string with the characters A, C, G, T, U, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N.
- Row vector of integers from the table Mapping Nucleotide Integers to Letter Codes on page 3-913.
- MATLAB structure containing a *Sequence* field that contains a nucleotide sequence, such as returned by *emblread*, *fastaread*, *fastqread*, *genbankread*, *getembl*, or *getgenbank*.

**Description**

*SeqR* = seqreverse(*SeqNT*) calculates the reverse strand of a DNA or RNA nucleotide sequence. The return sequence, *SeqR*, reads from 3' --> 5' and is in the same format as *SeqNT*. For example, if *SeqNT* is a vector of integers, then so is *SeqR*.

**Examples**

Return the reverse strand of a DNA nucleotide sequence.

```
s = 'ATCG'  
seqreverse(s)  
ans =  
GCTA
```

**See Also**

Bioinformatics Toolbox functions: *codoncount*, *palindromes*, *seqcomplement*, *seqrcomplement*, *seqtool*

MATLAB function: *fliplr*

# seqshoworfs

---

<b>Purpose</b>	Display open reading frames in sequence	
<b>Syntax</b>	<pre>seqshoworfs(SeqNT) seqshoworfs(SeqNT, ...'Frames', FramesValue, ...) seqshoworfs(SeqNT, ...'GeneticCode', GeneticCodeValue, ...) seqshoworfs(SeqNT, ...'MinimumLength', MinimumLengthValue, ...) seqshoworfs(SeqNT, ...'AlternativeStartCodons',               AlternativeStartCodonsValue, ...) seqshoworfs(SeqNT, ...'Color', ColorValue, ...) seqshoworfs(SeqNT, ...'Columns', ColumnsValue, ...)</pre>	
<b>Arguments</b>	<i>SeqNT</i>	Nucleotide sequence. Enter either a character string with the characters A, T (U), G, C, and ambiguous characters R, Y, K, M, S, W, B, D, H, V, N, or a vector of integers. You can also enter a structure with the field Sequence.
	<i>FramesValue</i>	Property to select the frame. Enter 1, 2, 3, -1, -2, -3, enter a vector with integers, or 'all'. The default value is the vector [1 2 3]. Frames -1, -2, and -3 correspond to the first, second, and third reading frames for the reverse complement.
	<i>GeneticCodeValue</i>	Genetic code name. Enter a code number or a code name from the table Genetic Code on page 3-1560.
	<i>MinimumLengthValue</i>	Property to set the minimum number of codons in an ORF.



*AlternativeStartCodonsValue* Property to control using alternative start codons. Enter either `true` or `false`. The default value is `false`.

*ColorValue* Color to highlight the reading frame. Specify one of the following:

- Three-element numeric vector of RGB values
- String containing a predefined single-letter color code
- String containing a predefined color name

For example, to use cyan, enter `[0 1 1]`, `'c'`, or `'cyan'`. For more information on specifying colors, see `ColorSpec`.

To specify different colors for the three reading frames, use a 1-by-3 cell array of color values. If you are displaying reverse complement reading frames, then use a 1-by-6 cell array of color values.

The default color scheme is blue for the first reading frame, red for the second, and green for the third.

*ColumnsValue* Property to specify the number of columns in the output.

Genetic Code

Code Number	Code Name
1	Standard
2	Vertebrate Mitochondrial
3	Yeast Mitochondrial
4	Mold, Protozoan, Coelenterate Mitochondrial, and Mycoplasma/Spiroplasma
5	Invertebrate Mitochondrial
6	Ciliate, Dasycladacean, and Hexamita Nuclear
9	Echinoderm Mitochondrial
10	Euplotid Nuclear
11	Bacterial and Plant Plastid
12	Alternative Yeast Nuclear
13	Ascidian Mitochondrial
14	Flatworm Mitochondrial
15	Blepharisma Nuclear
16	Chlorophycean Mitochondrial
21	Trematode Mitochondrial
22	Scenedesmus Obliquus Mitochondrial
23	Thraustochytrium Mitochondrial

Description

seqshoworfs identifies and highlights all open reading frames using the standard or an alternative genetic code.

seqshoworfs(*SeqNT*) displays the sequence with all open reading frames highlighted, and it returns a structure of start and stop positions for each ORF in each reading frame. The standard genetic code is used with start codon 'AUG' and stop codons 'UAA', 'UAG', and 'UGA'.

`seqshoworfs(SeqNT, ... 'PropertyName', PropertyValue, ...)` calls `seqshoworfs` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`seqshoworfs(SeqNT, ... 'Frames', FramesValue, ...)` specifies the reading frames to display. The default is to display the first, second, and third reading frames with ORFs highlighted in each frame.

`seqshoworfs(SeqNT, ... 'GeneticCode', GeneticCodeValue, ...)` specifies the genetic code to use for finding open reading frames.

`seqshoworfs(SeqNT, ... 'MinimumLength', MinimumLengthValue, ...)` sets the minimum number of codons for an ORF to be considered valid. The default value is 10.

`seqshoworfs(SeqNT, ... 'AlternativeStartCodons', AlternativeStartCodonsValue, ...)` uses alternative start codons if `AlternativeStartCodons` is set to true. For example, in the human mitochondrial genetic code, AUA and AUU are known to be alternative start codons. For more details on alternative start codons, see

<http://www.ncbi.nlm.nih.gov/Taxonomy/Utils/wprintgc.cgi?mode=t#SG1>

`seqshoworfs(SeqNT, ... 'Color', ColorValue, ...)` specifies the color used to highlight the open reading frames in the output display. The default color scheme is blue for the first reading frame, red for the second, and green for the third.


`seqshoworfs(SeqNT, ... 'Columns', ColumnsValue, ...)` specifies how many columns per line to use in the output. The default value is 64.

## Examples

Display the open reading frames in a random nucleotide sequence.


```
s = randseq(200, 'alphabet', 'dna');
seqshoworfs(s);
```

# seqshoworfs



Display the open reading frames in a GenBank sequence.

```
HLA_DQB1 = getgenbank('NM_002123');
seqshoworfs(HLA_DQB1.Sequence);
```



## See Also

Bioinformatics Toolbox functions: `codoncount`, `cpgisland`, `geneticcode`, `seqdisp`, `seqshowwords`, `seqtool`, `seqwordcount`

MATLAB function: `regexp`

# seqshowwords

---

## Purpose

Graphically display words in sequence

## Syntax

```
Struct = seqshowwords(Seq, Word)  
seqshowwords(Seq, Word, ...'Color', ColorValue, ...)  
seqshowwords(Seq, Word, ...'Columns', ColumnsValue, ...)  
seqshowwords(Seq, Word, ...'Alphabet', AlphabetValue, ...)
```

## Description

*Struct* = seqshowwords(*Seq*, *Word*) opens a separate window displaying a sequence with all occurrences of one or more words highlighted. It also returns a structure containing the start and stop positions for all occurrences of the words in the sequence.

seqshowwords(*Seq*, *Word*, ...'*PropertyName*', *PropertyValue*, ...) calls seqshowwords with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

seqshowwords(*Seq*, *Word*, ...'Color', *ColorValue*, ...) specifies the color to highlight the words in the output display of the sequence. Default is red.

seqshowwords(*Seq*, *Word*, ...'Columns', *ColumnsValue*, ...) specifies how many columns or characters per line in the output display of the sequence. Default is 64.

seqshowwords(*Seq*, *Word*, ...'Alphabet', *AlphabetValue*, ...) specifies the alphabet for the sequence and the word or words. Choices are 'AA' or 'NT' (default).

## Input Arguments

*Seq*

Amino acid or nucleotide sequence specified by any of the following:

- Character string of letters representing amino acids or nucleotides, such as returned by int2aa or int2nt.

- MATLAB structure containing a `Sequence` field, such as returned by `fastaread`, `fastqread`, `emblread`, `getembl`, `genbankread`, `getgenbank`, `getgenpept`, `genpeptread`, `getpdb`, `pdbread`, or `sffread`.

## *Word*

One or more short amino acid or nucleotide sequences specified by any of the following:

- Character string of letters
- Regular expression
- Cell array of strings or regular expressions

---

**Note** If the search word or words contain amino acid or nucleotide symbols that represent multiple symbols, then `seqshowwords` shows all possible matches. For example, the symbol `R` represents either `G` or `A` (purines). If *Word* is `'ART'`, then `seqshowwords` shows occurrences of both `'AAT'` and `'AGT'`.

---

---

**Tip** If *Word* contains a repeating pattern, such as `'TATA'`, then `seqshowwords` does not highlight overlapping patterns of `TA` in the sequence. To highlight multiple repeats of `TA` in a sequence, use a regular expression, such as `'TA(TA)*TA'`, for *Word*. For more information, see “Examples” on page 3-1566.

---

## *ColorValue*

Color to highlight all occurrences of one or more words in the sequence. Specify the color with one of the following:

- Three-element numeric vector of RGB values

- String containing a predefined single-letter color code
- String containing a predefined color name

For example, to use cyan, enter [0 1 1], 'c', or 'cyan'. For more information on specifying colors, see ColorSpec.

**Default:** Red, which is specified by [1 0 0], 'r', or 'red'

ColumnsValue

Positive integer specifying how many columns or characters per line in the output display of the sequence.

**Default:** 64

AlphabetValue

String specifying the type of sequences. Choices are 'AA' or 'NT' (default).

Output Arguments

Struct

MATLAB structure containing the start and stop positions of all occurrences or the word or words in the sequence. It includes two fields.

Field	Description
Start	Row vector containing the start position of each occurrence of the search word or words.
Stop	Row vector containing the stop position of each occurrence of the search word or words.

Examples

Search for a word containing multiple symbols:

```
% Highlight the word 'BART' which represents 'TAGT' and 'TAAT'  
seqshowwords('GCTAGTAACGTATATATAAT','BART')
```



```
ans =  
    Start: [3 17]  
    Stop: [6 20]  
  
000001 GCTAGTAACGTATATATAAT
```

---

Search for a word that repeats, excluding overlaps:

```
% Highlight all occurrences of 'TATA', excluding those that are  
% already part of another matched word.  
seqshowwords('GCTATAACGTATATATATA','TATA')
```

```
ans =  
    Start: [3 10 14]  
    Stop: [6 13 17]  
  
000001 GCTATAACGTATATATATA
```

---

Search for a word that repeats, including overlaps:

```
% Use the regular expression 'TA(TA)*TA' to highlight all multiple  
% repeats of 'TA'  
seqshowwords('GCTATAACGTATATATATA','TA(TA)*TA')
```

```
ans =  
    Start: [3 10]  
    Stop: [6 19]  
  
000001 GCTATAACGTATATATATA
```

---

Search for multiple words:

# seqshowwords

---

```
% Use a cell array as input to highlight both the words  
% 'CG' and 'GC'  
seqshowwords('GCTATAACGTATATATATA',{'CG','GC'})
```

```
ans =
```

```
Start: [1 8]  
Stop: [2 9]
```

```
000001  GCTATAACGTATATATATA
```

## Alternatives

The `seqtool` function opens the “Sequence Tool” window, where you search for words in a sequence by selecting **Sequence > Find Word**. The Sequence Tool does not:

- Allow searching for multiple words in one step
- Return a structure containing the start and stop positions for all occurrences of the word in the sequence

## See Also

`palindromes` | `cleave` | `restrict` | `seqdisp` | `seqtool` | `seqwordcount` | `strfind` | `regexp` | `ColorSpec`

## Tutorials

- “Sequence Tool”

## How To

- Regular Expressions

**Purpose**

Open Sequence Tool window to interactively explore biological sequences

**Syntax**

```
seqtool
seqtool(Seq)
seqtool('close')
seqtool(Seq, 'Alphabet', AlphabetValue)
```

**Arguments**

*Seq*

Amino acid or nucleotide sequence specified by any of the following:

- String of single-letter codes
- Row vector of integers
- MATLAB structure containing a **Sequence** field that contains an amino acid or nucleotide sequence, such as returned by `fastaread`, `fastqread`, `getgenpept`, `genpeptread`, `getpdb`, `pdbread`, `emblread`, `getembl`, `genbankread`, or `getgenbank`
- String specifying a file name with an extension of `.gbk`, `.gpt`, `.fasta`, `.fa`, or `.ebi`.

*AlphabetValue*

String specifying an alphabet for the sequence, *Seq*. Default is 'AA', except when all of the symbols in the sequence are A, C, G, T, or -, then default is 'NT'.

**Description**

`seqtool` opens the Sequence Tool window. For examples of using this window, see “Sequence Tool”.

`seqtool(Seq)` opens the Sequence Tool window and loads *Seq*, a sequence, into the window.

`seqtool('close')` closes the Sequence Tool window.

`seqtool(Seq, 'Alphabet', AlphabetValue)` specifies an alphabet for the sequence, *Seq*. Default is 'AA', except when all of the symbols in the sequence are A, C, G, T, and -, then *AlphabetValue* defaults to 'NT'. Use 'AA' when you want to force an amino acid sequence alphabet.


## Examples

- 1 Retrieve a sequence from the GenBank database.

```
S = getgenbank('M10051');
```

- 2 Load the sequence into the Sequence Tool window.

```
seqtool(S)
```



3 Close the window.

```
seqtool('close')
```

## See Also

Bioinformatics Toolbox functions: aa2nt, aaccount, aminolookup, basecount, baselookup, dimercount, emblread, fastaread, fastawrite, genbankread, geneticcode, genpeptread, getembl, getgenbank, getgenpept, nt2aa, proteinplot, seqcomplement, seqdisp, seqrcomplement, seqreverse, seqshoworfs, seqshowwords, seqwordcount

# seqwordcount

---

<b>Purpose</b>	Count number of occurrences of word in sequence	
<b>Syntax</b>	seqwordcount( <i>Seq</i> , <i>Word</i> )	
<b>Arguments</b>	<i>Seq</i>	Enter a nucleotide or amino acid sequence of characters. You can also enter a structure with the field Sequence.
	<i>Word</i>	Enter a short sequence of characters.

**Description**

seqwordcount(*Seq*, *Word*) counts the number of times that a word appears in a sequence, and then returns the number of occurrences of that word.

If *Word* contains nucleotide or amino acid symbols that represent multiple possible symbols (ambiguous characters), then seqwordcount counts all matches. For example, the symbol R represents either G or A (purines). For another example, if word equals 'ART', then seqwordcount counts occurrences of both 'AAT' and 'AGT'.

**Examples**

seqwordcount does not count overlapping patterns multiple times. In the following example, seqwordcount reports three matches. TATATATA is counted as two distinct matches, not three overlapping occurrences.

```
seqwordcount('GCTATAACGTATATATAT','TATA')

ans =
    3
```

The following example reports two matches ('TAGT' and 'TAAT'). B is the ambiguous code for G, T, or C, while R is an ambiguous code for G and A.

```
seqwordcount('GCTAGTAACGTATATATAAT','BART')

ans =
    2
```

### See Also

Bioinformatics Toolbox functions: `codoncount`, `seqshoworfs`, `seqshowwords`, `seqtool`, `seq2regex`

MATLAB function: `strfind`

# set (biograph)

Purpose	Set property of biograph object
Syntax	<pre>set(BGobj) set(BGobj, 'PropertyName') set(BGobj, 'PropertyName', PropertyValue) set(BGobj, 'Property1Name', Property1Value, 'Property2Name',     Property2Value, ...)</pre>
Arguments	<p><i>BGobj</i>                      Biograph object created with the function biograph.</p> <p><i>PropertyName</i>    Property name for a biograph object.</p> <p><i>PropertyValue</i>    Value of the property specified by <i>PropertyName</i>.</p>
Description	<p><code>set(BGobj)</code> displays possible values for all properties that have a fixed set of property values in <i>BGobj</i>, a biograph object.</p> <p><code>set(BGobj, 'PropertyName')</code> displays possible values for a specific property that has a fixed set of property values in <i>BGobj</i>, a biograph object.</p> <p><code>set(BGobj, 'PropertyName', PropertyValue)</code> sets the specified property of <i>BGobj</i>, a biograph object.</p> <p><code>set(BGobj, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)</code> sets the specified properties of <i>BGobj</i>, a biograph object.</p>

## Properties of a Biograph Object

Property	Description
ID	String to identify the biograph object. Default is ''.
Label	String to label the biograph object. Default is ''.



Properties of a Biograph Object (Continued)

Property	Description
Description	String that describes the biograph object. Default is ''.
LayoutType	<p>String that specifies the algorithm for the layout engine. Choices are:</p> <ul style="list-style-type: none"><li>• 'hierarchical' (default) — Uses a topological order of the graph to assign levels, and then arranges the nodes from top to bottom, while minimizing crossing edges.</li><li>• 'radial' — Uses a topological order of the graph to assign levels, and then arranges the nodes from inside to outside of the circle, while minimizing crossing edges.</li><li>• 'equilibrium' — Calculates layout by minimizing the energy in a dynamic spring system.</li></ul>
EdgeType	<p>String that specifies how edges display. Choices are:</p> <ul style="list-style-type: none"><li>• 'straight'</li><li>• 'curved' (default)</li><li>• 'segmented'</li></ul> <hr/> <p><b>Note</b> Curved or segmented edges occur only when necessary to avoid obstruction by nodes. Biograph objects with LayoutType equal to 'equilibrium' or 'radial' cannot produce curved or segmented edges.</p> <hr/>

# set (biograph)

---

Properties of a Biograph Object (Continued)

Property	Description
Scale	Positive number that post-scales the node coordinates. Default is 1.
LayoutScale	Positive number that scales the size of the nodes before calling the layout engine. Default is 1.
EdgeTextColor	Three-element numeric vector of RGB values. Default is [0, 0, 0], which defines black.
EdgeFontSize	Positive number that sets the size of the edge font in points. Default is 8.
ShowArrows	Controls the display of arrows with the edges. Choices are 'on' (default) or 'off'.
ArrowSize	Positive number that sets the size of the arrows in points. Default is 8.
ShowWeights	Controls the display of text indicating the weight of the edges. Choices are 'on' (default) or 'off'.
ShowTextInNodes	<p>String that specifies the node property used to label nodes when you display a biograph object using the view method. Choices are:</p> <ul style="list-style-type: none"><li>• 'Label' — Uses the Label property of the node object (default).</li><li>• 'ID' — Uses the ID property of the node object.</li><li>• 'None'</li></ul>
NodeAutoSize	Controls precalculating the node size before calling the layout engine. Choices are 'on' (default) or 'off'.

**Properties of a Biograph Object (Continued)**

Property	Description
NodeCallback	User-defined callback for all nodes. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the view function to display the biograph object in the Biograph Viewer, you can double-click a node to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, @(node) inspect(node), which displays the Property Inspector dialog box.
EdgeCallback	User-defined callback for all edges. Enter the name of a function, a function handle, or a cell array with multiple function handles. After using the view function to display the biograph object in the Biograph Viewer, you can double-click an edge to activate the first callback, or right-click and select a callback to activate. Default is the anonymous function, @(edge) inspect(edge), which displays the Property Inspector dialog box.
CustomNodeDrawFcn	Function handle to a customized function to draw nodes. Default is [].

# set (biograph)

## Properties of a Biograph Object (Continued)

Property	Description
Nodes	Read-only column vector with handles to node objects of a biograph object. The size of the vector is the number of nodes. For properties of node objects, see Properties of a Node Object on page 3-186.
Edges	Read-only column vector with handles to edge objects of a biograph object. The size of the vector is the number of edges. For properties of edge objects, see Properties of an Edge Object on page 3-188.


### Examples

1 Create a biograph object with default node IDs.

```
cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0];  
bg = biograph(cm)  
Biograph object with 5 nodes and 9 edges.
```

2 Use the view method to display the biograph object.

```
view(bg)
```



- 3** Use the `set` method to change the edge lines from curved to straight.


```
set(bg, 'EdgeType', 'straight')
```

- 4** Display the biograph object again.

```
view(bg)
```

## set (biograph)

---



### See Also

Bioinformatics Toolbox function: `biograph` (object constructor)

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox method of a `biograph` object: `get`

## Purpose

Set property of object

## Syntax

```
NewObj = set(BioObj, 'PropertyName', PropertyValue)
NewObj = set(BioObj, 'Property1Name', Property1Value,
              'Property2Name', Property2Value, ...)
set(BioObj, 'PropertyName')
PossVal = set(BioObj, 'PropertyName')
set(BioObj)
PropNameVal = set(BioObj)
```

## Description

*NewObj* = *set*(*BioObj*, '*PropertyName*', *PropertyValue*) returns *NewObj*, a new object that is a copy of *BioObj*, but with the specified property set to the specified value. *set* accepts a comma-separated property name/value pair for the *BioRead* or *BioMap* class. Specify *PropertyName* inside single quotes.

*NewObj* = *set*(*BioObj*, '*Property1Name*', *Property1Value*, '*Property2Name*', *Property2Value*, ...) sets multiple property values of a *BioRead* or *BioMap* object in a single statement.

*set*(*BioObj*, '*PropertyName*') displays all possible values for the specified property of *BioObj*, a *BioRead* or *BioMap* object.

*PossVal* = *set*(*BioObj*, '*PropertyName*') returns *PossVal*, a cell array containing all possible values for the specified property of *BioObj*, a *BioRead* or *BioMap* object. *PossVal* is a cell array of one or more strings or, if the property does not have a finite set of possible values, an empty cell array.

*set*(*BioObj*) displays all properties and their possible values for *BioObj*, a *BioRead* or *BioMap* object.

*PropNameVal* = *set*(*BioObj*) returns *PropNameVal*, a structure containing all properties and their possible values for *BioObj*, an object. *PropNameVal* is a structure whose field names are the property names, and whose values are cell arrays of one or more possible property values.

## Tips

Use the *set* method to determine the property names and possible values before setting the properties with the *set* method or specific *set*

methods such as `setName`, `setHeader`, `setSequence`, and `setQuality`. Some of these specific set methods let you set all or a subset of a property.

Input  
Arguments

*BioObj*

Object of the BioRead or BioMap class.

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot set its properties (except for the Name and Reference properties).

---

*PropertyName*

Name of a property of the class.

*PropertyValue*

Value of a property of the class.

Output  
Arguments

*NewObj*

Object of the BioRead or BioMap class.

*PossVal*

Cell array containing all possible values for a specified property of *BioObj*. The cell array contains one or more strings or, if the property does not have a finite set of possible values, it is an empty cell array.

*PropNameVal*

Structure containing all properties and their possible values for *BioObj*. The structure has field names that are the property names, and whose values are cell arrays of one or more possible property values.



**Examples**

Construct a BioRead object and set the Name property:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Set the Name property of the object
BRObj = set (BRObj, 'Name', 'MyObject')
```

```
BRObj =
```

```
    BioRead
```

```
    Properties:
```

```
        Quality: {50x1 cell}
```

```
        Sequence: {50x1 cell}
```

```
        Header: {50x1 cell}
```

```
        NSeqs: 50
```

```
        Name: 'MyObject'
```

```
    Methods, Superclasses
```

**See Also**

[BioRead](#) | [BioMap](#) | [get](#)

**How To**

- “Storing and Managing Short-Read Sequence Data in Objects”

**Related  
Links**

- [Sequence Read Archive](#)
- [SAM format specification](#)

# set (clustergram)

---

<b>Purpose</b>	Set property of clustergram object	
<b>Syntax</b>	<pre>set(CGobj) set(CGobj, 'PropertyName') set(CGobj, 'PropertyName', PropertyValue) set(CGobj, 'Property1Name', Property1Value, 'Property2Name',     Property2Value, ...)</pre>	
<b>Arguments</b>	<i>CGobj</i>	Clustergram object created with the function clustergram.
	<i>PropertyName</i>	Property name for a clustergram object.

## Description

---

**Note** You cannot set the properties of a clustergram object if you created it using the **Export Group to Workspace** command in the Clustergram window.

---

`set(CGobj)` displays possible values for all properties that have a fixed set of property values in *CGobj*, a clustergram object.

`set(CGobj, 'PropertyName')` displays possible values for a specific property that has a fixed set of property values in *CGobj*, a clustergram object.

`set(CGobj, 'PropertyName', PropertyValue)` sets the specified property of *CGobj*, a clustergram object.

`set(CGobj, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)` sets the specified properties of *CGobj*, a clustergram object.

## Properties of a Clustergram Object

Property	Description
RowLabels	Vector of numbers or cell array of text strings to label the rows in the dendrogram and heat map. Default is a vector of values 1 through $M$ , where $M$ is the number of rows in <i>Data</i> , the matrix of data used by the <code>clustergram</code> function to create the clustergram object.
ColumnLabels	Vector of numbers or cell array of text strings to label the columns in the dendrogram and heat map. Default is a vector of values 1 through $N$ , where $N$ is the number of columns in <i>Data</i> , the matrix of data used by the <code>clustergram</code> function to create the clustergram object.
Standardize	<p>Numeric value that specifies the dimension for standardizing the values in <i>Data</i>, the matrix of data used to create the clustergram object. The standardized values are transformed so that the mean is 0 and the standard deviation is 1 in the specified dimension. Choices are:</p> <ul style="list-style-type: none"> <li>1 — Standardize along the columns of data.</li> <li>2 — Standardize along the rows of data.</li> <li>3 — Do not perform standardization.</li> </ul>

# set (clustergram)

Properties of a Clustergram Object (Continued)

Property	Description
Cluster	<p>Numeric value that specifies the dimension for clustering the values in <i>Data</i>, the matrix of data used to create the clustergram object. Choices are:</p> <ul style="list-style-type: none"><li>• 1 — Cluster rows of data only.</li><li>• 2 — Cluster columns of data only.</li><li>• 3 — Cluster rows of data, then cluster columns of row-clustered data.</li></ul>
RowPdist	<p>String that specifies the distance metric to pass to the <code>pdist</code> function (Statistics Toolbox software) to use to calculate the pairwise distances between rows. For information on choices, see the <code>pdist</code> function.</p> <hr/> <p><b>Note</b> If the distance metric requires extra arguments, then <i>RowPdistValue</i> is a cell array. For example, to use the Minkowski distance with exponent <i>P</i>, you would use {'minkowski', <i>P</i>}.</p> <hr/>

## Properties of a Clustergram Object (Continued)

Property	Description
ColumnPdist	<p>String that specifies the distance metric to pass to the <code>pdist</code> function (Statistics Toolbox software) to use to calculate the pairwise distances between columns. For information on choices, see the <code>pdist</code> function.</p> <hr/> <p><b>Note</b> If the distance metric requires extra arguments, then <i>ColumnPdistValue</i> is a cell array. For example, to use the Minkowski distance with exponent <i>P</i>, you would use <code>{'minkowski', P}</code>.</p> <hr/>
Linkage	<p>String or two-element cell array of strings that specifies the linkage method to pass to the <code>linkage</code> function (Statistics Toolbox software) to use to create the hierarchical cluster tree for rows and columns. If a two-element cell array of strings, the first element is used for linkage between rows, and the second element is used for linkage between columns. For information on choices, see the <code>linkage</code> function.</p>
Dendrogram	<p>Scalar or two-element numeric vector or cell array that specifies the 'colorthreshold' property to pass to the <code>dendrogram</code> function (Statistics Toolbox software) to create the dendrogram plot. If a two-element numeric vector or cell array, the first element is for the rows, and the second element is for the columns. For more information, see the <code>dendrogram</code> function.</p>

Properties of a Clustergram Object (Continued)

Property	Description
OptimalLeafOrder	<p>Property to enable or disable the optimal leaf ordering calculation, which determines the leaf order that maximizes the similarity between neighboring leaves. Choices are <code>true</code> (enable) or <code>false</code> (disable).</p> <hr/> <p><b>Tip</b> Disabling the optimal leaf ordering calculation can be useful when working with large data sets because this calculation uses a large amount of memory and can be very time consuming.</p> <hr/>
LogTrans	<p>Controls the <math>\log_2</math> transform of <i>Data</i>, the matrix of data used to create the clustergram object, from natural scale. Choices are <code>true</code> or <code>false</code>.</p>
ColorMap	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• <i>M</i>-by-3 matrix of RGB values</li><li>• Name or function handle of a function that returns a colormap, such as <code>redgreencmap</code> or <code>redbluecmap</code></li></ul>
DisplayRange	<p>Positive scalar that specifies the display range of standardized values.</p> <p>For example, if you specify <code>redgreencmap</code> for the 'ColorMap' property, pure red represents values <math>\geq</math> <code>DisplayRange</code>, and pure green represents values <math>\leq -\text{DisplayRange}</math>.</p>

## Properties of a Clustergram Object (Continued)

Property	Description
SymmetricRange	Property to force the color scale of the heat map to be symmetric around zero. Choices are true or false.
Ratio	<p>Either of the following:</p> <ul style="list-style-type: none"> <li>• Scalar</li> <li>• Two-element vector</li> </ul> <p>It specifies the ratio of space that the row and column dendrograms occupy relative to the heat map. If <b>Ratio</b> is a scalar, it is used as the ratio for both dendrograms. If <b>Ratio</b> is a two-element vector, the first element is used for the ratio of the row dendrogram width to the heat map width, and the second element is used for the ratio of the column dendrogram height to the heat map height. The second element is ignored for one-dimensional clustergrams.</p>
Impute	<p>Any of the following:</p> <ul style="list-style-type: none"> <li>• Name of a function that imputes missing data.</li> <li>• Handle to a function that imputes missing data.</li> <li>• Cell array where the first element is the name of or handle to a function that imputes missing data and the remaining elements are property name/property value pairs used as inputs to the function.</li> </ul>

Properties of a Clustergram Object (Continued)

Property	Description
RowMarkers	<p>Optional structure array for annotating the groups (clusters) of rows determined by the <code>clustergram</code> function. Each structure in the array represents a group of rows and contains the following fields:</p> <ul style="list-style-type: none"><li>• <code>GroupNumber</code> — Number to annotate the row group.</li><li>• <code>Annotation</code> — String specifying text to annotate the row group.</li><li>• <code>Color</code> — String or three-element vector of RGB values specifying a color, which is used to label the row group. For more information on specifying colors, see <code>colormap</code>. If this field is empty, default is 'blue'.</li></ul>
ColumnMarkers	<p>Optional structure array for annotating groups (clusters) of columns determined by the <code>clustergram</code> function. Each structure in the array represents a group of rows and contains the following fields:</p> <ul style="list-style-type: none"><li>• <code>GroupNumber</code> — Number to annotate the column group.</li><li>• <code>Annotation</code> — String specifying text to annotate the column group.</li><li>• <code>Color</code> — String or three-element vector of RGB values specifying a color, which is used to label the column group. For more information on specifying colors, see <code>colormap</code>. If this field is empty, default is 'blue'.</li></ul>



## Examples


- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains filtered yeast data. This MAT-file includes three variables: `yeastvalues`, a matrix of gene expression data, `genes`, a cell array of GenBank accession numbers for labeling the rows in `yeastvalues`, and `times`, a vector of time values for labeling the columns in `yeastvalues`.

```
load filteredyeastdata
```

- 2 Create a clustergram object and display the dendrograms and heat map from the gene expression data in the first 30 rows of the `yeastvalues` matrix.

```
cgo = clustergram(yeastvalues(1:30,:))
```


Clustergram object with 30 rows of nodes and 7 column of nodes.



## set (clustergram)


- 3** Use the `set` method and the `genes` and `times` vectors to add meaningful row and column labels to the clustergram.

```
set(cgo,'RowLabels',genes(1:30),'ColumnLabels',times)
```



- 4** Reset the colormap of the heat map to `redbluecmap`.

```
set(cgo,'Colormap',redbluecmap);
```



## See Also

Bioinformatics Toolbox function: `clustergram` (object constructor)

Bioinformatics Toolbox object: clustergram object

Bioinformatics Toolbox methods of a clustergram object: `get`, `plot`, `view`

# set (DataMatrix)

---

**Purpose** Set property of DataMatrix object

**Syntax**

```
set(DMObj)
set(DMObj, 'PropertyName')
DMObj = set(DMObj, 'PropertyName', PropertyValue)
DMObj = set(DMObj, 'Property1Name', Property1Value,
            'Property2Name', Property2Value, ...)
```

**Arguments**

*DMObj* DataMatrix object, such as created by DataMatrix (object constructor).

*PropertyName* Property name of a DataMatrix object.

*PropertyValue* Value of the property specified by *PropertyName*.

**Description**

`set(DMObj)` displays possible values for all properties that have a fixed set of property values in *DMObj*, a DataMatrix object.

`set(DMObj, 'PropertyName')` displays possible values for a specific property that has a fixed set of property values in *DMObj*, a DataMatrix object.

`DMObj = set(DMObj, 'PropertyName', PropertyValue)` sets the specified property of *DMObj*, a DataMatrix object.

`DMObj = set(DMObj, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...)` sets the specified properties of *DMObj*, a DataMatrix object.

### Properties of a DataMatrix Object

Property	Description
Name	String that describes the DataMatrix object. Default is ''.
RowNames	Empty array or cell array of strings that specifies the names for the rows, typically gene names or probe identifiers. The number of elements in the cell array must equal the number of rows in the matrix. Default is an empty array.
ColNames	Empty array or cell array of strings that specifies the names for the columns, typically sample identifiers. The number of elements in the cell array must equal the number of columns in the matrix.
NRows	Positive number that specifies the number of rows in the matrix. <div> <b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.           </div>
NCols	Positive number that specifies the number of columns in the matrix. <div> <b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.           </div>

Properties of a DataMatrix Object (Continued)

Property	Description
NDims	<p>Positive number that specifies the number of dimensions in the matrix.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>
ElementClass	<p>String that specifies the class type, such as <code>single</code> or <code>double</code>.</p> <hr/> <p><b>Note</b> You cannot modify this property directly. You can access it using the <code>get</code> method.</p> <hr/>

Examples

- 1 Load the MAT-file, provided with the Bioinformatics Toolbox software, that contains yeast data. This MAT-file includes three variables: `yeastvalues`, a matrix of gene expression data, `genes`, a cell array of GenBank accession numbers for labeling the rows in `yeastvalues`, and `times`, a vector of time values for labeling the columns in `yeastvalues`.

```
load filteredyeastdata
```

- 2 Import the microarray object package so that the `DataMatrix` constructor function will be available.

```
import bioma.data.*
```

- 3 Create a `DataMatrix` object from the gene expression data in the first 30 rows of the `yeastvalues` matrix.

```
dmo = DataMatrix(yeastvalues(1:30,:));
```

- 4** Use the `get` method to display the properties of the `DataMatrix` object, `dmo`.

```
get(dmo)

Name: ''
RowNames: []
ColNames: []
NRows: 30
NCols: 7
NDims: 2
ElementClass: 'double'
```

Notice that the `RowNames` and `ColNames` fields are empty.

- 5** Use the `set` method and the `genes` and `times` variables to specify row names and column names for the `DataMatrix` object, `dmo`.

```
dmo = set(dmo, 'RowNames', genes(1:30), 'ColNames', times)
```

- 6** Use the `get` method to display the properties of the `DataMatrix` object, `dmo`.

```
get(dmo)

Name: ''
RowNames: {30x1 cell}
ColNames: {' 0' ' 9.5' '11.5' '13.5' '15.5' '18.5' '20.5'}
NRows: 30
NCols: 7
NDims: 2
ElementClass: 'double'
```

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `get`

# BioRead.setHeader

---

<b>Purpose</b>	Set sequence headers for object
<b>Syntax</b>	<pre>NewObj = setHeader(BioObj, Headers) NewObj = setHeader(BioObj, Headers, Subset)</pre>
<b>Description</b>	<p><i>NewObj</i> = <code>setHeader(BioObj, Headers)</code> returns <i>NewObj</i>, a new object, created from <i>BioObj</i>, an existing object, with the <code>Header</code> property set to <i>Headers</i>, a cell array of strings containing sequence headers.</p> <p><i>NewObj</i> = <code>setHeader(BioObj, Headers, Subset)</code> returns <i>NewObj</i>, a new object, created from <i>BioObj</i>, an existing object, with the <code>Header</code> property of a subset of the elements set to <i>Headers</i>, a cell array of strings containing sequence headers. <code>setHeader</code> sets the headers for only the object elements specified by <i>Subset</i>.</p>

**Tips** To update headers in an existing object, use the same object as the input *BioObj* and the output *NewObj*.

**Input Arguments** *BioObj*  
Object of the BioRead or BioMap class.

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot set its `Header` property.

---

*Headers*  
Cell array of strings containing sequence headers.

*Subset*  
One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers



---

**Note** A one-to-one relationship must exist between the number and order of elements in *Headers* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

*NewObj*

Object of the BioRead or BioMap class.

## Examples

Set the headers of some elements in a BioRead object:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Set the Header property of the first five elements in the object
BRObj = setHeader(BRObj, {'H1', 'H2', 'H3', 'H4', 'H5'}, [1:5]);
```

## Alternatives

An alternative to using the `setHeader` method to update an existing object is to use dot indexing with the `Header` property:

```
BioObj.Header(Indices) = NewHeaders
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers. *NewHeaders* is a cell array of strings containing headers. *Indices* and *NewHeaders* must have the same number and order of elements.

## See Also

BioRead | BioMap | getHeader

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioRead.setName

---

<b>Purpose</b>	Set name of object
<b>Syntax</b>	<code>NewObj = setName(BioObj, Name)</code>
<b>Description</b>	<code>NewObj = setName(BioObj, Name)</code> returns <code>NewObj</code> , a new object, created from <code>BioObj</code> , an existing object, with the <code>Name</code> property set to <code>Name</code> , a string describing the object.
<b>Tips</b>	To rename an existing object, use the same object as the input <code>BioObj</code> and the output <code>NewObj</code> .
<b>Input Arguments</b>	<div><div><code>BioObj</code></div><div>Object of the BioRead or BioMap class.</div></div> <div><div><code>Name</code></div><div>String describing the object.</div></div>
<b>Output Arguments</b>	<div><div><code>NewObj</code></div><div>Object of the BioRead or BioMap class.</div></div>
<b>Examples</b>	<div>Construct a BioRead object, and then set the Name property:</div> <div><pre>% Construct a BioRead object from a FASTQ file BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq'); % Set the Name property of the object BRObj = setName (BRObj, 'MyObject')  BRObj =      BioRead      Properties:         Quality: {50x1 cell}         Sequence: {50x1 cell}         Header: {50x1 cell}</pre></div>

```
NSeqs: 50  
Name: 'MyObject'
```

Methods, Superclasses

## Alternatives

An alternative to using the `setName` method to update an existing object is to use dot indexing with the `Name` property:

```
BioObj.Name = NewName
```

In the previous syntax, *NewName* is a string specifying a name.

## See Also

[BioRead](#) | [BioMap](#) | [getName](#)

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- [Sequence Read Archive](#)
- [SAM format specification](#)

# BioRead.setQuality

---

<b>Purpose</b>	Set sequence quality scores for object
<b>Syntax</b>	<i>NewObj</i> = setQuality( <i>BioObj</i> , <i>Quality</i> ) <i>NewObj</i> = setQuality( <i>BioObj</i> , <i>Quality</i> , <i>Subset</i> )
<b>Description</b>	<p><i>NewObj</i> = setQuality(<i>BioObj</i>, <i>Quality</i>) returns <i>NewObj</i>, a new object, created from <i>BioObj</i>, an existing object, with the <i>Quality</i> property set to <i>Quality</i>, a cell array of strings containing the ASCII representations of per-base quality scores for nucleotide sequences.</p> <p><i>NewObj</i> = setQuality(<i>BioObj</i>, <i>Quality</i>, <i>Subset</i>) returns <i>NewObj</i>, a new object, created from <i>BioObj</i>, an existing object, with the <i>Quality</i> property of a subset of the elements set to <i>Quality</i>, a cell array of strings containing the ASCII representations of per-base quality scores for nucleotide sequences. <i>setQuality</i> sets the quality scores for only the object elements specified by <i>Subset</i>.</p>
<b>Tips</b>	To update quality scores in an existing object, use the same object as the input <i>BioObj</i> and the output <i>NewObj</i> .
<b>Input Arguments</b>	<p><i>BioObj</i></p> <p>Object of the BioRead or BioMap class.</p>

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot set its *Quality* property.

---

*Quality*

Cell array of strings containing the ASCII representations of per-base quality scores for nucleotide sequences.

*Subset*

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers

- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Quality* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

*NewObj*

Object of the BioRead or BioMap class.

## Examples

Construct a BioRead object, and then set a subset of the quality scores:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Create a new quality score
newValue = {repmat('N', 1, length(BRObj.Quality{2}))};
% Set the Quality property of the second element to the new
% quality score
BRObj = setQuality(BRObj, newValue, 2);
```

## Alternatives

An alternative to using the `setQuality` method to update an existing object is to use dot indexing with the `Quality` property:

```
BioObj.Quality(Indices) = NewQuality
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequence headers. *NewQuality* is a cell array of strings containing ASCII representations of per-base quality scores. *Indices* and *NewQuality* must have the same number and order of elements.

## See Also

BioRead | BioMap | getQuality

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

## Purpose

Set sequences for object

## Syntax

```
NewObj = setSequence(BioObj, Sequences)  
NewObj = setSequence(BioObj, Sequences, Subset)
```

## Description

*NewObj* = setSequence(*BioObj*, *Sequences*) returns *NewObj*, a new object, created from *BioObj*, an existing object, with the *Sequence* property set to *Sequences*, a cell array of strings containing the letter representations of nucleotide sequences.

*NewObj* = setSequence(*BioObj*, *Sequences*, *Subset*) returns *NewObj*, a new object, created from *BioObj*, an existing object, sets the sequences of a subset of the elements in *BioObj* with the *Sequence* property of a subset of the elements set to *Sequences*, a cell array of strings containing the letter representations of nucleotide sequences. *setSequence* sets the sequences for only the object elements specified by *Subset*.

## Tips

- To update sequences in an existing object, use the same object as the input *BioObj* and the output *NewObj*.
- If you use the *setSequence* method to modify the *Sequence* property, you also may need to modify the *Start* and *Signature* properties accordingly, which you can do using the *setStart* and *setSignature* methods.

## Input Arguments

*BioObj*

Object of the BioRead or BioMap class.

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot set its *Sequence* property.

---

*Sequences*

# BioRead.setSequence

---

Cell array of strings containing the letter representations of nucleotide sequences.

## *Subset*

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Sequences* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

### *NewObj*

Object of the BioRead or BioMap class.

## Examples

Construct a BioRead object, and then set a subset of the sequences:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Set the Sequence property of the second element to a new sequence
BRObj = setSequence(BRObj, {'NNNNNNN'}, 2);
```

## Alternatives

An alternative to using the `setSequence` method to update an existing object is to use dot indexing with the `Sequence` property:

```
BioObj.Sequence(Indices) = NewSequences
```

In the previous syntax, *Indices* is a vector of positive integers or a logical vector. *Indices* cannot be a cell array of strings containing sequences. *NewSequences* is a cell array of strings containing sequences.



*Indices* and *NewSequences* must have the same number and order of elements.

## See Also

BioRead | BioMap | getSequence | setStart | setSignature

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

# BioRead.setSubsequence

---

Purpose	Set partial sequences for object
Syntax	<code>NewObj = setSubsequence(BioObj, Subsequences, Subset, Positions)</code>
Description	<code>NewObj = setSubsequence(BioObj, Subsequences, Subset, Positions)</code> returns <code>NewObj</code> , a new object, created from <code>BioObj</code> , an existing object, with the partial sequences, specified by <code>Positions</code> , of a subset of the elements in <code>BioObj</code> , set to <code>Subsequences</code> , a cell array of strings containing the letter representations of partial nucleotide sequences. <code>setSubsequence</code> sets the subsequences for only the object elements specified by <code>Subset</code> .
Tips	To update subsequences in an existing object, use the same object as the input <code>BioObj</code> and the output <code>NewObj</code> .

Input Arguments	<code>BioObj</code> Object of the BioRead or BioMap class.
-----------------	---

---

**Note** If `BioObj` was constructed from a `BioIndexedFile` object, you cannot modify it.

---

- Subsequences*
- Cell array of strings containing the letter representations of partial nucleotide sequences. Each string must be the same length.
- Subset*
- One of the following to specify a subset of the elements in `BioObj`:
- Vector of positive integers
  - Logical vector

- Cell array of strings containing valid sequence headers

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Subsequences* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## *Positions*

Either of the following to indicate positions in the nucleotide sequences:

- Vector of positive integers
- Logical vector

The number of positions specified by *Positions* must equal the length of the strings in *Subsequences*.

## Output Arguments

### *NewObj*

Object of the BioRead or BioMap class.

## Examples

Construct a BioRead object, and then set nucleotide positions in a subset of elements:

```
% Construct a BioRead object from a FASTQ file
BRObj = BioRead('fastqfile', 'SRR005164_1_50.fastq');
% Set the first five positions of the second sequence to NNNNN
BRObj = setSubsequence(BRObj, {'NNNNN'}, 2, [1:5]);
BRObj = setSubsequence(BRObj, {'NNNNN'}, 'SRR005164.2', [1:5]);
% Set the 10th position of the first three sequences to X
BRObj = setSubsequence(BRObj, {'X', 'X', 'X'}, 1:3, 10);
```

## See Also

BioRead | BioMap | getSubsequence

# BioRead.setSubsequence

---

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

## Purpose

Set elements for object

## Syntax

*NewObj* = setSubset(*BioObj*, *Elements*, *Subset*)

## Description

*NewObj* = setSubset(*BioObj*, *Elements*, *Subset*) returns *NewObj*, a new object, created from *BioObj*, an existing object, with a subset of the elements in *BioObj* set to *Elements*, an object containing the appropriate number of elements. setSubset sets the object elements specified by *Subset*.

## Tips

To update an existing object, use the same object as the input *BioObj* and the output *NewObj*.

## Input Arguments

*BioObj*

Object of the BioRead or BioMap class.

---

**Note** If *BioObj* was constructed from a BioIndexedFile object, you cannot modify it.

---

*Elements*

BioRead or BioMap object containing a number of elements equal to the number of elements specified by *Subset*.

*Subset*

One of the following to specify a subset of the elements in *BioObj*:

- Vector of positive integers
- Logical vector
- Cell array of strings containing valid sequence headers

# BioRead.setSubset

---

---

**Note** A one-to-one relationship must exist between the number and order of elements in *Elements* and *Subset*. If you use a cell array of header strings to specify *Subset*, be aware that a repeated header specifies all elements with that header.

---

## Output Arguments

*NewObj*

Object of the BioRead or BioMap class.

## Examples

Construct a BioRead object, and then set a subset of the elements in the object:

```
% Construct two BioRead objects, one with 10 elements, and one
% with 2 elements
struct1 = fastqread('SRR005164_1_50.fastq',...
                   'blockread', [1 10], 'trimheaders', true);
struct2 = fastqread('SRR005164_1_50.fastq',...
                   'blockread', [11 12], 'trimheaders', true);
BRObj1 = BioRead(struct1);
BRObj2 = BioRead(struct2);
% Replace the first two elements in BRObj1 with the elements
% in BRObj2
BRObj1 = setSubset(BRObj1, BRObj2, 1:2);
```

## See Also

BioRead | BioMap | getSubset

## How To

- “Storing and Managing Short-Read Sequence Data in Objects”

## Related Links

- Sequence Read Archive
- SAM format specification

**Purpose**

Return information about SFF file

**Syntax**

*InfoStruct* = sffinfo(*File*)

**Description**

*InfoStruct* = sffinfo(*File*) returns a MATLAB structure containing summary information about a Standard Flowgram Format (SFF) file.

**Input Arguments**

*File*

String specifying a file name or path and file name of an SFF file produced by version 1.0 of the Genome Sequencer System data analysis software from 454 Life Sciences®. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

**Output Arguments**

*InfoStruct*

MATLAB structure containing summary information about an SFF file. The structure contains the following fields.

Field	Description
Filename	Name of the file.
FileModDate	Modification date of the file.
FileSize	Size of the file in bytes.
Version	Version number of the file.
FlowgramCode	Code of the format used to encode flowgram values.
NumberOfReads	Number of sequence reads in the file.
NumberOfFlowsPerRead	Number of flows for each read.
FlowChars	Bases used in each flow.
KeySequence	String of bases in the key sequence.

## Examples

The SFF file, `SRR013472.sff`, used in this example is not provided with the Bioinformatics Toolbox software. You can download sample SFF files from:

`http://www.ncbi.nlm.nih.gov/Traces/sra/sra.cgi?cmd=show&f=main&m=main&s=main`

Return a summary of the contents of an SFF file:

```
info = sffinfo('SRR013472.sff')

info =

    Filename: 'SRR013472.sff'
    FileModDate: '23-Feb-2009 15:14:36'
    FileSize: 6632392
    Version: [0 0 0 1]
    FlowgramCode: 1
    NumberOfReads: 3546
    NumberOfFlowsPerRead: 440
    FlowChars: [1x440 char]
    KeySequence: 'TCAG'
```

## See Also

`fastqread` | `fastqwrite` | `fastqinfo` | `fastainfo` | `fastaread` | `fastawrite` | `sffread` | `saminfo` | `samread`

## Tutorials

- Working with SFF Files from the 454 Genome Sequencer FLX System

## Related Links

- 
-



**Purpose**

Read data from SFF file

**Syntax**

```
SFFStruct = sffread(File)  
sffread(..., 'Blockread', BlockreadValue, ...)  
sffread(..., 'Feature', FeatureValue, ...)
```

**Description**

*SFFStruct* = sffread(*File*) reads a Standard Flowgram Format (SFF) file and returns the data in a MATLAB array of structures.

sffread(..., '*PropertyName*', *PropertyValue*, ...) calls sffread with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

sffread(..., 'Blockread', *BlockreadValue*, ...) reads a single sequence entry or block of sequence entries from an SFF file containing multiple sequences.

sffread(..., 'Feature', *FeatureValue*, ...) specifies the information to include in the return structure.

**Input  
Arguments**

*File*

String specifying a file name or path and file name of an SFF file produced by version 1.0 of the Genome Sequencer System data analysis software from 454 Life Sciences. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

*BlockreadValue*

Scalar or vector that controls the reading of a single sequence entry or block of sequence entries from an SFF file containing multiple sequences. Enter a scalar *N*, to read the *N*th entry in the file. Enter a 1-by-2 vector [*M1*, *M2*], to read a block of entries starting at the *M1* entry and ending at the *M2* entry. To read all remaining entries in the file starting at the *M1* entry, enter a positive value for *M1* and enter Inf for *M2*.

Output Arguments

*FeatureValue*

String specifying the information to include in the output structure. The string includes letters from the alphabet H, S, Q, C, F, and I, which represent the fields Header, Sequence, Quality, Clipping, FlowgramValue, and FlowgramIndex, respectively.

**Default:** 'HSQ'

*SFFStruct*

Array of structures containing information from an SFF file. There is one structure for each read or entry in the file. Each structure contains one or more of the following fields.

Field	Description
Header	Universal accession number.
Sequence	Numeric representation of nucleotide sequence.
Quality	Per-base quality scores.
Clipping	Clipping boundary positions.
FlowgramValue	Sequence of flowgram intensity values.
FlowgramIndex	Sequence of flowgram intensity indices.

Examples

The SFF file, SRR013472.sff, used in these examples is not provided with the Bioinformatics Toolbox software. You can download sample SFF files from:

<http://www.ncbi.nlm.nih.gov/Traces/sra/sra.cgi?cmd=show&f=main&m=main&s=main>

Read an entire SFF file:

```
% Read the contents of an entire SFF file into an
% array of structures
reads = sffread('SRR013472.sff')
```

```
reads =

3546x1 struct array with fields:
    Header
    Sequence
    Quality
```

Read a block of entries from an SFF file:

```
% Read only the header and sequence information of the
% first five reads from an SFF file into an array of structures
reads5 = sffread('SRR013472.sff', 'block', [1 5], 'feature', 'hs')

reads5 =

5x1 struct array with fields:
    Header
    Sequence
```

## See Also

[fastqread](#) | [fastqwrite](#) | [fastqinfo](#) | [fastainfo](#) | [fastaread](#) | [fastawrite](#) | [sffinfo](#) | [saminfo](#) | [samread](#)

## Tutorials

- [Working with SFF Files from the 454 Genome Sequencer FLX System](#)

## Related Links

- 
-

# shortestpath (biograph)

---

**Purpose** Solve shortest path problem in biograph object

**Syntax**

```
[dist, path, pred] = shortestpath(BGObj, S)
[dist, path, pred] = shortestpath(BGObj, S, T)
[...] = shortestpath(..., 'Directed', DirectedValue, ...)
[...] = shortestpath(..., 'Method', MethodValue, ...)
[...] = shortestpath(..., 'Weights', WeightsValue, ...)
```

<b>Arguments</b>	<i>BGObj</i>	Biograph object created by biograph (object constructor).
	<i>S</i>	Node in graph represented by an N-by-N adjacency matrix extracted from a biograph object, <i>BGObj</i> .
	<i>T</i>	Node in graph represented by an N-by-N adjacency matrix extracted from a biograph object, <i>BGObj</i> .
	<i>DirectedValue</i>	Property that indicates whether the graph represented by the N-by-N adjacency matrix extracted from a biograph object, <i>BGObj</i> , is directed or undirected. Enter <code>false</code> for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is <code>true</code> .
	<i>MethodValue</i>	String that specifies the algorithm used to find the shortest path. Choices are: <ul style="list-style-type: none"><li>• 'Bellman-Ford' — Assumes weights of the edges to be nonzero entries in the N-by-N adjacency matrix. Time complexity is <math>O(N \cdot E)</math>, where N and E are the number of nodes and edges respectively.</li><li>• 'BFS' — Breadth-first search. Assumes all weights to be equal, and nonzero entries in the N-by-N adjacency matrix to represent edges. Time complexity is <math>O(N + E)</math>, where N and E are the number of nodes and edges respectively.</li><li>• 'Acyclic' — Assumes the graph represented by the N-by-N adjacency matrix extracted from a</li></ul>

biograph object, *BGObj*, to be a directed acyclic graph and that weights of the edges are nonzero entries in the N-by-N adjacency matrix. Time complexity is  $O(N+E)$ , where N and E are the number of nodes and edges respectively.

- 'Dijkstra' — Default algorithm. Assumes weights of the edges to be positive values in the N-by-N adjacency matrix. Time complexity is  $O(\log(N)*E)$ , where N and E are the number of nodes and edges respectively.

*WeightsValue* Column vector that specifies custom weights for the edges in the N-by-N adjacency matrix extracted from a biograph object, *BGObj*. It must have one entry for every nonzero value (edge) in the N-by-N adjacency matrix. The order of the custom weights in the vector must match the order of the nonzero values in the N-by-N adjacency matrix when it is traversed column-wise. This property lets you use zero-valued weights. By default, `shortestpaths` gets weight information from the nonzero entries in the N-by-N adjacency matrix.

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[dist, path, pred] = shortestpath(BGObj, S)` determines the single-source shortest paths from node *S* to all other nodes in the graph represented by an N-by-N adjacency matrix extracted from a biograph object, *BGObj*. Weights of the edges are all nonzero entries in the N-by-N adjacency matrix. *dist* are the N distances from the source to every node (using `Inf`s for nonreachable nodes and 0 for the source node). *path* contains the winning paths to every node. *pred* contains the predecessor nodes of the winning paths.

## shortestpath (biograph)

---

`[dist, path, pred] = shortestpath(BGObj, S, T)` determines the single source-single destination shortest path from node *S* to node *T*.

`[...] = shortestpath(..., 'PropertyName', PropertyValue, ...)` calls `shortestpath` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[...] = shortestpath(..., 'Directed', DirectedValue, ...)` indicates whether the graph represented by the N-by-N adjacency matrix extracted from a biograph object, *BGObj*, is directed or undirected. Set *DirectedValue* to `false` for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is `true`.

`[...] = shortestpath(..., 'Method', MethodValue, ...)` lets you specify the algorithm used to find the shortest path. Choices are:

- 'Bellman-Ford' — Assumes weights of the edges to be nonzero entries in the N-by-N adjacency matrix. Time complexity is  $O(N \cdot E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'BFS' — Breadth-first search. Assumes all weights to be equal, and nonzero entries in the N-by-N adjacency matrix to represent edges. Time complexity is  $O(N + E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'Acyclic' — Assumes the graph represented by the N-by-N adjacency matrix extracted from a biograph object, *BGObj*, to be a directed acyclic graph and that weights of the edges are nonzero entries in the N-by-N adjacency matrix. Time complexity is  $O(N + E)$ , where *N* and *E* are the number of nodes and edges respectively.
- 'Dijkstra' — Default algorithm. Assumes weights of the edges to be positive values in the N-by-N adjacency matrix. Time complexity is  $O(\log(N) \cdot E)$ , where *N* and *E* are the number of nodes and edges respectively.

[...] = shortestpath(..., 'Weights', *WeightsValue*, ...) lets you specify custom weights for the edges. *WeightsValue* is a column vector having one entry for every nonzero value (edge) in the N-by-N adjacency matrix extracted from a biograph object, *BGObj*. The order of the custom weights in the vector must match the order of the nonzero values in the N-by-N adjacency matrix when it is traversed column-wise. This property lets you use zero-valued weights. By default, shortestpath gets weight information from the nonzero entries in the N-by-N adjacency matrix.

## References

- [1] Dijkstra, E.W. (1959). A note on two problems in connexion with graphs. *Numerische Mathematik* 1, 269–271.
- [2] Bellman, R. (1958). On a Routing Problem. *Quarterly of Applied Mathematics* 16(1), 87–90.
- [3] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphshortestpath`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:  
`allshortestpaths`, `conncomp`, `isdag`, `isomorphism`, `isspantree`,  
`maxflow`, `minspantree`, `topoorder`, `traverse`

# showalignment

---

## Purpose

Display color-coded sequence alignment

## Syntax

```
showalignment(Alignment)  
showalignment(..., 'MatchColor', MatchColorValue, ...)  
showalignment(..., 'SimilarColor' SimilarColorValue, ...)  
showalignment(..., 'StartPointers',  
StartPointersValue, ...)  
showalignment(..., 'Columns', ColumnsValue, ...)  
showalignment(..., 'TerminalGap', TerminalGapValue, ...)
```

## Description

`showalignment(Alignment)` displays a color-coded sequence alignment in a MATLAB Figure window.

`showalignment(..., 'PropertyName', PropertyValue, ...)` calls `showalignment` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

`showalignment(..., 'MatchColor', MatchColorValue, ...)` specifies the color to highlight matching characters in the output display.

`showalignment(..., 'SimilarColor' SimilarColorValue, ...)` specifies the color to highlight similar characters in the output display.

`showalignment(..., 'StartPointers', StartPointersValue, ...)` specifies the starting indices in the original sequences of a local pairwise alignment.

`showalignment(..., 'Columns', ColumnsValue, ...)` specifies the number of characters to display in one row when displaying a pairwise alignment, and labels the start of each row with the sequence positions.

`showalignment(..., 'TerminalGap', TerminalGapValue, ...)` controls the inclusion or exclusion of terminal gaps from the count of matches and similar residues when displaying a pairwise alignment. *TerminalGapValue* can be true (default) or false.



**Input  
Arguments***Alignment*

Pairwise or multiple sequence alignment specified by one of the following:

- 3-by-N character array showing the pairwise alignment of two sequences, such as returned by `nwalign` or `swalign`
- MATLAB structure containing a `Sequence` field, such as returned by `fastaread`, `gethmmalignment`, `multialign`, or `multialignread`
- MATLAB character array that contains a multiple sequence alignment, such as returned by `multialign`

*MatchColorValue*

Color to highlight matching characters in the output display. Specify the color with one of the following:

- Three-element numeric vector of RGB values
- String containing a predefined single-letter color code
- String containing a predefined color name

For example, to use cyan, enter `[0 1 1]`, `'c'`, or `'cyan'`. For more information on specifying colors, see `ColorSpec`.

**Default:** Red, which is specified by `[1 0 0]`, `'r'`, or `'red'`

*SimilarColorValue*

Color to highlight similar characters in the output display. Specify the color with one of the following:

- Three-element numeric vector of RGB values
- String containing a predefined single-letter color code
- String containing a predefined color name

# showalignment

---

For example, to use cyan, enter [0 1 1], 'c', or 'cyan'. For more information on specifying colors, see `ColorSpec`.

**Default:** Magenta, which is specified by [1 0 1], 'm', or 'magenta'

## *StartPointersValue*

Two-element vector that specifies the starting indices in the original sequences of a local pairwise alignment.

---

**Tip** You can use the third output returned by `swalign` as the *StartPointersValue*.

---

## *ColumnsValue*

Scalar that specifies the number of characters to display in one row when displaying a pairwise alignment.

**Default:** 64


## *TerminalGapValue*

Specifies whether to include or exclude terminal gaps from the count of matches and similar residues when displaying a pairwise alignment. Choices are `true` (default) or `false`.

## Examples

Display a pairwise sequence alignment:

```
% Globally align two amino acid sequences
[Score, Alignment] = nwalignment('VSPAGMASGYD','IPGKASYD');
% Display the color-coded alignment
showalignment(Alignment);
```




Notice that for pairwise sequence alignments, matching and similar characters appear in red and magenta respectively..

Display a multiple sequence alignment

```
% Read a multiple-sequence alignment file  
gag = multialignread('aagag.aln');  
% Display the color-coded alignment  
showalignment(gag)
```

# showalignment



Notice that for multiple sequence alignments, highly conserved positions appear in red and conserved positions appear in magenta.

**Tip** To view a multiple-sequence alignment and interact with it, use the `multialignviewer` function.

## Alternatives

You can also display a multiple or pairwise sequence alignment using the `multialignviewer` function. The alignment displays in the Multiple Sequence Alignment Viewer window, where you can view and interactively adjust a sequence alignment.

## See Also

`multialign` | `multialignviewer` | `nwalign` | `swalign` | `ColorSpec` | `gethmmalignment` | `fastaread` | `multialignread` | `localalign`

## Tutorials

- [Aligning Pairs of Sequences](#)

# showhmmprof

---

## Purpose

Plot hidden Markov model (HMM) profile

## Syntax

```
showhmmprof(Model)  
showhmmprof(Model, ...'Scale', ScaleValue, ...)  
showhmmprof(Model, ...'Order', OrderValue, ...)
```

## Arguments

<i>Model</i>	Hidden Markov model created by the function <code>gethmmprof</code> or <code>pfamhmmread</code> .
<i>ScaleValue</i>	Property to select a probability scale. Enter one of the following values: <ul style="list-style-type: none"><li>• 'logprob' — Log probabilities</li><li>• 'prob' — Probabilities</li><li>• 'logodds' — Log-odd ratios</li></ul>
<i>OrderValue</i>	Property to specify the order of the amino acid alphabet. Enter a character string with the 20 standard amino acids characters A R N D C Q E G H I L K M F P S T W Y V. The ambiguous characters B Z X are not allowed.

## Description

`showhmmprof(Model)` plots a profile hidden Markov model described by the structure *Model*.

`showhmmprof(..., 'PropertyName', PropertyValue, ...)` calls `showhmmprof` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`showhmmprof(Model, ...'Scale', ScaleValue, ...)` specifies the scale to use. If log probabilities (*ScaleValue*='logprob'), probabilities (*ScaleValue*='prob'), or log-odd ratios (*ScaleValue*='logodds'). To compute the log-odd ratios, the null model probabilities are used for symbol emission and equally distributed transitions are used for the null transition probabilities. The default *ScaleValue* is 'logprob'.

`showhmmprof(Model, ... 'Order', OrderValue, ...)` specifies the order in which the symbols are arranged along the vertical axis. This option allows you reorder the alphabet and group the symbols according to their properties.

## Examples

- 1 Load a model example.

```
model = pfamhmmread('pf00002.ls');
```

- 2 Plot the profile.

```
showhmmprof(model, 'Scale', 'logodds')
```

- 3 Order the alphabet by hydrophobicity.

```
hydrophobic = 'IVLFCMAGTSWYPHNDQEK';
```

- 4 Plot the profile.

```
showhmmprof(model, 'Order', hydrophobic)
```

## See Also

Bioinformatics Toolbox functions: `gethmmprof`, `hmmprofalign`, `hmmprofestimate`, `hmmprofgenerate`, `hmmprofstruct`, `pfamhmmread`

# single (DataMatrix)

---

**Purpose** Convert DataMatrix object to single-precision array

**Syntax**

```
B = single(DMObj)
B = single(DMObj, Rows)
B = single(DMObj, Rows, Cols)
```

**Arguments**

<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>Rows, Cols</i>	Row(s) or column(s) in <i>DMObj</i> , specified by one of the following: <ul style="list-style-type: none"><li>• Scalar</li><li>• Vector of positive integers</li><li>• String specifying a row or column name</li><li>• Cell array of row or column names</li><li>• Logical vector</li></ul>

**Return Values**

<i>B</i>	MATLAB numeric array.
----------	-----------------------

**Description**

*B* = single(*DMObj*) converts *DMObj*, a DataMatrix object, to a single-precision array, which it returns in *B*.

*B* = single(*DMObj*, *Rows*) converts a subset of *DMObj*, a DataMatrix object, specified by *Rows*, to a single-precision array, which it returns in *B*. *Rows* can be a positive integer, vector of positive integers, string specifying a row name, cell array of row names, or a logical vector.

*B* = single(*DMObj*, *Rows*, *Cols*) converts a subset of *DMObj*, a DataMatrix object, specified by *Rows* and *Cols*, to a single-precision array, which it returns in *B*. *Cols* can be a positive integer, vector of



positive integers, string specifying a column name, cell array of column names, or a logical vector.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `double`

# bioma.ExpressionSet.size

---

<b>Purpose</b>	Return size of ExpressionSet object
<b>Syntax</b>	<pre>NFeatSam = size(ESObj) [NFeatures, NSamples] = size(ESObj) DimLength = size(ESObj, Dim)</pre>
<b>Description</b>	<p><i>NFeatSam = size(ESObj)</i> returns a two-element row vector containing the number of features and number of samples in an ExpressionSet object.</p> <p><i>[NFeatures, NSamples] = size(ESObj)</i> returns the number of features and number of samples in an ExpressionSet object as separate variables.</p> <p><i>DimLength = size(ESObj, Dim)</i> returns the length of the dimension specified by <i>Dim</i>.</p>
<b>Input Arguments</b>	<p><i>ESObj</i></p> <p>Object of the bioma.ExpressionSet class.</p> <p><i>Dim</i></p> <p>Scalar specifying the dimension of the ExpressionSet object. Choices are:</p> <ul style="list-style-type: none"><li>• 1 — Features</li><li>• 2 — Samples</li></ul>
<b>Examples</b>	<p>Construct an ExpressionSet object, <i>ESObj</i>, as described in the “Examples” on page 3-238 section of the bioma.ExpressionSet class reference page. Determine the number of features and samples in the ExpressionSet object:</p> <pre>% Retrieve the number of features and samples NumFeatSam = size(ESObj)</pre>
<b>See Also</b>	bioma.ExpressionSet   bioma.data.ExptData   DataMatrix

## How To

- “Storing and Managing Gene Expression Data in Objects”

# bioma.data.ExptData.size

---

<b>Purpose</b>	Return size of ExptData object
<b>Syntax</b>	<pre>NFeatSam = size(EDObj) [NFeatures, NSamples] = size(EDObj) DimLength = size(EDObj, Dim)</pre>
<b>Description</b>	<p><i>NFeatSam = size(EDObj)</i> returns a two-element row vector containing the number of features and number of samples in an ExptData object.</p> <p><i>[NFeatures, NSamples] = size(EDObj)</i> returns the number of features and number of samples in an ExptData object as separate variables.</p> <p><i>DimLength = size(EDObj, Dim)</i> returns the length of the dimension specified by <i>Dim</i>.</p>
<b>Input Arguments</b>	<p><i>EDObj</i></p> <p>Object of the bioma.data.ExptData class.</p> <p><i>Dim</i></p> <p>Scalar specifying the dimension of the ExptData object. Choices are:</p> <ul style="list-style-type: none"><li>• 1 — Features</li><li>• 2 — Samples</li></ul>
<b>Examples</b>	<p>Construct an ExptData object, and then determine the number of features and samples in it:</p> <pre>% Import bioma.data package to make constructor functions % available import bioma.data.* % Create DataMatrix object from .txt file containing % expression values from microarray experiment dmObj = DataMatrix('File', 'mouseExprsData.txt'); % Construct ExptData object</pre>

```
EDObj = ExptData(dmObj);  
% Retrieve the number of features and samples  
NumFeatSam = size(EDObj)
```

### See Also

`bioma.data.ExptData`

### How To

- “Representing Expression Data Values in ExptData Objects”

# bioma.data.MetaData.size

---

<b>Purpose</b>	Return size of MetaData object
<b>Syntax</b>	<pre>NSamVar = size(MDObj) [NSamples, NVariables] = size(MDObj) DimLength = size(MDObj, Dim)</pre>
<b>Description</b>	<p><i>NSamVar = size(MDObj)</i> returns a two-element row vector containing the number of samples or features and number of variables in a MetaData object.</p> <p><i>[NSamples, NVariables] = size(MDObj)</i> returns the number of samples or features and the number of variables in a MetaData object as separate variables.</p> <p><i>DimLength = size(MDObj, Dim)</i> returns the length of the dimension specified by <i>Dim</i>.</p>
<b>Input Arguments</b>	<p><i>MDObj</i></p> <p>Object of the bioma.data.MetaData class.</p> <p><i>Dim</i></p> <p>Scalar specifying the dimension of the MetaData object. Choices are:</p> <ul style="list-style-type: none"><li>• 1 — Samples</li><li>• 2 — Variables</li></ul>

**Examples** Construct a MetaData object, and then determine the number of samples and variables in it:

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Retrieve the number of samples and variables
```

```
NumSamVar = size(MDObj2)
```

### See Also

`bioma.data.Metadata`

### How To

- “Representing Sample and Feature Metadata in Metadata Objects”

# sortcols (DataMatrix)

---

**Purpose** Sort columns of DataMatrix object in ascending or descending order

**Syntax**

```
DMObjNew = sortcols(DMObj1)
DMObjNew = sortcols(DMObj1, Row)
DMObjNew = sortcols(DMObj1, 'ColName')
DMObjNew = sortcols(DMObj1, ..., Mode)
[DMObjNew, Indices] = sortcols(DMObj1, ...)
```

**Arguments**

<i>DMObj1</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>Row</i>	One or more rows in <i>DMObj1</i> by which to sort the columns. Choices are: <ul style="list-style-type: none"><li>• Positive integer</li><li>• Vector of positive integers</li><li>• String specifying a row name</li><li>• Cell array of strings specifying multiple row names</li><li>• Logical vector</li></ul>
'ColName'	String that specifies to sort the columns by the column names.
<i>Mode</i>	String specifying the order by which to sort the columns. Choices are 'ascend' (default) or 'descend'.

**Return Values**

<i>DMObjNew</i>	DataMatrix object created from sorting the columns of another DataMatrix object.
<i>Indices</i>	Index vector that links <i>DMObj1</i> to <i>DMObjNew</i> . In other words, <i>DMObjNew</i> = <i>DMObj1</i> (: ,idx).

**Description** *DMObjNew* = sortcols(*DMObj1*) sorts the columns in *DMObj1* in ascending order based on the elements in the first row. For any



columns that have equal elements in a row, sorting is based on the row immediately below.

*DMObjNew* = `sortcols(DMObj1, Row)` sorts the columns in *DMObj1* in ascending order based on the elements in the specified row. Any columns that have equal elements in the specified row are sorted based on the elements in the next specified row.

*DMObjNew* = `sortcols(DMObj1, 'ColName')` sorts the columns in *DMObj1* in ascending order according to the column names.

*DMObjNew* = `sortcols(DMObj1, ..., Mode)` specifies the order of the sort. *Mode* can be 'ascend' (default) or 'descend'.

`[DMObjNew, Indices] = sortcols(DMObj1, ...)` returns *Indices*, an index vector that links *DMObj1* to *DMObjNew*. In other words, *DMObjNew* = *DMObj1*(:,idx).

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `sortrows`

# sortrows (DataMatrix)

---

<b>Purpose</b>	Sort rows of DataMatrix object in ascending or descending order		
<b>Syntax</b>	<pre>DMObjNew = sortrows(DMObj1) DMObjNew = sortrows(DMObj1, Column) DMObjNew = sortrows(DMObj1, 'RowName') DMObjNew = sortrows(DMObj1, ..., Mode) [DMObjNew, Indices] = sortrows(DMObj1, ...)</pre>		
<b>Arguments</b>	<i>DMObj1</i>	DataMatrix object, such as created by DataMatrix (object constructor).	
	<i>Column</i>	One or more columns in <i>DMObj1</i> by which to sort the rows. Choices are: <ul style="list-style-type: none"><li>• Positive integer</li><li>• Vector of positive integers</li><li>• String specifying a column name</li><li>• Cell array of strings specifying multiple column names</li><li>• Logical vector</li></ul>	
	'RowName'	String that specifies to sort the rows by the row names.	
	<i>Mode</i>	String specifying the order by which to sort the rows. Choices are 'ascend' (default) or 'descend'.	
<b>Return Values</b>	<i>DMObjNew</i>	DataMatrix object created from sorting the rows of another DataMatrix object.	
	<i>Indices</i>	Index vector that links <i>DMObj1</i> to <i>DMObjNew</i> . In other words, <i>DMObjNew</i> = <i>DMObj1</i> (idx,:).	
<b>Description</b>	<i>DMObjNew</i> = sortrows( <i>DMObj1</i> ) sorts the rows in <i>DMObj1</i> in ascending order based on the elements in the first column. For any rows that have		

equal elements in a column, sorting is based on the column immediately to the right.

*DMObjNew* = `sortrows(DMObj1, Column)` sorts the rows in *DMObj1* in ascending order based on the elements in the specified column. Any rows that have equal elements in the specified column are sorted based on the elements in the next specified column.

*DMObjNew* = `sortrows(DMObj1, 'RowName')` sorts the rows in *DMObj1* in ascending order according to the row names.

*DMObjNew* = `sortrows(DMObj1, ..., Mode)` specifies the order of the sort. *Mode* can be 'ascend' (default) or 'descend'.

`[DMObjNew, Indices] = sortrows(DMObj1, ...)` returns *Indices*, an index vector that links *DMObj1* to *DMObjNew*. In other words, *DMObjNew* = *DMObj1*(idx,:).

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox method of a `DataMatrix` object: `sortcols`

# sptread

---

<b>Purpose</b>	Read data from SPOT file	
<b>Syntax</b>	<pre>SPOTData = sptread(File) SPOTData = sptread(File, 'CleanColNames', CleanColNamesValue)</pre>	
<b>Arguments</b>	<i>File</i>	<div>Either of the following:</div> <ul style="list-style-type: none"><li>• String specifying a file name, a path and file name, or a URL pointing to a file. The referenced file is a SPOT-formatted file (ASCII text file). If you specify only a file name, that file must be on the MATLAB search path or in the MATLAB Current Folder.</li><li>• MATLAB character array that contains the text of a SPOT-formatted file.</li></ul> <div><i>CleanColNamesValue</i> Controls the use of valid MATLAB variable names.</div>
<b>Description</b>	<p><i>SPOTData</i> = sptread(<i>File</i>) reads <i>File</i>, a SPOT-formatted file, and creates <i>SPOTData</i>, a MATLAB structure containing the following fields:</p> <div>Header Data Blocks Columns Rows IDs ColumnNames Indices Shape</div>	

`SPOTData = sptread(File, 'CleanColNames', CleanColNamesValue)` controls the use of valid MATLAB variable names. The column names in the SPOT-formatted file contain periods and some characters that cannot be used in MATLAB variable names. If you plan to use the column names as variable names in a function, use this option with `CleanColNames` set to `true` and the function will return the field `ColumnNames` with valid variable names.

The `Indices` field of the structure includes the indices that you can use for plotting heat maps of the data.

## Examples

- 1 Read in a sample SPOT file and plot the median foreground intensity for the 635 nm channel. Note that the example file `spotdata.txt` is not provided with the Bioinformatics Toolbox software.

```
spotStruct = sptread('spotdata.txt')
mimage(spotStruct, 'Rmedian');
```

- 2 Alternately, create a similar plot using more basic graphics commands.

```
Rmedian = magetfield(spotStruct, 'Rmedian');
imagesc(Rmedian(spotStruct.Indices));
colormap bone
colorbar
```

## See Also

Bioinformatics Toolbox functions: `affyread`, `agferead`, `celintensityread`, `geoseriesread`, `geosoftread`, `gprread`, `ilmnbsread`, `imageneread`, `maboxplot`, `magetfield`

# std (DataMatrix)

---

**Purpose** Return standard deviation values in DataMatrix object

**Syntax**

```
S = std(DMObj)
S = std(DMObj, Flag)
S = std(DMObj, Flag, Dim)
S = std(DMObj, Flag, Dim, IgnoreNaN)
```

**Arguments**

<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>Flag</i>	Scalar specifying how to normalize the data. Choices are: <ul style="list-style-type: none"><li>• 0 — Default. Normalizes using a sample size of <math>N - 1</math>, unless <math>N = 1</math>, in which case, normalizes using a sample size of 1.</li><li>• 1 — Normalizes using a sample size of <math>N</math>.</li></ul> <p><math>N</math> = the number of elements in each column or row, as specified by <i>Dim</i>. For more information on the normalization equations, see the MATLAB function <code>std</code>.</p>
<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to calculate the standard deviations. Choices are: <ul style="list-style-type: none"><li>• 1 — Default. Returns standard deviation values for elements in each column.</li><li>• 2 — Returns standard deviation values for elements in each row.</li></ul>
<i>IgnoreNaN</i>	Specifies if NaNs should be ignored. Choices are <code>true</code> (default) or <code>false</code> .

## Return Values

*S*

Either of the following:

- Row vector containing the standard deviation values from elements in each column in *DMatrix* (when *Dim* = 1)
- Column vector containing the standard deviation values from elements in each row in *DMatrix* (when *Dim* = 2)

## Description

*S* = std(*DMatrix*) returns the standard deviation values of the elements in the columns of a DataMatrix object, treating NaNs as missing values. The data is normalized using a sample size of  $N - 1$ , where  $N$  = the number of elements in each column. *S* is a row vector containing the standard deviation values for elements in each column in *DMatrix*.

*S* = std(*DMatrix*, *Flag*) specifies how to normalize the data. If *Flag* = 0, normalizes using a sample size of  $N - 1$ . If *Flag* = 1, normalizes using a sample size of  $N$ .  $N$  = the number of elements in each column or row, as specified by *Dim*. For more information on the normalization equations, see the MATLAB function std. Default *Flag* = 0.

*S* = std(*DMatrix*, *Flag*, *Dim*) returns the standard deviation values of the elements in the columns or rows of a DataMatrix object, as specified by *Dim*. If *Dim* = 1, returns *S*, a row vector containing the standard deviation values for elements in each column in *DMatrix*. If *Dim* = 2, returns *S*, a column vector containing the standard deviation values for elements in each row in *DMatrix*. Default *Dim* = 1.

*S* = std(*DMatrix*, *Flag*, *Dim*, *IgnoreNaN*) specifies if NaNs should be ignored. *IgnoreNaN* can be true (default) or false.

## See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: mean, median, var

# subtree (phytree)

---

**Purpose** Extract phylogenetic subtree

**Syntax** `Tree2 = subtree(Tree1, Nodes)`

**Description** `Tree2 = subtree(Tree1, Nodes)` extracts a new subtree (*Tree2*) where the new root is the first common ancestor of the *Nodes* vector from *Tree1*. Nodes in the tree are indexed as [1:NUMLEAVES] for the leaves and as [NUMLEAVES+1:NUMLEAVES+NUMBRANCHES] for the branches. Nodes can also be a logical array of following sizes [NUMLEAVES+NUMBRANCHES x 1], [NUMLEAVES x 1] or [NUMBRANCHES x 1].

**Examples** **1** Load a phylogenetic tree created from a protein family.

```
tr = phytreeread('pf00002.tree')
```

**2** Get the subtree that contains the VIPS and CGRR human proteins.

```
sel = getbyname(tr,{'vips_human','cgrrr_human'});  
sel = any(sel,2);  
tr = subtree(tr,sel)  
view(tr);
```

**See Also** Bioinformatics Toolbox functions: `phytree` (object constructor)

Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `get`, `getbyname`, `prune`, `select`



## Purpose

Return sum of elements in DataMatrix object

## Syntax

```
S = sum(DMObj)
S = sum(DMObj, Dim)
S = sum(DMObj, Dim, IgnoreNaN)
```

## Arguments

<i>DMObj</i>	DataMatrix object, such as created by DataMatrix (object constructor).
<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to calculate the sums. Choices are: <ul style="list-style-type: none"> <li>• 1 — Default. Returns sum of elements in each column.</li> <li>• 2 — Returns sum of elements in each row.</li> </ul>
<i>IgnoreNaN</i>	Specifies if NaNs should be ignored. Choices are true (default) or false.

## Return Values

<i>S</i>	Either of the following: <ul style="list-style-type: none"> <li>• Row vector containing the sums of the elements in each column in <i>DMObj</i> (when <i>Dim</i> = 1)</li> <li>• Column vector containing the sums of the elements in each row in <i>DMObj</i> (when <i>Dim</i> = 2)</li> </ul>
----------	---

## Description

*S* = sum(*DMObj*) returns the sum of the elements in the columns of a DataMatrix object, treating NaNs as missing values. *S* is a row vector containing the sums of the elements in each column in *DMObj*. If the values in *DMObj* are singles, then *S* is a single; otherwise, *S* is a double.

*S* = sum(*DMObj*, *Dim*) returns the sum of the elements in the columns or rows of a DataMatrix object, as specified by *Dim*. If *Dim* = 1, returns

## sum (DataMatrix)

---

$S$ , a row vector containing the sums of the elements in each column in  $DMObj$ . If  $Dim = 2$ , returns  $S$ , a column vector containing the sums of the elements in each row in  $DMObj$ . Default  $Dim = 1$ .

$S = \text{sum}(DMObj, Dim, IgnoreNaN)$  specifies if NaNs should be ignored.  $IgnoreNaN$  can be `true` (default) or `false`.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object: `max`, `min`

## Purpose

Classify data using support vector machine

## Syntax

```
Group = svmclassify(SVMStruct, Sample)
Group = svmclassify(SVMStruct, Sample, 'Showplot',
ShowplotValue)
```

## Description

*Group = svmclassify(SVMStruct, Sample)* classifies each row of the data in *Sample* using the information in a support vector machine classifier structure *SVMStruct*, created using the *svmtrain* function. *Sample* must have the same number of columns as the data used to train the classifier in *svmtrain*. *Group* indicates the group to which each row of *Sample* has been assigned.

*Group = svmclassify(SVMStruct, Sample, 'Showplot', ShowplotValue)* controls the plotting of the sample data in the figure created using the *Showplot* property with the *svmtrain* function.

## Examples

- 1 Load the sample data, which includes Fisher's iris data of 5 measurements on a sample of 150 irises.

```
load fisheriris
```

- 2 Create data, a two-column matrix containing sepal length and sepal width measurements for 150 irises.

```
data = [meas(:,1), meas(:,2)];
```

- 3 From the *species* vector, create a new column vector, *groups*, to classify data into two groups: Setosa and non-Setosa.


```
groups = ismember(species,'setosa');
```

- 4 Randomly select training and test sets.

```
[train, test] = crossvalind('holdOut',groups);
cp = classperf(groups);
```


- 5 Use the `svmtrain` function to train an SVM classifier using a linear kernel function and plot the grouped data.

```
svmStruct = svmtrain(data(train,:),groups(train),'showplot',true);
```



- 6 Add a title to the plot, using the `KernelFunction` field from the `svmStruct` structure as the title.


```
title(sprintf('Kernel Function: %s',...  
             func2str(svmStruct.KernelFunction)),...  
       'interpreter','none');
```



**7** Classify the test set using a support vector machine.

```
classes = svmclassify(svmStruct,data(test,:), 'showplot',true);
```

# svmclassify



8 Evaluate the performance of the classifier.


```
classperf(cp,classes,test);  
cp.CorrectRate
```

```
ans =
```

```
0.9867
```


9 Use a one-norm, hard margin support vector machine classifier by changing the boxconstraint property.

```
figure
svmStruct = svmtrain(data(train,:),groups(train),...
                    'showplot',true,'boxconstraint',1e6);
```



```
classes = svmclassify(svmStruct,data(test,:), 'showplot',true);
```

# svmclassify



**10** Evaluate the performance of the classifier.

```
classperf(cp,classes,test);  
cp.CorrectRate
```

```
ans =
```

```
0.9867
```



**References**

- [1] Kecman, V., Learning and Soft Computing, MIT Press, Cambridge, MA. 2001.
- [2] Suykens, J.A.K., Van Gestel, T., De Brabanter, J., De Moor, B., and Vandewalle, J., Least Squares Support Vector Machines, World Scientific, Singapore, 2002.
- [3] Scholkopf, B., and Smola, A.J., Learning with Kernels, MIT Press, Cambridge, MA. 2002.
- [4] Cristianini, N., and Shawe-Taylor, J. (2000). An Introduction to Support Vector Machines and Other Kernel-based Learning Methods, First Edition (Cambridge: Cambridge University Press).  
<http://www.support-vector.net/>

**See Also**

Bioinformatics Toolbox functions: `classperf`, `crossvalind`, `knnclassify`, `svmtrain`

Statistics Toolbox function: `classify`

Optimization Toolbox™ function: `quadprog`

**Purpose** Create or edit Sequential Minimal Optimization (SMO) options structure

**Syntax**

```
SMO_OptsStruct = svmsmoset('Property1Name', Property1Value,
    'Property2Name', Property2Value, ...)
SMO_OptsStruct = svmsmoset(OldOpts, 'Property1Name',
    Property1Value, 'Property2Name', Property2Value, ...)
SMO_OptsStruct = svmsmoset(OldOpts, NewOpts)
```

**Arguments**

<i>OldOpts</i>	Structure that specifies options used by the SMO method of the <code>svmtrain</code> function.
<i>NewOpts</i>	Structure that specifies options used by the SMO method of the <code>svmtrain</code> function.

<i>PropertyName</i>	<b>Description of <i>PropertyValue</i></b>
TolKKT	Value that specifies the tolerance with which the KKT conditions are checked. KKT conditions are Karush-Kuhn-Tucker conditions. Default is 1.0000e-003.
MaxIter	Integer that specifies the maximum number of iterations of the main loop. If this limit is exceeded before the algorithm converges, then the algorithm stops and returns an error. Default is 15000.

<i>PropertyName</i>	<i>Description of PropertyValue</i>
Display	String that specifies the level of information about the optimization iterations that is displayed as the algorithm runs. Choices are: <ul style="list-style-type: none"> <li>• off — Default. Reports nothing.</li> <li>• iter — Reports every 500 iterations.</li> <li>• final — Reports only when the algorithm finishes.</li> </ul>
KKTViolationLevel	Value that specifies the fraction of variables allowed to violate the KKT conditions. Choices are any value $\geq 0$ and $< 1$ . Default is 0. For example, if you set KKTViolationLevel to 0.05, then 5% of the variables are allowed to violate the KKT conditions. <div> <p><b>Tip</b> Set this option to a positive value to help the algorithm converge if it is fluctuating near a good solution.</p> <p>For more information on KKT conditions, see Cristianini, et al. 2000.</p> </div>
KernelCacheLimit	Value that specifies the size of the kernel matrix cache. The algorithm keeps a matrix with up to $\text{KernelCacheLimit} \times \text{KernelCacheLimit}$ double-precision, floating-point numbers in memory. Default is 5000.

## Return Values

*SMO\_OptsStruct* Structure that specifies options used by the SMO method used by the svmtrain function.

## Description

*SMO\_OptsStruct* = svmsmoset('Property1Name', Property1Value, 'Property2Name', Property2Value, ...) creates *SMO\_OptsStruct*, an SMO options structure from the specified inputs. This structure can be used as input for the svmtrain function.

*SMO\_OptsStruct* = svmsmoset(OldOpts, 'Property1Name', Property1Value, 'Property2Name', Property2Value, ...) alters the options in *OldOpts*, an existing SMO options structure, with the specified inputs, creating a new output options structure.

*SMO\_OptsStruct* = svmsmoset(OldOpts, NewOpts) alters the options in *OldOpts*, an existing SMO options structure, with the options specified in *NewOpts*, another SMO options structure, creating a new output options structure.

## Examples

- 1 Create an SMO options structure and specify the Display, MaxIter, and KernelCacheLimit properties.

```
opts = svmsmoset('Display','final','MaxIter',20000,...  
                'KernelCacheLimit',1000)
```

```
opts =
```

```
        Display: 'final'  
        TolKKT: 1.0000e-003  
        MaxIter: 20000  
KKTViolationLevel: 0  
KernelCacheLimit: 1000
```

- 2 Create an alternate SMO options structure from the previous structure. Specify different Display and KKTViolationLevel properties.

```
alt_opts = svmsmoset(opts,'Display','iter','KKTViolationLevel',.05)
```

```
alt_opts =
```

```
        Display: 'iter'
```

TolKKT: 1.0000e-003  
MaxIter: 20000  
KKTViolationLevel: 0.0500  
KernelCacheLimit: 1000

## References

- [1] Cristianini, N., and Shawe-Taylor, J. (2000). An Introduction to Support Vector Machines and Other Kernel-based Learning Methods, First Edition (Cambridge: Cambridge University Press). <http://www.support-vector.net/>
- [2] Platt, J.C. (1999). Sequential Minimal Optimization: A Fast Algorithm for Training Support Vector Machines. In Advances in Kernel Methods - Support Vector Learning, B. Scholkopf, J.C. Burges, and A.J. Smola, eds. (Cambridge MA: MIT Press), pp. 185–208.
- [3] Fan, R.E., Chen, P.H., and Lin, C.J. (2005). Working Set Selection Using Second Order Information for Training SVM. *Journal of Machine Learning Research* 6, 1889–1918.
- [4] Bottou, L. and Lin, C.J. (2006). Support Vector Machine Solvers. <http://www.csie.ntu.edu.tw/~cjlin/papers.html>

## See Also

Bioinformatics Toolbox functions: `svmclassify`, `svmtrain`  
Optimization Toolbox function: `optimset`

**Purpose** Train support vector machine classifier

**Syntax**

```
SVMStruct = svmtrain(Training, Group)
SVMStruct = svmtrain(..., 'Kernel_Function',
Kernel_FunctionValue, ...)
SVMStruct = svmtrain(..., 'RBF_Sigma', RBFSigmaValue, ...)
SVMStruct = svmtrain(..., 'Polyorder', PolyorderValue, ...)
SVMStruct = svmtrain(..., 'Mlp_Params',
Mlp_ParamsValue, ...)
SVMStruct = svmtrain(..., 'Method', MethodValue, ...)
SVMStruct = svmtrain(..., 'QuadProg_Opts',
QuadProg_OptsValue, ...)
SVMStruct = svmtrain(..., 'SMO_Opts', SMO_OptsValue, ...)
SVMStruct = svmtrain(..., 'BoxConstraint',
BoxConstraintValue, ...)
SVMStruct = svmtrain(..., 'Autoscale', AutoscaleValue, ...)
SVMStruct = svmtrain(..., 'Showplot', ShowplotValue, ...)
```

<b>Arguments</b>	<i>Training</i>	Matrix of training data, where each row corresponds to an observation or replicate, and each column corresponds to a feature or variable.
	<i>Group</i>	Column vector, character array, or cell array of strings for classifying data in <i>Training</i> into two groups. It has the same number of elements as there are rows in <i>Training</i> . Each element specifies the group to which the corresponding row in <i>Training</i> belongs.

<i>Kernel_FunctionValue</i>	String or function handle specifying the kernel function that maps the training data into kernel space. Choices are: <ul style="list-style-type: none"> <li>• <code>linear</code> — Default. Linear kernel or dot product.</li> <li>• <code>quadratic</code> — Quadratic kernel.</li> <li>• <code>rbf</code> — Gaussian Radial Basis Function kernel with a default scaling factor, sigma, of 1.</li> <li>• <code>polynomial</code> — Polynomial kernel with a default order of 3.</li> <li>• <code>mlp</code> — Multilayer Perceptron kernel with default scale and bias parameters of [1, -1].</li> <li>• <code>@functionname</code> — Handle to a kernel function specified using <code>@</code> and the <code>functionname</code>. For example, <code>@kfun</code>, or an anonymous function.</li> </ul>
<i>RBFSigmaValue</i>	Positive number that specifies the scaling factor, sigma, in the radial basis function kernel. Default is 1.
<i>PolyorderValue</i>	Positive number that specifies the order of a polynomial kernel. Default is 3.
<i>Mlp_ParamsValue</i>	Two-element vector, [p1, p2], that specifies the scale and bias parameters of the multilayer perceptron (mlp) kernel. $K = \tanh(p1 \cdot U \cdot V' + p2)$ . p1 must be > 0, and p2 must be < 0. Default is [1, -1].

*MethodValue*

String specifying the method to find the separating hyperplane. Choices are:

- **QP** — Quadratic Programming (requires the Optimization Toolbox software). The classifier is a two-norm, soft-margin support vector machine.
- **SMO** — Sequential Minimal Optimization. The classifier is a one-norm, soft-margin support vector machine.
- **LS** — Least-Squares.

If you installed the Optimization Toolbox software, the QP method is the default. Otherwise, the SMO method is the default.

*QuadProg\_OptsValue*

An options structure created by the `optimset` function (Optimization Toolbox software). This structure specifies options used by the QP method. For more information on creating this structure, see the `optimset` and `quadprog` reference pages.

*SMO\_OptsValue*

An options structure created by the `svmsmoset` function. This structure specifies options used by the SMO method. For more information on creating this structure, see the `svmsmoset` function.



*BoxConstraintValue* Box constraints for the soft margin. Choices are:

- Strictly positive numeric scalar.
- Array of strictly positive values with the number of elements equal to the number of rows in the *Training* matrix.

If *BoxConstraintValue* is a scalar, it is automatically rescaled by  $N/(2*N1)$  for the data points of group one and by  $N/(2*N2)$  for the data points of group two.  $N1$  is the number of elements in group one,  $N2$  is the number of elements in group two, and  $N = N1 + N2$ . This rescaling is done to take into account unbalanced groups, that is cases where  $N1$  and  $N2$  have very different values.

If *BoxConstraintValue* is an array, then each array element is taken as a box constraint for the data point with the same index.

Default is a scalar value of 1.

*AutoscaleValue* Controls the shifting and scaling of data points before training. When *AutoscaleValue* is true, the columns of the input data matrix *Training* are shifted to zero mean and scaled to unit variance. Default is true.

*ShowplotValue* Controls the display of a plot of the grouped data, including the separating line for the classifier, when using two-dimensional data. Choices are true or false (default).

Return Values

*SVMStruct*

Structure containing information about the trained SVM classifier, including the following fields:

- SupportVectors
- Alpha
- Bias
- KernelFunction
- KernelFunctionArgs
- GroupNames
- SupportVectorIndices
- ScaleData
- FigureHandles

---

**Note** The sign of the values in the Alpha field indicates group membership only, and not positive or negative value; all values are actually positive.

---

---

**Tip** You can use *SVMStruct* as input to the `svmclassify` function, to use for classification.

---

Description

*SVMStruct* = `svmtrain(Training, Group)` trains a support vector machine (SVM) classifier using *Training*, a matrix of training data taken from two groups, specified by *Group*. `svmtrain` treats NaNs or empty strings in *Group* as missing values and ignores the corresponding

rows of *Training*. Information about the trained SVM classifier is returned in *SVMStruct*, a structure with the following fields.

- SupportVectors
- Alpha
- Bias
- KernelFunction
- KernelFunctionArgs
- GroupNames
- SupportVectorIndices
- ScaleData
- FigureHandles

*SVMStruct* = svmtrain(*Training*, *Group*, ...'*PropertyName*', *PropertyValue*, ...) calls svmtrain with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

*SVMStruct* = svmtrain(..., 'Kernel\_Function', *Kernel\_FunctionValue*, ...) specifies the kernel function (*Kernel\_FunctionValue*) that maps the training data into kernel space. *Kernel\_FunctionValue* can be one of the following strings or a function handle:

- linear — Default. Linear kernel or dot product.
- quadratic — Quadratic kernel.
- rbf — Gaussian Radial Basis Function kernel with a default scaling factor, sigma, of 1.
- polynomial — Polynomial kernel with a default order of 3.

- `mlp` — Multilayer Perceptron kernel with default scale and bias parameters of `[1, -1]`.
- `@functionname` — Handle to a kernel function specified using `@` and the `functionname`. For example, `@kfun`, or an anonymous function.

A kernel function must be of the following form:

```
function K = kfun(U, V)
```

Input arguments `U` and `V` are matrices with `m` and `n` rows respectively. Return value `K` is an `m`-by-`n` matrix. If `kfun` is parameterized, you can use anonymous functions to capture the problem-dependent parameters. For example, suppose that your kernel function is:

```
function K = kfun(U,V,P1,P2)
K = tanh(P1*(U*V')+P2);
```

You can set values for `P1` and `P2` and then use an anonymous function as follows:

```
@(U,V) kfun(U,V,P1,P2)
```

For more information on the types of functions that can be used as kernel functions, see Cristianini and Shawe-Taylor, 2000.

`SVMStruct = svmtrain(..., 'RBF_Sigma', RBFSigmaValue, ...)` specifies the scaling factor, `sigma`, in the radial basis function kernel. *`RBFSigmaValue`* must be a positive number. Default is 1.

`SVMStruct = svmtrain(..., 'Polyorder', PolyorderValue, ...)` specifies the order of a polynomial kernel. *`PolyorderValue`* must be a positive number. Default is 3.

`SVMStruct = svmtrain(..., 'Mlp_Params', Mlp_ParamsValue, ...)` specifies the scale and bias parameters of the multilayer perceptron (`mlp`) kernel as a two-element vector, `[p1, p2]`. `K = tanh(p1*U*V' + p2)`, `p1 > 0`, and `p2 < 0`. `p1` must be `> 0`, and `p2` must be `< 0`. Default is `[1, -1]`.

`SVMStruct = svmtrain(..., 'Method', MethodValue, ...)`  
specifies the method to find the separating hyperplane. Choices are:

- QP — Quadratic Programming (requires the Optimization Toolbox software). The classifier is a two-norm, soft-margin support vector machine.
- SMO — Sequential Minimal Optimization. The classifier is a one-norm, soft-margin support vector machine.
- LS — Least-Squares.

If you installed the Optimization Toolbox software, the QP method is the default. Otherwise, the SMO method is the default.

---

**Note** If you specify the QP method, the classifier is a two-norm, soft-margin support vector machine.

---

`SVMStruct = svmtrain(..., 'QuadProg_Opts', QuadProg_OptsValue, ...)` specifies an options structure created by the `optimset` function (Optimization Toolbox software). This structure specifies options used by the QP method. For more information on creating this structure, see the `optimset` and `quadprog` functions.

`SVMStruct = svmtrain(..., 'SMO_Opts', SMO_OptsValue, ...)` specifies an options structure created by `svmsmoset` function. This structure specifies options used by the SMO method. For more information on creating this structure, see the `svmsmoset` function.

`SVMStruct = svmtrain(..., 'BoxConstraint', BoxConstraintValue, ...)` specifies box constraints for the soft margin. *BoxConstraintValue* can be either of the following:

- Strictly positive numeric scalar
- Array of strictly positive values with the number of elements equal to the number of rows in the *Training* matrix

If *BoxConstraintValue* is a scalar, it is automatically rescaled by  $N/(2*N1)$  for the data points of group one and by  $N/(2*N2)$  for the data points of group two.  $N1$  is the number of elements in group one,  $N2$  is the number of elements in group two, and  $N = N1 + N2$ . This rescaling is done to take into account unbalanced groups, that is cases where  $N1$  and  $N2$  have very different values.

If *BoxConstraintValue* is an array, then each array element is taken as a box constraint for the data point with the same index.

Default is a scalar value of 1.

*SVMStruct* = svmtrain(..., 'Autoscale', *AutoscaleValue*, ...) controls the shifting and scaling of data points before training. When *AutoscaleValue* is true, the columns of the input data matrix *Training* are shifted to zero mean and scaled to unit variance. Default is true.

*SVMStruct* = svmtrain(..., 'Showplot', *ShowplotValue*, ...) controls the display of a plot of the grouped data, including the separating line for the classifier, when using two-dimensional data. Choices are true or false (default).

### Memory Usage and Out of Memory Error

When you set 'Method' to 'QP', the svmtrain function operates on a data set containing  $N$  elements, it creates an  $(N+1)$ -by- $(N+1)$  matrix to find the separating hyperplane. This matrix needs at least  $8*(n+1)^2$  bytes of contiguous memory. If this size of contiguous memory is not available, the software displays an “out of memory” message.

When you set 'Method' to 'SMO', memory consumption is controlled by the SMO option *KernelCacheLimit*. For more information on the *KernelCacheLimit* option, see the *svmsmoset* function. The SMO algorithm stores only a submatrix of the kernel matrix, limited by the size specified by the *KernelCacheLimit* option. However, if the number of data points exceeds the size specified by the *KernelCacheLimit* option, the SMO algorithm slows down because it has to recalculate the kernel matrix elements.

When using `svmtrain` on large data sets, and you run out of memory or the optimization step is very time consuming, try either of the following:

- Use a smaller number of samples and use cross validation to test the performance of the classifier.
- Set 'Method' to 'SMO', and set the `KernelCacheLimit` option as large as your system permits. For information on setting the `KernelCacheLimit` option, see the `svmsmoset` function.

---

**Tip** If you set 'Method' to 'SMO', setting the 'BoxConstraint' property as small as possible will help the SMO algorithm run faster.

---

## Examples

- 1 Load the sample data, which includes Fisher's iris data of 5 measurements on a sample of 150 irises.

```
load fisheriris
```

- 2 Create `data`, a two-column matrix containing sepal length and sepal width measurements for 150 irises.

```
data = [meas(:,1), meas(:,2)];
```

- 3 From the `species` vector, create a new column vector, `groups`, to classify data into two groups: Setosa and non-Setosa.


```
groups = ismember(species,'setosa');
```

- 4 Randomly select training and test sets.

```
[train, test] = crossvalind('holdOut',groups);  
cp = classperf(groups);
```

- 5 Train an SVM classifier using a linear kernel function and plot the grouped data.


```
svmStruct = svmtrain(data(train,:),groups(train),'showplot',true);
```



- 6 Add a title to the plot, using the `KernelFunction` field from the `svmStruct` structure as the title.


```
title(sprintf('Kernel Function: %s',...  
             func2str(svmStruct.KernelFunction)),...  
       'interpreter','none');
```





7 Use the `svmclassify` function to classify the test set.

```
classes = svmclassify(svmStruct,data(test,:), 'showplot',true);
```



8 Evaluate the performance of the classifier.


```
classperf(cp,classes,test);
cp.CorrectRate
```

```
ans =
```


```
0.9867
```

9 Use a one-norm, hard margin support vector machine classifier by changing the boxconstraint property.

```
figure
svmStruct = svmtrain(data(train,:),groups(train),...
                    'showplot',true,'boxconstraint',1e6);
```



```
classes = svmclassify(svmStruct,data(test,:), 'showplot',true);
```



**10** Evaluate the performance of the classifier.

```
classperf(cp,classes,test);  
cp.CorrectRate
```

```
ans =
```

```
0.9867
```

**References**

- [1] Kecman, V. (2001). Learning and Soft Computing (Cambridge, MA: MIT Press).
- [2] Suykens, J.A.K., Van Gestel, T., De Brabanter, J., De Moor, B., and Vandewalle, J. (2002). Least Squares Support Vector Machines (Singapore: World Scientific).
- [3] Scholkopf, B., and Smola, A.J. (2002). Learning with Kernels (Cambridge, MA: MIT Press).
- [4] Cristianini, N. and Shawe-Taylor, J. (2000). An Introduction to Support Vector Machines and Other Kernel-based Learning Methods, First Edition (Cambridge: Cambridge University Press).  
<http://www.support-vector.net/>

**See Also**

Bioinformatics Toolbox functions: `knnclassify`, `svmclassify`, `svmsmset`

Statistics Toolbox function: `classify`

Optimization Toolbox function: `quadprog`

MATLAB function: `optimset`

<b>Purpose</b>	Locally align two sequences using Smith-Waterman algorithm	
<b>Syntax</b>	<pre>Score = swalign(Seq1, Seq2) [Score, Alignment] = swalign(Seq1, Seq2) [Score, Alignment, Start] = swalign(Seq1, Seq2) ... = swalign(Seq1,Seq2, ...'Alphabet', AlphabetValue) ... = swalign(Seq1,Seq2, ...'ScoringMatrix',     ScoringMatrixValue, ...) ... = swalign(Seq1,Seq2, ...'Scale', ScaleValue, ...) ... = swalign(Seq1,Seq2, ...'GapOpen', GapOpenValue, ...) ... = swalign(Seq1,Seq2, ...'ExtendGap',     ExtendGapValue, ...) ... = swalign(Seq1,Seq2, ...'Showscore',     ShowscoreValue, ...)</pre>	
<b>Arguments</b>	<i>Seq1, Seq2</i>	<p>Amino acid or nucleotide sequences. Enter any of the following:</p> <ul style="list-style-type: none"><li>• Character string of letters representing amino acids or nucleotides, such as returned by <code>int2aa</code> or <code>int2nt</code></li><li>• Vector of integers representing amino acids or nucleotides, such as returned by <code>aa2int</code> or <code>nt2int</code></li><li>• Structure containing a <code>Sequence</code> field</li></ul> <hr/> <p><b>Tip</b> For help with letter and integer representations of amino acids and nucleotides, see Amino Acid Lookup on page 3-165 or Nucleotide Lookup on page 3-176.</p> <hr/>
	<i>AlphabetValue</i>	String specifying the type of sequence. Choices are 'AA' (default) or 'NT'.

*ScoringMatrixValue* Either of the following:

- String specifying the scoring matrix to use for the local alignment. Choices for amino acid sequences are:
  - 'BLOSUM62'
  - 'BLOSUM30' increasing by 5 up to 'BLOSUM90'
  - 'BLOSUM100'
  - 'PAM10' increasing by 10 up to 'PAM500'
  - 'DAYHOFF'
  - 'GONNET'

Default is:

- 'BLOSUM50' — When *AlphabetValue* equals 'AA'
- 'NUC44' — When *AlphabetValue* equals 'NT'

---

**Note** The above scoring matrices, provided with the software, also include a structure containing a scale factor that converts the units of the output score to bits. You can also use the 'Scale' property to specify an additional scale factor to convert the output score from bits to another unit.

---

- Matrix representing the scoring matrix to use for the local alignment, such as returned by the `blosum`, `pam`, `dayhoff`, `gonnet`, or `nuc44` function.

---

**Note** If you use a scoring matrix that you created or was created by one of the above functions, the matrix does not include a scale factor. The output score will be returned in the same units as the scoring matrix. You can use the 'Scale' property to specify a scale factor to convert the output score to another unit.

---

## *ScaleValue*

Positive value that specifies a scale factor that is applied to the output score.

For example, if the output score is initially determined in bits, and you enter  $\log(2)$  for *ScaleValue*, then *swalign* returns *Score* in nats.

Default is 1, which does not change the units of the output score.

---

**Note** If the 'ScoringMatrix' property also specifies a scale factor, then *swalign* uses it first to scale the output score, then applies the scale factor specified by *ScaleValue* to rescale the output score.

---

---

**Tip** Before comparing alignment scores from multiple alignments, ensure the scores are in the same units. You can use the 'Scale' property to control the units of the output scores.

---



<i>GapOpenValue</i>	Positive value specifying the penalty for opening a gap in the alignment. Default is 8.
<i>ExtendGapValue</i>	Positive value specifying the penalty for extending a gap. Default is equal to <i>GapOpenValue</i> .
<i>ShowscoreValue</i>	Controls the display of the scoring space and the winning path of the alignment. Choices are true or false (default).

Return Values

<i>Score</i>	Optimal local alignment score in bits.
<i>Alignment</i>	3-by-N character array showing the two sequences, <i>Seq1</i> and <i>Seq2</i> , in the first and third rows, and symbols representing the optimal local alignment between them in the second row.
<i>Start</i>	2-by-1 vector of indices indicating the starting point in each sequence for the alignment.

Description

*Score* = swalign(*Seq1*, *Seq2*) returns the optimal local alignment score in bits. The scale factor used to calculate the score is provided by the scoring matrix.

[*Score*, *Alignment*] = swalign(*Seq1*, *Seq2*) returns a 3-by-N character array showing the two sequences, *Seq1* and *Seq2*, in the first and third rows, and symbols representing the optimal local alignment between them in the second row. The symbol | indicates amino acids or nucleotides that match exactly. The symbol : indicates amino acids or nucleotides that are related as defined by the scoring matrix (nonmatches with a zero or positive scoring matrix value).

`[Score, Alignment, Start] = swalign(Seq1, Seq2)` returns a 2-by-1 vector of indices indicating the starting point in each sequence for the alignment.

`... = swalign(Seq1, Seq2, ... 'PropertyName', PropertyValue, ...)` calls `swalign` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

`... = swalign(Seq1, Seq2, ... 'Alphabet', AlphabetValue)` specifies the type of sequences. Choices are 'AA' (default) or 'NT'.

`... = swalign(Seq1, Seq2, ... 'ScoringMatrix', ScoringMatrixValue, ...)` specifies the scoring matrix to use for the local alignment. Default is:


- 'BLOSUM50' — When *AlphabetValue* equals 'AA'
- 'NUC44' — When *AlphabetValue* equals 'NT'

`... = swalign(Seq1, Seq2, ... 'Scale', ScaleValue, ...)` specifies a scale factor that is applied to the output score, thereby controlling the units of the output score. Choices are any positive value.

`... = swalign(Seq1, Seq2, ... 'GapOpen', GapOpenValue, ...)` specifies the penalty for opening a gap in the alignment. Choices are any positive value. Default is 8.

`... = swalign(Seq1, Seq2, ... 'ExtendGap', ExtendGapValue, ...)` specifies the penalty for extending a gap in the alignment. Choices are any positive value. Default is equal to *GapOpenValue*.

`... = swalign(Seq1, Seq2, ... 'Showscore', ShowscoreValue, ...)` controls the display of the scoring space and winning path of the alignment. Choices are true or false (default).



The scoring space is a heat map displaying the best scores for all the partial alignments of two sequences. The color of each  $(n1, n2)$  coordinate in the scoring space represents the best score for the pairing of subsequences  $\text{Seq1}(s1:n1)$  and  $\text{Seq2}(s2:n2)$ , where  $n1$  is a position in  $\text{Seq1}$ ,  $n2$  is a position in  $\text{Seq2}$ ,  $s1$  is any position in  $\text{Seq1}$  between  $1:n1$ , and  $s2$  is any position in  $\text{Seq2}$  between  $1:n2$ . The best score for a pairing of specific subsequences is determined by scoring all possible alignments of the subsequences by summing matches and gap penalties.

The winning path is represented by black dots in the scoring space, and it illustrates the pairing of positions in the optimal local alignment. The

color of the last point (lower right) of the winning path represents the optimal local alignment score for the two sequences and is the *Score* output returned by *swalign*.

**Note** The scoring space visually shows tandem repeats, small segments that potentially align, and partial alignments of domains from rearranged sequences.

Examples

- 1 Locally align two amino acid sequences using the BLOSUM50 (default) scoring matrix and the default values for the GapOpen and ExtendGap properties. Return the optimal local alignment score in bits and the alignment character array.

```
[Score, Alignment] = swalign('VSPAGMASGYD','IPGKASYD')

Score =

    8.6667

Alignment =

PAGMASGYD
| | || ||
P-GKAS-YD
```

- 2 Locally align two amino acid sequences specifying the PAM250 scoring matrix and a gap open penalty of 5.

```
[Score, Alignment] = swalign('HEAGAWGHEE','PAWHEAE',...
                             'ScoringMatrix', 'pam250',...
                             'GapOpen',5)

Score =

    8
```

```
Alignment =
```

```
GAWGHE  
:||  ||  
PAW-HE
```

- 3** Locally align two amino acid sequences returning the *Score* in nat units (nats) by specifying a scale factor of  $\log(2)$ .

```
[Score, Alignment] = swalign('HEAGAWGHEE', 'PAWHEAE', 'Scale', log(2))
```

```
Score =
```

```
6.4694
```

```
Alignment =
```

```
AWGHE  
||  ||  
AW-HE
```

## References

- [1] Durbin, R., Eddy, S., Krogh, A., and Mitchison, G. (1998). Biological Sequence Analysis (Cambridge University Press).
- [2] Smith, T., and Waterman, M. (1981). Identification of common molecular subsequences. *Journal of Molecular Biology* *147*, 195–197.

## See Also

Bioinformatics Toolbox functions: `aa2int`, `aminolookup`, `baselookup`, `blosum`, `dayhoff`, `gonnet`, `int2aa`, `int2nt`, `localalign`, `multialign`, `nt2aa`, `nt2int`, `nuc44`, `nwalgn`, `pam`, `pdbsuperpose`, `seqdotplot`, `showalignment`

# term class

---

**Purpose** Data structure containing information about Gene Ontology (GO) term

**Description** A term object is a data structure containing information about a Gene Ontology (GO) term. You can explore and traverse Gene Ontology terms using “is\_a” and “part\_of” relationships.

**Construction** geneont Create geneont object and term objects

<b>Properties</b>	definition	Read-only string that defines GO term
	id	Read-only numeric value that corresponds to GO identifier of GO term
	is_a	Read-only numeric array containing GO identifiers of GO terms that have an “is a” relationship with this GO term
	name	Read-only string representing name of GO term
	obsolete	Read-only Boolean value that indicates whether a GO term is obsolete
	ontology	Read-only string describing the ontology of GO term

part_of	Read-only numeric array containing GO identifiers of GO terms that have a “part of” relationship with this GO term
synonym	Read-only array containing GO terms that are synonyms of this GO term

## Instance Hierarchy

A geneont object contains term objects.

## Copy Semantics

Handle. To learn how this affects your use of the class, see Copying Objects in the MATLAB Programming Fundamentals documentation.

## Indexing

You can use parenthesis () indexing to access the terms in an array of handles to term objects. See “Examples” on page 3-1685 below.

## Examples

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27827 Terms.
```

- 2 Use the terms property to create a variable containing an array of handles to the term objects of the geneont object.

```
array_of_terms = GeneontObj.terms
```

```
27827x1 struct array with fields:
```

```
id
name
ontology
```

## term class

---

```
definition
comment
synonym
is_a
part_of
obsolete
```

---

**Note** Although the `terms` property is an array of handles to term objects, in the MATLAB Command Window, it displays as a structure array, with one structure for each GO term in the `geneont` object.

---

- 3** Return the fifth term (term object) of the `geneont` object.

```
fifth_term = array_of_terms(5)

    id: 6
   name: [1x60 char]
 ontology: 'molecular function'
definition: [1x321 char]
   comment: ''
   synonym: []
     is_a: 5385
   part_of: [0x1 double]
  obsolete: 0
```

### See Also

Bioinformatics Toolbox class: `geneont`



## Purpose

Return information about SPC file

## Syntax

*InfoStruct* = tgspcinfo(*File*)

## Description

*InfoStruct* = tgspcinfo(*File*) returns a MATLAB structure containing summary information about a Galactic SPC file from Thermo Scientific®.

## Input Arguments

*File*

String specifying a file name or path and file name of an SPC file. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

## Output Arguments

*InfoStruct*

MATLAB structure containing the following fields:

Field	Description
Filename	Name of the SPC file.
FileSize	Size of the SPC file in bytes.
ExperimentType	Experimental technique used to create the data.
NumDataPoints	Number of data points ( <i>y</i> data values) in the SPC file.
XFirst	First <i>x</i> data value in the SPC file.
XLast	Last <i>x</i> data value in the SPC file.
NumScans	Number of scans or subfiles in the SPC file.
XLabel	Label for the <i>x</i> data values.
YLabel	Label for the <i>y</i> data values.
ZLabel	Label for the <i>z</i> data values.

Field	Description
CollectionTime	Date and time the scans were collected.
CollectionTimeDatenum	Date and time the scans were collected in serial date number format. For more information, see <code>datenum</code> .
Resolution	Instrument resolution.
SourceInstrument	Name or model of the instrument used to collect data.
InterferogramPeakPointNumber	Peak point number for interferograms. It is 0 for scans that are not interferograms.
Comment	User-provided comments.
CustomAxisUnitLabel	User-provided labels for the axis units.
SubScanHeaders	Header information for subfiles or scans, including scan index, next scan index, and <i>w</i> data value.
ZValues	Vector containing the <i>z</i> data values of all scans in the SPC file.

Examples

The SPC file, `sample.spc`, used in the following example is not provided with the Bioinformatics Toolbox software. You can download sample files from:

<https://ftirsearch.com/default3.htm>

Return information about an SPC file:

```
% Return information about an SPC file named sample.spc
info = tgspcinfo('sample.spc')
```

```
Reading header for file: SAMPLE.SPC
File contains 1 scans
```

```
info =

    Filename: 'SAMPLE.SPC'
    FileSize: 48380
    ExperimentType: 'General SPC'
    NumDataPoints: 12031
    XFirst: 6.2998e+003
    XLast: 499.9531
    NumScans: 1
    XLabel: 'Wavenumber (cm-1)'
    YLabel: 'Absorbance'
    ZLabel: 'Arbitrary'
    CollectionTime: '08-Mar-1993 15:13:00'
    CollectionTimeDatenum: 7.2800e+005
    Resolution: ' .00 '
    SourceInstrument: ''
    InterferogramPeakPointNumber: 0
    Comment: [1x74 char]
    CustomAxisUnitLabel: ''
    SubScanHeaders: [1x1 struct]
    ZValues: 0
```

## See Also

[tgspcread](#) | [datenum](#)

## Related Links

- 
- 
-

## Purpose

Read data from SPC file

## Syntax

```
SPCStruct = tgspcread(File)
tgspcread(..., 'ZRange', ZRangeValue, ...)
tgspcread(..., 'ScanIndices', ScanIndicesValue, ...)
tgspcread(..., 'Verbose', VerboseValue, ...)
```

## Description

*SPCStruct* = *tgspcread*(*File*) reads a Galactic SPC file from Thermo Scientific, and returns the data in a MATLAB structure.

*tgspcread*(..., '*PropertyName*', *PropertyValue*, ...) calls *tgspcread* with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Enclose each *PropertyName* in single quotation marks. Each *PropertyName* is case insensitive. These property name/property value pairs are as follows:

*tgspcread*(..., 'ZRange', *ZRangeValue*, ...) specifies a range of *z* data values in the SPC file from which to extract scans.

*tgspcread*(..., 'ScanIndices', *ScanIndicesValue*, ...) specifies a scan, multiple scans, or range of scans in the SPC file to read.

*tgspcread*(..., 'Verbose', *VerboseValue*, ...) controls the display of the progress of the reading of the SPC file. Choices are *true* or *false* (default).

## Input Arguments

*File*

String specifying a file name or path and file name of an SPC file that conforms to the Thermo Scientific Universal Data Format Specification. If you specify only a file name, that file must be on the MATLAB search path or in the current folder.

*ZRangeValue*

Two-element numeric array [*Start End*] that specifies the range of *z* data values in *File* to read. *Start* and *End* must be positive scalars, and *Start* must be less than *End*. Default is to extract all scans.

---

**Tip** For summary information about the  $z$  data values in an SPC file, use the `tgspcinfo` function.

---



---

**Note** If you specify a *ZRangeValue*, you cannot specify a *ScanIndicesValue*.

---

#### *ScanIndicesValue*

Positive integer, vector of integers, or a two-element numeric array [*Start\_Ind*: *End\_Ind*] that specifies a scan, multiple scans, or a range of scans in *File* to read. *Start\_Ind* and *End\_Ind* are each positive integers indicating a scan index. *Start\_Ind* must be less than *End\_Ind*. Default is to read all scans.

---

**Tip** For summary information about the scan indices in an SPC file, check the NumScans field in the structure returned by the `tgspcinfo` function.

---



---

**Note** If you specify a *ScanIndicesValue*, you cannot specify a *ZRangeValue*.

---

#### *VerboseValue*

Controls the display of the progress of the reading of *File*. Choices are `true` or `false` (default).

## Output Arguments

#### *SPCStruct*

Structure containing information from an SPC file. The structure contains the following fields.

Field	Description
Header	<p>Structure containing the following fields:</p> <ul style="list-style-type: none"><li>• <b>Filename</b> — Name of the SPC file.</li><li>• <b>FileSize</b> — Size of the SPC file in bytes.</li><li>• <b>ExperimentType</b> — Experimental technique used to create the data.</li><li>• <b>NumDataPoints</b> — Number of data points (<i>y</i> data values) in the SPC file.</li><li>• <b>XFirst</b> — First <i>x</i> data value in the SPC file.</li><li>• <b>XLast</b> — Last <i>x</i> data value in the SPC file.</li><li>• <b>NumScans</b> — Number of scans or subfiles in the SPC file.</li><li>• <b>XLabel</b> — Label for the <i>x</i> data values.</li><li>• <b>YLabel</b> — Label for the <i>y</i> data values.</li><li>• <b>ZLabel</b> — Label for the <i>z</i> data values.</li><li>• <b>CollectionTime</b> — Date and time the scan data were collected.</li><li>• <b>CollectionTimeDatenum</b> — Date and time the scan data were collected in serial date number format. For more information, see <code>datenum</code>.</li><li>• <b>Resolution</b> — Instrument resolution.</li><li>• <b>SourceInstrument</b> — Name or model of instrument used to collect data.</li><li>• <b>InterferogramPeakPointNumber</b> — Peak point number for interferograms. It is 0 for scans that are not interferograms.</li><li>• <b>Comment</b> — User-provided comments.</li></ul>

Field	Description
	<ul style="list-style-type: none"><li>CustomAxisUnitLabel — User-provided labels for the axis units.</li><li>SubScanHeaders — Header information for subfiles or scans, including scan index, next scan index, and <i>w</i> data value.</li><li>ZValues — Vector containing the <i>z</i> data values of all scans in the SPC file.</li></ul>
X	Vector or cell array containing the <i>x</i> data values.  If all scans share the same <i>x</i> data values, then X is a vector. If scans have different <i>x</i> data values, then X is a cell array.
Y	Vector, matrix, or cell array containing the <i>y</i> data values.  If there is only one scan, then Y is a vector. If there are multiple scans that share the same <i>x</i> data values, then Y is a matrix. If there are multiple scans having different <i>x</i> data values, then Y is a cell array.
Z	Vector containing the <i>z</i> data values of scans read from the SPC file

Examples

The SPC file, results.spc, used in the following example is not provided with the Bioinformatics Toolbox software. You can download sample files from:

<https://ftirsearch.com/default3.htm>

Read an SPC file:

```
% Read the contents of an SPC file into a MATLAB structure
```

```
out = tgspcread('results.spc')
```

```
File contains 1 scans
```

```
out =
```

```
Header: [1x1 struct]  
X: [12031x1 single]  
Y: [12031x1 double]  
Z: 0
```

---

Plot an SPC file:

```
% Plot the first scan in the SPC file:  
plot(out.X,out.Y(:,1));
```

## See Also

[tgspcinfo](#) | [jcampread](#) | [mzcdfinfo](#) | [mzcdf2peaks](#) | [mzcdfread](#) |  
[mzxmlread](#) | [mzxml2peaks](#) | [mzxmlinfo](#) | [datenum](#)

## Related Links

- 
- 
-



## Purpose

Multiply DataMatrix objects

## Syntax

```
DMObjNew = times(DMObj1, DMObj2)
DMObjNew = DMObj1 .* DMObj2
DMObjNew = times(DMObj1, B)
DMObjNew = DMObj1 .* B
DMObjNew = times(B, DMObj1)
DMObjNew = B .* DMObj1
```

## Arguments

*DMObj1*, *DMObj2* DataMatrix objects, such as created by DataMatrix (object constructor).

*B* MATLAB numeric or logical array.

## Return Values

*DMObjNew* DataMatrix object created by multiplication.

## Description

*DMObjNew* = `times(DMObj1, DMObj2)` or the equivalent *DMObjNew* = *DMObj1* .\* *DMObj2* performs an element-by-element multiplication of the DataMatrix objects *DMObj1* and *DMObj2* and places the results in *DMObjNew*, another DataMatrix object. *DMObj1* and *DMObj2* must have the same size (number of rows and columns), unless one is a scalar (1-by-1 DataMatrix object). The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*, unless *DMObj1* is a scalar; then they are the same as *DMObj2*.

*DMObjNew* = `times(DMObj1, B)` or the equivalent *DMObjNew* = *DMObj1* .\* *B* performs an element-by-element multiplication of the DataMatrix object *DMObj1* and *B*, a numeric or logical array, and places the results in *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

## times (DataMatrix)

---

*DMObjNew* = times(*B*, *DMObj1*) or the equivalent *DMObjNew* = *B* .\* *DMObj1* performs an element-by-element multiplication of *B*, a numeric or logical array, and the DataMatrix object *DMObj1*, and places the results in *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same size (number of rows and columns), unless *B* is a scalar. The size (number of rows and columns), row names, and column names for *DMObjNew* are the same as *DMObj1*.

---

**Note** Arithmetic operations between a scalar DataMatrix object and a nonscalar array are not supported.

---

MATLAB calls *DMObjNew* = times(*X*, *Y*) for the syntax *DMObjNew* = *X* .\* *Y* when *X* or *Y* is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: DataMatrix (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: minus, plus

MATLAB functions: Arithmetic Operators + - \* / \ ^ '

**Purpose** Perform topological sort of directed acyclic graph extracted from biograph object

**Syntax** `order = topoorder(BGObj)`

**Arguments**

<i>BGObj</i>	Biograph object created by biograph (object constructor).
--------------	---

## Description

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`order = topoorder(BGObj)` returns an index vector with the order of the nodes sorted topologically. In topological order, an edge can exist between a source node *u* and a destination node *v*, if and only if *u* appears before *v* in the vector *order*. *BGObj* is a biograph object from which an N-by-N adjacency matrix is extracted and represents a directed acyclic graph (DAG). In the N-by-N sparse matrix, all nonzero entries indicate the presence of an edge.

**References**

[1] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

**See Also** Bioinformatics Toolbox functions: biograph (object constructor), graphtopoorder

Bioinformatics Toolbox object: biograph object

Bioinformatics Toolbox methods of a biograph object:  
allshortestpaths, conncomp, isdag, isomorphism, isspanntree,  
maxflow, minspanntree, shortestpath, traverse

# traceplot

---

## Purpose

Draw nucleotide trace plots

## Syntax

```
traceplot(TraceStructure)  
traceplot(A, C, G, T)  
h = traceplot(...)
```

## Description

`traceplot(TraceStructure)` creates a trace plot from data in a structure with fields *A*, *C*, *G*, and *T*.

`traceplot(A, C, G, T)` creates a trace plot from data in vectors *A*, *C*, *G*, and *T*.

`h = traceplot(...)` returns a structure with the handles of the lines corresponding to *A*, *C*, *G*, *T*.

## Examples

- 1 Read trace data from an SCF-formatted file into a MATLAB structure.


```
tstruct = scfread('sample.scf')
```

```
tstruct =
```

```
    A: [10827x1 double]  
    C: [10827x1 double]  
    G: [10827x1 double]  
    T: [10827x1 double]
```

- 2 Draw a nucleotide trace plot of the data.

```
traceplot(tstruct)
```



## See Also

Bioinformatics Toolbox function: `scfread`

# traverse (biograph)

---

**Purpose** Traverse biograph object by following adjacent nodes

**Syntax**

```
[disc, pred, closed] = traverse(BGObj, S)
[...] = traverse(BGObj, S, ...'Depth', DepthValue, ...)
[...] = traverse(BGObj, S, ...'Directed', DirectedValue, ...)
[...] = traverse(BGObj, S, ...'Method', MethodValue, ...)
```

**Arguments**

<i>BGObj</i>	Biograph object created by biograph (object constructor).
<i>S</i>	Integer that indicates the source node in <i>BGObj</i> .
<i>DepthValue</i>	Integer that indicates a node in <i>BGObj</i> that specifies the depth of the search. Default is Inf (infinity).
<i>DirectedValue</i>	Property that indicates whether graph represented by an N-by-N adjacency matrix extracted from a biograph object, <i>BGObj</i> is directed or undirected. Enter false for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is true.
<i>MethodValue</i>	String that specifies the algorithm used to traverse the graph. Choices are: <ul style="list-style-type: none"><li>• 'BFS' — Breadth-first search. Time complexity is <math>O(N+E)</math>, where N and E are number of nodes and edges respectively.</li><li>• 'DFS' — Default algorithm. Depth-first search. Time complexity is <math>O(N+E)</math>, where N and E are number of nodes and edges respectively.</li></ul>

**Description**

---

**Tip** For introductory information on graph theory functions, see “Graph Theory Functions” in the *Bioinformatics Toolbox User’s Guide*.

---

`[disc, pred, closed] = traverse(BGObj, S)` traverses the directed graph represented by an N-by-N adjacency matrix extracted from a biograph object, *BGObj*, starting from the node indicated by integer *S*. In the N-by-N sparse matrix, all nonzero entries indicate the presence of an edge. *disc* is a vector of node indices in the order in which they are discovered. *pred* is a vector of predecessor node indices (listed in the order of the node indices) of the resulting spanning tree. *closed* is a vector of node indices in the order in which they are closed.

`[...] = traverse(BGObj, S, ...'PropertyName', PropertyValue, ...)` calls `traverse` with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotes and is case insensitive. These property name/property value pairs are as follows:

`[...] = traverse(BGObj, S, ...'Depth', DepthValue, ...)` specifies the depth of the search. *DepthValue* is an integer indicating a node in the graph represented by the N-by-N adjacency matrix extracted from a biograph object, *BGObj*. Default is `Inf` (infinity).

`[...] = traverse(BGObj, S, ...'Directed', DirectedValue, ...)` indicates whether the graph represented by the N-by-N adjacency matrix extracted from a biograph object, *BGObj* is directed or undirected. Set *DirectedValue* to `false` for an undirected graph. This results in the upper triangle of the sparse matrix being ignored. Default is `true`.

`[...] = traverse(BGObj, S, ...'Method', MethodValue, ...)` lets you specify the algorithm used to traverse the graph represented by the N-by-N adjacency matrix extracted from a biograph object, *BGObj*. Choices are:

- 'BFS' — Breadth-first search. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.
- 'DFS' — Default algorithm. Depth-first search. Time complexity is  $O(N+E)$ , where *N* and *E* are number of nodes and edges respectively.

# traverse (biograph)

---

## References

[1] Sedgewick, R., (2002). Algorithms in C++, Part 5 Graph Algorithms (Addison-Wesley).

[2] Siek, J.G., Lee, L-Q, and Lumsdaine, A. (2002). The Boost Graph Library User Guide and Reference Manual, (Upper Saddle River, NJ:Pearson Education).

## See Also

Bioinformatics Toolbox functions: `biograph` (object constructor), `graphtraverse`

Bioinformatics Toolbox object: `biograph` object

Bioinformatics Toolbox methods of a `biograph` object:  
`allshortestpaths`, `conncomp`, `isdag`, `isomorphism`, `isspantree`,  
`maxflow`, `minspantree`, `shortestpath`, `topoorder`



## Purpose

Return variance values in DataMatrix object

## Syntax

```
V = var(DMObj)
V = var(DMObj, Flag)
V = var(DMObj, Wgt)
V = var(..., Dim)
V = var(..., Dim, IgnoreNaN)
```

## Arguments

*DMObj*

DataMatrix object, such as created by DataMatrix (object constructor).

*Flag*

Scalar specifying how to normalize the data. Choices are:

- 0 — Default. Normalizes using a sample size of  $N - 1$ , unless  $N = 1$ , in which case, normalizes using a sample size of 1.
- 1 — Normalizes using a sample size of  $N$ .

$N$  = the number of elements in each column or row, as specified by *Dim*. For more information on the normalization equations, see the MATLAB function `std`.

*Wgt*

Weight vector equal in length to the dimension over which `var` operates (specified by *Dim*). It is used to compute the variance.

# var (DataMatrix)

---

<i>Dim</i>	Scalar specifying the dimension of <i>DMObj</i> to calculate the variances. Choices are: <ul style="list-style-type: none"><li>• 1 — Default. Returns variance values for elements in each column.</li><li>• 2 — Returns variance values for elements in each row.</li></ul>
<i>IgnoreNaN</i>	Specifies if NaNs should be ignored. Choices are <b>true</b> (default) or <b>false</b> .

## Return Values

<i>V</i>	An unbiased estimator of the variance within the columns or rows of a DataMatrix object. It can be either of the following: <ul style="list-style-type: none"><li>• Row vector containing the variance values from elements in each column in <i>DMObj</i> (when <i>Dim</i> = 1)</li><li>• Column vector containing the variance values from elements in each row in <i>DMObj</i> (when <i>Dim</i> = 2)</li></ul>
----------	---

## Description

*V* = *var(DMObj)* returns the variance values of the elements in the columns of a DataMatrix object, treating NaNs as missing values. The data is normalized using a sample size of  $N - 1$ , where  $N$  = the number of elements in each column. *V* is a row vector containing the variance values for elements in each column in *DMObj*. The variance is the square of the standard deviation.

*V* = *var(DMObj, Flag)* specifies how to normalize the data. If *Flag* = 0, normalizes using a sample size of  $N - 1$ . If *Flag* = 1, normalizes using a sample size of  $N$ .  $N$  = the number of elements in each column or row, as specified by *Dim*. For more information on the normalization equations, see the MATLAB function *std*. Default *Flag* = 0.

$V = \text{var}(DMObj, Wgt)$  computes the variance using  $Wgt$ , a weight vector whose length must equal the length of the dimension over which  $\text{var}$  operates (specified by  $Dim$ ). All elements in  $Wgt$  must be nonnegative. The  $\text{var}$  function normalizes  $Wgt$  to sum of 1.

$V = \text{var}(\dots, Dim)$  returns the variance values of the elements in the columns or rows of a DataMatrix object, as specified by  $Dim$ . If  $Dim = 1$ , returns  $V$ , a row vector containing the variance values for elements in each column in  $DMObj$ . If  $Dim = 2$ , returns  $V$ , a column vector containing the variance values for elements in each row in  $DMObj$ . Default  $Dim = 1$ .

$V = \text{var}(\dots, Dim, IgnoreNaN)$  specifies if NaNs should be ignored.  $IgnoreNaN$  can be true (default) or false.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: `DataMatrix` object

Bioinformatics Toolbox methods of a `DataMatrix` object: `mean`, `median`, `std`

<b>Purpose</b>	Retrieve or set variable descriptions for samples in MetaData object
<b>Syntax</b>	<pre>DSVarDescriptions = variableDesc(MDObj) NewMDObj = variableDesc(MDObj, NewDSVarDescriptions)</pre>
<b>Description</b>	<p><i>DSVarDescriptions</i> = <i>variableDesc(MDObj)</i> returns a dataset array containing the variable names and descriptions for samples from a MetaData object.</p> <p><i>NewMDObj</i> = <i>variableDesc(MDObj, NewDSVarDescriptions)</i> replaces the sample variable descriptions in <i>MDObj</i>, a MetaData object, with <i>NewDSVarDescriptions</i>, and returns <i>NewMDObj</i>, a new MetaData object.</p>
<b>Input Arguments</b>	<p><i>MDObj</i></p> <p>Object of the <code>bioma.data.MetaData</code> class.</p> <p><i>NewDSVarDescriptions</i></p> <p>Descriptions of the sample variable names, specified by one of the following:</p> <ul style="list-style-type: none"><li>• A new dataset array containing the variable names and descriptions for samples. In this dataset array, each row corresponds to a variable. The first column contains the variable name, and the second column (<code>VariableDescription</code>) contains a description of the variable. The row names (variable names) must match the row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the MetaData object, <i>MDObj</i>.</li><li>• Cell array of strings containing descriptions of the variables. The number of elements in <i>VarDesc</i> must equal the number of row names (variable names) in <i>DSVarDescriptions</i>, the dataset array being replaced in the MetaData object, <i>MDObj</i>.</li></ul>

## Output Arguments

*DSVarDescriptions*

A dataset array containing the variable names and descriptions from a MetaData object. In this dataset array, each row corresponds to a sample variable. The first column contains the variable name, and the second column (VariableDescription) contains a description of the variable.

*NewMDObj*

Object of the `bioma.data.MetaData` class, returned after replacing the dataset array containing the sample variable descriptions.

## Examples

Construct a MetaData object, and then retrieve the sample variable descriptions from it:

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Retrieve the sample variable descriptions
VarDescriptions = variableDesc(MDObj2)
```

## See Also

`bioma.data.MetaData` | `sampleNames` | `variableValues` | `variableNames`

## How To

- “Representing Sample and Feature Metadata in MetaData Objects”

# bioma.data.MetaData.variableNames

---

<b>Purpose</b>	Retrieve or set variable names for samples in MetaData object
<b>Syntax</b>	<pre>VarNames = variableNames(MDObj) VarNames = variableNames(MDObj, Subset) NewMDObj = variableNames(MDObj, Subset, NewVarNames)</pre>
<b>Description</b>	<p><i>VarNames = variableNames(MDObj)</i> returns a cell array of strings specifying all variable names in a MetaData object.</p> <p><i>VarNames = variableNames(MDObj, Subset)</i> returns a cell array of strings specifying a subset the variable names in a MetaData object.</p> <p><i>NewMDObj = variableNames(MDObj, Subset, NewVarNames)</i> replaces the variable names specified by <i>Subset</i> in <i>MDObj</i>, a MetaData object, with <i>NewVarNames</i>, and returns <i>NewMDObj</i>, a new MetaData object.</p>
<b>Input Arguments</b>	<p><i>MDObj</i></p> <p>Object of the <code>bioma.data.MetaData</code> class.</p> <p><i>Subset</i></p> <p>One of the following to specify a subset of the variable names in a MetaData object:</p> <ul style="list-style-type: none"><li>• String specifying a variable name</li><li>• Cell array of strings specifying variable names</li><li>• Positive integer</li><li>• Vector of positive integers</li><li>• Logical vector</li></ul> <p><i>NewVarNames</i></p> <p>New variable names for specific sample or feature variable names within a MetaData object, specified by one of the following:</p> <ul style="list-style-type: none"><li>• Numeric vector</li></ul>

- String or cell array of strings
- String, which `variableNames` uses as a prefix for the variable names, with variable numbers appended to the prefix
- Logical true or false (default). If true, `variableNames` assigns unique variable names using the format `Var1`, `Var2`, etc.

The number of variable names in *NewVarNames* must equal the number of variable names specified by *Subset*.

## Output Arguments

*VarNames*

Cell array of strings specifying all variable names in a `MetaData` object.

*NewMDObj*

Object of the `bioma.data.MetaData` class, returned after replacing the variable names.

## Examples

Construct a `MetaData` object, and then retrieve the sample variable names from it:

```
% Import bioma.data package to make constructor function
% available
import bioma.data.*
% Construct MetaData object from .txt file
MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Retrieve the sample variable names
VNames = variableNames(MDObj2)
```

## See Also

`bioma.data.MetaData` | `sampleNames` | `variableValues` | `variableDesc`

## How To

- “Representing Sample and Feature Metadata in `MetaData` Objects”

# bioma.data.MetaData.variableValues

---

<b>Purpose</b>	Retrieve or set variable values for samples in MetaData object
<b>Syntax</b>	<pre>DSVarValues = variableValues(MDObj) NewMDObj = variableValues(MDObj, NewDSVarValues)</pre>
<b>Description</b>	<p><i>DSVarValues</i> = <i>variableValues(MDObj)</i> returns a dataset array containing the measured value of each variable per sample from a MetaData object.</p> <p><i>NewMDObj</i> = <i>variableValues(MDObj, NewDSVarValues)</i> replaces the sample variable values in <i>MDObj</i>, a MetaData object, with <i>NewDSVarValues</i>, and returns <i>NewMDObj</i>, a new MetaData object.</p>
<b>Input Arguments</b>	<p><i>MDObj</i></p> <p>Object of the <code>bioma.data.MetaData</code> class.</p> <p><i>NewDSVarValues</i></p> <p>A new dataset array containing a value for each variable per sample. In this dataset array, the columns correspond to variables and rows correspond to samples. The row names (sample names) must match the row names (sample names) in <i>DSVarValues</i>, the dataset array being replaced in the MetaData object, <i>MDObj</i>.</p>
<b>Output Arguments</b>	<p><i>DSVarValues</i></p> <p>A dataset array containing the measured value of each variable per sample from a MetaData object. In this dataset array, the columns correspond to variables and rows correspond to samples.</p> <p><i>NewMDObj</i></p> <p>Object of the <code>bioma.data.MetaData</code> class, returned after replacing the dataset array containing the sample variable values.</p>
<b>Examples</b>	<p>Construct a MetaData object, and then retrieve the sample variable values from it:</p> <pre>% Import bioma.data package to make constructor function</pre>



```
% available
import bioma.data.*
% Construct Metadata object from .txt file
MDObj2 = Metadata('File', 'mouseSampleData.txt', 'VarDescChar', '#');
% Retrieve the sample variable values
VarValues = variableValues(MDObj2)
```

## See Also

[bioma.data.Metadata](#) | [sampleNames](#) | [variableNames](#) | [variableDesc](#)


## How To

- “Representing Sample and Feature Metadata in Metadata Objects”

# bioma.data.MetaData.varValuesTable

---

<b>Purpose</b>	Create 2-D graphic table GUI of variable values in MetaData object
<b>Syntax</b>	<i>Handle</i> = varValuesTable( <i>MDObj</i> ) <i>Handle</i> = varValuesTable( <i>MDObj</i> , <i>ParentHandle</i> )
<b>Description</b>	<i>Handle</i> = varValuesTable( <i>MDObj</i> ) creates a 2-D graphic table containing variable data from a MetaData object and returns a uitable handle to the table.  <i>Handle</i> = varValuesTable( <i>MDObj</i> , <i>ParentHandle</i> ) specifies the parent handle to the table. The parent can be a figure or uipanel handle.
<b>Input Arguments</b>	<i>MDObj</i> Object of the bioma.data.MetaData class.  <i>ParentHandle</i> Figure or uipanel handle to be the parent handle to the table.
<b>Examples</b>	Construct a MetaData object, and then create a 2-D table of the variable values from it:  <pre>% Import bioma.data package to make constructor function % available import bioma.data.* % Construct MetaData object from .txt file MDObj2 = MetaData('File', 'mouseSampleData.txt', 'VarDescChar', '#'); % Retrieve the sample variable values in a table handle = varValuesTable(MDObj2)</pre>



The screenshot shows a window titled "Metadata 1" with a menu bar (File, Edit, View, Insert, Tools, Desktop, Window, Help) and a table with 6 columns: an unlabeled index column, Gender, Age, Type, Strain, and Source. The table contains 26 rows of data, labeled A through Z. The data is organized by brain region (amygdala, cingulate cortex, hippocampus, hypothalamus) and then by strain (129S6/SvEv, A/J, C57BL/6J).

	Gender	Age	Type	Strain	Source
A	Male	8	Wild type	129S6/SvEv...	amygdala
B	Male	8	Wild type	129S6/SvEv...	amygdala
C	Male	8	Wild type	129S6/SvEv...	amygdala
D	Male	8	Wild type	A/J	amygdala
E	Male	8	Wild type	A/J	amygdala
F	Male	8	Wild type	C57BL/6J	amygdala
G	Male	8	Wild type	C57BL/6J	amygdala
H	Male	8	Wild type	129S6/SvEv...	cingulate cor...
I	Male	8	Wild type	129S6/SvEv...	cingulate cor...
J	Male	8	Wild type	A/J	cingulate cor...
K	Male	8	Wild type	A/J	cingulate cor...
L	Male	8	Wild type	A/J	cingulate cor...
M	Male	8	Wild type	C57BL/6J	cingulate cor...
N	Male	8	Wild type	C57BL/6J	cingulate cor...
O	Male	8	Wild type	129S6/SvEv...	hippocampus
P	Male	8	Wild type	129S6/SvEv...	hippocampus
Q	Male	8	Wild type	A/J	hippocampus
R	Male	8	Wild type	A/J	hippocampus
S	Male	8	Wild type	C57BL/6J	hippocampus
T	Male	8	Wild type	C57BL/6J4	hippocampus
U	Male	8	Wild type	129S6/SvEv...	hypothalamus
V	Male	8	Wild type	129S6/SvEv...	hypothalamus
W	Male	8	Wild type	A/J	hypothalamus
X	Male	8	Wild type	A/J	hypothalamus
Y	Male	8	Wild type	C57BL/6J	hypothalamus
Z	Male	8	Wild type	C57BL/6J	hypothalamus

## See Also

`bioma.data.Metadata`

- How To**
- “Representing Sample and Feature Metadata in Metadata Objects”

## Purpose

Concatenate DataMatrix objects vertically

## Syntax

```
DMObjNew = vertcat(DMObj1, DMObj2, ...)
DMObjNew = (DMObj1; DMObj2; ...)
DMObjNew = vertcat(DMObj1, B, ...)
DMObjNew = (DMObj1, B, ...)
```

## Arguments

*DMObj1*, *DMObj2* DataMatrix objects, such as created by DataMatrix (object constructor).

*B* MATLAB numeric or logical array.

## Return Values

*DMObjNew* DataMatrix object created by vertical concatenation.

## Description

*DMObjNew* = vertcat(*DMObj1*, *DMObj2*, ...) or the equivalent *DMObjNew* = (*DMObj1*; *DMObj2*; ...) vertically concatenates the DataMatrix objects *DMObj1* and *DMObj2* into *DMObjNew*, another DataMatrix object. *DMObj1* and *DMObj2* must have the same number of columns. The column names and the order of columns for *DMObjNew* are the same as *DMObj1*. The column names of *DMObj2* and any other DataMatrix object input arguments are not preserved. The row names for *DMObjNew* are the row names of *DMObj1*, *DMObj2*, and other DataMatrix object input arguments.

*DMObjNew* = vertcat(*DMObj1*, *B*, ...) or the equivalent *DMObjNew* = (*DMObj1*, *B*, ...) vertically concatenates the DataMatrix object *DMObj1* and a numeric or logical array *B* into *DMObjNew*, another DataMatrix object. *DMObj1* and *B* must have the same number of columns. The column names for *DMObjNew* are the same as *DMObj1*. The column names of *DMObj2* and any other DataMatrix object input arguments are not preserved. The row names for *DMObjNew* are the row names of *DMObj1* and empty for the rows from *B*.

## vertcat (DataMatrix)

---

MATLAB calls *DMObjNew* = `vertcat(X1, X2, X3, ...)` for the syntax *DMObjNew* = `[X1; X2; X3; ...]` when any one of *X1*, *X2*, *X3*, etc. is a DataMatrix object.

### See Also

Bioinformatics Toolbox function: `DataMatrix` (object constructor)

Bioinformatics Toolbox object: DataMatrix object

Bioinformatics Toolbox methods of a DataMatrix object: `horzcat`

<b>Purpose</b>	Draw figure from biograph object	
<b>Syntax</b>	<pre>view(BGobj) BGobjHandle = view(BGobj)</pre>	
<b>Arguments</b>	<i>BGobj</i>	Biograph object created with the function biograph.
<b>Description</b>	<p><code>view(BGobj)</code> opens a Figure window and draws a graph represented by a biograph object (<i>BGobj</i>). When the biograph object is already drawn in the Figure window, this function only updates the graph properties.</p> <p><code>BGobjHandle = view(BGobj)</code> returns a handle to a deep copy of the biograph object (<i>BGobj</i>) in the Figure window. When updating an existing figure, you can use the returned handle to change object properties programmatically or from the command line. When you close the Figure window, the handle is no longer valid. The original biograph object (<i>BGobj</i>) is left unchanged.</p>	
<b>Examples</b>	<ol style="list-style-type: none"><li>1 Create a biograph object.<pre>cm = [0 1 1 0 0;1 0 0 1 1;1 0 0 0 0;0 0 0 0 1;1 0 1 0 0]; bg = biograph(cm)</pre></li><li>2 Render the biograph object into a Handles Graphic figure and get back a handle.<pre>h = view(bg)</pre></li><li>3 Change the color of all nodes and edges.<pre>set(h.Nodes,'Color',[.5 .7 1]) set(h.Edges,'LineColor',[0 0 0])</pre></li></ol>	
<b>See Also</b>	Bioinformatics Toolbox function: <code>biograph</code> (object constructor) Bioinformatics Toolbox object: <code>biograph</code> object	

## view (biograph)

---

Bioinformatics Toolbox methods of a biograph object: dolayout, get, getancestors, getdescendants, getedgesbynodeid, getnodesbyid, getrelatives, set, view



<b>Purpose</b>	View clustergram and dendrograms of clustergram object		
<b>Syntax</b>	<code>view(CGObject)</code>		
<b>Arguments</b>	<table><tr><td><i>CGObject</i></td><td>Clustergram object created with the function <code>clustergram</code>.</td></tr></table>	<i>CGObject</i>	Clustergram object created with the function <code>clustergram</code> .
<i>CGObject</i>	Clustergram object created with the function <code>clustergram</code> .		
<b>Description</b>	<p><code>view(CGObject)</code> opens a Clustergram window and draws a clustergram and dendrograms representing a clustergram object, <i>CGObject</i>. The clustergram shows hierarchical clustering using a heat map and dendrograms.</p> <hr/> <p><b>Note</b> You can further explore the heat map and dendrograms using the mouse, toolbar buttons, and menu items in the Clustergram window. For more information, see the Examples section of the <code>clustergram</code> function.</p> <hr/>		
<b>Examples</b>	<p>View the clustergram object created in the first two steps of the “Examples” on page 3-408 section of the <code>clustergram</code> function reference page.</p> <pre>view(cgo)</pre>		
<b>See Also</b>	<p>Bioinformatics Toolbox function: <code>clustergram</code> (object constructor)</p> <p>Bioinformatics Toolbox object: clustergram object</p> <p>Bioinformatics Toolbox methods of a clustergram object: <code>get</code>, <code>plot</code>, <code>set</code></p>		

# view (HeatMap)

---

<b>Purpose</b>	View heat map of HeatMap object
<b>Syntax</b>	<code>view(HMObject)</code>
<b>Arguments</b>	<i>HMObject</i> HeatMap object created with the function HeatMap.
<b>Description</b>	<code>view(HMObject)</code> opens a HeatMap window and draws a heat map representing a HeatMap object, <i>HMObject</i> .
<b>Examples</b>	View the HeatMap object created in the “Examples” on page 3-869 section of the HeatMap function reference page.  <code>view(hmo)</code>
<b>See Also</b>	Bioinformatics Toolbox function: HeatMap (object constructor) Bioinformatics Toolbox object: HeatMap object Bioinformatics Toolbox method of a HeatMap object: plot

## Purpose

View phylogenetic tree

## Syntax

```
view(Tree)
view(Tree, IntNodes)
```

## Arguments

<i>Tree</i>	Phylogenetic tree (phytree object) created with the function <code>phytree</code> .
<i>IntNodes</i>	Nodes from the phytree object to initially display in the <i>Tree</i> .

## Description

`view(Tree)` opens the Phylogenetic Tree Tool window and draws a tree from data in a `phytree` object (*Tree*). The significant distances between branches and nodes are in the horizontal direction. Vertical distances have no significance and are selected only for display purposes. You can access tools to edit and analyze the tree from the Phylogenetic Tree Tool menu bar or by using the left and right mouse buttons.

`view(Tree, IntNodes)` opens the Phylogenetic Tree Tool window with an initial selection of nodes specified by *IntNodes*. *IntNodes* can be a logical array of any of the following sizes: `NumLeaves + NumBranches x 1`, `NumLeaves x 1`, or `NumBranches x 1`. *IntNodes* can also be a list of indices.

## Example

```
tree = phytreeread('pf00002.tree')
view(tree)
```

## See Also

Bioinformatics Toolbox functions: `phytree` (object constructor), `phytreeread`, `phytreetool`, `seqlinkage`, `seqneighjoin`


Bioinformatics Toolbox object: `phytree` object

Bioinformatics Toolbox methods of `phytree` object: `cluster`, `plot`

# weights (phytree)

---

<b>Purpose</b>	Calculate weights for phylogenetic tree	
<b>Syntax</b>	$W = \text{weights}(Tree)$	
<b>Arguments</b>	<i>Tree</i>	Phylogenetic tree (phytree object) created with the function <code>phytree</code> .
<b>Description</b>	$W = \text{weights}(Tree)$ calculates branch proportional weights for every leaf in a tree ( <i>Tree</i> ) using the Thompson-Higgins-Gibson method. The distance of every segment of the tree is adjusted by dividing it by the number of leaves it contains. The sequence weights are the result of normalizing to unity the new patristic distances between every leaf and the root.	
<b>Examples</b>	<div><b>1</b> Create an ultrametric tree with specified branch distances. <pre>bd = [1 2 3]'; tr_1 = phytree([1 2;3 4;5 6],bd)</pre></div> <div><b>2</b> View the tree. <pre>view(tr_1)</pre></div>	



**3** Display the calculated weights.

```
weights(tr_1)
```

```
ans =
```

```
1.0000  
1.0000  
0.8000  
0.8000
```

## References

- [1] Thompson JD, Higgins DG, Gibson TJ (1994), "CLUSTAL W: Improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice," Nucleic Acids Research, 22(22):4673-4680.
- [2] Henikoff S, Henikoff JG (1994), "Position-based sequence weights," Journal Molecular Biology, 243(4):574-578.

## See Also

Bioinformatics Toolbox functions: `multialign`, `phytree` (object constructor), `proalign`, `seqlinkage`

## weights (phytree)

---

Bioinformatics Toolbox object: phytree object

**Purpose**

Perform background adjustment on Affymetrix microarray probe-level data using zone-based method

**Syntax**

```
BackAdjustedData = zonebackadj(Data)
[BackAdjustedData, ZoneStruct] = zonebackadj(Data)
[BackAdjustedData, ZoneStruct,
    Background] = zonebackadj(Data)
... = zonebackadj(Data, ...'NumZones', NumZonesValue, ...)
... = zonebackadj(Data, ...'Percent', PercentValue, ...)
... = zonebackadj(Data, ...'SmoothFactor',
    SmoothFactorValue,
    ...)
... = zonebackadj(Data, ...'NoiseFrac',
    NoiseFracValue, ...)
... = zonebackadj(Data, ...'CDF', CDFValue, ...)
... = zonebackadj(Data, ...'Mask', MaskValue, ...)
... = zonebackadj(Data, ...'Showplot', ShowplotValue, ...)
```

**Arguments**

*Data*

Either of the following:

- MATLAB structure containing probe intensities from an Affymetrix CEL file, such as returned by `affyread` when used to read a CEL file.
- Array of MATLAB structures containing probe intensities from multiple Affymetrix CEL files.

*NumZonesValue*

Scalar or two-element vector that specifies the number of zones to use in the background adjustment. If a scalar, it must be a square number. If a two-element vector, the first element specifies the number of rows and the second element specifies the number of columns in a nonsquare grid. Default is 16.

<i>PercentValue</i>	Value that specifies a percentage, $P$ , such that the lowest $P$ percent of ranked intensity values from each zone is used to estimate the background for that zone. Default is 2.
<i>SmoothFactorValue</i>	Value that specifies the smoothing factor used in the calculation of the weighted average of the contributions of each zone to the background of a point. Default is 100.
<i>NoiseFracValue</i>	Value that specifies the noise fraction, $NF$ , such that the background-adjusted value is given by $\max((Intensity - WeightedBackground), NF * LocalNoiseEstimate)$ . Default is 0.5.
<i>CDFValue</i>	<p>Either of the following:</p> <ul style="list-style-type: none"><li>• String specifying a file name or path and file name of an Affymetrix CDF library file. If you specify only a file name, the file must be on the MATLAB search path or in the current folder.</li><li>• MATLAB structure containing information from an Affymetrix CDF library file, such as returned by <code>affyread</code> when used to read a CDF file.</li></ul> <p>The CDF library file or structure specifies control cells, which are not used in the background estimates.</p>
<i>MaskValue</i>	Logical vector that specifies which cells to mask and not use in the background estimates. In the vector, 0 = not masked and 1 = masked. Defaults are the values in the Masked column of the Probes field of the CEL file.
<i>ShowplotValue</i>	Controls the plotting of an image of the background estimates. Choices are <code>true</code> or <code>false</code> (default).



**Return Values**

<i>BackAdjustedData</i>	Matrix or cell array of vectors containing background-adjusted probe intensity values.
<i>ZoneStruct</i>	MATLAB structure containing the centers of the zones used to perform the background adjustment and the estimates of the background values at the center of each zone.
<i>Background</i>	Matrix or cell array of vectors containing the estimated background values for each probe.

**Description**

*BackAdjustedData* = zonebackadj(*Data*) returns the background-adjusted probe intensities from *Data*, which contains probe intensities from Affymetrix CEL files. Details of the background adjustment are described in Statistical Algorithms Description Document.

[*BackAdjustedData*, *ZoneStruct*] = zonebackadj(*Data*) also returns a structure containing the centers of the zones used to perform the background adjustment and the estimates of the background values at the center of each zone.

[*BackAdjustedData*, *ZoneStruct*, *Background*] = zonebackadj(*Data*) also returns a matrix or cell array of vectors containing the estimated background values for each probe.

... = zonebackadj(*Data*, ...'PropertyName', PropertyValue, ...) calls zonebackadj with optional properties that use property name/property value pairs. You can specify one or more properties in any order. Each *PropertyName* must be enclosed in single quotation marks and is case insensitive. These property name/property value pairs are as follows:

... = zonebackadj(*Data*, ...'NumZones', NumZonesValue, ...) specifies the number of zones to use in the background adjustment.

*NumZonesValue* can be either a scalar that is a square number or a two-element array in which the first element specifies the number of rows and the second element specifies the number of columns in a nonsquare grid. Default is 16.

... = zonebackadj(*Data*, ... 'Percent', *PercentValue*, ...) specifies a percentage, *P*, such that the lowest *P* percent of ranked intensity values from each zone is used to estimate the background for that zone. Default is 2.


... = zonebackadj(*Data*, ... 'SmoothFactor', *SmoothFactorValue*, ...) specifies the smoothing factor used in the calculation of the weighted average of the contributions of each zone to the background of a point, thus providing a smooth transition between zones. Default is 100.

... = zonebackadj(*Data*, ... 'NoiseFrac', *NoiseFracValue*, ...) specifies the noise fraction, such that the background-adjusted value is given by  $\max((\text{Intensity} - \text{WeightedBackground}), \text{NF} * \text{LocalNoiseEstimate})$ , where NF is *NoiseFracValue*. Default is 0.5.

... = zonebackadj(*Data*, ... 'CDF', *CDFValue*, ...) specifies an Affymetrix CDF library file or structure, which specifies control cells, which are not used in the background estimates.

... = zonebackadj(*Data*, ... 'Mask', *MaskValue*, ...) specifies a logical vector of that specifies which cells to mask and not use in the background estimates. In the vector, 0 = not masked and 1 = masked. Defaults are the values in the Masked column of the Probes field of the CEL file.

... = zonebackadj(*Data*, ... 'Showplot', *ShowplotValue*, ...) plots an image of the background estimates. Choices are true or false (default).



## Examples

The following example uses a sample CEL file and CDF library file from the *E. coli* Antisense Genome array, which you can download from:

[http://www.affymetrix.com/support/technical/sample\\_data/demo\\_data.affx](http://www.affymetrix.com/support/technical/sample_data/demo_data.affx)

After you download the demo data, you will need the Affymetrix Data Transfer Tool to extract the CEL file from a DTT file. You can download the Affymetrix Data Transfer Tool from:

<http://www.affymetrix.com/products/software/specific/dtt.affx>

The following example assumes that the `Ecoli-antisense-121502.CEL` file is stored on the MATLAB search path or in the current folder. It also assumes that the associated CDF library file, `Ecoli_ASv2.CDF`, is stored at `D:\Affymetrix\LibFiles\Ecoli`.

- 1 Use the `affyread` function to read an Affymetrix CEL file and create `celStruct`, a MATLAB structure containing probe intensities for a single Affymetrix GeneChip.

```
celStruct = affyread('Ecoli-antisense-121502.CEL');
```

- 2 Perform background adjustment on the probe intensities in the structure, excluding the probe intensities from the control cells on the chip.

```
BackAdjMatrix = zonebackadj(celStruct, 'cdf',...  
                             'D:\Affymetrix\LibFiles\Ecoli\Ecoli_ASv2.CDF');
```

## References

[1] Statistical Algorithms Description Document,  
[http://www.affymetrix.com/support/technical/whitepapers/sadd\\_whitepaper.pdf](http://www.affymetrix.com/support/technical/whitepapers/sadd_whitepaper.pdf)

## See Also

Bioinformatics Toolbox functions: `affyinvarsetnorm`, `affyread`, `celintensityread`, `gcrma`, `gcrmabackadj`, `probelibraryinfo`, `probesetlink`, `probesetlookup`, `probesetvalues`, `quantilenorm`, `rmabackadj`, `rmasummary`

<b>Purpose</b>	Read-only string containing date and time OBO file was last updated
<b>Description</b>	<code>date</code> is a read-only property of the <code>geneont</code> class. <code>date</code> is a string containing the date and time the OBO file was last updated. The OBO file is the Open Biomedical Ontology file from which the <code>geneont</code> object was created.
<b>Values</b>	Possible values are any date and time the OBO file was updated. Use this date information to compare the dates associated with ontologies used to create various <code>geneont</code> objects.
<b>Examples</b>	<ol style="list-style-type: none"><li>1 Download the current version of the Gene Ontology database from the Web into a <code>geneont</code> object in the MATLAB software.  <pre>GeneontObj = geneont('LIVE', true)</pre> The MATLAB software creates a <code>geneont</code> object and displays the number of term objects associated with the <code>geneont</code> object.  <pre>Gene Ontology object with 27769 Terms.</pre></li><li>2 Display the date and time associated with the OBO file used to create the <code>geneont</code> object.  <pre>GeneontObj.date  ans =  02:12:2008 19:30</pre></li></ol>
<b>See Also</b>	Bioinformatics Toolbox property of <code>geneont</code> object: <code>geneont.format_version</code>

# geneont.default\_namespace property

---

**Purpose** Read-only string containing namespace to which GO terms are assigned

**Description** `default_namespace` is a read-only property of the `geneont` class. `default_namespace` is a string containing the ontology namespace to which the GO terms are assigned.

**Values** Currently, `gene_ontology` is the only possible namespace. However, other namespaces may be used in the future. Use this namespace information to determine the ontology namespace to which the GO terms in a `geneont` object are assigned.

**Examples** **1** Download the current version of the Gene Ontology database from the Web into a `geneont` object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a `geneont` object and displays the number of term objects associated with the `geneont` object.

```
Gene Ontology object with 27769 Terms.
```

**2** Display the namespace associated with the GO terms of the `geneont` object.

```
GeneontObj.default_namespace
```

```
ans =
```

```
gene_ontology
```

<b>Purpose</b>	Read-only string containing version of encoding of OBO file
<b>Description</b>	<p><code>format_version</code> is a read-only property of the <code>geneont</code> class.</p> <p><code>format_version</code> is a string containing the version of the encoding of the OBO file. The OBO file is the Open Biomedical Ontology file from which the <code>geneont</code> object was created.</p>
<b>Values</b>	<p>Possible values are the current or previous versions of the OBO file. Use this version information to compare the version associated with OBO file used to create various <code>geneont</code> objects.</p>
<b>Examples</b>	<p><b>1</b> Download the current version of the Gene Ontology database from the Web into a <code>geneont</code> object in the MATLAB software.</p> <pre>GeneontObj = geneont('LIVE', true)</pre> <p>The MATLAB software creates a <code>geneont</code> object and displays the number of term objects associated with the <code>geneont</code> object.</p> <pre>Gene Ontology object with 27769 Terms.</pre> <p><b>2</b> Display the version of the OBO file used to create the <code>geneont</code> object.</p> <pre>GeneontObj.format_version</pre> <pre>ans =</pre> <pre>1.0</pre>

# geneont.terms property

---

**Purpose** Read-only column vector with handles to term objects of geneont object

**Description** terms is a read-only property of the geneont class. terms is a column vector with handles to the term objects of a geneont object.

---

**Note** Although terms is a column vector with handles to term objects, in the MATLAB Command Window, it displays as a structure array, with one structure for each GO term in the geneont object.

---

**Values** Use the information in this structure to access (by GO ID) the terms of a geneont object and to view the properties of individual terms.

**Examples** **1** Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27786 Terms.
```

**2** Use the terms property to display the MATLAB structure array containing 27,786 term objects associated with the geneont object.

```
GeneontObj.terms
```

```
27786x1 struct array with fields:
```

```
id  
name  
ontology  
definition  
comment  
synonym  
is_a
```



```
part_of  
obsolete
```

---

**Note** Although the `terms` property is an array of handles to term objects, in the MATLAB Command Window, it displays as a structure array, with one structure for each GO term in the `geneont` object.

---

- 3 Use the `terms` property to view the properties of the term object in the 14,723rd position in the `geneont` object.

```
GeneontObj.terms(14723)  
  
    id: 31655  
    name: 'negative regulation of heat dissipation'  
    ontology: 'biological process'  
    definition: [1x113 char]  
    comment: ''  
    synonym: {4x2 cell}  
    is_a: [3x1 double]  
    part_of: 31653  
    obsolete: 0
```

- 4 Create a cell array of strings that list the `ontology` property for each term in the `geneont` object.

```
ontologies = get(GeneontObj.terms,'ontology');
```

- 5 Create a logical mask that identifies all the terms with an `ontology` property of `cellular component`.

```
mask = strcmp(ontologies,'cellular component');
```

- 6 Apply the logical mask to all the terms in the `GeneontObj` `geneont` object to return a MATLAB structure array of term objects, containing only terms with an `ontology` property of `cellular component`.

## geneont.terms property

---

```
cell_comp_terms = GeneontObj.terms(mask)
2362x1 struct array with fields:
    id
    name
    ontology
    definition
    comment
    synonym
    is_a
    part_of
    obsolete
```

There are 2,362 terms with an ontology property of cellular component.

- 7 Create a subontology of all the cellular component terms by indexing into the GeneontObj geneont object with the masked term objects.

```
subontology = GeneontObj(cell_comp_terms)
```

Gene Ontology object with 2367 Terms.

### See Also

Bioinformatics Toolbox class: `term`

<b>Purpose</b>	Read-only string that defines GO term
<b>Description</b>	definition is a read-only property of the term class. definition is a string that defines the GO term.
<b>Values</b>	Possible values are any definition used for a term in the Gene Ontology database. Use the <code>definition</code> property to determine definitions of term objects, or to access or filter term objects by definition.
<b>Examples</b>	<p><b>Using the definition Property to Determine the Definition of a term Object</b></p> <p><b>1</b> Download the current version of the Gene Ontology database from the Web into a <code>geneont</code> object in the MATLAB software.</p> <pre>GeneontObj = geneont('LIVE', true)</pre> <p>The MATLAB software creates a <code>geneont</code> object and displays the number of term objects associated with the <code>geneont</code> object.</p> <pre>Gene Ontology object with 27769 Terms.</pre> <p><b>2</b> Display the definition of the term object in the 287th position in the <code>geneont</code> object, <code>GeneontObj</code>.</p> <pre>GeneontObj.terms(287).name</pre> <pre>ans =</pre> <pre>"The smaller of the two subunits of an organellar ribosome." [GOC:mcc]</pre>

---

**Tip** If you know the GO identifier (for example, 314) of a term object, instead of its index or position number (for example, 287), you can use the following syntax to display the definition of a term object:

```
GeneontObj(314).terms.definition
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### Filtering term Objects by Text in Their Definitions

- 1 Download the current version of the Gene Ontology database from the Web into a `geneont` object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a `geneont` object and displays the number of term objects associated with the `geneont` object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the structure array containing 27,786 term objects associated with the `geneont` object.

```
GeneontObj.terms
```

```
27786x1 struct array with fields:
```

```
id  
name  
ontology  
definition  
comment  
synonym  
is_a  
part_of  
obsolete
```

- 3** Find term objects whose definitions include the phrase “ceramide oligosaccharides” by first creating a cell array of strings that list the definition property for each term in the geneont object.

```
definitions = get(GeneontObj.terms,'definition');
```

- 4** Use the `regexpi` function to search these strings for 'ceramide oligosaccharides'.

```
matches = regexpi(definitions,'ceramide oligosaccharides','once')
```

- 5** Create a logical mask that identifies all the terms with a definition property that includes the phrase “ceramide oligosaccharides.”

```
mask = ~cellfun(@isempty,matches);
```

- 6** Apply the logical mask to all the terms in the `GeneontObj` geneont object to return a structure containing the GO identifiers of terms with a definition that includes the phrase “ceramide oligosaccharides.”

```
get(GO.terms(mask),'id')
```

```
ans =
```

```
[1573]
```

```
[1574]
```

- 7** Apply the logical mask to all the terms in the `GeneontObj` geneont object to return a structure containing the full definitions of terms with a definition that includes the phrase “ceramide oligosaccharides.”

```
char(get(GO.terms(mask),'definition'))
```

# term.id property

---

**Purpose** Read-only numeric value that corresponds to GO identifier of GO term

**Description** id is a property of the term class. id is a read-only numeric value that corresponds to the GO identifier of the GO term.

---

**Tip** You can use the num2goid function to convert id to a GO ID string formatted as a 7-digit number preceded by the prefix GO:, which is the standard used by the Gene Ontology database.

---

**Values** Any value from 1 to *N*, where *N* is the largest value for an identifier of a term object in a geneont object. Use the id property to determine GO identifiers of term objects, or to access term objects by their GO identifier.

---

**Tip** You can use the id property for a GO term as input to methods of a geneont object, such as geneont.getancestors, geneont.getdescendants, and geneont.getrelatives.

---

## Examples **Displaying and Formatting the GO Identifier of a term Object**

- 1** Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2** Display the GO identifier of the term object in the 183rd position in the geneont object, GeneontObj.

```
GeneontObj.terms(183).id
```

```
ans =  
  
207
```

---

**Note** The index or position (183 in this example) of the term object in the geneont object is not the same as the GO identifier (207 in this example) for the term object. This is because there are many terms that are obsolete and are not included as term objects in the geneont object.

---

- 3 Format the GO identifier into a character array.

```
num2goid(GeneontObj.terms(183).id)  
  
ans =  
  
'GO:0000207'
```

### Using the GO Identifier with Methods of a geneont Object

- 1 Find the index or position number of the term object whose name property is 'membrane'.

```
membrane_index = find(strcmp(get(GeneontObj.terms,'name'),'membrane'))  
  
membrane_index =  
  
9556
```

- 2 Use this index or position number and the id property to determine the GO identifier of the term object.

```
membrane_goid = GeneontObj.terms(membrane_index).id  
  
membrane_goid =
```

## term.id property

---

16020

- 3** Use this GO identifier as input to the `getrelatives` method to find the GO identifiers of other term objects that are immediate relatives of the term object whose name property is 'membrane'.

```
relative_ids = getrelatives(GeneontObj,membrane_goid)
```

```
relative_ids =
```

```
5628
5886
16020
19867
30673
31090
34045
34357
42175
42622
42734
44464
45211
48475
60342
```

- 4** List the name properties of these term objects.

```
get(GeneontObj(relative_ids).terms,'name')
```

```
ans =
```

```
'prospore membrane'
'plasma membrane'
'membrane'
'outer membrane'
'axolemma'
```



```
'organelle membrane'  
'pre-autophagosomal structure membrane'  
'photosynthetic membrane'  
'nuclear envelope-endoplasmic reticulum network'  
'photoreceptor outer segment membrane'  
'presynaptic membrane'  
'cell part'  
'postsynaptic membrane'  
'coated membrane'  
'photoreceptor inner segment membrane'
```

**See Also**

Bioinformatics Toolbox function: `num2goid`

Bioinformatics Toolbox methods of a `geneont` object:  
`geneont.getancestors`, `geneont.getdescendants`,  
`geneont.getrelatives`

# term.is\_a property

---

<b>Purpose</b>	Read-only numeric array containing GO identifiers of GO terms that have an “is a” relationship with this GO term
<b>Description</b>	<code>is_a</code> is a read-only property of the term class. <code>is_a</code> is a column vector containing GO identifiers. These GO identifiers specify other term objects to which the term object has an “is a” relationship. The term object is an example of the term objects specified by its <code>is_a</code> property.
<b>Values</b>	Possible values are identifiers of GO terms from the Gene Ontology database. Use the <code>is_a</code> property to determine GO identifiers of GO terms that have an “is a” relationship with a specific GO term.
<b>Examples</b>	<p><b>Using the <code>is_a</code> Property to Determine term Objects with an “is a” Relationship</b></p> <p><b>1</b> Download the current version of the Gene Ontology database from the Web into a <code>geneont</code> object in the MATLAB software.</p> <pre>GeneontObj = geneont('LIVE', true)</pre> <p>The MATLAB software creates a <code>geneont</code> object and displays the number of term objects associated with the <code>geneont</code> object.</p> <pre>Gene Ontology object with 27769 Terms.</pre> <p><b>2</b> Display the term objects to which the term object in the 18,703rd position has an “is a” relationship.</p> <pre>GeneontObj.terms(18703).is_a</pre> <pre>ans =</pre> <pre>42754 45187 48521 51241</pre>

---

**Tip** You can also use the `getancestors` method of a `geneont` object with the `'Relationtype'` property set to `'is_a'` to determine term objects with an “is a” relationship.

---

---

**Tip** If you know the GO identifier (for example, 42321) of a term object, instead of its index or position number (for example, 18703), you can use the following syntax to display the `is_a` property of a term object:

```
GeneontObj(42321).terms.is_a
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### See Also

Bioinformatics Toolbox methods of a `geneont` object:  
`geneont.getancestors`, `geneont.getdescendants`,  
`geneont.getrelatives`

## term.name property

---

<b>Purpose</b>	Read-only string representing name of GO term
<b>Description</b>	name is a read-only property of the term class. name is a string representing the name of the GO term.
<b>Values</b>	Possible values are any name used for a term in the Gene Ontology database. Use the name property to determine names of term objects, or to access or filter term objects by name.

### Examples **Using the name Property to Determine the Name of a term Object**

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the name of the term object in the 157th position in the geneont object, GeneontObj.

```
GeneontObj.terms(157).name
```

```
ans =
```

```
cytosolic small ribosomal subunit
```

---

**Tip** If you know the GO identifier (for example, 181) of a term object, instead of its index or position number (for example, 157), you can use the following syntax to display the name of a term object:

```
GeneontObj(181).terms.name
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### Using the name Property to Find and Display Specific term Objects

- 1 Find the index or position number of the term object whose name property is 'membrane'.

```
membrane_index = find(strcmp(get(GeneontObj.terms,'name'),'membrane'))  
  
membrane_index =  
  
9556
```

- 2 Use this index or position number and the `id` property to determine the GO identifier of the term object.

```
membrane_goid = GeneontObj.terms(membrane_index).id  
  
membrane_goid =  
  
16020
```

- 3 Use this GO identifier as input to the `getrelatives` method to find the GO identifiers of other term objects that are immediate relatives of the term object whose name property is 'membrane'.

```
relative_ids = getrelatives(GeneontObj,membrane_goid)
```

## term.name property

---

```
relative_ids =
```

```
5628
5886
16020
19867
30673
31090
34045
34357
42175
42622
42734
44464
45211
48475
60342
```

**4** List the name properties of these term objects.

```
get(GeneontObj(relative_ids).terms, 'name')
```

```
ans =
```

```
'prospore membrane'
'plasma membrane'
'membrane'
'outer membrane'
'axolemma'
'organelle membrane'
'pre-autophagosomal structure membrane'
'photosynthetic membrane'
'nuclear envelope-endoplasmic reticulum network'
'photoreceptor outer segment membrane'
'presynaptic membrane'
'cell part'
'postsynaptic membrane'
```

'coated membrane'

'photoreceptor inner segment membrane'

# term.obsolete property

---

**Purpose** Read-only Boolean value that indicates whether a GO term is obsolete

**Description** `obsolete` is a read-only property of the term class. `obsolete` is a Boolean value that indicates if the GO term is obsolete (1) or not obsolete (0).

**Values**

- 1 — Obsolete
- 0 — Not obsolete

Use the `obsolete` property to determine whether a term object is obsolete, or to access or filter term objects by obsolete value.

**Examples** **Using the obsolete Property to Determine the Obsolete Status of a term Object**

- 1 Download the current version of the Gene Ontology database from the Web into a `geneont` object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a `geneont` object and displays the number of term objects associated with the `geneont` object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the obsolete status of the term object in the third and seventh positions in the `geneont` object, `G0`

```
GeneontObj.terms(3).obsolete
```

```
ans =
```

```
0
```

```
GeneontObj.terms(7).obsolete
```

```
ans =
```



---

**Tip** If you know the GO identifier (for example, 8) of a term object, instead of its index or position number (for example, 7), you can use the following syntax to display the obsolete status of a term object:

```
GeneontObj(8).terms.obsolete
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### Filtering term Objects by Obsolete Status

- 1 Download the current version of the Gene Ontology database from the Web into a `geneont` object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a `geneont` object and displays the number of term objects associated with the `geneont` object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the structure array containing 27,786 term objects associated with the `geneont` object.

```
GeneontObj.terms
```

```
27786x1 struct array with fields:
```

```
id  
name  
ontology  
definition  
comment  
synonym  
is_a  
part_of
```

## term.obsolete property

---

`obsolete`

- 3** Create a cell array of logicals that list the `obsolete` property for each term in the `geneont` object.

```
obsolescence = get(GeneontObj.terms, 'obsolete');
```

- 4** Create a logical mask from the cell array that identifies all the nonobsolete terms.

```
mask = ~cell2mat(obsolescence);
```

- 5** Apply the logical mask to all the terms in the `GeneontObj` `geneont` object to return a structure containing only terms that are not obsolete.

```
nonobsolete_terms = GeneontObj.terms(mask)
```

26424x1 struct array with fields:

```
id
name
ontology
definition
comment
synonym
is_a
part_of
obsolete
```

There are 26,424 terms that are not obsolete.

### Purpose

Read-only string describing the ontology of GO term

### Description

ontology is a read-only property of the term class. ontology is a string describing the ontology of the GO term.

### Values

```
'molecular function'  
'biological process'  
'cellular component'
```

Use the ontology property to determine the ontology of term objects, or to access or filter term objects by ontology.

### Examples

#### Using the ontology Property to Determine the Ontology of a term Object

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the ontology of the term object in the 155th position in the geneont object, GeneontObj.

```
GeneontObj.terms(155).ontology
```

```
ans =
```

```
molecular function
```

---

**Tip** If you know the GO identifier (for example, 179) of a term object, instead of its index or position number (for example, 155), you can use the following syntax to display the ontology of a term object:

```
GeneontObj(179).terms.ontology
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### Filtering term Objects by Cellular Component Ontology

- 1 Download the current version of the Gene Ontology database from the Web into a `geneont` object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a `geneont` object and displays the number of term objects associated with the `geneont` object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the structure array containing 27,786 term objects associated with the `geneont` object.

```
GeneontObj.terms
```

```
27786x1 struct array with fields:
```

```
id  
name  
ontology  
definition  
comment  
synonym  
is_a  
part_of  
obsolete
```

- 3** View the properties of the term object in the 14,723rd position in the geneont object.

```
GeneontObj.terms(14723)

      id: 31655
      name: 'negative regulation of heat dissipation'
      ontology: 'biological process'
      definition: [1x113 char]
      comment: ''
      synonym: {4x2 cell}
      is_a: [3x1 double]
      part_of: 31653
      obsolete: 0
```

- 4** Create a cell array of strings that list the ontology property for each term in the geneont object.

```
ontologies = get(GeneontObj.terms,'ontology');
```

- 5** Create a logical mask that identifies all the terms with an ontology property of cellular component.

```
mask = strcmp(ontologies,'cellular component');
```

- 6** Apply the logical mask to all the terms in the GeneontObj geneont object to return a structure containing only terms with an ontology property of cellular component.

```
cell_comp_terms = GeneontObj.terms(mask)
```

```
2362x1 struct array with fields:
```

```
    id
   name
 ontology
definition
  comment
```

# term.ontology property

---

synonym  
is\_a  
part\_of  
obsolete

There are 2,362 terms with an ontology property of cellular component.

### Purpose

Read-only numeric array containing GO identifiers of GO terms that have a “part of” relationship with this GO term

### Description

part\_of is a read-only property of the term class. part\_of is a column vector containing GO identifiers. These GO identifiers specify other term objects to which the term object has a “part\_of” relationship. The term object is a subset of the term objects specified by its part\_of property.

### Values

Possible values are identifiers of GO terms from the Gene Ontology database. Use the part\_of property to determine GO identifiers of GO terms that have a “part of” relationship with a specific GO term.

### Examples

#### Using the part\_of Property to Determine term Objects with a “part of” Relationship

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the term objects to which the term object in the 18,703rd position has a “part of” relationship.

```
GeneontObj.terms(18703).part_of
```

```
ans =
```

```
50802
```

## term.part\_of property

---

---

**Tip** You can also use the `getancestors` method of a `geneont` object with the `'Relationtype'` property set to `'part_of'` to determine term objects with a “part of” relationship.

---

---

**Tip** If you know the GO identifier (for example, 42321) of a term object, instead of its index or position number (for example, 18703), you can use the following syntax to display the `part_of` property of a term object:

```
GeneontObj(42321).terms.part_of
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

### See Also

Bioinformatics Toolbox methods of a `geneont` object:  
`geneont.getancestors`, `geneont.getdescendants`,  
`geneont.getrelatives`



<b>Purpose</b>	Read-only array containing GO terms that are synonyms of this GO term
<b>Description</b>	synonym is a read-only property of the term class. synonym is a two-column cell array containing GO terms that are synonyms of this GO term. The first column contains a string specifying the type of synonym, such as 'exact_synonym', 'related_synonym', 'broad_synonym', 'narrow_synonym', or 'alt_id'. The second column contains the GO identifier of the synonymous term or a string describing the synonymous term.
<b>Values</b>	Possible values are identifiers of GO terms from the Gene Ontology database. Use the synonym property to determine GO identifiers of synonymous term objects.
<b>Examples</b>	<b>Using the synonym Property to Determine Synonymous term Objects</b>

- 1 Download the current version of the Gene Ontology database from the Web into a geneont object in the MATLAB software.

```
GeneontObj = geneont('LIVE', true)
```

The MATLAB software creates a geneont object and displays the number of term objects associated with the geneont object.

```
Gene Ontology object with 27769 Terms.
```

- 2 Display the term objects that are synonymous to the term object in the third position in the geneont object, GeneontObj.

```
synonyms = GeneontObj.terms(3).synonym
```

```
synonyms =
```

```
    'alt_id'    'GO:0019952'  
    'alt_id'    'GO:0050876'
```

## term.synonym property

---

```
'exact_synonym'      [1x39 char]
```

- 3** Because the exact synonym does not have a GO identifier listed, display the text of this synonym.

```
synonyms(3,2)
```

```
ans =
```

```
'"reproductive physiological process" []'
```

- 4** Display the term objects that are synonymous to the term object in the 352nd position in the geneont object, GeneontObj.

```
GeneontObj.terms(352).synonym
```

```
ans =
```

```
'alt_id'      'GO:0006374'
'alt_id'      'GO:0006375'
'related_synonym'      [1x26 char]
'related_synonym'      [1x26 char]
'narrow_synonym'      [1x51 char]
'narrow_synonym'      [1x50 char]
'broad_synonym'      '"mRNA splicing" []'
'broad_synonym'      [1x22 char]
```

---

**Tip** If you know the GO identifier (for example, 398) of a term object, instead of its index or position number (for example, 352), you can use the following syntax to display the synonym of a term object:

```
GeneontObj(398).terms.synonym
```

For help converting the index or position number of a term object to its GO identifier, see the `term.id` property.

---

## Symbols and Numerics

384-well plate 3-1048  
 454 Life Sciences  
     SFF format 3-1613 3-1615  
 96-well plate 3-1048

## A

aa2int function  
     reference 3-2  
 aa2nt function  
     reference 3-60  
 aacount function  
     reference 3-66  
 affygcma function  
     reference 3-86  
 affyinvvarsetnorm function  
     reference 3-97  
 affyprobeaffinities function  
     reference 3-105  
 affyprobeseqread function  
     reference 3-112  
 affyread function  
     reference 3-117  
 affyrma function  
     reference 3-140  
 affysnpannotread function  
     reference 3-147  
 affysnpintensitysplit function  
     reference 3-151  
 affysnpquartets function  
     reference 3-156  
 agferead function  
     reference 3-159  
 allshortestpaths method  
     reference 3-161  
 aminolookup function  
     reference 3-164  
 atomiccomp function  
     reference 3-169

## B

basecount function  
     reference 3-171  
 baselookup function  
     reference 3-175  
 biograph constructor  
     reference 3-192  
 biograph object  
     reference 3-180  
 blastformat function  
     reference 3-248  
 blastlocal function  
     reference 3-254  
 blastncbi function  
     reference 3-267  
 blastread function  
     reference 3-282  
 blastreadlocal function  
     reference 3-288  
 blosum function  
     reference 3-296

## C

celintensityread function  
     reference 3-299  
 cghcbs function  
     reference 3-305 3-319  
 chromatography 3-1073 3-1088 3-1108 3-1113  
     3-1130 3-1142 3-1151 3-1157  
 chromosomeplot function  
     reference 3-336  
 classperf function  
     reference 3-351  
 cleave function  
     reference 3-365  
 cleavelookup function  
     reference 3-371  
 cluster method  
     reference 3-375

- clustergram function
  - reference 3-395
- clustergram object
  - reference 3-382
- clusterGroup (clustergram) method
  - reference 3-422
- codonbias function
  - reference 3-426
- codoncount function
  - reference 3-432
- colnames (DataMatrix) method
  - reference 3-437
- conncomp method
  - reference 3-444
- cpgisland function
  - reference 3-447
- crossvalind function
  - reference 3-451
- cytobandread function
  - reference 3-455

## D

- DataMatrix constructor
  - reference 3-468
- DataMatrix object
  - constructing 3-468
  - methods 3-460
  - properties 3-458
  - reference 3-458
- dayhoff function
  - reference 3-476
- dimercount function
  - reference 3-477
- disp (DataMatrix) method
  - reference 3-481
- dmarrayfun (DataMatrix) method
  - reference 3-482
- dmbsxfun (DataMatrix) method
  - reference 3-487

- dmwrite (DataMatrix) method
  - reference 3-492
- dna2rna function
  - reference 3-495
- dnds function
  - reference 3-496
- dndsm1 function
  - reference 3-504
- dolayout method
  - reference 3-510
- double (DataMatrix) method
  - reference 3-513

## E

- electrophoresis 3-1073 3-1088 3-1108 3-1113 3-1130 3-1142 3-1151 3-1157
- emblread function
  - reference 3-524
- eq (DataMatrix) method
  - reference 3-529
- evalrasmolscript function
  - reference 3-531
- exprprofrange function
  - reference 3-535
- exprprovar function
  - reference 3-537

## F

- fastainfo function
  - reference 3-546
- fastaread function
  - reference 3-548
- fastawrite function
  - reference 3-552
- fastqinfo function
  - reference 3-556
- fastqread function
  - reference 3-558

fastqwrite function  
  reference 3-563

featuresmap  
  reference 3-572

featuresparse  
  reference 3-581

functions

- aa2int 3-2
- aa2nt 3-60
- aacount 3-66
- affygcrma 3-86
- affyinvarsetnorm 3-97
- affyprobeaffinities 3-105
- affyprobeseqread 3-112
- affyread 3-117
- affyrma 3-140
- affysnpannotread 3-147
- affysnpintensitiesplit 3-151
- affysnpquartets 3-156
- agferead 3-159
- aminolookup 3-164
- atomiccomp 3-169
- basecount 3-171
- baselookup 3-175
- biograph constructor 3-192
- blastformat 3-248
- blastlocal 3-254
- blastncbi 3-267
- blastread 3-282
- blastreadlocal 3-288
- blosum 3-296
- celintensityread 3-299
- cghcbs 3-305 3-319
- chromosomeplot 3-336
- classperf 3-351
- cleave 3-365
- cleavelookup 3-371
- clustergram 3-395
- codonbias 3-426
- codoncount 3-432
- cpgisland 3-447
- crossvalind 3-451
- cytobandread 3-455
- DataMatrix constructor 3-468
- dayhoff 3-476
- dimercount 3-477
- dna2rna 3-495
- dnds 3-496
- dndsm1 3-504
- emblread 3-524
- evalrasmolscript 3-531
- exprprofrange 3-535
- exprprofvar 3-537
- fastainfo 3-546
- fastaread 3-548
- fastawrite 3-552
- fastqinfo 3-556
- fastqread 3-558
- fastqwrite 3-563
- featuresmap 3-572
- featuresparse 3-581
- galread 3-593
- gcrma 3-594
- gcrmabackadj 3-602
- genbankread 3-612
- geneentropyfilter 3-615
- genelowvalfilter 3-617
- generangefilter 3-628
- geneticcode 3-631
- genevarfilter 3-634
- genpeptread 3-637
- geoseriesread 3-640
- geosoftread 3-643
- getblast 3-679
- getembl 3-702
- getgenbank 3-709
- getgenpept 3-714
- getgeodata 3-719
- gethmmalignment 3-724
- gethmmprof 3-728

gethmmtree 3-734  
getpdb 3-752  
goannotread 3-774  
gonnet 3-779  
gprread 3-780  
graphallshortestpaths 3-782  
graphconncomp 3-789  
graphisdag 3-796  
graphisomorphism 3-802  
graphisspantree 3-809  
graphmaxflow 3-811  
graphminspanntree 3-819  
graphpred2path 3-825  
graphshortestpath 3-829  
graphtopoorder 3-841  
graphtraverse 3-845  
HeatMap 3-863  
hmmprofalign 3-871  
hmmprofestimate 3-874  
hmmprofgenerate 3-877  
hmmprofmerge 3-879  
hmmprofstruct 3-881  
ilmnbslookup 3-893  
ilmnbsread 3-902  
imageneread 3-906  
int2aa 3-909  
int2nt 3-912  
isoelectric 3-923  
isotopicdist 3-928  
jcampread 3-940  
joinseq 3-944  
knnclassify 3-945  
knnimpute 3-952  
localalign 3-960  
maboxplot 3-973  
mafdr 3-977  
magetfield 3-985  
maimage 3-986  
mainvarsetnorm 3-988  
mairplot 3-997  
maloglog 3-1008  
malowess 3-1010  
manorm 3-1012  
mapcaplot 3-1015  
matteest 3-1018  
mavolcanoplot 3-1028  
microplateplot 3-1048  
molviewer 3-1065  
molweight 3-1064  
msalign 3-1073  
msbackadj 3-1088  
msdotplot 3-1094  
msheatmap 3-1099  
mslowess 3-1108  
msnorm 3-1113  
mspalalign 3-1122  
mspeaks 3-1130  
mspapresample 3-1142  
msresample 3-1151  
mssgolay 3-1157  
msviewer 3-1161  
multialign 3-1164  
multialignread 3-1173  
multialignviewer 3-1175  
multialignwrite 3-1179  
mzcdf2peaks 3-1183  
mzcdfinfo 3-1187  
mzcdfread 3-1190  
mzxml2peaks 3-1196  
mzxmlinfo 3-1199  
mzxmlread 3-1203  
nmercount 3-1214  
nt2aa 3-1216  
nt2int 3-1225  
ntdensity 3-1229  
nuc44 3-1232  
num2goid 3-1233  
nwalalign 3-1236  
oligoprop 3-1244  
optimalleaforder 3-1253

- palindromes 3-1256
  - pam 3-1259
  - pdbdistplot 3-1261
  - pdbread 3-1266
  - pdbsuperpose 3-1273
  - pdbtransform 3-1283
  - pdbwrite 3-1287
  - pfamhmmread 3-1292
  - phytree constructor 3-1299
  - phytreeread 3-1304
  - phytreetool 3-1306
  - phytreewrite 3-1308
  - probelibraryinfo 3-1330
  - probesetlink 3-1332
  - probesetlookup 3-1335
  - probesetplot 3-1337
  - probesetvalues 3-1342
  - proalign 3-1348
  - proteinplot 3-1351
  - proteinpropplot 3-1356
  - quantilenorm 3-1366
  - ramachandran 3-1367
  - randfeatures 3-1382
  - randseq 3-1385
  - rankfeatures 3-1388
  - rebasecuts 3-1398
  - redbluecmap 3-1402
  - redgreencmap 3-1405
  - restrict 3-1416
  - revgeneticcode 3-1423
  - rmabackadj 3-1428
  - rmasummary 3-1433
  - rna2dna 3-1439
  - rnaconvert 3-1440
  - rnafold 3-1442
  - rnaplot 3-1446
  - samplealign 3-1468
  - scfread 3-1508
  - seq2regexp 3-1514
  - seqcomplement 3-1518
  - seqconsensus 3-1520
  - seqdisp 3-1522
  - seqdotplot 3-1524
  - seqinsertgaps 3-1526
  - seqlinkage 3-1529
  - seqlogo 3-1531
  - seqmatch 3-1538
  - seqneighjoin 3-1539
  - seqpdist 3-1542
  - seqprofile 3-1552
  - seqrcomplement 3-1555
  - seqreverse 3-1557
  - seqshoworfs 3-1558
  - seqshowwords 3-1564
  - seqtool 3-1569
  - seqwordcount 3-1572
  - sffinfo 3-1613
  - sffread 3-1615
  - showalignment 3-1622
  - showhmmprof 3-1628
  - sptread 3-1642
  - svmclassify 3-1649
  - svmoset 3-1656
  - svmtrain 3-1660
  - swalign 3-1676
  - tgspcinfo 3-1687
  - tgspcread 3-1690
  - traceplot 3-1698
  - zonebackadj 3-1725
- 
- G**
  - galread function
    - reference 3-593
  - gcrma function
    - reference 3-594
  - gcrmabackadj function
    - reference 3-602
  - ge (DataMatrix) method
    - reference 3-610

- genbankread function
  - reference 3-612
- geneentropyfilter function
  - reference 3-615
- genelowvalfilter function
  - reference 3-617
- generangefilter function
  - reference 3-628
- geneticcode function
  - reference 3-631
- genevarfilter function
  - reference 3-634
- genpeptread function
  - reference 3-637
- geoseriesread function
  - reference 3-640
- geosoftread function
  - reference 3-643
- get (biograph) method
  - reference 3-646
- get (clustergram) method
  - reference 3-655
- get (DataMatrix) method
  - reference 3-666
- get (phytree) method
  - reference 3-669
- getancestors method
  - biograph object 3-671
- getblast function
  - reference 3-679
- getbyname method
  - reference 3-687
- getcanonical method
  - reference 3-690
- getdescendants method
  - biograph object 3-692
- getedgesbynodeid method
  - reference 3-700
- getembl function
  - reference 3-702
- getgenbank function
  - reference 3-709
- getgenpept function
  - reference 3-714
- getgeodata function
  - reference 3-719
- gethmmalignment function
  - reference 3-724
- gethmmprof function
  - reference 3-728
- gethmmtree function
  - reference 3-734
- getmatrix (biograph) method
  - reference 3-743
- getmatrix (phytree) method
  - reference 3-746
- getnewickstr method
  - reference 3-748
- getnodesbyid method
  - reference 3-750
- getpdb function
  - reference 3-752
- getrelatives method
  - biograph object 3-761
- goannotread function
  - reference 3-774
- gonnet function
  - reference 3-779
- gprread function
  - reference 3-780
- graphallshortestpaths function
  - reference 3-782
- graphconncomp function
  - reference 3-789
- graphisdag function
  - reference 3-796
- graphisomorphism function
  - reference 3-802
- graphisspantree function
  - reference 3-809



graphmaxflow function  
reference 3-811  
graphminspanntree function  
reference 3-819  
graphpred2path function  
reference 3-825  
graphshortestpath function  
reference 3-829  
graphtopoorder function  
reference 3-841  
graphtraverse function  
reference 3-845  
gt (DataMatrix) method  
reference 3-854

## H

HeatMap function  
reference 3-863  
HeatMap object  
reference 3-856  
hmmproalign function  
reference 3-871  
hmmproestimate function  
reference 3-874  
hmmprogenerate function  
reference 3-877  
hmmpromerge function  
reference 3-879  
hmmprostruct function  
reference 3-881  
horzcat (DataMatrix) method  
reference 3-891

## I

Illumina  
annotation file 3-893  
expression data 3-902  
ilmnbslookup function

reference 3-893  
ilmnbsread function  
reference 3-902  
imageneread function  
reference 3-906  
insilico digestion 3-365  
int2aa function  
reference 3-909  
int2nt function  
reference 3-912  
isdag method  
reference 3-915  
isequal (DataMatrix) method  
reference 3-919  
isequalwithequalnans (DataMatrix) method  
reference 3-921  
isoelectric function  
reference 3-923  
isomorphism method  
reference 3-926  
isotopic distribution 3-928  
isotopicdist function  
reference 3-928  
isspantree method  
reference 3-939

## J

jcampread function  
reference 3-940  
joinseq function  
reference 3-944

## K

knnclassify function  
reference 3-945  
knnimpute function  
reference 3-952

**L**

ldivide (DataMatrix) method  
reference 3-956  
le (DataMatrix) method  
reference 3-958  
localalign function  
reference 3-960  
lt (DataMatrix) method  
reference 3-971

**M**

maboxplot function  
reference 3-973  
mafdr function  
reference 3-977  
magetfield function  
reference 3-985  
maimage function  
reference 3-986  
mainvarsetnorm function  
reference 3-988  
mairplot function  
reference 3-997  
maloglog function  
reference 3-1008  
malowess function  
reference 3-1010  
manorm function  
reference 3-1012  
mapcaplot function  
reference 3-1015  
mass spectrometry 3-1073 3-1088 3-1108 3-1113  
3-1130 3-1142 3-1151 3-1157  
insilico digestion 3-365  
isotopic distribution 3-928  
peptide fingerprinting 3-928  
theoretical mass profile 3-928  
mattest function  
reference 3-1018

mavolcanoplot function  
reference 3-1028  
max (DataMatrix) method  
reference 3-1037  
maxflow method  
reference 3-1040  
mean (DataMatrix) method  
reference 3-1044  
median (DataMatrix) method  
reference 3-1046  
methods  
allshortestpaths 3-161  
cluster 3-375  
clusterGroup (clustergram) 3-422  
colnames (DataMatrix) 3-437  
conncomp 3-444  
disp (DataMatrix) 3-481  
dmarrayfun (DataMatrix) 3-482  
dmbsxfun (DataMatrix) 3-487  
dmwrite (DataMatrix) 3-492  
dolayout 3-510  
double (DataMatrix) 3-513  
eq (DataMatrix) 3-529  
ge (DataMatrix) 3-610  
get (biograph) 3-646  
get (clustergram) 3-655  
get (DataMatrix) 3-666  
get (phytree) 3-669  
getancestors (biograph) 3-671  
getbyname 3-687  
getcanonical 3-690  
getdescendants (biograph) 3-692  
getedgesbynodeid 3-700  
getmatrix (biograph) 3-743  
getmatrix (phytree) 3-746  
getnewickstr 3-748  
getnodesbyid 3-750  
getrelatives (biograph) 3-761  
gt (DataMatrix) 3-854  
horzcat (DataMatrix) 3-891

- isdag 3-915
- isequal (DataMatrix) 3-919
- isequalwithequalnans (DataMatrix) 3-921
- isomorphism 3-926
- isspantree 3-939
- ldivide (DataMatrix) 3-956
- le (DataMatrix) 3-958
- lt (DataMatrix) 3-971
- max (DataMatrix) 3-1037
- maxflow 3-1040
- mean (DataMatrix) 3-1044
- median (DataMatrix) 3-1046
- min (DataMatrix) 3-1056
- minspantree 3-1059
- minus (DataMatrix) 3-1062
- ndims (DataMatrix) 3-1211
- ne (DataMatrix) 3-1212
- numel (DataMatrix) 3-1234
- pdist 3-1290
- plot 3-1315
- plot (clustergram) 3-1311
- plot (DataMatrix) 3-1312
- plot (HeatMap) 3-1314
- plus (DataMatrix) 3-1326
- power (DataMatrix) 3-1328
- prune 3-1362
- rdivide (DataMatrix) 3-1393
- reorder 3-1408
- reroot 3-1412
- rownames (DataMatrix) 3-1462
- select 3-1511
- set (biograph) 3-1574
- set (clustergram) 3-1584
- set (DataMatrix) 3-1594
- shortestpath 3-1618
- single (DataMatrix) 3-1630
- sortcols (DataMatrix) 3-1638
- sortrows (DataMatrix) 3-1640
- std (DataMatrix) 3-1644
- subtree 3-1646
- sum (DataMatrix) 3-1647
- times (DataMatrix) 3-1695
- title (clustergram) 3-74
- title (HeatMap) 3-76
- topoorder 3-1697
- traverse 3-1700
- var (DataMatrix) 3-1703
- vertcat (DataMatrix) 3-1715
- view (biograph) 3-1717
- view (clustergram) 3-1719
- view (HeatMap) 3-1720
- view (phytree) 3-1721
- weights 3-1722
- xLabel (clustergram) 3-78
- xLabel (HeatMap) 3-80
- yLabel (clustergram) 3-82
- yLabel (HeatMap) 3-84
- microplate 3-1048
- microplateplot function
  - reference 3-1048
- microRNA 3-893 3-902
- microtiter plate 3-1048
- min (DataMatrix) method
  - reference 3-1056
- minspantree method
  - reference 3-1059
- minus (DataMatrix) method
  - reference 3-1062
- molviewer function
  - reference 3-1065
- molweight function
  - reference 3-1064
- msalign function
  - reference 3-1073
- msbackadj function
  - reference 3-1088
- msdotplot function
  - reference 3-1094
- msheatmap function
  - reference 3-1099

mslowess function  
    reference 3-1108  
msnorm function  
    reference 3-1113  
mspalign function  
    reference 3-1122  
mspeaks function  
    reference 3-1130  
msppresample function  
    reference 3-1142  
msresample function  
    reference 3-1151  
mssgolay function  
    reference 3-1157  
msviewer function  
    reference 3-1161  
multialign function  
    reference 3-1164  
multialignread function  
    reference 3-1173  
multialignviewer function  
    reference 3-1175  
multialignwrite function  
    reference 3-1179  
mzcdf2peaks function  
    reference 3-1183  
mzcdfinfo function  
    reference 3-1187  
mzcdfread function  
    reference 3-1190  
mzxml2peaks function  
    reference 3-1196  
mzxmlinfo function  
    reference 3-1199  
mzxmlread function  
    reference 3-1203

## **N**

ndims (DataMatrix) method

    reference 3-1211  
ne (DataMatrix) method  
    reference 3-1212  
nmercount function  
    reference 3-1214  
NMR 3-1073 3-1088 3-1108 3-1113 3-1130  
    3-1142 3-1151 3-1157  
nt2aa function  
    reference 3-1216  
nt2int function  
    reference 3-1225  
ntdensity function  
    reference 3-1229  
nuc44 function  
    reference 3-1232  
num2goid function  
    reference 3-1233  
numel (DataMatrix) method  
    reference 3-1234  
nwalign function  
    reference 3-1236

## **O**

objects  
    biograph 3-180  
    clustergram 3-382  
    DataMatrix 3-458  
    HeatMap 3-856  
    phytree 3-1297  
oligoprop function  
    reference 3-1244  
optimalleaforder function  
    reference 3-1253

## **P**

palindromes function  
    reference 3-1256  
pam function

- reference 3-1259
- pdbdistplot function
  - reference 3-1261
- pdbread function
  - reference 3-1266
- pdbsuperpose function
  - reference 3-1273
- pdbtransform function
  - reference 3-1283
- pdbrwrite function
  - reference 3-1287
- pdist method
  - reference 3-1290
- peptide
  - insilico digestion 3-365
- peptide fingerprinting 3-928
- pfamhmmread function
  - reference 3-1292
- phylogenetic trees
  - identifying clusters 3-375 3-1315
  - identifying outliers 3-375 3-1315
- phytrees constructor
  - reference 3-1299
- phytrees object
  - reference 3-1297
- phytreeread function
  - reference 3-1304
- phytreetool function
  - reference 3-1306
- phytreewrite function
  - reference 3-1308
- plot (clustergram) method
  - reference 3-1311
- plot (DataMatrix) method
  - reference 3-1312
- plot (HeatMap) method
  - reference 3-1314
- plot method
  - reference 3-1315
- plus (DataMatrix) method

- reference 3-1326
- power (DataMatrix) method
  - reference 3-1328
- probelibraryinfo function
  - reference 3-1330
- probesetlink function
  - reference 3-1332
- probesetlookup function
  - reference 3-1335
- probesetplot function
  - reference 3-1337
- probesetvalues function
  - reference 3-1342
- profalign function
  - reference 3-1348
- protein
  - insilico digestion 3-365
- Protein Plot window 3-1351
- proteinplot function
  - reference 3-1351
- proteinpropplot function
  - reference 3-1356
- prune method
  - reference 3-1362

## Q

- quantilenorm function
  - reference 3-1366

## R

- ramachandran function
  - reference 3-1367
- randfeatures function
  - reference 3-1382
- randseq function
  - reference 3-1385
- rankfeatures function
  - reference 3-1388

rdivide (DataMatrix) method  
    reference 3-1393  
rebasecuts function  
    reference 3-1398  
redbluecmap function  
    reference 3-1402  
redgreencmap function  
    reference 3-1405  
reorder method  
    reference 3-1408  
reroot method  
    reference 3-1412  
restrict function  
    reference 3-1416  
revgeneticcode function  
    reference 3-1423  
rmabackadj function  
    reference 3-1428  
rmasummary function  
    reference 3-1433  
rna2dna function  
    reference 3-1439  
rnaconvert function  
    reference 3-1440  
rnafold function  
    reference 3-1442  
rnaplot function  
    reference 3-1446  
rownames (DataMatrix) method  
    reference 3-1462

## **S**

samplealign function  
    reference 3-1468  
scfread function  
    reference 3-1508  
select method  
    reference 3-1511  
seq2regex function  
    reference 3-1514  
seqcomplement function  
    reference 3-1518  
seqconsensus function  
    reference 3-1520  
seqdisp function  
    reference 3-1522  
seqdotplot function  
    reference 3-1524  
seqinsertgaps function  
    reference 3-1526  
seqlinkage function  
    reference 3-1529  
seqlogo function  
    reference 3-1531  
seqmatch function  
    reference 3-1538  
seqneighjoin function  
    reference 3-1539  
seqpdist function  
    reference 3-1542  
seqprofile function  
    reference 3-1552  
seqrcomplement function  
    reference 3-1555  
seqreverse function  
    reference 3-1557  
seqshoworfs function  
    reference 3-1558  
seqshowwords function  
    reference 3-1564  
seqtool function  
    reference 3-1569  
sequence alignments  
    global 3-1236  
    local 3-960 3-1676  
    optimal 3-960  
    suboptimal 3-960  
Sequence Tool window 3-1569  
seqwordcount function

reference 3-1572  
 set (biograph) method  
   reference 3-1574  
 set (clustergram) method  
   reference 3-1584  
 set (DataMatrix) method  
   reference 3-1594  
 sffinfo function  
   reference 3-1613  
 sffread function  
   reference 3-1615  
 shortestpath method  
   reference 3-1618  
 showalignment function  
   reference 3-1622  
 showhmmprof function  
   reference 3-1628  
 single (DataMatrix) method  
   reference 3-1630  
 sortcols (DataMatrix) method  
   reference 3-1638  
 sortrows (DataMatrix) method  
   reference 3-1640  
 spectroscopy 3-1073 3-1088 3-1108 3-1113  
   3-1130 3-1142 3-1151 3-1157  
 sptread function  
   reference 3-1642  
 std (DataMatrix) method  
   reference 3-1644  
 subtree method  
   reference 3-1646  
 sum (DataMatrix) method  
   reference 3-1647  
 support vector machines  
   svmclassify function 3-1649  
   svmsmoset function 3-1656  
   svmtrain function 3-1660  
 svmclassify function  
   reference 3-1649  
 svmsmoset function

  reference 3-1656  
 svmtrain function  
   reference 3-1660  
 swalign function  
   reference 3-1676

## T

tgspcinfo function  
   reference 3-1687  
 tgspcread function  
   reference 3-1690  
 times (DataMatrix) method  
   reference 3-1695  
 title (clustergram) method  
   reference 3-74  
 title (HeatMap) method  
   reference 3-76  
 topoorder method  
   reference 3-1697  
 traceplot function  
   reference 3-1698  
 traverse method  
   reference 3-1700

## V

var (DataMatrix) method  
   reference 3-1703  
 vertcat (DataMatrix) method  
   reference 3-1715  
 view (biograph) method  
   reference 3-1717  
 view (clustergram) method  
   reference 3-1719  
 view (HeatMap) method  
   reference 3-1720  
 view (phytree) method  
   reference 3-1721

## **W**

weights method  
    reference 3-1722

## **X**

xLabel (clustergram) method  
    reference 3-78  
xLabel (HeatMap) method  
    reference 3-80

## **Y**

yLabel (clustergram) method  
    reference 3-82  
yLabel (HeatMap) method  
    reference 3-84

## **Z**

zonebackadj function  
    reference 3-1725