Data Acquisition Toolbox™ <u>Release Notes</u>

How to Contact MathWorks



(a)

www.mathworks.comWebcomp.soft-sys.matlabNewsgroupwww.mathworks.com/contact_TS.htmlTechnical Support

suggest@mathworks.com bugs@mathworks.com doc@mathworks.com service@mathworks.com info@mathworks.com Product enhancement suggestions Bug reports Documentation error reports Order status, license renewals, passcodes Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)

The MathWorks, Inc. 3 Apple Hill Drive Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Data Acquisition ToolboxTM Release Notes

© COPYRIGHT 2005–2010 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Contents

Summary by Version	1
Version 2.17 (R2010b) Data Acquisition Toolbox Software	5
Version 2.16 (R2010a) Data Acquisition Toolbox Software	7
Version 2.15 (R2009b) Data Acquisition Toolbox Software	9
Version 2.14 (R2009a) Data Acquisition Toolbox Software	11
Version 2.13 (R2008b) Data Acquisition Toolbox Software	13
Version 2.12 (R2008a) Data Acquisition Toolbox Software	16
Version 2.11 (R2007b) Data Acquisition Toolbox Software	18
Version 2.10 (R2007a) Data Acquisition Toolbox Software	21
Version 2.9 (R2006b) Data Acquisition Toolbox Software	23
Version 2.8.1 (R2006a) Data Acquisition Toolbox Software	25
Version 2.8 (R14SP3+) Data Acquisition Toolbox Software	26

Version 2.7 (R14SP3) Data Acquisition Toolbox Software	28
Version 2.6 (R14SP2) Data Acquisition Toolbox Software	29
Version 2.5.1 (R14SP1) Data Acquisition Toolbox Software	34
Version 2.5 (R14) Data Acquisition Toolbox Software \dots	35
Compatibility Summary for Data Acquisition Toolbox Software	36

Summary by Version

This table provides quick access to what's new in each version. For clarification, see "Using Release Notes" on page 3.

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Latest Version V2.17 (R2010b)	Yes Details	No	Bug Reports Includes fixes	Printable Release Notes: PDF
				Current product documentation
V2.16 (R2010a)	Yes Details	No	Bug Reports Includes fixes	No
V2.15 (R2009b)	Yes Details	No	Bug Reports Includes fixes	No
V2.14 (R2009a)	Yes Details	No	Bug Reports Includes fixes	No
V2.13 (R2008b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.12 (R2008a)	Yes Details	No	Bug Reports Includes fixes	No
V2.11 (R2007b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.10 (R2007a)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.9 (R2006b)	Yes Details	Yes Summary	Bug Reports Includes fixes	No
V2.8.1 (R2006a)	No	No	Bug Reports Includes fixes	No

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
V2.8 (R14SP3+)	Yes Details	No	Bug Reports Includes fixes	No
V2.7 (R14SP3)	No	No	Bug Reports Includes fixes	No
V2.6 (R14SP2)	Yes Details	No	Bug Reports Includes fixes	No
V2.5.1 (R14SP1)	No	No	Fixed bugs	No
V2.5 (R14)	No	No	Fixed bugs	No

Using Release Notes

Use release notes when upgrading to a newer version to learn about:

- New features
- Changes
- Potential impact on your existing files and practices

Review the release notes for other MathWorks[®] products required for this product (for example, MATLAB[®] or Simulink[®]). Determine if enhancements, bugs, or compatibility considerations in other products impact you.

If you are upgrading from a software version other than the most recent one, review the current release notes and all interim versions. For example, when you upgrade from V1.0 to V1.2, review the release notes for V1.1 and V1.2.

What Is in the Release Notes

New Features and Changes

- New functionality
- Changes to existing functionality

Version Compatibility Considerations

When a new feature or change introduces a reported incompatibility between versions, the **Compatibility Considerations** subsection explains the impact.

Compatibility issues reported after the product release appear under Bug Reports at the MathWorks Web site. Bug fixes can sometimes result in incompatibilities, so review the fixed bugs in Bug Reports for any compatibility impact.

Fixed Bugs and Known Problems

MathWorks offers a user-searchable Bug Reports database so you can view Bug Reports. The development team updates this database at release time and as more information becomes available. Bug Reports include provisions for any known workarounds or file replacements. Information is available for bugs existing in or fixed in Release 14SP2 or later. Information is not available for all bugs in earlier releases.

Access Bug Reports using your MathWorks Account.

Version 2.17 (R2010b) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	Printable Release Notes: PDF
			Current product documentation

This table summarizes what's new in Version 2.17 (R2010b):

New features and changes introduced in this version are:

- "Support Added for National Instruments CompactDAQ Devices" on page 5
- "Current and Thermocouple Measurements for CompactDAQ Devices" on page 5
- "New Hardware Support" on page 6

Support Added for National Instruments CompactDAQ Devices

You can use the session-based interface of the Data Acquisition Toolbox[™] to communicate with National Instruments[®] CompactDAQ devices. Currently the toolbox only supports devices with analog input and output channels. For a complete list of supported CompactDAQ devices, visit the Data Acquisition Toolbox Supported Hardware page at the MathWorks Web site.

Current and Thermocouple Measurements for CompactDAQ Devices

You can use CompactDAQ devices that support current and thermocouple measurement types with the session-based interface of the Data Acquisition Toolbox.

New Hardware Support

Data Acquisition Toolbox now supports the analog and digital I/O subsystems in the National Instruments Educational Laboratory Virtual Instrumentation Suite (ELVIS) II+ devices.

Version 2.16 (R2010a) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.16 (R2010a):

New features and changes introduced in this version are:

- "New Hardware Support for National Instruments (NI) X Series Devices" on page 7
- "New Hardware Support for National Instruments (NI) Devices" on page 8
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 8
- "New Hardware Support for NI-ELVIS II Devices" on page 8

New Hardware Support for National Instruments (NI) X Series Devices

Additional data acquisition hardware support was added as follows:

NI PCIe-6320	NI PCIe-6363
NI PCIe-6321	NI PXIe-6341
NI PCIe-6323	NI PXIe-6356
NI PCIe-6341	NI PXIe-6358
NI PCIe-6343	NI PXIe-6361
NI PCIe-6351	NI PXIe-6363
NI PCIe-6353	NI PXIe-6366
NI PCIe-6361	NI PXIe-6368

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

NI USB-6212 (BNC)	NI ENET-9206
NI USB-6216 (BNC)	NI ENET-9213
NI USB-6218 (BNC)	NI WLS-9205
NI USB-9213	NI WLS-9205 (DSUB)
NI ENET-9205	NI WLS-9206
NI ENET-9205 (DSUB)	NI WLS-9213

New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added as follows:

MCC USB-1602HS	MCC USB-1604HS-2AO
MCC USB-1602HS-2AO	MCC PCIe-DIO24
MCC USB-1604HS	MCC PCIe-DIO96H

New Hardware Support for NI-ELVIS II Devices

Data Acquisition Toolbox now supports the analog and digital I/O subsystems of the National Instruments Educational Laboratory Virtual Instrumentation Suite (ELVIS) II devices.

Version 2.15 (R2009b) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.15 (R2009b):

New features and changes introduced in this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 9
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 10
- "New Version of InstaCal Driver Required" on page 10
- "Change in daqmem Output" on page 10

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

NI USB-4431	NI ENET-9421 (DSUB)
NI USB-4432	NI ENET-9472
NI USB-9263	NI ENET-9472 (DSUB)
NI USB-9264	NI ENET-9481
NI PCIe-6535	NI WLS-9421
NI PXIe-6535	NI WLS-9421 (DSUB)
NI PXIe-6536	NI WLS-9472

NI PXIe-6537	NI WLS-9472
NI ENET-9421	NI WLS-9481

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added as follows:

MCC USB-3101FS	MCC USB-1208HS-2AO
MCC USB-1208HS	MCC USB-1208HS-4AO

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

New Version of InstaCal Driver Required

To use MCC devices with the Data Acquisition Toolbox software, install MCC InstaCal driver Version 5.89 or later.

Change in daqmem Output

Starting with Data Acquisition Toolbox Version 2.15, the daqmem function returns a MATLAB object instead of a structure. Although the properties of the object are identical to the fields within the structure, executing isstruct will return false.

Version 2.14 (R2009a) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.14 (R2009a):

New features and changes introduced is this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 11
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 12

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

NI USB-6259 (USB)	NI ENET-9219 (ENET)
NI USB-9234 (USB)	NI ENET-9234 (ENET)
NI PCI-6521 (PCI)	NI ENET-9237 (ENET)
NI PXI-6521 (PXI)	NI WLS-9211 (WLS)
NI PXIe-4496 (PXIe)	NI WLS-9215 (WLS)
NI PXIe-4498 (PXIe)	NI WLS-9234 (WLS)
NI ENET-9211 (ENET)	NI WLS-9219 (WLS)
NI PXIe-6124 (PXIe)	NI WLS-9237 (WLS)
NI ENET-9215 (ENET)	

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support added for the MCC USB-DIO24H/37 device.

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Version 2.13 (R2008b) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes—Details labeled as Compatibility Considerations below. See also Summary.	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.13 (R2008b):

New features and changes introduced is this version are:

- "Keithley® and VXI Technology Adaptors Deprecated" on page 13
- "Warning Added for Future Deprecation of National Instruments Traditional NI-DAQ Adaptor" on page 14
- "Warning Added for Future Deprecation of Parallel Port Adaptors" on page 14
- "Data Acquisition Toolbox RTSI Bus Support" on page 14
- "New Hardware Support for National Instruments (NI) Devices" on page 14
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 15
- "Expanded Data Acquisition Toolbox Demos" on page 15

Keithley® and VXI Technology Adaptors Deprecated

Keithley[®] and VXI Technology[®] adaptors will no longer work in the current release of the Data Acquisition Toolbox.

Compatibility Considerations

The change for this toolbox release is that you cannot create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors. You can get unsupported adaptors from the **Data Acquisition Adaptors** page in the File Exchange area on MATLAB Central.

Warning Added for Future Deprecation of National Instruments Traditional NI-DAQ Adaptor

You will see a warning when you create a Data Acquisition Toolbox object for devices that use the Traditional NI-DAQ driver. Support for devices using the Traditional NI-DAQ driver will be removed in a future release.

Notes NI-DAQmx drivers will continue to be supported. This change only affects Traditional NI-DAQ devices.

For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Warning Added for Future Deprecation of Parallel Port Adaptors

You will see a warning when you create a Data Acquisition Toolbox object for the 'parallel' device. The support for the 'parallel' device will be removed in a future release.

Data Acquisition Toolbox RTSI Bus Support

New support for synchronizing multiple National Instruments devices using a National Instruments RTSI bus.

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

NI PXI-6529 (PXI)	NI USB-9219 (USB)
NI USB-6212 (USB)	NI USB-9229 (USB)

NI USB-6216 (USB)	NI USB-9229 (BNC) (USB)
NI USB-6281 (USB)	NI USB-9239 (USB)
NI USB-6281 (Mass Termination) (USB)	NI USB-9239 (BNC) (USB)
NI USB-6289 (USB)	NI SCXI-1112 (SCXI)
NI USB-6289 (Mass Termination) (USB)	NI SCXI-1122 (SCXI)
NI USB-6509 (USB)	

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added for the MCC USB-1616HS-BNC device.

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Expanded Data Acquisition Toolbox Demos

The Data Acquisition Toolbox product now has a new demo for synchronizing analog input and output using a RTSI bus.

Version 2.12 (R2008a) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.12 (R2008a):

New features and changes introduced is this version are:

- "Data Acquisition Toolbox Block Library" on page 16
- "New Hardware Support for National Instruments (NI) Devices" on page 16
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 17

Data Acquisition Toolbox Block Library

There are two new Simulink blocks that can acquire or output a single point of analog data in a Simulink model.

- Analog Input (Single Sample) Acquire a single sample from multiple analog channels of a data acquisition device.
- Analog Output (Single Sample) Output a single sample to multiple analog channels of a data acquisition device.

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added, as follows:

NI PXI-4496 (PXI)	NI SCXI-1102b (SCXI)
NI PXI-4498 (PXI)	NI SCXI-1102c (SCXI)

NI USB-6225 (USB)	NI SCXI-1104 (SCXI)
NI USB-6229 (USB)	NI SCXI-1104c (SCXI)
NI USB-6251 (USB)	NI SCXI-1120 (SCXI)
NI USB-6255 (USB)	NISCXI-1120d (SCXI)
NI USB-6259 (USB)	NI SCXI-1125 (SCXI)

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition hardware support was added, as follows:

MCC USB-1608HS	MCC USB-1616HS-2
MCC USB-1608HS-2AO	MCC USB-1616HS-4
MCC USB-1616HS	MCC AI-EXP48

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Version 2.11 (R2007b) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes—Details labeled as Compatibility Considerations , below. See also Summary.	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.11 (R2007b):

New features and changes introduced is this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 18
- "Enhanced Performance of getsample and putsample Functions" on page 19
- "StandardSampleRates Property Defaults Changed" on page 19
- "Upgrading from an Earlier Release" on page 19
- "Three Analog Properties Hidden" on page 19

New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added, as follows:

NI USB-6221 (USB)	NI PCI-6601 (PCI)
NI USB-6229 (USB)	NI PCI-6602 (PCI)
NI USB-9211A (USB)	NI PXI-6255 (PXI)
NI PCIe-6536 (PCI Express®)	NI PXI-6602 (PXI)
NI PCIe-6537 (PCI Express)	NI PXI-6608 (PXI)
NI PCI-6255 (PCI)	

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Enhanced Performance of getsample and putsample Functions

The getsample and putsample functions perform faster when acquiring and sending a single data sample using NI-DAQmx driver software.

StandardSampleRates Property Defaults Changed

The default value of the StandardSampleRates property is changed from "on" to "off".

Upgrading from an Earlier Release

This section describes the issues involved in upgrading from Data Acquisition Toolbox Version 2.10 (Release 2007a) or earlier.

Obsolete daq Functions

Two functions with daq in their name are obsolete in Version 2.11 and are replaced with other functions. The toolbox will no longer support these obsolete functions and will display an error if you try to use them. If your code still uses these obsolete function names, you must update it to use the new function names.

Obsolete Function Name	New Function Name
daqaction	daqcallback
daqpropedit	inspect

Three Analog Properties Hidden

The following three properties of analog input objects in the NI-DAQmx adaptor are now hidden:

- DriveAISenseToGround
- NumMuxBoards
- TransferMode

These properties are used only by Traditional NI-DAQ devices. If you have code that explicitly uses these properties it will continue to work, but code that puts the object's properties in a structure will no longer find these three properties. Tab completion for these three properties will no longer work.

Compatibility Considerations

In this release of the toolbox, the three properties DriveAISenseToGround, NumMuxBoards, and TransferMode are hidden for NI-DAQmx boards. You can, however, explicitly access these properties, but changing their values will not have any effect on NI-DAQmx boards.

Version 2.10 (R2007a) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes—Details labeled as Compatibility Considerations , below. See also Summary.	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.10 (R2007a):

New features and changes introduced is this version are:

- "New Hardware Support" on page 21
- "Time Series Support" on page 22
- "Warning Added for Future Deprecation of Keithley and VXI Technology Adaptors" on page 22

New Hardware Support

Additional data acquisition hardware support was added, as follows:

- Support added for additional National Instruments (NI) data acquisition devices NI USB-6210 (USB); NI USB-6211 (USB); NI USB-6215 (USB); NI USB-6218 (USB); NI PCI-6230 (PCI); NI PCI-6232 (PCI); and NI PCI-6233 (PCI).
- Support added for additional Measurement Computing[™] Corporation (MCC) data acquisition devices — USB-3110; USB-3112; USB-3114; USB-3102; USB-3104; USB-3106; USB-3101; USB-3103; USB-3105; USB-2523; USB-2527; USB-2533; USB-2537; PCI-2511; PCI-2513; PCI-2515; and PCI-2517.

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Time Series Support

Time series support has been added to the toolbox to enable easier analysis and visualization of time domain data in the MATLAB. This functionality extends three Data Acquisition Toolbox functions, dagread, getdata, and putdata, to support the MATLAB timeseries and tscollection objects.

Warning Added for Future Deprecation of Keithley and VXI Technology Adaptors

Keithley and VXI Technology adaptors will be deprecated in a future version of the toolbox. If you create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors, you will receive a warning.

Compatibility Considerations

The change for this toolbox release is that you will see a warning if you create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors. The warning is being introduced now, but the adaptors will continue to be supported and will be removed in a future release.

Version 2.9 (R2006b) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	Yes—Details labeled as Compatibility Considerations , below. See also Summary.	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.9 (R2006b):

New features and changes introduced is this version are:

- "Data Acquisition Toolbox Block Library" on page 23
- "New Hardware Support" on page 23
- "Corrected Spelling of InputType Value Pseudodifferential" on page 24

Data Acquisition Toolbox Block Library

You can use these blocks to acquire analog or digital data in a Simulink model, or to output analog or digital data from the model to a hardware device. The toolbox block library contains four blocks:

- **Analog Input** Acquire data from multiple channels of an analog data acquisition device.
- Analog Output Output data to multiple channels of an analog data acquisition device.
- **Digital Input** Acquire the latest set of values from multiple lines of a digital data acquisition device.
- **Digital Output** Output data to multiple lines of a digital data acquisition device.

New Hardware Support

Additional data acquisition hardware support was added, as follows:

- Support added for four additional National Instruments (NI) data acquisition devices NI USB-6251 (USB); NI USB-6259 (USB); NI PCIe-6251 (PCI Express); and NI PCIe-6259 (PCI Express).
- Support added for an additional Measurement Computing Corporation (MCC) data acquisition device — MCC USB-1408FS (USB).

Note For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

Corrected Spelling of InputType Value Pseudodifferential

Analog input objects have a number of acceptable values for their InputType property: NonReferencedSingleEnded, SingleEnded, Differential, and Pseudodifferential. In the initial release of the NI-DAQmx adaptor in Version 2.8 (R14SP3+), Pseudodifferential was incorrectly spelled as Psuedodifferential. The toolbox change now correctly spells this input type as Pseudodifferential.

Compatibility Considerations

This change is backward compatible; users that saved analog input objects with the InputType property set to the misspelled Psuedodifferential will be able to load the object in R2006b and later with no changes on their part. The compatibility issue is that if you save an analog input object with this InputType value in R2006b, you will not be able to share it with users of R2006a and earlier versions. Analog input objects that have their InputType set to Pseudodifferential will be unusable in R2006a and previous releases. Analog input objects that use the other InputType values are unaffected.

Obsolescence Process. If you use the set function to assign the incorrectly spelled value Psuedodifferential, in Version 2.9 (R2006b), you will get a warning and it will be changed to the correct spelling. In the following release of the toolbox, you will get an error advising you to use the new spelling. The get function will always return the correctly spelled value.

Version 2.8.1 (R2006a) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.8.1 (R2006a):

Version 2.8 (R14SP3+) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.8 (R14SP3+):

New features and changes introduced in this version are:

- "NI-DAQmx Support" on page 26
- "Upgrading from an Earlier Release" on page 27

NI-DAQmx Support

The Data Acquisition Toolbox software supports National Instruments hardware that uses the NI-DAQmx software interface.

The adaptor name in the Data Acquisition Toolbox software is nidaq, which can be used in all syntax requiring the adaptor name.

To display your installed hardware that can be accessed using the NI-DAQmx adaptor, type

```
daqhwinfo('nidaq')
```

daqhwinfo returns information about the hardware that is installed, and the IDs that the National Instruments Measurement & Automation Explorer has assigned to these devices. Typically, these IDs start with the letters Dev followed by a number.

The toolbox supports both Traditional NI-DAQ and NI-DAQmx. For information about choosing which driver to use, see "National Instruments Hardware" in "Troubleshooting Your Hardware" of the Data Acquisition Toolbox User's Guide.

Upgrading from an Earlier Release

This section details the issues to be aware of when upgrading from Data Acquisition Toolbox Version 2.7 to Version 2.8.

DriveAlSenseToGround Property

The DriveAISenseToGround property is ignored by National Instruments devices. For information on configuring AI referencing properties, see the reference page for the InputType property.

Version 2.7 (R14SP3) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.7 (R14SP3):

Version 2.6 (R14SP2) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
Yes Details below	No	Bug Reports Includes fixes	No

This table summarizes what's new in Version 2.6 (R14SP2):

New features and changes introduced in this version are:

- "New Functions: islogging, isrunning, and issending" on page 29
- "Using PFI or RTSI Channels for Triggers and Clocks" on page 30
- "peekdata Allows Type Parameter" on page 30
- "Property Inspector Replaces daqpropedit" on page 30
- "waittilstop Function Renamed wait" on page 31
- "Upgrading from an Earlier Release" on page 31

New Functions: islogging, isrunning, and issending

Three new functions are provided to query the status of data acquisition device objects.

Function	Purpose
islogging	Determine whether analog input object is logging data.
isrunning	Determine whether device object is running.
issending	Determine whether analog output object is sending data.

For further details on each function, see its reference page in the documentation. Use of these functions is recommended over directly accessing the Running, Logging, and Sending properties.

Using PFI or RTSI Channels for Triggers and Clocks

Three new properties for National Instruments cards are:

- HwDigitalTriggerSource
- ExternalSampleClockSource
- ExternalScanClockSource

These properties allow you to select a PFI or RTSI channel as the source for a hardware digital trigger, external sample clock, or external scan clock. See the reference pages for these properties to read about valid property settings and when they are in effect.

peekdata Allows Type Parameter

The peekdata function now accepts a third parameter specifying data format. When the data format is specified as native, data is returned in the native format of the data acquisition device, similar to the behavior of the getdata function. For detailed information on peekdata, type

help analoginput/peekdata

Property Inspector Replaces daqpropedit

The Property Inspector replaces the Data Acquisition Toolbox Property Editor (daqpropedit) graphical user interface.

You open the Property Inspector for object obj with the inspect function.

inspect(obj)

For more information about the inspect function, type

help daqdevice/inspect

Typing daqpropedit at the command line now opens the Property Inspector.

waittilstop Function Renamed wait

The waittilstop function has been renamed wait. All functionality remains the same. waittilstop still works in Version 2.6, but may be removed from a future version of the toolbox. For more information on wait, type

```
help daqdevice/wait
```

Upgrading from an Earlier Release

This section describes the issues involved in upgrading from Data Acquisition Toolbox Version 2.5.1 (Release 14SP1), 2.5 (Release 14), or 2.2 (Release 13SP1).

Obsolete Action Properties

All object properties with Action in their name are obsolete in Version 2.6. These have been replaced by properties with the same name using Fcn instead of Action. These Fcn properties have existed in several recent versions of the Data Acquisition Toolbox software. The toolbox supported the Action properties during these transition releases, but they are no longer supported. If your code still uses these obsolete property names, you must update it to use the new property names.

Obsolete Property Name	New Property Name
DataMissedAction	DataMissedFcn
InputOverRangeAction	InputOverRangeFcn
RuntimeErrorAction	RuntimeErrorFcn
SamplesAcquiredAction	SamplesAcquiredFcn
SamplesAcquiredActionCount	SamplesAcquiredFcnCount
SamplesOutputAction	SamplesOutputFcn
SamplesOutputActionCount	SamplesOutputFcnCount
StartAction	StartFcn
StopAction	StopFcn
TimerAction	TimerFcn
TriggerAction	TriggerFcn

Deleting a Running Object

In past releases, you could not delete a running object. Now in Version 2.6, when you attempt to delete a running object, the toolbox stops the object, issues a warning, then deletes the object.

```
ai.SamplesPerTrigger = Inf
start(ai);
delete(ai)
Warning: Object stopped before deleting.
```

Return Format of daqfind

In past versions, the daqfind function returned a 1-by-1 cell array of N-by-1 objects. Now in Version 2.6, this function returns an N-by-1 cell array of objects.

```
ai1 = analoginput('winsound');
ai2 = analoginput('winsound');
objs = daqfind('Type','Analog Input')
objs =
    [1x1 analoginput]
    [1x1 analoginput]
```

peekdata and getdata Number of Samples

The functions peekdata and getdata no longer accept Inf as an argument for specifying the number of samples. In the past, specifying Inf for the number of samples was accepted, and returned zero samples. Now specifying Inf samples causes an error.

```
data = getdata(ai, Inf)
??? The number of samples requested must be less than Inf.
```

waittilstop Function Renamed wait

The waittilstop function has been renamed wait. All functionality remains the same. waittilstop still works in Version 2.6, but may be removed from a future version of the toolbox. For more information on wait, type

```
help daqdevice/wait
```

daqpropedit Replaced by inspect

The Data Acquisition Toolbox Property Editor (daqpropedit) graphical user interface has been replaced by the Property Inspector.

You open the Property Inspector for object obj with the inspect function.

inspect(obj)

For more information about the inspect function, type

help daqdevice/inspect

Typing daqpropedit at the command line now opens the Property Inspector.

Version 2.5.1 (R14SP1) Data Acquisition Toolbox Software

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Fixed bugs	No

This table summarizes what's new in Version 2.5.1 (R14SP1):

Version 2.5 (R14) Data Acquisition Toolbox Software

This table summarizes what's new in Version 2.5 (R14):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems	Related Documentation at Web Site
No	No	Fixed bugs	No

Compatibility Summary for Data Acquisition Toolbox Software

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

Version (Release)	New Features and Changes with Version Compatibility Impact
Latest Release V2.17 (R2010b)	None
V2.16 (R2010a)	None
V2.15 (R2009b)	None
V2.14 (R2009a)	None
V2.13 (R2008b)	 See the Compatibility Considerations subheading for these changes: "Keithley® and VXI Technology Adaptors Deprecated" on page 13 "Warning Added for Future Deprecation of National Instruments Traditional NI-DAQ Adaptor" on page 14 "Warning Added for Future Deprecation of Parallel Port Adaptors" on page 14
V2.12 (R2008a)	None
V2.11 (R2007b)	 See the Compatibility Considerations subheading for this change: "Three Analog Properties Hidden" on page 19

Version (Release)	New Features and Changes with Version Compatibility Impact
V2.10 (R2007a)	See the Compatibility Considerations subheading for this change:
	 "Warning Added for Future Deprecation of Keithley and VXI Technology Adaptors" on page 22
V2.9 (R2006b)	See the Compatibility Considerations subheading for this change:
	 "Corrected Spelling of InputType Value Pseudodifferential" on page 24
V2.8.1 (R2006a)	None
V2.8 (R14SP3+)	None
V2.7 (R14SP3)	None
V2.6 (R14SP2)	None
V2.5.1 (R14SP1)	None
V2.5 (R14)	None