


MATLAB® Distributed Computing Server™ 5

System Administrator's Guide



MATLAB®

How to Contact MathWorks



www.mathworks.com Web
comp.soft-sys.matlab Newsgroup
www.mathworks.com/contact_TS.html Technical Support



suggest@mathworks.com Product enhancement suggestions
bugs@mathworks.com Bug reports
doc@mathworks.com Documentation error reports
service@mathworks.com Order status, license renewals, passcodes
info@mathworks.com Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

MATLAB® Distributed Computing Server™ System Administrator's Guide

© COPYRIGHT 2005–2010 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

November 2005 Online only
December 2005 Online only
March 2006 Online only
September 2006 Online only
March 2007 Online only
September 2007 Online only
March 2008 Online only
October 2008 Online only
March 2009 Online only
September 2009 Online only
March 2010 Online only
September 2010 Online only

New for Version 2.0 (Release 14SP3+)
Revised for Version 2.0 (Release 14SP3+)
Revised for Version 2.0.1 (Release 2006a)
Revised for Version 3.0 (Release 2006b)
Revised for Version 3.1 (Release 2007a)
Revised for Version 3.2 (Release 2007b)
Revised for Version 3.3 (Release 2008a)
Revised for Version 4.0 (Release 2008b)
Revised for Version 4.1 (Release 2009a)
Revised for Version 4.2 (Release 2009b)
Revised for Version 4.3 (Release 2010a)
Revised for Version 5.0 (Release 2010b)

Introduction

1

Product Overview	1-2
Overview	1-2
Determining Product Installation and Versions	1-3
Toolbox and Server Components	1-5
Job Managers, Workers, and Clients	1-5
Third-Party Schedulers	1-7
Components on Mixed Platforms or Heterogeneous Clusters	1-8
mdce Service	1-8
Using Parallel Computing Toolbox Software	1-9

Network Administration

2

Preparing for Parallel Computing	2-2
Before You Start	2-2
Planning Your Network Layout	2-2
Network Requirements	2-3
Fully Qualified Domain Names	2-3
Security Considerations	2-4
Installing and Configuring	2-5
Using a Different MPI Build on UNIX Operating Systems	2-6
Building MPI	2-6
Using Your MPI Build	2-6

Shutting Down a Job Manager Configuration	2-9
UNIX and Macintosh Operating Systems	2-9
Microsoft Windows Operating Systems	2-11
Customizing Server Services	2-13
Defining the Script Defaults	2-13
Overriding the Script Defaults	2-15
Accessing Service Record Files	2-17
Locating Log Files	2-17
Locating Checkpoint Directories	2-18
Setting Job Manager Security	2-19
Setting the Security Level	2-19
Local, Job Manager, and Network Passwords	2-21
Setting Secure Communication	2-21
Troubleshooting	2-23
License Errors	2-23
Memory Errors on UNIX Operating Systems	2-25
Running Server Processes from a Windows Network	
Installation	2-25
Required Ports	2-25
Ephemeral TCP Ports with Job Manager	2-27
Host Communications Problems	2-27
Verifying Multicast Communications	2-29

Admin Center

3

Starting Admin Center	3-2
Setting Up Resources	3-3
Adding Hosts	3-3
Starting a Job Manager	3-4
Starting Workers	3-5
Stopping, Destroying, Resuming, Restarting Processes ...	3-7
Moving a Worker	3-8

Updating the Display	3-8
Testing Connectivity	3-9
Saving and Loading Sessions	3-13
Preparing for User Configurations	3-14

Control Script Reference

4

mdce Process Control	4-2
Job Manager Control	4-2
Worker Control	4-2

Control Scripts — Alphabetical List

5

Glossary

Index

Introduction

This chapter provides an introduction to the concepts and terms of Parallel Computing Toolbox™ software and MATLAB® Distributed Computing Server™ software.

- “Product Overview” on page 1-2
- “Toolbox and Server Components” on page 1-5
- “Using Parallel Computing Toolbox Software” on page 1-9

Product Overview

In this section...
“Overview” on page 1-2
“Determining Product Installation and Versions” on page 1-3

Overview

Parallel Computing Toolbox and MATLAB Distributed Computing Server software let you solve computationally and data-intensive problems using MATLAB® and Simulink® on multicore and multiprocessor computers. Parallel processing constructs such as parallel for-loops and code blocks, distributed arrays, parallel numerical algorithms, and message-passing functions let you implement task-parallel and data-parallel algorithms at a high level in MATLAB without programming for specific hardware and network architectures.


A *job* is some large operation that you need to perform in your MATLAB session. A job is broken down into segments called *tasks*. You decide how best to divide your job into tasks. You could divide your job into identical tasks, but tasks do not have to be identical.

The MATLAB session in which the job and its tasks are defined is called the *client* session. Often, this is on the machine where you program MATLAB. The client uses Parallel Computing Toolbox software to perform the definition of jobs and tasks. The MATLAB Distributed Computing Server product performs the execution of your job by evaluating each of its tasks and returning the result to your client session.

Parallel Computing Toolbox software allows you to run as many as eight MATLAB workers on your local machine in addition to your MATLAB client session. MATLAB Distributed Computing Server software allows you to run as many MATLAB workers on a remote cluster of computers as your licensing allows. You can also use MATLAB Distributed Computing Server to run workers on your client machine if you want to run more than eight local workers.

The *job manager* is the part of the server software that coordinates the execution of jobs and the evaluation of their tasks. The job manager distributes the tasks for evaluation to the server's individual MATLAB sessions called *workers*. Use of the MathWorks® job manager is optional; the distribution of tasks to workers can also be performed by a third-party scheduler, such as Window HPC Server (including CCS), a Platform LSF® scheduler, or a PBS Pro® scheduler.

See the “Glossary” on page Glossary-1 for definitions of the parallel computing terms used in this manual.



Basic Parallel Computing Configuration

Determining Product Installation and Versions

To determine if Parallel Computing Toolbox software is installed on your system, type this command at the MATLAB prompt:

```
ver
```

When you enter this command, MATLAB displays information about the version of MATLAB you are running, including a list of all toolboxes installed on your system and their version numbers.

You can run the `ver` command as part of a task in a distributed or parallel application to determine what version of MATLAB Distributed Computing Server software is installed on a worker machine. Note that the toolbox and server software must be the same version.

Toolbox and Server Components

In this section...
“Job Managers, Workers, and Clients” on page 1-5
“Third-Party Schedulers” on page 1-7
“Components on Mixed Platforms or Heterogeneous Clusters” on page 1-8
“mdce Service” on page 1-8


Job Managers, Workers, and Clients

The optional job manager can run on any machine on the network. The job manager runs jobs in the order in which they are submitted, unless any jobs in its queue are promoted, demoted, canceled, or destroyed.

Each worker receives a task of the running job from the job manager, executes the task, returns the result to the job manager, and then receives another task. When all tasks for a running job have been assigned to workers, the job manager starts running the next job with the next available worker.


A MATLAB Distributed Computing Server network configuration usually includes many workers that can all execute tasks simultaneously, speeding up execution of large MATLAB jobs. It is generally not important which worker executes a specific task. Each worker evaluates tasks one at a time, returning the results to the job manager. The job manager then returns the results of all the tasks in the job to the client session.

Note For testing your application locally or other purposes, you can configure a single computer as client, worker, and job manager. You can also have more than one worker session or more than one job manager session on a machine.



Interactions of Parallel Computing Sessions

A large network might include several job managers as well as several client sessions. Any client session can create, run, and access jobs on any job manager, but a worker session is registered with and dedicated to only one job manager at a time. The following figure shows a configuration with multiple job managers.



Configuration with Multiple Clients and Job Managers

Third-Party Schedulers

As an alternative to using the MathWorks job manager, you can use a third-party scheduler. This could be a Microsoft® Windows HPC Server (including CCS), Platform LSF scheduler, PBS Pro scheduler, TORQUE scheduler, mpiexec, or a generic scheduler.

Choosing Between a Scheduler and Job Manager

You should consider the following when deciding to use a scheduler or the MathWorks job manager for distributing your tasks:

- Does your cluster already have a scheduler?

If you already have a scheduler, you may be required to use it as a means of controlling access to the cluster. Your existing scheduler might be just as easy to use as a job manager, so there might be no need for the extra administration involved.

- Is the handling of parallel computing jobs the only cluster scheduling management you need?

The MathWorks job manager is designed specifically for MathWorks parallel computing applications. If other scheduling tasks are not needed, a third-party scheduler might not offer any advantages.

- Is there a file sharing configuration on your cluster already?

The MathWorks job manager can handle all file and data sharing necessary for your parallel computing applications. This might be helpful in configurations where shared access is limited.

- Are you interested in batch or interactive processing?

When you use a job manager, worker processes usually remain running at all times, dedicated to their job manager. With a third-party scheduler, workers are run as applications that are started for the evaluation of tasks, and stopped when their tasks are complete. If tasks are small or take little time, starting a worker for each one might involve too much overhead time.

- Are there security concerns?

Your scheduler may be configured to accommodate your particular security requirements.

- How many nodes are on your cluster?

If you have a large cluster, you probably already have a scheduler. Consult your MathWorks representative if you have questions about cluster size and the job manager.

- Who administers your cluster?

The person administering your cluster might have a preference for how jobs are scheduled.

Components on Mixed Platforms or Heterogeneous Clusters

Parallel Computing Toolbox software and MATLAB Distributed Computing Server software are supported on Windows[®], UNIX[®] (including Linux[®]), and Macintosh[®] operating systems. Mixed platforms are supported, so that the clients, job managers, and workers do not have to be on the same platform. The cluster can also be comprised of both 32-bit and 64-bit machines, so long as your data does not exceed the limitations posed by the 32-bit systems.

For a complete listing of all network requirements, including those for heterogeneous environments, see the System Requirements page for MATLAB Distributed Computing Server software at

<http://www.mathworks.com/products/distriben/requirements.html>

In a mixed platform environment, be sure to follow the proper installation instructions for each local machine on which you are installing the software.

mdce Service

If you are using the MathWorks job manager, every machine that hosts a worker or job manager session must also run the mdce service.

The mdce service recovers worker and job manager sessions when their host machines crash. If a worker or job manager machine crashes, when mdce starts up again (usually configured to start at machine boot time), it automatically restarts the job manager and worker sessions to resume their sessions from before the system crash.

Using Parallel Computing Toolbox Software

A typical Parallel Computing Toolbox client session includes the following steps:

- 1 Find a Job Manager (or scheduler)** — Your network may have one or more job managers available (but usually only one scheduler). The function you use to find a job manager or scheduler creates an object in your current MATLAB session to represent the job manager or scheduler that will run your job.
- 2 Create a Job** — You create a job to hold a collection of tasks. The job exists on the job manager (or scheduler's data location), but a job object in the local MATLAB session represents that job.
- 3 Create Tasks** — You create tasks to add to the job. Each task of a job can be represented by a task object in your local MATLAB session.
- 4 Submit a Job to the Job Queue for Execution** — When your job has all its tasks defined, you submit it to the queue in the job manager or scheduler. The job manager or scheduler distributes your job's tasks to the worker sessions for evaluation. When all of the workers are completed with the job's tasks, the job moves to the finished state.
- 5 Retrieve the Job's Results** — The resulting data from the evaluation of the job is available as a property value of each task object.
- 6 Destroy the Job** — When the job is complete and all its results are gathered, you can destroy the job to free memory resources.

Network Administration

This chapter provides information useful for network administration of Parallel Computing Toolbox software and MATLAB Distributed Computing Server software.

- “Preparing for Parallel Computing” on page 2-2
- “Installing and Configuring” on page 2-5
- “Using a Different MPI Build on UNIX Operating Systems” on page 2-6
- “Shutting Down a Job Manager Configuration” on page 2-9
- “Customizing Server Services” on page 2-13
- “Accessing Service Record Files” on page 2-17
- “Setting Job Manager Security” on page 2-19
- “Troubleshooting” on page 2-23

Preparing for Parallel Computing

In this section...
“Before You Start” on page 2-2
“Planning Your Network Layout” on page 2-2
“Network Requirements” on page 2-3
“Fully Qualified Domain Names” on page 2-3
“Security Considerations” on page 2-4

This section discusses the requirements and configurations for your network to support parallel computing.

Before You Start

Before attempting to install Parallel Computing Toolbox software and MATLAB Distributed Computing Server software, read Chapter 1, “Introduction” to familiarize yourself with the concepts and vocabulary of the products.

Planning Your Network Layout

Generally, it is easy to decide which machines will run worker processes and which will run client processes. Worker sessions usually run on the cluster of machines dedicated to that purpose. The MATLAB client session usually runs where MATLAB programs are run, often on a user’s desktop.

The job manager process should run on a stable machine, with adequate resources to manage the number of tasks and amount of data expected in your parallel computing applications.

The following table shows what products and processes are needed for each of these roles in the parallel computing configuration.

Session	Product	Processes
Client	Parallel Computing Toolbox	MATLAB with toolbox
Worker	MATLAB Distributed Computing Server	worker; mdce service (if using a job manager)
Job manager	MATLAB Distributed Computing Server	mdce service; job manager

The server software includes the mdce service or daemon. The mdce service is separate from the worker and job manager processes, and it must be running on all machines that run job manager sessions or workers that are registered with a job manager. (The mdce service is not used with third-party schedulers.)

You can install both toolbox and server software on the same machine, so that one machine can run both client and server sessions.

Network Requirements

To view the network requirements for MATLAB Distributed Computing Server software, visit the product requirements page on the MathWorks Web site at

<http://www.mathworks.com/products/distriben/requirements.html>

Fully Qualified Domain Names

MATLAB Distributed Computing Server software and Parallel Computing Toolbox software support both short hostnames and fully qualified domain names. The default usage is short hostnames. If your network requires fully qualified hostnames, you can use the `mdce_def` file to identify the worker nodes by their full names. See “Customizing Server Services” on page 2-13. To set the hostname used for a MATLAB client session, see the `pctconfig` reference page.

Security Considerations

The parallel computing products do not provide any security measures. Therefore, be aware of the following security considerations:

- MATLAB workers run as whatever user the administrator starts the node's mdce service under. By default, the mdce service starts as root on UNIX operating systems, and as LocalSystem on Microsoft Windows operating systems. Because MATLAB provides system calls, users can submit jobs that execute shell commands.
- The mdce service does not enforce any access control or authentication. Anyone with local or remote access to the mdce services can start and stop their workers and job managers, and query for their status.
- The job manager does not restrict access to the cluster, nor to job and task data. Using a third-party scheduler instead of the MathWorks job manager could allow you to take advantage of the security measures it provides.
- The parallel computing processes must all be on the same side of a firewall, or you must take measures to enable them to communicate with each other through the firewall. Workers running tasks of the same parallel job cannot be firewalled off from each other, because their MPI-based communication will not work.
- If certain ports are restricted, you can specify the ports used for parallel computing. See "Defining the Script Defaults" on page 2-13.
- If your network supports multicast, the parallel computing processes accommodate multicast. However, because multicast is disabled on many networks for security reasons, you might require unicast communication between parallel computing processes. Most examples of parallel computing scripts and functions in this documentation show unicast usage.
- If your organization is a member of the Internet Multicast Backbone (MBone), make sure that your parallel computing cluster is isolated from MBone access if you are using multicast for parallel computing. This is generally the default condition. If you have any questions about MBone membership, contact your network administrator.

Installing and Configuring

To find the most up-to-date instructions for installing and configuring the current or past versions of the parallel computing products, visit the MathWorks Web site at

http://www.mathworks.com/support/product/DM/installation/ver_current/

Using a Different MPI Build on UNIX Operating Systems

In this section...

“Building MPI” on page 2-6

“Using Your MPI Build” on page 2-6

Building MPI

To use an MPI build that differs from the one provided with Parallel Computing Toolbox, this stage outlines the steps for creating an MPI build. If you already have an alternative MPI build, proceed to “Using Your MPI Build” on page 2-6.

- 1 Unpack the MPI sources into the target file system on your machine. For example, suppose you have downloaded `mpich2-distro.tgz` and want to unpack it into `/opt` for building:

```
# cd /opt
# mkdir mpich2 && cd mpich2
# tar zxvf path/to/mpich2-distro.tgz
# cd mpich2-1.0.8
```

- 2 Build your MPI using the `enable-sharedlibs` option (this is vital, as you must build a shared library MPI, binary compatible with `MPICH2-1.0.8` for R2009b and later). For example, the following commands build an MPI with the `nemesis` channel device and the `gforker` launcher.

```
# ./configure -prefix=/opt/mpich2/mpich2-1.0.8 \
--enable-sharedlibs=gcc \
--with-device=ch3:nemesis \
--with-pm=gforker 2>&1 | tee log
# make 2>&1 | tee -a log
# make install 2>&1 | tee -a log
```

Using Your MPI Build

When your MPI build is ready, this stage highlights the steps to use it. To get the Parallel Computing Toolbox `mpiexec` scheduler working with a different MPI build, follow these steps. Most of these steps are also needed if you want to use a different MPI build with third party-schedulers (LSF, generic).

- 1 Test your build by running the `mpiexec` executable. The build should be ready to test if its `bin/mpiexec` and `lib/libmpich.so` are available in the MPI installation location.

Following the example in “Building MPI” on page 2-6, `/opt/mpich2/mpich2-1.0.8/bin/mpiexec` and `/opt/mpich2/mpich2-1.0.8/lib/libmpich.so` are ready to use, so you can test the build with:

```
$ /opt/mpich2/mpich2-1.0.8/bin/mpiexec -n 4 hostname
```

- 2 Create an `mpiLibConf` function to direct Parallel Computing Toolbox to use your new MPI. Write your `mpiLibConf.m` to return the appropriate information for your build. For example:

```
function [primary, extras] = mpiLibConf
primary = '/opt/mpich2/mpich2-1.0.8/lib/libmpich.so';
extras = {};
```

The primary path *must* be valid *on the cluster*; and your `mpiLibConf.m` file must be higher on the cluster workers’ path than `matlabroot/toolbox/distcomp/mpi`. (Sending `mpiLibConf.m` as a file dependency for this purpose does not work. You can get the `mpiLibConf.m` function on the worker path by either moving the file into a directory on the path, or by having the scheduler use `cd` in its command so that it starts the MATLAB worker from within the directory that contains the function.)

- 3 Determine necessary daemons and command-line options.
 - Determine all necessary daemons (often something like `mpdboot` or `smpd`). The `gforker` build example in this section uses an MPI that needs no services or daemons running on the cluster, but it can use only the local machine.
 - Determine the correct command-line options to pass to `mpiexec`.
- 4 Use one of the following options to set up your scheduler to use your new MPI build:
 - For the simplest case of the `mpiexec` scheduler, set up a configuration to use the `mpiexec` executable from your new MPI build. It is crucial that you use matching `mpiexec`, MPI library, and any daemons (if

any), together. Set the configuration's `MpiexecFileName` property to `/opt/mpich2/mpich2-1.0.8/bin/mpiexec`.

- If you are using a third-party scheduler (either fully supported or via the generic interface), modify your parallel wrapper script to pick up the correct `mpiexec`. Additionally, there may be a stage in the wrapper script where the MPI daemons are launched.

The parallel submission wrapper script must:

- Determine which nodes are allocated by the scheduler.
- Start required daemon processes. For example, for the MPD process manager this means calling `"mpdboot -f <nodefile>"`.
- Define which `mpiexec` executable to use for starting workers.
- Stop the daemon processes. For example, for the MPD process manager this means calling `"mpdallexit"`.

For examples of parallel wrapper scripts, see `matlabroot/toolbox/distcomp/examples/integration/`; specifically for an example of Sun Grid Engine, look in the folder `sge` for `sgeParallelWrapper.sh`. Adopt and modify the appropriate script for your particular cluster usage.

Shutting Down a Job Manager Configuration

In this section...

“UNIX and Macintosh Operating Systems” on page 2-9

“Microsoft Windows Operating Systems” on page 2-11

If you are done using the job manager and its workers, you might want to shut down the server software processes so that they are not consuming network resources. You do not need to be at the computer running the processes that you are shutting down. You can run these commands from any machine with network access to the processes. The following sections explain shutting down the processes for different platforms.

UNIX and Macintosh Operating Systems

Enter the commands of this section at the prompt in a UNIX shell.

Stopping the Job Manager and Workers

- 1 To shut down the job manager, enter the commands

```
cd matlabroot/toolbox/distcomp/bin
```

(Enter the following command on a single line.)

```
stopjobmanager -remotehost <job manager hostname> -name  
<MyJobManager> -v
```

If you have more than one job manager running, stop each of them individually by host and name.

For a list of all options to the script, type

```
stopjobmanager -help
```

- 2 For each MATLAB worker you want to shut down, enter the commands

```
cd matlabroot/toolbox/distcomp/bin  
stopworker -remotehost <worker hostname> -v
```

If you have more than one worker session running, you can stop each of them individually by host and name.

```
stopworker -name worker1 -remotehost <worker hostname>
stopworker -name worker2 -remotehost <worker hostname>
```

For a list of all options to the script, type

```
stopworker -help
```

Stopping and Uninstalling the mdce Daemon

Normally, you configure the mdce daemon to start at system boot time and continue running until the machine shuts down. However, if you plan to uninstall the MATLAB Distributed Computing Server product from a machine, you might want to uninstall the mdce daemon also, because you no longer need it.

Note You must have root privileges to stop or uninstall the mdce daemon.

1 Use the following command to stop the mdce daemon:

```
/etc/init.d/mdce stop
```

2 Remove the installed link to prevent the daemon from starting up again at system reboot:

```
cd /etc/init.d/
rm mdce
```

Stopping the Daemon Manually. If you used the alternative manual startup of the mdce daemon, use the following commands to stop it manually:

```
cd matlabroot/toolbox/distcomp/bin
mdce stop
```

Microsoft Windows Operating Systems

Stopping the Job Manager and Workers

Enter the commands of this section at the prompt in a DOS command window.

- 1 To shut down the job manager, enter the commands

```
cd matlabroot\toolbox\distcomp\bin
```

(Enter the following command on a single line.)

```
stopjobmanager -remotehost <job manager hostname> -name  
<MyJobManager> -v
```

If you have more than one job manager running, stop each of them individually by host and name.

For a list of all options to the script, type

```
stopjobmanager -help
```

- 2 For each MATLAB worker you want to shut down, enter the commands

```
cd matlabroot\toolbox\distcomp\bin  
stopworker -remotehost <worker hostname> -name <worker name> -v
```

If you have more than one worker session running, you can stop each of them individually by host and name.

```
stopworker -remotehost <worker hostname> -name <worker1 name>  
stopworker -remotehost <worker hostname> -name <worker2 name>
```

For a list of all options to the script, type

```
stopworker -help
```

Stopping and Uninstalling the mdce Service

Normally, you configure the mdce service to start at system boot time and continue running until the machine shuts down. If you need to stop the mdce

service while leaving the machine on, enter the following commands at a DOS command prompt:

```
cd matlabroot\toolbox\distcomp\bin
mdce stop
```

If you plan to uninstall the MATLAB Distributed Computing Server product from a machine, you might want to uninstall the mdce service also, because you no longer need it.

You do not need to stop the service before uninstalling it.

To uninstall the mdce service, enter the following commands at a DOS command prompt:

```
cd matlabroot\toolbox\distcomp\bin
mdce uninstall
```

Customizing Server Services

In this section...
“Defining the Script Defaults” on page 2-13
“Overriding the Script Defaults” on page 2-15

The MATLAB Distributed Computing Server scripts run using several default parameters. You can customize the scripts, as described in this section.

Defining the Script Defaults

The scripts for the server services require values for several parameters. These parameters set the process name, the user name, log file location, ports, etc. Some of these can be set using flags on the command lines, but the full set of user-configurable parameters are in the `mdce_def` file.

Note The startup script flags take precedence over the settings in the `mdce_def` file.

The default parameters used by the server service scripts are defined in the file:

- `matlabroot\toolbox\distcomp\bin\mdce_def.bat` (on Microsoft Windows operating systems)
- `matlabroot/toolbox/distcomp/bin/mdce_def.sh` (on UNIX or Macintosh operating systems)

To set the default parameters, edit this file before installing or starting the `mdce` service.

The `mdce_def` file is self-documented, and includes explanations of all its parameters.

Note If you want to run more than one job manager on the same machine, they must all have unique names. Specify the names using flags with the startup commands.

Setting the User

By default, the job manager and worker services run as the user who starts them. You can run the services as a different user with the following settings in the `mdce_def` file.

Parameter	Description
MDCEUSER	Set this parameter to run the mdce services as a user different from the user who starts the service. On a UNIX operating system, set the value before starting the service; on a Windows operating system, set it before installing the service.
MDCEPASS	On a Windows operating system, set this parameter to specify the password for the user identified in the MDCEUSER parameter; otherwise, the system prompts you for the password when the service is installed.

On UNIX operating systems, MDCEUSER requires that the current machine has the `sudo` utility installed, and that the current user be allowed to use `sudo` to execute commands as the user identified by MDCEUSER. For further information, refer to your system documentation on the `sudo` and `sudoers` utilities (for example, `man sudo` and `man sudoers`).

The MDCEUSER is granted these permissions on Windows systems:

Privilege	Purpose	Local Security Settings Policy
SeServiceLogonRight	Required to log on using the service logon type.	Log on as a service
SeAssignPrimaryTokenPrivilege	Required to start a process under a different user account.	Replace a process level token
SeIncreaseQuotaPrivilege	Required to start a process under a different user account.	Adjust memory quotas for a process

To modify or remove these privileges,

- 1** Select the Windows menu **Start > Settings > Control Panel**.
- 2** Double-click **Administrative Tools**, then **Local Security Policy**.
- 3** In the tree, select **Local Policies**, then in the right pane, double-click **User Rights Assignment**.

The table above indicates which policies are affected by MDCEUSER. Double-click any of the listed policies in the Local Security Settings GUI to alter its setting or remove a user from that policy.

Overriding the Script Defaults

Specifying an Alternative Defaults File

The default parameters used by the mdce service, job managers, and workers are defined in the file:

- `matlabroot\toolbox\distcomp\bin\mdce_def.bat` (on Windows operating systems)
- `matlabroot/toolbox/distcomp/bin/mdce_def.sh` (on UNIX or Macintosh operating systems)

Before installing and starting the mdce service, you can edit this file to set the default parameters with values you require.

Alternatively, you can make a copy of this file, modify the copy, and specify that this copy be used for the default parameters.

On UNIX or Macintosh operating systems, enter the command

```
mdce start -mdcedef my_mdce_def.sh
```

On Windows operating systems, enter the command

```
mdce install -mdcedef my_mdce_def.bat
mdce start -mdcedef my_mdce_def.bat
```

If you specify a new `mdce_def` file instead of the default file for the service on one computer, the new file is not automatically used by the `mdce` service on other computers. If you want to use the same alternative file for all your `mdce` services, you must specify it for each `mdce` service you install or start.

For more information, see “Defining the Script Defaults” on page 2-13.

Note The startup script flags take precedence over the settings in the `mdce_def` file.

Starting in a Clean State

When a job manager or worker starts up, it normally resumes its session from the past. This way, a job queue is not destroyed or lost if the job manager machine crashes or if the job manager is inadvertently shut down. To start up a job manager or worker from a clean state, with all history deleted, use the `-clean` flag on the start command:

```
startjobmanager -clean -name MyJobManager
startworker -clean -jobmanager MyJobManager
```

Accessing Service Record Files

In this section...

“Locating Log Files” on page 2-17

“Locating Checkpoint Directories” on page 2-18

The MATLAB Distributed Computing Server services generate various record files in the normal course of their operations. The mdce service, job manager, and worker sessions all generate such files. This section describes the types of information stored by the services.

Locating Log Files

Log files for each service contain entries for the service’s operations. These might be of particular interest to the network administrator in cases when problems arise.

Operating System	File Location
Windows	<p>The default location of the log files is <TEMP>\MDCE\Log, where <TEMP> is the value of the system TEMP variable. For example, if TEMP is set to C:\TEMP, the log files are placed in C:\TEMP\MDCE\Log.</p> <p>You can set alternative locations for the log files by modifying the LOGBASE setting in the mdce_def.bat file before starting the mdce service.</p>
UNIX and Macintosh	<p>The default location of the log files is /var/log/mdce/.</p> <p>You can set alternative locations for the log files by modifying the LOGBASE setting in the mdce_def.sh file before starting the mdce service.</p>

Locating Checkpoint Directories

Checkpoint directories contain information related to persistence data, which the server services use to create continuity from one instance of a session to another. For example, if you stop and restart a job manager, the new session continues the old session, using all the same data.

A primary feature offered by the checkpoint directories is in crash recovery. This allows server services to automatically resume their sessions after a system goes down and comes back up, minimizing the loss of data. However, if a MATLAB worker goes down during the evaluation of a task, that task is neither reevaluated nor reassigned to another worker. In this case, a finished job may not have a complete set of output data, because data from any unfinished tasks might be missing.

Note If a job manager crashes and restarts, its workers can take up to 2 minutes to reregister with it.

Platform	File Location
Windows	<p>The default location of the checkpoint directories is <TEMP>\MDCE\Checkpoint, where <TEMP> is the value of the system TEMP variable. For example, if TEMP is set to C:\TEMP, the checkpoint directories are placed in C:\TEMP\MDCE\Checkpoint.</p> <p>You can set alternative locations for the checkpoint directories by modifying the CHECKPOINTBASE setting in the mdce_def.bat file before starting the mdce service.</p>
UNIX and Macintosh	<p>The checkpoint directories are placed by default in /var/lib/mdce/.</p> <p>You can set alternative locations for the checkpoint directories by modifying the CHECKPOINTBASE setting in the mdce_def.sh file before starting the mdce service.</p>

Setting Job Manager Security

In this section...

“Setting the Security Level” on page 2-19

“Local, Job Manager, and Network Passwords” on page 2-21

“Setting Secure Communication” on page 2-21

Setting the Security Level

You set the job manager security level with the `SECURITY_LEVEL` parameter in the `mdce_def` file before starting the `mdce` service on your cluster nodes. The `mdce_def` file indicates what values are allowed, and briefly describes each security level.

The following table describes the available security levels for accessing a job manager and its jobs.

Security Level	Description	User Requirements
0	<p>No security.</p> <ul style="list-style-type: none"> Any user can access any job. Tasks run as the user who started the <code>mdce</code> process on the worker machines (typically <code>root</code> or <code>Local System</code>). This is the default, and is the behavior in all releases prior to R2010b. 	<ul style="list-style-type: none"> Jobs are associated with the default user name of the programmer, but no protection is provided.
1	<p>Jobs are identified with the submitting user.</p> <ul style="list-style-type: none"> Any user can access any job; a dialog warns if the accessed job belongs to another user. 	<ul style="list-style-type: none"> A dialog requires you to establish a user name when you first access the job manager. Your job manager user name does not have to match your system/network user name.

Security Level	Description	User Requirements
	<ul style="list-style-type: none"> • Tasks run as the user who started the mdce process on the worker machines (typically root or Local System). 	<ul style="list-style-type: none"> • No passwords are used.
2	<p>Job manager password protection on jobs.</p> <ul style="list-style-type: none"> • Jobs and tasks are identified with the submitting user, and are password protected. Other users cannot access your jobs. • Tasks run as the user who started the mdce process on the worker machines (typically root or Local System). 	<ul style="list-style-type: none"> • When you start the job manager, it prompts you to provide a new password for that job manager's admin account, which can be used for accessing all users' jobs and tasks. • A dialog box requires you to establish a user name and password when you first access the job manager from the MATLAB client. • Your job manager user name and password do not have to match your system/network user name and password.
3	<p>In addition to the security of level 2, tasks run as the submitting user on worker machines.</p> <ul style="list-style-type: none"> • Jobs and tasks are identified with the submitting user, and are password protected. Other users cannot access your jobs. • Tasks run as the user who submitted the job. 	<ul style="list-style-type: none"> • On UNIX systems, the mdce process on the cluster nodes must be started by the root user. • The job manager must use secure communication with the workers (set in the mdce_def file). • When you start the job manager, it prompts you to provide a new password for that job manager's admin account, which can be used for accessing all users' jobs and tasks. • A dialog box requires you to establish a user name and password when you first access the job manager from the MATLAB client. • Your job manager user name and password must be the same as your

Security Level	Description	User Requirements
		system/network user name and password, because the worker must log you in to run the task as you.

Local, Job Manager, and Network Passwords

For any security, the job manager identifies every job with the user who submits the job. Therefore, whenever you access the job manager or a job, the job manager must be aware of who you are.

At security level 0, the job manager and job objects' `UserName` property is set to the login name of the person who creates the job; this setting can be changed at any time. For all higher security levels, the first access to the job manager causes a dialog box to open which asks for your username; if the security level is 2 or 3, you must also provide a password. The username and password you provide for the job manager needs to match your network username and password *only* if you are using security level 3; otherwise, you can create a new username and password unique for the job manager. For your convenience, you can choose how long to save your username and password on the local computer, so that you do not need to enter them every time you access your job.

For information about changing a password or clearing a local password store, see `changePassword` and `clearLocalPassword`.

Setting Secure Communication

To establish secure encrypted communication between job manager and workers, set the `USE_SECURE_COMMUNICATION` parameter in the `mdce_def` file.

You must also provide a value for the `SHARED_SECRET_FILE` parameter in the `mdce_def` file, identifying where the file can be found from the job manager perspective. To create this file, run either script:

- `matlabroot/toolbox/distcomp/bin/createSharedSecret` (UNIX)

- `matlabroot\toolbox\distcomp\bin\createSharedSecret.bat`
(Windows)

The secret file establishes trust between the processes on different machines.

- In a shared file system, all the nodes can point to the same secret file, and they can even all share the same `mdce_def` file.
- In a nonshared file system, create a secret file with the provided script, then copy the file to each node and make sure each node's `mdce_def` file indicates where its particular secret file is located.

Note Secure communication is required when using job manager security level 3.

Troubleshooting

In this section...

“License Errors” on page 2-23

“Memory Errors on UNIX Operating Systems” on page 2-25

“Running Server Processes from a Windows Network Installation” on page 2-25

“Required Ports” on page 2-25

“Ephemeral TCP Ports with Job Manager” on page 2-27

“Host Communications Problems” on page 2-27

“Verifying Multicast Communications” on page 2-29

This section offers advice on solving problems you might encounter with MATLAB Distributed Computing Server software.

License Errors

When starting a MATLAB worker, a licensing problem might result in the message

```
License checkout failed. No such FEATURE exists.  
License Manager Error -5
```

There are many reasons why you might receive this error:

- This message usually indicates that you are trying to use a product for which you are not licensed. Look at your `license.dat` file located within your MATLAB installation to see if you are licensed to use this product.
- If you are licensed for this product, this error may be the result of having extra carriage returns or tabs in your license file. To avoid this, ensure that each line begins with either `#`, `SERVER`, `DAEMON`, or `INCREMENT`.

After fixing your `license.dat` file, restart your license manager and MATLAB should work properly.

- This error may also be the result of an incorrect system date. If your system date is before the date that your license was made, you will get this error.

- If you receive this error when starting a worker with MATLAB Distributed Computing Server software:
 - You may be calling the `startworker` command from an installation that does not have access to a worker license. For example, starting a worker from a client installation of the Parallel Computing Toolbox product causes the following error:

```
The mdce service on the host hostname
returned the following error:
```

```
Problem starting the MATLAB worker.
```

```
The cause of this problem is:
```

```
=====
Most likely, the MATLAB worker failed to start due to a
licensing problem, or MATLAB crashed during startup. Check
the worker log file
/tmp/mdce_user/node_node_worker_05-11-01_16-52-03_953.log
for more detailed information. The mdce log file
/tmp/mdce_user/mdce-service.log
may also contain some additional information.
=====
```

In the worker log files, you see the following information:

```
License checkout failed.
License Manager Error -15
MATLAB is unable to connect to the license server.
Check that the license manager has been started, and that the
MATLAB client machine can communicate with the license server.
```

```
Troubleshoot this issue by visiting:
http://www.mathworks.com/support/lme/R2009a/15
```

```
Diagnostic Information:
Feature: MATLAB_Distrib_Comp_Engine
License path: /apps/matlab/etc/license.dat
FLEXnet Licensing error: -15,570. System Error: 115
```

- If you installed only the Parallel Computing Toolbox product, and you are attempting to run a worker on the same machine, you will receive this error because the MATLAB Distributed Computing Server product is not installed, and therefore the worker cannot obtain a license.

Memory Errors on UNIX Operating Systems

If the number of threads created by the server services on a machine running a UNIX operating system exceeds the limitation set by the `maxproc` value, the services fail and generate an out-of-memory error. Check your `maxproc` value on a UNIX operating system with the `limit` command. (Different versions of UNIX software might have different names for this property.)

Running Server Processes from a Windows Network Installation

Many networks are configured not to allow `LocalSystem` to have access to UNC or mapped network shares. In this case, run the `mdce` process under a different user with rights to log on as a service. See “Setting the User” on page 2-14.

Required Ports

Using a Job Manager

BASE_PORT. The `mdce_def` file specifies and describes the ports required by the job manager and all workers. See the following file in the MATLAB installation used for each cluster process:

- `matlabroot/toolbox/distcomp/bin/mdce_def.sh` (on UNIX operating systems)
- `matlabroot\toolbox\distcomp\bin\mdce_def.bat` (on Windows operating systems)

Parallel Jobs. On worker machines running a UNIX operating system, the number of ports required by MPICH for the running of parallel jobs ranges from `BASE_PORT + 1000` to `BASE_PORT + 2000`.

Using a Third-Party Scheduler

Before the worker processes start, you can control the range of ports used by the workers for parallel jobs by defining the environment variable `MPICH_PORT_RANGE` with the value `minport:maxport`.

Client Ports

With the `pctconfig` function, you specify the ports used by the client. If the default ports cannot be used, this function allows you to configure ports separately for communication with the job manager and communication with `pmode` or a MATLAB pool.

Ephemeral TCP Ports with Job Manager

If you use the job manager on a cluster of nodes running Windows operating systems, you must make sure that a large number of ephemeral TCP ports are available on the job manager machine. By default, the maximum valid ephemeral TCP port number on a Windows operating system is 5000, but transfers of large data sets might fail if this setting is not increased. In particular, if your cluster has 32 or more workers, you should increase the maximum valid ephemeral TCP port number using the following procedure:

- 1 Start the Registry Editor.
- 2 Locate the following subkey in the registry, and click **Parameters**:

```
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Tcpip\Parameters
```

- 3 On the Registry Editor window, select **Edit > New > DWORD Value**.
- 4 In the list of entries on the right, change the new value name to **MaxUserPort** and press **Enter**.
- 5 Right-click on the **MaxUserPort** entry name and select **Modify**.
- 6 In the Edit DWORD Value dialog, enter **65534** in the **Value data** field. Select **Decimal** for the **Base** value. Click **OK**.

This parameter controls the maximum port number that is used when a program requests any available user port from the system. Typically, ephemeral (short-lived) ports are allocated between the values of 1024 and 5000 inclusive. This action allows allocation for port numbers up to 65534.

- 7 Quit the Registry Editor.
- 8 Reboot your machine.

Host Communications Problems

If a worker is not able to make a connection with its job manager, or if a client session cannot find a job manager with the `findResource` function, this might indicate communications problems between nodes.

Using a Command Line Interface

First, be sure that the machines in question agree on their IP resolutions. The IP address for a particular host should be the same for itself as it is from the perspective of another host. For example, if a process on `hostB` cannot connect to one on `hostA`, find out the `hostA` IP address for itself, then see what the IP address for `hostA` is from `hostB`. They should be the same.

If the machines can identify each other, the `nodestatus` command can be useful for diagnosing problems between their processes. Use the function to determine what MDCS processes are running on the local host, and which are accessible from remote hosts. If a worker on `hostA` cannot register with its job manager on `hostB`, run `nodestatus` on both hosts to see what each can see on `hostB`.

On `hostB`, execute:

```
nodestatus -remotehost hostB
```

Then on `hostA`, run exactly the same command:

```
nodestatus -remotehost hostB
```

The results should be the same, showing the same listing of job managers and workers.

If the output indicates problems, run the command again with a higher information level to receive more detailed information:

```
nodestatus -remotehost hostB -infolevel 3
```

Using a GUI

You can diagnose some communications problems using Admin Center.

If you cannot successfully add hosts to the listing by specifying host name, you can use their IP addresses instead (see “Adding Hosts” on page 3-3). If you suspect any communications problems, in the Admin Center GUI click **Test Connectivity** (see “Testing Connectivity” on page 3-9). This testing verifies that the nodes can identify each other and allow their processes to communicate with each other.

Verifying Multicast Communications

Note Although the current version of the parallel computing products continues to support multicast communications between its processes, multicast is not recommended and might not be supported in future releases.

Multicast, unlike TCP/IP or UDP, is a subscription-based protocol where a number of machines on a network indicate to the network their interest in particular packets originating somewhere on that network. By contrast, both UDP and TCP packets are always bound for a single machine, usually indicated by its IP address.

The main tools for investigating this type of packet are:

- `tcpdump` for UNIX operating systems
- `wireshark` and `ethereal` for Microsoft Windows operating systems
- A Java™ class included with the parallel computing products.

The Java class is called `com.mathworks.toolbox.distcomp.test.MulticastTester`. Both its static `main` method and its constructor take two input arguments: the multicast group to join and the port number to use.

This Java class has a number of simple methods to attempt to join a specified multicast group. Once the class has successfully joined the group, it has methods to send messages to the group, listen for messages from the group, and display what it receives. You can use this class both from a command-line call to Java software and inside MATLAB.

From a shell prompt (assuming that `java` is on your path), type

```
java -cp distcomp.jar com.mathworks.toolbox.distcomp.test.MulticastTester
```

You should see an output something like this:

```
0 : hostname : 0
1 : host2name : 0
```

The following example shows how to use the Java class inside MATLAB.

Start MATLAB on two machines (e.g., `host1name` and `host2name`) for which you want to test multicast. In each MATLAB session, enter the following commands:

```
m = com.mathworks.toolbox.distcomp.test.MulticastTester('239.1.1.1', 9999);
m.startSendingThread;
m.startListeningThread;
```

These instructions cause each MATLAB session to issue a stream of multicast test packets, and to listen for test packets. If multicast is working between the machines, you see a stream of lines like the following:

```
0 : host1name : 0
1 : host2name : 0
2 : host2name : 1
3 : host2name : 2
```

The number on the left in each string is the line number for the received packet. The text in the center is the host from which the packet is received. The number on the right is the packet number sent by the sending host. It is normal for a host to report a test packet from itself.

If either machine does not receive a stream of test packets, or if the remote host is not included in either stream, then multicast communication is not operating properly.

To terminate the test stream, execute the following in both MATLAB sessions:

```
m.stopSendingThread;
m.stopListeningThread;
```


Admin Center

- “Starting Admin Center” on page 3-2
- “Setting Up Resources” on page 3-3
- “Testing Connectivity” on page 3-9
- “Saving and Loading Sessions” on page 3-13
- “Preparing for User Configurations” on page 3-14


Starting Admin Center

Admin Center is a graphical user interface that lets you control and verify MATLAB Distributed Computing Server resources if you are using a job manager as your scheduler.

You must start Admin Center outside a MATLAB session by executing the following:

- `matlabroot/toolbox/distcomp/bin/admincenter` (on UNIX operating systems)
- `matlabroot\toolbox\distcomp\bin\admincenter.bat` (on Microsoft Windows operating systems)

The first time you start Admin Center, you see a welcome dialog box.



A new session has no hosts listed, so the usual first step is to identify the hosts you want to include in your listing. To do this, click **Add or Find**. Further information continues in the next section.

If you start Admin Center again on the same host, your previous session for that machine is loaded; and unless the update rate is set to *never*, Admin Center performs an update immediately for the listed hosts and processes. To clear this information and start a new session, select the pull-down **File > New Session**.

Setting Up Resources

In this section...

- “Adding Hosts” on page 3-3
- “Starting a Job Manager” on page 3-4
- “Starting Workers” on page 3-5
- “Stopping, Destroying, Resuming, Restarting Processes” on page 3-7
- “Moving a Worker” on page 3-8
- “Updating the Display” on page 3-8

Adding Hosts

To specify the hosts you want displayed in Admin Center, click **Add or Find** in the Welcome dialog box, or if this is not a new session, click **Add or Find** in the Hosts module.

In the Add or Find Hosts dialog box, identify the hosts you want to add to the listing by one of the following methods:


- Select **Enter Hostnames** and provide short host names, fully qualified domain names, or individual IP addresses for the hosts, or
- Select **Enter IP Range** and provide the range of IP addresses for your hosts.

Note While you can add any hosts to Admin Center, a host must be running the mdce service if a job manager or worker is to run on that host. See the installation instructions available at:

http://www.mathworks.com/support/product/DM/installation/ver_current/

If one of the hosts you have specified is running a job manager, Admin Center will automatically find and list all the hosts running workers registered with that job manager. Similarly, if you specify a host that is running a worker,


Admin Center will find and list the host running that worker's job manager, and also all hosts running other workers under that job manager.



Starting a Job Manager


To start a job manager, click **Start** in the Job Manager module.

In the New Job Manager dialog box, provide a name for the job manager, and select a host to run it on.



Alternative methods for starting a job manager include selecting the pull-down **Job Manager > Start**, or right-clicking a listed host and selecting, **Start Job Manager**.

With a job manager running on your cluster, Admin Center might look like the following figure, with the job manager listed in the Job Manager module, as well as being listed by name in the Hosts module in the line for the host on which it is running.




Starting Workers

To start MATLAB workers, click **Start** in the Workers module.

In the Start Workers dialog box, specify the numbers of workers to start on each host, and select the hosts to run them. From the list, select the job manager for these workers. Click **OK** to start the workers. Admin center

automatically provides names for the workers, based on the hosts running them.



Alternative methods for starting workers include selecting the pull-down **Workers > Start**, or right-clicking a listed host or job manager and selecting, **Start Workers**.

With workers running on your cluster, Admin Center might look like the following figure, which shows the workers listed in the Workers module. Also, the number of workers running under the job manager is listed in the Job Manager module, and the number of workers for each job manager is listed in the Hosts module.

The screenshot shows the Admin Center interface with three main sections: Hosts, Job Manager, and Workers. Each section has a table of data and a sidebar with actions.

Hosts Section:

Host		MDCE Service			Job Managers		Workers
Hostname	Reachable	Cores	Status	Up Since	Name	Count	
node1	yes	2	running	2009-07-02 14:15	jm_4	2	
node2	yes	2	running	2009-07-02 15:07			

Job Manager Section:

Name	Hostname	Status	Up Since	Workers
jm_4	node1	running	2009-07-02 14:26	4

Workers Section:

Worker				Job Manager		
Name	Hostname	Status	Up Since	Connection	Name	Hostname
node1_worker01	node1	idle	2009-07-02 15:16	connected	jm_4	node1
node1_worker02	node1	idle	2009-07-02 15:16	connected	jm_4	node1
node2_worker01	node2	idle	2009-07-02 15:15	connected	jm_4	node1
node2_worker02	node2	idle	2009-07-02 15:15	connected	jm_4	node1

At the bottom right, there is an 'Update' button set to 'every 2 minutes' and an 'Update Now' button. The status bar shows 'Last updated: Thu Jul 02 15:26:55 EDT 2009'.

To get more information on any host, job manager, or worker listed in Admin Center, right-click its name in the display and select **Properties**. Alternatively, you can find the **Properties** option under the **Hosts**, **Job Manager**, and **Workers** drop-down menus.

Stopping, Destroying, Resuming, Restarting Processes

You can **Stop** or **Destroy** job managers and workers. The primary difference is that stopping a process shuts it down but retains its data; destroying a process shuts it down and clears its data. Use **Resume** to have a process continue with its existing data. When you use **Restart**, a dialog box requires you to confirm your intention of starting a new process while keeping or discarding data.

Moving a Worker

To move a worker from one host to another, you must completely shut it down, then start a new worker on the desired host:

- 1 Right-click the worker in the Workers module list.
- 2 Select **Destroy**. This shuts down the worker process and removes all its data.
- 3 If the old worker host is not running any other MDCS processes (mdce service, job manager, or workers), you might want to remove it from the Admin Center listing.
- 4 If necessary, add the new host to the Admin Center host listing.
- 5 In the Workers module, click **Start**. Select the desired host in the Start Workers dialog box, along with the appropriate number and job manager name.

Use a similar process to move a job manager from one host to another. Note, however, that all workers registered with the job manager must be destroyed and started again, registering them with the new instance of the job manager.

Updating the Display

Admin Center updates its data automatically at regular intervals. To set the update rate, select an option from the **Update** list. Click **Update Now** to immediately update the display data.

Testing Connectivity


Admin Center lets you test communications between your job manager node, worker nodes, and the node where Admin Center is running.

The tests are divided into four categories:


- **Client** — Verifies that the node running Admin Center is properly configured so that further cluster testing can proceed.
- **Client to Nodes** — Verifies that the node running Admin Center can identify and communicate with the other nodes in the cluster.
- **Nodes to Nodes** — Verifies that the other nodes in the cluster can identify each other, and that each node allows its mdce service to communicate with the mdce service on the other cluster nodes.
- **Nodes to Client** — Verifies that other cluster nodes can identify and communicate with the node running Admin Center.

First click **Test Connectivity** to open the Connectivity Testing dialog box. By default, the dialog box displays the results of the last test. To run new tests and update the display, click **Run**.






During test execution, Admin Center displays this progress dialog box.




When the tests are complete, the Running Tests dialog box automatically closes, and Admin Center displays the test results in the Connectivity Testing dialog box.



The possible test result symbols are described in the following table.

Test Result	Description
	Test passed.
	Test passed, extra information is available.
	Test passed, but generated a warning.
	Test failed.
	Test was skipped, possibly because prerequisite tests did not pass.

Test that include failures or other results might look like the following figure.



Double-click any of the symbols in the test results to drill down for more detail. Use the **Log** tab to see the raw data from the tests.

The results of the tests that run on only the client are displayed in the lower-left corner of the dialog box. To drill into client-only test results, click **More Info**.

Saving and Loading Sessions

By default, Admin Center saves the cluster definition, process status, and test results, so the next time the same user runs Admin Center on the same machine, that information is available and displayed by default. You can export session data so that a different user or a different host can access it, by selecting the pull-down **File > Export**. Browse to the location where you want to store the session data and provide a name for the file. Admin Center applies the extension `.mdcs` to the file name.

You can import that saved session data into a subsequent session of Admin Center by selecting the pull-down **File > Import**. The imported data includes cluster definition and test results.

When identifying the file for importing in the Import Session dialog box, there is a **Disable updates** check box. Checking this box lets you import a session that does not automatically update, so that you can statically examine a cluster setup for evaluation or diagnostic purposes. Otherwise, unless the update rate is set to `never`, Admin Center performs an update immediately after starting or loading a session.

Preparing for User Configurations

Admin Center does not create user configurations, but the information displayed in Admin Center is of vital importance when you create your parallel configuration — information such as job manager name, job manager host, and number of workers. For more information about creating and using configurations, see “Programming with User Configurations” in the Parallel Computing Toolbox documentation.

Control Script Reference

mdce Process Control (p. 4-2)

Job Manager Control (p. 4-2)

Worker Control (p. 4-2)

Control mdce service

Control job manager

Control MATLAB workers

mdce Process Control

<code>createSharedSecret</code>	Create shared secret for secure communication
<code>mdce</code>	Install, start, stop, or uninstall mdce service
<code>nodestatus</code>	Status of mdce processes running on node
<code>remotecopy</code>	Copy file or folder to or from one or more remote hosts using transport protocol
<code>remotemdce</code>	Execute mdce command on one or more remote hosts by transport protocol

Job Manager Control

<code>startjobmanager</code>	Start job manager process
<code>stopjobmanager</code>	Stop job manager process

Worker Control

<code>startworker</code>	Start MATLAB worker session
<code>stopworker</code>	Stop MATLAB worker session

Control Scripts — Alphabetical List

createSharedSecret

Purpose Create shared secret for secure communication

Syntax
`createSharedSecret`
`createSharedSecret -file <filename>`

Description `createSharedSecret` creates a shared secret file used for secure communication between job managers and workers. The file is named `secret` in the current folder.

`createSharedSecret -file <filename>` create a shared secret file as the given filename.

Before passing sensitive data from one service to another (e.g., between job manager and workers), these services need to establish a trust relationship using a shared secret. This script creates a file that serves as a shared secret between the services. Each service is trusted that has access to that secret file.

Create the secret file only once per cluster on one machine, then copy it into the location specified by `SHARED_SECRET_FILE` in the `mdce_def` file on each machine before starting any job managers or workers. In a shared file system, all nodes can point to the same file. Shared secrets can be reused in subsequent sessions.

Example Create a shared secret file in a central location for all the nodes of the cluster:

```
cd matlabInstallDir/toolbox/distcomp/bin
createSharedSecret -file /share/secret
```

Then make sure that the nodes' shared or copied `mdce_def` files set the parameter `SHARED_SECRET_FILE` to `/share/secret` before starting the `mdce` service on each.

See Also `mdce`

Purpose

Install, start, stop, or uninstall mdce service

Syntax

```
mdce install
mdce uninstall
mdce start
mdce stop
mdce console
mdce restart
mdce ... -mdcedef <mdce_defaults_file>
mdce ... -clean
mdce status
mdce -version
```

Description

The mdce service ensures that all other processes are running and that it is possible to communicate with them. Once the mdce service is running, you can use the `nodestatus` command to obtain information about the mdce service and all the processes it maintains.

The mdce executable resides in the folder `matlabroot\toolbox\distcomp\bin` (Windows operating system) or `matlabroot/toolbox/distcomp/bin` (UNIX operating system). Enter the following commands at a DOS or UNIX command-line prompt, respectively.

`mdce install` installs the mdce service in the Microsoft Windows Service Control Manager. This causes the service to automatically start when the Windows operating system boots up. The service must be installed before it is started.

`mdce uninstall` uninstalls the mdce service from the Windows Service Control Manager. Note that if you wish to install mdce service as a different user, you must first uninstall the service and then reinstall as the new user.

`mdce start` starts the mdce service. This creates the required logging and checkpointing directories, and then starts the service as specified in the mdce defaults file.

`mdce stop` stops running the mdce service. This automatically stops all job managers and workers on the computer, but leaves their checkpoint information intact so that they will start again when the mdce service is started again.

`mdce console` starts the mdce service as a process in the current terminal or command window rather than as a service running in the background.

`mdce restart` performs the equivalent of `mdce stop` followed by `mdce start`. This command is available only on UNIX and Macintosh operating systems.

`mdce ... -mcedef <mdce_defaults_file>` uses the specified alternative mdce defaults file instead of the one found in *matlabroot/toolbox/distcomp/bin*.

`mdce ... -clean` performs a complete cleanup of all service checkpoint and log files before installing or starting the service, or after stopping or uninstalling it. This deletes all information about any job managers or workers this service has ever maintained.

`mdce status` reports the status of the mdce service, indicating whether it is running and with what PID. Use `nodestatus` to obtain more detailed information about the mdce service. The `mdce status` command is available only on UNIX and Macintosh operating systems.

`mdce -version` prints version information of the mdce process to standard output, then exits.

See Also

`nodestatus`, `startjobmanager`, `startworker`, `stopjobmanager`, `stopworker`

Purpose Status of mdce processes running on node

Syntax
nodestatus
nodestatus *-flags*

Description nodestatus displays the status of the mdce service and the processes which it maintains. The mdce service must already be running on the specified computer.

The nodestatus executable resides in the folder *matlabroot\toolbox\distcomp\bin* (Windows operating system) or *matlabroot/toolbox/distcomp/bin* (UNIX operating system). Enter the following command syntax at a DOS or UNIX command-line prompt, respectively.

nodestatus -flags accepts the following input flags. Multiple flags can be used together on the same command.

Flag	Operation
<i>-remotehost <hostname></i>	Displays the status of the mdce service and the processes it maintains on the specified host. The default value is the local host.
<i>-infolevel <level></i>	Specifies how much status information to report, using a level of 1-3. 1 means only the basic information, 3 means all information available. The default value is 1.

nodestatus

Flag	Operation
-baseport <port_number>	Specifies the base port that the mdce service on the remote host is using. You need to specify this only if the value of <code>BASE_PORT</code> in the local <code>mdce_def</code> file does not match the base port being used by the mdce service on the remote host.
-v	Verbose mode displays the progress of the command execution.

Examples

Display basic information about the mdce processes on the local host.

```
nodestatus
```

Display detailed information about the status of the mdce processes on host node27.

```
nodestatus -remotehost node27 -infolevel 2
```

See Also

mdce, startjobmanager, startworker, stopjobmanager, stopworker

Purpose Copy file or folder to or from one or more remote hosts using transport protocol

Syntax `remotecopy <flags> <protocol options>`

Description `remotecopy` copies a file or folder to or from one or more remote hosts by using a transport protocol (such as `rsh` or `ssh`). Copying from multiple hosts creates a separate file per host, appending the hostname to the specified filename.

The general form of the syntax is:

`remotecopy <flags> <protocol options>`

Flags and Options	Operation
<code>-local <file-or-foldername></code>	Specify the name of the file or folder on the local host.
<code>-remote <file-or-foldername></code>	Specify the name of the file or folder on the remote host.
<code>-from</code>	Specify to copy from the remote hosts to the local host. You must use either the <code>-from</code> flag, or the <code>-to</code> flag.
<code>-to</code>	Specify to copy to the remote hosts from the local host. You must use either the <code>-from</code> flag, or the <code>-to</code> flag.
<code>-remotehost host1[,host2[,...]]</code>	Specify the names of the hosts where you want to copy to or from. Separate the host names by commas without any white spaces. This is a mandatory argument.
<code>-remoteplatform { unix windows }</code>	Specify the platform of the remote hosts. This option is required only if different from the local platform.

remotecopy

Flags and Options	Operation
-quiet	Prevent remotecopy from prompting for missing information. The command fails if all required information is not specified.
-help	Print the help information for this command.
-protocol <i>type</i>	Force the usage of a particular protocol type. Specifying a protocol type with all its required parameters also avoids interactive prompting and allows for use in scripts. The supported protocol types are <code>scp</code> , <code>sftp</code> and <code>rcp</code> . To get more information about one particular protocol type, enter <code>remotecopy -protocol <i>type</i> -help</code>
< <i>protocol options</i> >	Specify particular options for the protocol type being used.

Note The file permissions on the copy might not be the same as the permissions on the original file.

Examples

Copy the local file `mdce_def.sh` to two other machines. (Enter this command on a single line.)

```
remotecopy -local mdce_def.sh -to  
-remote /matlab/toolbox/distcomp/bin -remotehost hostA,hostB
```

Retrieve folders of the same name from two hosts to the local machine. (Enter command on a single line.)

```
remotecopy -local C:\temp\log -from -remote C:\temp\mdce\log  
-remotehost winHost1,winHost2
```


See Also remote, remotemdce

remotemdce

Purpose Execute mdce command on one or more remote hosts by transport protocol

Syntax remotemdce *<mdce options>* *<flags>* *<protocol options>*

Description remotemdce allows you to execute the mdce service on one or more remote hosts. For a description of the mdce service, see the mdce reference page. The general form of the syntax is:

```
remotemdce <mdce options> <flags> <protocol options>
```

The following table describes the supported flags and options. They can be combined in the same command. Note that flags are each preceded by a dash (-).

Flags and Options	Operation
<i><mdce options></i>	Options and arguments of the mdce command, such as <code>start</code> , <code>stop</code> , etc. See the mdce reference page for a full list.
<code>-matlabroot <installfoldername></code>	The MATLAB installation folder on the remote hosts, required only if the remote installation folder differs from the one on the local machine.
<code>-remotehost host1[,host2[,...]]</code>	Specify the names of the hosts where you want to run the mdce command. Separate the host names by commas without any white spaces. This is a mandatory argument.
<code>-remoteplatform { unix windows }</code>	Indicate the platform of the remote hosts. This option is required only if different from the local platform.
<code>-quiet</code>	Prevent mdce from prompting the user for missing information. The command fails if all required information is not specified.

Flags and Options	Operation
-help	Print the help information.
-protocol <i>type</i>	Force the usage of a particular protocol type. Specifying a protocol type with all its required parameters also avoids interactive prompting and allows for use in scripts. The supported protocol types are ssh and rsh. To get more information about one particular protocol type, enter <code>remotemdce -protocol <i>type</i> -help</code>
< <i>protocol options</i> >	Specify particular options for the protocol type being used.

Note If you are using OpenSSHd on a Microsoft Windows operating system, you can encounter a problem when using backslashes in path names for your command options. In most cases, you can work around this problem by using forward slashes instead. For example, to specify the file C:\temp\mdce_def.bat, you should identify it as C:/temp/mdce_def.bat.

Examples

Start mdce on three remote machines of the same platform as the client:

```
remotemdce start -remotehost hostA,hostB,hostC
```

Start mdce in a clean state on two UNIX operating system machines from a Windows operating system machine, using the ssh protocol. Enter the following command on a single line:

```
remotemdce start -clean -matlabroot /usr/local/matlab  
-remotehost unixHost1,unixHost2 -remoteplatform UNIX
```

remotemdce

-protocol ssh

See Also mdce, remote, remotecopy

Purpose Start job manager process

Syntax startjobmanager
startjobmanager *-flags*

Description startjobmanager starts a job manager process and the associated job manager lookup process under the mdce service, which maintains them after that. The job manager handles the storage of jobs and the distribution of tasks contained in jobs to MATLAB workers that are registered with it. The mdce service must already be running on the specified computer.

The startjobmanager executable resides in the folder *matlabroot\toolbox\distcomp\bin* (Windows operating system) or *matlabroot/toolbox/distcomp/bin* (UNIX operating system). Enter the following command syntax at a DOS or UNIX command-line prompt, respectively.

startjobmanager *-flags* accepts the following input flags. Multiple flags can be used together on the same command.

Flag	Operation
-name <job_manager_name>	Specifies the name of the job manager. This identifies the job manager to MATLAB worker sessions and MATLAB clients. The default is the value of the DEFAULT_JOB_MANAGER_NAME parameter in the mdce_def file.
-remotehost <hostname>	Specifies the name of the host where you want to start the job manager and the job manager lookup process. If omitted, they are started on the local host.

startjobmanager

Flag	Operation
-clean	Deletes all checkpoint information stored on disk from previous instances of this job manager before starting. This cleans the job manager so that it initializes with no jobs or tasks.
-multicast	Overrides the use of unicast to contact the job manager lookup process. It is recommended that you not use -multicast unless you are certain that multicast works on your network. This overrides the setting of JOB_MANAGER_HOST in the mdce_def file on the remote host, which would have the job manager use unicast. If this flag is omitted and JOB_MANAGER_HOST is empty, the job manager uses unicast to contact the job manager lookup process running on the same host.
-baseport <port_number>	Specifies the base port that the mdce service on the remote host is using. You need to specify this only if the value of BASE_PORT in the local mdce_def file does not match the base port being used by the mdce service on the remote host.
-v	Verbose mode displays the progress of the command execution.

Examples

Start the job manager MyJobManager on the local host.

```
startjobmanager -name MyJobManager
```

Start the job manager MyJobManager on the host JMHost.

```
startjobmanager -name MyJobManager -remotehost JMHost
```

See Also

mdce, nodestatus, startworker, stopjobmanager, stopworker

startworker

Purpose Start MATLAB worker session

Syntax
startworker
startworker *-flags*

Description startworker starts a MATLAB worker process under the mdce service, which maintains it after that. The worker registers with the specified job manager, from which it will get tasks for evaluation. The mdce service must already be running on the specified computer.

The startworker executable resides in the folder *matlabroot\toolbox\distcomp\bin* (Windows operating system) or *matlabroot/toolbox/distcomp/bin* (UNIX operating system). Enter the following command syntax at a DOS or UNIX command-line prompt, respectively.

startworker *-flags* accepts the following input flags. Multiple flags can be used together on the same command, except where noted.

Flag	Operation
-name <worker_name>	Specifies the name of the MATLAB worker. The default is the value of the DEFAULT_WORKER_NAME parameter in the mdce_def file.
-remotehost <hostname>	Specifies the name of the computer where you want to start the MATLAB worker. If omitted, the worker is started on the local computer.
-jobmanager <job_manager_name>	Specifies the name of the job manager this MATLAB worker will receive tasks from. The default is the value of the DEFAULT_JOB_MANAGER_NAME parameter in the mdce_def file.

Flag	Operation
-jobmanagerhost <job_manager_hostname>	<p>Specifies the host on which the job manager is running. The worker uses unicast to contact the job manager lookup process on that host to register with the job manager.</p> <p>This overrides the setting of <code>JOB_MANAGER_HOST</code> in the <code>mdce_def</code> file on the worker computer, which would also have the worker use unicast.</p> <p>Cannot be used together with <code>-multicast</code>.</p>
-multicast	<p>If you are certain that multicast works on your network, you can force the worker to use multicast to locate the job manager lookup process by specifying <code>-multicast</code>. Note: If you are using this flag to change the settings of and restart a stopped worker, then you should also use the <code>-clean</code> flag.</p> <p>Cannot be used together with <code>-jobmanagerhost</code>.</p>
-clean	<p>Deletes all checkpoint information associated with this worker name before starting.</p>
-baseport <port_number>	<p>Specifies the base port that the <code>mdce</code> service on the remote host is using. You only need to specify this if the value of <code>BASE_PORT</code> in the local <code>mdce_def</code> file does not match the base port being used by the <code>mdce</code> service on the remote host.</p>
-v	<p>Verbose mode displays the progress of the command execution.</p>

startworker

Examples

Start a worker on the local host, using the default worker name, registering with the job manager MyJobManager on the host JMHost.

```
startworker -jobmanager MyJobManager -jobmanagerhost JMHost
```

Start a worker on the host WorkerHost, using the default worker name, and registering with the job manager MyJobManager on the host JMHost. (The following command should be entered on a single line.)

```
startworker -jobmanager MyJobManager -jobmanagerhost JMHost  
-remotehost WorkerHost
```

Start two workers, named worker1 and worker2, on the host WorkerHost, registering with the job manager MyJobManager that is running on the host JMHost. Note that to start two workers on the same computer, you must give them different names. (Each of the two commands below should be entered on a single line.)

```
startworker -name worker1 -remotehost WorkerHost  
-jobmanager MyJobManager -jobmanagerhost JMHost  
startworker -name worker2 -remotehost WorkerHost  
-jobmanager MyJobManager -jobmanagerhost JMHost
```

See Also

mdce, nodestatus, startjobmanager, stopjobmanager, stopworker

Purpose Stop job manager process

Syntax
stopjobmanager
stopjobmanager *-flags*

Description stopjobmanager stops a job manager that is running under the mdce service.

The stopjobmanager executable resides in the folder *matlabroot\toolbox\distcomp\bin* (Windows operating system) or *matlabroot/toolbox/distcomp/bin* (UNIX operating system). Enter the following command syntax at a DOS or UNIX command-line prompt, respectively.

stopjobmanager *-flags* accepts the following input flags. Multiple flags can be used together on the same command.

Flag	Operation
-name <job_manager_name>	Specifies the name of the job manager to stop. The default is the value of DEFAULT_JOB_MANAGER_NAME parameter the mdce_def file.
-remotehost <hostname>	Specifies the name of the host where you want to stop the job manager and the associated job manager lookup process. The default value is the local host.
-clean	Deletes all checkpoint information stored on disk for the current instance of this job manager after stopping it. This cleans the job manager of all its job and task data.

stopjobmanager

Flag	Operation
-baseport <port_number>	Specifies the base port that the mdce service on the remote host is using. You need to specify this only if the value of <code>BASE_PORT</code> in the local <code>mdce_def</code> file does not match the base port being used by the mdce service on the remote host.
-v	Verbose mode displays the progress of the command execution.

Examples

Stop the job manager MyJobManager on the local host.

```
stopjobmanager -name MyJobManager
```

Stop the job manager MyJobManager on the host JMHost.

```
stopjobmanager -name MyJobManager -remotehost JMHost
```

See Also

mdce, nodestatus, startjobmanager, startworker, stopworker

Purpose Stop MATLAB worker session

Syntax
 stopworker
 stopworker *-flags*

Description stopworker stops a MATLAB worker process that is running under the mdce service.

The stopworker executable resides in the folder *matlabroot\toolbox\distcomp\bin* (Windows operating system) or *matlabroot/toolbox/distcomp/bin* (UNIX operating system). Enter the following command syntax at a DOS or UNIX command-line prompt, respectively.

stopworker *-flags* accepts the following input flags. Multiple flags can be used together on the same command.

Flag	Operation
-name <worker_name>	Specifies the name of the MATLAB worker to stop. The default is the value of the DEFAULT_WORKER_NAME parameter in the mdce_def file.
-remotehost <hostname>	Specifies the name of the host where you want to stop the MATLAB worker. The default value is the local host.
-clean	Deletes all checkpoint information associated with this worker name after stopping it.

stopworker

Flag	Operation
-baseport <port_number>	Specifies the base port that the mdce service on the remote host is using. You need to specify this only if the value of <code>BASE_PORT</code> in the local <code>mdce_def</code> file does not match the base port being used by the mdce service on the remote host.
-v	Verbose mode displays the progress of the command execution.

Examples

Stop the worker with the default name on the local host.

```
stopworker
```

Stop the worker with the default name, running on the computer WorkerHost.

```
stopworker -remotehost WorkerHost
```

Stop the workers named worker1 and worker2, running on the computer WorkerHost.

```
stopworker -name worker1 -remotehost WorkerHost  
stopworker -name worker2 -remotehost WorkerHost
```

See Also

mdce, nodestatus, startjobmanager, startworker, stopjobmanager

CHECKPOINTBASE

The name of the parameter in the `mdce_def` file that defines the location of the job manager and worker checkpoint directories.

checkpoint directory

Location where job manager checkpoint information and worker checkpoint information is stored.

client

The MATLAB session that defines and submits the job. This is the MATLAB session in which the programmer usually develops and prototypes applications. Also known as the MATLAB client.

client computer

The computer running the MATLAB client.

cluster

A collection of computers that are connected via a network and intended for a common purpose.

coarse-grained application

An application for which run time is significantly greater than the communication time needed to start and stop the program. Coarse-grained distributed applications are also called embarrassingly parallel applications.

codistributed array

An array partitioned into segments, with each segment residing in the workspace of a different lab.

Composite

An object in a MATLAB client session that provides access to data values stored on the labs in a MATLAB pool, such as the values of variables that are assigned inside an `spmd` statement.

computer

A system with one or more processors.

distributed application

The same application that runs independently on several nodes, possibly with different input parameters. There is no communication, shared data, or synchronization points between the nodes. Distributed applications can be either coarse-grained or fine-grained.

distributed computing

Computing with distributed applications, running the application on several nodes simultaneously.

distributed computing demos

Demonstration programs that use Parallel Computing Toolbox software, as opposed to sequential demos.

DNS

Domain Name System. A system that translates Internet domain names into IP addresses.

dynamic licensing

The ability of a MATLAB worker or lab to employ all the functionality you are licensed for in the MATLAB client, while checking out only a server product license. When a job is created in the MATLAB client with Parallel Computing Toolbox software, the products for which the client is licensed will be available for all workers or labs that evaluate tasks for that job. This allows you to run any code on the cluster for which you are licensed on your MATLAB client, without requiring extra licenses for the worker beyond that for the MATLAB Distributed Computing Server product. For a list of products that are not eligible for use with Parallel Computing Toolbox software, see http://www.mathworks.com/products/ineligible_programs/.

fine-grained application

An application for which run time is significantly less than the communication time needed to start and stop the program. Compare to coarse-grained applications.

head node

Usually, the node of the cluster designated for running the job manager and license manager. It is often useful to run all the nonworker-related processes on a single machine.

heterogeneous cluster

A cluster that is not homogeneous.

homogeneous cluster

A cluster of identical machines, in terms of both hardware and software.

job

The complete large-scale operation to perform in MATLAB, composed of a set of tasks.

job manager

The MathWorks process that queues jobs and assigns tasks to workers. A third-party process that performs this function is called a scheduler. The general term “scheduler” can also refer to a job manager.

job manager checkpoint information

Snapshot of information necessary for the job manager to recover from a system crash or reboot.

job manager database

The database that the job manager uses to store the information about its jobs and tasks.

job manager lookup process

The process that allows clients, workers, and job managers to find each other. It starts automatically when the job manager starts.

lab

When workers start, they work independently by default. They can then connect to each other and work together as peers, and are then referred to as labs.

LOGDIR

The name of the parameter in the `mdce_def` file that defines the directory where logs are stored.

MathWorks job manager

See job manager.

MATLAB client

See client.

MATLAB pool

A collection of labs that are reserved by the client for execution of parfor-loops or spmd statements. See also lab.

MATLAB worker

See worker.

mdce

The service that has to run on all machines before they can run a job manager or worker. This is the server foundation process, making sure that the job manager and worker processes that it controls are always running.

Note that the program and service name is all lowercase letters.

mdce_def file

The file that defines all the defaults for the mdce processes by allowing you to set preferences or definitions in the form of parameter values.

MPI

Message Passing Interface, the means by which labs communicate with each other while running tasks in the same job.

node

A computer that is part of a cluster.

parallel application

The same application that runs on several labs simultaneously, with communication, shared data, or synchronization points between the labs.

private array

An array which resides in the workspaces of one or more, but perhaps not all labs. There might or might not be a relationship between the values of these arrays among the labs.

random port

A random unprivileged TCP port, i.e., a random TCP port above 1024.

register a worker

The action that happens when both worker and job manager are started and the worker contacts job manager.

replicated array

An array which resides in the workspaces of all labs, and whose size and content are identical on all labs.

scheduler

The process, either third-party or the MathWorks job manager, that queues jobs and assigns tasks to workers.

spmc (single program multiple data)

A block of code that executes simultaneously on multiple labs in a MATLAB pool. Each lab can operate on a different data set or different portion of distributed data, and can communicate with other participating labs while performing the parallel computations.

task

One segment of a job to be evaluated by a worker.

variant array

An array which resides in the workspaces of all labs, but whose content differs on these labs.

worker

The MATLAB process that performs the task computations. Also known as the MATLAB worker or worker process.

worker checkpoint information

Files required by the worker during the execution of tasks.

A

- administration
 - network 2-1

C

- checkpoint directory
 - definition Glossary-1
 - locating 2-18
- CHECKPOINTBASE
 - definition Glossary-1
- clean state
 - starting services 2-16
- client
 - definition Glossary-1
 - process 1-5
- client computer
 - definition Glossary-1
- cluster
 - definition Glossary-1
- coarse-grained application
 - definition Glossary-1
- Composite
 - definition Glossary-1
- computer
 - definition Glossary-1
- configuring MATLAB® Distributed Computing Server™ 2-5
- control scripts
 - createSharedSecret 5-2
 - customizing 2-13
 - defaults 2-13
 - mdce 5-3
 - nodestatus 5-5
 - remotecopy 5-7
 - remotemdce 5-10
 - startjobmanager 5-13
 - startworker 5-16
 - stopjobmanager 5-19
 - stopworker 5-21

- createSharedSecret control script 5-2

D

- distributed application
 - definition Glossary-2
- distributed computing
 - definition Glossary-2
- distributed computing demos
 - definition Glossary-2
- DNS
 - definition Glossary-2
- dynamic licensing
 - definition Glossary-2

F

- fine-grained application
 - definition Glossary-2

H

- head node
 - definition Glossary-2
- heterogeneous cluster
 - definition Glossary-3
 - support 1-8
- homogeneous cluster
 - definition Glossary-3

I

- installing MATLAB® Distributed Computing Server™ 2-5

J

- job
 - definition Glossary-3
- job manager
 - checkpoint information

- definition Glossary-3
- database
 - definition Glossary-3
- definition Glossary-3
- logs 2-17
- lookup process
 - definition Glossary-3
- multiple on one machine 2-14
- process 1-5
- stopping
 - on UNIX or Macintosh 2-9
 - on Windows 2-11
- versus third-party scheduler 1-7

L

- lab
 - definition Glossary-3
- log files
 - locating 2-17
- LOGDIR
 - definition Glossary-3

M

- MathWorks job manager. *See* job manager
- MATLAB client
 - definition Glossary-4
- MATLAB pool
 - definition Glossary-4
- MATLAB worker
 - definition Glossary-4
- mdce (service)
 - definition Glossary-4
- mdce control script 5-3
- mdce_def file
 - definition Glossary-4
- MPI
 - definition Glossary-4

N

- network
 - administration 2-1
 - layout 2-2
 - preparation 2-2
 - requirements 2-3
 - security 2-4
- node
 - definition Glossary-4
- nodestatus control script 5-5

P

- parallel application
 - definition Glossary-4
- parallel computing products
 - server 1-5
 - toolbox 1-5
 - version 1-3
- Parallel Computing Toolbox
 - using 1-9
- platforms
 - supported 1-8

R

- random port
 - definition Glossary-5
- register a worker
 - definition Glossary-5
- remotecopy control script 5-7
- remotemdce control script 5-10
- requirements 2-3

S

- scheduler
 - definition Glossary-5
 - third-party 1-7
- security 2-4

spsmd
 definition Glossary-5
startjobmanager control script 5-13
startworker control script 5-16
stopjobmanager control script 5-19
stopworker control script 5-21

T

task
 definition Glossary-5
third-party scheduler 1-7
 versus job manager 1-7
troubleshooting
 license errors 2-23
 memory errors 2-25
 verifying multicast 2-29
 Windows network installation 2-25

U

user
 setting 2-14

W

worker
 definition Glossary-5
 process 1-5
worker checkpoint information
 definition Glossary-5
workers
 logs 2-17
 stopping
 on UNIX or Macintosh 2-9
 on Windows 2-11