# Data Acquisition Toolbox™ <u>Release Notes</u>

#### **How to Contact MathWorks**



(a)

www.mathworks.comWebcomp.soft-sys.matlabNewsgroupwww.mathworks.com/contact\_TS.htmlTechnical Support

suggest@mathworks.com bugs@mathworks.com doc@mathworks.com service@mathworks.com info@mathworks.com Product enhancement suggestions Bug reports Documentation error reports Order status, license renewals, passcodes Sales, pricing, and general information



508-647-7001 (Fax)

508-647-7000 (Phone)

The MathWorks, Inc. 3 Apple Hill Drive Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Data Acquisition Toolbox<sup>™</sup> Release Notes

© COPYRIGHT 2005–2011 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

#### Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

#### Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

# Contents

| Summary by Version  | 1  |
|---|----|
| Version 2.18 (R2011a) Data Acquisition Toolbox<br>Software  | 5  |
| Version 2.17 (R2010b) Data Acquisition Toolbox<br>Software  | 7  |
| Version 2.16 (R2010a) Data Acquisition Toolbox<br>Software  | 9  |
| Version 2.15 (R2009b) Data Acquisition Toolbox<br>Software  | 11 |
| Version 2.14 (R2009a) Data Acquisition Toolbox<br>Software  | 13 |
| Version 2.13 (R2008b) Data Acquisition Toolbox<br>Software  | 15 |
| Version 2.12 (R2008a) Data Acquisition Toolbox<br>Software  | 18 |
| Version 2.11 (R2007b) Data Acquisition Toolbox<br>Software  | 20 |
| Version 2.10 (R2007a) Data Acquisition Toolbox<br>Software  | 23 |
| Version 2.9 (R2006b) Data Acquisition Toolbox<br>Software   | 25 |
| Version 2.8.1 (R2006a) Data Acquisition Toolbox<br>Software | 27 |

| Version 2.8 (R14SP3+) Data Acquisition Toolbox<br>Software     | 28 |
|--|----|
| Version 2.7 (R14SP3) Data Acquisition Toolbox<br>Software      | 30 |
| Version 2.6 (R14SP2) Data Acquisition Toolbox<br>Software      | 31 |
| Version 2.5.1 (R14SP1) Data Acquisition Toolbox<br>Software    | 36 |
| Version 2.5 (R14) Data Acquisition Toolbox Software $\dots$    | 37 |
| Compatibility Summary for Data Acquisition Toolbox<br>Software | 38 |

# **Summary by Version**

This table provides quick access to what's new in each version. For clarification, see "Using Release Notes" on page 3.

| Version (Release)                | New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|----------------------------------|-----------------------------|--|----------------------------------|
| Latest Version<br>V2.18 (R2011a) | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.17 (R2010b)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.16 (R2010a)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.15 (R2009b)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.14 (R2009a)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.13 (R2008b)                   | Yes<br>Details              | Yes<br>Summary                             | Bug Reports<br>Includes fixes    |
| V2.12 (R2008a)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.11 (R2007b)                   | Yes<br>Details              | Yes<br>Summary                             | Bug Reports<br>Includes fixes    |
| V2.10 (R2007a)                   | Yes<br>Details              | Yes<br>Summary                             | Bug Reports<br>Includes fixes    |
| V2.9 (R2006b)                    | Yes<br>Details              | Yes<br>Summary                             | Bug Reports<br>Includes fixes    |
| V2.8.1 (R2006a)                  | No                          | No   | Bug Reports<br>Includes fixes    |
| V2.8 (R14SP3+)                   | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.7 (R14SP3)                    | No                          | No   | Bug Reports<br>Includes fixes    |

| Version (Release) | New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-------------------|-----------------------------|--|----------------------------------|
| V2.6 (R14SP2)     | Yes<br>Details              | No   | Bug Reports<br>Includes fixes    |
| V2.5.1 (R14SP1)   | No                          | No   | Fixed bugs                       |
| V2.5 (R14)        | No                          | No   | Fixed bugs                       |

#### **Using Release Notes**

Use release notes when upgrading to a newer version to learn about:

- New features
- Changes
- Potential impact on your existing files and practices

Review the release notes for other MathWorks<sup>®</sup> products required for this product (for example, MATLAB<sup>®</sup> or Simulink<sup>®</sup>). Determine if enhancements, bugs, or compatibility considerations in other products impact you.

If you are upgrading from a software version other than the most recent one, review the current release notes and all interim versions. For example, when you upgrade from V1.0 to V1.2, review the release notes for V1.1 and V1.2.

### What Is in the Release Notes

#### **New Features and Changes**

- New functionality
- Changes to existing functionality

#### **Version Compatibility Considerations**

When a new feature or change introduces a reported incompatibility between versions, the **Compatibility Considerations** subsection explains the impact.

Compatibility issues reported after the product release appear under Bug Reports at the MathWorks Web site. Bug fixes can sometimes result in incompatibilities, so review the fixed bugs in Bug Reports for any compatibility impact.

#### **Fixed Bugs and Known Problems**

MathWorks offers a user-searchable Bug Reports database so you can view Bug Reports. The development team updates this database at release time and as more information becomes available. Bug Reports include provisions for any known workarounds or file replacements. Information is available for bugs existing in or fixed in Release 14SP2 or later. Information is not available for all bugs in earlier releases.

Access Bug Reports using your MathWorks Account.

### **Documentation on the MathWorks Web Site**

Related documentation is available on mathworks.com for the latest release and for previous releases:

- Latest product documentation
- Archived documentation

## Version 2.18 (R2011a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.18 (R2011a):

New features and changes introduced in this version are:

- "Support Added for Counters and Timers" on page 5
- "Support Added for IEPE Accelerometer Measurements" on page 5
- "Support Added for NI-DAQmx Devices" on page 5
- "New Hardware Support for National Instruments Chassis-Based Devices" on page 6
- "64-Bit Windows Support" on page 6
- "NI-DAQmx Driver Requirement" on page 6

### **Support Added for Counters and Timers**

You can now use counter and timer subsystems on National Instruments<sup>®</sup> CompactDAQ devices in Data Acquisition Toolbox<sup>™</sup>.

### **Support Added for IEPE Accelerometer Measurements**

You can now directly access IEPE accelerometer measurements on a National Instruments CompactDAQ device.

### Support Added for NI-DAQmx Devices

Additional data acquisition hardware support was added for NI-DAQmx Version 9.2.1 devices as follows:

| NI PCIe-6509 | NI USB-6351 |
|--------------|-------------|
| NI PXIe-4492 | NI USB-6353 |
| NI PXIe-4497 | NI USB-6356 |
| NI PXIe-4499 | NI USB-6361 |
| NI USB-6341  | NI USB-6363 |
| NI USB-6343  | NI USB-6366 |
|              |             |

#### New Hardware Support for National Instruments Chassis-Based Devices

Additional data acquisition hardware support was added for NI 9222, and NI 9223 devices.

### **64-Bit Windows Support**

You can now use the session-based interface of Data Acquisition Toolbox with a Windows<sup>®</sup> 64-bit system. The legacy interface does not support use of the 64-bit system.

### **NI-DAQmx Driver Requirement**

You must use Version 9.1 of the NI-DAQmx driver with Data Acquisition Toolbox.

## Version 2.17 (R2010b) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.17 (R2010b):

New features and changes introduced in this version are:

- "Support Added for National Instruments CompactDAQ Devices" on page 7
- "Current and Thermocouple Measurements for CompactDAQ Devices" on page 7
- "New Hardware Support" on page 8

#### Support Added for National Instruments CompactDAQ Devices

You can use the session-based interface of the Data Acquisition Toolbox to communicate with National Instruments CompactDAQ devices. Currently the toolbox only supports devices with analog input and output channels. For a complete list of supported CompactDAQ devices, visit the Data Acquisition Toolbox Supported Hardware page at the MathWorks Web site.

# Current and Thermocouple Measurements for CompactDAQ Devices

You can use CompactDAQ devices that support current and thermocouple measurement types with the session-based interface of the Data Acquisition Toolbox.

### **New Hardware Support**

Data Acquisition Toolbox now supports the analog and digital I/O subsystems in the National Instruments Educational Laboratory Virtual Instrumentation Suite (ELVIS) II+ devices.

## Version 2.16 (R2010a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.16 (R2010a):

New features and changes introduced in this version are:

- "New Hardware Support for National Instruments (NI) X Series Devices" on page 9
- "New Hardware Support for National Instruments (NI) Devices" on page 10
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 10
- "New Hardware Support for NI-ELVIS II Devices" on page 10

#### New Hardware Support for National Instruments (NI) X Series Devices

Additional data acquisition hardware support was added as follows:

| NI PCIe-6320 | NI PCIe-6363 |
|--------------|--------------|
| NI PCIe-6321 | NI PXIe-6341 |
| NI PCIe-6323 | NI PXIe-6356 |
| NI PCIe-6341 | NI PXIe-6358 |
| NI PCIe-6343 | NI PXIe-6361 |
| NI PCIe-6351 | NI PXIe-6363 |
| NI PCIe-6353 | NI PXIe-6366 |
| NI PCIe-6361 | NI PXIe-6368 |

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

| NI USB-6212 (BNC)   | NI ENET-9206       |
|---------------------|--------------------|
| NI USB-6216 (BNC)   | NI ENET-9213       |
| NI USB-6218 (BNC)   | NI WLS-9205        |
| NI USB-9213         | NI WLS-9205 (DSUB) |
| NI ENET-9205        | NI WLS-9206        |
| NI ENET-9205 (DSUB) | NI WLS-9213        |

#### New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added as follows:

| MCC USB-1602HS     | MCC USB-1604HS-2AO |
|--------------------|--------------------|
| MCC USB-1602HS-2AO | MCC PCIe-DIO24     |
| MCC USB-1604HS     | MCC PCIe-DIO96H    |

## **New Hardware Support for NI-ELVIS II Devices**

Data Acquisition Toolbox now supports the analog and digital I/O subsystems of the National Instruments Educational Laboratory Virtual Instrumentation Suite (ELVIS) II devices.

## Version 2.15 (R2009b) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.15 (R2009b):

New features and changes introduced in this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 11
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 12
- "New Version of InstaCal Driver Required" on page 12
- "Change in daqmem Output" on page 12

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

| NI USB-4431  | NI ENET-9421 (DSUB) |
|--------------|---------------------|
| NI USB-4432  | NI ENET-9472        |
| NI USB-9263  | NI ENET-9472 (DSUB) |
| NI USB-9264  | NI ENET-9481        |
| NI PCIe-6535 | NI WLS-9421         |
| NI PXIe-6535 | NI WLS-9421 (DSUB)  |
| NI PXIe-6536 | NI WLS-9472         |

| NI PXIe-6537 | NI WLS-9472 |
|--------------|-------------|
| NI ENET-9421 | NI WLS-9481 |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added as follows:

| MCC USB-3101FS | MCC USB-1208HS-2AO |
|----------------|--------------------|
| MCC USB-1208HS | MCC USB-1208HS-4AO |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### New Version of InstaCal Driver Required

To use MCC devices with the Data Acquisition Toolbox software, install MCC InstaCal driver Version 5.89 or later.

#### **Change in daqmem Output**

Starting with Data Acquisition Toolbox Version 2.15, the daqmem function returns a MATLAB object instead of a structure. Although the properties of the object are identical to the fields within the structure, executing isstruct will return false.

## Version 2.14 (R2009a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.14 (R2009a):

New features and changes introduced is this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 13
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 14

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

| NI USB-6259 (USB)   | NI ENET-9219 (ENET) |
|---------------------|---------------------|
| NI USB-9234 (USB)   | NI ENET-9234 (ENET) |
| NI PCI-6521 (PCI)   | NI ENET-9237 (ENET) |
| NI PXI-6521 (PXI)   | NI WLS-9211 (WLS)   |
| NI PXIe-4496 (PXIe) | NI WLS-9215 (WLS)   |
| NI PXIe-4498 (PXIe) | NI WLS-9234 (WLS)   |
| NI ENET-9211 (ENET) | NI WLS-9219 (WLS)   |
| NI PXIe-6124 (PXIe) | NI WLS-9237 (WLS)   |
| NI ENET-9215 (ENET) |                     |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support added for the MCC USB-DIO24H/37 device.

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

## Version 2.13 (R2008b) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations   | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | Yes—Details labeled<br>as <b>Compatibility</b><br><b>Considerations</b><br>below. See also<br>Summary. | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.13 (R2008b):

New features and changes introduced is this version are:

- "Keithley® and VXI Technology Adaptors Deprecated" on page 15
- "Warning Added for Future Deprecation of National Instruments Traditional NI-DAQ Adaptor" on page 16
- "Warning Added for Future Deprecation of Parallel Port Adaptors" on page 16
- "Data Acquisition Toolbox RTSI Bus Support" on page 16
- "New Hardware Support for National Instruments (NI) Devices" on page 16
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 17
- "Expanded Data Acquisition Toolbox Demos" on page 17

## Keithley® and VXI Technology Adaptors Deprecated

Keithley  ${}^{{}_{I\!\!R}}$  and VXI Technology  ${}^{{}_{I\!\!R}}$  adaptors will no longer work in the current release of the Data Acquisition Toolbox.

#### **Compatibility Considerations**

The change for this toolbox release is that you cannot create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors. You can get unsupported adaptors from the **Data Acquisition Adaptors** page in the File Exchange area on MATLAB Central.

#### Warning Added for Future Deprecation of National Instruments Traditional NI-DAQ Adaptor

You will see a warning when you create a Data Acquisition Toolbox object for devices that use the Traditional NI-DAQ driver. Support for devices using the Traditional NI-DAQ driver will be removed in a future release.

**Notes** NI-DAQmx drivers will continue to be supported. This change only affects Traditional NI-DAQ devices.

For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

# Warning Added for Future Deprecation of Parallel Port Adaptors

You will see a warning when you create a Data Acquisition Toolbox object for the 'parallel' device. The support for the 'parallel' device will be removed in a future release.

#### **Data Acquisition Toolbox RTSI Bus Support**

New support for synchronizing multiple National Instruments devices using a National Instruments RTSI bus.

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added as follows:

| NI PXI-6529 (PXI) | NI USB-9219 (USB) |
|-------------------|-------------------|
| NI USB-6212 (USB) | NI USB-9229 (USB) |

| NI USB-6216 (USB)                    | NI USB-9229 (BNC) (USB) |
|--------------------------------------|-------------------------|
| NI USB-6281 (USB)                    | NI USB-9239 (USB)       |
|                                      |                         |
| NI USB-6281 (Mass Termination) (USB) | NI USB-9239 (BNC) (USB) |
| NI USB-6289 (USB)                    | NI SCXI-1112 (SCXI)     |
| NI USB-6289 (Mass Termination) (USB) | NI SCXI-1122 (SCXI)     |
| NI USB-6509 (USB)                    |                         |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition support was added for the MCC USB-1616HS-BNC device.

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### **Expanded Data Acquisition Toolbox Demos**

Data Acquisition Toolbox product now has a new demo for synchronizing analog input and output using a RTSI bus.

# Version 2.12 (R2008a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.12 (R2008a):

New features and changes introduced is this version are:

- "Data Acquisition Toolbox Block Library" on page 18
- "New Hardware Support for National Instruments (NI) Devices" on page 18
- "New Hardware Support for Measurement Computing Corporation (MCC) Devices" on page 19

### **Data Acquisition Toolbox Block Library**

There are two new Simulink blocks that can acquire or output a single point of analog data in a Simulink model.

- Analog Input (Single Sample) Acquire a single sample from multiple analog channels of a data acquisition device.
- Analog Output (Single Sample) Output a single sample to multiple analog channels of a data acquisition device.

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added, as follows:

| NI PXI-4496 (PXI) | NI SCXI-1102b (SCXI) |
|-------------------|----------------------|
| NI PXI-4498 (PXI) | NI SCXI-1102c (SCXI) |

| NI SCXI-1104 (SCXI)  |
|----------------------|
| NI SCXI-1104c (SCXI) |
| NI SCXI-1120 (SCXI)  |
| NISCXI-1120d (SCXI)  |
| NI SCXI-1125 (SCXI)  |
|                      |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### New Hardware Support for Measurement Computing Corporation (MCC) Devices

Additional data acquisition hardware support was added, as follows:

| MCC USB-1608HS     | MCC USB-1616HS-2 |
|--------------------|------------------|
| MCC USB-1608HS-2AO | MCC USB-1616HS-4 |
| MCC USB-1616HS     | MCC AI-EXP48     |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

## Version 2.11 (R2007b) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations   | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | Yes—Details labeled<br>as <b>Compatibility</b><br><b>Considerations</b> ,<br>below. See also<br>Summary. | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.11 (R2007b):

New features and changes introduced is this version are:

- "New Hardware Support for National Instruments (NI) Devices" on page 20
- "Enhanced Performance of getsample and putsample Functions" on page 21
- "StandardSampleRates Property Defaults Changed" on page 21
- "Upgrading from an Earlier Release" on page 21
- "Three Analog Properties Hidden" on page 21

# New Hardware Support for National Instruments (NI) Devices

Additional data acquisition hardware support was added, as follows:

| NI USB-6221 (USB)           | NI PCI-6601 (PCI) |
|-----------------------------|-------------------|
| NI USB-6229 (USB)           | NI PCI-6602 (PCI) |
| NI USB-9211A (USB)          | NI PXI-6255 (PXI) |
| NI PCIe-6536 (PCI Express®) | NI PXI-6602 (PXI) |
| NI PCIe-6537 (PCI Express)  | NI PXI-6608 (PXI) |
| NI PCI-6255 (PCI)           |                   |

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### Enhanced Performance of getsample and putsample Functions

The getsample and putsample functions perform faster when acquiring and sending a single data sample using NI-DAQmx driver software.

#### StandardSampleRates Property Defaults Changed

The default value of the StandardSampleRates property is changed from "on" to "off".

#### **Upgrading from an Earlier Release**

This section describes the issues involved in upgrading from Data Acquisition Toolbox Version 2.10 (Release 2007a) or earlier.

#### **Obsolete daq Functions**

Two functions with daq in their name are obsolete in Version 2.11 and are replaced with other functions. The toolbox will no longer support these obsolete functions and will display an error if you try to use them. If your code still uses these obsolete function names, you must update it to use the new function names.

| <b>Obsolete Function Name</b> | New Function Name |  |
|-------------------------------|-------------------|--|
| daqaction                     | daqcallback       |  |
| daqpropedit                   | inspect           |  |

## **Three Analog Properties Hidden**

The following three properties of analog input objects in the NI-DAQmx adaptor are now hidden:

- DriveAISenseToGround
- NumMuxBoards
- TransferMode

These properties are used only by Traditional NI-DAQ devices. If you have code that explicitly uses these properties it will continue to work, but code that puts the object's properties in a structure will no longer find these three properties. Tab completion for these three properties will no longer work.

#### **Compatibility Considerations**

In this release of the toolbox, the three properties DriveAISenseToGround, NumMuxBoards, and TransferMode are hidden for NI-DAQmx boards. You can, however, explicitly access these properties, but changing their values will not have any effect on NI-DAQmx boards.

## Version 2.10 (R2007a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations   | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | Yes—Details labeled<br>as <b>Compatibility</b><br><b>Considerations</b> ,<br>below. See also<br>Summary. | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.10 (R2007a):

New features and changes introduced is this version are:

- "New Hardware Support" on page 23
- "Time Series Support" on page 24
- "Warning Added for Future Deprecation of Keithley and VXI Technology Adaptors" on page 24

### **New Hardware Support**

Additional data acquisition hardware support was added, as follows:

- Support added for additional National Instruments (NI) data acquisition devices NI USB-6210 (USB); NI USB-6211 (USB); NI USB-6215 (USB); NI USB-6218 (USB); NI PCI-6230 (PCI); NI PCI-6232 (PCI); and NI PCI-6233 (PCI).
- Support added for additional Measurement Computing<sup>™</sup> Corporation (MCC) data acquisition devices — USB-3110; USB-3112; USB-3114; USB-3102; USB-3104; USB-3106; USB-3101; USB-3103; USB-3105; USB-2523; USB-2527; USB-2533; USB-2537; PCI-2511; PCI-2513; PCI-2515; and PCI-2517.

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

## **Time Series Support**

Time series support has been added to the toolbox to enable easier analysis and visualization of time domain data in the MATLAB. This functionality extends three Data Acquisition Toolbox functions, dagread, getdata, and putdata, to support the MATLAB timeseries and tscollection objects.

#### Warning Added for Future Deprecation of Keithley and VXI Technology Adaptors

Keithley and VXI Technology adaptors will be deprecated in a future version of the toolbox. If you create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors, you will receive a warning.

#### **Compatibility Considerations**

The change for this toolbox release is that you will see a warning if you create a Data Acquisition Toolbox object for the 'keithley' or 'hp1432' adaptors. The warning is being introduced now, but the adaptors will continue to be supported and will be removed in a future release.

## Version 2.9 (R2006b) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations   | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | Yes—Details labeled<br>as <b>Compatibility</b><br><b>Considerations</b> ,<br>below. See also<br>Summary. | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.9 (R2006b):

New features and changes introduced is this version are:

- "Data Acquisition Toolbox Block Library" on page 25
- "New Hardware Support" on page 25
- "Corrected Spelling of InputType Value Pseudodifferential" on page 26

### **Data Acquisition Toolbox Block Library**

You can use these blocks to acquire analog or digital data in a Simulink model, or to output analog or digital data from the model to a hardware device. The toolbox block library contains four blocks:

- **Analog Input** Acquire data from multiple channels of an analog data acquisition device.
- **Analog Output** Output data to multiple channels of an analog data acquisition device.
- **Digital Input** Acquire the latest set of values from multiple lines of a digital data acquisition device.
- **Digital Output** Output data to multiple lines of a digital data acquisition device.

#### **New Hardware Support**

Additional data acquisition hardware support was added, as follows:

- Support added for four additional National Instruments (NI) data acquisition devices NI USB-6251 (USB); NI USB-6259 (USB); NI PCIe-6251 (PCI Express); and NI PCIe-6259 (PCI Express).
- Support added for an additional Measurement Computing Corporation (MCC) data acquisition device — MCC USB-1408FS (USB).

**Note** For the latest information about supported hardware, visit the Data Acquisition Toolbox product page at the MathWorks Web site www.mathworks.com/products/daq.

#### Corrected Spelling of InputType Value Pseudodifferential

Analog input objects have a number of acceptable values for their InputType property: NonReferencedSingleEnded, SingleEnded, Differential, and Pseudodifferential. In the initial release of the NI-DAQmx adaptor in Version 2.8 (R14SP3+), Pseudodifferential was incorrectly spelled as Psuedodifferential. The toolbox change now correctly spells this input type as Pseudodifferential.

#### **Compatibility Considerations**

This change is backward compatible; users that saved analog input objects with the InputType property set to the misspelled Psuedodifferential will be able to load the object in R2006b and later with no changes on their part. The compatibility issue is that if you save an analog input object with this InputType value in R2006b, you will not be able to share it with users of R2006a and earlier versions. Analog input objects that have their InputType set to Pseudodifferential will be unusable in R2006a and previous releases. Analog input objects that use the other InputType values are unaffected.

**Obsolescence Process.** If you use the set function to assign the incorrectly spelled value Psuedodifferential, in Version 2.9 (R2006b), you will get a warning and it will be changed to the correct spelling. In the following release of the toolbox, you will get an error advising you to use the new spelling. The get function will always return the correctly spelled value.

# Version 2.8.1 (R2006a) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| No                          | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.8.1 (R2006a):

# Version 2.8 (R14SP3+) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.8 (R14SP3+):

New features and changes introduced in this version are:

- "NI-DAQmx Support" on page 28
- "Upgrading from an Earlier Release" on page 29

#### **NI-DAQmx Support**

The Data Acquisition Toolboxtm\_dataacquisitiontoolbox; software supports National Instruments hardware that uses the NI-DAQmx software interface.

The adaptor name in the Data Acquisition Toolbox software is nidaq, which can be used in all syntax requiring the adaptor name.

To display your installed hardware that can be accessed using the NI-DAQmx adaptor, type

```
daqhwinfo('nidaq')
```

daqhwinfo returns information about the hardware that is installed, and the IDs that the National Instruments Measurement & Automation Explorer has assigned to these devices. Typically, these IDs start with the letters Dev followed by a number.

The toolbox supports both Traditional NI-DAQ and NI-DAQmx. For information about choosing which driver to use, see "National Instruments Hardware" in "Troubleshooting Your Hardware" of the Data Acquisition Toolbox User's Guide.

## **Upgrading from an Earlier Release**

This section details the issues to be aware of when upgrading from Data Acquisition Toolbox Version 2.7 to Version 2.8.

#### DriveAlSenseToGround Property

The DriveAISenseToGround property is ignored by National Instruments devices. For information on configuring AI referencing properties, see the reference page for the InputType property.

# Version 2.7 (R14SP3) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| No                          | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.7 (R14SP3):

## Version 2.6 (R14SP2) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| Yes<br>Details below        | No   | Bug Reports<br>Includes fixes    |

This table summarizes what's new in Version 2.6 (R14SP2):

New features and changes introduced in this version are:

- "New Functions: islogging, isrunning, and issending" on page 31
- "Using PFI or RTSI Channels for Triggers and Clocks" on page 32
- "peekdata Allows Type Parameter" on page 32
- "Property Inspector Replaces daqpropedit" on page 32
- "waittilstop Function Renamed wait" on page 33
- "Upgrading from an Earlier Release" on page 33

### New Functions: islogging, isrunning, and issending

Three new functions are provided to query the status of data acquisition device objects.

| Function  | Purpose   |
|-----------|---|
| islogging | Determine whether analog input object is logging data.  |
| isrunning | Determine whether device object is running.             |
| issending | Determine whether analog output object is sending data. |

For further details on each function, see its reference page in the documentation. Use of these functions is recommended over directly accessing the Running, Logging, and Sending properties.

## **Using PFI or RTSI Channels for Triggers and Clocks**

Three new properties for National Instruments cards are:

- HwDigitalTriggerSource
- ExternalSampleClockSource
- ExternalScanClockSource

These properties allow you to select a PFI or RTSI channel as the source for a hardware digital trigger, external sample clock, or external scan clock. See the reference pages for these properties to read about valid property settings and when they are in effect.

#### peekdata Allows Type Parameter

The peekdata function now accepts a third parameter specifying data format. When the data format is specified as native, data is returned in the native format of the data acquisition device, similar to the behavior of the getdata function. For detailed information on peekdata, type

help analoginput/peekdata

### **Property Inspector Replaces daqpropedit**

The Property Inspector replaces the Data Acquisition Toolbox Property Editor (daqpropedit) graphical user interface.

You open the Property Inspector for object obj with the inspect function.

inspect(obj)

For more information about the inspect function, type

help daqdevice/inspect

Typing daqpropedit at the command line now opens the Property Inspector.

#### waittilstop Function Renamed wait

The waittilstop function has been renamed wait. All functionality remains the same. waittilstop still works in Version 2.6, but may be removed from a future version of the toolbox. For more information on wait, type

```
help daqdevice/wait
```

#### **Upgrading from an Earlier Release**

This section describes the issues involved in upgrading from Data Acquisition Toolbox Version 2.5.1 (Release 14SP1), 2.5 (Release 14), or 2.2 (Release 13SP1).

#### **Obsolete Action Properties**

All object properties with Action in their name are obsolete in Version 2.6. These have been replaced by properties with the same name using Fcn instead of Action. These Fcn properties have existed in several recent versions of the Data Acquisition Toolbox software. The toolbox supported the Action properties during these transition releases, but they are no longer supported. If your code still uses these obsolete property names, you must update it to use the new property names.

| Obsolete Property Name     | New Property Name       |
|----------------------------|-------------------------|
| DataMissedAction           | DataMissedFcn           |
| InputOverRangeAction       | InputOverRangeFcn       |
| RuntimeErrorAction         | RuntimeErrorFcn         |
| SamplesAcquiredAction      | SamplesAcquiredFcn      |
| SamplesAcquiredActionCount | SamplesAcquiredFcnCount |
| SamplesOutputAction        | SamplesOutputFcn        |
| SamplesOutputActionCount   | SamplesOutputFcnCount   |
| StartAction                | StartFcn                |
| StopAction                 | StopFcn                 |
| TimerAction                | TimerFcn                |
| TriggerAction              | TriggerFcn              |

#### **Deleting a Running Object**

In past releases, you could not delete a running object. Now in Version 2.6, when you attempt to delete a running object, the toolbox stops the object, issues a warning, then deletes the object.

```
ai.SamplesPerTrigger = Inf
start(ai);
delete(ai)
Warning: Object stopped before deleting.
```

#### **Return Format of daqfind**

In past versions, the daqfind function returned a 1-by-1 cell array of N-by-1 objects. Now in Version 2.6, this function returns an N-by-1 cell array of objects.

```
ai1 = analoginput('winsound');
ai2 = analoginput('winsound');
objs = daqfind('Type','Analog Input')
objs =
    [1x1 analoginput]
    [1x1 analoginput]
```

#### peekdata and getdata Number of Samples

The functions peekdata and getdata no longer accept Inf as an argument for specifying the number of samples. In the past, specifying Inf for the number of samples was accepted, and returned zero samples. Now specifying Inf samples causes an error.

```
data = getdata(ai, Inf)
??? The number of samples requested must be less than Inf.
```

#### waittilstop Function Renamed wait

The waittilstop function has been renamed wait. All functionality remains the same. waittilstop still works in Version 2.6, but may be removed from a future version of the toolbox. For more information on wait, type

```
help daqdevice/wait
```

#### daqpropedit Replaced by inspect

The Data Acquisition Toolboxtm\_dataacquisitiontoolbox; Property Editor (daqpropedit) graphical user interface has been replaced by the Property Inspector.

You open the Property Inspector for object obj with the inspect function.

inspect(obj)

For more information about the inspect function, type

help daqdevice/inspect

Typing daqpropedit at the command line now opens the Property Inspector.

# Version 2.5.1 (R14SP1) Data Acquisition Toolbox Software

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| No                          | No   | Fixed bugs                       |

This table summarizes what's new in Version 2.5.1 (R14SP1):

# Version 2.5 (R14) Data Acquisition Toolbox Software

This table summarizes what's new in Version 2.5 (R14):

| New Features and<br>Changes | Version<br>Compatibility<br>Considerations | Fixed Bugs and<br>Known Problems |
|-----------------------------|--|----------------------------------|
| No                          | No   | Fixed bugs                       |

## Compatibility Summary for Data Acquisition Toolbox Software

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

| Version (Release)                | New Features and Changes with Version<br>Compatibility Impact  |
|----------------------------------|--|
| Latest Release<br>V2.18 (R2011a) | None   |
| V2.17 (R2010b)                   | None   |
| V2.16 (R2010a)                   | None   |
| V2.15 (R2009b)                   | None   |
| V2.14 (R2009a)                   | None   |
| V2.13 (R2008b)                   | <ul> <li>See the Compatibility Considerations<br/>subheading for these changes:</li> <li>"Keithley® and VXI Technology Adaptors<br/>Deprecated" on page 15</li> <li>"Warning Added for Future Deprecation of<br/>National Instruments Traditional NI-DAQ<br/>Adaptor" on page 16</li> <li>"Warning Added for Future Deprecation of<br/>Parallel Port Adaptors" on page 16</li> </ul> |
| V2.12 (R2008a)                   | None   |
| V2.11 (R2007b)                   | <ul> <li>See the Compatibility Considerations<br/>subheading for this change:</li> <li>"Three Analog Properties Hidden" on page<br/>21</li> </ul>  |

| Version (Release) | New Features and Changes with Version<br>Compatibility Impact                                     |
|-------------------|---|
| V2.10 (R2007a)    | See the <b>Compatibility Considerations</b><br>subheading for this change:                        |
|                   | • "Warning Added for Future Deprecation of<br>Keithley and VXI Technology Adaptors" on<br>page 24 |
| V2.9 (R2006b)     | See the <b>Compatibility Considerations</b><br>subheading for this change:                        |
|                   | <ul> <li>"Corrected Spelling of InputType Value<br/>Pseudodifferential" on page 26</li> </ul>     |
| V2.8.1 (R2006a)   | None  |
| V2.8 (R14SP3+)    | None  |
| V2.7 (R14SP3)     | None  |
| V2.6 (R14SP2)     | None  |
| V2.5.1 (R14SP1)   | None  |
| V2.5 (R14)        | None  |