

Simulink[®] Design Optimization[™] Release Notes

How to Contact MathWorks



www.mathworks.com Web
comp.soft-sys.matlab Newsgroup
www.mathworks.com/contact_TS.html Technical Support



suggest@mathworks.com Product enhancement suggestions
bugs@mathworks.com Bug reports
doc@mathworks.com Documentation error reports
service@mathworks.com Order status, license renewals, passcodes
info@mathworks.com Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Simulink® Design Optimization™ Release Notes

© COPYRIGHT 1993–2011 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Summary by Version	1
Version 1.2.1 (R2011a) Simulink® Design Optimization Software	3
Version 1.2 (R2010b) Simulink® Design Optimization Software	4
Version 1.1.1 (R2010a) Simulink® Design Optimization Software	6
Version 1.1 (R2009b) Simulink® Design Optimization Software	7
Version 1.0 (R2009a) Simulink® Design Optimization Software	11
Compatibility Summary for Simulink® Design Optimization Software	13

Summary by Version

This table provides quick access to what's new in each version. For clarification, see “Using Release Notes” on page 1.

Version (Release)	New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
Latest Version V1.2.1 (R2011a)	No	No	Bug Reports Includes fixes
V1.2 (R2010b)	Yes Details	Yes Summary	Bug Reports Includes fixes
V1.1.1 (R2010a)	No	No	Bug Reports Includes fixes
V1.1 (R2009b)	Yes Details	Yes Summary	Bug Reports Includes fixes
V1.0 (R2009a)	Yes Details	Yes Summary	Bug Reports Includes fixes

Using Release Notes

Use release notes when upgrading to a newer version to learn about:

- New features
- Changes
- Potential impact on your existing files and practices

Review the release notes for other MathWorks® products required for this product (for example, MATLAB® or Simulink®). Determine if enhancements, bugs, or compatibility considerations in other products impact you.

If you are upgrading from a software version other than the most recent one, review the current release notes and all interim versions. For example, when you upgrade from V1.0 to V1.2, review the release notes for V1.1 and V1.2.

What Is in the Release Notes

New Features and Changes

- New functionality
- Changes to existing functionality

Version Compatibility Considerations

When a new feature or change introduces a reported incompatibility between versions, the **Compatibility Considerations** subsection explains the impact.

Compatibility issues reported after the product release appear under Bug Reports at the MathWorks Web site. Bug fixes can sometimes result in incompatibilities, so review the fixed bugs in Bug Reports for any compatibility impact.

Fixed Bugs and Known Problems

MathWorks offers a user-searchable Bug Reports database so you can view Bug Reports. The development team updates this database at release time and as more information becomes available. Bug Reports include provisions for any known workarounds or file replacements. Information is available for bugs existing in or fixed in Release 14SP2 or later. Information is not available for all bugs in earlier releases.

Access Bug Reports using your MathWorks Account.

Documentation on the MathWorks Web Site

Related documentation is available on mathworks.com for the latest release and for previous releases:

- Latest product documentation
- Archived documentation

Version 1.2.1 (R2011a) Simulink Design Optimization Software

This table summarizes what's new in V 1.2.1 (R2011a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
No	No	Bug Reports Includes fixes

Version 1.2 (R2010b) Simulink Design Optimization Software

This table summarizes what's new in V 1.2 (R2010b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
Yes Details below	Yes Summary	Bug Reports Includes fixes

New features and changes introduced in this version are:

- “Support for Initial State Estimation of Model References, SimHydraulics, SimMechanics, SimPowerSystems, and Simscape Blocks” on page 4
- “Functions and Function Elements Being Removed” on page 5

Support for Initial State Estimation of Model References, SimHydraulics, SimMechanics, SimPowerSystems, and Simscape Blocks

You can now estimate the initial states of:

- Model references
- SimHydraulics® blocks
- SimMechanics™ blocks
- SimPowerSystems™ blocks
- Simscape™ blocks

You can perform initial state estimation either using the GUI or from the command-line interface. For more information, see:

- “Estimating Initial States”
- “Estimating Parameters at the Command Line”

Compatibility Considerations

- Previously, you represented the states of an Integrator block having multiple state names by using one `StateData` or `State` object. Now, *each* state name requires one `StateData` or `State` object. Therefore, estimating the states of such an Integrator block errors. Instead, create a `TransientExperiment` or `Estimation` object to automatically create `StateData` and `State` objects, respectively.
- Previously, the `Domain` property of the `State Data` and `State` objects was used to track `SimMechanics` and `SimPowerSystems` blocks with states. This property is no longer required and has been removed.

Functions and Function Elements Being Removed

For more information about the process of removing functions, see “Removal of Functions and Function Elements” in “What Is in the Release Notes” on page 2.

Function or Function Element Name	What Happens When you Use the Function or Element?	Use This Instead	Compatibility Considerations
Domain property of the <code>State Data</code> and <code>State</code> objects	Errors	N/A	See the Compatibility Considerations subheading for this change: <ul style="list-style-type: none"> • “Support for Initial State Estimation of Model References, <code>SimHydraulics</code>, <code>SimMechanics</code>, <code>SimPowerSystems</code>, and <code>Simscape Blocks</code>” on page 4

Version 1.1.1 (R2010a) Simulink Design Optimization Software

This table summarizes what's new in V 1.1.1 (R2010a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
No	No	Bug Reports Includes fixes

New Engine Design and Cost Tradeoffs Demo

The new Engine Design and Cost Tradeoffs demo shows how to use the Simulink® Design Optimization™ software to optimize a design for performance and cost.

Version 1.1 (R2009b) Simulink Design Optimization Software

This table summarizes what's new in V 1.1 (R2009b):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
Yes Details below	Yes Summary	Bug Reports Includes fixes

New features and changes introduced in this version are:

- “New Algorithm Option for `fmincon` (Gradient descent) and `lsqnonlin` (Nonlinear least squares) Methods, `LargeScale` (Model size) Option Removed” on page 7
- “Support for Optimization-Based Compensator Design for Plants with Delays or Specified as Frequency-Response Data” on page 9
- “Functions and Properties Being Removed” on page 9

New Algorithm Option for `fmincon` (Gradient descent) and `lsqnonlin` (Nonlinear least squares) Methods, `LargeScale` (Model size) Option Removed

This version of the product includes changes at the command line to make the `fmincon` and `lsqnonlin` methods to be consistent with the Optimization Toolbox™ software:

- Algorithm property renamed to Method.
- New Algorithm option.
- `LargeScale` option removed.

The following table summarizes values of the new Algorithm option.

Method	Algorithm Values
fmincon	<ul style="list-style-type: none"> • 'active-set' (default) • 'trust-region-reflective' • 'interior-point'
lsqnonlin	<ul style="list-style-type: none"> • 'trust-region-reflective' (default) • 'levenberg-marquardt'

Previously, to specify the algorithm at the command line, you set the `LargeScale` option to 'on' or 'off'. If you used `LargeScale='on'` in a previous release, use `Algorithm='trust-region-reflective'` instead. If you used `LargeScale='off'`, use the following instead:

- For `fmincon` – Use `Algorithm='active-set'`.
- For `lsqnonlin` – Use `Algorithm='levenberg-marquardt'`.

For more information about these options, see the *Optimization Toolbox User's Guide*.

The Options dialog box includes the following updates to the Gradient descent and Nonlinear least squares methods that correspond to the command-line changes.

- **Algorithm** option is renamed to **Method**.
- **Model size** option is deprecated and replaced by **Algorithm**.

When you load a saved project, the software uses the **Model size** value to update the **Algorithm** value automatically.

When you optimize parameters using the Gradient Descent method, an **Algorithm** value other than the default value of Active-Set can lead to a slightly different result.

For more information on how to specify the method and its algorithm, see “Estimation Options” and “Optimization Options”.

Support for Optimization-Based Compensator Design for Plants with Delays or Specified as Frequency-Response Data

You can now use optimization-based compensator design for frequency-response data (FRD) plants or plants with exact time delays in the SISO Design Tool. For more information, see “Designing Optimization-Based Controllers for LTI Systems” and “Designing Linear Controllers for Simulink Models” in the *Simulink Design Optimization User’s Guide*.

Functions and Properties Being Removed

For more information about the process of removing functions, see “Removal of Functions and Function Elements” in “What Is in the Release Notes” on page 2.

Function or Property Name	What Happens When You Use Function or Property?	Use This Instead	Compatibility Considerations
Algorithm	Errors	Method	See “New Algorithm Option for fmincon (Gradient descent) and lsqnonlin (Nonlinear least squares) Methods, LargeScale (Model size) Option Removed” on page 7
LargeScale	Errors	Algorithm	See “New Algorithm Option for fmincon (Gradient

Function or Property Name	What Happens When You Use Function or Property?	Use This Instead	Compatibility Considerations
			descent) and lsqnonlin (Nonlinear least squares) Methods, LargeScale (Model size) Option Removed” on page 7

Version 1.0 (R2009a) Simulink Design Optimization Software

This table summarizes what's new in V 1.0 (R2009a):

New Features and Changes	Version Compatibility Considerations	Fixed Bugs and Known Problems
Yes Details below	Yes Summary	Bug Reports Includes fixes

Note As of R2009a, Simulink® Parameter Estimation™ and Simulink® Response Optimization™ functionality are merged into a new product, Simulink Design Optimization. Simulink Parameter Estimation and Simulink Response Optimization are no longer available.

New features and changes introduced in this version are:

- “New Parallel Computing Support for Estimating Model Parameters” on page 11
- “Updated Demos” on page 12
- “Upgrading from Nonlinear Control Design Blockset Software” on page 12

New Parallel Computing Support for Estimating Model Parameters

If you have the Parallel Computing Toolbox™ software installed, you can use parallel computing to speed up estimating parameters of a Simulink model. The parallel computing option is available in the `Nonlinear least squares`, `Gradient descent` and `Pattern search` algorithms. You can enable this option from either the GUI or at the command line.

Using parallel computing can speed up the estimation time in the following situations:

- The model contains a large number of parameters to estimate.

- The model is complex and takes a long time to simulate.

For more information about using parallel computing for estimating model parameters, see “Speeding Up Parameter Estimation Using Parallel Computing” in the Simulink Design Optimization documentation.

Updated Demos

The Simulink Design Optimization demos have been categorized into the following new categories:

- Parameter Estimation in Simulink
- Response Optimization in Simulink
- Response Optimization in SISO Design Tool
- Design Optimization Using Parallel Computing
- Adaptive Lookup Tables

To open the Simulink Design Optimization demos, type

```
demo simulink 'simulink design optimization'
```

at the MATLAB prompt.

Upgrading from Nonlinear Control Design Blockset Software

Prior to R14, Simulink Response Optimization software was called Nonlinear Control Design Blockset software. If you are upgrading from Nonlinear Control Design Blockset software, your models will not work with Simulink Design Optimization software. To make the models compatible with Simulink Design Optimization software, use `ncdupdate`, as described in the documentation.

Compatibility Summary for Simulink Design Optimization Software

This table summarizes new features and changes that might cause incompatibilities when you upgrade from an earlier version, or when you use files on multiple versions. Details are provided in the description of the new feature or change.

Version (Release)	New Features and Changes with Version Compatibility Impact
Latest Version V 1.2.1 (R2011a)	None
V 1.2 (R2010b)	See “Functions and Function Elements Being Removed” on page 5.
V 1.1.1 (R2010a)	None
V 1.1 (R2009b)	See “Functions and Properties Being Removed” on page 9.
V 1.0 (R2009a)	See “Upgrading from Nonlinear Control Design Blockset Software” on page 12.