

Robust Control Toolbox™

Release Notes

How to Contact MathWorks



www.mathworks.com Web
comp.soft-sys.matlab Newsgroup
www.mathworks.com/contact_TS.html Technical Support



suggest@mathworks.com Product enhancement suggestions
bugs@mathworks.com Bug reports
doc@mathworks.com Documentation error reports
service@mathworks.com Order status, license renewals, passcodes
info@mathworks.com Sales, pricing, and general information



508-647-7000 (Phone)



508-647-7001 (Fax)



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

For contact information about worldwide offices, see the MathWorks Web site.

Robust Control Toolbox™ Release Notes

© COPYRIGHT 2005–2013 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

R2013b

Automatic tuning of gain-scheduled control systems with <code>systeme</code> and <code>looptune</code> commands	2
Automatic tuning of discrete-time control systems with <code>systeme</code> and <code>looptune</code> commands	2
Sensitivity, overshoot, minimum and maximum loop gain requirements for control system tuning with <code>looptune</code> and <code>systeme</code>	3
<code>looptuneSetup</code> command for switching from <code>looptune</code> to <code>systeme</code> to use additional <code>systeme</code> functionality	3
<code>hinfnorm</code> command for computing H_∞ norm	4
Some properties of <code>TuningGoal</code> requirements renamed ...	4
Power iteration method option for structured singular value computation with <code>mussv</code>	5
Option to specify feedback sign for stability margin calculation with <code>ncfmargin</code>	6

R2013a

Minimum damping requirement for closed-loop poles in <code>TuningGoal.Poles</code> object	8
<code>TuningGoal.Rejection</code> object for specifying disturbance rejection requirement	8
<code>looptune</code> returns detailed results from multiple random starts	8
Additional automated tuning examples	9

R2012b

<code>systeme</code> command for multiobjective tuning with soft and hard constraints	12
H_2 performance, stability margin, pole location, and disturbance rejection requirements	12

Robust tuning of one controller against a set of plant models	13
Option to constrain tuned parameter values and to restrict some tuning requirements to a frequency band	13
ltiblock.pid2 and loopswitch objects for tuning two-degree-of-freedom PID controllers and marking loop opening sites for open-loop requirements	14
TuningGoal.MaxGain and GainLimit property renamed ..	15
Options in hinfstructOptions and looptuneOptions renamed or removed	15

R2012a

Parallel Computing Support for looptune and hinfstruct ..	18
Faster and More Accurate H-infinity Norm Computation Using SLICOT Algorithms	18

R2011b

looptune Tunes Fixed-Structure Control Systems	20
Control System Tuning for Simulink Models with looptune or hinfstruct Using sITunable Interface	20
wegainplot for Visualizing Worst-Case Gains	21
Functionality Being Removed or Changed	21

R2011a

Enhanced Workflow for H-Infinity Synthesis of Fixed-Structure Control Systems	26
---	----

R2010b

New Commands for H-Infinity Synthesis of Fixed-Structure Control Systems	28
--	----

R2010a

Bug Fixes

R2009b

New Option to Improve Robust Performance by Accounting for Real Uncertain Parameters	32
New Command to Linearize Simulink Models with Uncertainty	32
New Interface for Simulating Effects of Uncertainty in Simulink Models	32
New Command to Model Multiple LTI Responses as One Uncertain System	33
New and Updated Demos	33
Functions, Properties and Blocks Being Removed	33

R2009a

Bug Fixes

R2008b

Bug Fixes

R2008a

Ability to Use LOOPMARGIN with Simulink 40

R2007b

No New Features or Changes

R2007a

New Simulink Blocks 44

R2006b

New Function ltiarray2uss 46

R2006a

No New Features or Changes

R14SP3

No New Features or Changes

R14SP2

mussvunwrap Is Renamed 52

New Functions actual2normalized and normalized2actual	52
--	-----------

R2013b

Version: 5.0

New Features: Yes

Bug Fixes: Yes

Automatic tuning of gain-scheduled control systems with `system` and `looptune` commands

You can now use `system` and `looptune` to automatically tune control systems in which plant dynamics change with operating conditions or time. In such gain-scheduled control systems, the controller gains vary as a function of one or more scheduling variables. You parameterize the dependency of controller gains on the scheduling variables. The software automatically tunes the coefficients of that parametrization so that the control system meets the tuning requirements you specify over the entire range of plant operating conditions. The new `gainsurf` command helps you parameterize your controller gains as functions of scheduling variables.

Several new examples illustrating the workflow for gain-scheduled tuning, including:

- “Tuning of Gain-Scheduled Three-Loop Autopilot”
- Gain Scheduled Control Of a Chemical Reactor

For additional information about tuning gain-scheduled controllers, see “Gain-Scheduled Controllers”.

Automatic tuning of discrete-time control systems with `system` and `looptune` commands

You can now use `system` and `looptune` for automatic tuning of discrete-time control systems. This capability includes both:

- Control systems represented by discrete-time generalized LTI models (genss models with `Ts` property not equal to zero).
- Control systems represented by an `sITunable` interface to a Simulink® mode. Set the `Ts` property of the `sITunable` interface to the sampling time at which you want to linearize the model.

To tune a discrete-time control system, use the same procedure and command syntax and you use to tune a continuous-time control system. For examples of discrete-time tuning, see:

- “Digital Control of Power Stage Voltage”
- “MIMO Control of Diesel Engine”

Sensitivity, overshoot, minimum and maximum loop gain requirements for control system tuning with looptune and systune

New `TuningGoal` requirement objects allow you to specify a variety of tuning objectives for automated tuning of fixed-structure control systems with `systune` and `looptune`. New tuning requirements include:

- `TuningGoal.Sensitivity` — Constraint on sensitivity to disturbance
- `TuningGoal.Overshoot` — Constraint on overshoot in step response
- `TuningGoal.MinLoopGain` — Minimum loop gain constraint
- `TuningGoal.MaxLoopGain` — Maximum loop gain constraint

Additionally, `TuningGoal.LoopShape` has two new syntaxes. These syntaxes allow you to specify a target crossover frequency or range of crossover frequencies for an open-loop response in your control system.

For more information about these `TuningGoal` requirement objects see the reference pages for each requirement object, and:

- “Using Design Requirement Objects”
- “Specifying Design Requirements for `systune`”
- “Performance and Robustness Specifications for `looptune`”

looptuneSetup command for switching from looptune to systune to use additional systune functionality

The new `looptuneSetup` command provides a bridge between the tuning commands `looptune` and `systune`. `looptuneSetup` takes the argument list for `looptune` and constructs an equivalent argument list for `systune`. The `looptuneSetup` command is valid for systems represented in either MATLAB® or Simulink.

You can use this command to switch from `looptune` to `systune` to take advantage of the additional flexibility and functionality of `systune`. For example, `looptune` requires that you tune all channels of a MIMO feedback loop to the same target bandwidth. Converting to `systune` allows you to specify different crossover frequencies and loop shapes for each loop in your control system. Also, `looptune` treats all tuning requirements as soft requirements, optimizing them but not requiring that any constraint be exactly met. Converting to `systune` allows you to enforce some tuning requirements as hard constraints, while treating others as soft requirements.

You can also use `looptuneSetup` to probe into the tuning requirements that `looptune` implicitly imposes. When you use `looptune`, you specify a target loop bandwidth and stability margins. `looptune` expresses these as hard and soft tuning constraints, specified as `TuningGoal` objects. You can use `looptuneSetup` to examine these constraints. After examining the constraints, you can then alter them and pass them to `systune` for further tuning.

For more information, see the following reference pages:

- `looptuneSetup`
- `slTunable.looptuneSetup`

hinfnorm command for computing H_∞ norm

The new `hinfnorm` command computes the H_∞ norm of SISO or MIMO systems. For SISO systems, the H_∞ norm is defined as the largest value of the frequency response magnitude. For MIMO systems, H_∞ norm is the largest singular value across frequencies.

For more information, see the `hinfnorm` reference page.

Some properties of `TuningGoal` requirements renamed

Compatibility Considerations: Yes

The following properties of `TuningGoal` requirement objects are renamed to better reflect their purpose and uses:

Object	Previous Property Name	New Property Name
TuningGoal.LoopShape	LoopTransfer	Location
TuningGoal.Margins	LoopTransfer	Location
TuningGoal.Tracking	ReferenceInput	Input
TuningGoal.Tracking	TrackingOutput	Output

Compatibility Considerations

If you have scripts or functions that use any of these properties, consider updating your code to use the new property names instead. Using the previous property names does not generate an error in this release, but the names might be removed in a future release.

Power iteration method option for structured singular value computation with mussv **Compatibility Considerations: Yes**

A new 'p' option to the mussv command allows you to specify a power iteration method for computing the lower bound on structured singular values (μ values). This method is recommended for cases of complex uncertainty. When at least one of the uncertain blocks specified in the block diagonal matrix structure is complex, mussv now uses the power iteration method by default.

For pure real uncertainty, mussv uses a gain-based lower bound algorithm by default.

For more information, see the mussv reference page.

Compatibility Considerations

Previously, mussv used a gain-based lower bound algorithm for both pure real and mixed uncertainty. Therefore, you might now obtain different results for the lower bounds with mixed uncertainty.

Option to specify feedback sign for stability margin calculation with `ncfmargin`

Compatibility Considerations: Yes

The `ncfmargin` command includes a new input argument that lets you specify the sign of the feedback interconnection assumed for the margin calculation. Use the syntax `[marg,freq] = ncfmargin(P,C,sign)` or `[marg,freq] = ncfmargin(P,C,sign,tol)` to specify a negative or positive feedback interconnection. For more information, see the `ncfmargin` reference page.

Compatibility Considerations

Previously, the relative accuracy `tol` was the third input argument to `ncfmargin`. If you have scripts or functions that use the syntax `[marg,freq] = ncfmargin(P,C,tol)`, update them to use `[marg,freq] = ncfmargin(P,C,-1,tol)` instead.

R2013a

Version: 4.3

New Features: Yes

Bug Fixes: Yes

Minimum damping requirement for closed-loop poles in `TuningGoal.Poles` object

You can now specify the minimum damping ratio of closed-loop poles for automated tuning of fixed-structure control systems with `systemtune` or `looptune`. To do so, create a `TuningGoal.Poles` object and set its `MinDamping` property to the minimum damping ratio you want to specify. Additionally, you can now use the `Focus` property to limit enforcement of the `TuningGoal.Poles` requirements to poles within a specified frequency range.

For more information about the `TuningGoal.Poles` requirement, see the `TuningGoal.Poles` reference page. For more information about using requirement objects to tune control systems, see [Using Design Requirement Objects](#).

`TuningGoal.Rejection` object for specifying disturbance rejection requirement

You can now specify a disturbance rejection requirement for automated tuning of fixed-structure control systems with `systemtune` or `looptune`. The new `TuningGoal.Rejection` object allows you to specify a frequency-dependent attenuation factor for a disturbance injected at a specified location in the control system.

For more information about the `TuningGoal.Rejection` requirement, see the `TuningGoal.Rejection` reference page. For an example, see [PID Tuning for Setpoint Tracking vs. Disturbance Rejection](#).

For more information about using requirement objects to tune control systems generally, see [Using Design Requirement Objects](#).

`looptune` returns detailed results from multiple random starts

Compatibility Considerations: Yes

The `info` output of `looptune` now includes detailed results from each optimization run. When you use the `RandomStart` option of `looptuneOptions` to perform multiple optimization runs, the field `info.Runs` of the `info` output

now contains a `struct` array. Each entry in the `struct` array includes results from the corresponding optimization run such as minimum constraint values and tuned block values. You can optionally use this information to analyze independent optimization results.

See the `looptune` reference page for more information.

Compatibility Considerations

The `Extra` field of `info` is now renamed to `Runs`. If you use `info.Extra` in a script, update your code to use `info.Runs` instead.

Additional automated tuning examples

New examples in this release include:

- Multi-Loop Control of a Helicopter
- Fault-Tolerant Control of a Passenger Jet
- Multi-Loop PID Control of a Robot Arm

R2012b

Version: 4.2

New Features: Yes

Bug Fixes: Yes

systemtune command for multiobjective tuning with soft and hard constraints

The new `systemtune` command allows automated tuning of fixed-structure control systems to high-level tuning objectives.

To use `systemtune`, you specify tuning objectives such as reference tracking, disturbance rejection, or stability margins. You can specify both soft requirements (objectives) and hard requirements (constraints). `systemtune` automatically tunes the parameters of your control system to meet the requirements.

You can use `systemtune` to tune control systems modeled in either MATLAB or Simulink.

For more information, see:

- [Tuning Control Systems with SYSTUNE](#)
- [Tuning Control Systems in Simulink](#)
- [Automated Tuning](#)
- [The systemtune reference page](#)

H₂ performance, stability margin, pole location, and disturbance rejection requirements

New `TuningGoal` requirement objects allow you to specify a variety of tuning objectives for automated tuning of fixed-structure control systems with `systemtune` and `looptune`. New tuning requirements include:

- `TuningGoal.Margins` — Tune to stability margin requirements by specifying minimum gain and phase margins for any feedback loop in your control system.
- `TuningGoal.Poles` — Constrain closed-loop dynamics of your control system.
- `TuningGoal.StableController` — Constrain dynamics or ensure stability of tunable elements.

- `TuningGoal.WeightedGain` — Limit on frequency-weighted gain from specified inputs to specified outputs in your control system.
- `TuningGoal.Variance` and `TuningGoal.WeightedVariance` — Tune to H_2 performance requirements by minimizing or constraining variance amplification. `TuningGoal.Variance` specifies the maximum output variance for a unit-variance input signal from a specified input to a specified output in your control system. `TuningGoal.WeightedVariance` imposes a frequency-weighted variance amplification limit.

For more information about these `TuningGoal` requirement objects see the reference pages for each requirement object, and:

- [Using Design Requirement Objects](#)
- [Specifying Design Requirements for systune](#)
- [Performance and Robustness Specifications for looptune](#)

Robust tuning of one controller against a set of plant models

The new `systune` command can simultaneously tune the parameters of multiple models or control configurations. This feature allows you, for example, to tune a single controller against a range of plant models, to help ensure that the tuned control system is robust against parameter variations. As another example, you can tune for reliable control by simultaneously to multiple plant configurations that represent different failure modes of a system. In either case, `systune` finds values for tunable parameters that best satisfy the specified tuning objectives for all models.

For more information, see [Tune Controller Against Set of Plant Models](#).

Option to constrain tuned parameter values and to restrict some tuning requirements to a frequency band

You can now optionally impose lower and upper bounds on tunable parameters when tuning fixed-structure control systems using `systune`, `looptune`, or

`hinfstruct`. For example, you can constrain a gain to always be positive, or impose a maximum value on a filter time constant.

To impose bounds on tunable parameters, set the `Maximum` and `Minimum` properties of the parameter in the corresponding Control Design Block. For example, create a scalar gain block and constrain the gain to be positive:

```
gainblock = ltiblock.gain('gainblock',1,1);  
gainblock.Gain.Minimum = 0;
```

Then, use `gainblock` as a component in a tunable `genss` model of the control system. When you tune the control system, the tuning command enforces the constraint.

Additionally, you can limit the range of frequencies in which almost any `TuningGoal` requirement is enforced for fixed-structure control system tuning with `systemtune` or `looptune`. The only exceptions are `TuningGoal.Variance` and `TuningGoal.WeightedVariance`.

For example, you can enforce a stability margin requirement in a frequency band extending for one decade on each side of the target gain crossover frequency.

To limit the range of frequencies in which a requirement is enforced, use the `Focus` property of the `TuningGoal` requirement object. For example, create a requirement that limits the gain from an input `du` to an output `u` to 10. Limit enforcement of the requirement to the frequency range 10–1000 rad/s.

```
Req = TuningGoal.Gain('du','u',10);  
Req.Focus = [10 1000];
```

ltiblock.pid2 and loopswitch objects for tuning two-degree-of-freedom PID controllers and marking loop opening sites for open-loop requirements

New Control Design Blocks in Control System Toolbox™ allow you to specify more control structures and more types of constraints for fixed-structure control system tuning in MATLAB:

- `ltiblock.pid2` — Tunable two-degree-of-freedom PID controller

- `loopswitch` — Control Design Block for specifying feedback loop opening locations in a tunable `genss` model of a control system

For more information, see the `ltiblock.pid2` and `loopswitch` reference pages.

TuningGoal.MaxGain and GainLimit property renamed

Compatibility Considerations: Yes

The tuning requirement `TuningGoal.MaxGain` is now called `TuningGoal.Gain`. Additionally, the `GainLimit` property of that tuning requirement is now called `MaxGain`.

For more information, see the `TuningGoal.Gain` reference page.

Compatibility Considerations

Replace instances of `TuningGoal.MaxGain` in your code with `TuningGoal.Gain`. Replace references to the `GainLimit` property with `MaxGain`.

Options in hinfstructOptions and looptuneOptions renamed or removed

Compatibility Considerations: Yes

The following options in `hinfstructOptions` and `looptuneOptions` are changed:

- `SpecRadius` is now called `MaxFrequency`. Additionally, `NaN` is no longer a supported value for this option. For an unconstrained `MaxFrequency` value, use `Inf`.
- `StableOffset` is now called `MinDecay`.
- `StableRadius` option has no effect.
- `StableExclude` option of `hinfstructOptions` has no effect. `hinfstruct` now automatically excludes from stability tests Control Design Blocks

such as weighting functions or multipliers. These blocks do not affect the closed-loop stability of the actual control system to tune.

For more information about these options, see the `hinfstructOptions` and `looptuneOptions` reference pages.

Compatibility Considerations

If you use any of the affected options in your code, update your code to reflect the current names and supported values.

R2012a

Version: 4.1

New Features: Yes

Bug Fixes: Yes

Parallel Computing Support for looptune and hinfstruct

If you have Parallel Computing Toolbox™ software installed, you can use parallel computing to speed up tuning of fixed-structure control systems with the `looptune` or `hinfstruct` commands. When you run multiple randomized `looptune` or `hinfstruct` optimization starts, parallel computing speeds up tuning by distributing the optimization runs among MATLAB workers.

For more information about using parallel computing to speed up `looptune` or `hinfstruct` tuning, see:

- Speed Up Tuning with Parallel Computing Toolbox Software in the Robust Control Toolbox™ documentation.
- The Robust Control Toolbox demo Using Parallel Computing to Accelerate the Tuning Process.

For more information about tuning fixed-structure control systems with `looptune` or `hinfstruct`, see Tuning Fixed Control Architectures in the Robust Control Toolbox documentation.

Faster and More Accurate H-infinity Norm Computation Using SLICOT Algorithms

H_∞ norm calculations now use the SLICOT library of numerical algorithms. These algorithms improve the speed and accuracy of functions such as `hinfstruct` and `looptune`.

For more information about the SLICOT library, see <http://slicot.org>.

R2011b

Version: 4.0

New Features: Yes

Bug Fixes: Yes

looptune Tunes Fixed-Structure Control Systems

Use `looptune` to tune fixed-structure control systems to meet your requirements. To use `looptune`, specify design requirements such as loop bandwidth, stability margin, setpoint tracking, or target loop shape. `looptune` automatically tunes the parameters of your controller to meet the specified requirements.

The requirements objects `TuningGoal.MaxGain`, `TuningGoal.Tracking`, and `TuningGoal.LoopShape` let you express your design requirements directly. You do not have to first convert them to weighting functions or mathematical constraints on an optimization problem.

You can use `loopview` to validate the performance the performance of the tuned control structure against your specified design requirements.

For more information, see [Tuning Fixed Control Architectures](#) and the [looptune](#) and [loopview](#) reference pages.

Control System Tuning for Simulink Models with looptune or hinfstruct Using sITunable Interface

If you have Simulink Control Design™ software, you can use tuning commands, such as `sITunable.looptune` and `hinfstruct`, to tune control systems modeled in Simulink. The `sITunable` object provides an interface between your Simulink model and these commands.

Use `sITunable` to specify information about your control structure and parametrization. `sITunable` also automates tasks such as linearizing the Simulink model, parametrizing the tunable blocks of your system, and applying tuned parameter values to the model. After you create and configure an `sITunable` object for your control architecture, you can tune the control system using `sITunable.looptune` or `hinfstruct`.

For more information, see [Tuning Fixed Control Architectures](#) and the following demos:

- [Tuning of a Digital Motion Control System](#)

- Decoupling Controller for a Distillation Column
- Tuning of a Two-Loop Autopilot
- Tuning of Cascaded PID Loops
- Loop Shaping Design with HINFSTRUCT
- Fixed-Structure Autopilot for a Passenger Jet

wcgainplot for Visualizing Worst-Case Gains

wcgainplot plots the nominal, sampled, and worst-case gains of uncertain systems as a function of frequency. Use `wcgainplot` for visual analysis of uncertain systems.

For more information, see the `wcgainplot` reference page.

Functionality Being Removed or Changed

Compatibility Considerations: Yes

Functionality	What Happens When You Use This Functionality?	Use This Instead	Compatibility Considerations
<code>umat</code> object can no longer contain <code>ultidyn</code> or <code>udyn</code> uncertainty.	<ul style="list-style-type: none"> • Presence of <code>ultidyn</code> or <code>udyn</code> uncertain elements forces model type to <code>uss</code> or <code>ufrd</code> rather than <code>umat</code>. • Mixing <code>ureal</code> or <code>ucomplex</code> models with <code>udyn</code> or <code>ultidyn</code> objects 	Expect a model type of <code>uss</code> or <code>ufrd</code> instead of <code>umat</code> when working with <code>udyn</code> or <code>ultidyn</code> uncertain elements.	Update code to work with <code>uss</code> or <code>ufrd</code> instead of <code>umat</code> when <code>udyn</code> or <code>ultidyn</code> elements are present.

Functionality	What Happens When You Use This Functionality?	Use This Instead	Compatibility Considerations
	produces <code>uss</code> instead of <code>umat</code> .		
<code>uss(sys_frd)</code> , where <code>sys_frd</code> is a <code>frd</code> model object no longer converts <code>sys_frd</code> to <code>ufrd</code> .	Errors.	<code>ufrd(sys_frd)</code> .	Replace <code>uss(sys_frd)</code> with <code>ufrd(sys_frd)</code> .
<code>ufrd(udat, freq, ...)</code> no longer constructs an uncertain <code>frd</code> model from the <code>umat</code> object <code>udat</code> .	Converts <code>udat</code> to a <code>ufrd</code> object with frequencies <code>freq</code> .	Use <code>frd(udat, freq, ...)</code> to construct an uncertain <code>frd</code> model from the <code>umat</code> object <code>udat</code> .	Replace <code>ufrd(udat, freq, ...)</code> with <code>frd(udat, freq, ...)</code> .
<code>frd(sys_uss, w)</code> where <code>sys_uss</code> is a <code>uss</code> model.	Warns; returns <code>frd</code> model containing data based on nominal response of <code>sys_uss</code> .	<code>ufrd(sys_uss, w)</code> to obtain a <code>ufrd</code> model.	Replace <code>frd(sys_uss, w)</code> with <code>ufrd(sys_uss, w)</code> .
Nominal value of <code>ultidyn</code> object.	Nominal value is <code>ss</code> model object.	None.	Update code to work with <code>ss</code> model objects when working nominal value of <code>ultidyn</code> .
<code>usubs</code> .	Applied to array of uncertain models, default substitution is <code>'-once'</code> .	Use <code>'-batch'</code> to perform batch substitution on uncertain model arrays.	Replace <code>usubs(...)</code> with <code>usubs(..., '-batch')</code> .
	<code>usubs(M, {a1; a2; ...}, {v1; v2; ...})</code> returns error.	<code>usubs(M, a1, v1, a2, v2, ...)</code> .	Replace <code>usubs(M, {a1; a2; ...}, {v1; v2; ...})</code> with <code>usubs(M, a1, v1, a2, v2, ...)</code> .

Functionality	What Happens When You Use This Functionality?	Use This Instead	Compatibility Considerations
usample(sys, 'a', na, 'b', nb) where uncertain element b does not exist in sys.	Returns na-by-nb array with constant values across nb dimension, instead of na-by-1 array.	None.	Update code to reflect correct dimensionality.
wcgopt.	Still runs.	wcgainOptions or wcmarginOptions.	Replace wcgopt with wcgainOptions or wcmarginOptions.
robuststab and robustperf.	For ufrd models, BadUncertainValues field of Info output returns Nf-by-1 struct array, where Nf is the number of frequency points.	None.	Update code to work with Nf-by-1 struct array for BadUncertainValues instead of Nf-by-1 cell array.
	For nominally unstable models, performance margin is zero (instead of a negative value).	None.	Update code to reflect correct performance margin .
robopt.	Still runs.	robuststabOptions or robustperfOptions.	Replace robopt with robuststabOptions or robustperfOptions.
actual2normalized.	First output argument is normalized uncertain block value. The second output argument is normalized distance between block value and nominal value.	[NV, ndist] = actual2normalized(BLK, AV).	Use second output argument ndist for normalized distance.

Functionality	What Happens When You Use This Functionality?	Use This Instead	Compatibility Considerations
<code>reshape(unc_sys,S)</code> .	S does not include the I/O size of the models in the array <code>unc_sys</code> . For example, if <code>unc_sys</code> is a 6-by-1 array of 2-output, 4-input models, <code>reshape(unc_sys,[2 3])</code> converts <code>unc_sys</code> to a 2-by-3 array.	None.	Remove I/O size dimensions from <code>reshape</code> on uncertain model arrays.
<code>diag(uss_sys)</code> where <code>uss_sys</code> is a <code>uss</code> model.	Errors.	None.	Remove <code>diag(uss_sys)</code> .

R2011a

Version: 3.6

New Features: Yes

Bug Fixes: Yes

Enhanced Workflow for H-Infinity Synthesis of Fixed-Structure Control Systems

New Generalized LTI models in Control System Toolbox allow you to model control systems with tunable parameters. Using these models simplifies controller tuning with `hinfstruct`. You can model a closed-loop transfer function, including tunable parameters, as a generalized state-space (`genss`) model and directly tune the parameters to minimize the closed-loop gain. The `hinfstruct` command can tune any fixed-structure SISO or MIMO control system using H_∞ synthesis techniques.

Additionally, new `realp` and `genmat` objects let you create parametric expressions. You can use such expressions to create custom tunable components. For example, you can define a low-pass filter parametrized by its cutoff frequency, or an observer-based controller parametrized by the state-feedback and observer gains.

For more information about creating tunable Generalized LTI models, see *Models with Tunable Coefficients* in the *Control System Toolbox User's Guide*.

For more information about H_∞ tuning with `hinfstruct`, see *Tuning Fixed Control Architectures* in the *Robust Control Toolbox Getting Started Guide*.

For examples of designing controllers for several different architectures using `hinfstruct`, see the following updated and new demos:

- Loop Shaping Design with HINFSTRUCT (updated)
- Tuning of a Two-Loop Autopilot (updated)
- Decoupling Controller for a Distillation Column (updated)
- Multi-Loop PID Control of a Robot Arm (updated)
- Fixed-Structure Autopilot for a Passenger Jet (new)

R2010b

Version: 3.5

New Features: Yes

Bug Fixes: Yes

New Commands for H-Infinity Synthesis of Fixed-Structure Control Systems

New commands in this release allow you to tune fixed-structure SISO and MIMO control systems using the techniques of H_∞ synthesis.

The new `hinfstruct` command lets you use the frequency-domain methods of H_∞ synthesis to tune control systems with a broad range of architectures and controller structures. For example, you can tune:

- Fixed-order, fixed-structure controllers, such as pure gains, PID controllers, or fixed-order transfer function or state-space models
- Single feedback-loop architectures with multiple tunable elements, such as a PID controller plus a filter
- Multiple feedback-loop architectures with multiple tunable elements

Specify the tunable elements of your system using the new parametrized Control Design blocks `ltiblock.gain`, `ltiblock.pid`, `ltiblock.tf`, and `ltiblock.ss`.

For examples of designing controllers for several different architectures using `hinfstruct`, see the following new demos:

- Loop Shaping Design with HINFSTRUCT
- Tuning of a Fixed-Structure Autopilot
- Decoupling Controller for a Distillation Column
- Multi-Loop PID Control of a Robot Arm

For more information, see Tuning Fixed Control Architectures in the *Robust Control Toolbox Getting Started Guide*.

R2010a

Version: 3.4.1

New Features: No

Bug Fixes: Yes

R2009b

Version: 3.4

New Features: Yes

Bug Fixes: Yes

New Option to Improve Robust Performance by Accounting for Real Uncertain Parameters

You can now improve robust performance by accounting for real uncertain parameters when designing controllers using μ -synthesis. The user-defined options you use in the `dksyn` command now includes a new option `MixedMU`. Set this option to 'on' to account for real uncertain parameters in your system. For more information, see the `dkitopt`, and `dksyn` reference pages.

New Command to Linearize Simulink Models with Uncertainty

If you have Simulink Control Design software installed, you can take model uncertainty into account when linearizing a Simulink model. You can then use the resulting uncertain linearized model (`uss` object) to perform linear analysis and robust control design.

If your model already contains Uncertain State Space blocks, use the new `ulinearize` command to obtain an `uss` model. If you want to account for uncertainty in your linear analysis without using Uncertain State Space blocks, you can specify individual Simulink blocks to linearize to an uncertain variable. For more information, see "Computing Uncertain State-Space Models from Simulink Models" in the *Robust Control Toolbox User's Guide*.

New Interface for Simulating Effects of Uncertainty in Simulink Models

This version of the product provides a new interface to simulate the effects of uncertainty in Simulink models. The interface includes the following:

- Uncertain State Space block to specify uncertain system in Simulink. You should replace `USS System` blocks in your existing models with the Uncertain State Space block. To do so, run the `slupdate` command on your models.
- `ufind` command to extract all uncertain variables from a Simulink model.
- `usample` command to generate random values of these uncertain variables.

For more information on simulating the effects of uncertainty using the new interface, see "Simulating Effects of Uncertainty" in the *Robust Control Toolbox User's Guide*.

New Command to Model Multiple LTI Responses as One Uncertain System

This version of the product includes a new `ucover` command that lets you model a family of LTI responses as one uncertain system. For more information, see the `ucover` reference page.

New and Updated Demos

The following new and updated demos illustrate use of the new features:

- "Control of Spring-Mass-Damper Using Mixed μ -Synthesis" shows use of the new `MixedMU` option and `dksyn` command for mixed- μ synthesis.
- "Linearization of Simulink Models with Uncertainty" shows how to compute uncertain state-space models using `ulinearize` and Simulink Control Design software.
- "Robustness Analysis in Simulink" uses the new interface for simulating effects of uncertainty in Simulink models.
- "Simultaneous Stabilization Using Robust Control" and "Modeling a Family of Responses as an Uncertain System" show use of the `ucover` command.
- "First-Cut Robust Design" shows use of the `usample`, `ucover` and `dksyn` commands.

To access the demos, type

```
demo('toolbox','robust control')
```

Functions, Properties and Blocks Being Removed

Compatibility Considerations: Yes

Function, Property or Block Name	What Happens When You Use Function or Property?	Use This Instead	Compatibility Considerations
usiminfo	Still runs	ufind	See “New Interface for Simulating Effects of Uncertainty in Simulink Models” on page 32.
usimfill	Still runs	ufind	See “New Interface for Simulating Effects of Uncertainty in Simulink Models” on page 32.
usimsamp	Still runs	usample	See “New Interface for Simulating Effects of Uncertainty in Simulink Models” on page 32.
USS System block	Still runs	Uncertain State Space block	See “New Interface for Simulating Effects of Uncertainty in Simulink Models” on page 32.
ltiarray2uss	Still runs	ucover	See “New Command to Model Multiple LTI Responses as One Uncertain System” on page 33.

R2009a

Version: 3.3.3

New Features: No

Bug Fixes: Yes

R2008b

Version: 3.3.2

New Features: No

Bug Fixes: Yes

R2008a

Version: 3.3.1

New Features: Yes

Bug Fixes: No

Ability to Use LOOPMARGIN with Simulink

This version of Robust Control Toolbox software lets you analyze the robustness of nonlinear Simulink models using the LOOPMARGIN command.

If you have the Simulink Control Design product installed, you can perform stability margin analysis of a Simulink model by passing the model name and a point within that model to the LOOPMARGIN command.

R2007b

Version: 3.3

New Features: No

Bug Fixes: No

No New Features or Changes

R2007a

Version: 3.2

New Features: Yes

Bug Fixes: No

New Simulink Blocks

- **USS System** — This Robust Control Toolbox version introduces a new Simulink block, USS System. You can use this block to import uncertain systems into Simulink models.
- **Multiplot Graph** — Plot multiple signals in one figure.

R2006b

Version: 3.1.1

New Features: Yes

Bug Fixes: No

New Function `ltiarray2uss`

This Robust Control Toolbox version introduces a new function, `ltiarray2uss`. This function constructs an uncertain state-space model from an LTI array.

R2006a

Version: 3.1

New Features: No

Bug Fixes: No

No New Features or Changes

R14SP3

Version: 3.0.2

New Features: No

Bug Fixes: No

No New Features or Changes

R14SP2

Version: 3.0.1

New Features: Yes

Bug Fixes: No

mussvunwrap Is Renamed

mussvunwrap has been renamed. It is now called mussvextract.

New Functions `actual2normalized` and `normalized2actual`

This Robust Control Toolbox version introduced two new functions:

- `actual2normalized` — Calculate normalized distance between nominal value and given value for uncertain atom.
- `normalized2actual` — Convert value for atom in normalized coordinates to corresponding actual value.