



Model-Based Calibration Toolbox™

Reference

R2014b



MATLAB® & SIMULINK®



How to Contact MathWorks



Latest news: www.mathworks.com
Sales and services: www.mathworks.com/sales_and_services
User community: www.mathworks.com/matlabcentral
Technical support: www.mathworks.com/support/contact_us



Phone: 508-647-7000



The MathWorks, Inc.
3 Apple Hill Drive
Natick, MA 01760-2098

Model-Based Calibration Toolbox™ Reference

© COPYRIGHT 2005–2014 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Revision History

November 2005	Online only	New for Version 3.0 (Release 14SP3+)
September 2006	Online only	Version 3.1 (Release 2006b)
March 2007	Online only	Version 3.2 (Release 2007a)
September 2007	Online only	Revised for Version 3.3 (Release 2007b)
March 2008	Online only	Revised for Version 3.4 (Release 2008a)
October 2008	Online only	Revised for Version 3.4.1 (Release 2008a+)
October 2008	Online only	Revised for Version 3.5 (Release 2008b)
March 2009	Online only	Revised for Version 3.6 (Release 2009a)
September 2009	Online only	Revised for Version 3.7 (Release 2009b)
March 2010	Online only	Revised for Version 4.0 (Release 2010a)
September 2010	Online only	Revised for Version 4.1 (Release 2010b)
April 2011	Online only	Revised for Version 4.2 (Release 2011a)
September 2011	Online only	Revised for Version 4.3 (Release 2011b)
March 2012	Online only	Revised for Version 4.4 (Release 2012a)
September 2012	Online only	Revised for Version 4.5 (Release 2012b)
March 2013	Online only	Revised for Version 4.6 (Release 2013a)
September 2013	Online only	Revised for Version 4.6.1 (Release 2013b)
March 2014	Online only	Revised for Version 4.7 (Release 2014a)
October 2014	Online only	Revised for Version 4.8 (Release 2014b)

1	Commands — Alphabetical List
----------	-------------------------------------

Commands – Alphabetical List

ActiveInputs

Active boundary model inputs

Syntax

```
B.ActiveInputs = [X]
```

Description

ActiveInputs is a property of `mbcboundary.Model`.

`B.ActiveInputs = [X]` sets the active inputs for the boundary model. X is a logical row vector indicating which inputs to use to fit a boundary. You can build boundary models using subsets of input factors and then combine them for the most accurate boundary. This approach can provide more effective results than including all inputs.

Examples

To make a boundary model using only the first two inputs:

```
B.ActiveInputs = [true true false false];
```

More About

- “Boundary Models”

Add

Add boundary model to tree and fit to test plan data

Syntax

```
B = Add(Tree,B)
B = Add(Tree,B,InBest)
```

Description

This is a method of `mbcboundary.Tree`.

`B = Add(Tree,B)` adds the boundary model to the tree and fits the boundary model to the test plan data. `Tree` is an `mbcboundary.Tree` object, `B` is a new boundary model object. The boundary model must have the same inputs as the boundary tree. The boundary model is always fitted when you add it to the boundary tree. This fitting ensures that the fitting data is compatible with the test plan data. The method returns the fitted boundary model.

`B = Add(Tree,B,InBest)` adds and fits the boundary model, and `InBest` specifies whether to include the boundary model in the best boundary model for the boundary tree. By default, the best model includes the new boundary model.

More About

- “Boundary Models”

See Also

[Update](#) | [Remove](#) | [CreateBoundary](#)

AddConstraint

Add design constraint

Syntax

`D = AddConstraint(D,c)`

Description

`AddConstraint` is a method of `mbcdoe.design`.

`D = AddConstraint(D,c)` adds constraint `c` to the design. You must call `AddConstraint` to apply the constraint and remove points outside the constraint.

If `c` is a boundary model, `AddConstraint` also converts the boundary model object to a `mbcdoe.designconstraint` object.

See Also

`CreateConstraint`

AddDesign

Add design to test plan

Syntax

```
D = AddDesign(T,D)
D = AddDesign(T,Level,D)
D = AddDesign(T,Level,D,Parent)
```

Description

AddDesign is a method of `mbcmodel.testplan`.

D = AddDesign(T,D) adds a design to test plan T.

D = AddDesign(T,Level,D) adds a design and specifies the level.

D = AddDesign(T,Level,D,Parent) adds a child design.

D is the array of designs to be added to the test plan, T.

Level is the test plan level. By default the level is the outer level (i.e., Level 1 for One-stage, Level 2 (global) for Two-stage).

Parent is the parent design in the design tree. By default designs are added to the top level of the design tree. See **Designs** for more information on the design tree.

In order to ensure that the design names are unique in the test plan, the design name will be changed when adding a design to a test plan if a design of the same name already exists. The array of designs with modified names is an output.

Examples

To add three designs to the test plan global (2) level:

```
D = AddDesign(TP, [sfDesign, parkedCamsDesign, mainDesign])
```

See Also

UpdateDesign | FindDesign | RemoveDesign

AddFilter

Add user-defined filter to data set

Syntax

```
D = AddFilter(D, expr)
```

Description

This is a method of `mbcmodel.data`.

A filter is a constraint on the data set used to exclude some records. You define the filter using logical operators or a logical function on the existing variables.

`D` is the `mbcmodel.data` object you want to filter.

`expr` is an input string holding the expression that defines the filter.

Examples

```
AddFilter(D, 'AFR < AFR_CALC + 10');
```

The effect of this filter is to keep all records where `AFR < AFR_CALC + 10`.

```
AddFilter(D, 'MyFilterFunction(AFR, RPM, TQ, SPK)');
```

The effect of this filter is to apply the function `MyFilterFunction` using the variables `AFR`, `RPM`, `TQ`, `SPK`.

All filter functions receive an `n×1` vector for each variable and must return an `n×1` logical array out. In that array, `true` (or `1`) indicates a record to keep, and `false` (or `0`) indicates a record to discard.

See Also

`RemoveFilter` | `AddTestFilter` | `ModifyTestFilter` | `ModifyFilter` | `Filters`

AddTestFilter

Add user-defined test filter to data set

Syntax

```
D = AddTestFilter(D, expr)
```

Description

This is a method of `mbcmodel.data`.

A test filter is a constraint on the data set used to exclude some entire tests. You define the test filter using logical operators or functions on the existing variables.

D is your data object.

expr is the input string holding the definition of the new test filter.

Examples

```
AddTestFilter(d1, 'any(n>1000)');
```

The effect of this filter is to include all tests in which all records have speed (n) greater than 1000.

Similar to filters, test filter functions are iteratively evaluated on each test, receiving an $n \times 1$ vector for each variable input in a test, and must return an 1×1 logical array out. In that array, true (or 1) indicates a record to keep, and false (or 0) indicates a test to discard.

```
AddTestFilter(data, 'length(LOGNO) > 6');
```

The effect of this filter is to include all tests with more than 6 records.

See Also

[RemoveTestFilter](#) | [AddFilter](#) | [ModifyTestFilter](#) | [TestFilters](#)

AddVariable

Add user-defined variable to data set

Syntax

```
D = AddVariable(D, expr, units)
```

Description

This is a method of `mbcmodel.data`.

You can define new variables in terms of existing variables. Note that variable names are case sensitive.

`D` is your data object.

`expr` is the input string holding the definition of the new variable.

`units` is an optional input string holding the units of the variable.

Examples

```
AddVariable(D, 'MY_NEW_VARIABLE = TQ*AFR/2');  
AddVariable(D, 'funcVar = MyVariableFunction(TQ, AFR, RPM)',  
'lb');  
AddVariable(D, 'TQ=tq');
```

The last example could be useful if the signal names in the data do not match the model input factor names in the test plan template file.

See Also

[RemoveVariable](#) | [UserVariables](#) | [ModifyVariable](#)

AliasMatrix

Alias matrix for linear model parameters

Syntax

```
A = M.AliasMatrix
```

Description

This is a method of `mbcmodel.linearmodel`.

`A = M.AliasMatrix` calculates the alias matrix for the linear model parameters (where `M` is a linear model).

Examples

```
A = AliasMatrix(knot_model)
```

See Also

`ParameterStatistics`

AlternativeModelStatistics

Summary statistics for alternative models

Syntax

```
S = AlternativeModelStatistics(R)
S = AlternativeModelStatistics(R, Name)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

This returns an array (S) of summary statistics of all the alternative model fits, to be used to select the best model. These are the summary statistics seen in the list view at the bottom of the Model Browser GUI in any model view.

You must use `CreateAlternativeModels` before you can compare the alternative responses using `AlternativeModelStatistics`. Then use `ChooseAsBest`.

R is the model object whose alternative response models you want to compare. R could be a local (L), response feature (R) or hierarchical response (HR) model.

S is a structure containing `Statistics` and `Names` fields.

- `S.Statistics` is a matrix of size (number alternative responses x number of statistics).
- `S.Names` is a cell array containing the names of all the statistics.

The available statistics vary according to what kind of parent model (two-stage, local, response feature or response) produced the alternative models, and include `PRESS`, `RMSE`, `RMSE`, and `Two-Stage RMSE`.

All the available statistics are calculated unless you specify which you want. You can specify only the statistics you require using the following form:

```
S = AlternativeModelStatistics(R, Name)
```

This returns a double matrix containing only the statistics specified in `Name`.

Note that you use `SummaryStatistics` to examine the fit of the current model, and `AlternativeModelStatistics` to examine the fit of several alternative child models.

Examples

```
S = AlternativeModelStatistics(R);
```

See Also

`SummaryStatistics` | `CreateAlternativeModels` | `ChooseAsBest`

AlternativeResponses

Array of alternative responses for this response

Syntax

```
altR = R.AlternativeResponses
```

Description

This is a property of the response model object, `mbcmodel.response (R)`.

It returns a list of alternative responses used for one-stage or response feature models.

Examples

```
R = testplan.Responses;  
TQ = R(1);  
AR = TQ.AlternativeResponses;
```

See Also

[ResponseFeatures\(Local Response\)](#) | [LocalResponses](#)

Append

Append data to data set

Syntax

```
D = Append(D, otherData)
```

Description

This is a method of `mbcmodel.data`.

You can use this to add new data to your existing data set, `D`.

`otherData` is the input argument holding the extra data to add below the existing data. This argument can either be an `mbcmodel.data` object or a double array. The behavior is different depending on the type.

If `otherData` is an `mbcmodel.data` object then `Append` will look for common `SignalNames` between the two sets of data. If no common `SignalNames` are found then an error will be thrown. Any common signals will be `Appended` to the existing data and other signals will be filled with `NaN`.

If `otherData` is a double array then it must have exactly the same number of columns as there are `SignalNames` in the data, and a simple `vertcat` (vertical concatenation) is applied between the existing data and `otherData`.

Examples

```
Append(D, CreateData('aDataFile.xls'));  
Append(D, rand(10,100));
```

See Also

`CreateData`

AttachData

Attach data from project to test plan

Syntax

```
newD = AttachData(T, D, Property1, Value, Property2, Value...)
```

Description

This is a method of `mbcmodel.testplan`. Use it to attach the data you want to model to the test plan.

T is the test plan object, D is the data object.

The following table shows the valid properties and their corresponding possible values. The first five are optional property/value pairs to control how the data is matched to a design. These are the settings shown in the last page of the Data Wizard (if there is a design) in the Model Browser. For more information on the meaning of these settings, refer to the Data Wizard section (under Data) in the *Model Browser User's Guide*.

The `usedatarange` property changes the test plan input ranges to the range of the data.

Note: If the testplan has responses set up the models are fitted when you attach data.

Property	Value	Default
<code>unmatcheddata</code>	{'all', 'none'}	'all'
<code>moredata</code>	{'all', 'closest'}	'all'
<code>moredesign</code>	{'none', 'closest'}	'none'
<code>tolerances</code>	[1xNumInputs double]	ModelRange/20
<code>usedatarange</code>	logical	false

When you attach data to a test plan the `Name` property of the test plan inputs is used to select data channels. If the `Name` is empty then the `Symbol` is used as the `Name`. If the `Name` does not exist in the data set, an error is generated.

When a test plan has data attached, it is only possible to change the symbols, ranges or nonlinear transforms of the test plan inputs.

Examples

To use all the data in DATA in the test plan TESTPLAN and set the input ranges to the data range:

```
newD = AttachData(TESTPLAN, DATA, 'usedatarange', true);
```

To match data DATA to the best design in testplan TESTPLAN within specified tolerances:

```
tol = [0.075, 100, 1, 2];
unmatch = 'all';
moredata = 'all';
moredes = 'none';
AttachData(testplan, data ,...
    'tolerances',    tol,...
    'unmatcheddata', unmatch,...
    'moredata',     moredata,...
    'moredesign',    moredes);
```

You can use AttachData to use data from one project in another project, as follows:

```
p1 = mbcmodel.LoadProject( filename );
p2 = mbcmodel.LoadProject( filename2 );
p1.Testplan.AttachData( p2.Data );
```

See Also

Data | CreateData | DetachData

Augment

Add design points

Syntax

```
D = Augment(D, Numpoints)
D = Augment(D, 'Prop1', value1, ...)
```

Description

`Augment` is a method of `mbcdoe.design`. Use it to add points to a design using a specified design generator. After augmenting a design, the design `Style` is set to `Custom` unless an optimal design is used for augmentation, as in the Design Editor.

`D = Augment(D, Numpoints)` augments the design with the number of points specified by `Numpoints` using the current generator settings.

`D = Augment(D, 'Prop1', value1, ...)` augments the design with the generator specified by the generator property value pairs.

You can use the `Augment` method to add points to an existing type using a different design type.

```
OptDesign = Augment(OptDesign, ...
    'Type', 'V-optimal', ...
    'MaxIterations', 200, ...
    'NoImprovement', 50, ...
    'NumberOfPoints', 20);
```

To set all designs points to fixed and then augment an existing design optimally, use the `FixPoints` method to fix all the points as follows:

```
OptDesign = FixPoints(OptDesign);
OptDesign = Augment(OptDesign, ...
    'Type', 'V-optimal', ...
    'MaxIterations', 200, ...
    'NoImprovement', 50, ...
    'NumberOfPoints', 20);
```

When augmenting with an optimal design generator existing points which are not fixed may be changed. To add points optimally and keep only fixed points, use `RemovePoints` before augmenting, e.g.,

```
OptDesign = RemovePoints(OptDesign,'free');
OptDesign = Augment(OptDesign,...
    'Type','V-optimal',...
    'MaxIterations',200,...
    'NoImprovement', 50,...
    'NumberOfPoints',20);
```

To get a candidate set object for use with an optimal design:

```
C = CreateCandidateSet(OptDesign,'Type', 'Grid',...
    'NumberOfLevels',[21 21 21]);
```

You see an error if you try to call `Augment` when the design `Style` is User-defined or Experimental data.

Examples

To create a candidate set and then optimally augment a design with 10 points:

```
CandidateSet = augmentedDesign.CreateCandidateSet...
( 'Type', 'Grid' );
CandidateSet.NumberOfLevels = [21 21 21 21];
augmentedDesign = Augment( augmentedDesign,...
    'Type', 'V-optimal',...
    'NumberOfPoints', 10,...
    'CandidateSet', CandidateSet,...
    'MaxIterations', 200,...
    'NoImprovement', 50 );
```

See Also

[Generate](#) | [CreateCandidateSet](#)

BeginEdit

Begin editing session on data object

Syntax

```
D = BeginEdit(D)
```

Description

This is a method of `mbcmodel.data`.

You must call this method before you can make any changes to a data object.

There are no input arguments. You must call `BeginEdit` before attempting to modify your data object (`D` in the example below) in any way. An error will be thrown if this condition is not satisfied. Data which cannot be edited (see `IsEditable`) will throw an error if `BeginEdit` is called.

Examples

```
BeginEdit(D);
```

See Also

`RollbackEdit` | `IsBeingEdited` | `CommitEdit` | `IsEditable`

BestDesign

Best design in test plan

Syntax

```
T.BestDesign{Level} = d;
```

Description

`BestDesign` is a property of `mbcdmodel.testplan`.

`T.BestDesign{Level} = d;` sets `d` as the best design, where `Level` is the test plan level. There can be one best design for each level, but the best global (2) level design is used for matching to data when you call `AttachData`.

`BestDesign` is a cell array with a cell per level. `TP.BestDesign{1}` is the best design for the first level and `TP.BestDesign{2}` is best design for the second level.

Examples

To set the design `globalDesign` as the best design at the global (2) level:

```
T.BestDesign{2} = globalDesign
```

See Also

`CreateDesign`

BestModel

Combined best boundary models

Syntax

```
mbcboundary.Tree.BestModel
```

Description

This is a property of `mbcboundary.Tree` and `mbcboundary.TwoStageTree`.

`mbcboundary.Tree.BestModel` returns the combined boundary model containing all best boundary models in the tree (read only).

`BestModel` is the boundary model combining the models selected as best. You can select which boundary models to include in the best model with `InBest`. If the best boundary model includes more than one boundary model, that boundary model is an `mbcboundary.Boolean` object.

For `TwoStageTree` objects, the `BestModel` property contains the best boundary model (local, global, and response) (read only). In this case, `BestModel` is the boundary model combining the best local, global and response boundary models. You can select which boundary models to include in the best model with `InBest`. If the best boundary model includes more than one boundary model, that boundary model is an `mbcboundary.Boolean` object.

See Also

`InBest`

Boundary

Get boundary model tree from test plan

Syntax

```
BoundaryTree = mbcmodel.testplan.Boundary
```

Description

Boundary is a property of `mbcmodel.testplan`.

`BoundaryTree = mbcmodel.testplan.Boundary` returns the boundary tree for the test plan. The `BoundaryTree` is a container for all the boundary models you create. `BoundaryTree` is an `mbcboundary.Tree` object.

Examples

To get the boundary tree from the test plan `Boundary` property:

```
BoundaryTree = mbcmodel.testplan.Boundary
```

See Also

`CreateBoundary` | `mbcboundary.Tree` | `mbcboundary.Model`

BoundaryModel

Get boundary model from test plan

Syntax

```
Best = BoundaryModel (T)  
Best = BoundaryModel (T, Type)
```

Description

BoundaryModel is a method of `mbcmodel.testplan`.

`Best = BoundaryModel (T)` returns the best boundary model for T, the test plan. `Best` is a boundary model subclass of `mbcboundary.AbstractBoundary`: `mbcboundary.Model`, `mbcboundary.Boolean`, `mbcboundary.PointByPoint`, or `mbcboundary.TwoStage`.

Note: Before Release 2009b, `BoundaryModel` returned an `mbcdoe.designconstraint` object. Use `designconstraint` to convert a boundary to a design constraint.

`Best = BoundaryModel (T, Type)` is the best boundary model for the specified type associated with the test plan. `Type` can be any of the following values:

- 'all': Best boundary model for all inputs (default)
- 'local': Best local boundary model
- 'global': Best global boundary model

Examples

To load boundary constraints from another project file and add to design:

```
otherProject = mbcmodel.LoadProject( [matlabroot, '\toolbox\...  
mbc\mbctraining\Gasoline_project.mat']);  
boundaryConstraints = otherProject.Testplans(1).Boundary.Global.BestModel
```

```
Design.Constraints = boundaryConstraints;
```

When you add the constraints to the design, the boundary model object converts automatically to an `mbcdoe.designconstraint`.

See Also

Boundary | CreateBoundary

BoxCoxSSE

SSE and confidence interval for Box-Cox transformations

Syntax

```
[sse, ci, lambda] = BoxCoxSSE(Model, lambda)
[sse, ci, lambda] = BoxCoxSSE(Model)
BoxCoxSSE(Model, ...)
```

Description

This is a method of `mbcmodel.linearmodel`.

`[sse, ci, lambda] = BoxCoxSSE(Model, lambda)` computes the sum of squares error (`sse`) and confidence interval (`ci`) for values of the model under different Box-Cox transforms (as given by the parameter `lambda`). The data used is that which was used to fit the model. `sse` is a vector the same size as `lambda` and `ci` is a scalar. There is no statistical difference between the Box-Cox transforms where `sse` less than `ci`.

`[sse, ci, lambda] = BoxCoxSSE(Model)` If `lambda` is not specified, then default values for are used and these are returned in third output argument.

`BoxCoxSSE(Model, ...)` If no output arguments are requested then a plot of SSE versus `lambda` is displayed. The confidence intervals are also displayed on this plot.

Examples

To try several different values, of the Box-Cox parameter and plot the results:

```
lambda = -3:0.5:3;
[sse, ci] = BoxCoxSSE( M, lambda);
semilogy( lambda, sse, 'bo-', lambda([1,end]), [ci, ci], 'r--' );
xlabel( 'Box-Cox parameter, \lambda' );
ylabel( 'SSE' );
```

Note that `BoxCoxSSE` does not set a Box-Cox transform in the model. To do this use:

```
M.Properties.BoxCox = 0;
```

```
[S,M] = M.Fit;
```

See Also

ParameterStatistics

cage

Open CAGE Browser

Syntax

```
cage  
cage fileName.cag
```

Description

`cage` opens the CAGE Browser GUI or brings an existing CAGE Browser to the front of the screen. The CAGE Browser is a GUI for working with engine models and ECU strategies to build high quality calibrations.

`cage fileName.cag` opens the CAGE Browser and loads the file specified by *fileName*.

See Also

`mbcmodel` | `mbcconfig`

Centers

Centers of RBF model

Syntax

```
centers = params.Centers
```

Description

This is a property of `mbcmodel.rbfmodelparameters`, for Radial Basis Function (RBF) models only. This returns an array of size `number_of_centers` by `number_of_variables`.

Examples

```
centers = params.Centers;
```

See Also

Widths

cgoptimoptions

Create custom optimization options object

Syntax

Description

Use the `cgoptimoptions` object to define custom optimization settings for use in CAGE.

For a list of `cgoptimoptions` methods, see “Optimization Function Reference” in the CAGE documentation.

For instructions, see “User-Defined Optimizations” in the CAGE documentation.

cgoptimstore

Construct optimization interface

Syntax

Description

When running a user-defined optimization, you use the `cgoptimstore` object in the `Evaluation` section of your script. Use the `cgoptimstore` object to define the interface to CAGE for your custom optimization routine. CAGE interacts with your routine (obtaining inputs and sending outputs) via the `cgoptimstore` object. The `cgoptimstore` object provides methods for accessing information about and evaluating the objectives and constraints that have been defined in the CAGE GUI. The `cgoptimstore` object also provides the interface for sending the optimization results back to CAGE when an optimization is completed.

For a list of `cgoptimstore` methods, see “Optimization Function Reference” in the CAGE documentation.

For instructions, see “User-Defined Optimizations” in the CAGE documentation.

ChooseAsBest

Choose best model from alternative responses

Syntax

```
ChooseAsBest(R, Index)
```

Description

This is a method of the response model object, `mbcmodel.response`. This is the same function as selecting the best model in the Model Selection window of the Model Browser GUI. For a local model `MakeHierarchicalResponse` performs a similar function.

`R` is the object containing the response model.

`Index` is the number of the response model you want to choose as best. Use `AlternativeResponses` to find the index for each response model, and use `AlternativeModelStatistics` to choose the best fit.

Examples

```
ChooseAsBest(R, AlternativeModel)
RMSE = AlternativeModelStatistics(R, 'RMSE');
[mr, Best] = min(RMSE);
ChooseAsBest(R, Best);
```

See Also

`AlternativeModelStatistics` | `DiagnosticStatistics` |
`AlternativeResponses` | `MakeHierarchicalResponse`

CommitEdit

Update temporary changes in data

Syntax

```
D = CommitEdit(D)
```

Description

This is a method of `mbcmodel.data`.

Use this to apply changes you have made to the data, such as creating new variables and applying filters to remove unwanted records.

There are no input arguments. Once you have finished editing your data object `D` you must commit your changes back to the project. Data can only be committed if both `IsEditable` and `IsBeingEdited` are true. `CommitEdit` will throw an error if these conditions are not met.

Examples

```
D = P.Data;  
BeginEdit(D);  
AddVariable(D, 'TQ = tq', 'lbft');  
AddFilter(D, 'TQ < 200');  
DefineTestGroups(D, {'RPM' 'AFR'}, [50 10], 'MyLogNo');  
CommitEdit(D);
```

For an example situation which results in `CommitEdit` failing:

```
D = p.Data;  
D1 = p.Data;  
BeginEdit(D1);  
tp = p.Testplan;  
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `IsEditable(D1)` becomes false because it is now **Attached** to the test plan and hence can only be modified from the test plan. If you now enter:

```
OK = D1.IsEditable
```

the answer is `false`.

If you now enter:

```
CommitEdit(D1);
```

An error is thrown because the data is no longer editable. The error message informs you that the data may have been attached to a test plan and can only be edited from there.

See Also

`RollbackEdit` | `IsBeingEdited` | `BeginEdit` | `IsEditable`

ConstrainedGenerate

Generate constrained space-filling design of specified size

Syntax

```
design = ConstrainedGenerate( design, NumPoints,  
'UnconstrainedSize', Size, 'MaxIter', NumIterations )  
design = ConstrainedGenerate( design, NumPoints, OPTIONS )
```

Description

`ConstrainedGenerate` is a method of `mbcdoe.design`. Use it to generate a space-filling design of specified size within the constrained region. This method only works for space-filling designs. It may not be possible to achieve a specified number of points, depending on the generator settings and constraints.

```
design = ConstrainedGenerate( design, NumPoints,  
'UnconstrainedSize', Size, 'MaxIter', NumIterations )
```

 tries to generate a design with the number of constrained points specified by `NumPoints`. You can supply parameter value pairs for the options or you can use a structure: `design = ConstrainedGenerate(design, NumPoints, OPTIONS)`.

- `MaxIter` — Maximum iterations. Default: 10
- `UnconstrainedSize` — Total number of points in unconstrained design. Default: `NumPoints`

The algorithm `ConstrainedGenerate` produces a sequence of calls to `Generate`, and updates the `UnconstrainedSize` using the following formula:

```
UnconstrainedSize = ceil(UnconstrainedSize * NumPoints/D.NumberOfPoints);
```

Examples

With `ConstrainedGenerate`, make a 200 point design, using an existing space-filling design `sfDesign`, and inspect the constrained and total number of points:


```
sfDesign = ConstrainedGenerate( sfDesign, 200, 'UnconstrainedSize', 800, 'MaxIter',10 );  
  
% How did we do?  
finalNumberOfPoints = sfDesign.NumberOfPoints  
% How many points did we need in total?  
totalNumberOfPoints = sfDesign.Generator.NumberOfPoints  
  
finalNumberOfPoints =  
    200  
totalNumberOfPoints =  
    839
```

See Also

CreateConstraint | Generate

Constraints

Constraints in design

Syntax

```
Constraints = D.Constraints
```

Description

Constraints is a property of `mbcdoe.design`.

Constraints = D.Constraints Designs have a Constraints property, initially this is empty:

```
constraints = design.Constraints
```

```
constraints =  
0x0 array of mbcdoe.designconstraint  
Use CreateConstraint to form constraints.
```

How To

- CreateConstraint
- AddConstraint

CopyData

Create data object from copy of existing object

Syntax

```
newD = CopyData(P, D)  
newD = CopyData(P, Index)
```

Description

This is a method of `mbcmodel.project`.

Use this to duplicate data, for example if you want to make changes for further modeling but want to retain the existing data set. You can refer to the data object either by name or index.

P is the project object.

D is the data object you want to copy.

Index is the index of the data object you want to copy.

Examples

```
D2 = CopyData(P1, D1);
```

See Also

Data | RemoveData | CreateData

Correlation

Correlation matrix for linear model parameters

Syntax

```
STATS = Correlation(LINEARMODEL)
```

Description

This is a method of `mbcmodel.linearmodel`.

`STATS = Correlation(LINEARMODEL)` calculates the correlation matrix for the linear model parameters.

Examples

```
Stats = Correlation(knot_model)
```

See Also

`ParameterStatistics`

Covariance

Covariance matrix for linear model parameters

Syntax

```
STATS = Covariance(LINEARMODEL)
```

Description

This is a method of `mbcmodel.linearmodel`.

`STATS = Covariance(LINEARMODEL)` calculates the covariance matrix for the linear model parameters.

Examples

```
Stats = Covariance(knot_model)
```

See Also

`ParameterStatistics`

CreateAlgorithm

Create algorithm

Syntax

```
newalg = alg.CreateAlgorithm( AlgorithmName)
```

Description

This is a method of `mbcmodel.fitalgorithm`.

`newalg = alg.CreateAlgorithm(AlgorithmName)` creates an algorithm of the specified type. `alg` is a `mbcmodel.fitalgorithm` object. `AlgorithmName` must be in the list of alternative algorithms given by `alg.getAlternativeNames`.

To change the fit algorithm for a model:

```
>> model = mbcmodel.CreateModel('Polynomial', 2);  
>> minpress = model.FitAlgorithm.CreateAlgorithm('Minimize PRESS');  
>> model.FitAlgorithm = minpress;
```

The `AlgorithmName` determines what properties you can set. You can display the properties for an algorithm as follows:

```
>> model.FitAlgorithm.properties
```

```
Algorithm: Minimize PRESS  
Alternatives: 'Least Squares', 'Forward Selection', 'Backward  
Selection', 'Prune'  
MaxIter: Maximum Iterations (int: [1,1000])
```

As a simpler alternative to using `CreateAlgorithm`, you can assign the algorithm name directly to the algorithm. For example:

```
B.FitAlgorithm.BoundaryPointOptions = 'Boundary Only';
```

Or:

```
m.FitAlgorithm = 'Minimize PRESS';
```

Case and spaces are ignored. See `FitAlgorithm`.

The following sections list the properties available for each algorithm type.

Linear Model Algorithm Properties

Linear Models Algorithms

Used by polynomials, hybrid splines and as the `StepAlgorithm` for RBF algorithms.

Algorithm: Least Squares

Alternatives: 'Minimize PRESS', 'Forward Selection', 'Backward Selection', 'Prune'

Algorithm: Minimize PRESS

Alternatives: 'Least Squares', 'Forward Selection', 'Backward Selection', 'Prune'

- `MaxIter`: Maximum Iterations (int: [1,1000])

Algorithm: Forward Selection

Alternatives: 'Least Squares', 'Minimize PRESS', 'Backward Selection', 'Prune'

- `ConfidenceLevel`: Confidence level (%) (numeric: [70,100])
- `MaxIter`: Maximum Iterations (int: [1,1000])
- `RemoveAll`: Remove all terms first (Boolean)

Algorithm: Backward Selection

Alternatives: 'Least Squares', 'Minimize PRESS', 'Forward Selection', 'Prune'

- `ConfidenceLevel`: Alpha (%) (numeric: [70,100])
- `MaxIter`: Maximum Iterations (int: [1,1000])
- `IncludeAll`: Include all terms first (Boolean)

Algorithm: Prune

Alternatives: 'Least Squares', 'Minimize PRESS', 'Forward Selection', 'Backward Selection'

- Criteria (PRESS RMSE | RMSE | GCV | Weighted PRESS | -2logL | AIC | AICc | BIC | R² | R² adj | PRESS R² | DW | Cp | cond(J))
- MinTerms: Minimum number of terms (int: [0,Inf])
- Tolerance (numeric: [0,1000])
- IncludeAll: Include all terms before prune (Boolean)
- Display (Boolean)

RBF Algorithm Properties

For information about any of the RBF and Hybrid RBF algorithm properties, see “Radial Basis Functions for Model Building”, and especially “Fitting Routines” in the Model Browser User's Guide.

Algorithm: RBF Fit

- WidthAlgorithm: Width selection algorithm (mbcmodel.fitalgorithm)
- StepAlgorithm: Stepwise (mbcmodel.fitalgorithm)

Width Selection Algorithms

Alternatives: 'WidPerDim', 'Tree Regression'

Algorithm: TrialWidths

- NestedFitAlgorithm: Lambda selection algorithm (mbcmodel.fitalgorithm)
- Trials: Number of trial widths in each zoom (int: [2,100])
- Zooms: Number of zooms (int: [1,100])
- MinWidth: Initial lower bound on width (numeric: [2.22045e-016,1000])
- MaxWidth: Initial upper bound on width (numeric: [2.22045e-016,100])
- PlotFlag: Display plots (Boolean)
- PlotProgress: Display fit progress (Boolean)

Algorithm: WidPerDim

Alternatives: 'TrialWidths', 'Tree Regression'

- NestedFitAlgorithm: Lambda selection algorithm (mbcmodel.fitalgorithm)
- DisplayFlag: Display (Boolean)
- MaxFunEvals: Maximum number of test widths (int: [1,1e+006])
- PlotProgress: Display fit progress (Boolean)

Algorithm: Tree Regression

Alternatives: 'TrialWidths', 'WidPerDim'

- MaxNumRectangles: Maximum number of panels (int: [1,Inf])
- MinPerRectangle: Minimum data points per panel (int: [2,Inf])
- RectangleSize: Shrink panel to data (Boolean)
- AlphaSelectAlg: Alpha selection algorithm (mbcmodel.fitalgorithm)

Lambda Selection Algorithms

Algorithm: IterateRidge

Alternatives: 'IterateRols', 'StepItRols'

- CenterSelectionAlg: Center selection algorithm (mbcmodel.fitalgorithm)
- MaxNumIter: Maximum number of updates (int: [1,100])
- Tolerance: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- NumberOfLambdaValues: Number of initial test values for lambda (int: [0,100])
- CheapMode: Do not reselect centers for new width (Boolean)
- PlotFlag: Display (Boolean)

Algorithm: IterateRols

Alternatives: 'IterateRidge', 'StepItRols'

- CenterSelectionAlg: Center selection algorithm (mbcmodel.fitalgorithm)
- MaxNumIter: Maximum number of iterations (int: [1,100])
- Tolerance: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- NumberOfLambdaValues: Number of initial test values for lambda (int: [0,100])

- CheapMode: Do not reselect centers for new width (Boolean)
- PlotFlag: Display (Boolean)

Algorithm: StepItRols

Alternatives: 'IterateRidge', 'IterateRols'

- MaxCenters: Maximum number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)
- StartLambdaUpdate: Number of centers to add before updating (int: [1,Inf])
- Tolerance: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- MaxRep: Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])

Center Selection Algorithms

Algorithm: Rols

Alternatives: 'RedErr', 'WiggleCenters', 'CenterExchange'

- MaxCenters: Maximum number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)
- Tolerance: Regularized error tolerance (numeric: [2.22045e-016,1])

Algorithm: RedErr

Alternatives: 'Rols', 'WiggleCenters', 'CenterExchange'

- MaxCenters: Number of centers (evalstr)

Algorithm: WiggleCenters

Alternatives: 'Rols', 'RedErr', 'CenterExchange'

- MaxCenters: Number of centers (evalstr)
- PercentCandidates: Percentage of data to be candidate centers (evalstr)

Algorithm: CenterExchange

Alternatives: 'Rols', 'RedErr', 'WiggleCenters'

- MaxCenters: Number of centers (evalstr)

- NumLoops: Number of augment/reduce cycles (int: [1,Inf])
- NumAugment: Number of centers to augment by (int: [1,Inf])

Tree Regression Algorithms

Algorithm: Trial Alpha

Alternatives: 'Specify Alpha'

- AlphaLowerBound: Initial lower bound on alpha (numeric: [2.22045e-016,Inf])
- AlphaUpperBound: Initial upper bound on alpha (numeric: [2.22045e-016,Inf])
- Zooms: Number of zooms (int: [1,Inf])
- Trials: Trial alphas per zoom (int: [2,Inf])
- Spacing: Spacing (Linear | Logarithmic)
- CenterSelectAlg: Center selection algorithm (mbcmodel.fitalgorithm)

Algorithm: Specify Alpha

Alternatives: 'Trial Alpha'

- Alpha: Width scale parameter, alpha (numeric: [2.22045e-016,Inf])
- NestedFitAlgorithm: Center selection algorithm (mbcmodel.fitalgorithm)

Algorithm: Tree-based Center Selection

Alternatives: 'Generic Center Selection'

- ModelSelectionCriteria: Model selection criteria (BIC | GCV)
- MaxNumberCenters: Maximum number of centers (evalstr)

Algorithm: Generic Center Selection

Alternatives: 'Tree-based Center Selection'

- CenterSelectAlg: Center selection algorithm (mbcmodel.fitalgorithm)

Hybrid RBF Algorithms

Algorithm: RBF Fit

- `WidthAlgorithm`: Width selection algorithm (`mbcmodel.fitalgorithm`)
- `StepAlgorithm`: Stepwise (`mbcmodel.fitalgorithm`)

Width Selection Algorithms

Algorithm: `TrialWidths`

- `NestedFitAlgorithm`: Lambda and term selection algorithm (`mbcmodel.fitalgorithm`)
- `Trials`: Number of trial widths in each zoom (int: [2,100])
- `Zooms`: Number of zooms (int: [1,100])
- `MinWidth`: Initial lower bound on width (numeric: [2.22045e-016,1000])
- `MaxWidth`: Initial upper bound on width (numeric: [2.22045e-016,100])
- `PlotFlag`: Display plots (Boolean)
- `PlotProgress`: Display fit progress (Boolean)

Nested Fit Algorithms

Algorithm: `Twostep`

Alternatives: `'Interlace'`

- `MaxCenters`: Maximum number of centers (evalstr)
- `PercentCandidates`: Percentage of data to be candidate centers (evalstr)
- `StartLambdaUpdate`: Number of terms to add before updating (int: [1,Inf])
- `Tolerance`: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])
- `MaxRep`: Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])
- `PlotFlag`: Display (Boolean)

Algorithm: `Interlace`

Alternatives: `'Twostep'`

- `MaxParameters`: Maximum number of terms (evalstr)
- `MaxCenters`: Maximum number of centers (evalstr)
- `PercentCandidates`: Percentage of data to be candidate centers (evalstr)
- `StartLambdaUpdate`: Number of terms to add before updating (int: [1,Inf])
- `Tolerance`: Minimum change in $\log_{10}(\text{GCV})$ (numeric: [2.22045e-016,1])

- **MaxRep:** Maximum number of times $\log_{10}(\text{GCV})$ change is minimal (int: [1,100])

Boundary Model Fit Algorithm Parameters

The following sections list the available fit algorithm parameters for command-line boundary models. The boundary model fit algorithm parameters have the same fit options as the Boundary Editor GUI. For instructions on using these fit options, see “Editing Boundary Model Fit Options” in the Model Browser documentation.

Convex Hull

KeepAllFacets: Boolean to indicate whether to keep all facets (default is `false`, do not keep all facets).

Tolerance: Tolerance for maximum 1-norm distance allowed for removing facets (numeric: [0,Inf], default 0.02). To remove more facets, increase the tolerance.

For more information, see “Convex Hull Setting” in the Model Browser documentation.

Ellipsoid

Algorithm: Constraint Fitting

BoundaryPointOptions: Boundary Points (mbcmodel.fitalgorithm)

The boundary points algorithm uses optimization to find the best ellipse. These options are from `fmincon`.

Algorithm: Boundary Points

- **Display:** Display (none | iter | final)
- **MaxFunEvals:** Maximum function evaluations (int: [1,Inf])
- **MaxIter:** Maximum iterations (int: [1,Inf])
- **TolFun:** Function tolerance (numeric: [1e-012,Inf])
- **TolX:** Variable tolerance (numeric: [1e-012,Inf])
- **TolCon:** Constraint tolerance (numeric: [1e-012,Inf])

Star-shaped

Algorithm: Constraint Fitting

SpecialPointOptions: Special Points (mbcmodel.fitalgorithm)

BoundaryPointOptions: Boundary Points (mbcmodel.fitalgorithm)

ConstraintFitOptions: Constraint Fit (mbcmodel.fitalgorithm)

Star-shaped—Special Points

Algorithm: Star-shaped Points

CenterAlg: Center (mbcmodel.fitalgorithm)

Algorithm alternatives: 'Mean', 'Median', 'Mid Range', 'Min Ellipse', 'User Defined'

For User Defined only: CenterPoint: User-defined center [X1,X2] (vector:
NumberOfActiveInputs)

Star-shaped—Boundary Points

You can choose to find boundary points (use `Interior`) or to assume that all points are on the boundary (use `Boundary Only`). The interior algorithm then has manual and auto options for the dilation radius and ray casting algorithms.

- Algorithm: Boundary Only (no further options)
- Algorithm: Interior. Further options:
 - DilationRadius (mbcmodel.fitalgorithm)
 - Algorithm: Auto
 - Algorithm: Manual
 - radius: Radius (numeric: [0,Inf])
 - RayCasting (mbcmodel.fitalgorithm)
 - Algorithm: From data
 - Algorithm: Manual
 - nrays: Number of Rays (int: [1,Inf])

Star-shaped—Constraint Fit

Algorithm: Star-shaped RBF Fit

Further options:

- Transform (None | Log | McCallum)
- KernelOpts: RBF Kernel (mbcmodel.fitalgorithm)

Kernel algorithms can be: wendland, multiquadric, recmultiquadric, gaussian, thinplate, logisticrbf. linearrbf, cubicrbf.

You can specify widths and continuity as sub-properties of particular RBF kernels.

- You can set widths for wendland, multiquadric, recmultiquadric, gaussian, logisticrbf. Width: RBF Width (numeric: [1.49012e-008,Inf])

You can set Continuity for wendland. Cont: RBF Continuity (0 | 2 | 4 | 6)

RbfOpts: RBF Algorithm (mbcmodel.fitalgorithm)

Algorithm: Interpolation. The following are additional settings for interpolating RBF.

- CoincidentStrategy: Coincident Node Strategy (Maximum | Minimum | Mean)
- Algorithm: Algorithm (Direct | GMRES | BICG | CGS | QMR)
- Tolerance: Tolerance (numeric: [0,Inf])
- MaxIt: Maximum number of iterations (int: [1,Inf])

Examples

First get a fitalgorithm object, F, from a model:

```
M = mbcmodel.CreateModel('Polynomial', 4);
F = M.FitAlgorithm
```

```
F =
Algorithm: Least Squares
Alternatives: 'Minimize PRESS', 'Forward Selection', 'Backward
Selection', 'Prune'
1x1 struct array with no fields.
```

Then, to create a new algorithm type:

```
Alg = CreateAlgorithm(F, 'Minimize PRESS')
```

```
Alg =  
Algorithm: Minimize PRESS  
Alternatives: 'Least Squares', 'Forward Selection', 'Backward  
Selection', 'Prune'  
MaxIter: 50
```

The `AlgorithmName` determines what properties you can set. You can display the properties for an algorithm as follows:

```
>> model.FitAlgorithm.properties
```

```
Algorithm: Minimize PRESS  
Alternatives: 'Least Squares', 'Forward Selection', 'Backward  
Selection', 'Prune'  
MaxIter: Maximum Iterations (int: [1,1000])
```

As a simpler alternative to using `CreateAlgorithm`, you can assign the algorithm name directly to the algorithm. For example:

```
B.FitAlgorithm.BoundaryPointOptions = 'Boundary Only';  
Or:
```

```
m.FitAlgorithm = 'Minimize PRESS';  
Case and spaces are ignored.
```

See Also

[getAlternativeNames](#) | [SetupDialog](#) | [FitAlgorithm](#)

CreateAlternativeModels

Create alternative models from model template

Syntax

```
R = CreateAlternativeModels(R, modeltemplate, criteria)
R = CreateAlternativeModels(R, modellist, criteria)
R = CreateAlternativeModels(R,
LocalModels,LocalCriteria,GlobalModels,GlobalCriteria)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

This is the same as the Build Models function in the Model Browser GUI. A selection of child node models are built. The results depend on where you call this method from. Note that the hierarchical model is automatically constructed when `CreateAlternativeModels` is called for a local model.

- This option makes alternative response feature models for each response feature.

```
R = CreateAlternativeModels(R, models, criteria)
```

- `Models` is the list of models. You can use a model template file (`.mbm`) created in the Model Browser, or a cell array of `mbcmodel.model` objects.
- `Criteria` is the selection criteria for best model (from the statistics available from `AlternativeModelStatistics`).
- This option makes alternative local models as well as alternative response feature models.

```
R = CreateAlternativeModels(R,
LocalModels,LocalCriteria,GlobalModels,GlobalCriteria)
```

- `LocalModels` is the list of local models - you must pass in an empty matrix).
- `LocalCriteria` is 'Two-Stage RMSE'.
- `GlobalModels` is the list of global models (from the model template).

- `GlobalCriteria` is the selection criteria for best model.

You construct a model template file (such as `'mymodels.mbm'`) in the Model Browser. From any response (global or one-stage model) with alternative responses (child nodes), select **Model > Make Template**. You can save the child node model types of your currently selected modeling node as a model template. Alternatively from any response click **Build Models** in the toolbar and create a series of alternative response models in the dialog.

Examples

```
mymodels = 'mymodels.mbm';  
mlist = {};  
load('-mat', mymodels);  
criteria = 'PRESS RMSE';  
CreateAlternativeModels(R, [], 'Two-Stage RMSE', mlist,  
criteria);
```

Note that the model template contains the variable `mlist`.

```
CreateAlternativeModels( RESPONSE, 'alternative_models.mbm', 'Weighted PRESS' )
```

creates alternative response feature models based upon the model template file `alternative_models.mbt`, and chooses the best model based upon each model's Weighted PRESS statistic.

See Also

`AlternativeModelStatistics`

CreateBoundary

Create boundary model

Syntax

```

B = mbcboundary.CreateBoundary(Type,Inputs)
B = mbcboundary.CreateBoundary(Type,Inputs,Property,Value,...)
B = CreateBoundary(Tree)
B = CreateBoundary(Tree,Type)
B = CreateBoundary(Tree,Type,Property,Value,...)
newboundary = CreateBoundary(B,Type)
newboundary = CreateBoundary(B,Type,Property,Value,...)

```

Description

`B = mbcboundary.CreateBoundary(Type,Inputs)` This syntax is a static package function that creates an `mbcboundary.Model` object (**B**) of the specified `Type`, where `Inputs` is an `mbcmodel.modelinput` object. Use this function to create a new boundary model object independent of any project. See `Fit` for an alternative.

`B = mbcboundary.CreateBoundary(Type,Inputs,Property,Value,...)` creates a boundary with the specified properties. Properties depend on the boundary model type.

You can use `getAlternativeTypes` to get a list of valid model types, or see `Type` (for boundary models). Spaces and case in `Type` are ignored.

`CreateBoundary` is also a method of `mbcboundary.Tree`. Use the method to create a new boundary model within a project.

`B = CreateBoundary(Tree)` creates a new boundary model, **B**, from the `mbcboundary.Tree` object, `Tree`. The method uses the test plan inputs to define the boundary model inputs. You must call `Add` to add the new model to the tree.

`B = CreateBoundary(Tree,Type)` creates a new boundary model, **B** of the specified `Type`.

`B = CreateBoundary(Tree,Type,Property,Value,...)` creates a boundary with the specified properties.

`CreateBoundary` is also a method of `mbcboundary.AbstractBoundary` and all its subclasses. Use the method to create a new boundary model from an existing boundary model.

`newboundary = CreateBoundary(B, Type)` creates a new boundary model, `newboundary`, with the same inputs as the current boundary model `B`. You can get a list of valid types with `getAlternativeTypes`.

`newboundary = CreateBoundary(B, Type, Property, Value, ...)` creates a new boundary model with specified properties.

Examples

You can create a boundary model outside of a project in either of the following ways:

```
B = mbcboundary.Fit(Data, Type);
```

```
B = mbcboundary.CreateBoundary(Type, Inputs)
```

To create a new boundary model within a project:

```
Tree = testplan.Boundary  
B = CreateBoundary(Tree)
```

This creates a new boundary model, `B`, from the `mbcboundary.Tree` object, `Tree`. The method uses the test plan inputs to define the boundary model inputs.

To create a star-shaped global boundary model for a testplan:

```
B = CreateBoundary(testplan.Boundary.Global, 'Star-shaped');  
Call Add to add the boundary model to the tree. .
```

To add the boundary model to the test plan, and fit the boundary model:

```
B = Add(testplan.Boundary.Global, B);
```

The best boundary model for the tree includes this boundary model.

To create boundary models for a point-by-point test plan:

```
B = TP.Boundary.Local.CreateBoundary('Point-by-point');  
% Use convex hull type for the local boundaries  
B.LocalModel = CreateBoundary(B.LocalModel, 'Convex hull');  
% Add point-by-point boundary model to project.
```

```
TP.Boundary.Local.Add(B);
```

More About

- “Boundary Models”

See Also

Type (for boundary models) | Fit | mbcboundary.Model | mbcboundary.Tree
| getAlternativeTypes

CreateCandidateSet

Create candidate set for optimal designs

Syntax

```
D = CreateCandidateSet(D)
D = CreateCandidateSet(D,prop1,value1,...)
```

Description

`CreateCandidateSet` is a method of `mbcdoe.design`. Candidate sets are very similar to design generators. They are not used directly in specifying a design but are used to specify the set of all possible points to be considered as part of an optimal design. You obtain the candidate set from an optimal design generator or by using `mbcdoe.design.CreateCandidateSet`.

`D = CreateCandidateSet(D)` creates a candidate set (`mbcdoe.candidateset` object) for the design.

`D = CreateCandidateSet(D,prop1,value1,...)` creates a candidate set with the specified properties for the design. To see the properties you can set, see the table of candidate set properties, [Candidate Set Properties \(for Optimal Designs\)](#).

Examples

```
CandidateSet = augmentedDesign.CreateCandidateSet( 'Type',...
'Grid' );
CandidateSet.NumberOfLevels = [21 21 21 21];
```

See Also

[Properties \(for candidate sets\) | Augment](#)

CreateConstraint

Create design constraint

Syntax

```
c = CreateConstraint(D)
c = CreateConstraint(D,prop1,val1,...)
```

Description

CreateConstraint is a method of `mbcdoe.design`.

Designs have a Constraints property, initially this is empty:

```
constraints = design.Constraints
```

```
constraints =
0x0 array of mbcdoe.designconstraint
Use CreateConstraint to form constraints.
```

`c = CreateConstraint(D)` creates a default constraint for the design.

`c = CreateConstraint(D,prop1,val1,...)` creates a constraint with the specified properties. See Constraint Properties.

By default a 1D table constraint is created for designs with two or more inputs.

For a design with one input a linear constraint is created by default.

You can specify the constraint type during creation by using the **Type** property, e.g.,

```
c = CreateConstraint(D,'Type','Linear')
```

Other available properties depend on the design type. See the table Constraint Properties.

This method does not add the constraint to the design. You must explicitly add the constraint to the design using the Constraints property of the design e.g.,

```
D = AddConstraint(D,c)
```

or

```
D.Constraints(end+1) = c;
```

You must call `AddConstraint` to apply the constraint and remove design points outside the constraint.

Examples

To create a `Linear` constraint, add it to a design, and regenerate the design points:

```
cLinear = CreateConstraint(design,'Type','Linear');
cLinear.A = [-2.5e-4, 1];
cLinear.b = 0.25;
cLinear
design.Constraints = cLinear;
design = Generate(design);
```

To create and apply a `1D Table` constraint:

```
cTable1d = CreateConstraint(design,'Type','1D Table');
cTable1d.Table = [0.9 0.5];
cTable1d.Breakpoints = [500 6000];
cTable1d
design.Constraints = cTable1d;
design = Generate(design);
```

To combine constraints, use an array of the constraints you want to apply:

```
design.Constraints = [cLinear, cTable1d];
constraints = design.Constraints
design = Generate(design);
```

```
constraints =
1x2 array of mbcdoe.designconstraint
Linear design constraint: -0.00025*N + 1*L <= 0.25
1D Table design constraint: L(N) <= Lmax
```

To load boundary constraints from another project file and add to design:

```
otherProject = mbcmodel.LoadProject([matlabroot,'\toolbox\',...
'mbc\mbctraining\Gasoline_project.mat']);
mytestplan = otherProject.Testplans(1);
boundaryConstraints = BoundaryModel(mytestplan,'global');
```



```
Design.Constraints = boundaryConstraints;
```

See Also

Properties (for design constraints) | AddConstraint

CreateData

Create data object

Syntax

```
D = CreateData(P, filename, filetype)
```

```
D = mbcmodel.CreateData(filename, filetype)
```

Description

The first syntax is a method of `mbcmodel.project`. Use this to create a new data object in an existing project. `P` is the project object.

`filename` and `filetype` are optional arguments that are used to load data from a file into the new data object at creation time.

`filename` is a string specifying the full path to the file.

`filetype` is a string specifying the file type. See `DataFileTypes` for the specification of allowed file types (and `mbccheckindataloadingfcn` to specify your own data loading function). If `filetype` is not provided, then MBC will attempt to infer the file type from the file extension, i.e. if the file extension is `.xls` then MBC will try the Excel File Loader.

If `filename` is not provided then no data will be loaded into the new data object. Data can be loaded subsequently using `ImportFromFile`, provided that editing of the data object has been enabled via a call to `BeginEdit`. Call `CommitEdit` to apply edits.

If you create the data object specifying a `filename`, then the `Name` property is set to the filename. However, if you use `ImportFromFile` after creation to load data from a file, the name of the data object does not change.

The second syntax is a function. Use this to create a new data object independent of any project. You can use `AttachData` to use the data object in another test plan, e.g.,

```
d = mbcmodel.CreateData( filename );  
testplan.AttachData( d );
```

Examples

```
data = CreateData(P, 'D:\MBCWork\data1.xls');  
D = mbcmodel.CreateData;  
D = mbcmodel.CreateData('D:\MBCWork\data.xls');
```

Where P is an mbcmodel.project object.

See Also

DataFileTypes | CopyData | ImportFromFile | BeginEdit | RemoveData | Data
| CommitEdit | AttachData

CreateDesign

Create design object for test plan or model

Syntax

```
D = CreateDesign(Testplan)
D = CreateDesign(Testplan,Level)
D = CreateDesign(Testplan,Level,prop1,value1,...)
D = CreateDesign(Model)
D = CreateDesign(Model,prop1,value1,...)
D = CreateDesign(Inputs)
D = CreateDesign(Inputs,prop1,value1,...)
D = CreateDesign(Design)
```

Description

CreateDesign is a method of `mbcmodel.testplan`, `mbcmodel.model`, and `mbcmodel.modelinput`. Property value pairs can be specified at creation time. The property value pairs are properties of `mbcdoe.design`.

Properties of `mbcdoe.design`

mbcdoe.design Property	Description
Constraints	Constraints in design.
Generator	Design generation options.
Inputs	Inputs for design.
Model	Model for design.
Points	Matrix of design points.
PointTypes	Fixed and free point status.
Style	Style of design type.
NumberOfInputs	Read-only — Number of model inputs.
NumberOfPoints	Read-only — Number of design points.
Type	Design type.

mbcdoe.design Property	Description
	The design property <code>Type</code> can <i>only</i> be specified with <code>CreateDesign</code> and is subsequently read-only for design objects.

`D = CreateDesign(Testplan)` creates a design for the test plan, where `Testplan` is an `mbcmodel.testplan` object.

`D = CreateDesign(Testplan, Level)` creates a design for the specified level of the test plan. By default the level is the outer level (i.e., `Level 1` for one-stage, `Level 2` (global) for two-stage).

If you do not specify any properties, the method creates a default design type. The default design types are a Sobol Sequence for two or more inputs, and a Full Factorial for a single input.

`D = CreateDesign(Testplan, Level, prop1, value1, ...)` creates a design with the specified properties.

`D = CreateDesign(Model)` creates a design based on the inputs of the `mbcmodel.model` object, `Model`.

`D = CreateDesign(Model, prop1, value1, ...)` creates a design with the specified properties based on the inputs of the model.

`D = CreateDesign(Inputs)` creates a design based on the inputs of the `mbcmodel.modelinput` object, `Inputs`.

`D = CreateDesign(Inputs, prop1, value1, ...)` creates a design with the specified properties based on the inputs.

`D = CreateDesign(Design)` creates a copy of an existing design.

Examples

To create a space-filling design for a test plan `TP`:

```
sfDesign = CreateDesign(TP, ...
    'Type', 'Latin Hypercube Sampling', ...
    'Name', 'Space Filling');
```

Create an optimal design based on the inputs of a model:

```
optimalDesign = CreateDesign( model,...  
    'Type', 'V-optimal',...  
    'Name', 'Optimal Design' );
```

Create a classical full factorial design based on the inputs defined by a `mbcmodel.modelinput` object:

```
design = CreateDesign( inputs, 'Type', 'Full Factorial' );
```

Create a new design based on an existing design (`ActualDesign`) in order to augment it:

```
augmentedDesign = ActualDesign.CreateDesign('Name',...  
    'Augmented Design');
```

Create a local level design for the two-stage test plan TP:

```
localDesign = TP.CreateDesign(1, 'Type',...  
    'Latin Hypercube Sampling');
```

Create a global level design for the two-stage test plan TP:

```
globalDesign = TP.CreateDesign(2, 'Type',...  
    'Latin Hypercube Sampling');
```

See Also

Generate | `modelinput`

CreateModel

Create new model

Syntax

```
M = mbcmodel.CreateModel(Type, INPUTS)
NewModel = CreateModel(model, Type)
```

Description

`M = mbcmodel.CreateModel(Type, INPUTS)` This syntax is a function that creates an `mbcmodel.model` object of the specified `Type`.

`mbcmodel.linearmodel` and `mbcmodel.localmodel` are subclasses of `mbcmodel.model`. Model types that begin with the word “local” specify an `mbcmodel.localmodel` object.

`NewModel = CreateModel(model, Type)` This syntax is a function that creates a new model (of the specified `Type`) with the same inputs as an existing `model`. `model` is an `mbcmodel.model` object. You can use `getAlternativeTypes` to generate a list of valid model types. See `Type (for models)` for a list of valid model types. Spaces and case in `Type` are ignored.

`INPUTS` can be a `mbcmodel.modelinput` object, or any valid input to the `mbcmodel.modelinput` constructor. See `modelinput`.

Examples

To create a hybrid spline with four input factors, enter:

```
M = mbcmodel.CreateModel('Hybrid Spline', 4)
```

To create an RBF with four input factors, enter:

```
Inputs = mbcmodel.modelinput('Symbol', {'N', 'L', 'EXH', 'INT'}', ...
    'Name', {'ENGSPPEED', 'LOAD', 'EXHCAM', 'INTCAM'}', ...
```

```
'Range',{[800 5000],[0.1 1],[-5 50],[-5 50]})');
```

```
RBFModel = mbcmodel.CreateModel( 'RBF', Inputs);
```

To create a polynomial with the same input factors as the previously created RBF, enter:

```
PolyModel = CreateModel(RBFModel,'Polynomial')
```

See Also

[getAlternativeTypes](#) | [modelinput](#) | [CreateProject](#) | [CreateData](#) | [Type](#) (for models)

CreateProject

Create project object

Syntax

```
P = mbcmodel.CreateProject
```

Description

This is a function that creates an `mbcmodel.project` object.

P is the project object.

`P = mbcmodel.CreateProject` creates an `mbcmodel.project` called `Untitled`. `P = mbcmodel.CreateProject(NAME)` creates an `mbcmodel.project` called `NAME`.

Examples

```
P = mbcmodel.CreateProject;
```

Create a project called `MBT_Project`:

```
P = mbcmodel.CreateProject( 'MBT_Project' );
```

CreateResponse

Create new response model for test plan

Syntax

```
R = CreateResponse(T, Varname)
R = CreateResponse(T, Varname, Model)
R = CreateResponse(T, Varname, LocalModel, GlobalModel)
R = CreateResponse(T, Varname, LocalModel, GlobalModel, DatumType)
```

Description

This is a method of `mbcmodel.testplan`.

`R = CreateResponse(T, Varname)` creates a model of the variable `Varname` using the test plan's one- or two-stage default models. `T` is the test plan object, `R` is the new response object.

`R = CreateResponse(T, Varname, Model)` creates a one-stage model of `Varname`, where `T` must be a one-stage test plan object.

`R = CreateResponse(T, Varname, LocalModel, GlobalModel)` or `R = CreateResponse(T, Varname, LocalModel, GlobalModel, DatumType)` creates a two-stage model of `Varname`. `T` must be a two-stage test plan object. `DatumType` can only be specified if the local model type permits a datum model. Only the model types “Polynomial Spline” and “Polynomial with Datum” permit datum models.

`Varname` is the variable name for the new response.

`Model` is the One-stage model object (if you leave this field empty, the default is used).

`LocalModel` is the Local Model object (if you leave this field empty, the default is used).

`GlobalModel` is the Response Feature model object (if you leave this field empty, the default is used).

`DatumType` can be 'None' 'Maximum' 'Minimum' or 'Linked'.

Examples

To create a response using the default models, enter:

```
R = CreateResponse(T, 'torque');  
TQ_response = CreateResponse(testplan, 'TQ');
```

To create a response and specify the local and global model types, enter:

```
models = T.DefaultModels  
LocalModel = CreateModel(models{1}, 'Local Polynomial Spline');  
GlobalModel = CreateModel(models{2}, 'RBF');  
R = CreateResponse(T, 'TQ', LocalModel, GlobalModel, 'Maximum')
```

See Also

Responses

CreateResponseFeature

Create new response feature for local model

Syntax

```
RF = CreateResponseFeature(RF,RFTYPE)
RF = CreateResponseFeature(RF,RFTYPE,EvaluationPoint)
```

Description

This is a method of `mbcmodel.localresponse`.

```
RF = CreateResponseFeature(RF,RFTYPE)
```

```
RF = CreateResponseFeature(RF,RFTYPE,EvaluationPoint)
```

`RFTYPE` is a description string belonging to the set of alternative response features for the current local model.

`EvaluationPoint` is a row vector with an element for each model input and is used for response features that require an input value to evaluate the response feature (e.g., function evaluation, derivatives). It is an error to specify an evaluation point for a response feature type that does not require an evaluation point.

You should use this method to add response features without refitting all local and global models.

Examples

```
RF = CreateResponseFeature(RF,'Beta_1')
```

See Also

`ResponseFeatures(Local Model)`

CreateTestplan

Create new test plan

Syntax

```
T = CreateTestplan(P, TestPlanTemplate)
T = CreateTestplan(P, TestPlanTemplate, newtestplanname)
T = CreateTestplan(P, InputsPerLevel)
T = CreateTestplan(P, InputsPerLevel, newtestplanname)
T = CreateTestplan(P, Inputs)
T = CreateTestplan(P, Inputs, newtestplanname)
```

Description

This is a method of the `mbcmodel.project` object.

You can use this method with a test plan template or input information.

You set templates up in the Model Browser GUI. This setup includes number of stages, inputs, base models, and designs. If the test plan is used as part of a previous project it is also possible to save response models in the test plan. It is not possible to change the number of stages after creation of the test plan.

After you create a new test plan, you can add data to model, and new responses. Note that the model input signal names specified in the template *must* match the signal names in the data.

Use `CreateTestplan` in the following ways:

`T = CreateTestplan(P, TestPlanTemplate)` creates a testplan.

`T = CreateTestplan(P, TestPlanTemplate, newtestplanname)` creates a testplan with a name.

`P` is the project object.

`TestPlanTemplate` is the full name and path to the test plan template file created in the Model Browser.

`newtestplanname` is the optional name for the new test plan object.

```
T = CreateTestplan(P,InputsPerLevel)
```

```
T = CreateTestplan(P,InputsPerLevel,newtestplanname)
```

`InputsPerLevel` is a row vector with number of inputs for each stage.

```
T = CreateTestplan(P, Inputs)
```

```
T = CreateTestplan(P, Inputs, newtestplanname)
```

`Inputs` is a cell array with input information for each level. The input information can be specified as a cell array of `mbcmodel.modelinput` objects (one for each level), or as a cell array of cell arrays (one for each level).

Examples

To create a test plan using a test plan template, enter:

```
T = CreateTestplan(P1, 'd:\MBCwork\TQtemplate1', 'newtestplan')
```

```
testplan = CreateTestplan(P, 'example_testplan')
```

To create a test plan using inputs per level, enter:

```
T = P.CreateTestplan([1,2])
```

To specify the input information in a cell array of `mbcmodel.modelinput` objects, enter:

```
% Define Inputs for test plan
LocalInputs = mbcmodel.modelinput('Symbol','S',...
    'Name','SPARK',...
    'Range',[0 50]);
GlobalInputs = mbcmodel.modelinput('Symbol',{'N','L','ICP',...
    'ECP'},'Name',{'SPEED','LOAD','INT_ADV','EXH_RET'},...
    'Range',{[500 6000],[0.0679 0.9502],[-5 50],[-5 50]});
% create test plan
testplan = CreateTestplan( project, {LocalInputs,...
    GlobalInputs} );
```

Or

```
T = P.CreateTestplan({LocalInputs,GlobalInputs})
```

To specify the input information in a cell array, enter:

```
localInputs = {'S',0,50, '', 'SPARK'};  
globalInputs = {'N', 800, 5000, '', 'ENGSPEED'  
               'L', 0.1, 1, '', 'LOAD'  
               'EXH', -5, 50, '', 'EXHCAM'  
               'INT', -5, 50, '', 'INTCAM'};
```

```
T = CreateTestplan(P,{localInputs,globalInputs});
```

See Also

[CreateResponse](#) | [Levels](#) | [InputSignalNames](#) | [InputsPerLevel](#) | [Inputs](#) | [modelinput](#) | [AttachData](#) | [Responses](#) | [Data](#)

Data

Array of data objects in project, boundary tree, or test plan

Syntax

```
allD = project.Data  
allD = testplan.Data
```

Description

This is a property of `mbcmodel.project`, `mbcmodel.testplan`, and `mbcboundary.Tree`.

For projects and test plans, it returns an array of `mbcmodel.data` objects. A project can have many data objects, but a test plan can only have one or none.

`Tree.B.Data` returns a double matrix for one-stage, response, and global boundary models. For local boundary models, `Data` is a cell array of double matrices with one cell per test. For boundary models, `Data` is read-only.

Examples

```
allD = P.Data;
```

For a project object `P`, this example returns an `n×1` array of all the data objects.

```
allD = T.Data;
```

For the test plan object `T`, this example returns a `1×1` array if the test plan has a data object attached, and `0×1` otherwise.

See Also

[RemoveData](#) | [CreateData](#) | [CopyData](#)

DataFileTypes

Data file types

Syntax

```
f = mbcmodel.DataFileTypes
```

Description

This is a function to return a list of data file types for mbcmodel.

Examples

```
f = mbcmodel.DataFileTypes
```

```
f =
```

```
Columns 1 through 4  
    'Excel file'      'FT/DB data files'    'Delimited Text File'  
[1x25 char]  
Column 5  
    'MATLAB Data File'
```

See Also

CreateData | ImportFromFile

DefaultModels

Default models for test plan

Syntax

```
testplan.DefaultModels
```

Description

This is a read-only property of `mbcmodel.testplan`. It returns a cell array of `mbcmodel.model` objects (one array for each stage).

Examples

To get the default model objects for use in creating a response, enter:

```
models = T.DefaultModels
LocalModel = CreateModel(models{1}, 'Local Polynomial Spline');
GlobalModel = CreateModel(models{2}, 'RBF');
R = CreateResponse(T, 'TQ', LocalModel, GlobalModel, 'Maximum')
```

See Also

CreateResponse | modelinput

DefineNumberOfRecordsPerTest

Define exact number of records per test

Syntax

```
D = DefineNumberOfRecordsPerTest(D, number, testnumAlias)
```

Description

This is a method of `mbcmodel.data`.

You can use this to set one test per record for one-stage modeling.

`number` is the input specifying the number of records to include in each test. Most usually this will be used to specify one test per record.

`testnumAlias` is an optional string input to define the `SignalName` that should be used as the `testnumber` within MBC. Defaults to the index of the test.

Note `testnumAlias` uses the first record in the test as the `testnumber`, and `testnumbers` are unique so any duplicates will be modified.

Examples

```
DefineNumberOfRecordsPerTest(D, 1);  
DefineNumberOfRecordsPerTest(D, 10, 'MYLOGNO');
```

See Also

`DefineTestGroups`

DefineTestGroups

Define rule-based test groupings

Syntax

```
D = DefineTestGroups(D, variables, tolerances, testnumAlias,  
reorder)
```

Description

This is a method of `mbcmodel.data`.

You can impose rules to collect records of the current data set (D) into groups; these groups are referred to as **tests**. Test groupings are used to define hierarchical structure in the data for two-stage modeling.

Select a variable or variables to group by and set **tolerances**. The tolerance is used to define groups: on reading through the data, when the value of any specified variable changes by more than the tolerance, a new group is defined.

variables is the input cell array of strings holding the **SignalNames** on which to define the test groupings.

tolerances is the input double array of the same length as **variables** holding the required tolerances for the test grouping definition.

testnumAlias is an optional string input to define the **SignalName** that should be used as the testnumber within MBC. Defaults to the index of the test.

Note **testnumAlias** uses the first record in the test as the testnumber, and testnumbers *are* unique so any duplicates will be modified.

reorder is an optional Boolean indicating that the data should be reordered within the data set. Defaults to **false**.

See the section on Test Groupings (under Data) in the Model Browser User's Guide for more information on these inputs.

Examples

```
DefineTestGroups(D, {'AFR' 'RPM'}, [0.1 30], 'MYLOGNO', false);
```

See Also

[DefineNumberOfRecordsPerTest](#) | [NumberOfTests](#)

designconstraint

Convert boundary model to design constraint

Syntax

```
C = designconstraint(C)
```

Description

This is a method of `mbcboundary.AbstractBoundary` and all its subclasses (e.g., `mbcboundary.Model`).

`C = designconstraint(C)` converts the boundary model `C` to an `mbcdoe.designconstraint` object. Convert boundary models to use them as a design constraint. You cannot convert the boundary model to a design constraint until it is fitted (`Fitted=true`).

You can also call `mbcdoe.design.AddConstraint` directly and the method converts the boundary model object to a `mbcdoe.designconstraint` object.

More About

- “Boundary Models”

See Also

`AddConstraint`

Designs

Designs in test plan

Syntax

```
D = T.Designs
```

Description

Designs is a property of `mbcmodel.testplan`.

`D = T.Designs` returns a cell array of designs in the test plan, T, one element for each level.

When using designs at the command line, designs are treated as an array. In the Design Editor you can build a design tree, where child designs inherit characteristics such as constraints from the parent design. At the command line you can copy and modify designs. By default, designs are added to the top level of the design tree. To build tree structures at the command line, you can use the **Parent** argument of the **AddDesign** method to specify the parent design in the design tree. The tree structure cannot be used at the command line any further, but you can use the design tree in the Design Editor after you load the project into the Model Browser.

Examples

To get local designs only:

```
LocalDesigns = T.Designs{1}
```

To get global designs only:

```
GlobalDesigns = T.Designs{2}
```

To get the fifth global design:

```
D = T.Design {2}(5)
```

After modifying the design, you must call `UpdateDesign`, or reassign to the test plan as follows:

`T.Design {2}(5) = D`

See Also

`UpdateDesign`

DetachData

Detach data from test plan

Syntax

```
T = DetachData(T)
```

Description

This is a method of `mbcmodel.testplan`.

T is the test plan object. A test plan can only use a single data set, so you do not need to specify the data object.

Examples

```
DetachData(T1);
```

See Also

[AttachData](#)

DiagnosticStatistics

Diagnostic statistics for response

Syntax

```
S = DiagnosticStatistics(R)
S = DiagnosticStatistics(R, Stats)
S = DiagnosticStatistics(LocalR, TestNumbers)
S = DiagnosticStatistics(LocalR, TestNumbers, Stats)
```

Description

This is a method of the local and response model objects, `mbcmodel.localresponse` and `mbcmodel.response`.

The options available are model-specific and are the same options shown in the drop-down menus of the scatter plots (the top plots) in the local and global (response feature) model views of the toolbox GUI.

`S = DiagnosticStatistics(R)` returns `S`, a structural array containing `Statistics` and `Names` fields. `R` is the response or local response model object.

`S = DiagnosticStatistics(R, Stats)` allows you to specify `Stats`, an optional input that defines which diagnostic statistics you want from the available list. If you don't specify `Stats`, you get all available statistics.

`S = DiagnosticStatistics(LocalR, TestNumbers)` returns `S` for `LocalR`, a local response object, and `Testnumbers` specifies the index into tests for local or hierarchical models.

Use `S = DiagnosticStatistics(LocalR, TestNumbers, Stats)` to specify which diagnostic statistics you want from the available list.

A row is set to NaN if that point is removed.

Examples

```
studentRes = DiagnosticStatistics(local, tn, 'Studentized
```

```
residuals');
```

See Also

AlternativeModelStatistics | SummaryStatistics

Discrepancy

Discrepancy value

Syntax

```
s = Discrepancy(D)
```

Description

Discrepancy is a method of `mbcdoe.design`.

`s = Discrepancy(D)` returns the discrepancy, which is a measure of the deviation from the average point density. **Discrepancy** is defined over the unconstrained design and is only available for space-filling designs.

See Also

Maximin | Minimax

DoubleInputData

Data being used as input to model

Syntax

```
X = DoubleInputData(R, TestNumber)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`. It returns an array (X) containing the input data used for fitting the model.

R is the response model object.

TestNumber is an optional input to specify the tests you want.

Examples

```
X = DoubleInputData(R);  
x = DoubleInputData(local, tn);
```

See Also

DoubleResponseData

DoubleResponseData

Data being used as output to model for fitting

Syntax

```
Y = DoubleResponseData(R, TestNumber)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`. It returns an array (Y) containing the response data used for fitting the model.

R is the response model object.

TestNumber is an optional input to specify the tests you want.

Examples

```
Y = DoubleResponseData(R);  
y = DoubleResponseData(local, tn);
```

See Also

DoubleInputData

Evaluate

Evaluate model, boundary model, or design constraint

Syntax

```
Y = Evaluate(M, X)
```

```
Y = Evaluate(C, X)
```

```
Y = Evaluate(B, X)
```

Description

This is a method of `mbcmodel.model`, `mbcdoe.designconstraint`, and boundary model object `mbcboundary`. `AbstractBoundary` and all its subclasses.

`Y = Evaluate(M, X)` evaluates the model `M` at `X`.

`Y = Evaluate(C, X)` evaluates the design constraint `C` at `X` (negative results are within the constraint).

`Y = Evaluate(B, X)` evaluates the boundary model `B` at `X`. `X` is a matrix with `B.NumberOfInputs` columns. All boundaries use the form $g(x)=0$. A positive value indicates that the point is outside the boundary. The method cannot evaluate a boundary model until it is fitted.

`X` is a (*numpoints-by-nfactors*) array.

`Y` is a (*numpoints-by-1*) array.

See Also

`PredictedValue` | `PEV`

Export

Make command-line or Simulink export model

Syntax

```
ExportedModel = Export(MODEL)
ExportedModel = Export(MODEL, Format)
```

Description

This is a method of these model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse`, `mbcmodel.response` and `mbcmodel.model`.

`ExportedModel = Export(MODEL)` exports the model to MATLAB[®] software. `ExportedModel` is an `xregstatsmodel` object, that you can use to evaluate the model and calculate the prediction error variance. If you convert an `mbcmodel.localresponse` object and you have not created a two-stage model (hierarchical response object), then the output is an `mbcPointByPointModel` object that you can use to evaluate the model and calculate the prediction error variance.

`ExportedModel = Export(MODEL, Format)` exports the model in the specified format, which can be 'MATLAB' or 'Simulink'.

`Format` must be 'MATLAB' or 'Simulink'; an error will be thrown if this is incorrect.

You can evaluate models exported to the MATLAB workspace in the same way as when you export them from the Model Browser. You can save these models as a *.mat file and load them into CAGE.

`Model` is the object containing the response models from the node you are exporting from.

Examples

```
M = Export(R2, 'MATLAB');
mbt_model = Export(maxTQ, 'MATLAB');
```


See Also

xregstatsmodel

ExportToMBCDataStructure

Export data to MBC data structure

Syntax

```
mbcStruct = ExportToMBCDataStructure (D)
```

Description

This is a method of `mbcmodel.data`.

It converts the specified data object (D) to the MBC Data Structure format.

An MBC Data Structure is a structure array that contains the following fields:

- `varNames` is a cell array of strings that hold the names of the variables in the data (1xn or nx1).
- `varUnits` is a cell array of strings that hold the units associated with the variables in `varNames` (1xn or nx1). This array can be empty, in which case no units are defined.
- `data` is an array that holds the values of the variables ($m \times n$).
- `comment` is an optional string holding comment information about the data.

For more information see the Data Loading Function section (under Data) in the Model Browser User's Guide (“Data Loading Application Programming Interface”). See also `mbccheckindataloadingfcn` to specify your own data loading function.

Examples

```
X = ExportToMBCDataStructure(D1);
```

See Also

`ImportFromMBCDataStructure`

Filename

Full path to project file

Syntax

```
Name = P.Filename
```

Description

This is a property of `mbcmodel.project`.

Examples

```
Name = P.Filename;
```

Filters

Structure array holding user-defined filters

Syntax

```
filt = D.Filters
```

Description

This is a property of `mbcmodel.data`.

It returns a structure array holding information about the currently defined filters. The array will be the same length as the number of currently defined filters, with the following fields for each filter:

- `Expression` — The string expression as defined in `AddFilter` or `ModifyFilter`
- `AppliedOK` — Boolean indicating that the filter was successfully applied
- `RemovedRecords` — Boolean vector indicating which records the filter removed. Note that many filters could remove the same record
- `Message` — String holding information on the success or otherwise of the filter

Examples

```
filt = D.Filters;
```

See Also

`ModifyFilter` | `AddFilter` | `RemoveFilter`

FindDesign

Find design by name

Syntax

```
D = FindDesign(T,Name)
D = FindDesign(T,Level,Name)
```

Description

FindDesign is a method of `mbcmodel.testplan`.

`D = FindDesign(T,Name)` finds a design with a matching name from the test plan `T`.

`Name` is a string or a cell array of strings specifying a design name.

`Level` is the test plan level. By default the level is the outer level (i.e., Level 1 for one-stage, Level 2 (global) for two-stage).

`D = FindDesign(T,Level,Name)` finds a design with a matching name from the specified level of the test plan.

FitAlgorithm

Fit algorithm for model or boundary model

Syntax

```
F = M.FitAlgorithm
```

Description

This is a property of `mbcmodel.model`, and boundary model objects `mbcboundary.AbstractBoundary` and all subclasses.

An `mbcmodel.model.FitAlgorithm` object is contained within the `FitAlgorithm` property of an `mbcmodel.model` object or `mbcboundary` object. This object has a `Name` property, and the following methods: `CreateAlgorithm`, `getAlternativeNames`, `IsAlternative`, `SetupDialog`, `properties`.

As a simpler alternative to using `CreateAlgorithm`, you can assign the algorithm name directly to the algorithm. For example:

```
B.FitAlgorithm.BoundaryPointOptions = 'Boundary Only';  
m.FitAlgorithm = 'Minimize PRESS';
```

Case and spaces are ignored.

For properties, see `CreateAlgorithm`.

Examples

To get a `fitalgorithm` object, `F`, from a model:

```
M = mbcmodel.CreateModel('Polynomial', 4);  
F = M.FitAlgorithm
```

```
F =  
Algorithm: Least Squares
```

Alternatives: 'Minimize PRESS', 'Forward Selection', 'Backward Selection', 'Prune'
1x1 struct array with no fields.

See Also

CreateAlgorithm | getAlternativeNames | IsAlternative | SetupDialog

Fit

Fit model or boundary model to new or existing data, and provide summary statistics

Syntax

```
[statistics, model] = Fit(model, X, Y)
[statistics, model] = Fit(model)
B = mbcboundary.Fit(X,Type)
```

Description

This is a method of `mbcmodel.model` and `mbcboundary.Model`.

`[statistics, model] = Fit(model, X, Y)` This fits the model to the specified data. After you have called `Fit` specifying the data to use, then you can refit the model by calling `[statistics, model] = Fit(model)`.

The response object that the model came from defines which summary statistics are returned. To see these statistics, call `SummaryStatistics`. These statistics appear in the Summary Statistics pane of the Model Browser GUI. The statistics returned depend on the model type.

For a linear model, the statistics are:

```
'Observations','Parameters','Box-Cox','PRESS RMSE','RMSE'.
```

For a neural network model:

```
'Observations','Parameters', 'Box-Cox','RMSE', 'R^2'.
```

`B = mbcboundary.Fit(X,Type)` creates and fits a boundary model to the data `X`, a double matrix. `B` is an `mbcboundary.Model` object.

Examples

```
statistics = Fit(knot)
```

```
statistics =  
  27.0000    7.0000    1.0000    3.0184    2.6584
```

See Also

UpdateResponse | SummaryStatistics

Fitted

Indicate whether boundary model has been fitted

Syntax

Fitted(B)

Description

This is a property of `mbcboundary.AbstractBoundary` and all its subclasses.

`Fitted(B)` indicates whether boundary model `B` has been fitted (read only). You cannot evaluate the boundary model unless `fitted` equals `true`.

More About

- “Boundary Models”

FixPoints

Fix design points

Syntax

```
D = FixPoints(D)
D = FixPoints(D,indices)
```

Description

`FixPoints` is a method of `mbcdoe.design`.

`D = FixPoints(D)` fixes all points in the design.

`D = FixPoints(D,indices)` fixes all points specified by `indices`.

See Also

`PointTypes` | `RemovePoints`

Generate

Generate new design points

Syntax

```
D = Generate(D)
D = Generate(D, NumPoints)
D = Generate(D, 'Prop1', value1, ...)
```

Description

`Generate` is a method of `mbcdoe.design`. The `Generate` method always generates a new design and replaces the existing points (fixed or free).

`D = Generate(D)` regenerates the design with the current generator settings (the current design properties and current number of points). It is possible that a different design will result (e.g., for Latin Hypercube Sampling designs).

`D = Generate(D, NumPoints)` generates the number of points specified by `NumPoints` using the current generator settings. You cannot specify the number of points for all design types (e.g., Central Composite, Box Behnken) and therefore the `NumPoints` second input is not supported for all design types.

`D = Generate(D, 'Prop1', value1, ...)` generates a new design with the generator specified by the generator property value pairs.

You can use the property value pairs to specify design generator properties (such as the design Type) as part of the `Generate` command, e.g.,

```
C = OptDesign.CreateCandidateSet(OptDesign, ...
    'Type', 'Grid', ...
    'NumberOfLevels', [21 21 21]);
```

```
OptDesign = Generate(OptDesign, ...
    'Type', 'V-optimal', ...
    'CandidateSet', C, ...
    'MaxIterations', 200, ...
    'NoImprovement', 50, ...
```

```
'NumberOfPoints',200);
```

This is equivalent to the following code setting the properties individually and then assigning the updated generator object to the design:

```
P = OptDesign.Generator;
P.Type = 'V-optimal';
P.CandidateSet.NumberOfLevels(:)=21;
P.MaxIterations = 200;
P.NumberOfPoints = 200;
P.NoImprovement = 50;
OptDesign.Generator = P;
```

You see an error if you try to call `Generate` when the design `Style` is `User-defined` or `Experimental` data.

For space-filling designs, see also `ConstrainedGenerate`. Using `Generate` with constrained space-filling is not guaranteed to produce a design with the specified number of points. Use `ConstrainedGenerate` instead.

Examples

To generate a design with 10 points:

```
d = Generate( d, 10 );
```

Note: The design `Type` must have a writeable property `'NumberOfPoints'` to use this syntax `D = Generate(D, NumPoints)`. See `Type` (for designs and generators).

To create and generate a 15 point latin hypercube sampling design:

```
globalDesign = TP.CreateDesign(2, 'Type',...
    'Latin Hypercube Sampling');
globalDesign = Generate(globalDesign, 15)
```

To regenerate the design and get a different 15 point latin hypercube sampling design:

```
globalDesign = Generate(globalDesign);
```

To create and generate a halton design with 50 points:

```
haltonDesign = CreateDesign( inputs, 'Type',...
```

```
'Halton Sequence', 'Name', 'Halton' );  
haltonDesign = Generate( haltonDesign, 'NumberOfPoints', 50 );
```

To create and generate a halton design with specified scrambling and other properties:

```
haltonDesignWithScrambling = haltonDesign.CreateDesign...  
( 'Name', 'Scrambled Halton' );  
haltonDesignWithScrambling = Generate...  
(haltonDesignWithScrambling,  
  'Scramble', 'RR2', 'PrimeLeap', true );
```

To create a full factorial design and specify the number of levels when generating the design:

```
design = CreateDesign( inputs, 'Type', 'Full Factorial' );  
design = Generate( design, 'NumberOfLevels', [50 50] );
```

See Also

Augment | CreateDesign | ConstrainedGenerate

Generator

Design generation options

Syntax

```
D.Generator  
D.Generator = NewGenerator
```

Description

Generator is a property of `mbcdoe.design`.

`D.Generator` returns an `mbcdoe.generator` object.

`D.Generator = NewGenerator` generates a new design based on the new design generator. Design generators provide the properties for all the design types.

The properties you can set depend on the design `Type`. To view the properties for generating designs, see [Properties \(for design generators\)](#).

Use `getAlternativeTypes` to get a list of alternative generators.

See Also

[Generate](#) | [Properties \(for design generators\)](#) | [getAlternativeTypes](#) | [Type \(for designs and generators\)](#)

GetAllTerms

List all model terms

Syntax

```
Terms = M.Properties.GetAllTerms
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`Terms = M.Properties.GetAllTerms` returns a list of all terms in this model. `M` is an `mbcmodel.linearmodel` object.

`Terms` is a (*numterms-by-nfactors*) array. The $(m,n)^{\text{th}}$ element is the power of the n^{th} factor in the m^{th} term.

Examples

The following example creates a model, and finds which terms are quadratic in the first input factor (X1):

```
model = mbcmodel.CreateModel('Polynomial', 2)
model =
    1 + 2*X1 + 8*X2 + 3*X1^2 + 6*X1*X2 + 9*X2^2 + 4*X1^3
    + 5*X1^2*X2 + 7*X1*X2^2 + 10*X2^3
    InputData: [0x2 double]
    OutputData: [0x1 double]
    Status: Not fitted
    Linked to Response: <not linked>

>>terms = model.Properties.GetAllTerms;
>>x1quadraticterms = find(terms(:,1)==2)
```


x1quadraticterms =

4
8

See Also

GetIncludedTerms

getAlternativeNames

List alternative algorithm names

Syntax

```
F.getAlternativeNames  
AltList = getAlternativeNames(F)
```

Description

This is a method of `mbcmodel.fitalgorithm`.

`F.getAlternativeNames` or `AltList = getAlternativeNames(F)` return a cell array of alternative algorithm names. `F` is a `mbcmodel.fitalgorithm` object.

Examples

```
model = mbcmodel.CreateModel('Polynomial', 2);  
F = model.FitAlgorithm;  
altAlgs = F.getAlternativeNames  
  
altAlgs =  
  
    'Least Squares'    'Minimize PRESS'    'Forward Selection'  
'Backward Selection'    'Prune'
```

See Also

`CreateAlgorithm` | `IsAlternative`

getAlternativeTypes

Alternative model or design types

Syntax

```
list = getAlternativeTypes(Model)
list = getAlternativeTypes(Boundary)
list = getAlternativeTypes(Design)
list = getAlternativeTypes(Design, Style)
list = getAlternativeTypes(DesignGenerator)
list = getAlternativeTypes(DesignGenerator, Style)
list = getAlternativeTypes(CandidateSet)
list = getAlternativeTypes(DesignConstraint)
```

Description

This is a method of

- `mbcmodel.model`
- All the boundary model objects: `mbcboundary.AbstractBoundary` and all its subclasses.
- All the design objects: `mbcdoe.design`, `mbcdoe.generator`, `mbcdoe.candidateset`, and `mbcdoe.designconstraint`.

Models

`list = getAlternativeTypes(Model)` returns a cell array of alternative model types with the same number of inputs as `Model`.

Boundary Models

`list = getAlternativeTypes(Boundary)` returns a list of boundary model types that you can use as alternative boundary model types for the current boundary model.

Designs

`list = getAlternativeTypes(Design)` returns a list of design types, which you can use as alternative designs for current design.

`list = getAlternativeTypes(Design, Style)` returns a list of design types of the specified style. The design style requires a type of 'Space-Filling', 'Classical' or 'Optimal'.

Design Generators

`list = getAlternativeTypes(DesignGenerator)` returns a list of design generator types that you can use as alternative designs for current design generator.

`list = getAlternativeTypes(DesignGenerator, Style)` returns a list of design generator types of the specified style. The design generator style requires a type of 'Candidate Set', 'Space-Filling', 'Classical' or 'Optimal'.

Design Candidate Sets

`list = getAlternativeTypes(CandidateSet)` is a list of candidate set types that you can use as alternative candidate sets for the current candidate set. You can obtain the candidate set from an optimal design generator or by using `mbcdoe.design.CreateCandidateSet`.

Design Constraints

`list = getAlternativeTypes(DesignConstraint)` returns a list of design constraint types.

Examples

```
model = mbcmodel.CreateModel('RBF', 2);  
altmodels = getAlternativeTypes(model)
```

This produces the output:

```
altmodels =
```

Columns 1 through 6

'Polynomial' 'Hybrid Spline' 'RBF' 'Polynomial-RBF'
'Hybrid Spline-RBF' 'Multiple Linear'

Columns 7 through 8

'Neural Network' 'Transient'

See Also

Type (for models) | CreateModel

GetIncludedTerms

List included model terms

Syntax

```
Terms = M.Properties.GetIncludedTerms
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`Terms = M.Properties.GetIncludedTerms` returns a list of those terms that will be used to fit the model. `M` is an `mbcmodel.linearmodel` object.

`Terms` is a (*numincludedterms-by-nfactors*) array. The $(m,n)^{\text{th}}$ element is the power of the n^{th} factor in the m^{th} included term.

Examples

```
>>model = mbcmodel.CreateModel('Polynomial', 2);
```

```
>>includedterms = model.Properties.GetIncludedTerms;  
>>x1quadraticterms = find(includedterms(:,1)==2)
```

```
x1quadraticterms =
```

```
4  
8
```

See Also

[GetAllTerms](#) | [SetTermStatus](#)

getLocalBoundary

Local boundary model for operating point

Syntax

getLocalBoundary(B)

Description

This is a method of `mbcboundary.TwoStage`.

`getLocalBoundary(B)` returns the definition of the local boundary model.

GetTermLabel

List labels for model terms

Syntax

```
Labels = M.Properties.GetTermLabel  
Labels = M.Properties.GetTermLabel( Terms )  
Labels = M.Properties.GetTermLabel( Terms, 'Format', OutputFormat )
```

Description

This is a method of `mbcmodel.linearmodelproperties`, which returns a user-friendly label for one or more specified terms.

`Labels = M.Properties.GetTermLabel` lists the labels.

```
Labels = M.Properties.GetTermLabel( Terms )
```

```
Labels = M.Properties.GetTermLabel( Terms, 'Format', OutputFormat )
```

`M` is an `mbcmodel.linearmodel` object.

The specified terms form a row where each value gives the power of that parameter.
`OutputFormat`

can be 'List' or 'Formula'.

Examples

```
model = mbcmodel.CreateModel('Polynomial', 2);  
model.Properties.GetTermLabel([1 2; 1 0] )  
produces {'X1*X2^2'; 'X1'} and
```

```
model.Properties.GetTermLabel([1 2; 1 0], 'Format', 'Formula' )  
produces 'X1*X2^2 + X1'.
```


See Also

GetAllTerms | GetIncludedTerms

GetTermStatus

List status of some or all model terms

Syntax

```
Status = M.Properties.GetTermStatus  
Status = M.Properties.GetTermStatus(Terms)
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`Status = M.Properties.GetTermStatus` returns the status of all of the terms in this model. `Status` is a cell array of status strings. `M` is an `mbcmodel.linearmodel` object.

`Status = M.Properties.GetTermStatus(Terms)` returns the status of the specified terms in this model.

The stepwise status for each term can be 'Always', 'Never' or 'Step'. The status determines whether you can use the `StepwiseRegression` function to throw away terms in order to try to improve the predictive power of the model.

Examples

```
model = mbcmodel.CreateModel('Polynomial', 2);
```

Get status of X_2^3 term:

```
status = model.Properties.GetTermStatus([0 3])
```

```
status =
```

```
    'Step'
```

Get status of all terms linear in X_1 :

```
status = model.Properties.GetTermStatus([1 0; 1 1; 1 2])
```

```
status =  
    'Step'  
    'Step'  
    'Step'
```

See Also

SetTermStatus | StepwiseStatus

Global

Global boundary model tree

Syntax

Global(B)

Description

This is a property of `mbcboundary.TwoStageTree`.

`Global(B)` The `Global` property contains a global boundary model tree (read only).

The toolbox fits boundary models in the global model boundary tree with one point per test (the average value of the global variables for that test).

GlobalModel

Interpolating global boundary model definition

Syntax

`B.GlobalModel`

Description

This is a property of `mbcboundary.TwoStage`.

`B.GlobalModel` returns the definition of global boundary model. `GlobalModel` requires the type `Interpolating RBF`.

ImportFromFile

Load data from file

Syntax

```
D = ImportFromFile(D, filename, filetype)
D = ImportFromFile(D, filename, 'Excel file', SHEETNAME)
```

Description

This is a method of the `mbcmodel.data` object.

First you must use `CreateData`, than `BeginEdit` before you can call `ImportFromFile` to bring data into your new data object, `D`, as follows:`D = ImportFromFile(D, filename, filetype)` loads data from the file.

Note that you can specify `filename` and `filetype` when you call `CreateData` as a shortcut for loading data from a file. You still need to call `BeginEdit` before you can make changes to the data.

`filename` is a string holding the full path to the file to load.

`filetype` is an optional file type to load. See `DataFileTypes` for the specification of the allowed file types (and `mbccheckindataloadingfcn` to specify your own data loading function).

`Filetype` defaults to 'auto' which will attempt to guess the filetype based on the extension of the file being loaded. i.e. if the file extension is `.xls` then MBC will try the Excel File Loader.

`D = ImportFromFile(D, filename, 'Excel file', SHEETNAME)` specifies a sheet name for an Excel file.

Examples

```
ImportFromFile(D, 'D:\MBCData\Raw Data\testdata.xls');
```

See Also

DataFileTypes | ImportFromMBCDataStructure | RemoveData | CreateData |
BeginEdit | Append

ImportFromMBCDataStructure

Load data from MBC data structure

Syntax

```
D = ImportFromMBCDataStructure(D, mbcStruct)
```

Description

This is a method of `mbcmodel.data`.

First you must use `CreateData`, than `BeginEdit` before you can bring data into your new data object.

An MBC Data Structure is a structure array that contains the following fields:

- `varNames` is a cell array of strings that hold the names of the variables in the data (1xn or nx1).
- `varUnits` is a cell array of strings that hold the units associated with the variables in `varNames` (1xn or nx1). This array can be empty, in which case no units are defined.
- `data` is an array that holds the values of the variables ($m \times n$).
- `comment` is an optional string holding comment information about the data.

For more information see the Data Loading Function section (under Data) in the *Model Browser User's Guide* (“Data Loading Application Programming Interface”), and see also `mbccheckindataloadingfcn` to specify your own data loading function.

Examples

```
ImportFromMBCDataStructure(D, mbcStruct);
```

See Also

[CreateData](#) | [RemoveData](#) | [ExportToMBCDataStructure](#) | [ImportFromFile](#) | [BeginEdit](#) | [Append](#)

InBest

Boundary models selected as best

Syntax

```
mbcboundary.Tree.InBest
```

Description

This is a property of `mbcboundary.Tree` and `mbcboundary.TwoStageTree`.

`mbcboundary.Tree.InBest` Specify a logical array indicating which boundary models to select as best.

You can combine models into a single boundary model for the boundary tree. The logical array specifies which models to include in the best boundary model. The `BestModel` property gives the best boundary model for the boundary tree.

Including boundary models `InBest` corresponds to combining boundary models in *best* in the Boundary Editor. For further information, see “Combining Best Boundary Models” in the Model Browser documentation.

See Also

`BestModel`

How To

- “Boundary Models”

InputData

Input data for model

Syntax

```
D = M.InputData
```

Description

This is a property of `mbcmodel.model`. It returns an array of the input variable data currently in the model.

Examples

```
D = knot.InputData;
```

See Also

`OutputData`

Inputs

Inputs for test plan, model, boundary model, design, or constraint

Syntax

```
testplan.Inputs
```

```
model.Inputs
```

```
design.Inputs
```

```
boundary.Inputs
```

Description

This is a property of `mbcmodel.testplan`, `mbcmodel.model`, `mbcdoe.design`, `mbcdoe.designconstraint`, and boundary model object `mbcboundary.AbstractBoundary` and all its subclasses.

For `mbcmodel.testplan`, this property returns a cell array of `mbcmodel.modelinput` objects (one array for each stage). You cannot change the number of stages after creation of the test plan.

For `mbcmodel.model` and `mbcboundary` objects, this property returns an `mbcmodel.modelinput` object. You cannot edit this object when it is attached to a response. You cannot change number of inputs after creation.

In both cases, verification of valid variable names and symbols occurs before assigning inputs to model at the command line. Names and Symbols must be unique.

Boundary model inputs use an array of `mbcmodel.modelinput` objects. You set the number of boundary model inputs when you create the boundary model. You can change the name, symbol, and range of the inputs.

For `mbcdoe.design`, `D.Inputs = NewInputs` updates the inputs. You cannot change the number of design inputs. Many designs have `Limits` properties in addition to model input ranges. These properties allow you to restrict the range of the design without changing the model or losing points via a constraint.

See Also

CreateTestplan | modelinput

InputSetupDialog

Open Input Setup dialog box to edit inputs

Syntax

```
[NEWMODEL, OK] = InputSetupDialog(OLDMODEL)  
[NEWTTESTPLAN, OK] = InputSetupDialog(OLDTESTPLAN)
```

Description

This is a method of `mbcmodel.model` and `mbcmodel.testplan`.

`[NEWMODEL, OK] = InputSetupDialog(OLDMODEL)` opens the Input Setup dialog box, where you can edit the model inputs (names, symbols, and ranges).

`[NEWTTESTPLAN, OK] = InputSetupDialog(OLDTESTPLAN)` opens the Input Setup dialog box, where you can edit the test plan inputs (names, symbols, and ranges).

If you click **Cancel** to dismiss the dialog box, `OK = false` and `NEWMODEL = OLDMODEL`. If you click **OK** to close the dialog box, then `OK = true` and `NEWMODEL` is your new chosen model setup. The new model is refitted when you click OK.

InputSignalNames

Names of signals in data that are being modeled

Syntax

```
inputs = A.InputSignalNames
```

Description

This is a property of `mbcmodel.testplan` and the modeling objects `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

A can be a test plan (T) or model (L, R, HR) object.

Examples

```
inputs = T.'InputSignalNames;  
InputFactors = thisRF.InputSignalNames';
```

See Also

SignalNames

InputsPerLevel

Number of inputs at each level in model

Syntax

```
L = T.InputsPerLevel
```

Description

This is a property of `mbcmodel.testplan`.

This is a vector of length `Levels`. Each element defines the number of inputs at that level. See “Understanding Model Structure for Scripting” for an explanation of the levels in a test plan.

Examples

```
L = T.InputsPerLevel  
L =  
 2 4
```

This answer means the test plan T has 2 local inputs and 4 global inputs.

See Also

`Levels` | `Level`

IsAlternative

Test alternative fit algorithm

Syntax

```
OK = IsAlternative(F1, F2)
```

Description

This is a method of `mbcmodel.fitalgorithm`.

`OK = IsAlternative(F1, F2)` tests whether `F` is an alternative `mbcmodel.fitalgorithm` for `F1`.

See Also

`CreateAlgorithm` | `getAlternativeNames`

IsBeingEdited

Boolean signaling if data or model is being edited

Syntax

```
OK = D.IsBeingEdited
```

Description

This is a property of `mbcmodel.data` and `mbcmodel.model`.

This Boolean property indicates that the data or model is currently being edited.

For data, it also indicates that previously there was a successful call to `BeginEdit` and hence that whatever changes have been applied can be undone by calling `RollbackEdit`. It does not indicate that a call to `CommitEdit` will necessarily succeed. See `CommitEdit` for an example of this case.

Examples

```
OK = D.IsBeingEdited;
```

```
OK = knot.IsBeingEdited;
```

See Also

`IsEditable` | `RollbackEdit` | `BeginEdit` | `CommitEdit`

IsEditable

Boolean signaling whether data is editable

Syntax

```
OK = D.IsEditable
```

Description

This is a property of `mbcmodel.data`.

This Boolean property indicates if a particular piece of data is editable. The following rules apply:

- If the data was created using `mbcmodel.CreateData` and was not **Attached** to a test plan it is editable.
- If the data was created or retrieved from the project and was not **Attached** to a test plan it is editable.
- If the data was **Attached** to a test plan and was subsequently retrieved from that test plan it is editable.

Examples

```
D = p.Data;  
D1 = p.Data;  
BeginEdit(D1);  
tp = p.Testplan;  
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `D1.IsEditable` becomes false because `D1` is now **Attached** to the test plan and hence can only be modified from the test plan. If you now enter:

```
OK = D1.IsEditable
```

the answer is `false`.

See Also

`IsBeingEdited` | `RollbackEdit` | `BeginEdit` | `CommitEdit`

Jacobian

Calculate Jacobian matrix for model at existing or new X points

Syntax

```
J = Jacobian(model, optional X)
```

Description

This is a method of `mbcmodel.model`.

This calculates the Jacobian matrix for the model at existing or new X points. If X is not specified then the existing data is used. The Jacobian is the regression matrix for linear models and RBF models.

The Jacobian matrix (for linear and RBF models) is the same as the Regression Matix in the Design Evaluation Tool GUI. These matrices only include the terms currently selected in the model.

If all terms are included (none removed by Stepwise) then the Jacobian (for linear and RBF models) is the same as the Full FX matrix found in the Design Evaluation Tool GUI. The Jacobian matrix only includes the currently selected model terms.

To determine the condition number, use the MATLAB command `cond(J)`.

Examples

```
J = Jacobian(knot),
```

Level

Level in test plan of response

Syntax

```
level = R.Level
```

Description

This is a property for all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

R is the response for which you want the level.

The level is usually 0 for hierarchical models, usually 1 for local models, and usually 2 or 1 for response models. See “Understanding Model Structure for Scripting” for an explanation of what `Level` indicates about a response.

Examples

```
level = R.Level;
```

See Also

Levels

Levels

Number of levels in hierarchical model

Syntax

```
levels = T.Levels
```

Description

This is a property of `mbcmodel.testplan`.

See “Understanding Model Structure for Scripting” for an explanation of what `Levels` mean.

Examples

```
levels = T.Levels;
```

See Also

Level

Load

Load existing project file

Syntax

```
P = Load(P, Filename)
```

Description

This is a method of `mbcmodel.project`.

`P` is a project object, and `Filename` is the full path to the project you want to load.

Examples

```
P2 = Load(P2, 'D:/MBCwork/TQproject2.mat');
```

See Also

New

LoadProject

Load mbcmodel.project

Syntax

```
P = mbcmodel.LoadProject(filename)
```

Description

P = mbcmodel.LoadProject(filename) loads a mbcmodel.project from the file filename.

See Also

CreateProject | Load

Local

Local boundary model tree

Syntax

Description

This is a property of `mbcboundary.TwoStageTree`.

The `Local` property contains a local boundary model tree (read only).

Point-by-point and two-stage boundary models are fitted in the local boundary model tree. These boundary models fit local boundary models for each operating point and combine into a single boundary model that includes the global inputs.

LocalBoundaries

Array of local boundary models for each operating point

Syntax

LocalBoundaries(B)

Description

This is a property of `mbcboundary.PointByPoint`.

LocalBoundaries(B) returns a cell array of local boundary models for each operating point (read only).

More About

- “Boundary Models”

LocalModel

Definition of local boundary model

Syntax

`B.LocalModel`

Description

This is a property of `mbcboundary.PointByPoint` and `mbcboundary.TwoStage`.

`B.LocalModel` returns the definition of the local boundary model for every operating point.

For `mbcboundary.TwoStage`, `LocalModel` requires a type of either `Range` or `Ellipsoid`.

For `mbcboundary.PointByPoint`, the `LocalModel` type can be any valid type for `mbcboundary.Model` (such as `Range`, `Ellipsoid`, `Star-shaped`, or `Convex Hull`).

How To

- “Boundary Models”

LocalModel Properties

Edit local model properties

Syntax

```
Props = localmodel.Properties
```

Description

This is a property of the `mbcmodel.localmodel` object, which is a subclass of `mbcmodel.model`.

See “Understanding Model Structure for Scripting” for an explanation of the relationship between the different response types.

Every local model object has an `mbcmodel.modelproperties` object (within the Properties property). In this object, each local model type has specific properties, as described in the following tables.

Local Polynomial Properties

Property	Description
Order	Polynomial order (vector int: {[0,Inf],2})
InteractionOrder	Maximum order of interaction terms (int: [0,Inf])
TransformInputRange	Transform inputs (Boolean)
ParameterNames	List of parameter names (read-only)
StepwiseStatus	Stepwise status { 'Always', 'Never', 'Step' } (cell)
Transform	Transform function (char) or empty (' ')
CovarianceModel	Covariance Model (enum: { 'None', 'Power',

Property	Description
	'Exponential', 'Mixed'})
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Hybrid Spline Properties

Property	Description
Order	Spline and polynomial order (vector int: {[0,3],2})
SplineVariable	Spline variable
SplineInteraction	Order of interaction between spline and polynomial (int: [0,3])
Knots: Position of knots (vector real)	ParameterNames: List of parameter names (read-only)
StepwiseStatus	Stepwise status { 'Always', 'Never', 'Step' } (cell)
Transform	Transform function (char) or empty ('')
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Polynomial Spline Properties

Property	Description
HighOrder	Polynomial order above knot (int: [2,Inf])
LowOrder	Polynomial order below knot (int: [2,Inf])
Transform	Transform function (char) or empty ('')
CovarianceModel	Covariance Model

Property	Description
	(enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })
DatumType	Datum Type (enum: { 'None', 'Maximum', 'Minimum', 'Linked' })

Local Polynomial With Datum Properties

Property	Description
Order	Polynomial order (int: [0, Inf])
Transform	Transform function (char) or empty ('')
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })
DatumType	Datum Type (enum: { 'None', 'Maximum', 'Minimum', 'Linked' })

Local Free Knot Spline Properties

Property	Description
Order	Spline Order (int: [0, Inf])
NumKnots	Number of knots (int: 'Positive')
Transform	Transform function (char) or empty ('')
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })

Property	Description
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Truncated Power Series Properties

Property	Description
Order	Polynomial order (int: 'Positive')
NumKnots	Number of knots (int: 'Positive')
Transform	Transform function (char) or empty ('')
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Growth Properties

Property	Description
Model	Growth model (enum: { 'expgrowth', 'gomp', 'logistic', 'logistic4', 'mmf', 'richards', 'weibul' })
AlternativeModels	List of growth models (read-only)
Transform	Transform function (char) or empty ('')
TransformBothSides	Transform both sides (Boolean)
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)',

Property	Description
	'AR(2)')

Local User-Defined Properties

Property	Description
Model	Name of user-defined model (enum: { 'exponential' })
AlternativeModels	List of registered user-defined models (read-only)
Transform	Transform function (char) or empty (' ')
TransformBothSides	Transform both sides (Boolean)
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Transient Properties

Property	Description
Model	Name of transient model (enum: { 'fuelPuddle' })
AlternativeModels	List of registered transient models (read-only)
Transform	Transform function (char) or empty (' ')
TransformBothSides	Transform both sides (Boolean)
CovarianceModel	Covariance Model (enum: { 'None', 'Power', 'Exponential', 'Mixed' })
CorrelationModel	Correlation Model (enum: { 'None', 'MA(1)', 'AR(1)', 'AR(2)' })

Local Multiple Models Properties

Property	Description
ModelCandidates	List of candidate models (cell)
SelectionStatistic	Selection statistic for automatic model selection (char). See below for input names and descriptions. The list of valid statistics is the summary statistics in common with all model candidates (e.g., if an interpolating RBF is one of the candidates, only RMSE will be available).
AutomaticInputRanges	Use data range as model input ranges (Boolean)
Transform	Transform function (char) or empty (' ')

Model Type	List of SelectionStatistic Inputs
Polynomial,Hybrid Spline, RBF, Hybrid RBF	' PRESS RMSE ', ' RMSE ', ' GCV ', ' Weighted PRESS ', ' -2logL ', ' AIC ', ' AICc ', ' BIC ', ' R^2 ', ' R^2 adj ', ' PRESS R^2 ', ' DW ', ' Cp ', ' cond(J) '
Neural Network	' RMSE ', ' R^2 ', ' R^2 adj ', ' -2logL ', ' AIC ', ' AICc ', ' BIC '
Free Knot Spline	' PRESS RMSE ', ' RMSE ', ' GCV ', ' Weighted PRESS ', ' -2logL ', ' AIC ', ' AICc ', ' BIC ', ' R^2 ', ' R^2 adj ', ' PRESS R^2 ', ' DW ', ' Cp '
Interpolating RBF	' RMSE '

SelectionStatistic Input Argument	Description	
' PRESS RMSE '	Predicted Standard Error	' sqrt (PRESS / N) '
' RMSE '	Root Mean Square Error	' sqrt (SSE / (N - p)) '
' GCV '	Generalized Cross-validation Variance	' N * SSE / (N - p) ^ 2 '

SelectionStatistic Input Argument	Description	
'Weighted PRESS'	Weighted Predicted Standard Error	'sqrt(PRESS/(N-p-1))'
'-2logL'	-2 * log likelihood	'N*log(SSE/N)'
'AIC'	Akaike Information Criteria	'-2logL + 2*(p+1)'
'AICc'	Small Sample Akaike Information Criteria	'-2logL + 2(p+1)*N/(N-p)'
'BIC'	Bayesian Information Criteria	'-2logL + 2*log(N)*(p+1)'
'R^2'	R^2	'1 - SSE/SST'
'R^2 adj'	Adjusted R^2	'1 - SSE/SST*(N-1)/(N-p)'
'PRESS R^2'	PRESS R^2	'1 - PRESS/SST'
'DW'	Durbin-Watson Statistic	'sum((e_i - e_{i+1})^2) / sum((e_i)^2)'
'Cp'	Mallow's Statistic	'SSE / (SSEmax / (N-pmax)) - N + 2*p'
'cond(J)'	Condition of Regression Matrix	'cond(J)'

Local Average Fit Properties

Property	Description
Model	[1x1 mbcmodel.linearmodel]
Transform	Transform function (char) or empty ('')

Examples

To create a local model object, create a model specifying any model Type that begins with the word “local”, e.g.,

```
L = mbcmodel.CreateModel('Local Polynomial',2);
```

To show properties, at the command line enter:

```
P = L.Properties
```

```
P =
Local Polynomial Properties
      Order: [3 3]
InteractionOrder: 3
TransformInputRange: 1
      ParameterNames: {10x1 cell}
      StepwiseStatus: {10x1 cell}
      Transform: ''
CovarianceModel: 'None'
CorrelationModel: 'None'
```

To set the Order property to a quadratic, enter:

```
>> P.Order = [2,2]
```

```
P =
Local Polynomial Properties
      Order: [2 2]
InteractionOrder: 2
TransformInputRange: 1
      ParameterNames: {6x1 cell}
      StepwiseStatus: {6x1 cell}
      Transform: ''
CovarianceModel: 'None'
CorrelationModel: 'None'
```

To update the local model, the properties object must be reassigned to the model as follows:

```
>> L.Properties = P
```

```
L =
1 + 2*X1 + 5*X2 + 3*X1^2 + 4*X1*X2 + 6*X2^2
InputData: [0x2 double]
OutputData: [0x1 double]
Status: Being Edited
Linked to Response: not linked
```

See Also

CreateModel | Type (for models) | ResponseFeatures(Local Model)

LocalResponses

Array of local responses for response

Syntax

```
local = response.LocalResponses
```

Description

This is a property of the `mbcmodel.hierarchicalresponse` object.

It returns the local model response objects that belong to the hierarchical response R.

See “Understanding Model Structure for Scripting” for an explanation of the relationship between the different response types.

Examples

```
local = response.LocalResponses;
```

MakeHierarchicalResponse

Build two-stage model from response feature models

Syntax

```
OK = MakeHierarchicalResponse(L, MLE)
```

Description

This method of `mbcmodel.localresponse` builds a two-stage model from the response feature models and optionally runs MLE (Maximum Likelihood Estimation). If there are more response features than the number of parameters in the local model, the subset of response features that leads to the best hierarchical response is chosen. The best hierarchical response is chosen using PRESS RMSE (root mean square prediction error — see “PRESS statistic”) if all the response feature models are linear. Otherwise, the best hierarchical response is chosen using Two-stage RMSE.

This performs a similar function to `ChooseAsBest` for response models. You can call `MakeHierarchicalResponse` directly or indirectly by calling `CreateAlternativeModels` for a local model. If you call `CreateAlternativeModels` for a local model, `MakeHierarchicalResponse` is called automatically.

If the local and response models are not ready to calculate a two-stage model, an error is generated. This situation can occur if you have created alternative models and not chosen the best. A sufficient number of response features models to calculate the two-stage model must be selected.

L is the local model object.

MLE can be `true` or `false`. If `true`, MLE will be calculated.

Examples

```
OK = MakeHierarchicalResponse(L, true)
```

See Also

ChooseAsBest

MatchInputs

Match design constraint inputs

Syntax

```
C = MatchInputs(C,DesignInputs)
C = MatchInputs(C,DesignInputs,mapping)
```

Description

MatchInputs is a method of `mbcdoe.designconstraint`. Use it to match inputs for constraints from different sources.

```
C = MatchInputs(C,DesignInputs)
```

`C = MatchInputs(C,DesignInputs,mapping)` matches inputs where `mapping` defines the relationship between the inputs in `C`, and `DesignInputs`.

Examples

A design constraint does not have required inputs `EXH_RET` and `INT_ADV`. Use `MatchInputs` to match the constraint inputs to the design inputs as follows:

```
c = BoundaryModel(p.Testplans, 'all')
c =
Star(N-3.5e+003,L-0.54)

originalInputs=c.Inputs
originalInputs =
    SPEED (N) [rpm] [500,6000]
    LOAD (L) [%] [0.06,0.95]

designInputs = Design.Inputs
designInputs =
    SPEED (N) [rpm] [500,6000]
    LOAD (L) [%] [0.06,0.95]
    EXH_RET (ECP) [DegCrank] [-5,50]
```



```
INT_ADV (ICP) [DegCrank] [-5,50]

c2=MatchInputs(c,designInputs,[1 2]);
newInputs=c2.Inputs
newInputs =
    SPEED (N) [rpm] [500,6000]
    LOAD (L) [%] [0.06,0.95]
    EXH_RET (ECP) [DegCrank] [-5,50]
    INT_ADV (ICP) [DegCrank] [-5,50]
```

See Also

CreateConstraint

Maximin

Maximum of minimum of distance between design points

Syntax

```
s = Maximin(D)
```

Description

Maximin is a method of `mbcdoe.design`.

`s = Maximin(D)` returns the maximum of the minimum distance between design points. `Maximin` is defined over the unconstrained design and is only available for space-filling design types.

See Also

Minimax

mbcboundary.AbstractBoundary

Base boundary model class

Description

Do not use this class directly because the `mbcboundary.AbstractBoundary` class is the base class for all boundary model classes in the Model-Based Calibration Toolbox software.

The following subclasses inherit all the properties and methods of the `mbcboundary.AbstractBoundary` class:

- `mbcboundary.Model`
- `mbcboundary.Boolean`
- `mbcboundary.PointByPoint`
- `mbcboundary.TwoStage`

Properties of `mbcboundary.AbstractBoundary`

FitAlgorithm	Fit algorithm for model or boundary model
Fitted	Indicate whether boundary model has been fitted
Inputs	Inputs for test plan, model, boundary model, design, or constraint
Name	Name of object
NumberOfInputs	Number of model, boundary model, or design object inputs
Type (for boundary models)	Boundary model type

Methods of `mbcboundary.AbstractBoundary`

CreateBoundary

Create boundary model

designconstraint

Convert boundary model to design constraint

Evaluate

Evaluate model, boundary model, or design constraint

getAlternativeTypes

Alternative model or design types

More About

- “Boundary Models”

mbcboundary.Boolean

Boolean boundary model class

Description

You can create Boolean boundary models, which are useful as design constraints, in two ways. You can either use logical operators (&, |, ~) on other boundary models, or you can include more than one boundary model in the best boundary model for a boundary tree. If you combine boundary models using logical operators you cannot add the resulting Boolean boundary model to a boundary tree.

When working in projects, you can combine boundary models by including them `InBest`. For example, you can use subsets of input factors to build boundary models (see `ActiveFactors`). You can then combine the subset boundary models for the most accurate boundary. This approach can provide more effective results than including all inputs. If the `BestModel` property of the boundary tree includes more than one boundary model, then the boundary model is an `mbcboundary.Boolean` object.

This class is a subclass of `mbcboundary.AbstractBoundary`.

Properties of `mbcboundary.Boolean`

FitAlgorithm	Fit algorithm for model or boundary model
Fitted	Indicate whether boundary model has been fitted
Inputs	Inputs for test plan, model, boundary model, design, or constraint
Name	Name of object
NumberOfInputs	Number of model, boundary model, or design object inputs

Type (for boundary models)

Boundary model type

Methods of `mbcboundary.Boolean`

`CreateBoundary`

Create boundary model

`designconstraint`

Convert boundary model to design constraint

`Evaluate`

Evaluate model, boundary model, or design constraint

`getAlternativeTypes`

Alternative model or design types

More About

- “Boundary Models”

mbcboundary.Model

Boundary model class

Description

The `mbcboundary.Model` class represents the basic boundary model types in the Model-Based Calibration Toolbox software.

You can fit boundary models in `mbcmodel` projects using the boundary tree class `mbcboundary.Tree`, or you can fit boundary models directly to data.

You can combine boundary models using the logical operators `&`, `|` and `~`.

This class is a subclass of `mbcboundary.AbstractBoundary`.

Properties of `mbcboundary.Model`

ActiveInputs	Active boundary model inputs
FitAlgorithm	Fit algorithm for model or boundary model
Fitted	Indicate whether boundary model has been fitted
Inputs	Inputs for test plan, model, boundary model, design, or constraint
Name	Name of object
NumberOfInputs	Number of model, boundary model, or design object inputs
Type (for boundary models)	Boundary model type

Methods of `mbcboundary.Model`

CreateBoundary

Create boundary model

designconstraint

Convert boundary model to design constraint

Evaluate

Evaluate model, boundary model, or design constraint

Fit

Fit model or boundary model to new or existing data, and provide summary statistics

getAlternativeTypes

Alternative model or design types

More About

- “Boundary Models”

mbcboundary.PointByPoint

Point-by-point boundary model class

Description

You can only create and fit point-by-point boundary models in the local boundary tree in two ways. You can use either a two-stage test plan or an existing boundary of type, either 'Point-by-point' or 'Two-stage'. You cannot create or fit these types of boundary models outside a project. Fit them by adding to the boundary model to the boundary tree.

A separate boundary model is fitted to each operating point. Point-by-point boundary models are only valid at the observed operating points.

This class is a subclass of `mbcboundary.AbstractBoundary`.

Properties of `mbcboundary.PointByPoint`

FitAlgorithm	Fit algorithm for model or boundary model
Fitted	Indicate whether boundary model has been fitted
Inputs	Inputs for test plan, model, boundary model, design, or constraint
LocalBoundaries	Array of local boundary models for each operating point
LocalModel	Definition of local boundary model
Name	Name of object
NumberOfInputs	Number of model, boundary model, or design object inputs

OperatingPoints	Model operating point sites
Type (for boundary models)	Boundary model type
Methods of <code>mbcboundary.PointByPoint</code>	
CreateBoundary	Create boundary model
designconstraint	Convert boundary model to design constraint
Evaluate	Evaluate model, boundary model, or design constraint
getAlternativeTypes	Alternative model or design types

More About

- “Boundary Models”

mbcboundary.Tree

Boundary tree class

Description

The boundary **Tree** is a container for all the boundary models you create. You access the boundary tree from the `Boundary` property of `mbcmodel.testplan`. The root of the boundary tree for a one-stage test plan is an `mbcboundary.Tree` object. The root of the boundary tree for a two-stage test plan is a `mbcboundary.TwoStageTree`, and this object has `mbcboundary.Tree` objects in its `Local`, `Global` and `Response` properties.

Use the `Models` and `BestModel` properties of the boundary `Tree` to access your boundary models.

Properties of `mbcboundary.Tree`

<code>BestModel</code>	Combined best boundary models
<code>Data</code>	Array of data objects in project, boundary tree, or test plan
<code>InBest</code>	Boundary models selected as best
<code>Models</code>	Array of boundary models
<code>TestPlan</code>	Test plan containing boundary tree

Methods of `mbcboundary.Tree`

<code>Add</code>	Add boundary model to tree and fit to test plan data
<code>CreateBoundary</code>	Create boundary model

Remove

Remove project, test plan, model, or boundary model

Update

Update boundary model in tree and fit to test plan data

More About

- “Boundary Models”

mbcboundary.TwoStage

Two-stage boundary model class

Description

You can only create and fit two-stage boundary models in the local boundary tree in two ways. You can use a two-stage test plan or an existing boundary of type, either 'Point-by-point' or 'Two-stage'. You cannot create or fit these types of boundary models outside a project. Fit them by adding the boundary model to the boundary tree.

Local boundary model parameters are fitted using interpolating RBFs for global inputs. Two-stage boundary models are valid at any operating point.

This class is a subclass of `mbcboundary.AbstractBoundary`.

Properties of `mbcboundary.TwoStage`

FitAlgorithm	Fit algorithm for model or boundary model
Fitted	Indicate whether boundary model has been fitted
GlobalModel	Interpolating global boundary model definition
Inputs	Inputs for test plan, model, boundary model, design, or constraint
LocalModel	Definition of local boundary model
Name	Name of object
NumberOfInputs	Number of model, boundary model, or design object inputs

Type (for boundary models)	Boundary model type
Methods of <code>mbcboundary.TwoStage</code>	
<code>CreateBoundary</code>	Create boundary model
<code>designconstraint</code>	Convert boundary model to design constraint
<code>Evaluate</code>	Evaluate model, boundary model, or design constraint
<code>getAlternativeTypes</code>	Alternative model or design types
<code>getLocalBoundary</code>	Local boundary model for operating point

More About

- “Boundary Models”

mbcboundary.TwoStageTree

Root boundary tree class in two-stage test plans

Description

You access the boundary tree from the **Boundary** property of `mbcmodel.testplan`. The root of the boundary tree for two-stage test plans contains boundary trees (`mbcboundary.Tree` objects) for local, global and response boundary models in the **Local**, **Global** and **Response** properties respectively.

Details of properties:

- **Local** — Local boundary model tree (read only).

Point-by-point and two-stage boundary models are fitted in the local boundary model tree. These boundary models fit local boundary models for each operating point and combine into a single boundary model that includes the global inputs.

- **Global** — Global boundary model tree (read only).

Boundary models in the global model boundary tree are fitted with one point per test (the average value of the global variables for that test).

- **Response** — Response boundary model tree (read only).

Boundary models in the response model boundary tree are fitted with all local and global input data for the test plan.

- **BestModel** — Best boundary model (local, global, and response) (read only).

BestModel is the boundary model combining the best local, global, and response boundary models. You can select which boundary models to include in the best model with **InBest**. If the best boundary model includes more than one boundary model, that boundary model is an `mbcboundary.Boolean` object.

- **InBest** — Logical array indicating which boundary models you selected as best.

You can combine local, global, and response boundary models into a single boundary model for the test plan. The logical array specifies whether to include, in order, the best local, global, and response boundary models, in the best boundary model for the test plan. The **BestModel** property gives the best boundary model for the test plan.

- **TestPlan** — Test plan object that contains this boundary tree (read only).

Properties of `mbcboundary.TwoStageTree`

BestModel	Combined best boundary models
Global	Global boundary model tree
InBest	Boundary models selected as best
Local	Local boundary model tree
Response	Response for model object
TestPlan	Test plan containing boundary tree

More About

- “Boundary Models”

mbcconfig

Configuration tool

Syntax

```
mbcconfig -setup  
mbcconfig -visioninterface  
[result, msg] = mbcconfig(arg)
```

Description

`mbcconfig -setup` installs or updates required system files for Model-Based Calibration Toolbox on the local machine. Use this `setup` option to update the system files without running the installer. This is useful for sites that have one central MATLAB installation instead of installing locally on each machine.

`mbcconfig -visioninterface` installs the ATI Vision MATLAB COM Interface. For details see “Importing and Exporting Calibrations”.

`[result, msg] = mbcconfig(arg)` returns a logical `result` indicating whether the requested operation succeeded, and in the case of failure, a char array `msg` detailing the failure.

See Also

`mbcmodel` | `cage`

mbcmodel

Open Model Browser

Syntax

```
mbcmodel  
mbcmodel fileName.mat
```

Description

`mbcmodel` opens the Model Browser GUI or brings an existing Model Browser to the front of the screen. The Model Browser is a GUI for building and exploring the properties of experimental designs and complex regression models.

`mbcmodel fileName.mat` opens the Model Browser and loads the file specified by *fileName*.

See Also

`cage` | `mbcconfig`

mbcPointByPointModel

Class for evaluating point-by-point models and calculating PEV

Description

If you convert an `mbcmodel.localresponse` object using `Export` and you have not created a two-stage model (hierarchical response object), then the output is an `mbcPointByPointModel` object. Point-by-point models are created from a collection of local models for different operating points. `mbcPointByPointModel` objects share all the same methods as `xregstatsmodel` except `dferror`. See `xregstatsmodel`.

Merge

Merge designs

Syntax

`D = Merge(D1,D2,...)`

Description

Merge is a method of `mbcdoe.design`.

`D = Merge(D1,D2,...)` merges the specified designs D1, D2, etc. into a single design D. The resulting design is a custom design **Style**.

See Also

Style | Augment

Minimax

Minimum of maximum distance between design points

Syntax

```
s = Minimax(D)
```

Description

Minimax is a method of `mbcdoe.design`.

`s = Minimax(D)` returns the minimum of the maximum distance between design points. `Minimax` is defined over the unconstrained design and is only available for space-filling designs.

See Also

Maximin

Model (for designs)

Model for design

Syntax

```
D.Model = NewModel
```

Description

Model is a property of `mbcdoe.design`.

`D.Model = NewModel` changes the model for the design to `NewModel`.

The number of inputs cannot be changed. Many designs have `Limits` properties in addition to model input ranges.

Setting this property changes optimal designs to `custom` if the new model does not support optimal designs.

See Also

Inputs

Model Object

Model object within response object

Syntax

```
M = response.Model
```

Description

This is a property of all `mbcmodel.response` objects.

Each response contains a model object (`mbcmodel.model`) that can be extracted and manipulated independently of the project.

Extract a model object from any response object (see “Response”), and then:

- Fit to new data (`Fit`).
- Change model type, properties, and fit algorithm settings (“`ModelSetup`”, `Type` (for models); `Properties` (for models), `CreateAlgorithm`).
- Create a copy of the model with the same inputs (`CreateModel`).
- Include and exclude terms to improve the model (“`StepwiseRegression`”).
- Examine coefficient values, predicted values, and regression matrices (“`ParameterStatistics`”; `PredictedValue`; “`Jacobian`”).
- If you change the model you need to use “`UpdateResponse`” to replace the new model back into the response object in the project. When you use `UpdateResponse` the new model is fitted to the response data.

Examples

```
M = response.Model;
```

ModelForTest

Model for specified test

Syntax

```
model = ModelForTest(L,TestNo);
```

Description

This is a method of `mbcmodel.localresponse`.

```
model = ModelForTest(L,TestNo);
```

Examples

To get the model for test 22, enter:

```
model = ModelForTest(L,22);
```


modelinput

Create modelinput object

Syntax

```
Inputs =
mbcmodel.modelinput('Property1',value1,'Property2',value2,...);
Inputs = mbcmodel.modelinput(NUMINPUTS);
Inputs = mbcmodel.modelinput(INPUTCELLARRAY);
```

Description

This is the constructor for the `mbcmodel.modelinput` object.

```
Inputs =
mbcmodel.modelinput('Property1',value1,'Property2',value2,...);
```

creates the `mbcmodel.modelinput` object.

You can set the properties shown in the following table.

Property	Description
Range	[min,max]
NonlinearTransform	{'', '1./x', 'sqrt(x)', 'log10(x)', 'x.^2', 'log(x)'} }
Name	String. Signal name from data set. Inputs for a test plan must be set before selecting data.
Symbol	String. Short name for plot labels and for use in CAGE.
Units	String. Units are overwritten from the data set units when a data is selected.

Specify “property, value” pairs as follows:

```
Inputs = mbcmodel.modelinput('Symbol',{ 'A', 'B'},...  
    'Range',{[0 100],[-20 20]});
```

Scalar expansion of properties is supported, e.g.,

```
Inputs = mbcmodel.modelinput('Symbol',{ 'A', 'B'},...  
    'Range',[0 100]);
```

```
Inputs = mbcmodel.modelinput(NUMINPUTS);
```

NUMINPUTS is the number of inputs. Symbols are automatically set to 'X1', 'X2', ..., 'Xn'. The default range is [-1,1]. For example:

```
Inputs = mbcmodel.modelinput(2);
```

```
Inputs = mbcmodel.modelinput(INPUTCELLARRAY);
```

INPUTCELLARRAY is a cell array with one row per input and 5 columns to specify factor names, symbols, ranges and nonlinear transforms as follows.

The columns of INPUTCELLARRAY must be:

- 1 Factor symbol (string)
- 2 Minimum (double)
- 3 Maximum (double)
- 4 Transform (string) — empty for none
- 5 Signal name

These columns are the same as the columns in the Model Factor Setup dialog box, which can be launched from the test plan in the model browser.

Examples

To create a modelinput object with 2 inputs, enter:

```
Inputs = mbcmodel.modelinput(2);
```

To create a modelinput object and define symbols and ranges, enter:

```
Inputs = mbcmodel.modelinput('Symbol',{ 'A', 'B'},...  
    'Range',{[0 100],[-20 20]});
```

```
Inputs = mbcmodel.modelinput('Symbol',{ 'A','B'},...  
    'Range',[0 100]);
```

To create a modelinput object and define inputs with a cell array, enter:

```
Inputs = mbcmodel.modelinput( {...  
    'N', 800, 5000, '', 'ENGSPEED'  
    'L', 0.1, 1, '', 'LOAD'  
    'EXH', -5, 50, '', 'EXHCAM'  
    'INT', -5, 50, '', 'INTCAM' } );
```

See Also

CreateModel | CreateTestplan

Models

Array of boundary models

Syntax

`Models(T)`

Description

This is a property of `mbcboundary.Tree`.

`Models(T)` returns a cell array of boundary models (read only).

More About

- “Boundary Models”

ModelSetup

Open Model Setup dialog box where you can alter model type

Syntax

```
[newModel, OK] = ModelSetup(oldModel)
```

Description

This is a method of `mbcmodel.model` objects.

This method opens the **Model Setup** dialog box where you can choose new model types and settings. If you click **Cancel** to dismiss the dialog, `OK = false` and `newModel = oldModel`. If you click **OK** to close the dialog box, then `OK = true` and `newModel` is your new chosen model setup. Data and response remain the same as `oldModel`. The new model is refitted when you click OK.

Call `UpdateResponse` to put the new model type back into the response.

Examples

```
[RBF, OK] = ModelSetup(Cubic);
```

See Also

`UpdateResponse` | `Fit`

Modified

Boolean signaling whether project has been modified

Syntax

```
Name = P.Modified
```

Description

This is a property of `mbcmodel.project`.

Examples

```
Name = Project.Modified;
```

ModifyFilter

Modify user-defined filter in data set

Syntax

```
D = ModifyFilter(D, Index, expr)
```

Description

This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing filters.

D is a data object.

Index is the input index to indicate which of the available filters you wish to modify. Use the property `Filters` to find the index for each filter.

expr is the input string holding the expression that defines the filter, as for `AddFilter`.

Examples

```
ModifyFilter(D, 3, 'AFR < AFR_CALC + 20');
```

The effect of this filter is to modify filter number 3 to keep all records where `AFR < AFR_CALC + 20`.

```
ModifyFilter(D, 2, 'MyNewFilterFunction(AFR, RPM, TQ, SPK)');
```

This modifies filter number 2 to apply the function `MyNewFilterFunction`.

See Also

`RemoveFilter` | `AddFilter` | `Filters`

ModifyTestFilter

Modify user-defined test filter in data set

Syntax

```
D = ModifyTestFilter(D, Index, expr)
```

Description

This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing filters.

`D` is a data object.

`Index` is the input index to indicate which of the available test filters you wish to modify. Use the property `TestFilters` to find the index for each test filter.

`expr` is the input string holding the expression that defines the test filter, as for `AddTestFilter`.

Examples

```
ModifyTestFilter(d1, 2, 'any(n>2000)');
```

The effect of this is to modify test filter number 2 to include all tests in which any records have speed (`n`) greater than 1000.

See Also

`RemoveTestFilter` | `AddTestFilter` | `TestFilters`

ModifyVariable

Modify user-defined variable in data set

Syntax

```
D = ModifyVariable(D, Index, expr, units)
```

Description

This is a method of `mbcmodel.data`.

You call this method to modify the expression that defines existing variables.

`D` is a data object.

`Index` is the input index to indicate which of the available variables you wish to modify. Use the property `UserVariables` to find the index for each variable.

`expr` is the input string holding the expression that defines the variable, as for `AddVariable`.

`units` is an optional input string holding the units of the variable.

Examples

```
ModifyVariable(D, 2, 'MY_NEW_VARIABLE = TQ*AFR/2');
```

See Also

`RemoveVariable` | `UserVariables` | `AddVariable`

MultipleVIF

Multiple VIF matrix for linear model parameters

Syntax

```
VIF = MultipleVIF(LINEARMODEL)
```

Description

This is a method of `mbcmodel.linearmodel`.

`VIF = MultipleVIF(LINEARMODEL)` calculates the multiple Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples

```
VIF = MultipleVIF(knot_model)
```

See Also

`ParameterStatistics`

Name

Name of object

Syntax

```
name = A.Name
```

Description

This is a property of project, data, test plan, input, model, fitalgorithm, design, design constraint, and boundary model objects.

A can be any test plan (T), data (D), project (P) model (L, R, HR), fitalgorithm (F), design (D), design constraint (C) or boundary model (B) object.

You can change the names of these objects as follows:

```
A.Name = newName
```

For response (output or Y data) signal names, see [ResponseSignalName](#).

For `mbcmodel.model.Name`, the Name property refers to the model output name. The toolbox sets this property to the data signal name when the response is created or if you assign a model to a response. You cannot set this property when a response is attached to the model.

For model parameter names, see [Names](#).

For testplan and response object input names, see [InputSignalNames](#), and for data objects, see [SignalNames](#).

Names of boundary models are read only and provide a description of the boundary model type and active inputs.

Examples

```
ResponseFeatureName = thisRF.Name;
```

See Also

Names | InputSignalNames | ResponseSignalName | SignalNames

Names

Model parameter names

Syntax

```
N = params.Names
```

Description

This is a property of `mbcmodel.modelparameters`. It returns the names of all the parameters in the model. These are read-only.

Examples

```
N = paramsknot.Names
N =
'1'
'N'
'N^2'
'N*L'
'N*A'
'L'
'L^2'
'L*A'
'A'
'A^2';
```

See Also

Values | Name | NumberOfParameters

New

Create new project file

Syntax

P = New(P)

Description

This is a method of `mbcmodel.project`. Use this to modify a project object to make a new project from scratch. Note the current project gets removed from memory when you open a new one.

P is the new project object.

Examples

```
New(P);
```

See Also

Load

NumberOfInputs

Number of model, boundary model, or design object inputs

Syntax

```
N = model.NumberOfInputs
```

Description

This is a property of

- `mbcmodel.model` and `mbcmodel.modelproperties`
- The design objects `mbcdoe.design`, `mbcdoe.generator`, `mbcdoe.candidateset`, and `mbcdoe.designconstraint`
- The boundary model object `mbcboundary.AbstractBoundary` and all its subclasses: `mbcboundary.Model`, `mbcboundary.Boolean`, `mbcboundary.PointByPoint` and `mbcboundary.TwoStage`. You set the number of boundary model inputs when you create the boundary model.

It returns the number of inputs to the model, boundary model, or design object.

Examples

```
N = knot.NumberOfInputs;
```

NumberOfParameters

Number of included model parameters

Syntax

```
N = knotparams.NumberOfParameters
```

Description

This is a read-only property of `mbcmodel.linearmodelparameters`, for linear models only.

The number returned is the number of parameters currently in the model (you can remove some parameters by using `StepwiseRegression`). To see which parameters are currently in the model, use `StepwiseSelection`. Only parameters listed as 'in' are currently included.

To see the total possible number of parameters in a linear model, use `SizeOfParameterSet`.

Use `Names` and `Values` to get the parameter names and values.

Examples

```
N = knotparams.NumberOfParameters;
```

See Also

`StepwiseSelection` | `Values` | `SizeOfParameterSet` | `StepwiseRegression` | `Names`

NumberOfPoints

Number of design points

Syntax

D.NumberOfPoints

Description

NumberOfPoints is a read only property of `mbcdoe.design` (constrained number of points).

D.NumberOfPoints is the number of points in the design after applying the constraints.

You specify the number of points for a design using the generator object. The NumberOfPoints property of `mbcdoe.generator` is the number of points before any constraints are applied. You cannot specify the number of points for all design types (e.g., it is not allowed for Central Composite, Box Behnken). To see which design types have an editable NumberOfPoints property, see the tables in [Type \(for designs and generators\)](#).

See Also

[Type \(for designs and generators\)](#)

NumberOfRecords

Total number of records in data object

Syntax

```
numRecords = D.NumberOfRecords
```

Description

This is a property of data objects: `mbcmodel.data`.

Examples

```
numRecords = Data.NumberOfRecords;
```

NumberOfTests

Total number of tests being used in model

Syntax

```
numtests = A.NumberOfTests
```

Description

This is a property of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`, and data objects `mbcmodel.data`. 'A' can be any model or data object.

Examples

```
numTests = TQ_response.NumberOfTests;
```

See Also

`DefineTestGroups`

OperatingPoints

Model operating point sites

Syntax

`OperatingPoints(B)`

Description

This is a property of `mbcboundary.PointByPoint`.

`OperatingPoints(B)` returns the operating point sites for models (read only).

More About

- “Boundary Models”

OptimalCriteria

Optimal design criteria (V, D, A, G)

Syntax

```
s = OptimalCriteria(D)  
s = OptimalCriteria(D,Criteria)
```

Description

`OptimalCriteria` is a method of `mbcdoe.design`. `OptimalCriteria` can only be used for optimal designs.

`s = OptimalCriteria(D)` returns an array with the values of optimal criteria [V,D,A,G].

`s = OptimalCriteria(D,Criteria)` returns the specified optimal criteria. `Criteria` must be one of V,D, A, or G.

OutlierIndices

Indices of `DoubleInputData` marked as outliers

Syntax

```
indices = OutlierIndices(R)
```

Description

This is a method of all model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

Examples

```
ind = OutlierIndices(R);  
bad = OutlierIndices(thisRF);
```

See Also

`DoubleInputData`

OutlierIndicesForTest

Indices marked as outliers for test

Syntax

```
indices = OutlierIndicesForTest(R, TestNumber)
```

Description

This is a method of the local model object, `mbcmodel.localresponse`.

This shows the current records discarded as outliers.

You can use ':' to use all tests.

Examples

```
ind = OutlierIndicesForTest(R, ':');  
bad = OutlierIndicesForTest(local, tn);
```

See Also

OutlierIndices

OutputData

Output (or response) data for model

Syntax

```
D = M.OutputData
```

Description

This is a property of `mbcmodel.model`.

It returns an array of the response data currently in the model.

Examples

```
D = knot.OutputData;
```

See Also

[InputData](#)

Owner

Object from which data was received

Syntax

```
O = D1.Owner
```

Description

This property of `mbcmodel.data` is:

- Empty if the data was created using `mbcmodel.CreateData`
- An `mbcmodel.project` object if the data was extracted from a project
- An `mbcmodel.testplan` object if the data was extracted from a test plan

Examples

```
O = D1.Owner;
```

Parameters

Model parameters

Syntax

```
P = model.Parameters
```

Description

This is a property of `mbcmodel.model`, that contains an object `mbcmodel.model.parameters`. This object contains a number of read-only parameters that describe the model.

All models have these properties:

- `SizeOfParameterSet`
- `Names`
- `Values`

Linear models also have these properties:

- `StepwiseStatus`
- `NumberOfParameters`
- `StepwiseSelection`

Radial Basis Function (RBF) models have all the above properties and these additional properties:

- `Centers`
- `Widths`

Examples

```
P = model.Parameters;
```

See Also

Names | StepwiseStatus | NumberOfParameters | SizeOfParameterSet | Values
| StepwiseSelection | Centers | Widths

ParameterStatistics

Calculate parameter statistics for linear model

Syntax

```
values = ParameterStatistics(linearmodel, optional statType)
```

Description

This is a method of `mbcmodel.model`, for linear models only. This calculates parameter statistics for the linear model. If you don't specify `statType`, then a structure with all valid types is output. `statType` may be a string specifying a particular statistic or a cell array of string specifying a number of statistics to output. If `statType` is a string, then `values` is an array of doubles. If `statType` is a cell array of strings, then `values` is a cell array of array of doubles.

The valid types are:

'Alias'

'Covariance'

'Correlation'

'VIFsingle'

'VIFmultiple'

'VIFpartial'

'Stepwise'

These types (except Stepwise) appear in the Design Evaluation tool; see the documentation for this tool for details of these matrices.

The **Stepwise** field contains the values found in the Stepwise table. In this array (and in the Stepwise GUI) you can see for each parameter in the model: the value of the coefficient, the standard error of the coefficient, the t value and Next PRESS (the

value of PRESS if the status of this term is changed at the next iteration). See the documentation for the Stepwise table. You can also see these Stepwise values when you use `StepwiseRegression`.

Examples

```
values = ParameterStatistics(knot)
values =
    Alias: [7x3 double]
    Covariance: [7x7 double]
    Correlation: [7x7 double]
    VIFsingle: [5x5 double]
    VIFmultiple: [7x1 double]
    VIFpartial: [5x5 double]
    Stepwise: [10x4 double]

values.Stepwise
ans =
    1.0e+003 *
    0.0190    0.0079    0.0210         NaN
    0.0000    0.0000    0.0210    1.9801
    0.0000    0.0000    0.0200    0.2984
   -0.0000    0.0000    0.0200    0.2768
    0.0000    0.0000    0.0200    0.2890
   -0.0526    0.0367    0.0210    0.2679
    0.0911    0.0279    0.0210    0.3837
   -0.0041    0.0024    0.0210    0.2728
   -0.0178    0.0095    0.0200    0.2460
    0.0001    0.0000    0.0210    0.3246
```

See Also

`StepwiseRegression`

PartialVIF

Partial VIF matrix for linear model parameters

Syntax

```
STATS = PartialVIF(LINEARMODEL)
```

Description

This is a method of `mbcmodel.linearmodel`.

`STATS = PartialVIF(LINEARMODEL)` calculates the partial Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples

```
VIF = PartialVIF(knot_model)
```

See Also

`ParameterStatistics`

PEV

Predicted error variance of model at specified inputs

Syntax

```
pev = PEV(R, X)
```

Description

This is a method of the hierarchical, local response, response, and model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.response`, and `mbcmodel.model`.

R is the model object, and X is the array of input values where you want to evaluate the PEV of the model. For a local response, the predicted value uses the hierarchical model.

Note that for an `mbcmodel.model` and `mbcmodel.response` objects only, the X is optional. That is, the syntax is:

```
PEV = PEV(model, optional X)
```

This calculates the Predicated Error Variance at X. If X is not specified, then X is the existing input values. An array is returned of PEV values evaluated at each data point.

Examples

```
pev = PEV(R, X);
```

See Also

PEVForTest

PEVForTest

Local model predicted error variance for test

Syntax

```
pev = PEVforTest(L, TestNumber, X)
```

Description

This is a method of the local model object, `mbcmodel.localresponse`.

`L` is the local model object.

`TestNumber` is the test for which you want to evaluate the model PEV.

`X` is the array of inputs where you want to evaluate the PEV of the model.

Examples

```
pev = PEVforTest(L, TestNumber, X);
```

See Also

PEV

Points

Matrix of design points

Syntax

```
designPoints = D.Points
```

Description

`Points` is a property of `mbcdoe.design`.

`designPoints = D.Points` returns the matrix of design points.

You can perform any valid MATLAB operation on this matrix. The number of columns of the points matrix must be the same as the number of inputs when setting `Points`. If you make an assignment to the `Points`, the design type changes to `Custom`. Points are only updated in the underlying design if they have changed.

See Also

`FixPoints` | `PointTypes` | `RemovePoints` | `NumberOfPoints`

PointTypes

Fixed and free point status

Syntax

D.PointTypes

Description

PointType is a property of `mbcdoe.design`. Each point has a type of `free`, `fixed` or `data`.

You can specify `fixed` points. `free` is the default. If a point has been matched to data then it is of type `data`.

D.PointTypes returns a cell array of PointTypes, one for each design point. You cannot change a PointType of `data` to something else as the `data` is set by the test plan when matching the design to `data`.

You can use the method `FixPoints` to fix all the points in a design.

See Also

`FixPoints` | `Points` | `RemovePoints`

PredictedValue

Predicted value of model at specified inputs

Syntax

```
y = PredictedValue(R,X)
y = PredictedValue(R)
```

Description

This is a method of the hierarchical, response, local response, and model objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.response`, `mbcmodel.localresponse`, and `mbcmodel.model`.

`y = PredictedValue(R,X)` evaluates the model at the specified inputs, where `R` is the model object, and `X` is the array of inputs where you want to evaluate the output of the model.

Note that for an `mbcmodel.model`, `mbcmodel.localresponse` and `mbcmodel.response` objects, the `X` is optional. If `X` is not specified then the `X` is the existing input values. That is, the syntax is:

```
y = PredictedValue(model, optional X)
```

`y = PredictedValue(R)` calculates the predicted value at the fit data. An array is returned of predicted values evaluated at each data point. For local models, this is equivalent to `y= PredictedValue(L, L.InputData)`.

Note that you cannot evaluate model output for a local response or hierarchical response until you have constructed it using `MakeHierarchicalResponse` (or `CreateAlternativeModels`). If you have created alternative response feature models then a best model must be selected. If you have made changes such as removing outliers since choosing a model as best, you may need to choose a new best model. For a local response, the predicted value uses the hierarchical model. If no data is specified then the data from all tests is used.

Examples

```
y = PredictedValue(R, X);  
modelPred = PredictedValue(thisRF, x);
```

See Also

ChooseAsBest | PEV | Evaluate | PredictedValueForTest

PredictedValueForTest

Predicted local model response for test

Syntax

```
y = PredictedValueForTest(L, TestNumber, X)
```

Description

This is a method of the local model object, `mbcmodel.localresponse`.

`L` is a local model object.

`TestNumber` is the test for which you want to evaluate the model.

`X` is the array of inputs where you want to evaluate the output of the model.

Examples

```
y = PredictedValueForTest(L, TestNumber, X);
```

See Also

`PredictedValue`

Properties (for candidate sets)

View and edit candidate set properties

Syntax

```
properties(CS)
CS.PropertyName = NewValue
```

Description

“Properties” is a method of `mbcdoe.candidateset`, which returns a list of properties.

`properties(CS)` lists the candidate set properties.

`CS.PropertyName = NewValue` sets the candidate set property.

The candidate set `Type` determines which properties you can set.

The following table lists the properties available for each candidate set type.

Candidate Set Properties (for Optimal Designs)

Candidate Set Type	Property	Description
All built-in: Grid/ Lattice, Grid, Lattice, Stratified Lattice, Sobol, Halton	NumberOfPoints (read-only for Grid and Grid/Lattice)	Number of points (int: [0,Inf])
	Limits	Design Limits
Grid	Levels	Selection criteria for best LHS design (cell)
	NumberPerLevel	Symmetric design (vector int: {[-Inf,Inf], NumberOfInputs})
Lattice	Generators	Prime number generators for lattice (vector int: {[0,Inf], NumberOfInputs})
Stratified Lattice	StratifyLevels	Number of levels for each factors (vector int: {[0,Inf], NumberOfInputs})

Candidate Set Type	Property	Description
Sobol Sequence	Scramble	Scramble method (enum: {'none', 'MatousekAffineOwen'})
	SkipMode	Skip mode options (enum: {'None','2^k','Custom'})
	Skip	Skip size (int: [0,Inf])
Halton Sequence	Scramble	Scrambling method for sequence (enum: {'None','RR2'})
	PrimeLeap	Leap sequence points using prime number (boolean)
	SkipZero	Skip zero point (boolean)
User-defined	NumberOfPoints	User-defined points (read-only)
	Points	User-defined points

Examples

You can use property value pairs to specify candidate set properties as part of the `CreateCandidateSet` command, or you can set properties individually.

To create a candidate set with type grid and specified grid levels:

```
CandidateSet = augmentedDesign.CreateCandidateSet...
('Type', 'Grid' );
CandidateSet.NumberOfLevels = [21 21 21 21];
```

See Also

`CreateCandidateSet`

Properties (for design constraints)

View and edit design constraint properties

Syntax

```
properties(C)
C.PropertyName = NewValue
```

Description

“Properties” is a method of `mbcdoe.designconstraint`, which returns a list of properties.

`properties(C)` lists the constraint properties.

`C.PropertyName = NewValue` sets the constraint property.

The constraint **Type** determines which properties you can set. For more information, see the following table or **Type (for design constraints)**.

The following table lists the properties available for each constraint type.

Constraint Properties

Constraint Type	Property	Description
Linear design constraint: 1*Input1 + 1* Input2 + 1* Input3 <= 0	A	Matrix for linear constraint (matrix: [1,NumberOfInputs])
	b	Bound for linear constraint (double)
Ellipsoid design constraint: Ellipsoid at (Input1=0, Input2=0, Input3=0)	CenterPoint	Center of ellipse (vector: NumberOfInputs)
	Matrix	Ellipsoid form matrix (positive semi-definite) (matrix: [NumberOfInputs, NumberOfInputs])

Constraint Type	Property	Description
1D Table design constraint: InputY(InputX) <= InputY max	Table	Table constraint (vector)
	Breakpoints	Breakpoints for rows (vector)
	Inequality	Relational Operator (enum: { '<=' , '>=' })
	InputFactor	Column input symbol (enum: { 'InputX' , 'InputY' })
	TableFactor	Table input symbol (enum: { 'InputX' , 'InputY' })
2D Table design constraint: InputZ(InputX,InputY) <=InputZmax	Table	: Table constraint (matrix)
	RowBreakpoints	Breakpoints for rows (vector)
	ColumnBreakpoints	Breakpoints for columns (vector)
	Inequality	Relational operator (enum: { '<=' , '>=' })
	RowFactor	Row input symbol (enum: { 'InputX' , 'InputY' , 'InputZ' })
	ColumnFactor	Column input symbol (enum: { 'InputX' , 'InputY' , 'InputZ' })
	TableFactor	Table input symbol (enum: { 'InputX' , 'InputY' , 'InputZ' })

Examples

You can use property value pairs to specify constraint properties as part of the `CreateConstraint` command, or you can set properties individually.

For examples, see `CreateConstraint`.

See Also

`CreateConstraint`

Properties (for design generators)

View and edit design generator properties

Syntax

```
properties(Generator)  
Generator.PropertyName = NewValue
```

Description

“properties” (lower case p) is a method of `mbcdoe.generator`, which returns a list of properties.

`properties(Generator)` lists the generator properties.

`Generator.PropertyName = NewValue` sets the generator property.

The design generator object `Type` determines which properties you can set. For more information, see `Type (for designs and generators)`.

The settings are applied immediately, you do not need to call `generate` on the design object.

The following tables list the properties available for each design type.

Optimal Design Properties (D-, V- and A-Optimal)

Property	Description
NumberOfPoints	Number of points (int: [0,Inf])
InitialPoints	Initial design points (Matrix)
CandidateSet	Candidate set (<code>mbcdoe.candidateset</code>)
AllowReplicates	Allow replicate points (boolean)
AugmentMethod	Methods to add points (enum: {'random', 'optimal'})

Property	Description
Tolerance	Tolerance (numeric: 'positive')
MaxIterations	Maximum Iterations (int: 'positive')
NumberOfPointsToAlter	Number of points to alter per iteration using the random augment method (p) (int: 'positive')
NoImprovement	Number of iterations with no improvement using the random augment method (p) (int: 'positive')

Note: Optimal designs have dependencies between `NumberOfPoints`, `InitialPoints` and `CandidateSets`. When you change `NumberOfPoints`, an initial point is drawn from the existing candidate set. Setting `NumberOfPoints` updates `InitialPoints`. Likewise setting `InitialPoints` updates `NumberOfPoints`. When changing the candidate set a new initial design is drawn from the new candidate set.

Space-Filling Design Properties

Design Type	Property	Description
All space-filling design types (Lattice, Latin Hypercube Sampling, Stratified Latin Hypercube, Sobol, Halton)	NumberOfPoints	Number of points (int: [0,Inf])
	Limits	Design Limits (matrix: [NumberOfInputs,2])
Lattice	PrimeGenerators	Prime number generators for lattice for each input (vector int: [0,Inf])
Latin Hypercube Sampling and Stratified Latin Hypercube	SelectionCriteria	Selection criteria for best LHS design (enum: {'discrepancy', 'minimax', 'maximin', 'cdfvariance', 'cdfmaximum'})
	Symmetry	Symmetric design (boolean)

Design Type	Property	Description
Stratified Latin Hypercube	StratifyLevels	Number of levels for each factors (vector int: {[0,Inf], NumberOfInputs})
	StratifyValues	Stratify levels (cell)
Sobol Sequence	Scramble	Scramble method (enum: {'none', 'MatousekAffineOwen'})
	SkipMode	Skip mode options (enum: {'None', '2^k', 'Custom'})
	Skip	Skip size (int: [0,Inf])
Halton Sequence	Scramble	Scrambling method for sequence (enum: {'None', 'RR2'})
	PrimeLeap	Leap sequence points using prime number (boolean)
	SkipZero	Skip zero point (boolean)

Classical Design Properties

Design Type	Property	Description
All (Box-Behnken, Central Composite, Full Factorial, Plackett-Burman, Regular Simplex)	NumberOfPoints (read-only)	Number of points (int: [0,Inf])
	Limits	Design limits
All except Plackett-Burman	NumberOfCenterPoints	Number of center points (int: [0,Inf])
Central Composite	StarPoints	Star point position (enum: {'FaceCenteredCube', 'Spherical', 'Rotatable', 'Custom'})
	Inscribe	Inscribe points (boolean)

Design Type	Property	Description
	Alpha	Specify 'Custom' star point location: (vector: {'positive', NumberOfInputs}) For 'FaceCenteredCube', alpha = 1 For 'Spherical', alpha = sqrt(nf) For 'Rotatable', alpha = 2^(nf/4)
Full Factorial	Levels	Cell array of levels for each input (cell)
	NumberOfLevels	Number of levels for each input (vector int: {'positive', NumberOfInputs })

Examples

You can use property value pairs to specify design generator properties as part of the `Generate` and `Augment` commands. You can also set properties individually. Some examples:

To create a full factorial design and specify the number of levels when generating the design:

```
design = CreateDesign( inputs, 'Type', 'Full Factorial' );
design = Generate( design, 'NumberOfLevels', [50 50] );
```

To create a latin hypercube sampling design:

```
globalDesign = TP.CreateDesign(2,...
'Type', 'Latin Hypercube Sampling');
```

To create and generate a halton design with 50 points:

```
haltonDesign = CreateDesign( inputs, 'Type',...
'Halton Sequence', 'Name', 'Halton' );
```

```
haltonDesign = Generate( haltonDesign, 50 );
```

To explicitly specify the `NumberOfPoints` property:

```
haltonDesign = Generate( haltonDesign, 'NumberOfPoints', 50 );
```

To create and generate a halton design with specified scrambling and other properties:

```
haltonDesignWithScrambling = haltonDesign.CreateDesign...  
( 'Name', 'Scrambled Halton' );  
haltonDesignWithScrambling = Generate...  
( haltonDesignWithScrambling,...  
'Scramble', 'RR2', 'PrimeLeap', true );
```

To generate an optimal design with specified properties:

```
OptDesign = Generate(OptDesign,...  
    'Type','V-optimal',...  
    'CandidateSet',C,...  
    'MaxIterations',200,...  
    'NoImprovement', 50,...  
    'NumberOfPoints',200);
```

The previous code is equivalent to setting the properties individually and then calling `Generate` as follows:

```
P = OptDesign.Generator;  
P.Type = 'V-optimal';  
P.CandidateSet.NumberOfLevels(:)=21;  
P.MaxIterations = 200;  
P.NumberOfPoints = 200;  
P.NoImprovement = 50;  
OptDesign.Generator = P;
```

To augment a design optimally with 20 points:

```
OptDesign = Augment(OptDesign,...  
    'Type','V-optimal',...  
    'MaxIterations',200,...  
    'NoImprovement', 50,...  
    'NumberOfPoints',20);
```

See Also

`CreateDesign` | `Properties` (for design constraints) | `Generate` | `Augment`
| `Properties` (for candidate sets)

Properties (for models)

View and edit model properties

Syntax

```
modelprop=M.Properties
M.Properties.PropertyName = NewValue
properties(M.Properties)
f=M.Properties.properties
```

Description

“Properties” is a property of `mbcmodel.model`.

`modelprop=M.Properties` returns a `mbcmodel.modelproperties` object.

To edit a property, use the syntax `M.Properties.PropertyName = NewValue`

“properties” is a method of `mbcmodel.fitalgorithm` and `mbcmodel.modelproperties` which returns a list of properties.

`properties(M.Properties)` lists the property names, types and allowed values.

`f=M.Properties.properties` returns the property names as a cell array.

The model `Type` determines which properties you can set. For more information, see `Type (for models)`.

To get a `mbcmodel.modelproperties` object from a model:

```
>> M = mbcmodel.CreateModel('Polynomial', 4);
>> disp(M)
mbcmodel.linearmodel:Polynomial

>>modelproperties=M.Properties

modelproperties =
Polynomial Properties
      Order: [3 3 3 3]
```

```
InteractionOrder: 3
TransformInputRange: 1
  ParameterNames: {35x1 cell}
  StepwiseStatus: {35x1 cell}
  BoxCox: 1
```

To create a model and list the properties:

```
>> M = mbcmodel.CreateModel('RBF',2)
```

M =

```
A radial basis function network using a multiquadric kernel
with 0 centers
and a global width of 2.
The regularization parameter, lambda, is 0.0001.
InputData: [0x2 double]
OutputData: [0x1 double]
Status: Not fitted
Linked to Response: <not linked>
```

```
>> properties(M.Properties)
```

```
RBF Properties
  Kernel: RBF kernel (enum: {'multiquadric',...
'recmultiquadric','gaussian','thinplate','logisticrbf',...
'wendland', 'linearrbf','cubicrbf'})
  Continuity: Continuity for Wendland kernel...
(0,2,4,6) (int: [0,6])
  ParameterNames: List of parameter names (read-only)
  StepwiseStatus: Stepwise status {'Always','Never',...
'Step'} (cell)
  BoxCox: Box-Cox transform (power) (numeric: [-3,3])
```

The following syntax returns the properties as a cell array:

```
>> f=M.Properties.properties
```

f =

```
'Kernel'
'Continuity'
'ParameterNames'
'Stepwisestatus'
'BoxCox'
```


Change a property as follows:

```
>>M.Properties.Kernel = 'thinplate';
```

The model changes state to 'Being Edited'. The settings are not applied until you call Fit on the model object.

The following sections list the properties available for each model type.

Linear Models — Polynomial Properties

mbcmodel.linearmodel:Polynomial

Order: Polynomial order (vector int: {[0,Inf],NumberOfInputs})

InteractionOrder: Maximum order of interaction terms (int: [0,Inf])

TransformInputRange: Transform inputs (Boolean)

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models — Hybrid Spline Properties

mbcmodel.linearmodel:Hybrid Spline

Order: Spline and polynomial order (vector int: {[0,3],NumberOfInputs})

SplineVariable: Spline variable

SplineInteraction: Order of interaction between spline and polynomial (int: [0,3])

Knots: Position of knots (vector real)

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models — RBF Properties

`mbcmodel.linearmodel:RBF`

Kernel: RBF kernel (enum: {'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland','linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6) (int: [0,6])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models — Polynomial-RBF Properties

`mbcmodel.linearmodel:Polynomial-RBF`

Order: Polynomial order (vector int: {[0,Inf],NumberOfInputs})

InteractionOrder: Maximum order of interaction terms (int: [0,Inf])

Kernel: RBF kernel (enum:

{'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland','linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6) (int: [0,6])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Linear Models — Hybrid Spline-RBF Properties

`mbcmodel.linearmodel:Hybrid Spline-RBF`

Order: Spline and polynomial order (vector int: {[0,3],NumberOfInputs})

SplineVariable: Spline variable

SplineInteraction: Order of interaction between spline and polynomial (int: [0,3])

Knots: Position of knots (vector real)

Kernel: RBF kernel (enum:
{'multiquadric','recmultiquadric','gaussian','thinplate','logisticrbf','wendland',
'linearrbf','cubicrbf'})

Continuity: Continuity for Wendland kernel (0,2,4,6) (int: [0,6])

ParameterNames: List of parameter names (read-only)

StepwiseStatus: Stepwise status {'Always','Never','Step'} (cell)

BoxCox: Box-Cox transform (power) (numeric: [-3,3])

Nonlinear Models — Free Knot Spline Properties

mbcmodel.model:Free Knot Spline

Order: Spline order (int: [0,3])

NumKnots: Number of knots (int: 'Positive')

Nonlinear Models — Neural Network Properties

mbcmodel.model:Neural Network

HiddenLayers: Number of hidden layers (int: [1,2])

Neurons: Number of Neurons in each hidden layer (vector int: 'Positive')

Examples

```
>> modelprops=M.Properties
```

```
modelprops =  
Polynomial Properties  
    Order: [3 3 3 3]  
    InteractionOrder: 3  
    TransformInputRange: 1  
    ParameterNames: {35x1 cell}  
    StepwiseStatus: {35x1 cell}  
    BoxCox: 1  
  
>> M.Properties.Order = [3 2 2 3]  
  
M =  
  
    1 + 2*X1 + 10*X4 + 15*X2 + 18*X3 + 3*X1^2 + 6*X1*X4  
    ...+ 8*X1*X2 + 9*X1*X3 +  
    11*X4^2 + 13*X4*X2 + 14*X4*X3 + 16*X2^2 + 17*X2*X3  
    ...+ 19*X3^2 + 4*X1^3 +  
    5*X1^2*X4 + 7*X1*X4^2 + 12*X4^3  
    InputData: [0x4 double]  
    OutputData: [0x1 double]  
    Status: Being Edited  
    Linked to Response: <not linked>
```

See Also

Type (for models) | LocalModel Properties

RecordsPerTest

Number of records in each test

Syntax

```
numRecords = D.RecordsPerTest
```

Description

This is a property of data objects: `mbcmodel.data`. It returns an array, of length `NumberOfTests`, containing the number of records in each test.

Examples

```
numRecords = D.RecordsPerTest;
```

Remove

Remove project, test plan, model, or boundary model

Syntax

OK = Remove (A)

Description

This is a method of all the nondata objects: projects, test plans, all models, and boundary trees.

A can be any project, test plan, or model object.

You cannot remove datum models if other models use them.

For boundary trees, specify which boundary model to remove:
Remove (BoundaryTree , Index).

Examples

OK = Remove (R3) ;

RemoveData

Remove data from project

Syntax

P = RemoveData(P, D)

P = RemoveData(P, Index)

Description

This is a method of `mbcmodel.project`.

You can refer to the data object either by name or index.

P is the project object.

D is the data object you want to remove.

Index is the index of the data object you want to remove.

Examples

```
RemoveData(P, D);
```

See Also

[CopyData](#) | [CreateData](#) | [Data](#)

RemoveDesign

Remove design from test plan

Syntax

```
RemoveDesign(T,Name)  
RemoveDesign(T,Level,Name)  
RemoveDesign(T,D)  
RemoveDesign(T,Level,D)
```

Description

`RemoveDesign` is a method of `mbcmodel.testplan`.

`RemoveDesign(T,Name)` removes a design with a matching name from the test plan `T`.

`Name` can be a string, or a cell array of strings.

`RemoveDesign(T,Level,Name)` removes a design with a matching name from the specified level of the test plan. By default the level is the outer level (i.e., Level 1 for one-stage, Level 2 (global) for two-stage).

`RemoveDesign(T,D)` removes `D`, an array of designs to be deleted. All designs with matching names are deleted.

`RemoveDesign(T,Level,D)` removes `D` from the specified level.

See Also

`AddDesign` | `UpdateDesign` | `FindDesign`

RemoveFilter

Remove user-defined filter from data set

Syntax

```
D = RemoveFilter(D, Index)
```

Description

This is a method of the `mbcmodel.data` object.

`Index` is the input index indicating the filter to remove. Use the property `Filters` to find out which filters are present.

Examples

```
RemoveFilter(D1, 3);
```

See Also

`Filters` | `AddFilter`

RemoveOutliers

Remove outliers in input data by index or rule, and refit models

Syntax

```
R = RemoveOutliers(R, Selection);  
R = RemoveOutliers(L, LocalSelection, GlobalSelection)
```

Description

This is a method of the local model object, `mbcmodel.localresponse` and the response feature model object `mbcmodel.response`.

All the response feature models are refitted after the local models are refitted. Outlier selection is applied to all tests.

For a response model:

- `R` is a response object.
- `Selection` specifies either a set of indices or the name of an outlier selection function, of the following form:

```
Indices = myMfile(model, data, factorName)
```

The factors are the same as defined in `DiagnosticStatistics`.

- `data` contains the factors as columns of a matrix.
- `factorNames` is a cell array of the names for each factor.

For a local model:

- `LocalSelection` is the local outlier selection indices or function.
- `GlobalSelection` is the global outlier selection indices or function.

Outlier selection functions must conform to this prototype:

```
Indices = myMfile(model, data, factorName)
```

The factors are the same as appear in the scatter plot in the Model Browser.

- `data` contains the factors as columns of a matrix.
- `factorNames` is a cell array of the names for each factor.

Examples

```
outlierind = [1 4 6 7];  
RemoveOutliers(thisRF, outlierind);
```

See Also

`RemoveOutliersForTest`

RemoveOutliersForTest

Remove outliers on test by index or rule and refit models

Syntax

```
L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION)
L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION,
doUpdate)
```

Description

This is a method of `mbcmodel.localresponse`.

`L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION)` removes outliers, refits the local model, and refits the response feature models.

`L = RemoveOutliersForTest(LOCALRESPONSE, TESTNUMBER, LOCALSELECTION, doUpdate)` removes outliers and if `doUpdate` is `true`, refits all response features after the local model is refitted.

`TESTNUMBER` is the single test number to refit.

`LOCALSELECTION` can either be a set of indices or a function name.

An outlier selection function must take the following form:

```
INDICES = MYMFILE(MODEL, DATA, FACTORNAME);
```

The factors are the same as defined in `DiagnosticStatistics`.

`DATA` contains the factors as columns of a matrix, and `FACTORNAME` is a cell array of the names for each factor.

Examples

For a local response `LOCALRESPONSE`, to remove first two data points and do not update response features:

```
RemoveOutliersForTest(LOCALRESPONSE,1,1:2,false);
```

To find list of indices of removed data points:

```
indices = OutliersForTest(LOCALRESPONSE,1);
```

To restore first data point:

```
RestoreDataForTest(LOCALRESPONSE,1,1,false);
```

To restore all data:

```
RestoreDataForTest(LOCALRESPONSE,1,':',false);
```

To update response features:

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also

[UpdateResponseFeatures](#) | [OutlierIndicesForTest](#) | [RemoveOutliers](#) | [RestoreDataForTest](#)

RemovePoints

Remove all nonfixed design points

Syntax

```
D = RemovePoints(D)
D = RemovePoints(D,PointType)
D = RemovePoints(D,indices)
```

Description

RemovePoints is a method of `mbcdoe.design`.

`D = RemovePoints(D)` removes all nonfixed points from the design.

`D = RemovePoints(D,PointType)` removes the specified type of points, where `PointType` is one of 'free', 'fixed' or 'data'.

`D = RemovePoints(D,indices)` removes the points specified by `indices`.

Examples

To remove all free points:

```
Design = RemovePoints(Design,'free');
```

See Also

FixPoints

RemoveTestFilter

Remove user-defined test filter from data set

Syntax

```
D = RemoveTestFilter(D, Index)
```

Description

This is a method of `mbcmodel.data`.

D is the data object.

Index is the input index indicating the filter to remove.

Use the property `TestFilters` to find the index of the test filter you want to remove.

Examples

```
RemoveTestFilter(D1, 2);
```

See Also

`TestFilters` | `AddTestFilter`

RemoveVariable

Remove user-defined variable from data set

Syntax

```
D = RemoveVariable(D, Index)
```

Description

This is a method of `mbcmodel.data`.

D is the data object.

Index is the input index indicating the variable to remove.

Use `UserVariables` to find the index of the variable you want to remove.

Examples

```
RemoveVariable(D1, 2);
```

See Also

`UserVariables` | `AddVariable`

Response

Response for model object

Syntax

```
R = model.Response
```

Description

Models. This is a property of `mbcmodel.model`. It returns the response the model object came from (e.g. a response object).

If you make changes to the model object (for example by changing the model type using `ModelSetup`, or using `StepwiseRegression`) you must use `UpdateResponse` to return the new model object to the response in the project.

Boundary models. This is a property of `mbcboundary.TwoStageTree`.

The `Response` property contains a response boundary model tree (read only). Boundary models in the response model boundary tree are fitted with all local and global input data for the test plan.

Examples

```
R = model.Response;
```

See Also

`ModelSetup` | `UpdateResponse`

ResponseFeatures(Local Model)

Set of response features for local model

Syntax

RFs = L.ResponseFeatures

Description

This is a property of the local model object, `mbcmodel.localmodel`.

RFs = L.ResponseFeatures returns a `mbcmodel.responsefeatures` object. L is the local model.

See “Understanding Model Structure for Scripting” in the Getting Started documentation for an explanation of the relationships between local models, local responses, and other responses.

Available properties and methods are described in the following tables.

Property	Description
EvaluationPoints	Cell array of evaluation points for the response feature set (read-only). An element of <code>EvaluationPoints</code> is empty if the response feature does not use the Evaluation point. This property is set up when the response feature is created (see the Add method).
Types	Cell array of types for response feature set (read-only). This property is set up when the response feature is created (see the Add method).
NumberOfResponseFeatures	Number of response features in set (read-only).
IsFitted	The local model has been fitted.

Method	Description
Add	Add new response feature to response feature set

Method	Description
	<p>RF = Add(RF,RFtype)</p> <p>RFtype is a description string belonging to the set of alternative response features. See getAlternativeTypes.</p> <p>RF = Add(RF,RFtype,EvaluationPoint)</p> <p>EvaluationPoint is a row vector with an element for each model input and is used for response features that require an input value to evaluate the response feature (e.g., function evaluation, derivatives). It is an error to specify an evaluation point for a response feature type that does not require an evaluation point.</p>
Remove	<p>Remove a response feature from the response feature set</p> <p>RF = Remove(RF,index)</p>
Select	<p>Select a subset of response features from the response feature set</p> <p>RF = Select(RF,indices)</p>
getDefaultSet	<p>List of default response features</p> <p>RF = getDefaultSet(RF)</p> <p>Returns an <code>mbcmodel.responsefeatures</code> object with the default set of response features for the local model.</p>
getAlternativeTypes	<p>List of all alternative response feature types for local model</p> <p>RFtypes = getAlternativeTypes(RF)</p> <p>Returns a cell array of response feature type strings for the local model.</p>

Method	Description
Evaluate	<p>Evaluate response features</p> <pre>rfvals = Evaluate(RF);</pre> <p>Returns the values for the response features for the current local model.</p> <pre>[rfvals,stderr] = Evaluate(RF)</pre> <p>Also returns the standard errors for the response features for the current local model. The local model must be fitted before evaluating response features.</p>
Jacobian	<p>Jacobian matrix of response features with respect to parameters</p> <pre>J = Jacobian(RF)</pre> <p>The local model must be fitted before calculating the Jacobian matrix.</p>
Covariance	<p>Covariance matrix for response features</p> <pre>rfvals = Covariance(RF);</pre> <p>The local model must be fitted before calculating the covariance matrix.</p>
Correlation	<p>Correlation matrix for response features</p> <pre>rfvals = Correlation(RF)</pre> <p>Errors occur if model is not fitted.</p>
ReconstructSets	<p>List of subsets of response features which can be used to reconstruct the local model</p> <pre>RFlist = ReconstructSets(RF)</pre> <p>RFlist is a cell array of <code>mbcmodel.responsefeatures</code>. Each element of RFlist can be used to reconstruct the local model from response feature values.</p>

Examples

First, create a local model object:

```
L = mbcmodel.CreateModel('Local Polynomial',2)
```

```
L =
```

```

  1 + 2*X1 + 8*X2 + 3*X1^2 + 6*X1*X2 + 9*X2^2 + 4*X1^3...
+ 5*X1^2*X2 + 7*X1*X2^2 +
  10*X2^3
  InputData: [0x2 double]
  OutputData: [0x1 double]
  Status: Not fitted
  Linked to Response: not linked

```

The properties of the local model object are the same as the properties of an `mbcmodel.model` object with the additional property “ResponseFeatures”. Look at the response features property as follows:

```
>> RFs = L.ResponseFeatures
```

```
RFs =
```

```
Response features for Polynomial
```

```

'Beta_1'
'Beta_X1'
'Beta_X1^2'
'Beta_X1^3'
'Beta_X1^2*X2'
'Beta_X1*X2'
'Beta_X1*X2^2'
'Beta_X2'
'Beta_X2^2'
'Beta_X2^3'

```

```
% Set up response features
```

```
RFtypes = getAlternativeTypes(RFs);
```

```
RF = Add(RF, RFtypes{end},-10);
```

```
% assign to local model
```

```
L.ResponseFeatures = RFs;
```

ResponseFeatures(Local Response)

Array of response features for local response

Syntax

```
RFs = L.ResponseFeatures
```

Description

This is a property of the local model object, `mbcmodel.localresponse`.

L is the local response.

See “Understanding Model Structure for Scripting” in the Getting Started documentation for an explanation of the relationships between local responses and other responses.

Examples

```
RFs = Local.ResponseFeatures;
```

ResponseSignalName

Name of signal or response feature being modeled

Syntax

```
ysignal = R.ResponseSignalName
```

Description

This is a property of all response objects: `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse` and `mbcmodel.response`.

R can be a hierarchical response, local response or response.

Examples

```
yName = local.ResponseSignalName;
```

See Also

`InputSignalNames`

Responses

Array of available responses for test plan

Syntax

```
R = T.Responses
```

Description

This is a property of `mbcmodel.testplan`.

T is the test plan object.

See “Understanding Model Structure for Scripting” for an explanation of the relationship between test plans and responses.

Examples

```
R = T.Responses;
```


RestoreData

Restore removed outliers

Syntax

```
R = RestoreData(RESPONSE)
R = RestoreData(RESPONSE, OUTLIERINDICES)
```

Description

This is a method of `mbcmodel.localresponse` and `mbcmodel.response`.

`R = RestoreData(RESPONSE)` restores all data previously removed as outliers.

`R = RestoreData(RESPONSE, OUTLIERINDICES)` restores all removed data specified in `OutlierIndices`. For a local response, the indices refer to record numbers for all tests.

Examples

```
RemoveOutliers(R, 1:5)
RestoreData(R, 1:2)
```

See Also

`RemoveOutliersForTest` | `OutlierIndices` | `RemoveOutliers`

RestoreDataForTest

Restore removed outliers for test

Syntax

```
L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices)
L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices, doUpdate)
```

Description

This is a method of `mbcmodel.localresponse`.

`L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices)` restores all removed data for `TESTNUMBER` specified in `Indices`.

`L = RestoreDataForTest(LOCALRESPONSE, TESTNUMBER, Indices, doUpdate)` restores all specified removed data and if `doUpdate` is `true`, refits all response features. By default, all response feature models will be updated. If a number of tests are being screened it is more efficient to set `doUpdate` to `false` and call `UpdateResponseFeatures` when all the tests have been screened.

`Indices` must be numbers and must belong to the set of outliers in `OutliersForTest`.

Examples

For a local response `LOCALRESPONSE`, to remove first two data points without updating response features:

```
RemoveOutliersForTest(LOCALRESPONSE, 1, 1:2, false);
```

To find list of indices of removed data points:

```
indices = OutliersForTest(LOCALRESPONSE, 1);
```

To restore first data point:

```
RestoreDataForTest(LOCALRESPONSE, 1, 1, false);
```

To restore all data:

```
RestoreDataForTest(LOCALRESPONSE,1,':',false);
```

To update response features:

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also

[UpdateResponseFeatures](#) | [OutlierIndicesForTest](#) | [RemoveOutliersForTest](#)

RollbackEdit

Undo most recent changes to data

Syntax

```
D = RollbackEdit(D)
```

Description

This is a method of `mbcmodel.data`. Use this if you change your mind about changes you have made to the data since you called `BeginEdit`, such as importing or appending data, applying filters or creating new user variables.

There are no input arguments. If for your data object `D`, `IsBeingEdited` is `true`, then `RollbackEdit` will return it to the same state as it was when `BeginEdit` was called. If `IsEditable(D)` is `true` then you can still modify it, if not it will revert to being read-only. See the example below.

Examples

```
D = P.Data;
BeginEdit(D);
AddVariable(D, 'TQ = tq', 'lbft');
AddFilter(D, 'TQ < 200');
DefineTestGroups(D, {'RPM' 'AFR'}, [50 10], 'MyLogNo');
RollbackEdit(D);
```

This returns the data object `D` to the same state as when `BeginEdit` was called. If the data object `IsEditable` then the returned object will still return `true` for `IsBeingEdited`, else it will not be editable.

For an example case where `IsEditable` is `false` and `IsBeingEdited` is `true`:

```
D = p.Data;
D1 = p.Data;
BeginEdit(D1);
tp = p.Testplan;
```

```
Attach(tp, D);
```

Where `p` is an `mbcmodel.project` object, and `D` and `D1` are `mbcmodel.data` objects.

At this point `IsEditable` for `D1` becomes false because it is now `Attached` to the test plan and hence can only be modified from the test plan. However

```
OK = D1.IsBeingEdited
```

will still be true at this point, and trying to call `CommitEdit` will fail.

See Also

`CommitEdit` | `IsBeingEdited` | `BeginEdit`

Save

Save project

Syntax

OK = Save(P)

OK = Save(P, *filename*)

Description

This is a method of `mbcmodel.project`.

OK = Save(P) saves the project P to the currently selected `Filename`. The project Name is used as the `Filename` if none has previously been specified. If neither has been specified then you see a warning that your project has been saved to `Untitled.mat`.

OK = Save(P, *filename*) saves the project P with the name specified by *filename*.

Examples

```
OK = Save(proj, 'Example.mat');
```

See Also

SaveAs

SaveAs

Save project to new file

Syntax

OK = SaveAs(P, Name)

Description

This is a method of `mbcmodel.project`.

Examples

```
OK = SaveAs(proj, 'Example.mat');
```

See Also

Save

Scatter2D

Plot design points

Syntax

```
Scatter2D(D,Xindex,Yindex)  
Scatter2D(D,xindex,yindex,plotArguments)
```

Description

Scatter2D is a method of `mbcdoe.design`.

Scatter2D(D,Xindex,Yindex) creates a scatter plot of the design points in design D, where X and Y are the indices or symbols for the input factors to plot on the X and Y axis.

Scatter2D(D,xindex,yindex,plotArguments) creates a scatter plot with additional arguments. `plotArguments` specifies additional arguments to the MATLAB `plot` command. The plot command used in Scatter2D is

```
plot(D.Points(:,v1),D.Points(:,v2),varargin{:})  
The default for varargin is ' . '.
```

Examples

```
Scatter2D( mainDesign, 1, 2 );
```


SetTermStatus

Set status of model terms

Syntax

```
M.Properties = M.Properties.SetTermStatus(Terms, Status)
```

Description

This is a method of `mbcmodel.linearmodelproperties`.

`M.Properties = M.Properties.SetTermStatus(Terms, Status)` sets the status of the specified terms in this model. `Status` must be a cell array of status strings.

The stepwise status for each term can be `Always`, `Never` or `Step`. The status determines whether you can use the `StepwiseRegression` function to throw away terms in order to try to improve the predictive power of the model.

`M` is an `mbcmodel.linearmodel` object.

Examples

```
M = mbcmodel.CreateModel('Polynomial', 2);  
M.Properties = M.Properties.SetTermStatus([1 2; 1 0],  
    {'Never', 'Always'});
```

This example sets the status of the $X1 \cdot X2^2$ term to `Never` and the $X1$ term to `Always`.

See Also

[GetTermStatus](#) | [StepwiseStatus](#)

SetupDialog

Open fit algorithm setup dialog box

Syntax

```
[OPT,OK]= SetupDialog(F)
```

Description

This is a method of `mbcmodel.fitalgorithm`.

`[OPT,OK]= SetupDialog(F)` opens the fit algorithm setup dialog box, where you can edit the algorithm parameters. `F` is a `mbcmodel.fitalgorithm` object.

If you click **Cancel** to dismiss the dialog, `OK = false` and no changes are made. If you click **OK** to close the dialog box, then `OK = true` and your new chosen algorithm parameters are set up.

Examples

```
[OPT,OK]= SetupDialog(F)
```

See Also

`CreateAlgorithm` | `getAlternativeNames`

SignalNames

Names of signals held by data

Syntax

```
names = D.SignalNames
```

Description

This is a property of `mbcmodel.data`.

This is a cell array of strings that hold the names of the signals within the data. These names can be used to reference the appropriate signals in the `Value` method. The subset of these names that are being used for modeling may also be found in the test plan and responses `InputSignalNames` properties.

Examples

```
names = D.SignalNames;
```

See Also

`InputSignalNames` | `SignalUnits` | `Value`

SignalUnits

Names of units in data

Syntax

```
units = D.SignalUnits
```

Description

This is a property of `mbcmodel.data`.

D is the data object.

It returns a cell array of strings holding the units of the signals.

Examples

```
units = D.SignalUnits;
```

See Also

SignalNames

SingleVIF

Single VIF matrix for linear model parameters

Syntax

```
VIF = SingleVIF(LINEARMODEL)
```

Description

This is a method of `mbcmodel.linearmodel`.

`VIF = SingleVIF(LINEARMODEL)` calculates the single Variance Inflation Factor (VIF) matrix for the linear model parameters.

Examples

```
VIF = SingleVIF(knot_model)
```

See Also

`ParameterStatistics`

SizeOfParameterSet

Number of model parameters

Syntax

```
N = params.SizeOfParameterSet
```

Description

This is a property of `mbcmodel.linearmodelparameters`, for linear models only. It returns the total possible number of parameters in the model. Note that not all of these terms are necessarily currently included in the model, as you may remove some using `StepwiseRegression`.

Call `NumberOfParameters` to see how many terms are currently included in the model. Call `StepwiseSelection` to see which terms are included and excluded.

Use `Names` and `Values` to get the parameter names and values.

Examples

```
N = knotparams.SizeOfParameterSet
```

See Also

`StepwiseSelection` | `Values` | `NumberOfParameters` | `Names`

StatisticsDialog

Open summary statistics dialog box

Syntax

```
[model,OK]= StatisticsDialog(model)
```

Description

This is a method of `mbcmodel.model`.

`[model,OK]= StatisticsDialog(model)` opens the Summary Statistics dialog box, where you can select the summary statistics you want to use.

If you click **Cancel** to dismiss the dialog, `OK = false` and no changes are made. If you click **OK** to close the dialog box, then `OK = true` and your new chosen summary statistics are set up.

See Also

`SummaryStatistics`

Status

Model status: fitted, not fitted or best

Syntax

```
S = model.Status
```

Description

This is a property of `mbcmodel.model`. It returns a string: ``Fitted'` if the model is fitted, ``Not fitted'` if the model is not fitted (for example there is not enough data to fit the model), or ``Best'` if the model has been selected as best from some alternative models. A model must be `Fitted` before it can be selected as `Best`.

Examples

```
S = knot.Status  
S =  
    `Fitted'
```

See Also

`ChooseAsBest`

StepwiseRegression

Change stepwise selection status for specified terms

Syntax

```
[S, model] = StepwiseRegression(model, optional toggleTerms)
```

Description

This is a method of `mbcmodel.model`, for linear models only. This method returns the Stepwise table (as in the Stepwise values for `ParameterStatistics`). Leave out `toggleTerms` to get the current Stepwise values. You can choose to remove or include parameters using `StepwiseRegression`, as long as their `StepwiseStatus` is `Step`.

The Stepwise values returned are the same as those found in the table in the Stepwise GUI. For each parameter, the columns are: the value of the coefficient, the standard error of the coefficient, the t value and Next PRESS (the value of PRESS if the status of this term is changed at the next iteration). Look for the lowest Next PRESS to indicate which terms to toggle in order to improve the predictive power of the model.

Call `StepwiseRegression` to toggle between `in` and `out` for particular parameters. `toggleTerms` can be either an index that specifies which parameters to toggle, or an array or logical where a true value indicates that a toggle should occur. The example shown toggles parameter 4, after inspection of the Next PRESS column indicates changing the status of this term will result in the lowest PRESS. `StepwiseRegression` returns the new Stepwise values after toggling a parameter.

After making changes to the model using `StepwiseRegression` you must call `UpdateResponse`.

Use `StepwiseStatus` (on the child `modelparameters` object) to see which parameters have a status of `Step`; these can be toggled between `in` and `out` using `StepwiseRegression` (on the parent model object).

Use `StepwiseSelection` (on the child `modelparameters` object) to view which terms are `in` and `out`, as shown in the example.

Examples

```
[S, knot] = StepwiseRegression(knot)
S =
```

```
1.0e+003 *
    0.1316    0.0606    0.0200         NaN
    0.0000    0.0000    0.0200    2.0919
    0.0000    0.0000    0.0190    0.2828
   -0.0000    0.0000    0.0190    0.2531
    0.0000    0.0000    0.0190    0.2680
   -0.0551    0.0347    0.0200    0.2566
    0.0919    0.0264    0.0200    0.3672
   -0.0040    0.0023    0.0200    0.2564
   -0.0178    0.0095    0.0200    0.2644
    0.0008    0.0004    0.0200    0.2787
```

```
[S, knot] = StepwiseRegression(knot, 4)
```

```
S =
129.8406    60.1899    19.0000         NaN
    0.0048    0.0008    19.0000    662.3830
    0.0000    0.0000    18.0000    290.8862
   -0.0021    0.0019    19.0000    245.9833
    0.0001    0.0002    18.0000    281.4104
  -50.4091    34.7401    19.0000    262.8346
   94.9675    26.3690    19.0000    400.6572
   -4.0887    2.2488    19.0000    262.6588
  -17.9412    9.4611    19.0000    276.7535
    0.8229    0.3734    19.0000    292.0827
```

```
params = knot.Parameters;
N = params.StepwiseSelection
```

```
N =
    'in'
    'in'
    'out'
    'in'
    'out'
    'in'
    'in'
```

```
'in'  
'in'  
'in'  
  
>> StepwiseRegression(knot, 4);  
params = knot.Parameters;  
N = params.StepwiseSelection  
  
N =  
  'in'  
  'in'  
  'out'  
  'out'  
  'out'  
  'in'  
  'in'  
  'in'  
  'in'  
  'in'
```

See Also

[StepwiseStatus](#) | [UpdateResponse](#) | [StepwiseSelection](#)

StepwiseSelection

Model parameters currently included and excluded

Syntax

```
N = paramsknot.StepwiseSelection
```

Description

This is a read-only property of `mbcmodel.linearmodelparameters`, for linear models only. It returns a status for each parameter in the model, `in` or `out`, depending on whether the term is included or excluded. You can choose to remove or include parameters using `StepwiseRegression`, as long as their `StepwiseStatus` is `Step`. Call `StepwiseRegression` (on the parent model object) to toggle between `in` and `out` for particular parameters. You must then call `UpdateResponse` before calling `StepwiseSelection`.

Examples

```
N = paramsknot.StepwiseSelection
N =
  'in'
  'in'
  'out'
  'out'
  'out'
  'in'
  'in'
  'in'
  'in'
  'in'
```

See Also

`StepwiseStatus` | `NumberOfParameters` | `StepwiseRegression` | `UpdateResponse`

StepwiseStatus

Stepwise status of parameters in model

Syntax

```
N = paramsknot.StepwiseStatus
```

Description

This is a method of `mbcmodel.linearmodelparameters`, for linear models only. It returns the stepwise status of each parameter in the model.

The stepwise status for each term can be `Always`, `Never` or `Step`. The status determines whether you can use the `StepwiseRegression` function to throw away terms in order to try to improve the predictive power of the model.

- `Always` - Always included in the model.
- `Never` - Never included in the model.
- `Step` - You can choose whether to include or exclude this term. Do this by using `StepwiseRegression` to toggle between `in` and `out` for particular parameters.

Use `StepwiseSelection` to find out which terms are currently included and excluded.

Examples

```
N = paramsknot.StepwiseStatus
```

```
N =  
  'Always'  
  'Step'  
  'Step'  
  'Step'  
  'Step'  
  'Step'  
  'Step'  
  'Step'  
  'Step'  
  'Step'
```

'Step'

See Also

StepwiseSelection | StepwiseRegression

Style

Style of design type

Syntax

D.Style

Description

Style is a read-only property of `mbcdoe.design`.

D.Style returns the style of the design.

The style of the design is one of :

- 'User-defined'
- 'Optimal'
- 'Space-filling'
- 'Classical'
- 'Experimental data'

The read-only Style property is derived from the design Type.

See Also

Type (for designs and generators)

SummaryStatistics

Summary statistics for response

Syntax

```
S = SummaryStatistics(M)
S = SummaryStatistics(M, Names)
```

Description

This is a method of all model objects (`mbcmodel.model` and `mbcmodel.localmodel`) and response objects (`mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse`, and `mbcmodel.response`).

These statistics appear in the Summary Statistics pane of the Model Browser GUI.

`S = SummaryStatistics(M)` returns summary statistics for the model or response in a structure array containing `Statistics` and `Names` fields.

`S = SummaryStatistics(M, Names)` returns summary statistics specified by `Names` for the model or response in an array. `Names` can be a char array, or a cell array of strings.

Examples

```
S = SummaryStatistics(R2);
```

See Also

[AlternativeModelStatistics](#) | [DiagnosticStatistics](#)

SummaryStatisticsForTest

Statistics for specified test

Syntax

```
SS = SummaryStatisticsForTest( LocalResponse, TestNumber )  
SS = SummaryStatisticsForTest(LocalResponse,TestNumber,Names)
```

Description

This is a method of `mbcmodel.localresponse`.

`SS = SummaryStatisticsForTest(LocalResponse, TestNumber)` returns a structure array containing `Statistics` and `Names` fields values for the local model for test `TestNumber`.

`SS = SummaryStatisticsForTest(LocalResponse,TestNumber,Names)` returns an array of the statistics specified by `Names`. `Names` can be a char array, or a cell array of strings.

Examples

```
SS = SummaryStatisticsForTest( L, 22 )
```

See Also

`SummaryStatistics`

TestFilters

Structure array holding user-defined test filters

Syntax

```
testf = data.TestFilters
```

Description

This is a property of `mbcmodel.data`.

It returns a structure array holding information about the currently defined test filters for the data object `D`. The array will be the same length as the number of currently defined test filters, with the following fields for each filter:

- `Expression` — The string expression as defined in `AddTestFilter` or `ModifyTestFilter`.
- `AppliedOK` — Boolean indicating that the filter was successfully applied.
- `RemovedTests` — Boolean vector indicating which tests the filter removed. Note that many filters could remove the same test.
- `Message` — String holding information on the success or otherwise of the filter.

Examples

```
testf = data.TestFilters;
```

See Also

`ModifyTestFilter` | `RemoveTestFilter` | `AddTestFilter`

TestPlan

Test plan containing boundary tree

Syntax

`Tree.TestPlan`

Description

This is a property of `mbcboundary.Tree` and `mbcboundary.TwoStageTree`.

`Tree.TestPlan` returns the test plan object that contains this boundary tree (read only).

How To

- “Boundary Models”

Testplans

Array of test plan objects in project

Syntax

```
tps = project.Testplans
```

Description

This is a property of `mbcmodel.project`.

P is the project object.

Examples

```
tps = project.Testplans;
```

Type (for boundary models)

Boundary model type

Syntax

B.Type

Description

This is a property of `mbcboundary.AbstractBoundary` and all subclasses.

`B.Type` returns the boundary model type. You can only choose a type when you create the boundary. Use the `Type` input argument with `CreateBoundary` to specify what kind of boundary model you want to create, such as 'Star-shaped', 'Range', 'Ellipsoid', 'Convex Hull'.

Use `getAlternativeTypes` to find out what types are available for the specified boundary model.

Available types depend on the boundary model, for example:

- For `mbcboundary.Model`, type can be 'Star-shaped', 'Range', 'Ellipsoid', or 'Convex Hull'
- For `mbcboundary.TwoStage`, `LocalModel` requires a type of either `Range` or `Ellipsoid`, and `GlobalModel` requires a type of `Interpolating RBFOnly`.
- For `mbcboundary.PointByPoint`, the `LocalModel` type can be any valid type for `mbcboundary.Model`.

You can only create boundaries of type 'Point-by-point' or 'Two-stage' from a Local boundary tree, or from an existing boundary of type 'Point-by-point' or 'Two-stage'. You cannot create or fit these types of boundary models outside a project. Fit them by adding the boundary model to the boundary tree.

Examples

The following example creates a point-by-point boundary model from the Local boundary tree:

```
B = CreateBoundary(T.Boundary.Local, 'Point-by-point');
```

Create a local boundary with type range:

```
B.LocalModel = CreateBoundary(B.LocalModel, 'Range');
```

See Also

CreateBoundary | getAlternativeTypes

How To

- “Boundary Models”

Type (for candidate sets)

Candidate set type

Syntax

C.Type

Description

This is a property of `mbcdoe.candidateset`.

C.Type returns the candidate set type. You can only choose a type when you create the candidate set, when calling `CreateCandidateset`.

You can specify the candidate set type during creation by using the `Type` property, e.g.,

```
CandidateSet = augmentedDesign.CreateCandidateSet...  
( 'Type', 'Grid' );
```

Other available properties depend on the candidate set type. To see the properties you can set, see the table of candidate set properties, [Candidate Set Properties \(for Optimal Designs\)](#).

See Also

`CreateCandidateSet`

Type (for designs and generators)

Design type

Syntax

D.Type

G.Type = NewType

Description

This is a read-only property of `mbcdoe.design`, and a settable property of `mbcdoe.generator`.

D.Type returns the design type. You can only choose a type when you create designs. After design creation, you can only set the Type of a `mbcdoe.generator` object, or when calling `Generate` or `Augment`.

G.Type = NewType changes the Type, where G is a `mbcdoe.generator` object.

The design Type determines which properties you can set. To set properties, see [Properties \(for design generators\)](#).

Get a list of types which could be used as alternative designs for current design, using `getAlternativeTypes`, by entering the following syntax:

```
Dlist = getAlternativeTypes(D)
```

where D is an `mbcdoe.design` object.

The design Type must be one shown in the following table. The read-only `Style` property is derived from the Type.

Style	Type
Optimal	D-Optimal
	V-Optimal
	A-Optimal

Style	Type
Classical	Box-Behnken
	Central Composite
	Full Factorial
	Plackett-Burman
	Regular Simplex
Space-filling	Lattice
	Latin Hypercube Sampling
	Stratified Latin Hypercube
	Sobol Sequence
	Halton Sequence
Experimental data	Design points replaced by data points
Custom	Any design with a mix of Types (eg an optimally augmented space-filling design)

Examples

To specify the Type while creating and then generating a design of a given size:

```
D = CreateDesign(model, 'Type', 'Sobol Sequence')
D = Generate(D, 128);
```

See Also

Properties (for design generators) | Generate | Augment

Type (for design constraints)

Design constraint type

Syntax

C.Type

Description

This is a property of `mbcdoe.constraint`.

`C.Type` returns the design constraint type. You can only choose a type when you create the constraint, when calling `CreateConstraint`.

You can specify the constraint type during creation by using the `Type` property, e.g.,

```
c = D.CreateConstraint('Type', 'Linear')
```

Other available properties depend on the constraint type. See the table `Constraint Properties`.

The constraint `Type` must be one shown in the following table.

Constraint Type	Description
'Linear'	Linear design constraint: $1 * \text{Input1} + 1 * \text{Input2} + 1 * \text{Input3} \leq 0$
'Ellipsoid'	Ellipsoid design constraint: Ellipsoid at ($\text{Input1}=0, \text{Input2}=0, \text{Input3}=0$)
'1D Table'	1D Table design constraint: $\text{InputY}(\text{InputX}) \leq \text{InputY max}$
'2D Table'	2D Table design constraint: $\text{InputZ}(\text{InputX}, \text{InputY}) \leq \text{InputZmax}$

See Also

`CreateConstraint` | `Constraint Properties`

Type (for models)

Valid model types

Syntax

```
model.Type
M = mbcmodel.CreateModel(Type, NUMINPUTS)
M2 = CreateModel(M, Type)
```

Description

This is a property of `mbcmodel.model`.

`model.Type` returns the model type. This property is set at creation time. See `CreateModel`.

The model `Type` determines which properties you can set. To set properties, see `Properties (for models)`, and `LocalModel Properties`.

Note: Spaces and case in model `Type` are ignored.

The model type must be one shown in the following table.

Type	Model Object
Polynomial	<code>mbcmodel.linearmodel</code>
Hybrid Spline	<code>mbcmodel.linearmodel</code>
RBF	<code>mbcmodel.linearmodel</code>
Hybrid RBF	<code>mbcmodel.linearmodel</code>
Polynomial-RBF	<code>mbcmodel.linearmodel</code>
Hybrid Spline-RBF	<code>mbcmodel.linearmodel</code>
Multiple Linear	<code>mbcmodel.linearmodel</code>
Free Knot Spline	<code>mbcmodel.model</code>

Type	Model Object
Transient	mbcmodel.model
User-Defined	mbcmodel.model
Neural Network	mbcmodel.model
Interpolating RBF	mbcmodel.model
Local Polynomial Spline	mbcmodel.localmodel
Local Polynomial with Datum	mbcmodel.localmodel
Local Polynomial	mbcmodel.localmodel
Local Hybrid Spline	mbcmodel.localmodel
Local Truncated Power Series	mbcmodel.localmodel
Local Free Knot Spline	mbcmodel.localmodel
Local Multiple Models	mbcmodel.localmodel
Local Growth	mbcmodel.localmodel
Local User-Defined	mbcmodel.localmodel
Local Transient	mbcmodel.localmodel
Local Average Fit	mbcmodel.localmodel

Get a list of types, using `getAlternativeTypes`, by entering the following syntax:

```
Mlist = getAlternativeTypes(M)
```

where `M` is an `mbcmodel.model` object.

Create an alternative model as follows: `M = mbcmodel.CreateModel(Type, NUMINPUTS)` or `M2 = CreateModel(M, Type)`.

See Also

Properties (for models) | `getAlternativeTypes` | `CreateModel`

Units

Model output units

Syntax

```
model.Units  
modelinput.Units
```

Description

This is a property of `mbcmodel.model` and `mbcmodel.modelinput` objects.

`model.Units` or `modelinput.Units` return the units of the model or modelinput object.

This property is set to the data signal units when the response is created or if a model is assigned to a response. This property cannot be set when a response is attached to the model.

Update

Update boundary model in tree and fit to test plan data

Syntax

B = Update(Tree, Index, B)
B = Update(Tree, Index, B, InBest)

Description

This is a method of `mbcboundary.Tree`.

`B = Update(Tree, Index, B)` updates the boundary model `B` in the boundary tree `Tree`, and fits the boundary model to the test plan data. `Tree` is an `mbcboundary.Tree` object, `Index` is the index to boundary model in the tree, and `B` is a boundary model object. The boundary model must have the same inputs as the boundary tree. The boundary model is always fitted when you add it to the boundary tree. This fitting ensures that the fitting data is compatible with the test plan data. The method returns the fitted boundary model.

`B = Update(Tree, Index, B, InBest)` updates the boundary model in the tree and `InBest` specifies whether to include the boundary model in the best boundary model for the boundary tree. By default, the boundary model retains its previous `InBest` status after calling `Update`.

See Also

Add | Remove | CreateBoundary

UpdateDesign

Update design in test plan

Syntax

```
D = UpdateDesign(T,D)
D = UpdateDesign(T,Level,D)
```

Description

UpdateDesign is a method of `mbcmodel.testplan`. You must call UpdateDesign to replace an edited design in the test plan.

D = UpdateDesign(T,D) updates the design.

D = UpdateDesign(T,Level,D)

D is the array of designs to be updated in the test plan, T.

Level is the test plan level. By default the level is the outer level (i.e., Level 1 for One-stage, Level 2 (global) for Two-stage).

The design Name is used to decide what to update. If no name match is found in the test plan, the design is added.

Design names must be unique so any repeated names will be changed. The array of designs is an output.

See Also

AddDesign | RemoveDesign | FindDesign

UpdateResponse

Replace model in response

Syntax

```
UpdateResponse(model)  
M = UpdateResponse( M , R); updates the response specified by R
```

Description

This is a method of `mbcmodel.model`. This takes the model and places it back into the response it came from. Appropriate action is taken if a refit is necessary because you have modified either the model, response data or model data in the interim. For example, if you have changed the model type, the new model is fitted to the response data. If you have changed the response data (e.g. removed an outlier), the model is fitted to the new response data.

Note that when changing the model type or settings (using the `ModelSetup` command) the response is not refitted until you call `UpdateResponse`. If you have changed the model by using `StepwiseRegression` you must call `UpdateResponse`.

```
UpdateResponse( M )
```

updates the model in the response associated with the model.

```
M = UpdateResponse( M , R);
```

updates the response specified by R.

Examples

```
UpdateResponse(knot);
```

See Also

`ModelSetup`

UpdateResponseFeatures

Refit response feature models

Syntax

```
UpdateResponseFeatures(L)
```

Description

This is a method of `mbcmodel.localresponse`.

`UpdateResponseFeatures(L)` refits all response feature models. You need to call this if you used `RemoveOutliersForTest` without specifying refitting the response features (`doUpdate` set to `false`).

Examples

For a local response `LOCALRESPONSE`, to remove first two data points without updating response features:

```
RemoveOutliersForTest(LOCALRESPONSE, 1, 1:2, false);
```

To update response features:

```
UpdateResponseFeatures(LOCALRESPONSE);
```

See Also

`RemoveOutliersForTest` | `RestoreDataForTest`

UserVariables

Structure array holding user-defined variables

Syntax

```
userV = D.UserVariables
```

Description

This is a property of `mbcmodel.data`.

This returns a structure array holding information about the currently defined filters. The array will be the same length as the number of currently defined variables, with fields

- **Variable** — variable name
 - **Expression** — The string expression as defined in `AddVariable` or `ModifyVariable`
 - **Units** — The string defining the units
 - **AppliedOK** — Boolean indicating that the variable expression was successfully applied
 - **Message** — String holding information on the success or otherwise of the variable

Examples

```
myvars = D1.UserVariables
```

This returns the following information about the user-defined variable in the example data object `D1`:

```
Variable: 'BSFC'  
Expression: 'BSFC = FUELFLO./(BTQ.*(ENGSPD*2*pi/60))'  
Units: 'kg/Nm'  
AppliedOK: 1
```

Message: 'Variable successfully added'

`Variable` is the parsed name of the variable being added. Note that this might differ from the string used in `AddVariable` because the `SignalName` must be a valid MATLAB variable name, and hence MBC will parse and modify the input string appropriately.

See Also

`ModifyVariable` | `RemoveVariable` | `AddVariable`

Value

Double data from data object

Syntax

```
val = Value(D, varNames, testNumbers)
```

Description

This is a method of `mbcmodel.data`.

Use this to extract particular data values.

`varNames` is an optional input that specifies either the name of the signal that you want to extract (such as `'SPK'`) or an array of names (`{'SPK' 'AFR' 'TQ'}`) the indices of the signals (`[1 4 5]`). Defaults to `':'` meaning all.

`testNumbers` is an optional input that specifies which test indices you want. Defaults to `':'` meaning all.

`val` outputs the double values held in the data.

Examples

```
dblValues = Value(D, 'SPK', 1);  
dblValues = Value(D, {'SPK' 'AFR'}, ':');  
dblValues = Value(D, [1 3 4 5]);  
dblValues = Value(D, ':', [1 4 6 8]);
```

See Also

`SignalNames`

Values

Values of model parameters

Syntax

```
vals = paramsknot.Values
```

Description

This is a read-only property of `mbcmodel.modelparameters`. It returns the value of each parameter in the model. Use `Names` to find out the names of these terms.

Examples

```
vals = paramsknot.Values;
```

See Also

`Names`

Widths

Width data from RBF model

Syntax

```
Width = params.Widths
```

Description

This is a property of `mbcmodel.rbfmodelparameters`, for Radial Basis Function (RBF) models only.

Width is usually a single value, but can also be of size 1 by number of variables in the case of the width per dimension algorithm, or number of centers by number of variables in the case of tree regression.

Examples

```
Width = params.Widths;
```

See Also

Centers

xregstatsmodel

Class for evaluating models and calculating PEV

Syntax

```
y = StatsModel(X)
Y = EvalModel(StatsModel, X)
[pev, Y] = pev(StatsModel, X)
C = ceval(StatsModel, X)
df = dferror(StatsModel)
Interval = predint(StatsModel,X,Level);
n = nfactors(StatsModel)
[n,symbols,units] = nfactors(StatsModel)
```

Description

Use the `xregstatsmodel` class to evaluate a model and calculate the prediction error variance.

You can create an `xregstatsmodel` object by either:

- Exporting a model from the Model Browser to the workspace.
- Converting any command line response or model object to an `xregstatsmodel` by using the `Export` method.

Use the `Export` method to convert `mbcmodel.hierarchicalresponse`, `mbcmodel.localresponse`, `mbcmodel.response` and `mbcmodel.model` objects to `xregstatsmodel` objects. Use the syntax `ExportedModel = Export(MODEL)`. The default format is 'MATLAB' so you do not need to specify the format.

After you create an `xregstatsmodel` object, you can use the following methods to evaluate the model and calculate the prediction error variance:

- `EvalModel` — evaluate model
- `pev` — evaluate prediction error variance

`ceval` — evaluate boundary model

`dferror` — degrees of freedom for error

`predint` — calculate confidence intervals for model prediction

`nfactors` — get number of input factors

If you convert an `mbcmodel.localresponse` object using `Export` and you have not created a two-stage model (hierarchical response object), then the output is an `mbcPointByPointModel` object. Point-by-point models are created from a collection of local models for different operating points. `mbcPointByPointModel` objects share all the same methods as `xregstatsmodel` except `dferror`.

`y = StatsModel(X)` evaluates the `xregstatsmodel` model object `StatsModel` at input values `X`. `X` is a (N-by-NF) array, where `NF` is the number of inputs, and `N` the number of points to evaluate the model at.

`Y = EvalModel(StatsModel, X)` evaluates the model at input values `X`. You can also evaluate models using parentheses, e.g., `y = StatsModel(X)`

`[pev, Y] = pev(StatsModel, X)` calculates the prediction error variance of the model at `X`, `pev`, and also returns `Y` the evaluated model at `X`.

`C = ceval(StatsModel, X)` evaluates the boundary model constraints at `X`.

`df = dferror(StatsModel)` gets the degrees of freedom for the model.

`Interval = predint(StatsModel,X,Level)`; calculates the confidence interval for model prediction. A `Level` confidence interval of the predictions is calculated about the predicted value. The default value for `Level` is `99`. `Interval` is a `Nx2` array where the first column is the lower bound and the second column is the upper bound.

`n = nfactors(StatsModel)` gets the number of input factors of the model.

`[n,symbols,units] = nfactors(StatsModel)` returns the number, symbols and units of the input factors in the model.

See Also

`Export`