


# Aerospace Toolbox Release Notes



# MATLAB<sup>®</sup>

# How to Contact MathWorks



Latest news: [www.mathworks.com](http://www.mathworks.com)  
Sales and services: [www.mathworks.com/sales\\_and\\_services](http://www.mathworks.com/sales_and_services)  
User community: [www.mathworks.com/matlabcentral](http://www.mathworks.com/matlabcentral)  
Technical support: [www.mathworks.com/support/contact\\_us](http://www.mathworks.com/support/contact_us)



Phone: 508-647-7000



The MathWorks, Inc.  
3 Apple Hill Drive  
Natick, MA 01760-2098

## *Aerospace Toolbox Release Notes*

© COPYRIGHT 2006–2015 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

**FEDERAL ACQUISITION:** This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

## **Trademarks**

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

## **Patents**

MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

## R2015b

|  |            |
|--|------------|
| <b>FlightGear Versions 3.2 and 3.4 Support: Interface to these FlightGear versions through flight simulator object . . . . .</b> | <b>1-2</b> |
| <b>igrfmagm Function: Calculate Earth magnetic field and secular variation . . . . .</b>   | <b>1-2</b> |
| <b>DATCOM 2014 Support: Import aerodynamic coefficients from this version . . . . .</b>  | <b>1-2</b> |
| <b>Function and Function Element Being Removed . . . . .</b>   | <b>1-2</b> |

## R2015a

|  |            |
|--|------------|
| <b>tdbjuliandate function that calculates barycentric dynamical time for a given terrestrial time date . . . . .</b> | <b>2-2</b> |
| <b>eci2aer function that converts Earth-centered inertial coordinates to azimuth, elevation, and range . . . . .</b> | <b>2-2</b> |
| <b>Additional ephemerides coefficient support for celestial phenomena functions . . . . .</b>                        | <b>2-2</b> |
| <b>World Magnetic Model 2015 support . . . . .</b>   | <b>2-2</b> |
| <b>New example . . . . .</b>   | <b>2-2</b> |

## R2014b

---

|   |            |
|---|------------|
| <b>atmoshwm07 function for Horizontal Wind Model 07 data . . . . .</b>                            | <b>3-2</b> |
| <b>FlightGear animation object support for FlightGear Version<br/>3 . . . . .</b>                 | <b>3-2</b> |
| <b>Additional ephemerides coefficient support for celestial<br/>phenomena functions . . . . .</b> | <b>3-2</b> |

## R2014a

---

|   |            |
|---|------------|
| <b>Functions to convert between latitude, longitude, altitude<br/>and Earth-centered inertial coordinates . . . . .</b> | <b>4-2</b> |
| <b>FlightGear animation object support for FlightGear Version<br/>2.12 . . . . .</b>                                    | <b>4-2</b> |
| <b>Add ephemeris and geoid data . . . . .</b>   | <b>4-2</b> |

## R2013b

---

|  |            |
|--|------------|
| <b>FlightGear animation object support for FlightGear Version<br/>2.10 . . . . .</b>                                   | <b>5-2</b> |
| <b>dcmecl2ecef function to convert Earth-Centered Inertial to<br/>Earth-Centered Earth-Fixed coordinates . . . . .</b> | <b>5-2</b> |
| <b>Latitude inputs outside +90 and -90 degrees . . . . .</b>   | <b>5-2</b> |
| <b>Celestial navigation example . . . . .</b>  | <b>5-2</b> |
| <b>Phaseout of FlightGear versions earlier than 2.0 . . . . .</b>  | <b>5-2</b> |

## R2013a

---

|  |            |
|--|------------|
| <b>FlightGear animation object support for FlightGear Version 2.8</b> .....                              | <b>6-2</b> |
| <b>planetEphemeris function to implement position and velocity of Solar System planets</b> .....         | <b>6-2</b> |
| <b>earthNutation function to implement nutation in longitude and obliquity of Earth</b> .....            | <b>6-2</b> |
| <b>moonLibration function to implement relative motion attitude of Moon</b> .....                        | <b>6-2</b> |
| <b>Recorded video of Aero.Animation or Aero.VirtualRealityAnimation objects for playback later</b> ..... | <b>6-2</b> |
| <b>Architecture selection support for Aero.FlightGearAnimation</b> .....                                 | <b>6-3</b> |

## R2012b

---

|  |            |
|--|------------|
| <b>FlightGear animation object support for FlightGear versions 2.4 and 2.6</b> ..... | <b>7-2</b> |
|--|------------|

## R2012a

---

|  |            |
|--|------------|
| <b>Support 2011 Version of DATCOM</b> .....                        | <b>8-2</b> |
| <b>Using FlightGear Version 2.4.0 with Aerospace Toolbox</b> ..... | <b>8-2</b> |

## R2011b

|  |            |
|--|------------|
| <b>Conversion of Error and Warning Message Identifiers . . . . .</b> | <b>9-2</b> |
| <b>Demos . . . . .</b>   | <b>9-2</b> |
| <b>Function and Function Element Being Removed . . . . .</b>         | <b>9-2</b> |

## R2011a

|  |             |
|--|-------------|
| <b>New LLA to Flat Earth Function . . . . .</b>  | <b>10-2</b> |
| <b>New Flat Earth to LLA Function . . . . .</b>  | <b>10-2</b> |
| <b>New International Geomagnetic Reference Field 11<br/>Function . . . . .</b>         | <b>10-2</b> |
| <b>The gravity spherical harmonic Function Supports New<br/>Planet Model . . . . .</b> | <b>10-2</b> |

## R2010b

|  |             |
|--|-------------|
| <b>New Geoid Height Function . . . . .</b>   | <b>11-2</b> |
| <b>Support to Read File Types 6, 21, and 42 for 2008 Version of<br/>DATCOM . . . . .</b> | <b>11-2</b> |
| <b>Support for FlightGear 2.0 . . . . .</b>  | <b>11-2</b> |
| <b>Functions and Function Elements Being Removed . . . . .</b>                           | <b>11-2</b> |

## R2010a

---

|  |             |
|--|-------------|
| <b>New Gravity Centrifugal Effect Function .....</b>       | <b>12-2</b> |
| <b>New Spherical Harmonic Gravity Model Function .....</b> | <b>12-2</b> |
| <b>New Gas Dynamics Functions .....</b>                    | <b>12-2</b> |
| <b>Updated World Magnetic Function .....</b>               | <b>12-2</b> |
| <b>Demos .....</b>   | <b>12-2</b> |

## R2009b

---

|  |             |
|--|-------------|
| <b>New Zonal Harmonic Gravity Model Function .....</b> | <b>13-2</b> |
| <b>Support for FlightGear 1.9.1 .....</b>              | <b>13-2</b> |

## R2009a

---

|  |             |
|--|-------------|
| <b>Support to Read File Type 21 for 2007 Version of DATCOM .....</b> | <b>14-2</b> |
| <b>Using FlightGear Version 1.9.0 with Aerospace Toolbox ..</b>      | <b>14-2</b> |

## R2008b

---

|  |             |
|--|-------------|
| <b>Support for 2007 Version of DATCOM File .....</b> | <b>15-2</b> |
|--|-------------|

|   |             |
|---|-------------|
| <b>FlightGear Version 1.0 with Aerospace Toolbox . . . . .</b>                          | <b>15-2</b> |
| <b>FlightGear Animation Object play Method Now Supports<br/>Custom Timers . . . . .</b> | <b>15-2</b> |

---

## R2008a

|  |             |
|--|-------------|
| <b>Support for 1999 Version of DATCOM File . . . . .</b>           | <b>16-2</b> |
| <b>Using FlightGear Version 1.0 with Aerospace Toolbox . . . .</b> | <b>16-2</b> |

---

## R2007b

|  |             |
|--|-------------|
| <b>Virtual Reality Toolbox Animation Object . . . . .</b>  | <b>17-2</b> |
| <b>Support for the COSPAR International Reference<br/>Atmosphere 1986 Model . . . . .</b>  | <b>17-2</b> |
| <b>Support for 2001 United States Naval Research Laboratory<br/>Mass Spectrometer and Incoherent Scatter Radar<br/>Exosphere . . . . .</b> | <b>17-2</b> |
| <b>Support for the EGM96 Geopotential Model . . . . .</b>  | <b>17-2</b> |
| <b>quat2angle Function Replaces quat2euler . . . . .</b>   | <b>17-2</b> |
| <b>angle2quat Function Replaces euler2quat . . . . .</b>   | <b>17-3</b> |

---

## R2007a

|  |             |
|--|-------------|
| <b>New Aerospace Toolbox Objects . . . . .</b> | <b>18-2</b> |
|--|-------------|

|                                  |      |
|----------------------------------|------|
| New Aerospace Toolbox Demo ..... | 18-2 |
|----------------------------------|------|

**R2006b**

|   |      |
|---|------|
| Introduction of Aerospace Toolbox Product ..... | 19-2 |
|---|------|



# R2015b

**Version: 2.16**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## **FlightGear Versions 3.2 and 3.4 Support: Interface to these FlightGear versions through flight simulator object**

The Aerospace Toolbox product now supports FlightGear v3.2 and v3.4.

For more information on working with FlightGear, see “[Aero.FlightGearAnimation Objects](#)”.

## **igrfmagm Function: Calculate Earth magnetic field and secular variation**

The `igrfmagm` function calculates Earth magnetic field and secular variation using the International Geomagnetic Reference Field.

## **Compatibility Considerations**

The `igrfmagm` replaces the `igrf11magm` function. For more information, see “[Function and Function Element Being Removed](#)” on page 1-2.

## **DATCOM 2014 Support: Import aerodynamic coefficients from this version**

The `datcomimport` function has been enhanced to support the 2014 version of DATCOM files.

## **Function and Function Element Being Removed**

The following table lists the function being removed for R2015b.

| Function or Function Element Name | What Happens When You Use the Function or Element? | Use These Functions or Function Elements Instead | Compatibility Considerations   |
|-----------------------------------|--|--|--|
| <code>igrf11magm</code>           | Warns  | <code>igrfmagm</code>                            | To use a specific generation of the International Geomagnetic Reference Field, specify the |

---

| <b>Function or Function Element Name</b> | <b>What Happens When You Use the Function or Element?</b> | <b>Use These Functions or Function Elements Instead</b> | <b>Compatibility Considerations</b>                     |
|--|---|---|---|
|  |   |   | appropriate year in the <code>igrfmagm</code> function. |



# R2015a

**Version: 2.15**

**New Features**

**Bug Fixes**

## **tdbjuliandate function that calculates barycentric dynamical time for a given terrestrial time date**

The tdbjuliandate function calculates Barycentric Dynamical Time (TDB) for a given Terrestrial Time (TT) date.

## **eci2aer function that converts Earth-centered inertial coordinates to azimuth, elevation, and range**

The eci2aer function converts Earth-centered inertial coordinates to azimuth, elevation, and range.

## **Additional ephemerides coefficient support for celestial phenomena functions**

The moonLibration, and planetEphemeris functions now support the DE432t ephemerides database.

## **World Magnetic Model 2015 support**

The wrldmagm function supports the world magnetic model for 2015 to 2020 (WMM-2015).

## **New example**

The Estimate Sun Analemma Using Planetary Ephemerides and ECI to AER Transformation example shows how to estimate the Sun analemma using the eci2aer and tdbjuliandate functions.

# R2014b

**Version: 2.14**

**New Features**

**Bug Fixes**

## **atmoshwm07 function for Horizontal Wind Model 07 data**

The atmoshwm07 function implements the U.S. Naval Research Laboratory HWM™ routine to calculate the meridional and zonal components of the wind for a set of geophysical data.

## **FlightGear animation object support for FlightGear Version 3**

The Aerospace Toolbox product now supports FlightGear Version 3.

For more information on working with FlightGear, see [Aero.FlightGearAnimation Objects](#).

## **Additional ephemerides coefficient support for celestial phenomena functions**

The planetEphemeris, earthNutation, and moonLibration functions now support the DE430 ephemerides coefficient.

# R2014a

**Version: 2.13**

**New Features**

**Bug Fixes**

## Functions to convert between latitude, longitude, altitude and Earth-centered inertial coordinates

The lla2eci function converts geodetic latitude, longitude, altitude (LLA) coordinates to Earth-centered inertial (ECI) position coordinates, based on the specified reduction method and Universal Coordinated Time (UTC), for the specified time and geophysical data.

The eci2lla function converts Earth-centered inertial (ECI) position coordinates to geodetic latitude, longitude, altitude (LLA) coordinates, based on the specified reduction method and Universal Coordinated Time (UTC), for the specified time and geophysical data.

## FlightGear animation object support for FlightGear Version 2.12

The Aerospace Toolbox product now supports FlightGear Version 2.12.

For more information on working with FlightGear, see [Aero.FlightGearAnimation Objects](#).

## Add ephemeris and geoid data

Use the aeroDataPackage function to add ephemeris and/or geoid data for these Aerospace Toolbox functions and Aerospace Blockset™ blocks.

| Aerospace Toolbox Functions   | Aerospace Blockset Blocks   |
|---|---|
| geoidheight   | Geoid Height  |
| <b>Note:</b> Only for the EGM2008 Geopotential Model. Aerospace Toolbox provides EGM96 Geopotential Model data. | <b>Note:</b> Only for the EGM2008 Geopotential Model. Aerospace Toolbox provides EGM96 Geopotential Model data. |
| earthNutation   | Earth Nutation  |
| moonLibration   | Moon Libration  |
| planetEphemeris   | Planetary Ephemeris   |

# R2013b

**Version: 2.12**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## FlightGear animation object support for FlightGear Version 2.10

The Aerospace Toolbox product now supports FlightGear Version 2.10.

For more information on working with FlightGear, see [Aero.FlightGearAnimation Objects](#).

## dcmecl2ecef function to convert Earth-Centered Inertial to Earth-Centered Earth-Fixed coordinates

The dcmecl2ecef function calculates the position direction cosine matrix (ECI to ECEF), based on the specified reduction method and Universal Coordinated Time (UTC), for the specified time and geophysical data.

## Latitude inputs outside +90 and -90 degrees

These functions now correctly take into account latitude inputs that are outside +90 and -90 degrees.

- atmosnrlmsise00
- geoc2geod
- geod2geoc
- flat2lla
- lla2flat
- geoidheight
- gravitywgs84

## Celestial navigation example

The Marine Navigation Using Planetary Ephemerides example shows how to perform celestial navigation of a marine vessel using the planetary ephemerides and Earth-Centered Inertial to Earth-Centered Earth-Fixed (ECI to ECEF) transformation.

## Phaseout of FlightGear versions earlier than 2.0

The Aerospace Toolbox software will not support FlightGear versions earlier than 2.0 in a future release of Aerospace Toolbox. For a list of FlightGear versions that the Aerospace Toolbox software supports, see [Supported FlightGear Versions](#).

---

## **Compatibility Considerations**

If you are using a FlightGear version older than 2.0, update your FlightGear installation to a supported version.



# R2013a

**Version: 2.11**

**New Features**

**Bug Fixes**

## **FlightGear animation object support for FlightGear Version 2.8**

For more information on working with FlightGear, see [Aero.FlightGearAnimation](#).

### **planetEphemeris function to implement position and velocity of Solar System planets**

The planetEphemeris function implements the position and velocity of an astronomical object.

### **earthNutation function to implement nutation in longitude and obliquity of Earth**

The earthNutation function implements the nutation in longitude and obliquity of Earth according to the International Astronomical Union (IAU) 1980 nutation series.

### **moonLibration function to implement relative motion attitude of Moon**

The moonLibration function implements the relative motion attitude of Earth's Moon.

### **Recorded video of Aero.Animation or Aero.VirtualRealityAnimation objects for playback later**

You can now record flight data animations for Aero.Animation and Aero.VirtualRealityAnimation objects. The following properties are new for both classes:

| <b>Property</b>  | <b>Description</b>  |
|------------------|---|
| VideoRecord      | Enable video recording.                                     |
| VideoFileName    | Specify video recording file name.                          |
| VideoCompression | Specify video recording compression file type.              |
| VideoQuality     | Specify video recording quality.                            |
| VideoTStart      | Specify video recording start time for scheduled recording. |
| VideoTFinal      | Specify video recording stop time.                          |

---

## **Architecture selection support for Aero.FlightGearAnimation**

You can specify the architecture the FlightGear software is running on.

GenerateRunScript takes this setting into account when generating the run script. These architecture settings are available.

| <b>Architecture</b>             | <b>Setting</b> |
|---------------------------------|----------------|
| Windows® (32-bit)               | 'Win32'        |
| Windows (64-bit) architecture.  | 'Win64'        |
| Mac OS X (64-bit) architecture. | 'Mac'          |
| Linux® (64-bit) architecture.   | 'Linux'        |



# R2012b

**Version: 2.10**

**New Features**

**Bug Fixes**

## **FlightGear animation object support for FlightGear versions 2.4 and 2.6**

The Aerospace Toolbox product now supports FlightGear Versions 2.6 and 2.4.

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects.

# R2012a

**Version: 2.9**

**New Features**

## Support 2011 Version of DATCOM

The datcomimport function has been enhanced to support the 2011 version of DATCOM files.

## Using FlightGear Version 2.4.0 with Aerospace Toolbox

Aerospace Toolbox Version 2.9 does not support FlightGear Version 2.4.0. Use this procedure as a workaround.

- 1 In the MATLAB® Command Window, create a FlightGear animation object.

```
h = Aero.FlightGearAnimation;
```

- 2 Set the FlightGear animation object property `FlightGearVersion` to 2.0.

```
h.FlightGearVersion = '2.0';
```

- 3 Set the FlightGear animation object property `FlightGearBaseDirectory` to the location of FlightGear Version 2.4.0.

```
h.FlightGearBaseDirectory = 'C:\Program Files\FlightGear240'
```

- 4 Generate the run script.

```
GenerateRunScript(h)
```

- 5 Save and close this file.

For more information, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

# R2011b

**Version: 2.8**

**New Features**

**Compatibility Considerations**

## Conversion of Error and Warning Message Identifiers

For R2011b, error and warning message identifiers have changed in Aerospace Toolbox.

### Compatibility Considerations

If you have scripts or functions that use message identifiers that changed, you must update the code to use the new identifiers. Typically, message identifiers are used to turn off specific warning messages.

For example, the `Aero:FlightGearAnimation:NeedTimeData` identifier has changed to `aero:FlightGearAnimation:NeedTimeData`. If your code checks for `Aero:FlightGearAnimation:NeedTimeData`, you must update it to check for `aero:FlightGearAnimation:NeedTimeData` instead.

To determine the identifier for a warning, run the following command just after you see the warning:

```
[MSG,MSGID] = lastwarn;
```

This command saves the message identifier to the variable *MSGID*.

---

**Note:** Warning messages indicate a potential issue with your code. While you can turn off a warning, a suggested alternative is to change your code so it runs warning-free.

---

### Demos

The following demos are new:

- Visualizing World Magnetic Model Contours for 2010 Epoch — Visualize contour plots of the calculated values for the Earth's magnetic field using World Magnetic Model 2010 (WMM-2010) overlaid on maps of the Earth.
- Visualizing Geoid Height for Earth Geopotential Model 1996 — Calculate the Earth's Geoid height using the EGM96 Geopotential Model.

## Function and Function Element Being Removed

The following table lists the function and function element name being removed for R2011b.

---

| <b>Function or Function Element Name</b> | <b>What Happens When You Use the Function or Element?</b> | <b>Use These Functions or Function Elements Instead</b>   | <b>Compatibility Considerations</b>   |
|--|---|---|---|
| wrldmagm '2000' or '2005' epoch year     | Warns   | For model years between 2000 and the start of 2010, use igrf11magm. For model years between 2010 and the start of 2015, use wrldmagm. | For model years between 2000 and the start of 2010, use igrf11magm. For model years between 2010 and the start of 2015, use wrldmagm. |



# R2011a

**Version: 2.7**

**New Features**

## **New LLA to Flat Earth Function**

The lla2flat function estimates a flat Earth position from geodetic latitude, longitude, and altitude coordinates.

## **New Flat Earth to LLA Function**

The flat2lla function estimates geodetic latitude, longitude, and altitude coordinates from a flat Earth position.

## **New International Geomagnetic Reference Field 11 Function**

The igrf11magm function calculates the Earth's magnetic field using the 11th generation of the International Geomagnetic Reference Field.

## **The gravity sphericalharmonic Function Supports New Planet Model**

The gravity sphericalharmonic function now supports the EIGEN-GL04C gravity field model.

# R2010b

**Version: 2.6**

**New Features**

**Compatibility Considerations**

## New Geoid Height Function

The geoidheight function calculates the height of geoid undulations/height using one of three geopotential models.

## Support to Read File Types 6, 21, and 42 for 2008 Version of DATCOM

The datcomimport function has been enhanced to read file types 6, 21, and 42 for 2008 DATCOM files. In previous releases, the Aerospace Toolbox read only file type 6 and 21.

## Support for FlightGear 2.0

Aerospace Toolbox now supports FlightGear Version 2.0.

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

## Functions and Function Elements Being Removed

| Function or Function Element Name | What Happens When You use the Function or Element? | Use This Instead | Compatibility Considerations                                   |
|-----------------------------------|--|------------------|--|
| geoidegm96                        | Warns  | geoidheight      | Replace all existing instances of geoidegm96 with geoidheight. |

# R2010a

**Version: 2.5**

**New Features**

## New Gravity Centrifugal Effect Function

The gravitycentrifugal function implements the centrifugal effect for eight planets and the Moon, plus the capability to customize this effect.

## New Spherical Harmonic Gravity Model Function

The gravitysphericalharmonic function implements the spherical harmonic gravity models for Earth (EGM2008, EGM96), Moon (LP100K, LP165P), and Mars (GMM2B), plus the capability to customize these models.

## New Gas Dynamics Functions

New gas dynamics functions, including isentropic flow (flowisentropic), normal shock (flownormalshock), Rayleigh flow (flowrayleigh), Fanno flow (flowfanno), and Prandtl-Meyer flow (flowprandtlmeyer).

## Updated World Magnetic Function

Updated wrldmagm function to include world magnetic model for years 2010-2015 (WMM-2010).

## Demos

The Comparing Zonal Harmonic Gravity Model to Other Gravity Models demo has been updated to include comparison of other gravity models.

# R2009b

**Version: 2.4**

**New Features**

## New Zonal Harmonic Gravity Model Function

The gravityzonal function implements the zonal harmonic gravity model.

## Support for FlightGear 1.9.1

Aerospace Toolbox Version 3.4 now supports FlightGear Version 1.9.1.

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

# R2009a

**Version: 2.3**

**New Features**

## Support to Read File Type 21 for 2007 Version of DATCOM

The datcomimport function has been enhanced to read file type 21 for 2007 DATCOM files. In previous releases, the Aerospace Toolbox read only file type 6.

## Using FlightGear Version 1.9.0 with Aerospace Toolbox

Aerospace Toolbox Version 2.3 does not support FlightGear Version 1.9.0. You can use this procedure.

- 1 In the MATLAB Command Window, create a FlightGear animation object.

```
h = Aero.FlightGearAnimation;
```
- 2 Set the FlightGear animation object property `FlightGearVersion` to 1.0.

```
h.FlightGearVersion = '1.0';
```
- 3 Set the FlightGear animation object property `FlightGearBaseDirectory` to the location of FlightGear Version 1.9.0.

```
h.FlightGearBaseDirectory = 'C:\Program Files\FlightGear190'
```
- 4 Generate the run script.

```
GenerateRunScript(h)
```
- 5 Open the custom FlightGear run script with a text editor and change the input parameter `--airport-id=` to `--airport=`.
- 6 Save and close this file.

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

# R2008b

**Version: 2.2**

**New Features**

## Support for 2007 Version of DATCOM File

The `datcomimport` function has been enhanced to support the 2007 DATCOM file in addition to the 1976 and 1999 DATCOM files.

## FlightGear Version 1.0 with Aerospace Toolbox

Aerospace Toolbox Version 2.2 now supports FlightGear Version 1.0. To access this version of FlightGear, you can use this procedure.

- 1 In the MATLAB Command Window, create a FlightGear animation object.  

```
h = Aero.FlightGearAnimation;
```
- 2 Set the FlightGear animation object property `FlightGearVersion` to 1.0.  

```
h.FlightGearVersion = '1.0';
```
- 3 Set the FlightGear animation object property `FlightGearBaseDirectory` to the location of FlightGear Version 1.0.  

```
h.FlightGearBaseDirectory = 'C:\Program Files\FlightGear10'
```

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

## FlightGear Animation Object play Method Now Supports Custom Timers

The FlightGear animation object `play` method now supports custom timers.

In previous releases, you needed to create your own `play` method if your FlightGear animation object was used with custom timers. This is no longer necessary.

# R2008a

**Version: 2.1**

**New Features**

## Support for 1999 Version of DATCOM File

The datcomimport function has been enhanced to support the 1999 DATCOM file in addition to the 1976 DATCOM file.

## Using FlightGear Version 1.0 with Aerospace Toolbox

Aerospace Toolbox Version 2.1 does not support FlightGear Version 1.0. You can use this procedure.

- 1 In the MATLAB Command Window, create a FlightGear animation object.  

```
h = Aero.FlightGearAnimation;
```
- 2 Set the FlightGear animation object property `FlightGearVersion` to 0.9.10.  

```
h.FlightGearVersion = '0.9.10';
```
- 3 Set the FlightGear animation object property `FlightGearBaseDirectory` to the location of FlightGear Version 1.0.  

```
h.FlightGearBaseDirectory = 'C:\Program Files\FlightGear10'
```

For more information on working with FlightGear, see `Aero.FlightGearAnimation` Objects in the Aerospace Toolbox User's Guide.

# R2007b

**Version: 2.0**

**New Features**

**Compatibility Considerations**

## **Virtual Reality Toolbox Animation Object**

This release introduces the following new objects and their associated methods to visualize flight data using the Virtual Reality Toolbox™ product:

- Aero.VirtualRealityAnimation
- Aero.Node
- Aero.Viewpoint

## **Support for the COSPAR International Reference Atmosphere 1986 Model**

The atmoscira function implements the COSPAR International Reference Atmosphere (CIRA) 1986 environmental model.

## **Support for 2001 United States Naval Research Laboratory Mass Spectrometer and Incoherent Scatter Radar Exosphere**

The atmosnrlmsise00 function implements the 2001 United States Naval Research Laboratory Mass Spectrometer and Incoherent Scatter Radar Exosphere (NRLMSISE) environmental model.

## **Support for the EGM96 Geopotential Model**

The geoidegm96 function implements the 1996 Earth Geopotential Model (EGM96).

## **quat2angle Function Replaces quat2euler**

The quat2angle function converts spatial representation from any of 12 standard sequences of rotation angles to quaternions.

## **Compatibility Considerations**

The quat2euler function is deprecated. Applications that contain this function continue to be supported, but an error message will be displayed. Use the quat2angle function instead.

---

## **angle2quat Function Replaces euler2quat**

The angle2quat function converts spatial representation from quaternions to any of 12 standard sequences of rotation angles.

### **Compatibility Considerations**

The euler2quat function is deprecated. Applications that contain this function continue to be supported, but an error message will be displayed. Use the angle2quat function instead.



# **R2007a**

**Version: 1.1**

**New Features**

## New Aerospace Toolbox Objects

This release introduces the following new objects and their associated methods to create a six-degrees-of-freedom animation of multiple bodies that have custom geometries:

- Aero.Animation
- Aero.Body
- Aero.Camera
- Aero.Geometry

## New Aerospace Toolbox Demo

The Aerospace Toolbox product has a new demo, Overlaying Simulated and Actual Flight Data, which illustrates the use of the Aero objects.

# R2006b

**Version: 1.0**

**New Features**

## Introduction of Aerospace Toolbox Product

This product extends the MATLAB technical computing environment by providing reference standards, environment models, and aerodynamic coefficient importing for performing advanced aerospace analysis to develop and evaluate your designs. An interface to the FlightGear flight simulator enables you to visualize flight data in a three-dimensional environment and reconstruct behavioral anomalies in flight-test results. To ensure design consistency, the Aerospace Toolbox software provides utilities for unit conversions, coordinate transformations, and quaternion math, as well as standards-based environmental models for the atmosphere, gravity, and magnetic fields. You can import aerodynamic coefficients directly from the U.S. Air Force Digital Data Compendium (DATCOM) to carry out preliminary control design and vehicle performance analysis.

The toolbox provides you with the following main features:

- Provides standards-based environmental models for atmosphere, gravity, and magnetic fields.
- Converts units and transforms coordinate systems and spatial representations.
- Implements predefined utilities for aerospace parameter calculations, time calculations, and quaternion math.
- Imports aerodynamic coefficients directly from the U.S. Air Force Digital Data Compendium (DATCOM).
- Interfaces to the FlightGear flight simulator, enabling visualization of vehicle dynamics in a three-dimensional environment.

The Aerospace Toolbox software has the following limitation:

- The FlightGear animation object can not be compiled with the MATLAB Compiler™ software to create a standalone application.