


# Risk Management Toolbox™ Release Notes



# MATLAB®

## How to Contact MathWorks



Latest news: [www.mathworks.com](http://www.mathworks.com)  
Sales and services: [www.mathworks.com/sales\\_and\\_services](http://www.mathworks.com/sales_and_services)  
User community: [www.mathworks.com/matlabcentral](http://www.mathworks.com/matlabcentral)  
Technical support: [www.mathworks.com/support/contact\\_us](http://www.mathworks.com/support/contact_us)



Phone: 508-647-7000



The MathWorks, Inc.  
1 Apple Hill Drive  
Natick, MA 01760-2098

### *Risk Management Toolbox™ Release Notes*

© COPYRIGHT 2016–2019 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

### **Trademarks**

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

### **Patents**

MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

## R2019a

---

**Consumer Credit Risk: Predictor screening for credit scorecards** ..... 1-2

**Consumer Credit Risk: Support for compact credit scorecards for easier deployment and reduced memory usage** ..... 1-2

## R2018b

---

**Binning Explorer: Bin data automatically using merge and split algorithms** ..... 2-2

**Binning Explorer: Bin missing data in a separate bin** ..... 2-2

**Binning Explorer: Load data from the command line** ..... 2-2

**Corporate Credit Risk: Perform parallel simulations using creditDefaultCopula and creditMigrationCopula** ..... 2-2

**creditCopula object removed** ..... 2-2

## R2018a

<b>Corporate Credit Risk: Calculate standard deviation and value-at-risk contributions for each counterparty in a credit portfolio</b> .....	3-2
--	-----

## R2017b

<b>Corporate Credit Risk: Compute regulatory capital and value-at-risk using an asymptotic single risk factor (ASRF) model</b> .....	4-2
<b>Corporate Credit Risk: Perform credit portfolio simulation with random loss given default (LGD)</b> .....	4-2
<b>Market Risk: Backtest expected shortfall models</b> .....	4-2
<b>Consumer Credit Risk: Specify weights in credit scorecards using Binning Explorer</b> .....	4-3
<b>creditCopula object renamed</b> .....	4-3

## R2017a

<b>Corporate Credit Risk: Estimate the probability of credit rating migration based on multifactor copula model</b> .....	5-2
<b>Corporate Credit Risk: Quantify credit concentration risk by Herfindahl index and other concentration measures</b> .....	5-2
<b>Corporate Credit Risk: Model corporate default risk using Merton model</b> .....	5-2

<b>creditCopula object renamed</b> .....	<b>5-2</b>
--	------------

**R2016b**

---

<b>Consumer Credit Risk: Binning Explorer for Credit Scorecards</b> .....	<b>6-2</b>
<b>Corporate Credit Risk: Copula-based simulation framework</b> .....	<b>6-2</b>
<b>Market Risk: Value-at-Risk Backtesting Tools</b> .....	<b>6-2</b>



# R2019a

---

**Version: 1.5**

**New Features**

**Bug Fixes**

## **Consumer Credit Risk: Predictor screening for credit scorecards**

Perform predictor screening for credit scorecards using the `screenpredictors` function. For more information, see “Feature Screening with `screenpredictors`”.

## **Consumer Credit Risk: Support for compact credit scorecards for easier deployment and reduced memory usage**

Work with compact credit scorecards using the `compactCreditScorecard` class along with associated functions for `displaypoints`, `score`, and `probdefault`. In addition, you can create a compact credit scorecard by using the `compact` function from Financial Toolbox™ with a `creditscorecard` object. For more information, see “compactCreditScorecard Object Workflow” and “Validate the Quality of a Compact Credit Scorecard Model”.



# R2018b

---

**Version: 1.4**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## **Binning Explorer: Bin data automatically using merge and split algorithms**

The Binning Explorer app supports the merge and split algorithms. For more information, see **Binning Explorer**.

## **Binning Explorer: Bin missing data in a separate bin**

The **Binning Explorer** app supports binning missing data for a predictor in a separate `<missing>` bin. For more information, see **Binning Explorer**.

## **Binning Explorer: Load data from the command line**

The Binning Explorer app supports loading data or a `creditscorecard` object from the command line. For more information, see **Binning Explorer**.

## **Corporate Credit Risk: Perform parallel simulations using `creditDefaultCopula` and `creditMigrationCopula`**

The `creditDefaultCopula` and `creditMigrationCopula` classes support the `'UseParallel'` property for parallel simulations when using the `simulate` and `riskContributions` functions. You can set the `'UseParallel'` property when creating `creditDefaultCopula` or `creditMigrationCopula` objects only if you have Parallel Computing Toolbox™.

## **`creditCopula` object removed**

The `creditCopula` object is removed.

---

## Compatibility Considerations

Object Name	What Happens When You Use It	Use This Instead	Compatibility Considerations
creditCopula	Removed	creditDefaultCopula	Replace all instances of creditCopula object with a creditDefaultCopula object using creditDefaultCopula.



# R2018a

---

**Version: 1.3**

**New Features**

**Bug Fixes**

## **Corporate Credit Risk: Calculate standard deviation and value-at-risk contributions for each counterparty in a credit portfolio**

The `riskContribution` function for `creditDefaultCopula` and the `riskContribution` function for `creditMigrationCopula` support returned information for counterparty contributions for standard deviation of the losses (`Std`) and value at risk (`VaR`) at the threshold `VaRLevel`.

# R2017b

---

**Version: 1.2**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## **Corporate Credit Risk: Compute regulatory capital and value-at-risk using an asymptotic single risk factor (ASRF) model**

The `asrf` function provides an ASRF model for credit risk analysis. `asrf` accepts the risk characteristics of a portfolio of credit-sensitive instruments as input and computes the necessary capital using an ASRF model.

## **Corporate Credit Risk: Perform credit portfolio simulation with random loss given default (LGD)**

Support is provided for specifying random LGD (loss given default) for `creditDefaultCopula` and `creditMigrationCopula` objects. You can now specify the LGD input argument as a `NumCounterparties-by-2` matrix, where the first column contains the LGD mean values and the second column contains the LGD standard deviations. In this case, LGD values are drawn randomly from a beta distribution with the parameters provided for the defaulting counterparty.

## **Market Risk: Backtest expected shortfall models**

The following tools support expected shortfall (ES) backtesting for table-based tests for the unconditional Acerbi-Szekely test.

- `esbacktest`
- `summary`
- `runtests`
- `unconditionalNormal`
- `unconditionalT`

The following tools support expected shortfall (ES) backtesting for distribution tests for normal and `t` distributions.

- `esbacktestbysim`
- `summary`
- `runtests`
- `conditional`
- `unconditional`



- quantile
- simulate

## Consumer Credit Risk: Specify weights in credit scorecards using Binning Explorer

Specify weights in a credit scorecard when using the Binning Explorer app. For more information on defining weights for a `creditscorecard` object, see the optional name-value pair argument `WeightsVar` for `creditscorecard`.

### creditCopula object renamed

The `creditCopula` object is renamed to the `creditDefaultCopula` object.

### Compatibility Considerations

Object Name	What Happens When You Use This Object	Use This Object Instead	Compatibility Considerations
<code>creditCopula</code>	Errors	<code>creditDefaultCopula</code>	<p>Replace all instances of <code>creditCopula</code> object with <code>creditDefaultCopula</code> object using <code>creditDefaultCopula</code>.</p> <hr/> <p><b>Note</b> The <code>CounterpartyLosses</code> property of the <code>creditCopula</code> object is removed in the <code>creditDefaultCopula</code> object. To obtain counterparty losses, use the <code>getScenarios</code> function.</p>



# R2017a

---

**Version: 2.5**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## **Corporate Credit Risk: Estimate the probability of credit rating migration based on multifactor copula model**

The following tools support corporate credit portfolio analysis for credit migration simulation using a `creditMigrationCopula` object for copula-based simulations:

- `creditMigrationCopula`
- `simulate`
- `portfolioRisk`
- `riskContribution`
- `confidenceBands`
- `getScenarios`

## **Corporate Credit Risk: Quantify credit concentration risk by Herfindahl index and other concentration measures**

The `concentrationIndices` function supports the following concentration indices:

- CR — Concentration ratio
- Deciles — Deciles of the portfolio weights distribution
- Gini — Gini coefficient
- HH — Herfindahl-Hirschman index
- HK — Hannah-Kay index
- HT — Hall-Tideman index
- TE — Theil entropy index

## **Corporate Credit Risk: Model corporate default risk using Merton model**

The `mertonmodel` and `mertonByTimeSeries` functions estimate the default probability using Merton's model.

## **creditCopula object renamed**

The `creditCopula` object is renamed to the `creditDefaultCopula` object.

---

## Compatibility Considerations

Object Name	What Happens When You Use This Object	Use This Object Instead	Compatibility Considerations
creditCopula	Warns	creditDefaultCopula	<p>Replace all instances of creditCopula object with creditDefaultCopula object using the creditDefaultCopula constructor.</p> <hr/> <p><b>Note</b> The CounterpartyLosses property of creditCopula object is removed in the creditDefaultCopula object. To obtain counterparty losses, use the getScenarios function.</p>



# R2016b

---

**Version: 2.4**

**New Features**

## Consumer Credit Risk: Binning Explorer for Credit Scorecards

**Binning Explorer** is an app for developing and modifying binning assignments for a `creditscorecard` object. For more information, see [Binning Explorer](#).

## Corporate Credit Risk: Copula-based simulation framework

The following tools support corporate credit portfolio analysis using a `creditCopula` object for copula-based simulations:

- `creditCopula` — Creates a `creditCopula` object.
- `simulate` — Simulates credit defaults using a `creditCopula` object.
- `portfolioRisk` — Generates portfolio-level risk measurements for a `creditCopula` object.
- `confidenceBands` — Generates confidence interval bands for a `creditCopula` object.
- `riskContribution` — Generates risk contributions for each counterparty in the `creditCopula` object.

## Market Risk: Value-at-Risk Backtesting Tools

Value-at-risk (VaR) is an important measure of financial risk. VaR is an estimate of how much value a portfolio can lose in a given time period with a given confidence level. VaR backtesting tools assess the accuracy of VaR models. The following VaR backtesting tools are supported:

- `varbacktest` — Creates a `varbacktest` object using portfolio outcomes data and corresponding value-at-risk (VaR) data.
- `bin` — Binomial test.
- `cc` — Christoffersen's conditional coverage mixed test.
- `cci` — Christoffersen's conditional coverage independence test.
- `pof` — Kupiec's proportion of failures test.
- `tbf` — Haas's time between exceptions independence test.
- `tbfi` — Haas's mixed time between exceptions (independence and frequency) test.
- `tl` — Traffic light test.



- 
- `tuff` — Kupiec's time until the first failure test.
  - `summary` — Summary report on the given `varbacktest` data.
  - `runtests` — Runs all tests and reports the final test results.

