

Partial Differential Equation Toolbox™ Release Notes



MATLAB®

How to Contact MathWorks



Latest news: www.mathworks.com
Sales and services: www.mathworks.com/sales_and_services
User community: www.mathworks.com/matlabcentral
Technical support: www.mathworks.com/support/contact_us



Phone: 508-647-7000



The MathWorks, Inc.
1 Apple Hill Drive
Natick, MA 01760-2098

Partial Differential Equation Toolbox™ Release Notes

© COPYRIGHT 2012–2019 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patents

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

R2019b

Reduced Order Modeling: Approximate dynamic characteristics of a structural model for faster execution	1-2
Simscape Multibody Models: Generate dynamic substructure for flexible multibody simulations	1-2
Frequency Response Analysis: Determine dynamic response of a structure in the frequency domain	1-3
Structural Analysis: Set concentrated boundary conditions at arbitrary locations on geometry surfaces	1-3
Eigenvalue Solver Options: Specify parameters for Lanczos algorithm	1-4

R2019a

Structural Analysis: Set boundary constraints and loads on edges and vertices	2-2
Structural Analysis: Compute transient response by using the modal superposition method	2-2
Finite Element Matrices: Assemble global finite element matrices for thermal and structural models	2-2

R2018b

Thermal Load: Evaluate thermal stress and thermal expansion in static structural analysis	3-2
--	------------

R2018a

Structural Analysis: Solve linear transient dynamic problems using direct time integration	4-2
Modal Analysis: Find natural frequencies and mode shapes	4-3
Mesh Analysis: Assess element quality, measure element area or volume, and find nodes and elements	4-3
Geometry from Mesh: Create multidomain geometry from nodes and elements	4-3
Functionality Being Removed or Changed	4-4

R2017b

Structural Analysis: Solve static linear elasticity problems . . .	5-2
Planar STL Geometry: Import and mesh planar STL geometries	5-3
Meshing: Improved mesh generation	5-3
Functionality Being Removed or Changed	5-3

R2017a

Thermal Analysis: Solve conduction-dominant heat transfer problems with convection and radiation occurring at boundaries	6-2
3-D Multidomain Geometry: Create geometries consisting of stacked or nested cuboids, spheres, or cylinders	6-3
Functionality Being Removed or Changed	6-3

R2016b

Flux of PDE Solution: Evaluate tensor product of c-coefficient and gradient of PDE solution for 2-D and 3-D problems ...	7-2
Boundary Conditions: Set an individual boundary condition for each equation in a PDE system, query boundary condition assignments	7-2
Nodal Initial Conditions: Set nodal initial conditions using the result of a previous simulation	7-3
Geometric Initial Conditions: Set initial conditions on vertices, edges, faces, and cells	7-3
Mesh and Solution Plots: Set transparency, display node and element labels	7-3
3-D Geometry Import from STL Files: Improved quality of the resulting geometry	7-4
Functionality Being Removed or Changed	7-4

R2016a

PDE Solvers: Use solvepde and solvepdeeig functions to solve PDEs and PDE eigenvalue problems	8-2
PDE Coefficients: Specify equation coefficients as a property of PDEModel	8-2
Initial Conditions: Set initial conditions or initial guess as a property of PDEModel	8-2
Quadratic Elements for 2-D Mesh: Generate 2-D mesh using quadratic triangular elements	8-3
Gradient of PDE Solution: Evaluate solution gradient at arbitrary 2-D or 3-D points	8-3
Finite Element Matrices: Use assembleFEMatrices to assemble finite element matrices	8-3
PDE Results for Plotting and Postprocessing: New result objects depend on the type of PDE	8-3
Functionality Being Removed or Changed	8-4

R2015b

3-D geometry creation from a finite element mesh using the geometryFromMesh function	9-2
Data structure to represent solutions using the createPDEResults function	9-2
Functionality Being Removed or Changed	9-2

R2015a

3-D finite element analysis	10-2
Equation coefficients and boundary conditions for 3-D problems	10-2
Elliptic, parabolic, hyperbolic, nonlinear, eigenvalue solvers for 3-D problems	10-2
3-D geometry import from STL files	10-3
3-D unstructured meshing using tetrahedra	10-3
Plot function to inspect 3-D solutions	10-3
Featured examples with 3-D geometry	10-3
pdebound and pdegeom reference pages removed	10-3

R2014b

Functions for modular definition of boundary conditions ...	11-2
pdeInterpolant object for solution interpolation	11-2

R2014a

Damping option for hyperbolic solver	12-2
---	-------------

R2013b

Display option in hyperbolic and parabolic solvers	13-2
Eigenvalue example	13-2

R2013a

Performance and robustness enhancements in meshing algorithm	14-2
New example	14-2

R2012b

Coefficients of parabolic and hyperbolic PDEs that can be functions of the solution and its gradient	15-2
Graphics export from pdetool	15-2
pdegplot labels edges and subdomains	15-2
New examples	15-2
pdesmech shear strain calculation change	15-3

R2019b

Version: 3.3

New Features

Bug Fixes

Reduced Order Modeling: Approximate dynamic characteristics of a structural model for faster execution

The toolbox now supports the Craig-Bampton component mode synthesis workflow for structural mechanics.

Finite-element discretized models can be very large. Model order reduction techniques approximate the dynamics of the original system with a smaller system while retaining most of the dynamic characteristics.

When using the reduced-order model workflow, you can:

- Specify structural superelement interfaces. See `structuralSEInterface`.
- Reduce a structural analysis model to all modes in the specified frequency range and the interface degrees of freedom. See `reduce`.

Simscape Multibody Models: Generate dynamic substructure for flexible multibody simulations

You can use results obtained with the model order-reduction technique to provide data for Simscape™ Multibody™ flexible body block.

Simscape models expect the connections at all joints to have six degrees of freedom, while Partial Differential Equation Toolbox uses two or three degrees of freedom at each node. To interface with Simscape joints, set multipoint constraints by using the `structuralBC` function. Setting a multipoint constraint ensures that all nodes and all degrees of freedom have a rigid constraint with the geometric center of all specified geometric regions together as the reference point. The reference location has six degrees of freedom.

To recover a full-model transient solution from reduced-order model results and Simscape solution, use the `reconstructSolution` function.

For an example of a Simscape Multibody workflow that uses a reduced order model, see “Model an Excavator Dipper Arm as a Flexible Body” (Simscape Multibody).

Frequency Response Analysis: Determine dynamic response of a structure in the frequency domain

Determining the dynamic response of a structure under various forms of excitation is a common task in structural analysis. This problem can be formulated over time domain (in which case it is called transient response analysis) or frequency domain (called frequency response analysis or sometimes harmonic analysis).

In addition to the transient dynamic analysis, the toolbox now supports the frequency response analysis for structural models. When setting up a linear elasticity problem, you can:

- Create a special model container for a frequency response structural analysis. See `createpde`.
- Specify a boundary load, for example, pressure. See `structuralBoundaryLoad`.
- Solve the problem and obtain displacement, velocity, acceleration, and solution frequencies at nodal locations of the mesh. See `solve`.
- To speed up computations, you can use modal analysis results for frequency response analysis. The `ModalResults` argument triggers the `solve` function to use the modal superposition method.

Structural Analysis: Set concentrated boundary conditions at arbitrary locations on geometry surfaces

Use `addVertex` to create new vertices at any points on boundaries of a 2-D or 3-D geometry represented by a `DiscreteGeometry` object. Then use `structuralBC` or `structuralBoundaryLoad` to set concentrated boundary constraints and loads at these vertices.

For an example of applying a point load on a geometric boundary, see “Reduced-Order Modeling Technique for Beam with Point Load”.

Eigenvalue Solver Options: Specify parameters for Lanczos algorithm

Solvers for structural modal analysis problems and reduced-order modeling use the Lanczos algorithm. Use `PDESolverOptions` to specify the maximum number of Lanczos shifts and the block size for block Lanczos recurrence.

R2019a

Version: 3.2

New Features

Bug Fixes

Structural Analysis: Set boundary constraints and loads on edges and vertices

The workflow for structural analysis problems lets you specify an enforced displacement and the 'free' and 'fixed' boundary constraints on vertices and edges for both 2-D and 3-D models. To specify boundary constraints and a displacement, including spatial components of displacement, use the `structuralBC` function. The previous versions of this function let you specify the displacement and boundary constraints values only on edges for 2-D models and faces on 3-D models.

You can specify concentrated force at a vertex by using the `structuralBoundaryLoad` function.

Structural Analysis: Compute transient response by using the modal superposition method

By default, the `solve` function uses the direct integration approach which can be slow. To speed up calculations, transient dynamics analysis can be performed using modal analysis results. The new `ModalResults` argument triggers the `solve` function to switch to the modal transient solver instead of using the direct integration approach.

Finite Element Matrices: Assemble global finite element matrices for thermal and structural models

The `assembleFEMatrices` function accepts thermal and structural models with time- and solution-independent coefficients.

R2018b

Version: 3.1

New Features

Bug Fixes

Thermal Load: Evaluate thermal stress and thermal expansion in static structural analysis

The programmatic workflow for static structural analysis problems now lets you account for thermal loading. When setting up a static structural problem, you can:

- Specify a coefficient of thermal expansion as a structural material property. See `structuralProperties`.
- Specify a thermal load as a body load. Use a constant temperature to specify a steady and uniform thermal load or use previously obtained results of thermal analysis to specify a nonuniform thermal load. See `structuralBodyLoad`.
- Specify a reference temperature. This temperature corresponds to the state of the model at which both thermal stress and strain are zeros. See `StructuralModel`.

The `solve` function solves a static structural analysis model accounting for mechanical and thermal effects. The function returns a displacement, stress, strain, and von Mises stress induced by both mechanical and thermal loads.

For an example of the new workflow, see [Thermal Deflection of Bimetallic Beam](#).

R2018a

Version: 3.0

New Features

Bug Fixes

Compatibility Considerations

Structural Analysis: Solve linear transient dynamic problems using direct time integration

The programmatic workflow for structural analysis problems now lets you set up, solve, and analyze dynamic linear elasticity problems using a familiar domain-specific language. Most steps correspond to the similar steps for setting up a static linear elasticity problem. Additional options for a dynamic linear elasticity problem include:

- Specifying proportional (Rayleigh) mass and stiffness damping parameters. See `structuralDamping`.
- Specifying initial conditions. See `structuralIC`.
- Specifying time-dependent boundary loads by using function handles. Also, you can specify the form and duration of the pressure pulse and the frequency and phase of sinusoidal pressure by using the corresponding name-value pair arguments. See `structuralBoundaryLoad`.
- Specifying time-dependent boundary loads by using function handles. Also, you can specify the form and duration of x -, y -, or z -component of the enforced displacement and the frequency and phase of sinusoidal displacement by using the corresponding name-value pair arguments. See `structuralBC`.

The `solve` function solves a dynamic structural analysis model and returns displacement, velocity, and acceleration at nodal locations of the mesh. You can analyze the resulting solution further by using one of these functions:

- `evaluateStress` evaluates stress at nodal locations for all time steps.
- `evaluateStrain` evaluates strain at nodal locations for all time steps.
- `evaluateVonMisesStress` evaluates von Mises stress at nodal locations for all time steps.
- `evaluateReaction` evaluates reaction forces on a specified boundary.
- `evaluatePrincipalStress` and `evaluatePrincipalStrain` evaluate principal stress and strain at mesh nodes.
- `interpolateDisplacement` interpolates displacements at arbitrary spatial locations.
- `interpolateVelocity` interpolates velocities at arbitrary spatial locations.
- `interpolateAcceleration` interpolates accelerations at arbitrary spatial locations.
- `interpolateStress` and `interpolateStrain` interpolate stress and strain at arbitrary spatial locations.

-
- `interpolateVonMisesStress` interpolates von Mises stress at arbitrary spatial locations.

For more details about the new workflow, see Structural Mechanics.

Modal Analysis: Find natural frequencies and mode shapes

The programmatic workflow for modal analysis problems lets you find natural frequencies and mode shapes of a structure. Use the same steps for creating a modal analysis model and specifying materials and boundary constraints as for static linear elasticity problems. When solving a modal analysis model, the solver requires a frequency range parameter and returns the modal solution in that frequency range. See *Vibration of Square Plate*.

Mesh Analysis: Assess element quality, measure element area or volume, and find nodes and elements

The `findElements` and `findNodes` functions return collections of mesh elements and nodes associated with a particular geometric region (edge, face, and so on), located within a bounding box or disk, or located close to a specified point or node. These functions return node or element IDs that you can use as arguments for other mesh query functions or plotting functions.

The `meshQuality` function lets you assess shape quality of mesh elements of an entire mesh or a particular group of elements. Using this function, you can analyze the shape quality of each element of a 2-D or 3-D mesh, locate the elements of low quality, and adjust you mesh-generation parameters accordingly.

The `area` and `volume` functions measure areas and volumes covered by individual elements and groups of elements of 2-D and 3-D meshes, respectively.

The `pdemesh`, `pdeplot`, and `pdeplot3D` functions accept node and element IDs as input arguments, which lets you highlight particular nodes and elements on mesh plots.

Geometry from Mesh: Create multidomain geometry from nodes and elements

The `geometryFromMesh` function creates a geometric model from a triangulated mesh, including planar, volume, and surface triangulation that bounds a closed volume. This function lets you create a multidomain geometry by specifying the subdomain ID for each

element of the mesh. You can retain the original mesh or generate a new one by using the `generateMesh` function.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
<code>pdesdp</code>	Still runs	<code>findNodes</code>	Use a <code>PDEModel</code> object to set up and solve a PDE problem. For the step-by-step workflow, see Solve Problems Using PDEModel Objects . <code>PDEModel</code> stores a finite element mesh as a <code>FEMesh</code> object in its <code>Mesh</code> property. Use the <code>findNodes</code> function to find mesh nodes that belong to particular regions.
<code>pdesdt</code>	Still runs	<code>findElements</code>	Use <code>findElements</code> to find mesh elements that belong to particular regions.
<code>pdetrg</code>	Still runs	<code>area</code>	Use the <code>area</code> function to compute areas of 2-D mesh elements.
<code>pdetriq</code>	Still runs	<code>meshQuality</code>	Use the <code>meshQuality</code> function to evaluate shape quality of mesh elements.
<code>pdegrad</code>	Still runs	<code>evaluateGradient</code>	Use the <code>evaluateGradient</code> function to evaluate the gradient of a PDE solution.
<code>pdecgrad</code>	Still runs	<code>evaluateCGradient</code>	Use the <code>evaluateCGradient</code> function to evaluate the flux of a PDE solution.

R2017b

Version: 2.5

New Features

Bug Fixes

Compatibility Considerations

Structural Analysis: Solve static linear elasticity problems

A new programmatic workflow lets you set up, solve, and analyze static linear elasticity problems using a familiar domain-specific language. When setting up a static linear elasticity problem, you can:

- Create a special model container for a static structural analysis. See `createpde`.
- Assign structural properties of the material, such as Young's modulus, Poisson's ratio, and mass density. See `structuralProperties`.
- Specify a body load for a structural model. See `structuralBodyLoad`.
- Specify pressure, surface traction, and translational stiffness for a particular boundary. See `structuralBoundaryLoad`.
- Specify enforced displacement and boundary constraints for a particular boundary. See `structuralBC`.

The `solve` function solves a static structural analysis model and returns displacement, stress, strain, and von Mises stress at nodal locations of the mesh. You can analyze the resulting solution further by using one of these functions:

- `interpolateDisplacement` interpolates displacements at arbitrary spatial locations.
- `interpolateStress` and `interpolateStrain` interpolate stress and strain at arbitrary spatial locations.
- `interpolateVonMisesStress` interpolates von Mises stress at arbitrary spatial locations.
- `evaluateReaction` evaluates reaction forces on a specified boundary.
- `evaluatePrincipalStress` and `evaluatePrincipalStrain` evaluate principal stress and strain at mesh nodes.

The `pdeplot` and `pdeplot3D` functions let you visualize the solution by plotting the resulting displacements, stresses, and strains.

For more details about the new workflow, see Structural Mechanics.

Planar STL Geometry: Import and mesh planar STL geometries

`importGeometry` can import a planar STL geometry and convert it to a 2-D geometry by mapping it to the X-Y plane. To mesh the resulting 2-D geometry, use `generateMesh`.

Meshing: Improved mesh generation

The mesh generator, `generateMesh`, now:

- Uses new mesh generation algorithm for 2-D geometries.
- Lets you specify mesh growth rate for both 2-D and 3-D meshes. To specify mesh growth rate, use the `Hgrad` argument of `generateMesh`.

Compatibility Considerations

Resulting meshes can differ from meshes generated in previous releases. For example, meshes generated with the default size controls can have fewer elements than before.

Also, `generateMesh` creates quadratic meshes for 2-D problems by default. In previous releases, the default mesh for 2-D geometries is a linear mesh. For both 2-D and 3-D geometries, you can specify whether you want to use linear or quadratic mesh by using the `GeometricOrder` argument of `generateMesh`.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
Function handle for specifying nonconstant boundary conditions and coefficients of the form <code>@f(problem, region, state)</code>	Still runs	<code>@f(region, state)</code>	Use the two-argument form, <code>@f(region, state)</code> , to define a function handle for <code>applyBoundaryCondition</code> or <code>specifyCoefficients</code> .
<code>pdetool</code>	Still runs	<code>pdeModeler</code>	The function name <code>pdetool</code> has been changed to <code>pdeModeler</code> .

Functionality	Result	Use Instead	Compatibility Considerations
Opening the PDE Modeler app by calling <code>pdeModeler</code> or <code>pdetool</code> or by using the Apps tab	Does not overwrite existing information in the app anymore	To overwrite the existing information in the PDE Modeler app, select File > New .	In previous releases, starting the PDE Modeler app and then reopening the app by calling <code>pdetool</code> or by using the Apps tab overwrites any existing information in the app. Now, reopening the PDE Modeler app brings focus to the app window.
<code>Jiggle</code> , <code>JiggleIter</code> , and <code>MeshVersion</code> arguments of <code>generateMesh</code>	Ignored	No replacement	<code>generateMesh</code> produces good quality meshes without jiggling the nodes.

R2017a

Version: 2.4

New Features

Bug Fixes

Compatibility Considerations

Thermal Analysis: Solve conduction-dominant heat transfer problems with convection and radiation occurring at boundaries

A new programmatic workflow lets you set up, solve, and analyze conduction-dominant heat transfer problems using natural steps and familiar domain-specific language. When setting up a heat transfer problem, you can:

- Create a special model container for a steady-state or transient thermal model. See `createpde`.
- Assign thermal properties of the material, such as thermal conductivity, specific heat, and mass density. See `thermalProperties`.
- Specify internal heat sources of the geometry. See `internalHeatSource`.
- Set temperatures on boundaries, specify insulated boundaries, heat fluxes through boundaries, convection coefficients, radiation emissivity coefficients, and ambient temperature. See `thermalBC`.
- Set initial temperature or initial guess for temperature. See `thermalIC`.

The `solve` function solves steady-state and transient thermal models and returns temperatures and temperature gradients at nodal locations of the thermal model mesh. You can analyze the resulting solution further by using one of these functions:

- `interpolateTemperature` interpolates resulting temperatures to arbitrary spatial locations.
- `evaluateTemperatureGradient` evaluates temperature gradient for a transient thermal solution at arbitrary spatial locations.
- `evaluateHeatFlux` evaluates heat flux of a thermal solution at nodal or arbitrary spatial locations.
- `evaluateHeatRate` evaluates integrated heat flow rate normal to specified boundary.

The `pdeplot` and `pdeplot3D` functions let you visualize a thermal model solution by plotting the resulting temperatures, and temperature gradients, and mesh.

There is a new featured example showing heat transfer in a transient 3-D model, Heat Conduction in a Spherical Multidomain Geometry with Nonuniform Heat Flux.

For more details about the new workflow, see Heat Transfer.

3-D Multidomain Geometry: Create geometries consisting of stacked or nested cuboids, spheres, or cylinders

The `multicuboid`, `multicylinder`, and `multisphere` functions create 3-D geometries formed by several cubic, cylindrical, and spherical cells, respectively. With these functions, you can create stacked or nested geometries. You also can create geometries where some cells are empty, for example, hollow cylinders, cubes, or spheres.

All cells in a geometry must be of the same type: either cuboids, or cylinders, or spheres. These functions do not combine cells of different types in one geometry.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
<code>pdemdlcv</code>	Errors	No replacement	Remove all instances of <code>pdemdlcv</code> .
Function handle for specifying nonconstant boundary conditions and coefficients of the form <code>@f(problem, region, state)</code> .	Still runs	<code>@f(region, state)</code>	Use the two-argument form, <code>@f(region, state)</code> , to define a function handle for <code>applyBoundaryCondition</code> or <code>specifyCoefficients</code> .

R2016b

Version: 2.3

New Features

Bug Fixes

Compatibility Considerations

Flux of PDE Solution: Evaluate tensor product of c-coefficient and gradient of PDE solution for 2-D and 3-D problems

The `evaluateCGradient` function computes the tensor product of c-coefficient and gradients of the PDE solution, $\mathbf{c} \otimes \nabla \mathbf{u}$, at nodal or arbitrary locations in 2-D or 3-D geometry.

Boundary Conditions: Set an individual boundary condition for each equation in a PDE system, query boundary condition assignments

The `applyBoundaryCondition` function can set an individual boundary condition for each equation in a system of PDEs in one function call. For example, in a system of two PDEs, one `applyBoundaryConditions` call can set the Dirichlet boundary condition for the first equation, and the Neumann boundary condition for the second equation.

The function uses clear precedence rules to decide which condition to use for every geometric region.

The `findBoundaryConditions` function returns the currently used boundary condition assignment for a geometric region.

Compatibility Considerations

The new syntax requires explicit specification of the boundary condition type as `'dirichlet'`, `'neumann'`, or `'mixed'`. For example, in previous releases you used the following syntaxes to apply the Dirichlet boundary condition on edge 1 and Neumann boundary condition on face 2.

```
applyBoundaryCondition(model, 'Edge', 1, 'u', 0);  
applyBoundaryCondition(model, 'Face', 2, 'g', 0, 'q', 0);
```

Update them to specify the boundary condition types.

```
applyBoundaryCondition(model, 'dirichlet', 'Edge', 1, 'u', 0);  
applyBoundaryCondition(model, 'neumann', 'Face', 2, 'g', 0, 'q', 0);
```

Previously, to set the Dirichlet boundary condition for one equation in a PDE system and the Neumann boundary condition for another, you used two function calls to `applyBoundaryCondition`.

```
applyBoundaryCondition(model,'edge',4,'u',0,'EquationIndex',1);
applyBoundaryCondition(model,'edge',4,'g',[0,-1]);
```

Now, set both boundary conditions in one function call by specifying the boundary condition type as 'mixed'.

```
applyBoundaryCondition(model,'mixed','edge',4,'u',0,...
                        'EquationIndex',1,'g',[0,-1]);
```

Nodal Initial Conditions: Set nodal initial conditions using the result of a previous simulation

The `setInitialConditions` function sets initial conditions at the mesh nodes by using the solution from a previous analysis on the same geometry and mesh.

Geometric Initial Conditions: Set initial conditions on vertices, edges, faces, and cells

The `setInitialConditions` function sets initial conditions on faces, edges, and vertices for both 2-D and 3-D geometries, and on cells for 3-D geometry. You can set initial conditions on particular vertices, edges, faces, and cells or set global initial conditions on all vertices, edges, faces, or cells in the geometry.

Mesh and Solution Plots: Set transparency, display node and element labels

The `FaceAlpha` argument of `pdegplot`, `pdemesh`, `pdeplot`, and `pdeplot3D` lets you set the plot transparency.

The `ElementLabels` argument of `pdemesh`, `pdeplot`, and `pdeplot3D` lets you display element labels.

The `NodeLabels` argument of `pdemesh` and `pdeplot` lets you display node labels.

The `VertexLabels` and `CellLabels` arguments of `pdegplot` let you display vertex and cell labels.

Compatibility Considerations

The argument `SubdomainLabels` is no longer recommended. Use `FaceLabels` for 2-D geometries instead.

3-D Geometry Import from STL Files: Improved quality of the resulting geometry

When importing an STL geometry for a 3-D problem, `importGeometry` can recognize and reconstruct more geometric vertices, edges, and faces of the original CAD geometry in some instances. In these cases, the resulting geometry is a closer match to the original CAD geometry.

Compatibility Considerations

Detailed geometries can now contain more faces and edges than in previous releases. As a result, in rare instances, the new faces and edges can cause renumbering of the existing ones. If your code imports an STL geometry, visually check the geometry to ensure that you are assigning boundary and initial conditions to the intended regions.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
<code>pdemdlcv</code>	Warns	No replacement	Remove all instances of <code>pdemdlcv</code> .
<code>pde</code>	Errors	<code>createpde</code>	Use <code>createpde</code> to create a <code>PDEModel</code> that holds the PDE analysis data. The <code>pde</code> class was a value class. The replacement <code>PDEModel</code> class is a handle class.

Functionality	Result	Use Instead	Compatibility Considerations
pdeGeometryFromEdges	Errors	geometryFromEdges	Use geometryFromEdges instead. Although pdeBoundaryConditions still runs with a warning, its returned type has changed from a pdeGeometry object to an AnalyticGeometry object. The pdeGeometry class was a value class. The replacement AnalyticGeometry class is a handle class.
pdeBoundaryConditions	Errors	applyBoundaryCondition	Replace all instances of pdeBoundaryConditions(ApplicationRegion,...) with applyBoundaryCondition(model,BCType,'edge',EdgeID,...) Although pdeBoundaryConditions still runs with a warning, its returned type has changed from a pdeBoundaryConditions object to a 1BoundaryCondition object. The pdeBoundaryConditions class was a value class. The replacement BoundaryCondition class is a handle class.
Function handle for specifying nonconstant boundary conditions and coefficients of the form @f(problem, region, state).	Still runs	@f(region, state)	Use specifyCoefficients and define a function handle that takes only two arguments: @f(region, state)

R2016a

Version: 2.2

New Features

Bug Fixes

Compatibility Considerations

PDE Solvers: Use `solvepde` and `solvepde eig` functions to solve PDEs and PDE eigenvalue problems

New solver functions for `PDEModel`:

- `solvepde` replaces `asempde`, `pdenonlin`, `hyperbolic`, and `parabolic`.
- `solvepde eig` replaces `pde eig`.

To use the new solvers, include PDE coefficients in your model using `specifyCoefficients`. Include initial conditions in your model using `setInitialConditions`.

The new solvers return results as one of the three new objects:

- `StationaryResults` — Returned by `solvepde` for a stationary PDE model.
- `TimeDependentResults` — Returned by `solvepde` for a time-dependent PDE model.
- `EigenResults` — Returned by `solvepde eig`.

`StationaryResults` and `TimeDependentResults` objects contain solution gradients at the nodes.

PDE Coefficients: Specify equation coefficients as a property of `PDEModel`

The `specifyCoefficients` function specifies equation coefficients as a property of `PDEModel`.

Initial Conditions: Set initial conditions or initial guess as a property of `PDEModel`

The `setInitialConditions` function specifies initial conditions as a property of `PDEModel`.

Quadratic Elements for 2-D Mesh: Generate 2-D mesh using quadratic triangular elements

Create a quadratic mesh for 2-D problems using `generateMesh` with `GeometricOrder` set to 'quadratic'.

Gradient of PDE Solution: Evaluate solution gradient at arbitrary 2-D or 3-D points

The `evaluateGradient` function enables you to interpolate the gradient of a `StationaryResults` or `TimeDependentResults` object at arbitrary points in the geometry.

Finite Element Matrices: Use `assembleFEMatrices` to assemble finite element matrices

The `assembleFEMatrices` function assembles finite element matrices for independent factoring and solution using linear algebra methods. It replaces `asempde`, `asema`, and `assemb` for matrix assembly.

PDE Results for Plotting and Postprocessing: New result objects depend on the type of PDE

The `createPDEResults` function returns results as one of the three new objects, depending on the type of the PDE problem.

- A `StationaryResults` object for a stationary PDE model. `StationaryResults` contains the solution of PDE and its gradients at the nodal locations.
- A `TimeDependentResults` object for a time-dependent PDE model. `TimeDependentResults` contains the solution of PDE and its gradients at the nodal locations.
- A `EigenResults` object for an eigenvalue problem.

Compatibility Considerations

`createPDEResults` no longer creates an object of type `PDEResults`.

The syntax of `createPDEResults` has changed to accommodate creating the new result types for time-dependent and eigenvalue problems.

- To create the `TimeDependentResults` object for a time-dependent problem, use the syntax `createPDEResults(pdem,u,utimes,'time-dependent')`, where `utimes` is a vector of solution times.
- To create the `EigenResults` object for an eigenvalue problem, use the syntax `createPDEResults(pdem,eigenvectors,eigenvalues,'eigen')`.

`EigenResults` has different property names than `PDEResults`. Update any eigenvalue scripts that use `PDEResults` property names.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
<code>wbound</code>	Still runs	No replacement	New features and the recommended workflow are not compatible with this function. For the recommended workflow, see Solve Problems Using PDEModel Objects .
<code>pdeadgsc</code> and <code>pdeadworst</code>	Still runs	No replacement	New features and the recommended workflow are not compatible with these functions. For the recommended workflow, see Solve Problems Using PDEModel Objects .
<code>asempde</code> , <code>asema</code> , <code>asemb</code> , <code>hyperbolic</code> , <code>parabolic</code> , <code>pdenonlin</code>	Still runs	<code>solvepde</code> and <code>assembleFEMatrices</code>	To solve PDE problems, use <code>solvepde</code> . To obtain finite element matrices, use <code>assembleFEMatrices</code> . For the recommended workflow, see Solve Problems Using PDEModel Objects .

Functionality	Result	Use Instead	Compatibility Considerations
pdeeig and sptarn	Still runs	solvepdeeig	To solve PDE eigenvalue problems, use solvepdeeig. For the recommended workflow, see Solve Problems Using PDEModel Objects.
poimesh, poiasma, poicalc, poiindex, poisolv	Still runs	solvepde	To solve Poisson's equations, use solvepde. For details, see Solve Problems Using PDEModel Objects.
pdejms	Still runs	No replacement	New features and the recommended workflow are not compatible with this function. For the recommended workflow, see Solve Problems Using PDEModel Objects.
pdesmech	Still runs	PDE app	Use the PDE app instead of pdesmech.
dst and idst	Still runs	No replacement	Remove all instances of dst and idst.
tri2grid and pdeintrp	Still runs	interpolateSolution	Use the interpolation function interpolateSolution provided by StationaryResults, TimeDependentResults and EigenResults.
pdeprtni	Still runs	No replacement	NodalSolution is a property of StationaryResults and TimeDependentResults. Eigenvectors is the corresponding property of EigenResults.
pdemdlcv	Still runs	No replacement	Remove all instances of pdemdlcv.

Functionality	Result	Use Instead	Compatibility Considerations
pde	Warns	createpde	<p>Use createpde to create a PDEModel that holds the PDE analysis data.</p> <p>The pde class was a value class. The replacement PDEModel class is a handle class.</p>
pdeGeometryFromEdges	Warns	geometryFromEdges	<p>Use geometryFromEdges instead.</p> <p>Although pdeBoundaryConditions still runs with a warning, its returned type has changed from a pdeGeometry object to an AnalyticGeometry object. The pdeGeometry class was a value class. The replacement AnalyticGeometry class is a handle class.</p>
pdeBoundaryConditions	Warns	applyBoundaryCondition	<p>Replace all instances of pdeBoundaryConditions(ApplicationRegion,...) with applyBoundaryCondition(model,'edge',EdgeID,...)</p> <p>Although pdeBoundaryConditions still runs with a warning, its returned type has changed from a pdeBoundaryConditions object to a BoundaryCondition object. The pdeBoundaryConditions class was a value class. The replacement BoundaryCondition class is a handle class.</p>

Functionality	Result	Use Instead	Compatibility Considerations
Loading a <code>pdeBoundaryConditions</code> object from an R2014b MAT file.	Errors	<code>applyBoundaryCondition</code>	Recreate the Boundary Conditions using <code>applyBoundaryCondition</code> .
Function handle for specifying nonconstant boundary conditions and coefficients of the form <code>@f(problem, region, state)</code> .	Still runs	<code>@f(region, state)</code>	Use <code>specifyCoefficients</code> and define a function handle that takes only two arguments: <code>@f(region, state)</code>

R2015b

Version: 2.1

New Features

Bug Fixes

Compatibility Considerations

3-D geometry creation from a finite element mesh using the `geometryFromMesh` function

The `geometryFromMesh` function creates 3-D geometry from a finite element mesh, or from a triangulated surface mesh. For details, see the function reference page or [Create and View 3-D Geometry](#).

Data structure to represent solutions using the `createPDEResults` function

The `createPDEResults` function converts a PDE solution into a `PDEResults` object. The `PDEResults` object allows you to interpolate the solution using `interpolateSolution`. For details, see the reference pages.

Functionality Being Removed or Changed

Functionality	Result	Use Instead	Compatibility Considerations
<code>pdesmech</code>	Still runs	PDE app	Use the PDE app instead of <code>pdesmech</code>

R2015a

Version: 2.0

New Features

Bug Fixes

Compatibility Considerations

3-D finite element analysis

You can now solve partial differential equations with 3-D geometry. To do so, there is a new workflow that combines the geometry, mesh, and boundary conditions into a `PDEModel` object. You can also use this workflow for 2-D geometry. For details, see [Solve Problems Using PDEModel Objects](#).

Equation coefficients and boundary conditions for 3-D problems

To specify problem coefficients or boundary conditions in 3-D geometry, you can use strings with a syntax similar to that of a 2-D problem. There is a new way of writing functions for coefficients in 3-D geometries. For details, see [PDE Coefficients and Boundary Conditions](#).

Compatibility Considerations

To accommodate both 2-D and 3-D geometry, the format of boundary condition objects changed from that introduced in R2014b. The new object is `BoundaryConditionProperties`, and calling `pdeBoundaryConditions` now warns that it will be removed in a future release. If you saved a `pdeBoundaryConditions` object in an R2014b-format MAT file, then loading that file in R2015a can produce an error. Additionally, the syntax for specifying nonconstant boundary conditions has changed. Functions written in the previous syntax continue to work for now.

R2014b Syntax	R2015a Syntax
<code>function bcMatrix = myfun(problem, region, state)</code>	<code>function bcMatrix = myfun(region, state)</code>

For details, see [Changes to Boundary Conditions Object From R2014b](#).

Elliptic, parabolic, hyperbolic, nonlinear, eigenvalue solvers for 3-D problems

The main toolbox solvers now support problems with 3-D geometry. For a listing of functions that do or do not support 3-D geometry, see [Functions That Support 3-D](#)

Geometry. Solvers take a `model` argument instead of the previous `b`, `p`, `e`, `t` arguments. For details, see the function reference pages.

3-D geometry import from STL files

Import the geometry for a 3-D problem in the STL file format using the `importGeometry` function. For details, see [Create and View 3-D Geometry](#).

3-D unstructured meshing using tetrahedra

Create finite element meshes using the `generateMesh` function. For 3-D geometry, the meshes consist of tetrahedra. See [Mesh Data for \[p,e,t\] Triples: 3-D](#).

Plot function to inspect 3-D solutions

The `pdeplot3D` function plots solutions on the boundaries of 3-D geometry. For details, see [Plot 3-D Solutions](#).

Featured examples with 3-D geometry

There are two new featured examples related to linear elasticity that have 3-D geometry:

- [Deflection Analysis of a Bracket](#)
- [Vibration of a Square Plate](#)

There is also a new example of plotting slices through a 3-D solution: [Contour Slices Through a 3-D Solution](#).

To run the examples at the MATLAB® command line:

```
echodemo StrainedBracketExample  
echodemo Eigenvaluesofa3DPlateExample  
echodemo ContourSlices3DExample
```

pdebound and pdegeom reference pages removed

The `pdebound` and `pdegeom` reference pages have been replaced by the [Boundary Conditions](#) and [2-D Geometry](#) documentation categories.

R2014b

Version: 1.5

New Features

Bug Fixes

Functions for modular definition of boundary conditions

To specify PDE boundary conditions in a modular fashion, per edge or set of edges, use a `pdeBoundaryConditions` specification. For details, see [Steps to Specify a Boundary Conditions Object](#).

`pdeInterpolant` object for solution interpolation

Interpolate a PDE solution to a set of points using `evaluate` on an interpolant. Create the interpolant using `pdeInterpolant`.

R2014a

Version: 1.4

New Features

Bug Fixes

Damping option for hyperbolic solver

You can include damping in the hyperbolic solver in matrix form. There is a new example of dynamics of a damped cantilever beam that shows how to use this feature.

R2013b

Version: 1.3

New Features

Bug Fixes

Display option in hyperbolic and parabolic solvers

You can disable the display of internal ODE solution details that the `hyperbolic` and `parabolic` solvers report. To disable the display, set the `Stats` name-value pair to `'off'`.

Eigenvalue example

There is a new example of eigenvalues of a circular membrane. View the example [here](#). To run the example at the MATLAB command line:

```
echodemo eigsExample
```

R2013a

Version: 1.2

New Features

Bug Fixes

Performance and robustness enhancements in meshing algorithm

The meshing (geometry triangulation) functions in `initmesh` and `adaptmesh` provide an enhancement option for increased meshing speed and robustness. Choose the enhanced algorithm by setting the `MeshVersion` name-value pair to 'R2013a'. The default `MeshVersion` value of 'preR2013a' gives the same mesh as previous toolbox versions.

The enhancement is available in `inpdetool` from the **Mesh > Parameters > Mesher version** menu.

New example

There is a new example of heat distribution in a radioactive rod. View the example here: "Heat Distribution in Circular Cylindrical Rod". To run the example at the MATLAB command line:

```
echodemo radioactiveRod
```


R2012b

Version: 1.1

New Features

Compatibility Considerations

Coefficients of parabolic and hyperbolic PDEs that can be functions of the solution and its gradient

You can now solve parabolic and hyperbolic equations whose coefficients depend on the solution u or on the gradient of u . Use the `parabolic` or `hyperbolic` commands, or solve the equations using `pdetool`. For details, see the function reference pages.

Graphics export from pdetool

You can save the current `pdetool` figure in a variety of image formats. Save the figure using the **File > Export Image** menu. See File Menu.

pdegplot labels edges and subdomains

`pdegplot` now optionally labels:

- The edges in the geometry
- The subdomains in the geometry

To obtain these labels, set the `edgeLabels` or `subdomainLabels` name-value pairs to 'on'. For details, see the `pdegplot` reference page.

New examples

There is a new example of uniform pressure load on a thin plate. View the example here. To run the example at the MATLAB command line:

```
echodemo clampedSquarePlateExample
```

There is a new example of nonlinear heat transfer in a thin plate. View the example here. To run the example at the MATLAB command line:

```
echodemo heatTransferThinPlateExample
```

There is a new example of a system of coupled PDEs. View the example here. To run the example at the MATLAB command line:

```
echodemo deflectionPiezoelectricActuator
```

pdesmech shear strain calculation change

The pdesmech function now calculates shear strain according to the engineering shear strain definition. This has always been the documented behavior. However, the previous calculation was performed according to the tensor shear strain calculation, which gives half the value of the engineering shear strain.

Compatibility Considerations

pdesmech now returns shear strain values exactly twice as large as before.

