
UAV Toolbox Release Notes



MATLAB&SIMULINK®



How to Contact MathWorks



Latest news: www.mathworks.com

Sales and services: www.mathworks.com/sales_and_services

User community: www.mathworks.com/matlabcentral

Technical support: www.mathworks.com/support/contact_us

T

Phone: 508-647-7000



The MathWorks, Inc. 1 Apple Hill Drive Natick, MA 01760-2098

UAV Toolbox Release Notes

© COPYRIGHT 2020 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

Trademarks

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See www.mathworks.com/trademarks for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

Patento

MathWorks products are protected by one or more U.S. patents. Please see www.mathworks.com/patents for more information.

Contents

R2020b

UAV Scenarios and Sensor Models: Construct cuboid scenario and simulate sensor readings for UAV applications	1-2
3D Simulation: Develop, test, and verify UAV algorithms in a 3D simulation environment rendered using the Unreal Engine from Epic Games	1-2
Flight Log Analyzer App: Import and visualize autopilot flight log with pre-defined and customizable plots	1-2
UAV Motion Planning and Control: Design and simulate autonomous missions for fixed-wing and multirotor UAV with waypoint following, orbiting, and path management	1-2
MAVLink Connectivity and Deployment: Communicate with UAV hardware using the MAVLink protocol and deploy to target hardware	1-3
UAV Reference Application: Use a reference model to simulate and test UAV package delivery with obstacle avoidance	1-3
UAV Toolbox Support Package for PX4 Autopilots: Build and deploy flight control algorithms to the Pixhawk Autopilot	1-3

R2020b

Version: 1.0

New Features

UAV Scenarios and Sensor Models: Construct cuboid scenario and simulate sensor readings for UAV applications

The uavSensor object generates a simulation scenario consisting of static meshes, UAV platforms, and sensors in a 3D environment. Add uavPlatform objects to the scenario and attach different sensor models with the uavSensor object.

The uavPlatform object represents an unmanned aerial vehicle (UAV) platform in a given UAV scenario. Use the platform to define and track the trajectory of an object in the scenario. To simulate sensor readings for the platform, mount sensors like the gpsSensor, insSensor, or uavLidarPointCloudGenerator objects with a set of uavSensor objects. Add a body mesh for visualization using updateMesh. Set geofencing limitations using addGeoFence and check those limits using checkPermission.

The uavSensor object creates a sensor that is rigidly attached to a UAV platform, specified as a uavPlatform object. You can specify different mounting positions and orientations. Configure this object to automatically generate readings from a sensor specified as an insSensor, gpsSensor, oruavLidarPointCloudGenerator object.

For an introduction to scenarios, see "UAV Scenario Tutorial".

3D Simulation: Develop, test, and verify UAV algorithms in a 3D simulation environment rendered using the Unreal Engine from Epic Games

UAV Toolbox provides a co-simulation framework that models driving algorithms in Simulink® and visualizes their performance in a virtual simulation environment. This environment uses the Unreal Engine® from Epic Games®.

For an introduction to 3D simulation, see "Unreal Engine Simulation for Unmanned Aerial Vehicles".

Flight Log Analyzer App: Import and visualize autopilot flight log with pre-defined and customizable plots

To analyze a log file and create a customized series of plots, use the **Flight Log Analyzer** app.

Flight logs for UAVs contain large amounts of data with many varying formats. Use the flight log analysis functions to load different telemetry log files including TLOG, ULOG, and custom file types. To extract and map signals from a telemetry log for generating plots, use the flightLogSignalMapping object.

For more information, see "Flight Log Analysis".

UAV Motion Planning and Control: Design and simulate autonomous missions for fixed-wing and multirotor UAV with waypoint following, orbiting, and path management

Plan and execute UAV flights using guidance motion models for fixed-wing and multirotor UAVs. Fly predefined missions using waypoint and trajectory following algorithms.

For an example using an RRT path planner that plans and simulates a flight in a city setting, see "Motion Planning with RRT for Fixed-Wing UAV".

For more information, see "Planning and Control".

MAVLink Connectivity and Deployment: Communicate with UAV hardware using the MAVLink protocol and deploy to target hardware

The Micro Air Vehicle Link (MAVLink) communication protocol is a message protocol for sending and receiving messages between UAVs. The protocol uses a publish-subscribe pattern for data streams with specified topics and message types. There are different sub-protocols for missions and parameters. Use the MAVLink supported functions or blocks to specify predefined or custom dialects, setup clients, and send or receive messages.

UAV Reference Application: Use a reference model to simulate and test UAV package delivery with obstacle avoidance

For this reference application, see the "UAV Package Delivery" example.

UAV Toolbox Support Package for PX4 Autopilots: Build and deploy flight control algorithms to the Pixhawk Autopilot

For more information, see "UAV Toolbox Support Package for PX4 Autopilots".