

# Curve Fitting Toolbox™ Release Notes



# MATLAB®



## How to Contact MathWorks



Latest news: [www.mathworks.com](http://www.mathworks.com)  
Sales and services: [www.mathworks.com/sales\\_and\\_services](http://www.mathworks.com/sales_and_services)  
User community: [www.mathworks.com/matlabcentral](http://www.mathworks.com/matlabcentral)  
Technical support: [www.mathworks.com/support/contact\\_us](http://www.mathworks.com/support/contact_us)



Phone: 508-647-7000



The MathWorks, Inc.  
1 Apple Hill Drive  
Natick, MA 01760-2098

### *Curve Fitting Toolbox™ Release Notes*

© COPYRIGHT 2002–2023 by The MathWorks, Inc.

The software described in this document is furnished under a license agreement. The software may be used or copied only under the terms of the license agreement. No part of this manual may be photocopied or reproduced in any form without prior written consent from The MathWorks, Inc.

FEDERAL ACQUISITION: This provision applies to all acquisitions of the Program and Documentation by, for, or through the federal government of the United States. By accepting delivery of the Program or Documentation, the government hereby agrees that this software or documentation qualifies as commercial computer software or commercial computer software documentation as such terms are used or defined in FAR 12.212, DFARS Part 227.72, and DFARS 252.227-7014. Accordingly, the terms and conditions of this Agreement and only those rights specified in this Agreement, shall pertain to and govern the use, modification, reproduction, release, performance, display, and disclosure of the Program and Documentation by the federal government (or other entity acquiring for or through the federal government) and shall supersede any conflicting contractual terms or conditions. If this License fails to meet the government's needs or is inconsistent in any respect with federal procurement law, the government agrees to return the Program and Documentation, unused, to The MathWorks, Inc.

### **Trademarks**

MATLAB and Simulink are registered trademarks of The MathWorks, Inc. See [www.mathworks.com/trademarks](http://www.mathworks.com/trademarks) for a list of additional trademarks. Other product or brand names may be trademarks or registered trademarks of their respective holders.

### **Patents**

MathWorks products are protected by one or more U.S. patents. Please see [www.mathworks.com/patents](http://www.mathworks.com/patents) for more information.

## R2023a

<b>Curve Fitter App: Results panel has a new format</b> .....	1-2
<b>Curve Fitter App: Specify extrapolation methods for surface interpolant fits</b> .....	1-2
<b>Curve Fitter App: Preview Simulink lookup table with color visualization</b> .....	1-2
<b>fit and fitoptions Functions: Specify extrapolation methods for surface interpolant fits</b> .....	1-2
<b>Functionality being removed or changed</b> .....	1-2
fitoptions returns value objects .....	1-2

## R2022b

<b>Curve Fitter App: Export a curve or surface fit to a Simulink lookup table</b> .....	2-2
<b>Functionality being removed or changed</b> .....	2-2
chbpnt calculates local extrema using fnzeros .....	2-2

## R2022a

<b>Curve Fitter App: Fit curves and surfaces to data using the updated Curve Fitting app</b> .....	3-2
<b>Curve Fitter App: Select data from tables</b> .....	3-2
<b>Functionality being removed or changed</b> .....	3-2
cftool opens Curve Fitter app .....	3-2
sftool has been removed .....	3-3

**R2021b**

**Bug Fixes**

**R2021a**

**Bug Fixes**

**R2020b**

**Bug Fixes**

**R2020a**

**Bug Fixes**

**R2019b**

**Bug Fixes**

**R2019a**

**Bug Fixes**

**R2018b**

**Bug Fixes**

**R2018a**

**Bug Fixes**

**R2017b**

**Bug Fixes**

**R2017a**

**Bug Fixes**

**R2016b**

**No New Features or Changes**

**R2016a**

**Legacy Curve Fitting Tool Removed . . . . . 15-2**

**R2015b**

**Bug Fixes**

**R2015a**

**Bug Fixes**

---

**R2014b**

<b>Exclusion Rules in Curve Fitting app</b> .....	<b>18-2</b>
---	-------------

---

**R2014a**

<b>Bug Fixes</b>	
------------------	--

---

**R2013b**

<b>Thin-plate spline interpolation available from the Curve Fitting app and the fit function</b> .....	<b>20-2</b>
<b>Linear least-squares fitting for custom equations in the Curve Fitting app</b> .....	<b>20-2</b>
<b>Functions and Function Elements Being Removed</b> .....	<b>20-2</b>

---

**R2013a**

<b>Function with Compatibility Changes</b> .....	<b>21-2</b>
--	-------------

---

**R2012b**

<b>Print to Figure option in Curve Fitting Tool that generates MATLAB figures, which can be modified and edited</b> .....	<b>22-2</b>
---	-------------

---

**R2012a**

<b>Enhanced Plot Colormap and Markers</b> .....	<b>23-2</b>
<b>Functions with Compatibility Changes</b> .....	<b>23-2</b>

## **R2011b**

<b>Unified Interactive Curve Fitting Tool</b> .....	<b>24-2</b>
<b>Functions with Compatibility Changes</b> .....	<b>24-2</b>
<b>Curve Fitting Tool Compatibility Changes</b> .....	<b>24-2</b>

## **R2011a**

<b>Fit with Anonymous Functions</b> .....	<b>25-2</b>
---	-------------

## **R2010b**

<b>New Spline Fitting</b> .....	<b>26-2</b>
<b>New Data Selections in Surface Fitting Tool</b> .....	<b>26-2</b>

## **R2010a**

<b>New Toolbar in Surface Fitting Tool</b> .....	<b>27-2</b>
<b>Usability Improvements for Surface Fitting Workflow</b> .....	<b>27-2</b>
<b>Improved Gaussian Library Model</b> .....	<b>27-2</b>
<b>Functions and Function Elements Being Removed</b> .....	<b>27-2</b>

## **R2009b**

<b>Surface Fitting Examples, Derivatives, and Volumes</b> .....	<b>28-2</b>
---	-------------

**R2009a**

---

**Interactive Surface Fitting** ..... 29-2

**Programmatic Surface Fitting** ..... 29-2

**R2008b**

---

**Bug Fixes**

**R2008a**

---

**Bug Fixes**

**R2007b**

---

**Edit Custom Equations in Curve Fitting Tool** ..... 32-2

**R2007a**

---

**Bug Fixes**

**R2006b**

---

**Bug Fixes**



---

**No New Features or Changes**

---

**No New Features or Changes**

---

**Prompt to Save Session ..... 37-2**



# R2023a

---

**Version: 3.9**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Curve Fitter App: Results panel has a new format

The **Results** panel in the **Curve Fitter** app has a new format, including the following changes:

- Table display for coefficient values and confidence bounds, goodness-of-fit statistics, and goodness-of-validation statistics
- New icon for information messages
- New button for copying the **Results** panel contents to the clipboard

## Curve Fitter App: Specify extrapolation methods for surface interpolant fits

The **Curve Fitter** app now allows you to specify linear or nearest-neighbor extrapolation for nearest-neighbor, linear, and cubic spline surface interpolant fits. In the app, select an extrapolation method from the **Extrapolation Method** menu in the **Fit Options** panel. Biharmonic and thin-plate spline surface interpolant fits always use biharmonic and thin-plate spline extrapolation, respectively. When exporting to a Simulink® lookup table, the app exports the extrapolated points with the fit.

## Curve Fitter App: Preview Simulink lookup table with color visualization

When you export a fit from the **Curve Fitter** app to a Simulink Lookup Table block, you can now preview the lookup table values. The cells in the preview lookup table are colored according to a heatmap for the table values.

## fit and fitoptions Functions: Specify extrapolation methods for surface interpolant fits

The `fit` and `fitoptions` functions now allow you to specify the extrapolation method for surface interpolant fits. You can specify linear or nearest-neighbor extrapolation for linear, nearest-neighbor, or cubic interpolation fits by using the `ExtrapolationMethod` name-value argument. Default extrapolation methods are the same as in previous releases.

## Functionality being removed or changed

### **fitoptions** returns value objects

*Behavior change in future release*

Starting in R2023a, the `fitoptions` function returns value objects instead of handle objects. For more information, see [Comparison of Handle and Value Classes](#).

# R2022b

---

**Version: 3.8**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Curve Fitter App: Export a curve or surface fit to a Simulink lookup table

You can now export a curve fit from the **Curve Fitter** app to a Simulink 1-D Lookup Table (Simulink), or export a surface fit from the app to a 2-D Lookup Table (Simulink). In the Curve Fitter app, click **Export** in the **Export** section, and then select **Create Simulink Lookup Table**. For an example, see [Export Fit from Curve Fitter App to Simulink Lookup Table](#).

## Functionality being removed or changed

### **chbpnt calculates local extrema using fnzeros**

#### *Behavior change*

Starting in R2022b, `chbpnt` now uses `fnzeros`, instead of a single iteration of Newton's method, to calculate local extrema of the Chebyshev spline.

# R2022a

---

**Version: 3.7**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Curve Fitter App: Fit curves and surfaces to data using the updated Curve Fitting app

Use the **Curve Fitter** app to interactively fit curves and surfaces to data and view plots. The Curve Fitter app replaces the Curve Fitting app and provides similar functionality with an improved layout. You can open Curve Fitter in one of two ways:

- In the MATLAB® toolstrip, on the **Apps** tab, in the **Math, Statistics and Optimization** group, click **Curve Fitter**.
- At the MATLAB command line, enter `curveFitter`.

### Compatibility Considerations

The Curve Fitting app has been renamed to Curve Fitter. The Curve Fitter app supports the same workflows as the previous Curve Fitting app, with some minor changes. For example, Curve Fitter allows you to generate MATLAB code for a selected fit while the previous Curve Fitting app allowed you to generate MATLAB code for multiple fits at a time.

The layout of the Curve Fitter app also differs from the previous Curve Fitting app. Curve Fitter has a toolstrip at the top that shows the curve and surface fitting workflow, and the app includes these panes that display fit information:

- **Fits** pane that displays plots
- **Fit Options** pane that displays editable options for the current fit
- **Results** pane that describes the current fit
- **Table Of Fits** pane that displays all the fits

You can still open saved Curve Fitting app sessions (pre-R2022a) in Curve Fitter.

### Curve Fitter App: Select data from tables

When selecting data for fitting curves or surfaces in Curve Fitter, you can specify to use table variables. On the **Curve Fitter** tab, in the **Data** section, click **Select Data**. The app opens a dialog box. For each data variable (**X Data**, **Y Data**, **Z Data**, or **Weights**), first select the table name and then select the name of the column variable that you want to use.

Similarly, you can specify validation data using table variables. Click **Validation Data** in the **Data** section of the **Curve Fitter** tab to open the Select Validation Data dialog box.

For an example that uses table variables, see [Surface Fitting to Biopharmaceutical Data](#).

### Functionality being removed or changed

#### **cftool** opens Curve Fitter app

*Behavior change*

`cftool` opens the **Curve Fitter** app, the renamed Curve Fitting app. Consider using `curveFitter` to open the app instead.



---

If you choose to use `curveFitter` instead of `cftool` to open the Curve Fitter app, you do not need to change the input arguments. For example, use `curveFitter(x,y)` to fit a curve to the x and y data.

### **sftool has been removed**

#### *Errors*

`sftool` has been removed. Use `curveFitter` instead to open the **Curve Fitter** app.

To update your code, change instances of `sftool` to `curveFitter`. You do not need to change the input arguments. For example, use `curveFitter(x,y,z)` to fit a surface to the x, y, and z data.



# R2021b

---

**Version: 3.6**

**Bug Fixes**



# R2021a

---

**Version: 3.5.13**

**Bug Fixes**



# R2020b

---

**Version: 3.5.12**

**Bug Fixes**





# R2020a

---

**Version: 3.5.11**

**Bug Fixes**



# R2019b

---

**Version: 3.5.10**

**Bug Fixes**



# R2019a

---

**Version: 3.5.9**

**Bug Fixes**



# R2018b

---

**Version: 3.5.8**

**Bug Fixes**





# R2018a

---

**Version: 3.5.7**

**Bug Fixes**



# R2017b

---

**Version: 3.5.6**

**Bug Fixes**



# R2017a

---

**Version: 3.5.5**

**Bug Fixes**



# R2016b

---

**Version: 3.5.4**

**No New Features or Changes**





# R2016a

---

**Version: 3.5.3**

**Bug Fixes**

**Compatibility Considerations**

## Legacy Curve Fitting Tool Removed

The legacy Curve Fitting Tool has been removed. `cftool` no longer accepts `-v1`. Use `cftool` instead.

## Compatibility Considerations

Functionality	What Happens When You Use This Functionality?	Use This Instead	Compatibility Considerations
<code>cftool -v1</code>	Errors	<code>cftool</code> . See Curve Fitting.	The legacy Curve Fitting Tool has been removed. Replace all instances of <code>cftool -v1</code> with <code>cftool</code> .

# R2015b

---

**Version: 3.5.2**

**Bug Fixes**



# R2015a

---

**Version: 3.5.1**

**Bug Fixes**



# R2014b

---

**Version: 3.5**

**New Features**

**Bug Fixes**

## **Exclusion Rules in Curve Fitting app**

In the Curve Fitting app, you can exclude data from curve and surface fits by applying rules, for example,  $x > 0$ . For details, see [Exclude Data Ranges](#).

In previous releases, you could only apply exclusion rules at the command line or by using the legacy Curve Fitting Tool.



# R2014a

---

**Version: 3.4.1**

**Bug Fixes**



# R2013b

---

**Version: 3.4**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Thin-plate spline interpolation available from the Curve Fitting app and the fit function

You can fit thin-plate spline surfaces in the Curve Fitting app and with the `fit` function. Use thin-plate splines when you require both smooth surface interpolation and good extrapolation properties.

In previous releases, you could use the `tpaps` function to fit thin-plate splines. However, the `tpaps` function has a different syntax from the `fit` function and requires manual preprocessing of data.

For details, see Interpolants.

## Linear least-squares fitting for custom equations in the Curve Fitting app

In the Curve Fitting app, you can define custom linear equations that use linear least-squares fitting. Linear least-squares fitting is more efficient and usually faster than nonlinear fitting.

In previous releases, you could define linear equations in the Custom Equation fit type, but the toolbox used nonlinear fitting that was slower. To use linear least-squares fitting of custom linear equations, you had to use the legacy Curve Fitting Tool. You no longer need to use the legacy tool because you can use the Linear Fitting model type in the Curve Fitting app.

For details, see Custom Linear Fitting.

## Functions and Function Elements Being Removed

Function Element Name	What Happens When You Use This Function Element	Use This Instead	Compatibility Considerations
'Algorithm', 'Gauss-Newton' name/value pair argument as input to <code>fitoptions</code> method	Errors	'Algorithm', 'Levenberg-Marquardt' name/value pair argument as input to <code>fitoptions</code> method	Use 'Levenberg-Marquardt' as the value for <code>Algorithm</code> instead.

# R2013a

---

**Version: 3.3.1**

**Bug Fixes**

**Compatibility Considerations**

## Function with Compatibility Changes

New warning that the legacy Curve Fitting Tool will be removed in a future release.

### Compatibility Considerations

Function	What Happens When You Use This Input	Use This Instead	Compatibility Considerations
<code>cftool -v1</code>	Opens the legacy Curve Fitting Tool and warns.	<code>cftool</code>	The legacy Curve Fitting Tool will be removed in a future release. Use <code>cftool</code> instead.

# R2012b

---

**Version: 3.3**

**New Features**

## **Print to Figure option in Curve Fitting Tool that generates MATLAB figures, which can be modified and edited**

You can now use the **Print to Figure** option in Curve Fitting Tool to produce MATLAB figures from the results of curve fitting. You can then use the interactive plotting tools to edit the figures with fitting results for presentation purposes and export them in different formats.

In previous releases, to produce figures from your fits, you had to generate MATLAB code from your Curve Fitting Tool session. To recreate all your fits and plots, you then had to save and call the file from the command line using your original data or new data as input arguments.

See [Exploring and Customizing Plots](#).



# R2012a

---

**Version: 3.2.1**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Enhanced Plot Colormap and Markers

All plots in the Curve Fitting Tool have new colormaps and markers to enhance visibility of points and the fit. Plots with hundreds of points are much clearer because markers no longer have white surrounds. The new plots fix problems in previous versions when plotting thousands of points could make it impossible to see the fit.

## Compatibility Considerations

On surface plots with the new colormap, red has switched from high to low values. Compare contour plots with the main surface plot to check high and low areas.

## Functions with Compatibility Changes

Function Name	What Happens When You Use This Function	Use This Instead	Compatibility Considerations
<code>cflibhelp</code>	Warns that the <code>cflibhelp</code> function has been replaced by documentation.	List of Library Models for Curve and Surface Fitting in the documentation.	Use the documentation instead of <code>cflibhelp</code> .

# R2011b

---

**Version: 3.2**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## Unified Interactive Curve Fitting Tool

With the unified interactive Curve Fitting Tool, you can now fit curves and surfaces in the same GUI. The new Curve Fitting Tool has improved usability so you can choose data, fit types and plot settings within one window, without needing to open any separate dialogs. You can generate MATLAB code to recreate all your fits and plots. You can now zoom and pan on surface plots.

For information and examples, see [Interactive Curve and Surface Fitting](#) .

## Functions with Compatibility Changes

Function Element Name	What Happens When You Use This Function Element	Use This Instead	Compatibility Considerations
<code>sftool</code>	Opens new Curve Fitting Tool, and warns that <code>sftool</code> function will be removed in a future release.	<code>cftool</code>	Use <code>cftool</code> instead.
<code>cftool</code>	Opens new Curve Fitting Tool.	N/A	Change in behavior to open new Curve Fitting Tool.

## Curve Fitting Tool Compatibility Changes

Curve Fitting Tool in R2011b has some changes in behavior to previous releases of Curve Fitting Tool:

- No exclusion rules. You can exclude data graphically, but you cannot save exclusion rules.
- No analysis GUI. You can use command-line functions to achieve the same goals. See [Analyzing Your Best Fit in the Workspace](#).
- No custom linear equations. You can define a custom linear equation, but the custom equation fit uses nonlinear fitting which is usually slower than linear least-squares fitting. If you need linear least-squares fitting for custom equations, you must use the legacy Curve Fitting Tool. See [Custom Linear Models](#).
- Cannot load old sessions in the new tool. If you need to use old sessions, see the `cftool` help to access legacy Curve Fitting Tool.

# R2011a

---

**Version: 3.1**

**New Features**

**Bug Fixes**

## Fit with Anonymous Functions

The `fit` and `fittype` functions now accept anonymous functions. This enables you to use anonymous functions to define equations for curve fitting. Previously, `fittype` only accepted a text string or a cell array of text strings. Now you can also use anonymous functions, making it easier to pass other data into the function.

For more information, see the `fit` and `fittype` reference pages.

# R2010b

---

**Version: 3.0**

**New Features**

**Bug Fixes**

## **New Spline Fitting**

Curve Fitting Toolbox now contains all of the spline functions that were previously available in Spline Toolbox™.

Splines are smooth piecewise polynomials. You can use the spline functions to create and manipulate spline approximation models of data. You can create splines in piecewise polynomial form (ppform) and B-form.

The spline functions are a collection of algorithms for data fitting, interpolation, extrapolation, and visualization. The new spline features include a graphical user interface for creating, visualizing, and manipulating splines. Additional functions enable you to evaluate, plot, combine, differentiate, and integrate splines, manipulate breaks/knots, and optimally place knots.

For more information see Spline Fitting in the Curve Fitting Toolbox User's Guide.

## **New Data Selections in Surface Fitting Tool**

In Surface Fitting Tool, you can select matrices of the same size, or you can also now fit surfaces to data stored as a table. "Table data" means that X and Y represent the row and column headers of a table and the values in the table are the values of the Z output. Sizes are compatible if X and Y are vectors of length n and m, and Z is a matrix of size [m, n]. For more details see Table Data in the Interactive Surface Fitting documentation.

Surface Fitting Tool can now read integer and floating-point data. You can now select any numeric data in your workspace. Previously the tool would only accept vectors of type double.

For more information see Interactive Data Selection in the Interactive Surface Fitting documentation.



# R2010a

---

**Version: 2.2**

**New Features**

**Bug Fixes**

**Compatibility Considerations**

## New Toolbar in Surface Fitting Tool

A new toolbar in Surface Fitting Tool makes it easier to discover and control plotting options. You can use the toolbar to:

- Toggle plot mode between Rotate 3D, Data Cursor, and Exclude Outliers
- Control which plots are displayed of Surface, Residuals and Contour plots
- Control the Legend, Grid and Axis Limits

See Exploring and Customizing Plots in the Surface Fitting Tool documentation.

## Usability Improvements for Surface Fitting Workflow

In Surface Fitting Tool, plot mode now defaults to Rotate 3D. A common surface fitting workflow is to manipulate and view the surface plot from various angles. You no longer have to select plot rotate mode initially, because it is now on by default. You can use the toolbar to switch to data cursor or exclude outliers mode. When you turn off data cursor or exclude outliers mode, your cursor mode is automatically set back to Rotate.

See Using Zoom, Pan, Data Cursor, and Outlier Exclusion in the Surface Fitting Tool documentation.

The initial surface fit for polynomials is now a linear plane in **x** and **y** (`poly11`). Previously the default fit was a quadratic polynomial in **x** and **y** (`poly22`).

If you are going to use a polynomial to fit a model, it can be helpful to start by looking at a reference plane.

## Improved Gaussian Library Model

The gaussian library model has been updated to use improved starting value defaults. You may see different answers to previous releases because of the improved starting values.

## Functions and Function Elements Being Removed

Function Element Name	What Happens When You Use This Function Element	Use This Instead	Compatibility Considerations
'Algorithm', 'Gauss-Newton' property name/value pair as input to <code>fitoptions</code> method	Warns when you call the <code>fit</code> method	'Algorithm', 'Levenberg-Marquardt' property name/value pair as input to <code>fitoptions</code> method	Use 'Levenberg-Marquardt' as the value for <code>Algorithm</code> instead.

# R2009b

---

**Version: 2.1**

**Bug Fixes**

## Surface Fitting Examples, Derivatives, and Volumes

New features introduced in this version:

- New surface fitting examples:
  - Example: Interactive Surface Fitting
  - Custom Nonlinear Surface Fitting Examples
  - Fitting Automotive Fuel Efficiency Surfaces at the Command Line
  - Example: Fitting Biopharmaceutical Drug Interaction Surfaces at the Command Line
- New function to compute the first and second derivatives of a fitted surface. See `differentiate`.
- New function to compute the volume under a fitted surface. See `quad2d`.

# R2009a

---

**Version: 2.0**

**New Features**

**Bug Fixes**

## **Interactive Surface Fitting**

You can interactively fit surfaces to data and view plots with the new flexible and intuitive Surface Fitting Tool GUI.

- Create, plot, and compare multiple surface fits
- Use linear or nonlinear regression, interpolation, local smoothing regression, or custom equations
- View goodness-of-fit statistics, display confidence intervals and residuals, remove outliers and assess fits with validation data
- Automatically generate M-code for fitting and plotting surfaces, or export fits to workspace for further analysis

For more information, see [Example: Interactive Surface Fitting](#).

## **Programmatic Surface Fitting**

New surface fit objects store the results from a fitting operation, making it easy to plot and analyze fits at the command line.

For more information, see [Custom Nonlinear Surface Fitting Examples](#).

# R2008b

---

**Version: 1.2.2**

**Bug Fixes**





# R2008a

---

**Version: 1.2.1**

**Bug Fixes**



# R2007b

---

**Version: 1.2**

**New Features**

**Bug Fixes**

## **Edit Custom Equations in Curve Fitting Tool**

When using Curve Fitting Tool, you can now edit your custom equations without copying them. Buttons to **Edit** and **Copy and Edit** appear with the list of custom equations in the Fitting GUI.

# R2007a

---

**Version: 1.1.7**

**Bug Fixes**



# R2006b

---

**Version: 1.1.6**

**Bug Fixes**





# R2006a

---

**Version: 1.1.5**

**No New Features or Changes**



# R14SP3

---

**Version: 1.1.4**

**No New Features or Changes**



# R14SP2

---

**Version: 1.1.3**

**New Features**

## **Prompt to Save Session**

The `cfTool` graphical user interface now prompts you to save your session when you quit only if you have changed something (created data sets, created fits, etc.) since your last save. Prior to this release `cfTool` would unconditionally prompt you to save every time you quit.