

nag_sparse_sym_sort (f11zbc)

1. Purpose

nag_sparse_sym_sort (f11zbc) sorts the non-zero elements of a real sparse symmetric matrix, represented in symmetric coordinate storage format.

2. Specification

```
#include <nag.h>
#include <nagf11.h>

void nag_sparse_sym_sort(Integer n, Integer *nnz, double a[], Integer irow[],
                        Integer icol[], Nag_SparseSym_Dups dup, Nag_SparseSym_Zeros zero,
                        Integer istr[], NagError *fail)
```

3. Description

nag_sparse_sym_sort takes a symmetric coordinate storage (SCS) representation (see Section 2.1.2 of the Chapter Introduction) of a real n by n sparse symmetric matrix A , and reorders the non-zero elements by increasing row index and increasing column index within each row. Entries with duplicate row and column indices may be removed, or the values may be summed. Any entries with zero values may optionally be removed.

nag_sparse_sym_sort also returns **istr** which contains the starting indices of each row in A .

4. Parameters

n

Input: the order of the matrix A .

Constraint: $\mathbf{n} \geq 1$.

nnz

Input: the number of non-zero elements in the lower triangular part of the matrix A .

Constraint: $\mathbf{nnz} \geq 0$.

Output: the number of lower triangular non-zero elements with unique row and column indices.

a[max(1,nnz)]

Input: the non-zero elements of the lower triangular part of the matrix A . These may be in any order and there may be multiple non-zero elements with the same row and column indices.

Output: the lower triangular non-zero elements ordered by increasing row index, and by increasing column index within each row. Each non-zero element has a unique row and column index.

irow[max(1,nnz)]

Input: the row indices of the elements supplied in array **a**.

Constraint: $1 \leq \mathbf{irow}[i] \leq \mathbf{n}$, for $i = 0, 1, \dots, \mathbf{nnz}-1$.

Output: the first **nnz** elements contain the row indices corresponding to the elements returned in array **a**.

icol[max(1,nnz)]

Input: the column indices of the elements supplied in array **a**

Constraint: $1 \leq \mathbf{icol}[i] \leq \mathbf{irow}[i]$, for $i = 0, 1, \dots, \mathbf{nnz}-1$.

Output: the first **nnz** elements contain the column indices corresponding to the elements returned in array **a**.

dup

Input: indicates how any non-zero elements with duplicate row and column indices are to be treated:

if **dup** = **Nag_SparseSym_RemoveDups** then duplicate elements are removed;

if **dup** = **Nag_SparseSym_SumDups** then duplicate elements are summed.

Constraint: **dup** = **Nag_SparseSym_RemoveDups** or **Nag_SparseSym_SumDups**

zero

Input: indicates how any elements with zero values in **a** are to be treated:

if **zero** = **Nag_SparseSym_RemoveZeros** then elements with zero value are removed;

if **zero** = **Nag_SparseSym_KeepZeros** then elements with zero value are kept.

Constraint: **zero** = **Nag_SparseSym_RemoveZeros** or **Nag_SparseSym_KeepZeros**.

istr[n+1]

Output: **istr**[$i - 1$], for $i = 1, 2, \dots, \mathbf{n}$, contains the starting index in the arrays **a**, **irow** and **icol** of each row i of the matrix A . **istr**[n] contains the index of the last non-zero element in A plus one.

fail

The NAG error parameter, see the Essential Introduction to the NAG C Library.

5. Error Indications and Warnings**NE_BAD_PARAM**

On entry, parameter **dup** had an illegal value.

On entry, parameter **zero** had an illegal value.

NE_INT_ARG_LT

On entry, **n** must not be less than 1: **n** = $\langle value \rangle$.

On entry, **nnz** must not be less than 0: **nnz** = $\langle value \rangle$.

NE_SYMM_MATRIX

A non-zero element has been supplied which does not lie in the lower triangular part of the matrix A , i.e., one or more of the following constraints has been violated:

$1 \leq \mathbf{irow}[i] \leq \mathbf{n}$, $1 \leq \mathbf{icol}[i] \leq \mathbf{irow}[i]$, for $i = 0, 1, \dots, \mathbf{nnz} - 1$.

NE_ALLOC_FAIL

Memory allocation failed.

6. Further Comments

The time taken for a call to `nag_sparse_sym_sort` is proportional to **nnz**.

Note that the resulting matrix may have either rows or columns with no entries. If row i has no entries then **istr**[$i - 1$] = **istr**[i].

7. See Also

None.

8. Example

This example program reads the SCS representation of a real sparse symmetric matrix A , reorders the non-zero elements, and outputs the original and the reordered representations.

8.1. Program Text

```
/* nag_sparse_sym_sort (f11zbc) Example Program.
 *
 * Copyright 1998 Numerical Algorithms Group.
 *
 * Mark 5, 1998.
```



```

9
1.0  3  2
0.0  2  1
1.0  3  2
3.0  4  4
4.0  1  1
6.0  2  2
2.0  3  3
1.0  3  2
1.0  3  2
a[i-1], irow[i-1], icol[i-1], i=1,...,nnz

```

8.3. Program Results

f11zbc Example Program Results

Original elements

```

nnz =      9
  1      1.0000e+00      3      2
  2      0.0000e+00      2      1
  3      1.0000e+00      3      2
  4      3.0000e+00      4      4
  5      4.0000e+00      1      1
  6      6.0000e+00      2      2
  7      2.0000e+00      3      3
  8      1.0000e+00      3      2
  9      1.0000e+00      3      2

```

Reordered elements

```

nnz =      5
  1      4.0000e+00      1      1
  2      6.0000e+00      2      2
  3      4.0000e+00      3      2
  4      2.0000e+00      3      3
  5      3.0000e+00      4      4

```
