

## NAG C Library Function Document

### nag\_order\_data (g10zac)

#### 1 Purpose

nag\_order\_data (g10zac) orders and weights data which is entered unsequentially, weighted or unweighted.

#### 2 Specification

```
#include <nag.h>
#include <nagg10.h>

void nag_order_data (Integer n, const double x[], const double y[],
                     const double weights[], Integer *nord, double xord[], double yord[],
                     double wtord[], double *rss, NagError *fail)
```

#### 3 Description

Given a set of observations  $(x_i, y_i)$  for  $i = 1, 2, \dots, n$ , with corresponding weights  $w_i$ , nag\_order\_data rearranges the observations so that the  $x_i$  are in ascending order.

For any equal  $x_i$  in the ordered set, say  $x_j = x_{j+1} = \dots = x_{j+k}$ , a single observation  $x_j$  is returned with a corresponding  $y'$  and  $w'$ , calculated as:

$$w' = \sum_{l=0}^k w_{i+l}$$

and

$$y' = \frac{\sum_{l=0}^k w_{i+l} y_{i+l}}{w'}.$$

Observations with zero weight are ignored. If no weights are supplied by the user, then unit weights are assumed; that is  $w_i = 1$  for  $i = 1, 2, \dots, n$ .

In addition, the within group sum of squares is computed for the tied observations using West's algorithm (see West (1979)).

#### 4 Parameters

- 1: **n** – Integer *Input*  
*On entry:* the number of observations,  $n$ .  
*Constraint:*  $\mathbf{n} \geq 1$ .
- 2: **x[n]** – const double *Input*  
*On entry:* the values  $x_i$ , for  $i = 1, 2, \dots, n$ .
- 3: **y[n]** – const double *Input*  
*On entry:* the values  $y_i$ , for  $i = 1, 2, \dots, n$ .
- 4: **weights[n]** – const double *Input*  
*On entry:* **weights** must contain the  $n$  weights, if they are required. Otherwise, **weights** must be set to the null pointer (double\*) 0.

*Constraint:* if **weights** are required, then  $\text{weights}[i - 1] \geq 0.0$ , for  $i = 1, 2, \dots, n$ , and at least one  $\text{wt}[i - 1] > 0.0$ , for some  $i$ .

5: <b>nord</b> – Integer *	<i>Output</i>
<i>On exit:</i> the number of distinct observations.	
6: <b>xord[n]</b> – double	<i>Output</i>
<i>On exit:</i> the first <b>nord</b> elements contain the ordered and distinct $x_i$ .	
7: <b>yord[n]</b> – double	<i>Output</i>
<i>On exit:</i> the first <b>nord</b> elements contain the values $y'$ corresponding to the values in <b>xord</b> .	
8: <b>wtord[n]</b> – double	<i>Output</i>
<i>On exit:</i> the first <b>nord</b> elements contain the values $w'$ corresponding to the values of <b>xord</b> and <b>yord</b> .	
9: <b>rss</b> – double *	<i>Output</i>
<i>On exit:</i> the within group sum of squares for tied observations.	
10: <b>fail</b> – NagError *	<i>Input/Output</i>
The NAG error parameter (see the Essential Introduction).	

## 5 Error Indicators and Warnings

### NE\_INT\_ARG\_LT

On entry, **n** must not be less than 1: **n** = <*value*>.

### NE\_REAL\_ARRAY\_CONS

On entry, **weights**[<*value*>] = <*value*>.

Constraint:  $\text{weights}[i] \geq 0$ , for  $i = 0, 1, \dots, n - 1$ .

### NE\_ARRAY\_CONS

The contents of array **weights** are not valid.

Constraint: at least one element of **weights** must be  $> 0$ .

### NE\_ALLOC\_FAIL

Memory allocation failed.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

## 6 Further Comments

The routine may be used to compute the pure error sum of squares in simple linear regression along with nag\_regsn\_mult\_linear (g02dac), see Draper and Smith (1985).

### 6.1 Accuracy

For a discussion on the accuracy of the algorithm for computing mean and variance see West (1979).

## 6.2 References

- Draper N R and Smith H (1985) *Applied Regression Analysis* Wiley (2nd Edition)  
 West D H D (1979) Updating mean and variance estimates: An improved method *Comm. ACM* **22** 532–555

## 7 See Also

None.

## 8 Example

A set of unweighted observations are input and nag\_order\_data used to produce a set of strictly increasing weighted observations.

### 8.1 Program Text

```
/* nag_order_data (g10zac) Example Program.
*
* Copyright 2000 Numerical Algorithms Group.
*
* Mark 6, 2000.
*/
#include <stdio.h>
#include <nag.h>
#include <nag_stlib.h>
#include <nagg10.h>

int main (void)
{
    char weight[2];
    double rss, *weights=0, *wtord=0, *x=0, *xord=0, *y=0, *yord=0, *wptr;
    Integer i, *iwrk=0, n, nord;
    Integer exit_status=0;
    NagError fail;

    INIT_FAIL(fail);
    Vprintf("g10zac Example Program Results\n");

/* Skip heading in data file */
    Vscanf("%*[^\n]");

    Vscanf("%ld", &n);
    if (!(x = NAG_ALLOC(n, double)))
        || !(y = NAG_ALLOC(n, double))
        || !(weights = NAG_ALLOC(n, double))
        || !(xord = NAG_ALLOC(n, double))
        || !(yord = NAG_ALLOC(n, double))
        || !(wtord = NAG_ALLOC(n, double))
        || !(iwrk = NAG_ALLOC(n, Integer)))
    {
        Vprintf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }
}
```

```

Vscanf(" %s ", weight);
for (i = 1; i <= n; ++i)
Vscanf("%lf %lf", &x[i - 1], &y[i - 1]);
if (*weight == 'W')
wptr = weights;
else
wptr = 0;

g10zac(n, x, y, wptr, &nord, xord, yord, wtord, &rss, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from g10zac.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

/* Print results */
Vprintf("\n");
Vprintf("%s%ld\n", "Number of distinct observations = ",
nord);
Vprintf("%s%13.5f\n", "Residual sum of squares = ", rss);
Vprintf("\n");
Vprintf("           %s\n", " X           Y           WEIGHTS");
for (i = 1; i <= nord; ++i)
Vprintf("   %13.5f   %13.5f   %13.5f\n", xord[i - 1], yord[i - 1],
wtord[i - 1]);
END:
if (x) NAG_FREE(x);
if (y) NAG_FREE(y);
if (weights) NAG_FREE(weights);
if (xord) NAG_FREE(xord);
if (yord) NAG_FREE(yord);
if (wtord) NAG_FREE(wtord);
if (iwrk) NAG_FREE(iwrk);
return exit_status;
}

```

## 8.2 Program Data

```

g10zac Example Program Data
10
U
1.0 4.0
3.0 4.0
5.0 1.0
5.0 2.0
3.0 5.0
4.0 3.0
9.0 4.0
6.0 9.0
9.0 7.0
9.0 4.0

```

### 8.3 Program Results

g10zac Example Program Results

Number of distinct observations = 6  
Residual sum of squares = 7.00000

X	Y	WEIGHTS
1.00000	4.00000	1.00000
3.00000	4.50000	2.00000
4.00000	3.00000	1.00000
5.00000	1.50000	2.00000
6.00000	9.00000	1.00000
9.00000	5.00000	3.00000

---