

NAG C Library Function Document

nag_zggbak (f08wwc)

1 Purpose

nag_zggbak (f08wwc) forms the right or left eigenvectors of the real generalized eigenvalue problem $Ax = \lambda Bx$, by backward transformation on the computed eigenvectors given by nag_ztgevc (f08yxc). It is necessary to call this function only if the optional balancing function nag_zggbal (f08wvc) was previously called to balance the matrix pair (A, B) .

2 Specification

```
void nag_zggbak (Nag_OrderType order, Nag_JobType job, Nag_SideType side, Integer n,
                Integer ilo, Integer ihi, const double lscale[], const double rscale[], Integer m,
                Complex v[], Integer pdv, NagError *fail)
```

3 Description

If the matrix pair has been previously balanced using the function nag_zggbal (f08wvc) then nag_zggbak (f08wwc) backtransforms the eigenvector solution given by nag_ztgevc (f08yxc). This is usually the sixth and last step in the solution of the generalized eigenvalue problem.

For a description of balancing, see the document for nag_zggbal (f08wvc).

4 References

Ward R C (1981) Balancing the generalized eigenvalue problem *SIAM J. Sci. Stat. Comp.* **2** 141–152

5 Parameters

1: **order** – Nag_OrderType *Input*

On entry: the **order** parameter specifies the two-dimensional storage scheme being used, i.e., row-major ordering or column-major ordering. C language defined storage is specified by **order** = **Nag_RowMajor**. See Section 2.2.1.4 of the Essential Introduction for a more detailed explanation of the use of this parameter.

Constraint: **order** = **Nag_RowMajor** or **Nag_ColMajor**.

2: **job** – Nag_JobType *Input*

On entry: specifies the backtransformation step required:

if **job** = **Nag_DoNothing**, no transformations are done;

if **job** = **Nag_Permute**, only do backward transformations based on permutations;

if **job** = **Nag_Scale**, only do backward transformations based on scaling;

if **job** = **Nag_DoBoth**, do backward transformations for both permutations and scaling.

Note: this must be identical to the parameter **job** as supplied to nag_zggbal (f08wvc).

Constraint: **job** = **Nag_DoNothing**, **Nag_Permute**, **Nag_Scale** or **Nag_DoBoth**.

3: **side** – Nag_SideType *Input*

On entry: indicates whether left or right eigenvectors are to be transformed, as follows:

if **side** = **Nag_LeftSide**, left eigenvectors are transformed;
 if **side** = **Nag_RightSide**, right eigenvectors are transformed.

Constraint: **side** = **Nag_LeftSide** or **Nag_RightSide**.

- 4: **n** – Integer *Input*
On entry: n , the order of the matrices A and B of the generalized eigenvalue problem.
Constraint: $n \geq 0$.
- 5: **ilo** – Integer *Input*
 6: **ihi** – Integer *Input*
On entry: i_{lo} and i_{hi} as determined by a previous call to `nag_zggbal` (f08wvc).
Constraints:
 if $n > 0$, $1 \leq ilo \leq ihi \leq n$;
 if $n = 0$, $ilo = 1$ and $ihi = 0$.
- 7: **lscale** $[dim]$ – const double *Input*
Note: the dimension, dim , of the array **lscale** must be at least $\max(1, n)$.
On entry: details of the permutations and scaling factors applied to the left side of the matrices A and B , as returned by a previous call to `nag_zggbal` (f08wvc).
- 8: **rscale** $[dim]$ – const double *Input*
Note: the dimension, dim , of the array **rscale** must be at least $\max(1, n)$.
On entry: details of the permutations and scaling factors applied to the right side of the matrices A and B , as returned by a previous call to `nag_zggbal` (f08wvc).
- 9: **m** – Integer *Input*
On entry: m , the required number of left or right eigenvectors.
Constraint: $0 \leq m \leq n$.
- 10: **v** $[dim]$ – Complex *Input/Output*
Note: the dimension, dim , of the array **v** must be at least $\max(1, pdv \times m)$ when **order** = **Nag_ColMajor** and at least $\max(1, pdv \times n)$ when **order** = **Nag_RowMajor**.
 If **order** = **Nag_ColMajor**, the (i, j) th element of the matrix V is stored in $v[(j - 1) \times pdv + i - 1]$ and if **order** = **Nag_RowMajor**, the (i, j) th element of the matrix V is stored in $v[(i - 1) \times pdv + j - 1]$.
On entry: the matrix of right or left eigenvectors, as returned by `nag_zggbal` (f08wvc).
On exit: the transformed right or left eigenvectors.
- 11: **pdv** – Integer *Input*
On entry: the stride separating matrix row or column elements (depending on the value of **order**) in the array **v**.
Constraints:
 if **order** = **Nag_ColMajor**, $pdv \geq \max(1, n)$;
 if **order** = **Nag_RowMajor**, $pdv \geq \max(1, m)$.
- 12: **fail** – NagError * *Output*
 The NAG error parameter (see the Essential Introduction).

6 Error Indicators and Warnings

NE_INT

On entry, $\mathbf{n} = \langle \text{value} \rangle$.
Constraint: $\mathbf{n} \geq 0$.

On entry, $\mathbf{pdv} = \langle \text{value} \rangle$.
Constraint: $\mathbf{pdv} > 0$.

NE_INT_2

On entry, $\mathbf{m} = \langle \text{value} \rangle$, $\mathbf{n} = \langle \text{value} \rangle$.
Constraint: $0 \leq \mathbf{m} \leq \mathbf{n}$.

On entry, $\mathbf{pdv} = \langle \text{value} \rangle$, $\mathbf{n} = \langle \text{value} \rangle$.
Constraint: $\mathbf{pdv} \geq \max(1, \mathbf{n})$.

On entry, $\mathbf{pdv} = \langle \text{value} \rangle$, $\mathbf{m} = \langle \text{value} \rangle$.
Constraint: $\mathbf{pdv} \geq \max(1, \mathbf{m})$.

NE_INT_3

On entry, $\mathbf{n} = \langle \text{value} \rangle$, $\mathbf{ilo} = \langle \text{value} \rangle$, $\mathbf{ihi} = \langle \text{value} \rangle$.
Constraint: if $\mathbf{n} > 0$, $1 \leq \mathbf{ilo} \leq \mathbf{ihi} \leq \mathbf{n}$;
if $\mathbf{n} = 0$, $\mathbf{ilo} = 1$ and $\mathbf{ihi} = 0$.

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter $\langle \text{value} \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

The errors are negligible.

8 Further Comments

The number of operations is proportional to n^2 .

The real analogue of this function is nag_dggbak (f08wjc).

9 Example

See Section 9 of the documents for nag_zhgeqz (f08xsc) and nag_ztgevc (f08yxc).