

# NAG C Library Function Document

## nag\_rngs\_f (g05ldc)

### 1 Purpose

nag\_rngs\_f (g05ldc) generates a vector of pseudo-random numbers taken from a  $F$  (or Fisher's variance ratio) distribution with  $\mu$  and  $\nu$  degrees of freedom.

### 2 Specification

```
void nag_rngs_f (Integer df1, Integer df2, Integer n, double x[], Integer igen,
                 Integer iseed[], NagError *fail)
```

### 3 Description

The distribution has PDF (probability density function)

$$f(x) = \frac{\left(\frac{\mu+\nu-2}{2}\right)! x^{\frac{1}{2}\mu-1}}{\left(\frac{1}{2}\mu-1\right)!\left(\frac{1}{2}\nu-1\right)!\left(1+\frac{\mu}{\nu}x\right)^{\frac{1}{2}(\mu+\nu)}} \times \left(\frac{\mu}{\nu}\right)^{\frac{1}{2}\mu} \quad \text{if } x > 0,$$

$$f(x) = 0 \quad \text{otherwise.}$$

nag\_rngs\_f (g05ldc) calculates the values

$$\frac{\nu y_i}{\mu z_i}, \quad i = 1, \dots, n,$$

where  $y_i$  and  $z_i$  are generated by nag\_rngs\_gamma (g05lfc) from gamma distributions with parameters  $(\frac{1}{2}\mu, 2)$  and  $(\frac{1}{2}\nu, 2)$  respectively (i.e., from  $\chi^2$  distributions with  $\mu$  and  $\nu$  degrees of freedom).

One of the initialisation functions nag\_rngs\_init\_repeatable (g05kbc) (for a repeatable sequence if computed sequentially) or nag\_rngs\_init\_nonrepeatable (g05kcc) (for a non-repeatable sequence) must be called prior to the first call to nag\_rngs\_f (g05ldc).

### 4 References

Knuth D E (1981) *The Art of Computer Programming (Volume 2)* (2nd Edition) Addison–Wesley

### 5 Parameters

- |    |   |               |
|----|---|---------------|
| 1: | <b>df1</b> – Integer  | <i>Input</i>  |
|    | <i>On entry:</i> the number of degrees of freedom, $\mu$ , of the distribution.           |               |
|    | <i>Constraint:</i> $\mathbf{df1} \geq 1$ .  |               |
| 2: | <b>df2</b> – Integer  | <i>Input</i>  |
|    | <i>On entry:</i> the number of degrees of freedom, $\nu$ , of the distribution.           |               |
|    | <i>Constraint:</i> $\mathbf{df2} \geq 1$ .  |               |
| 3: | <b>n</b> – Integer  | <i>Input</i>  |
|    | <i>On entry:</i> the number, $n$ , of pseudo-random numbers to be generated.              |               |
|    | <i>Constraint:</i> $\mathbf{n} \geq 0$ .  |               |
| 4: | <b>x[dim]</b> – double  | <i>Output</i> |
|    | <b>Note:</b> the dimension, $dim$ , of the array <b>x</b> must be at least $\max(1, n)$ . |               |

*On exit:* the  $n$  pseudo-random numbers from the specified  $F$  distribution.

5:	<b>igen</b> – Integer	<i>Input</i>
<i>On entry:</i> must contain the identification number for the generator to be used to return a pseudo-random number and should remain unchanged following initialisation by a prior call to one of the functions nag_rngs_init_repeatable (g05kbc) or nag_rngs_init_nonrepeatable (g05kcc).		
6:	<b>iseed[4]</b> – Integer	<i>Input/Output</i>
<i>On entry:</i> contains values which define the current state of the selected generator.		
<i>On exit:</i> contains updated values defining the new state of the selected generator.		
7:	<b>fail</b> – NagError *	<i>Input/Output</i>
The NAG error parameter (see the Essential Introduction).		

## 6 Error Indicators and Warnings

### NE\_INT

On entry, **n** =  $\langle\text{value}\rangle$ .

Constraint: **n**  $\geq 0$ .

On entry, **df2** =  $\langle\text{value}\rangle$ .

Constraint: **df2**  $\geq 1$ .

On entry, **df1** =  $\langle\text{value}\rangle$ .

Constraint: **df1**  $\geq 1$ .

### NE\_BAD\_PARAM

On entry, parameter  $\langle\text{value}\rangle$  had an illegal value.

### NE\_INTERNAL\_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

## 7 Accuracy

Not applicable.

## 8 Further Comments

The time taken by nag\_rngs\_f (g05ldc) increases with  $\mu$  and  $\nu$ .

## 9 Example

The example program prints five pseudo-random numbers from a  $F$ -distribution with two and three degrees of freedom, generated by a single call to nag\_rngs\_f (g05ldc), after initialisation by nag\_rngs\_init\_repeatable (g05kbc).

### 9.1 Program Text

```
/* nag_rngs_f(g05ldc) Example Program.
*
* Copyright 2001 Numerical Algorithms Group.
*
* Mark 7, 2001.
*/
```

```
#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg05.h>

int main(void)
{
    /* Scalars */
    Integer i, igen, n ;
    Integer exit_status=0;
    NagError fail;

    /* Arrays */
    double *x=0;
    Integer iseed[4];

    INIT_FAIL(fail);
    Vprintf("g05ldc Example Program Results\n\n");

    n = 5;
    /* Allocate memory */
    if ( !(x = NAG_ALLOC(n, double)) )
    {
        Vprintf("Allocation failure\n");
        exit_status = -1;
        goto END;
    }

    /* Initialise the seed to a repeatable sequence */
    iseed[0] = 1762543;
    iseed[1] = 9324783;
    iseed[2] = 42344;
    iseed[3] = 742355;
    /* igen identifies the stream. */
    igen = 1;
    g05kbc(&igen, iseed);
    g05ldc(2, 3, n, x, igen, iseed, &fail);
    if (fail.code != NE_NOERROR)
    {
        Vprintf("Error from g05ldc.\n%s\n", fail.message);
        exit_status = 1;
        goto END;
    }
    for (i = 0; i < n; ++i)
    {
        Vprintf("%10.4f\n", x[i]);
    }
END:
    if (x) NAG_FREE(x);
    return exit_status;
}
```

## 9.2 Program Data

None.

## 9.3 Program Results

g05ldc Example Program Results

```
14.2359
0.8889
0.4055
2.3299
0.0689
```

---