

NAG C Library Function Document

nag_2d_shep_interp (e01sgc)

1 Purpose

nag_2d_shep_interp (e01sgc) generates a two-dimensional interpolant to a set of scattered data points, using a modified Shepard method.

2 Specification

```
#include <nag.h>
#include <nage01.h>

void nag_2d_shep_interp (Integer m, const double x[], const double y[],
    const double f[], Integer nw, Integer nq, Integer iq[], double rq[],
    NagError *fail)
```

3 Description

nag_2d_shep_interp (e01sgc) constructs a smooth function $Q(x, y)$ which interpolates a set of m scattered data points (x_r, y_r, f_r) , for $r = 1, 2, \dots, m$, using a modification of Shepard's method. The surface is continuous and has continuous first partial derivatives.

The basic Shepard (1968) method interpolates the input data with the weighted mean

$$Q(x, y) = \frac{\sum_{r=1}^m w_r(x, y) q_r}{\sum_{r=1}^m w_r(x, y)}$$

where $q_r = f_r$, $w_r(x, y) = \frac{1}{d_r^2}$ and $d_r^2 = (x - x_r)^2 + (y - y_r)^2$.

The basic method is global in that the interpolated value at any point depends on all the data, but this function uses a modification (see Franke and Nielson (1980) and Renka (1988c)), whereby the method becomes local by adjusting each $w_r(x, y)$ to be zero outside a circle with centre (x_r, y_r) and some radius R_w . Also, to improve the performance of the basic method, each q_r above is replaced by a function $q_r(x, y)$, which is a quadratic fitted by weighted least-squares to data local to (x_r, y_r) and forced to interpolate (x_r, y_r, f_r) . In this context, a point (x, y) is defined to be local to another point if it lies within some distance R_q of it. Computation of these quadratics constitutes the main work done by this function.

The efficiency of the function is further enhanced by using a cell method for nearest neighbour searching due to Bentley and Friedman (1979).

The radii R_w and R_q are chosen to be just large enough to include N_w and N_q data points, respectively, for user-supplied constants N_w and N_q . Default values of these arguments are provided by the function, and advice on alternatives is given in Section 8.2.

This function is derived from the function QSHEP2 described by Renka (1988a).

Values of the interpolant $Q(x, y)$ generated by this function, and its first partial derivatives, can subsequently be evaluated for points in the domain of the data by a call to nag_2d_shep_eval (e01shc).

4 References

- Bentley J L and Friedman J H (1979) Data structures for range searching *ACM Comput. Surv.* **11** 397–409
- Franke R and Nielson G (1980) Smooth interpolation of large sets of scattered data *Internat. J. Num. Methods Engrg.* **15** 1691–1704

Renka R J (1988a) Algorithm 660: QSHEP2D: Quadratic Shepard method for bivariate interpolation of scattered data *ACM Trans. Math. Software* **14** 149–150

Renka R J (1988c) Multivariate interpolation of large sets of scattered data *ACM Trans. Math. Software* **14** 139–148

Shepard D (1968) A two-dimensional interpolation function for irregularly spaced data *Proc. 23rd Nat. Conf. ACM* 517–523 Brandon/Systems Press Inc., Princeton

5 Arguments

- 1: **m** – Integer *Input*
On entry: m , the number of data points.
Constraint: $m \geq 6$.

- 2: **x[m]** – const double *Input*
 3: **y[m]** – const double *Input*
On entry: the Cartesian co-ordinates of the data points (x_r, y_r) , for $r = 1, 2, \dots, m$.
Constraint: these co-ordinates must be distinct, and must not all be collinear.

- 4: **f[m]** – const double *Input*
On entry: $f[r - 1]$ must be set to the data value f_r , for $r = 1, 2, \dots, m$.

- 5: **nw** – Integer *Input*
On entry: the number N_w of data points that determines each radius of influence R_w , appearing in the definition of each of the weights w_r , for $r = 1, 2, \dots, m$ (see Section 3). Note that R_w is different for each weight. If $nw \leq 0$ the default value $nw = \min(19, m - 1)$ is used instead.
Constraint: $nw \leq \min(40, m - 1)$.

- 6: **nq** – Integer *Input*
On entry: the number N_q of data points to be used in the least-squares fit for coefficients defining the nodal functions $q_r(x, y)$ (see Section 3). If $nq \leq 0$ the default value $nq = \min(13, m - 1)$ is used instead.
Constraint: $nq \leq 0$ or $5 \leq nq \leq \min(40, m - 1)$.

- 7: **iq[dim]** – Integer *Output*
Note: the dimension, dim , of the array **iq** must be at least $2 \times m + 1$.
On exit: integer data defining the interpolant $Q(x, y)$.

- 8: **rq[dim]** – double *Output*
Note: the dimension, dim , of the array **rq** must be at least $6 \times m + 5$.
On exit: real data defining the interpolant $Q(x, y)$.

- 9: **fail** – NagError * *Input/Output*
 The NAG error argument (see Section 2.6 of the Essential Introduction).

6 Error Indicators and Warnings

NE_ALL_DATA_COLLINEAR

All nodes are collinear. There is no unique solution.

NE_BAD_PARAM

On entry, argument $\langle value \rangle$ had an illegal value.

NE_DATA_NOT_UNIQUE

There are duplicate nodes in the data set. $(\mathbf{x}[i-1], \mathbf{y}[i-1]) = (\mathbf{x}[j-1], \mathbf{y}[j-1])$, for $i = \langle value \rangle$ and $j = \langle value \rangle$. The interpolant cannot be derived.

NE_INT

On entry, $\mathbf{m} = \langle value \rangle$.

Constraint: $\mathbf{m} \geq 6$.

On entry, $\mathbf{nq} > 0$ and $\mathbf{nq} < 5$: $\mathbf{nq} = \langle value \rangle$.

NE_INT_2

On entry, $\mathbf{nq} > \min(40, \mathbf{m} - 1)$: $\mathbf{nq} = \langle value \rangle$, $\mathbf{m} = \langle value \rangle$.

On entry, $\mathbf{nw} > \min(40, \mathbf{m} - 1)$: $\mathbf{nw} = \langle value \rangle$, $\mathbf{m} = \langle value \rangle$.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

On successful exit, the function generated interpolates the input data exactly and has quadratic accuracy.

8 Further Comments**8.1 Timing**

The time taken for a call to `nag_2d_shep_interp` (e01sgc) will depend in general on the distribution of the data points. If \mathbf{x} and \mathbf{y} are uniformly randomly distributed, then the time taken should be $O(\mathbf{m})$. At worst $O(\mathbf{m}^2)$ time will be required.

8.2 Choice of N_w and N_q

Default values of the arguments N_w and N_q may be selected by calling `nag_2d_shep_interp` (e01sgc) with $\mathbf{nw} \leq 0$ and $\mathbf{nq} \leq 0$. These default values may well be satisfactory for many applications.

If non-default values are required they must be supplied to `nag_2d_shep_interp` (e01sgc) through positive values of \mathbf{nw} and \mathbf{nq} . Increasing these arguments makes the method less local. This may increase the accuracy of the resulting interpolant at the expense of increased computational cost. The default values $\mathbf{nw} = \min(19, \mathbf{m} - 1)$ and $\mathbf{nq} = \min(13, \mathbf{m} - 1)$ have been chosen on the basis of experimental results reported in Renka (1988c). In these experiments the error norm was found to vary smoothly with N_w and N_q , generally increasing monotonically and slowly with distance from the optimal pair. The method is not therefore thought to be particularly sensitive to the argument values. For further advice on the choice of these arguments see Renka (1988c).

9 Example

This program reads in a set of 30 data points and calls `nag_2d_shep_interp` (e01sgc) to construct an interpolating function $Q(x, y)$. It then calls `nag_2d_shep_eval` (e01shc) to evaluate the interpolant at a set of points.

Note that this example is not typical of a realistic problem: the number of data points would normally be larger.

9.1 Program Text

```

/* nag_nag_2d_shep_interp (e01sgc) Example Program.
 *
 * Copyright 2005 Numerical Algorithms Group.
 *
 * Mark 8, 2005.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nage01.h>

int main(void)
{
    /* Scalars */
    Integer exit_status, i, m, n, nq, nw;
    Integer liq, lrq;

    /* Arrays */
    double *f=0, *q=0, *qx=0, *qy=0, *rq=0, *u=0, *v=0, *x=0, *y=0;
    Integer *iq=0;

    /* Nag Types */
    NagError fail;

    exit_status = 0;
    INIT_FAIL(fail);
    Vprintf( "nag_2d_shep_interp (e01sgc) Example Program Results\n\n");

    /* Skip heading in data file */
    Vscanf("%*[\n] ");

    /* Input the number of nodes. */
    Vscanf("%ld%*[\n] ", &m);
    if (m > 6)
    {
        liq = 2*m+1;
        lrq = 6*m+5;
        /* Allocate memory */
        if ( !(f = NAG_ALLOC(m, double)) ||
            !(rq = NAG_ALLOC(lrq, double)) ||
            !(x = NAG_ALLOC(m, double)) ||
            !(y = NAG_ALLOC(m, double)) ||
            !(iq = NAG_ALLOC(liq, Integer)) )
        {
            Vprintf("Allocation failure\n");
            exit_status = -1;
            goto END;
        }
    }
    else
    {
        Vprintf("Invalid m.\n");
        exit_status = 1;
        return exit_status;
    }

    /* Input the data points X,Y and F. */

    for (i = 1; i <= m; ++i)
    {
        Vscanf("%lf%lf%lf%*[\n] ", &x[i - 1], &y[i - 1], &f[i - 1]);
    }

    /* Generate the interpolant. */
    nq = 0;
    nw = 0;
    /* nag_2d_shep_interp (e01sgc).

```

```

* Interpolating functions, modified Shepard's method, two
* variables
*/
nag_2d_shep_interp(m, x, y, f, nw, nq, iq, rq, &fail);
if (fail.code != NE_NOERROR)
{
  Vprintf("Error from nag_2d_shep_interp (e01sgc).\n%s\n", fail.message);
  exit_status = 1;
  goto END;
}

/* Input the number of evaluation points. */
Vscanf("%ld%*[\n] ", &n);
if ( !(q = NAG_ALLOC(n, double)) ||
      !(qx = NAG_ALLOC(n, double)) ||
      !(qy = NAG_ALLOC(n, double)) ||
      !(u = NAG_ALLOC(n, double)) ||
      !(v = NAG_ALLOC(n, double)) )
{
  Vprintf("Allocation failure\n");
  exit_status = 1;
  goto END;
}

/* Input the evaluation points. */
for (i = 1; i <= n; ++i)
{
  Vscanf("%lf%lf%*[\n] ", &u[i - 1], &v[i - 1]);
}

/* Evaluate the interpolant using nag_2d_shep_eval (e01shc). */

/* nag_2d_shep_eval (e01shc).
* Interpolated values, evaluate interpolant computed by
* nag_2d_shep_interp (e01sgc), function and first
* derivatives, two variables
*/
nag_2d_shep_eval(m, x, y, f, iq, rq, n, u, v, q, qx, qy, &fail);
if (fail.code != NE_NOERROR)
{
  Vprintf("Error from nag_2d_shep_interp (e01sgc).\n%s\n", fail.message);
  exit_status = 1;
  goto END;
}

Vprintf("%s", "      I      U(I)      V(I)      Q(I)");
Vprintf("\n");
for (i = 1; i <= n; ++i)
{
  Vprintf("%6ld%10.2f%10.2f%10.2f\n", i, u[i - 1], v[i - 1],
          q[i - 1]);
}

END:
if (f) NAG_FREE(f);
if (q) NAG_FREE(q);
if (qx) NAG_FREE(qx);
if (qy) NAG_FREE(qy);
if (rq) NAG_FREE(rq);
if (u) NAG_FREE(u);
if (v) NAG_FREE(v);
if (x) NAG_FREE(x);
if (y) NAG_FREE(y);
if (iq) NAG_FREE(iq);

return exit_status;
}

```

9.2 Program Data

```
nag_2d_shep_interp (e01sgc) Example Program Data
30      M, the number of data points
11.16   1.24   22.15   X, Y, F data point definition
12.85   3.06   22.11
19.85   10.72  7.97
19.72   1.39   16.83
15.91   7.74   15.30
0.00    20.00  34.60
20.87   20.00  5.74
3.45    12.78  41.24
14.26   17.87  10.74
17.43   3.46   18.60
22.80   12.39  5.47
7.58    1.98   29.87
25.00   11.87  4.40
0.00    0.00   58.20
9.66    20.00  4.73
5.22    14.66  40.36
17.25   19.57  6.43
25.00   3.87   8.74
12.13   10.79  13.71
22.23   6.21  10.25
11.52   8.53   15.74
15.20   0.00   21.60
7.54    10.69  19.31
17.32   13.78  12.11
2.14    15.03  53.10
0.51    8.37   49.43
22.69   19.63  3.25
5.47    17.13  28.63
21.67   14.36  5.52
3.31    0.33   44.08      End of data points
5      N, the number of evaluation points
20.00   3.14   U, V evaluation point definition
6.41    15.44
7.54    10.69
9.91    18.27
12.30   9.22      End of evaluation points
```

9.3 Program Results

```
nag_2d_shep_interp (e01sgc) Example Program Results
```

I	U(I)	V(I)	Q(I)
1	20.00	3.14	15.89
2	6.41	15.44	34.05
3	7.54	10.69	19.31
4	9.91	18.27	13.68
5	12.30	9.22	14.56
