

nag_opt_one_var_deriv (e04bbc)

1. Purpose

nag_opt_one_var_deriv (e04bbc) searches for a minimum, in a given finite interval, of a continuous function of a single variable, using function and first derivative values. The method (based on cubic interpolation) is intended for functions which have a continuous first derivative (although it will usually work if the derivative has occasional discontinuities).

2. Specification

```
#include <nag.h>
#include <nage04.h>

void nag_opt_one_var_deriv(void (*funct)(double xc, double *fc,
                                     double *gc, Nag_Comm *comm),
                          double e1, double e2, double *a, double *b,
                          Integer max_fun, double *x, double *f,
                          double *g, Nag_Comm *comm, NagError *fail)
```

3. Description

nag_opt_one_var_deriv is applicable to problems of the form:

$$\text{Minimize } F(x) \text{ subject to } a \leq x \leq b$$

when the first derivative dF/dx can be calculated. **nag_opt_one_var_deriv** normally computes a sequence of x values which tend in the limit to a minimum of $F(x)$ subject to the given bounds. It also progressively reduces the interval $[a, b]$ in which the minimum is known to lie. It uses the safeguarded quadratic-interpolation method described in Gill and Murray (1973).

The user must supply a function **funct** to evaluate $F(x)$ and its first derivative. The parameters **e1** and **e2** together specify the accuracy

$$Tol(x) = e1 \times |x| + e2$$

to which the position of the minimum is required. Note that **funct** is never called at any point which is closer than $Tol(x)$ to a previous point.

If the original interval $[a, b]$ contains more than one minimum, **nag_opt_one_var_deriv** will normally find one of the minima.

4. Parameters

funct

The function **funct**, supplied by the user, must calculate the values of $F(x)$ and dF/dx at any point x in $[a, b]$.

The specification of **funct** is:

```
void funct(double xc, double *fc, double *gc, Nag_Comm *comm)
```

xc
Input: x , the point at which the values of F and dF/dx are required.

fc
Output: the value of the function F at the current point x .

gc
Output: the value of the first derivative dF/dx at the current point x .

comm
Pointer to structure of type Nag_Comm; the following members are relevant to **funct**.

first – Boolean
Input: will be set to **TRUE** on the first call to **funct** and **FALSE** for all subsequent calls.

nf – Integer
Input: the number of calls made to **funct** so far.

user – double *
iuser – Integer *
p – Pointer
The type Pointer will be `void *` with a C compiler that defines `void *` and `char *` otherwise.
Before calling `nag_opt_one_var_deriv` these pointers may be allocated memory by the user and initialized with various quantities for use by **funct** when called from `nag_opt_one_var_deriv`.

Note: **funct** should be tested separately before being used in conjunction with `nag_opt_one_var_deriv`.

e1

Input: the relative accuracy to which the position of a minimum is required. (Note that since **e1** is a relative tolerance, the scaling of x is automatically taken into account.)

It is recommended that **e1** should be no smaller than 2ϵ , and preferably not much less than $\sqrt{\epsilon}$, where ϵ is the *machine precision*.

If **e1** is set to a value less than ϵ , its value is ignored and the default value of $\sqrt{\epsilon}$ is used instead. In particular, the user may set **e1** = 0.0 to ensure that the default value is used.

e2

Input: the absolute accuracy to which the position of a minimum is required. It is recommended that **e2** should be no smaller than 2ϵ .

If **e2** is set to a value less than ϵ , its value is ignored and the default value of $\sqrt{\epsilon}$ is used instead. In particular, the user may set **e2** = 0.0 to ensure that the default value is used.

a

Input: the lower bound a of the interval containing a minimum.
Output: an improved lower bound on the position of the minimum.

b

Input: the upper bound b of the interval containing a minimum.
Output: an improved upper bound on the position of the minimum.
Constraint: **b** > **a** + **e2**. Note that the value **e2** = $\sqrt{\epsilon}$ applies here if **e2** < ϵ on entry to `nag_opt_one_var_deriv`.

max_fun

Input: the maximum number of calls to **funct** which the user is prepared to allow.

The number of calls to **funct** actually made by `nag_opt_one_var_deriv` may be determined by supplying a non-NULL parameter **comm** (see below) and examining the structure member **nf** on exit.

Constraint: **max_fun** ≥ 2 . (Few problems will require more than 20 function calls.)

x

Output: the estimated position of the minimum.

fOutput: the value of F at the final point **x**.**g**Output: the value of the first derivative dF/dx at the final point **x**.**comm**Input/Output: structure containing pointers for communication to user-supplied functions; see the above description of **funct** for details. The number of times the function **funct** was called is returned in the member **nf**.If the user does not need to make use of this communication feature, the null pointer NAGCOMM_NULL may be used in the call to nag_opt_one_var_deriv; **comm** will then be declared internally for use in calls to user-supplied functions.**fail**

The NAG error parameter, see the Essential Introduction to the NAG C Library.

5. Error Indications and Warnings

NE_2_REAL_ARG_GE

On entry, $\mathbf{a}+\mathbf{e2} = \langle value \rangle$ while $\mathbf{b} = \langle value \rangle$.These parameters must satisfy $\mathbf{a}+\mathbf{e2} < \mathbf{b}$.

NE_INT_ARG_LT

On entry, **max_fun** must not be less than 2: **max_fun** = $\langle value \rangle$.

NW_MAX_FUN

The maximum number of function calls, $\langle value \rangle$, have been performed.This may have happened simply because **max_fun** was set too small for a particular problem, or may be due to a mistake in the user-supplied function, **funct**. If no mistake can be found in **funct**, restart nag_opt_one_var_deriv (preferably with the values of **a** and **b** given on exit from the previous call to nag_opt_one_var_deriv).

6. Further Comments

Timing depends on the behaviour of $F(x)$, the accuracy demanded, and the length of the interval $[a, b]$. Unless $F(x)$ and dF/dx can be evaluated very quickly, the run time will usually be dominated by the time spent in **funct**.If $F(x)$ has more than one minimum in the original interval $[a, b]$, nag_opt_one_var_deriv will determine an approximation x (and improved bounds a and b) for one of the minima.If nag_opt_one_var_deriv finds an x such that $F(x - \delta_1) > F(x) < F(x + \delta_2)$ for some $\delta_1, \delta_2 \geq Tol(x)$, the interval $[x - \delta_1, x + \delta_2]$ will be regarded as containing a minimum, even if $F(x)$ is less than $F(x - \delta_1)$ and $F(x + \delta_2)$ only due to rounding errors in the user-supplied function. Therefore **funct** should be programmed to calculate $F(x)$ as accurately as possible, so that nag_opt_one_var_deriv will not be liable to find a spurious minimum. (For similar reasons, dF/dx should be evaluated as accurately as possible.)

6.1. Accuracy

If $F(x)$ is δ -unimodal for some $\delta < Tol(x)$, where $Tol(x) = \mathbf{e1} \times |x| + \mathbf{e2}$, then, on exit, x approximates the minimum of $F(x)$ in the original interval $[a, b]$ with an error less than $3 \times Tol(x)$.

6.2. References

Gill P E and Murray W (1973) Safeguarded steplength algorithms for optimization using descent methods, *NPL Report NAC 37*, National Physical Laboratory.

7. See Also

nag_opt_one_var_no_deriv (e04abc)

8. Example

A sketch of the function

$$F(x) = \frac{\sin x}{x}$$

shows that it has a minimum somewhere in the range [3.5, 5.0]. The example program below shows how nag_opt_one_var_deriv can be used to obtain a good approximation to the position of a minimum.

8.1. Program Text

```

/* nag_opt_one_var_deriv(e04bbc) Example Program.
 *
 * Copyright 1998 Numerical Algorithms Group.
 *
 * Mark 5, 1998.
 *
 */
#include <nag.h>
#include <stdio.h>
#include <nag_stdlib.h>
#include <math.h>
#include <nage04.h>

#ifdef NAG_PROTO
static void funct(double xc, double *fc, double *gc, Nag_Comm *comm);
#else
static void funct();
#endif

#ifdef NAG_PROTO
static void funct(double xc, double *fc, double *gc, Nag_Comm *comm)
#else
static void funct(xc, fc, gc, comm)
    double xc, *fc, *gc;
    Nag_Comm *comm;
#endif
{
    *fc = sin(xc) / xc;
    *gc = (cos(xc) - *fc) / xc;
}
/* funct */

main()
{
    double a, b;
    double e1, e2;
    double x, f, g;
    Integer max_fun;
    Nag_Comm comm;
    static NagError fail;

    Vprintf("e04bbc Example Program Results.\n\n");

    /* e1 and e2 are set to zero so that e04abc will reset them to
     * their default values
     */
    e1 = 0.0;
    e2 = 0.0;
    /* The minimum is known to lie in the range (3.5, 5.0) */
    a = 3.5;
    b = 5.0;
    /* Allow 30 calls of funct */
    max_fun = 30;
    fail.print = TRUE;
    e04bbc(funct, e1, e2, &a, &b, max_fun, &x, &f, &g, &comm, &fail);

    Vprintf("The minimum lies in the interval %7.5f to %7.5f.\n", a, b);
}

```

```
Vprintf("Its estimated position is %7.5f,\n", x);  
Vprintf("where the function value is %9.4e\n",f);  
Vprintf("and the gradient is %9.4e.\n",g);  
Vprintf("%1ld function evaluations were required.\n", comm.nf);  
  
    exit(EXIT_SUCCESS);  
}
```

8.2. Program Data

None.

8.3. Program Results

e04bbc Example Program Results.

The minimum lies in the interval 4.49341 to 4.49341.
Its estimated position is 4.49341,
where the function value is -2.1723e-01
and the gradient is 4.3239e-16.
6 function evaluations were required.
