

NAG C Library Function Document

ztpmv (f06shc)

1 Purpose

ztpmv (f06shc) performs one of the matrix-vector operations

$$x \leftarrow Ax, x \leftarrow A^T x \text{ or } x \leftarrow A^H x,$$

where A is an n by n complex triangular matrix, stored in packed form, and x is an n element complex vector.

2 Specification

```
#include <nag.h>
```

```
#include <nagf06.h>
```

```
void ztpmv (MatrixTriangle uplo, MatrixTranspose trans, MatrixUnitTriangular diag,
           Integer n, const Complex ap[], Complex x[], Integer incx)
```

3 Arguments

- 1: **uplo** – MatrixTriangle *Input*
On entry: specifies whether A upper or lower triangular as follows:
 if **uplo** = **UpperTriangle**, A is upper triangular;
 if **uplo** = **LowerTriangle**, A is lower triangular.
Constraint: **uplo** = **UpperTriangle** or **LowerTriangle**.
- 2: **trans** – MatrixTranspose *Input*
On entry: specifies the operation to be performed as follows:
 if **trans** = **NoTranspose**, $x \leftarrow Ax$;
 if **trans** = **Transpose**, $x \leftarrow A^T x$;
 if **trans** = **ConjugateTranspose**, $x \leftarrow A^H x$.
Constraint: **trans** = **NoTranspose**, **Transpose** or **ConjugateTranspose**.
- 3: **diag** – MatrixUnitTriangular *Input*
On entry: specifies whether A has non-unit or unit diagonal elements, as follows:
 if **diag** = **NotUnitTriangular**, the diagonal elements are stored explicitly;
 if **diag** = **UnitTriangular**, the diagonal elements are assumed to be 1, and are not referenced.
Constraint: **diag** = **NotUnitTriangular** or **UnitTriangular**.
- 4: **n** – Integer *Input*
On entry: n , the order of the matrix A .
Constraint: $n \geq 0$.
- 5: **ap**[*dim*] – const Complex *Input*
Note: the dimension, *dim*, of the array **ap** must be at least $n(n+1)/2$.

On entry: the n by n triangular matrix A , packed by rows. More precisely,

if **uplo** = **UpperTriangle**, the upper triangle of A must be stored with element a_{ij} in **ap** $[j - 1 + (2n - i)(i - 1)/2]$ for $i \leq j$;
if **uplo** = **LowerTriangle**, the lower triangle of A must be stored with element a_{ij} in **ap** $[j - 1 + i(i - 1)/2]$ for $j \leq i$.

6: **x[n]** – Complex

Input/Output

On entry: the incremented array **x** must contain the n element vector x .

On exit: the updated vector x .

7: **incx** – Integer

Input

On entry: the increment in the subscripts of **x** between successive elements of x .

Constraint: **incx** $\neq 0$.

4 Error Indicators and Warnings

If a function is called with an invalid argument then an error message is output on stderr, giving the name of the function and the number of the first invalid argument, and execution is terminated.
