

NAG C Library Function Document

nag_durbin_watson_stat (g02fcc)

1 Purpose

nag_durbin_watson_stat (g02fcc) calculates the Durbin–Watson statistic, for a set of residuals, and the upper and lower bounds for its significance.

2 Specification

```
void nag_durbin_watson_stat (Integer n, Integer p, const double res[], double *d,
    double *pdl, double *pdu, NagError *fail)
```

3 Description

For the general linear regression model

$$y = X\beta + \epsilon,$$

where y is a vector of length n of the dependent variable,

X is a n by p matrix of the independent variables,

β is a vector of length p of unknown parameters,

and ϵ is a vector of length n of unknown random errors.

The residuals are given by

$$r = y - \hat{y} = y - X\hat{\beta}$$

and the fitted values, $\hat{y} = X\hat{\beta}$, can be written as Hy for a n by n matrix H . Note that when a mean term is included in the model the sum of the residuals is zero. If the observations have been taken serially, that is y_1, y_2, \dots, y_n can be considered as a time series, the Durbin–Watson test can be used to test for serial correlation in the ϵ_i , see Durbin and Watson (1950), Durbin and Watson (1951) and Durbin and Watson (1971).

The Durbin–Watson statistic is

$$d = \frac{\sum_{i=1}^{n-1} (r_{i+1} - r_i)^2}{\sum_{i=1}^n r_i^2}.$$

Positive serial correlation in the ϵ_i will lead to a small value of d while for independent errors d will be close to 2. Durbin and Watson show that the exact distribution of d depends on the eigenvalues of the matrix HA where the matrix A is such that d can be written as

$$d = \frac{r^T Ar}{r^T r}$$

and the eigenvalues of the matrix A are $\lambda_j = (1 - \cos(\pi j/n))$, for $j = 1, 2, \dots, n - 1$.

However bounds on the distribution can be obtained, the lower bound being

$$d_l = \frac{\sum_{i=1}^{n-p} \lambda_i u_i^2}{\sum_{i=1}^{n-p} u_i^2}$$

and the upper bound being

$$d_u = \frac{\sum_{i=1}^{n-p} \lambda_{i-1+p} u_i^2}{\sum_{i=1}^{n-p} u_i^2},$$

where the u_i are independent standard Normal variables. The lower tail probabilities associated with these bounds, p_l and p_u , are computed by nag_prob_durbin_watson (g01epc). The interpretation of the bounds

is that, for a test of size (significance) α , if $p_l \leq \alpha$ the test is significant, if $p_u > \alpha$ the test is not significant, while if $p_l > \alpha$ and $p_u \leq \alpha$ no conclusion can be reached.

The above probabilities are for the usual test of positive auto-correlation. If the alternative of negative auto-correlation is required, then a call to `nag_prob_durbin_watson` (g01epc) should be made with the parameter **d** taking the value of $4 - d$; see Newbold (1988).

4 References

Durbin J and Watson G S (1950) Testing for serial correlation in least-squares regression. I *Biometrika* **37** 409–428

Durbin J and Watson G S (1951) Testing for serial correlation in least-squares regression. II *Biometrika* **38** 159–178

Durbin J and Watson G S (1971) Testing for serial correlation in least-squares regression. III *Biometrika* **58** 1–19

Granger C W J and Newbold P (1986) *Forecasting Economic Time Series* (2nd Edition) Academic Press

Newbold P (1988) *Statistics for Business and Economics* Prentice–Hall

5 Parameters

- | | | |
|----|---|---------------------|
| 1: | n – Integer | <i>Input</i> |
| | <i>On entry:</i> the number of residuals, n . | |
| | <i>Constraint:</i> $n > p$. | |
| 2: | p – Integer | <i>Input</i> |
| | <i>On entry:</i> the number, p , of independent variables in the regression model, including the mean. | |
| | <i>Constraint:</i> $p \geq 1$. | |
| 3: | res[n] – const double | <i>Input</i> |
| | <i>On entry:</i> the residuals, r_1, r_2, \dots, r_n . | |
| | <i>Constraint:</i> the mean of the residuals $\leq \sqrt{\epsilon}$, where $\epsilon =$ <i>machine precision</i> . | |
| 4: | d – double * | <i>Output</i> |
| | <i>On exit:</i> the Durbin–Watson statistic, d . | |
| 5: | pdl – double * | <i>Output</i> |
| | <i>On exit:</i> lower bound for the significance of the Durbin–Watson statistic, p_l . | |
| 6: | pdu – double * | <i>Output</i> |
| | <i>On exit:</i> upper bound for the significance of the Durbin–Watson statistic, p_u . | |
| 7: | fail – NagError * | <i>Input/Output</i> |
| | The NAG error parameter (see the Essential Introduction). | |

6 Error Indicators and Warnings

NE_INT

On entry, **p** = $\langle value \rangle$.

Constraint: $p \geq 1$.

NE_INT_2

On entry, $\mathbf{n} = \langle \text{value} \rangle$, $\mathbf{p} = \langle \text{value} \rangle$.
 Constraint: $\mathbf{n} > \mathbf{p}$.

NE_RESID_IDEN

On entry, all residuals are identical.

NE_RESID_MEAN

On entry, The mean of **res** is not approximately 0.0, mean = $\langle \text{value} \rangle$.

NE_ALLOC_FAIL

Memory allocation failed.

NE_BAD_PARAM

On entry, parameter $\langle \text{value} \rangle$ had an illegal value.

NE_INTERNAL_ERROR

An internal error has occurred in this function. Check the function call and any array sizes. If the call is correct then please consult NAG for assistance.

7 Accuracy

The probabilities are computed to an accuracy of at least 4 decimal places.

8 Further Comments

If the exact probabilities are required, then the first $n - p$ eigenvalues of HA can be computed and `nag_prob_lin_chi_sq (g01jdc)` used to compute the required probabilities with the parameter **c** set to 0.0 and the parameter **d** set to the Durbin–Watson statistic d .

9 Example

A set of 10 residuals are read in and the Durbin–Watson statistic along with the probability bounds are computed and printed.

9.1 Program Text

```
/* nag_durbin_watson_stat (g02fcc) Example Program.
 *
 * Copyright 2002 Numerical Algorithms Group.
 *
 * Mark 7, 2002.
 */

#include <stdio.h>
#include <nag.h>
#include <nag_stdlib.h>
#include <nagg02.h>

int main(void)
{
  /* Scalars */
  double d, pdl, pdu;
  Integer exit_status, i, p, n;
  NagError fail;

  /* Arrays */
  double *res=0;
```

```

INIT_FAIL(fail);
exit_status = 0;
Vprintf("g02fcc Example Program Results\n");

/* Skip heading in data file */
Vscanf("%*[\n] ");

Vscanf("%ld%*[\n] ", &p);
n = 10;

/* Allocate memory */
if ( !(res = NAG_ALLOC(n, double)) )
{
    Vprintf("Allocation failure\n");
    exit_status = -1;
    goto END;
}

for (i = 1; i <= n; ++i)
    Vscanf("%lf", &res[i - 1]);
Vscanf("%*[\n] ");

g02fcc(n, p, res, &d, &pdl, &pdu, &fail);
if (fail.code != NE_NOERROR)
{
    Vprintf("Error from g02fcc.\n%s\n", fail.message);
    exit_status = 1;
    goto END;
}

Vprintf("\n");
Vprintf(" Durbin-Watson statistic %10.4f\n\n", d);
Vprintf(" Lower and upper bound %10.4f%10.4f\n", pdl, pdu);
END:
if (res) NAG_FREE(res);
return exit_status;
}

```

9.2 Program Data

```

g02fcc Example Program Data
2
3.735719 0.912755 0.683626 0.416693 1.9902
-0.444816 -1.283088 -3.666035 -0.426357 -1.918697

```

9.3 Program Results

```

g02fcc Example Program Results

Durbin-Watson statistic      0.9238

Lower and upper bound      0.0610      0.0060

```
