

G03DBF – NAG Fortran Library Routine Document

Note. Before using this routine, please read the Users' Note for your implementation to check the interpretation of bold italicised terms and other implementation-dependent details.

1 Purpose

G03DBF computes Mahalanobis squared distances for group or pooled variance-covariance matrices. It is intended for use after G03DAF.

2 Specification

```

SUBROUTINE G03DBF(EQUAL, MODE, NVAR, NG, GMEAN, LDG, GC, NOBS, M,
1              ISX, X, LDX, D, LDD, WK, IFAIL)
  INTEGER      NVAR, NG, LDG, NOBS, M, ISX(*), LDX, LDD, IFAIL
  real        GMEAN(LDG,NVAR), GC((NG+1)*NVAR*(NVAR+1)/2),
1              X(LDX,*), D(LDD,NG), WK(2*NVAR)
  CHARACTER*1  EQUAL, MODE

```

3 Description

Consider p variables observed on n_g populations or groups. Let \bar{x}_j be the sample mean and S_j the within-group variance-covariance matrix for the j th group and let x_k be the k th sample point in a data set. A measure of the distance of the point from the j th population or group is given by the Mahalanobis distance, D_{kj}^2 :

$$D_{kj}^2 = (x_k - \bar{x}_j)^T S_j^{-1} (x_k - \bar{x}_j).$$

If the pooled estimated of the variance-covariance matrix S is used rather than the within-group variance-covariance matrices, then the distance is:

$$D_{kj}^2 = (x_k - \bar{x}_j)^T S^{-1} (x_k - \bar{x}_j).$$

Instead of using the variance-covariance matrices S and S_j , G03DBF uses the upper triangular matrices R and R_j supplied by G03DAF such that $S = R^T R$ and $S_j = R_j^T R_j$. D_{kj}^2 can then be calculated as $z^T z$ where $R_j z = (x_k - \bar{x}_j)$ or $Rz = (x_k - \bar{x}_j)$ as appropriate.

A particular case is when the distance between the group or population means is to be estimated. The Mahalanobis distance between the i th and j th groups is:

$$D_{ij}^2 = (\bar{x}_i - \bar{x}_j)^T S_j^{-1} (\bar{x}_i - \bar{x}_j)$$

or

$$D_{ij}^2 = (\bar{x}_i - \bar{x}_j)^T S^{-1} (\bar{x}_i - \bar{x}_j).$$

Note. $D_{jj}^2 = 0$ and that in the case when the pooled variance-covariance matrix is used $D_{ij}^2 = D_{ji}^2$ so in this case only the lower triangular values of D_{ij}^2 , $i > j$, are computed.

4 References

- [1] Aitchison J and Dunsmore I R (1975) *Statistical Prediction Analysis* Cambridge
- [2] Kendall M G and Stuart A (1976) *The Advanced Theory of Statistics (Volume 3)* Griffin (3rd Edition)
- [3] Krzanowski W J (1990) *Principles of Multivariate Analysis* Oxford University Press

5 Parameters

- 1:** EQUAL — CHARACTER*1 *Input*
On entry: indicates whether or not the within-group variance-covariance matrices are assumed to be equal and the pooled variance-covariance matrix used.
 If EQUAL = 'E' the within-group variance-covariance matrices are assumed equal and the matrix R stored in the first $p(p+1)/2$ elements of GC is used.
 If EQUAL = 'U' the within-group variance-covariance matrices are assumed to be unequal and the matrices R_j , for $j = 1, 2, \dots, n_g$, stored in the remainder of GC are used.
Constraint: EQUAL = 'E' or 'U'.
- 2:** MODE — CHARACTER*1 *Input*
On entry: indicates whether distances from sample points are to be calculated or distances between the group means.
 If MODE = 'S' the distances between the sample points given in X and the group means are calculated.
 If MODE = 'M' the distances between the group means will be calculated.
Constraint: MODE = 'M' or 'S'.
- 3:** NVAR — INTEGER *Input*
On entry: the number of variables, p , in the variance-covariance matrices as specified to G03DAF.
Constraint: NVAR ≥ 1 .
- 4:** NG — INTEGER *Input*
On entry: the number of groups, n_g .
Constraint: NG ≥ 2 .
- 5:** GMEAN(LDG,NVAR) — *real* array *Input*
On entry: the j th row of GMEAN contains the means of the p selected variables for the j th group, for $j = 1, 2, \dots, n_g$. These are returned by G03DAF.
- 6:** LDG — INTEGER *Input*
On entry: the first dimension of the array GMEAN as declared in the (sub)program from which G03DBF is called.
Constraint: LDG \geq NG.
- 7:** GC((NG+1)*NVAR*(NVAR+1)/2) — *real* array *Input*
On entry: the first $p(p+1)/2$ elements of GC should contain the upper triangular matrix R and the next n_g blocks of $p(p+1)/2$ elements should contain the upper triangular matrices R_j . All matrices must be stored packed by column. These matrices are returned by G03DAF. If EQUAL = 'E' only the first $p(p+1)/2$ elements are referenced, if EQUAL = 'U' only the elements $p(p+1)/2 + 1$ to $(n_g + 1)p(p+1)/2$ are referenced.
Constraints:
 if EQUAL = 'E' the diagonal elements of $R \neq 0.0$,
 if EQUAL = 'U' the diagonal elements of the $R_j \neq 0.0$, for $j = 1, 2, \dots, NG$.
- 8:** NOBS — INTEGER *Input*
On entry: if MODE = 'S' the number of sample points in X for which distances are to be calculated. If MODE = 'M', NOBS is not referenced.
Constraint: if MODE = 'S', NOBS ≥ 1 .

- 9:** M — INTEGER *Input*
On entry: if MODE = 'S' the number of variables in the data array X. If MODE = 'M', then M is not referenced.
Constraint: if MODE = 'S', $M \geq \text{NVAR}$.
- 10:** ISX(*) — INTEGER array *Input*
Note: the dimension of the array ISX must be at least $\max(1, M)$.
On entry: if MODE = 'S', ISX(l) indicates if the l th variable in X is to be included in the distance calculations. If ISX(l) > 0 the l th variable is included, for $l = 1, 2, \dots, M$; otherwise the l th variable is not referenced.
 If MODE = 'M', then ISX is not referenced.
Constraint: if MODE = 'S', ISX(l) > 0 for NVAR values of l .
- 11:** X(LDX,*) — *real* array *Input*
Note: the second dimension of the array X must be at least $\max(1, M)$.
On entry: if MODE = 'S' the k th row of X must contain x_k . That is X(k, l) must contain the k th sample value for the l th variable for $k = 1, 2, \dots, \text{NOBS}$; $l = 1, 2, \dots, M$. Otherwise X is not referenced.
- 12:** LDX — INTEGER *Input*
On entry: the first dimension of the array X as declared in the (sub)program from which G03DBF is called.
Constraint: if MODE = 'S', $\text{LDX} \geq \text{NOBS}$.
- 13:** D(LDD,NG) — *real* array *Output*
On exit: the squared distances.
 If MODE = 'S', D(k, j) contains the squared distance of the k th sample point from the j th group mean, D_{kj}^2 , for $k = 1, 2, \dots, \text{NOBS}$; $j = 1, 2, \dots, n_g$.
 If MODE = 'M' and EQUAL = 'U', D(i, j) contains the squared distance between the i th mean and the j th mean, D_{ij}^2 , for $i = 1, 2, \dots, n_g$; $j = 1, 2, \dots, i - 1, i + 1, \dots, n_g$. The elements D(i, i) are not referenced for $i = 1, 2, \dots, n_g$.
 If MODE = 'M' and EQUAL = 'E', D(i, j) contains the squared distance between the i th mean and the j th mean, D_{ij}^2 , for $i = 1, 2, \dots, n_g$; $j = 1, 2, \dots, i - 1$. Since $D_{ij} = D_{ji}$ the elements D(i, j) are not referenced, for $i = 1, 2, \dots, n_g$; $j = i, i + 1, \dots, n_g$.
- 14:** LDD — INTEGER *Input*
On entry: the first dimension of the array D as declared in the (sub)program from which G03DBF is called.
Constraint: if MODE = 'S', $\text{LDD} \geq \text{NOBS}$; if MODE = 'M', $\text{LDD} \geq \text{NG}$.
- 15:** WK(2*NVAR) — *real* array *Workspace*
- 16:** IFAIL — INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. For users not familiar with this parameter (described in Chapter P01) the recommended value is 0.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

If on entry `IFAIL = 0` or `-1`, explanatory error messages are output on the current error message unit (as defined by `X04AAF`).

Errors detected by the routine:

`IFAIL = 1`

On entry, `NVAR < 1`,
 or `NG < 2`,
 or `LDG < NG`,
 or `MODE = 'S'` and `NOBS < 1`,
 or `MODE = 'S'` and `M < NVAR`,
 or `MODE = 'S'` and `LDX < NOBS`,
 or `MODE = 'S'` and `LDD < NOBS`,
 or `MODE = 'M'` and `LDD < NG`,
 or `EQUAL ≠ 'E'` or `'U'`,
 or `MODE ≠ 'M'` or `'S'`.

`IFAIL = 2`

On entry, `MODE = 'S'` and the number of variables indicated by `ISX` is not equal to `NVAR`,
 or `EQUAL = 'E'` and a diagonal element of R is zero,
 or `EQUAL = 'U'` and a diagonal element of R_j for some j is zero.

7 Accuracy

The accuracy will depend upon the accuracy of the input R or R_j matrices.

8 Further Comments

If the distances are to be used for discrimination, see also `G03DCF`.

9 Example

The data, taken from Aitchison and Dunsmore [1], is concerned with the diagnosis of three ‘types’ of Cushing’s syndrome. The variables are the logarithms of the urinary excretion rates (mg/24hr) of two steroid metabolites. Observations for a total of 21 patients are input and the group means and R matrices are computed by `G03DAF`. A further six observations of unknown type are input, and the distances from the group means of the 21 patients of known type are computed under the assumption that the within-group variance-covariance matrices are not equal. These results are printed and indicate that the first four are close to one of the groups while observations 5 and 6 are some distance from any group.

9.1 Program Text

Note. The listing of the example program presented below uses bold italicised terms to denote precision-dependent details. Please read the Users’ Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      G03DBF Example Program Text
*      Mark 15 Release. NAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
      INTEGER          NMAX, MMAX, GPMAX
```

```

PARAMETER      (NMAX=21,MMAX=2,GPMAX=3)
*
.. Local Scalars ..
  real          DF, SIG, STAT
  INTEGER       I, IFAIL, J, M, N, NG, NOBS, NVAR
  CHARACTER     EQUAL, WEIGHT
*
.. Local Arrays ..
  real          D(NMAX,GPMAX), DET(GPMAX),
+             GC((GPMAX+1)*MMAX*(MMAX+1)/2), GMEAN(GPMAX,MMAX),
+             WK(NMAX*(MMAX+1)), WT(NMAX), X(NMAX,MMAX)
  INTEGER       ING(NMAX), ISX(MMAX), IWK(GPMAX), NIG(GPMAX)
*
.. External Subroutines ..
  EXTERNAL      GO3DAF, GO3DBF
*
.. Executable Statements ..
  WRITE (NOUT,*) 'GO3DBF Example Program Results'
*
  Skip headings in data file
  READ (NIN,*)
  READ (NIN,*) N, M, NVAR, NG, WEIGHT
  IF (N.LE.NMAX .AND. M.LE.MMAX) THEN
    IF (WEIGHT.EQ.'W' .OR. WEIGHT.EQ.'w') THEN
      DO 20 I = 1, N
        READ (NIN,*) (X(I,J),J=1,M), ING(I), WT(I)
20      CONTINUE
      ELSE
        DO 40 I = 1, N
          READ (NIN,*) (X(I,J),J=1,M), ING(I)
40      CONTINUE
      END IF
      READ (NIN,*) (ISX(J),J=1,M)
      IFAIL = 0
*
      CALL GO3DAF(WEIGHT,N,M,X,NMAX,ISX,NVAR,ING,NG,WT,NIG,GMEAN,
+             GPMAX,DET,GC,STAT,DF,SIG,WK,IWK,IFAIL)
*
      READ (NIN,*) NOBS, EQUAL
      IF (NOBS.LE.NMAX) THEN
        DO 60 I = 1, NOBS
          READ (NIN,*) (X(I,J),J=1,M)
60      CONTINUE
          IFAIL = 0
*
          CALL GO3DBF(EQUAL,'Sample points',NVAR,NG,GMEAN,GPMAX,GC,
+             NOBS,M,ISX,X,NMAX,D,NMAX,WK,IFAIL)
*
          WRITE (NOUT,*)
          WRITE (NOUT,*) '  Obs          Distances'
          WRITE (NOUT,*)
          DO 80 I = 1, NOBS
            WRITE (NOUT,99999) I, (D(I,J),J=1,NG)
80      CONTINUE
          END IF
        END IF
      STOP
*
99999 FORMAT (1X,I3,3F10.3)
  END

```

9.2 Program Data

G03DBF Example Program Data

```

21 2 2 3 'U'
1.1314 2.4596 1
1.0986 0.2624 1
0.6419 -2.3026 1
1.3350 -3.2189 1
1.4110 0.0953 1
0.6419 -0.9163 1
2.1163 0.0000 2
1.3350 -1.6094 2
1.3610 -0.5108 2
2.0541 0.1823 2
2.2083 -0.5108 2
2.7344 1.2809 2
2.0412 0.4700 2
1.8718 -0.9163 2
1.7405 -0.9163 2
2.6101 0.4700 2
2.3224 1.8563 3
2.2192 2.0669 3
2.2618 1.1314 3
3.9853 0.9163 3
2.7600 2.0281 3
1 1
6 'U'
1.6292 -0.9163
2.5572 1.6094
2.5649 -0.2231
0.9555 -2.3026
3.4012 -2.3026
3.0204 -0.2231

```

9.3 Program Results

G03DBF Example Program Results

Obs	Distances		
1	3.339	0.752	50.928
2	20.777	5.656	0.060
3	21.363	4.841	19.498
4	0.718	6.280	124.732
5	55.000	88.860	71.785
6	36.170	15.785	15.749
