

NAG Fortran Library Chapter Introduction

A02 – Complex Arithmetic

Contents

1	Scope of the Chapter	2
2	Background to the Problems	2
3	Recommendations on Choice and Use of Available Routines	2
4	Index	2
5	Routines Withdrawn or Scheduled for Withdrawal	2

1 Scope of the Chapter

This chapter provides facilities for arithmetic operations involving complex numbers.

2 Background to the Problems

Of the several representations used for complex numbers, perhaps the most common is $a + ib$, where a and b are real numbers, and i represents the **imaginary** number $\sqrt{-1}$. The number a is the **real part**, and ib the **imaginary part**.

For the basic arithmetic operations of addition, subtraction and multiplication, the inclusion of routines was not considered worthwhile. Their coding would be short and no special techniques need be used.

In complex number operations of a more complicated nature, special precautions may have to be taken to avoid unnecessary overflow and underflow at intermediate stages of the computation. This has led to the inclusion of routines in this chapter.

3 Recommendations on Choice and Use of Available Routines

Note: refer to the Users' Note for your implementation to check that a routine is available.

The routines were originally written for use by NAG Library routines which compute eigensystems of real and complex matrices (Chapter F02). They may, however, be of general use to programmers using complex numbers.

Fortran programmers may prefer to use the COMPLEX facilities in that language rather than carrying the real and imaginary parts of the numbers in different variables.

4 Index

Complex Numbers,	
Square Root	AO2AAF
Modulus	AO2ABF
Division	AO2ACF

5 Routines Withdrawn or Scheduled for Withdrawal

None.
