

NAG Fortran Library Routine Document

A02ACF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

A02ACF divides one complex number, $x = (x_r, x_i)$, by a second complex number, $y = (y_r, y_i)$, returning the result in $z = (z_r, z_i)$.

2 Specification

```
SUBROUTINE A02ACF(XR, XI, YR, YI, ZR, ZI)
  real           XR, XI, YR, YI, ZR, ZI
```

3 Description

$z = \frac{x}{y}$ is calculated using the following formulae:

if $|y_r| > |y_i|$,

$$z_r = \frac{x_r + \theta x_i}{\theta y_i + y_r}, \quad z_i = \frac{x_i - \theta x_r}{\theta y_i + y_r}, \quad \text{where } \theta = \frac{y_i}{y_r};$$

If $|y_r| \leq |y_i|$,

$$z_r = \frac{\phi x_r + x_i}{\phi y_r + y_i}, \quad z_i = \frac{\phi x_i - x_r}{\phi y_r + y_i}, \quad \text{where } \phi = \frac{y_r}{y_i}.$$

These formulae ensure that no unnecessary overflow or underflow occurs at intermediate stages of the computation.

4 References

Wilkinson J H and Reinsch C (1971) *Handbook for Automatic Computation II, Linear Algebra* Springer-Verlag

5 Parameters

| | |
|---------------------|--------------|
| 1: XR – real | <i>Input</i> |
| 2: XI – real | <i>Input</i> |

On entry: x_r and x_i , the real and imaginary parts of x , respectively.

| | |
|---------------------|--------------|
| 3: YR – real | <i>Input</i> |
| 4: YI – real | <i>Input</i> |

On entry: y_r and y_i , the real and imaginary parts of y , respectively.

| | |
|---------------------|---------------|
| 5: ZR – real | <i>Output</i> |
| 6: ZI – real | <i>Output</i> |

On exit: z_r and z_i , the real and imaginary parts of z , respectively.

6 Error Indicators and Warnings

None.

7 Accuracy

The result should be correct to *machine precision*.

8 Further Comments

The time taken by the routine is negligible.

This routine **must** not be called with $YR = 0.0$ and $YI = 0.0$.

9 Example

To find the value of $(-1.7 + 2.6i)/(-3.1 - 0.9i)$.

9.1 Program Text

```

*      A02ACF Example Program Text
*      Mark 14 Revised. NAG Copyright 1989.
*      .. Parameters ..
INTEGER           NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
*      .. Local Scalars ..
real              XI, XR, YI, YR, ZI, ZR
*      .. External Subroutines ..
EXTERNAL          A02ACF
*      .. Executable Statements ..
WRITE (NOUT,*) 'A02ACF Example Program Results'
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) XR, XI, YR, YI
*
CALL A02ACF(XR,XI,YR,YI,ZR,ZI)
*
WRITE (NOUT,*)
WRITE (NOUT,*) '   XR      XI      YR      YI      ZR      ZI '
WRITE (NOUT,99999) XR, XI, YR, YI, ZR, ZI
STOP
*
99999 FORMAT (1X,4F6.1,2F9.4)
END

```

9.2 Program Data

```
A02ACF Example Program Data
-1.7 2.6 -3.1 -0.9
```

9.3 Program Results

```
A02ACF Example Program Results
```

| XR | XI | YR | YI | ZR | ZI |
|------|-----|------|------|--------|---------|
| -1.7 | 2.6 | -3.1 | -0.9 | 0.2812 | -0.9203 |
