NAG Fortran Library Routine Document

C06EBF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of **bold italicised** terms and other implementation-dependent details.

1 Purpose

C06EBF calculates the discrete Fourier transform of a Hermitian sequence of n complex data values. (No extra workspace required.)

2 Specification

SUBROUTINE CO6EBF(X, N, IFAIL)
INTEGER N, IFAIL
real X(N)

3 Description

Given a Hermitian sequence of n complex data values z_j (i.e., a sequence such that z_0 is real and z_{n-j} is the complex conjugate of z_j , for $j=1,2,\ldots,n-1$) this routine calculates their discrete Fourier transform defined by:

$$\hat{x}_k = \frac{1}{\sqrt{n}} \sum_{i=0}^{n-1} z_j \times \exp\left(-i\frac{2\pi jk}{n}\right), \quad k = 0, 1, \dots, n-1.$$

(Note the scale factor of $\frac{1}{\sqrt{n}}$ in this definition.) The transformed values \hat{x}_k are purely real (see also the C06 Chapter Introduction).

To compute the inverse discrete Fourier transform defined by:

$$\hat{y}_k = \frac{1}{\sqrt{n}} \sum_{i=0}^{n-1} z_j \times \exp\left(+i\frac{2\pi jk}{n}\right),$$

this routine should be preceded by a call of C06GBF to form the complex conjugates of the z_i .

The routine uses the fast Fourier transform (FFT) algorithm (Brigham (1974)). There are some restrictions on the value of n (see Section 5).

4 References

Brigham E O (1974) The Fast Fourier Transform Prentice-Hall

5 Parameters

1: X(N) - real array Input/Output

On entry: the sequence to be transformed stored in Hermitian form. If the data values z_j are written as $x_j + iy_j$, and if X is declared with bounds (0 : N - 1) in the subroutine from which C06EBF is called, then for $0 \le j \le n/2$, x_j is contained in X(j), and for $1 \le j \le (n - 1)/2$, y_j is contained in X(n - j). (See also Section 2.1.2 of the C06 Chapter Introduction and Section 9.)

On exit: the components of the discrete Fourier transform \hat{x}_k . If X is declared with bounds (0:N-1) in the (sub)program from which C06EBF is called, then \hat{x}_k is stored in X(k), for $k=0,1,\ldots,n-1$.

[NP3546/20A] C06EBF.1

2: N – INTEGER Input

On entry: the number of data values, n. The largest prime factor of N must not exceed 19, and the total number of prime factors of N, counting repetitions, must not exceed 20.

Constraint: N > 1.

3: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

At least one of the prime factors of N is greater than 19.

IFAIL = 2

N has more than 20 prime factors.

IFAIL = 3

N < 1.

IFAIL = 4

7 Accuracy

Some indication of accuracy can be obtained by performing a subsequent inverse transform and comparing the results with the original sequence (in exact arithmetic they would be identical).

8 Further Comments

The time taken by the routine is approximately proportional to $n \times \log n$, but also depends on the factorization of n. The routine is somewhat faster than average if the only prime factors of n are 2, 3 or 5; and fastest of all if n is a power of 2.

On the other hand, the routine is particularly slow if n has several unpaired prime factors, i.e., if the 'square-free' part of n has several factors. For such values of n, routine C06FBF (which requires an additional n elements of workspace) is considerably faster.

C06EBF.2 [NP3546/20A]

9 Example

This program reads in a sequence of real data values which is assumed to be a Hermitian sequence of complex data values stored in Hermitian form. The input sequence is expanded into a full complex sequence and printed alongside the original sequence. The discrete Fourier transform (as computed by C06EBF) is printed out.

The program then performs an inverse transform using C06EAF and C06GBF, and prints the sequence so obtained alongside the original data values.

9.1 Program Text

Note: the listing of the example program presented below uses **bold italicised** terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
CO6EBF Example Program Text
  Mark 14 Revised. NAG Copyright 1989.
   .. Parameters ..
   INTEGER
                     NMAX
  PARAMETER
                     (NMAX=20)
                    NIN, NOUT
  INTEGER
  PARAMETER
                    (NIN=5, NOUT=6)
   .. Local Scalars ..
                     IFAIL, J, N, N2, NJ
   INTEGER
   .. Local Arrays ..
                    U(0:NMAX-1), V(0:NMAX-1), X(0:NMAX-1),
                    XX(0:NMAX-1)
   .. External Subroutines .
  EXTERNAL
                   COGEAF, COGEBF, COGGBF
   .. Intrinsic Functions ..
   INTRINSIC
                    MOD
   .. Executable Statements ..
   WRITE (NOUT,*) 'CO6EBF Example Program Results'
   Skip heading in data Ûle
   READ (NIN, *)
20 READ (NIN, *, END=140) N
   IF (N.GT.1 .AND. N.LE.NMAX) THEN DO 40 J = 0, N - 1
         READ (NIN,*) X(J)
         XX(J) = X(J)
40
      CONTINUE
      U(0) = X(0)
      V(0) = 0.0e0
      N2 = (N-1)/2
      DO 60 J = 1, N2
         NJ = N - J
         U(J) = X(J)
         U(NJ) = X(J)
         V(J) = X(NJ)
         V(NJ) = -X(NJ)
60
      CONTINUE
      IF (MOD(N,2).EQ.0) THEN
         U(N2+1) = X(N2+1)
         V(N2+1) = 0.0e0
      END IF
      WRITE (NOUT, *)
      WRITE (NOUT, *)
        'Original sequence and corresponding complex sequence'
      WRITE (NOUT, *)
      WRITE (NOUT, *)
                                Data
                                                Real
                                                           Imaq'
      WRITE (NOUT, *)
      DO 80 J = 0, N - 1
         WRITE (NOUT, 99999) J, X(J), ' ', U(J), V(J)
80
      CONTINUE
      IFAIL = 0
      CALL CO6EBF(X,N,IFAIL)
      WRITE (NOUT, *)
```

[NP3546/20A] C06EBF.3

```
WRITE (NOUT,*) 'Components of discrete Fourier transform'
         WRITE (NOUT, *)
         DO 100 J = 0, N - 1
            WRITE (NOUT, 99999) J, X(J)
 100
         CONTINUE
         CALL CO6EAF(X,N,IFAIL)
         CALL CO6GBF(X,N,IFAIL)
         WRITE (NOUT, *)
         WRITE (NOUT, *)
          'Original sequence as restored by inverse transform'
         WRITE (NOUT, *)
         WRITE (NOUT,*) '
                                  Original Restored'
         WRITE (NOUT, *)
         DO 120 J = 0, N - 1
            WRITE (NOUT, 99998) J, XX(J), X(J)
 120
         CONTINUE
         GO TO 20
      ELSE
        WRITE (NOUT,*) 'Invalid value of N'
      END IF
 140 STOP
99999 FORMAT (1X, I5, F10.5, A, 2F10.5)
99998 FORMAT (1X, 15, 2F10.5)
      END
```

9.2 Program Data

```
CO6EBF Example Program Data
  0.34907
  0.54890
  0.74776
  0.94459
  1.13850
  1.32850
  1.51370
```

9.3 **Program Results**

CO6EBF Example Program Results

Original sequence and corresponding complex sequence

	Data	Real	Imag
0	0.34907	0.34907	0.00000
1	0.54890	0.54890	1.51370
2	0.74776	0.74776	1.32850
3	0.94459	0.94459	1.13850
4	1.13850	0.94459	-1.13850
5	1.32850	0.74776	-1.32850
6	1.51370	0.54890	-1.51370

```
Components of discrete Fourier transform
       1.82616
       1.86862
    2 -0.01750
      0.50200
    3
      -0.59873
    4
    5
      -0.03144
      -2.62557
Original sequence as restored by inverse transform
        Original Restored
```

C06EBF.4 [NP3546/20A]

)
)
)
)
)
)

[NP3546/20A] C06EBF.5 (last)