

NAG Fortran Library Routine Document

F03AFF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F03AFF computes an LU factorization of a real matrix, with partial pivoting, and evaluates the determinant.

2 Specification

```
SUBROUTINE F03AFF(N, EPS, A, IA, D1, ID, P, IFAIL)
INTEGER          N, IA, ID, IFAIL
real           EPS, A(IA,*), D1, P(*)
```

3 Description

This routine computes an LU factorization of a real matrix A with partial pivoting: $PA = LU$, where P is a permutation matrix, L is lower triangular and U is unit upper triangular. The determinant of A is the product of the diagonal elements of L with the correct sign determined by the row interchanges.

4 References

Wilkinson J H and Reinsch C (1971) *Handbook for Automatic Computation II, Linear Algebra* Springer-Verlag

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 0$.
- 2: EPS – *real* *Input*
On entry: EPS must be set to the value of *machine precision*.
- 3: A(IA,*) – *real* array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the n by n matrix A .
On exit: A is overwritten by the lower triangular matrix L and the off-diagonal elements of the upper triangular matrix U . The unit diagonal elements of U are not stored.
- 4: IA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F03AFF is called.
Constraint: $IA \geq \max(1, N)$.

5: D1 – *real* *Output*
 6: ID – INTEGER *Output*

On exit: the determinant of A is given by $D1 \times 2.0^{ID}$. It is given in this form to avoid overflow or underflow.

7: P(*) – *real* array *Output*

Note: the dimension of the array P must be at least $\max(1, N)$.

On exit: P(i) gives the row index of the i th pivot.

8: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

The matrix A is singular, possibly due to rounding errors. The factorization could not be completed. D1 and ID are set to zero.

IFAIL = 2

On entry, $N < 0$,
 or $IA < \max(1, N)$.

7 Accuracy

The accuracy of the determinant depends on the conditioning of the original matrix. For a detailed error analysis, see page 107 of Wilkinson and Reinsch (1971).

8 Further Comments

The time taken by the routine is approximately proportional to n^3 .

9 Example

To compute the LU factorization with partial pivoting, and calculate the determinant, of the real matrix

$$\begin{pmatrix} 33 & 16 & 72 \\ -24 & -10 & -57 \\ -8 & -4 & -17 \end{pmatrix}.$$

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      F03AFF Example Program Text
*      Mark 15 Revised.  NAG Copyright 1991.
*      .. Parameters ..
      INTEGER          NMAX, IA
      real            TWO
      PARAMETER        (NMAX=8, IA=NMAX, TWO=2.0e0)
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5, NOUT=6)
*      .. Local Scalars ..
      real            D1
      INTEGER          I, ID, IFAIL, J, N
*      .. Local Arrays ..
      real            A(IA,NMAX), P(NMAX)
*      .. External Functions ..
      real            X02AJF
      EXTERNAL         X02AJF
*      .. External Subroutines ..
      EXTERNAL        F03AFF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F03AFF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      WRITE (NOUT,*)
      IF (N.GE.0 .AND. N.LE.NMAX) THEN
          READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
          IFAIL = 0

*
          CALL F03AFF(N,X02AJF(),A,IA,D1,ID,P,IFAIL)
*
          WRITE (NOUT,*) 'Array A after factorization'
          DO 20 I = 1, N
              WRITE (NOUT,99998) (A(I,J),J=1,N)
20          CONTINUE
          WRITE (NOUT,*)
          WRITE (NOUT,*) 'Array P'
          WRITE (NOUT,99998) (P(I),I=1,N)
          WRITE (NOUT,*)
          WRITE (NOUT,99997) 'D1 = ', D1, ' ID = ', ID
          D1 = D1*TWO**ID
          WRITE (NOUT,*)
          WRITE (NOUT,99997) 'Value of determinant = ', D1
      ELSE
          WRITE (NOUT,99999) 'N is out of range: N = ', N
      END IF
      STOP

*
99999 FORMAT (1X,A,I5)
99998 FORMAT (1X,8F9.4)
99997 FORMAT (1X,A,F9.4,A,I2)
      END

```

9.2 Program Data

```

F03AFF Example Program Data
3
 33  16  72
-24 -10 -57
 -8  -4 -17

```

9.3 Program Results

F03AFF Example Program Results

Array A after factorization

-8.0000	0.5000	2.1250
-24.0000	2.0000	-3.0000
33.0000	-0.5000	0.3750

Array P

3.0000	2.0000	3.0000
--------	--------	--------

D1 = 0.3750 ID = 4

Value of determinant = 6.0000
