

# NAG Fortran Library Routine Document

## F07FSF (CPOTRS/ZPOTRS)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F07FSF (CPOTRS/ZPOTRS) solves a complex Hermitian positive-definite system of linear equations with multiple right-hand sides,  $AX = B$ , where  $A$  has been factorized by F07FRF (CPOTRF/ZPOTRF).

### 2 Specification

```

SUBROUTINE F07FSF(UPLO, N, NRHS, A, LDA, B, LDB, INFO)
ENTRY      cpotrs (UPLO, N, NRHS, A, LDA, B, LDB, INFO)
INTEGER    N, NRHS, LDA, LDB, INFO
complex  A(LDA,*), B(LDB,*)
CHARACTER*1 UPLO

```

The ENTRY statement enables the routine to be called by its LAPACK name.

### 3 Description

To solve a complex Hermitian positive-definite system of linear equations  $AX = B$ , this routine must be preceded by a call to F07FRF (CPOTRF/ZPOTRF) which computes the Cholesky factorization of  $A$ . The solution  $X$  is computed by forward and backward substitution.

If  $UPLO = 'U'$ ,  $A = U^H U$ , where  $U$  is upper triangular; the solution  $X$  is computed by solving  $U^H Y = B$  and then  $UX = Y$ .

If  $UPLO = 'L'$ ,  $A = LL^H$ , where  $L$  is lower triangular; the solution  $X$  is computed by solving  $LY = B$  and then  $L^H X = Y$ .

### 4 References

Golub G H and van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

### 5 Parameters

1: UPLO – CHARACTER\*1 *Input*

*On entry:* indicates whether  $A$  has been factorized as  $U^H U$  or  $LL^H$  as follows:

if  $UPLO = 'U'$ , then  $A = U^H U$ , where  $U$  is upper triangular;

if  $UPLO = 'L'$ , then  $A = LL^H$ , where  $L$  is lower triangular.

*Constraint:* UPLO = 'U' or 'L'.

2: N – INTEGER *Input*

*On entry:*  $n$ , the order of the matrix  $A$ .

*Constraint:*  $N \geq 0$ .

- 3: NRHS – INTEGER *Input*  
*On entry:*  $r$ , the number of right-hand sides.  
*Constraint:*  $\text{NRHS} \geq 0$ .
- 4: A(LDA,\*) – **complex** array *Input*  
**Note:** the second dimension of the array A must be at least  $\max(1, N)$ .  
*On entry:* the Cholesky factor of  $A$ , as returned by F07FRF (CPOTRF/ZPOTRF).
- 5: LDA – INTEGER *Input*  
*On entry:* the first dimension of the array A as declared in the (sub)program from which F07FSF (CPOTRS/ZPOTRS) is called.  
*Constraint:*  $\text{LDA} \geq \max(1, N)$ .
- 6: B(LDB,\*) – **complex** array *Input/Output*  
**Note:** the second dimension of the array B must be at least  $\max(1, \text{NRHS})$ .  
*On entry:* the  $n$  by  $r$  right-hand side matrix  $B$ .  
*On exit:* the  $n$  by  $r$  solution matrix  $X$ .
- 7: LDB – INTEGER *Input*  
*On entry:* the first dimension of the array B as declared in the (sub)program from which F07FSF (CPOTRS/ZPOTRS) is called.  
*Constraint:*  $\text{LDB} \geq \max(1, N)$ .
- 8: INFO – INTEGER *Output*  
*On exit:*  $\text{INFO} = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If  $\text{INFO} = -i$ , the  $i$ th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

For each right-hand side vector  $b$ , the computed solution  $x$  is the exact solution of a perturbed system of equations  $(A + E)x = b$ , where

$$|E| \leq c(n)\epsilon|U^H||U| \text{ if UPLO = 'U'},$$

$$|E| \leq c(n)\epsilon|L||L^H| \text{ if UPLO = 'L'},$$

$c(n)$  is a modest linear function of  $n$ , and  $\epsilon$  is the *machine precision*.

If  $\hat{x}$  is the true solution, then the computed solution  $x$  satisfies a forward error bound of the form

$$\frac{\|x - \hat{x}\|_\infty}{\|x\|_\infty} \leq c(n) \text{cond}(A, x)\epsilon$$

where  $\text{cond}(A, x) = \| |A^{-1}| |A| |x| \|_\infty / \|x\|_\infty \leq \text{cond}(A) = \| |A^{-1}| |A| \|_\infty \leq \kappa_\infty(A)$ . Note that  $\text{cond}(A, x)$  can be much smaller than  $\text{cond}(A)$ .

Forward and backward error bounds can be computed by calling F07FVF (CPORFS/ZPORFS), and an estimate for  $\kappa_{\infty}(A)$  ( $= \kappa_1(A)$ ) can be obtained by calling F07FUF (CPOCON/ZPOCON).

## 8 Further Comments

The total number of real floating-point operations is approximately  $8n^2r$ .

This routine may be followed by a call to F07FVF (CPORFS/ZPORFS) to refine the solution and return an error estimate.

The real analogue of this routine is F07FEF (SPOTRS/DPOTRS).

## 9 Example

To solve the system of equations  $AX = B$ , where

$$A = \begin{pmatrix} 3.23 + 0.00i & 1.51 - 1.92i & 1.90 + 0.84i & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 + 0.00i & -0.23 + 1.11i & -1.18 + 1.37i \\ 1.90 - 0.84i & -0.23 - 1.11i & 4.09 + 0.00i & 2.33 - 0.14i \\ 0.42 - 2.50i & -1.18 - 1.37i & 2.33 + 0.14i & 4.29 + 0.00i \end{pmatrix}$$

and

$$B = \begin{pmatrix} 3.93 - 6.14i & 1.48 + 6.58i \\ 6.17 + 9.42i & 4.65 - 4.75i \\ -7.17 - 21.83i & -4.91 + 2.29i \\ 1.99 - 14.38i & 7.64 - 10.79i \end{pmatrix}.$$

Here  $A$  is Hermitian positive-definite and must first be factorized by F07FRF (CPOTRF/ZPOTRF).

### 9.1 Program Text

**Note:** the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F07FSF Example Program Text
*      Mark 16 Release. NAG Copyright 1993.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
      INTEGER          NMAX, LDA, NRHMAX, LDB
      PARAMETER       (NMAX=8,LDA=NMAX,NRHMAX=NMAX,LDB=NMAX)
*      .. Local Scalars ..
      INTEGER          I, IFAIL, INFO, J, N, NRHS
      CHARACTER       UPLO
*      .. Local Arrays ..
      complex        A(LDA,NMAX), B(LDB,NRHMAX)
      CHARACTER       CLABS(1), RLABS(1)
*      .. External Subroutines ..
      EXTERNAL        X04DBF, cpotrf, cpotrs
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F07FSF Example Program Results'
      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N, NRHS
      IF (N.LE.NMAX .AND. NRHS.LE.NRHMAX) THEN
*
*      Read A and B from data file
*
      READ (NIN,*) UPLO
      IF (UPLO.EQ.'U') THEN
          READ (NIN,*) ((A(I,J),J=I,N),I=1,N)
      ELSE IF (UPLO.EQ.'L') THEN
          READ (NIN,*) ((A(I,J),J=1,I),I=1,N)
      END IF
      READ (NIN,*) ((B(I,J),J=1,NRHS),I=1,N)
```

```

*
*   Factorize A
*
*   CALL cpotrf(UPLO,N,A,LDA,INFO)
*
*   WRITE (NOUT,*)
*   IF (INFO.EQ.0) THEN
*
*       Compute solution
*
*       CALL cpotrs(UPLO,N,NRHS,A,LDA,B,LDB,INFO)
*
*       Print solution
*
*       IFAIL = 0
*       CALL X04DBF('General',' ',N,NRHS,B,LDB,'Bracketed','F7.4',
+           'Solution(s)','Integer',RLABS,'Integer',CLABS,
+           80,0,IFAIL)
*       ELSE
*       WRITE (NOUT,*) 'A is not positive-definite'
*       END IF
*   END IF
*   STOP
*
*   END

```

## 9.2 Program Data

F07FSF Example Program Data

```

4 2                                     :Values of N and NRHS
'L'                                     :Value of UPLO
(3.23, 0.00)
(1.51, 1.92) ( 3.58, 0.00)
(1.90,-0.84) (-0.23,-1.11) ( 4.09, 0.00)
(0.42,-2.50) (-1.18,-1.37) ( 2.33, 0.14) ( 4.29, 0.00) :End of matrix A
( 3.93, -6.14) ( 1.48, 6.58)
( 6.17, 9.42) ( 4.65, -4.75)
(-7.17,-21.83) (-4.91, 2.29)
( 1.99,-14.38) ( 7.64,-10.79)           :End of matrix B

```

## 9.3 Program Results

F07FSF Example Program Results

```

Solution(s)
          1          2
1 ( 1.0000,-1.0000) (-1.0000, 2.0000)
2 (-0.0000, 3.0000) ( 3.0000,-4.0000)
3 (-4.0000,-5.0000) (-2.0000, 3.0000)
4 ( 2.0000, 1.0000) ( 4.0000,-5.0000)

```

---