

NAG Fortran Library Routine Document

F07HEF (SPBTRS/DPBTRS)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07HEF (SPBTRS/DPBTRS) solves a real symmetric positive-definite band system of linear equations with multiple right-hand sides, $AX = B$, where A has been factorized by F07HDF (SPBTRF/DPBTRF).

2 Specification

```

SUBROUTINE F07HEF(UPLO, N, KD, NRHS, AB, LDAB, B, LDB, INFO)
ENTRY      spbtrs (UPLO, N, KD, NRHS, AB, LDAB, B, LDB, INFO)
INTEGER          N, KD, NRHS, LDAB, LDB, INFO
real           AB(LDAB,*), B(LDB,*)
CHARACTER*1      UPLO

```

The ENTRY statement enables the routine to be called by its LAPACK name.

3 Description

To solve a real symmetric positive-definite band system of linear equations $AX = B$, this routine must be preceded by a call to F07HDF (SPBTRF/DPBTRF) which computes the Cholesky factorization of A . The solution X is computed by forward and backward substitution.

If $UPLO = 'U'$, $A = U^T U$, where U is upper triangular; the solution X is computed by solving $U^T Y = B$ and then $UX = Y$.

If $UPLO = 'L'$, $A = LL^T$, where L is lower triangular; the solution X is computed by solving $LY = B$ and then $L^T X = Y$.

4 References

Golub G H and van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

1: UPLO – CHARACTER*1 *Input*

On entry: indicates whether A has been factorized as $U^T U$ or LL^T as follows:

if $UPLO = 'U'$, $A = U^T U$, where U is upper triangular;

if $UPLO = 'L'$, $A = LL^T$, where L is lower triangular.

Constraint: UPLO = 'U' or 'L'.

2: N – INTEGER *Input*

On entry: n , the order of the matrix A .

Constraint: $N \geq 0$.

- 3: KD – INTEGER *Input*
On entry: k , the number of super-diagonals or sub-diagonals of the matrix A .
Constraint: $KD \geq 0$.
- 4: NRHS – INTEGER *Input*
On entry: r , the number of right-hand sides.
Constraint: $NRHS \geq 0$.
- 5: AB(LDAB,*) – *real* array *Input*
Note: the second dimension of the array AB must be at least $\max(1, N)$.
On entry: the Cholesky factor of A , as returned by F07HDF (SPBTRF/DPBTRF).
- 6: LDAB – INTEGER *Input*
On entry: the first dimension of the array AB as declared in the (sub)program from which F07HEF (SPBTRS/DPBTRS) is called.
Constraint: $LDAB \geq KD + 1$.
- 7: B(LDB,*) – *real* array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, NRHS)$.
On entry: the n by r right-hand side matrix B .
On exit: the n by r solution matrix X .
- 8: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F07HEF (SPBTRS/DPBTRS) is called.
Constraint: $LDB \geq \max(1, N)$.
- 9: INFO – INTEGER *Output*
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If $INFO = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

For each right-hand side vector b , the computed solution x is the exact solution of a perturbed system of equations $(A + E)x = b$, where

$$|E| \leq c(k+1)\epsilon|U^T||U|, \text{ if UPLO = 'U',}$$

$$|E| \leq c(k+1)\epsilon|L||L^T|, \text{ if UPLO = 'L',}$$

$c(k+1)$ is a modest linear function of $k+1$, and ϵ is the *machine precision*.

If \hat{x} is the true solution, then the computed solution x satisfies a forward error bound of the form

$$\frac{\|x - \hat{x}\|_\infty}{\|x\|_\infty} \leq c(k+1) \text{cond}(A, x)\epsilon$$

where $\text{cond}(A, x) = \| |A^{-1}| |A| |x| \|_{\infty} / \|x\|_{\infty} \leq \text{cond}(A) = \| |A^{-1}| |A| \|_{\infty} \leq \kappa_{\infty}(A)$. Note that $\text{cond}(A, x)$ can be much smaller than $\text{cond}(A)$. Forward and backward error bounds can be computed by calling F07HHF (SPBRFS/DPBRFS), and an estimate for $\kappa_{\infty}(A)$ ($= \kappa_1(A)$) can be obtained by calling F07HGF (SPBCON/DPBCON).

8 Further Comments

The total number of floating-point operations is approximately $4nkr$, assuming $n \gg k$.

This routine may be followed by a call to F07HHF (SPBRFS/DPBRFS) to refine the solution and return an error estimate.

The complex analogue of this routine is F07HSF (CPBTRS/ZPBTRS).

9 Example

To solve the system of equations $AX = B$, where

$$A = \begin{pmatrix} 5.49 & 2.68 & 0.00 & 0.00 \\ 2.68 & 5.63 & -2.39 & 0.00 \\ 0.00 & -2.39 & 2.60 & -2.22 \\ 0.00 & 0.00 & -2.22 & 5.17 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 22.09 & 5.10 \\ 9.31 & 30.81 \\ -5.24 & -25.82 \\ 11.83 & 22.90 \end{pmatrix}.$$

Here A is symmetric and positive-definite, and is treated as a band matrix, which must first be factorized by F07HDF (SPBTRF/DPBTRF).

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F07HEF Example Program Text
*      Mark 15 Release. NAG Copyright 1991.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER       (NIN=5,NOUT=6)
INTEGER          NMAX, KDMAX, LDAB, NRHMAX, LDB
PARAMETER       (NMAX=8,KDMAX=8,LDAB=KDMAX+1,NRHMAX=NMAX,
+              LDB=NMAX)
*      .. Local Scalars ..
INTEGER          I, IFAIL, INFO, J, KD, N, NRHS
CHARACTER        UPLO
*      .. Local Arrays ..
real            AB(LDAB,NMAX), B(LDB,NRHMAX)
*      .. External Subroutines ..
EXTERNAL         spbtrf, spbtrs, X04CAF
*      .. Intrinsic Functions ..
INTRINSIC        MAX, MIN
*      .. Executable Statements ..
WRITE (NOUT,*) 'F07HEF Example Program Results'
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) N, KD, NRHS
IF (N.LE.NMAX .AND. KD.LE.KDMAX .AND. NRHS.LE.NRHMAX) THEN
*
*      Read A and B from data file
*
READ (NIN,*) UPLO
IF (UPLO.EQ.'U') THEN
DO 20 I = 1, N
READ (NIN,*) (AB(KD+1+I-J,J),J=I,MIN(N,I+KD))
20  CONTINUE
ELSE IF (UPLO.EQ.'L') THEN
DO 40 I = 1, N
READ (NIN,*) (AB(1+I-J,J),J=MAX(1,I-KD),I)
40  CONTINUE
```

```

      END IF
      READ (NIN,*) ((B(I,J),J=1,NRHS),I=1,N)
*
*   Factorize A
*
      CALL spbtrf(UPLO,N,KD,AB,LDAB,INFO)
*
      WRITE (NOUT,*)
      IF (INFO.EQ.0) THEN
*
*       Compute solution
*
      CALL spbtrs(UPLO,N,KD,NRHS,AB,LDAB,B,LDB,INFO)
*
*       Print solution
*
      IFAIL = 0
*
      CALL X04CAF('General',' ',N,NRHS,B,LDB,'Solution(s)',IFAIL)
*
      ELSE
      WRITE (NOUT,*) 'A is not positive-definite'
      END IF
      END IF
      STOP
*
      END

```

9.2 Program Data

F07HEF Example Program Data

```

4  1  2           :Values of N, KD and NRHS
'L'             :Value of UPLO
5.49
2.68  5.63
      -2.39  2.60
      -2.22  5.17   :End of matrix A
22.09  5.10
9.31  30.81
-5.24 -25.82
11.83  22.90       :End of matrix B

```

9.3 Program Results

F07HEF Example Program Results

```

Solution(s)
      1           2
1      5.0000   -2.0000
2     -2.0000    6.0000
3     -3.0000   -1.0000
4      1.0000    4.0000

```
