

# NAG Fortran Library Routine Document

## G02CFF

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

G02CFF re-orders the elements in two vectors (typically vectors of means and standard deviations), and the rows and columns in two matrices (typically either matrices of sums of squares and cross-products of deviations from means and Pearson product-moment correlation coefficients, or matrices of sums of squares and cross-products about zero and correlation-like coefficients).

### 2 Specification

```
SUBROUTINE G02CFF(N, KORDER, XBAR, STD, SSP, ISSP, R, IR, KWORK, IFAIL)
INTEGER          N, KORDER(N), ISSP, IR, KWORK(N), IFAIL
real           XBAR(N), STD(N), SSP(ISSP,N), R(IR,N)
```

### 3 Description

Input to the routine consists of:

- (a) A list of the order in which the  $n$  variables are to be arranged on exit:

$$i_1, i_2, i_3, \dots, i_n.$$

- (b) A vector of means:

$$(\bar{x}_1, \bar{x}_2, \bar{x}_3, \dots, \bar{x}_n).$$

- (c) A vector of standard deviations:

$$(s_1, s_2, s_3, \dots, s_n).$$

- (d) A matrix of sums of squares and cross-products of deviations from means:

$$\begin{pmatrix} S_{11} & S_{12} & S_{13} & \cdot & \cdot & \cdot & S_{1n} \\ S_{21} & S_{22} & & & & & \cdot \\ S_{31} & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ S_{n1} & S_{n2} & \cdot & \cdot & \cdot & \cdot & S_{nn} \end{pmatrix}.$$

- (e) A matrix of correlation coefficients:

$$\begin{pmatrix} R_{11} & R_{12} & R_{13} & \cdot & \cdot & \cdot & R_{1n} \\ R_{21} & R_{22} & & & & & \cdot \\ R_{31} & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ \cdot & & & & & & \cdot \\ R_{n1} & R_{n2} & \cdot & \cdot & \cdot & \cdot & R_{nn} \end{pmatrix}.$$

On exit from the routine, these same vectors and matrices are re-ordered, in the manner specified, and contain the following information:

- (i) The vector of means:

$$(\bar{x}_{i_1}, \bar{x}_{i_2}, \bar{x}_{i_3}, \dots, \bar{x}_{i_n}).$$

- (ii) The vector of standard deviations:

$$(s_{i_1}, s_{i_2}, s_{i_3}, \dots, s_{i_n}).$$

- (iii) The matrix of sums of squares and cross-products of deviations from means:

$$\begin{pmatrix} S_{i_1 i_1} & S_{i_1 i_2} & S_{i_1 i_3} & \dots & S_{i_1 i_n} \\ S_{i_2 i_1} & S_{i_2 i_2} & & & \cdot \\ S_{i_3 i_1} & & & & \cdot \\ \cdot & & & & \cdot \\ \cdot & & & & \cdot \\ S_{i_n i_1} & S_{i_n i_2} & \cdot & \dots & S_{i_n i_n} \end{pmatrix}.$$

- (iv) The matrix of correlation coefficients:

$$\begin{pmatrix} R_{i_1 i_1} & R_{i_1 i_2} & R_{i_1 i_3} & \dots & R_{i_1 i_n} \\ R_{i_2 i_1} & R_{i_2 i_2} & & & \cdot \\ R_{i_3 i_1} & & & & \cdot \\ \cdot & & & & \cdot \\ \cdot & & & & \cdot \\ R_{i_n i_1} & R_{i_n i_2} & \cdot & \dots & R_{i_n i_n} \end{pmatrix}.$$

**Note:** for sums of squares of cross-products of deviations about zero and correlation-like coefficients  $S_{ij}$  and  $R_{ij}$  should be replaced by  $\tilde{S}_{ij}$  and  $\tilde{R}_{ij}$  in the description of the input and output above.

## 4 References

None.

## 5 Parameters

- 1: N – INTEGER *Input*  
*On entry:* the number of variables,  $n$ , in the input data.  
*Constraint:*  $N \geq 2$ .
- 2: KORDER(N) – INTEGER array *Input*  
*On entry:* KORDER( $i$ ) must be set to the number of the original variable which is to be the  $i$ th variable in the re-arranged data, for  $i = 1, 2, \dots, n$ .  
*Constraint:*  $1 \leq \text{KORDER}(i) \leq N$ , for  $i = 1, 2, \dots, n$ .
- 3: XBAR(N) – *real* array *Input/Output*  
*On entry:* XBAR( $i$ ) must be set to the mean of variable  $i$ , for  $i = 1, 2, \dots, n$ .  
*On exit:* XBAR( $i$ ) contains the mean of variable  $k$  where  $k = \text{KORDER}(i)$ , for  $i = 1, 2, \dots, n$ .
- 4: STD(N) – *real* array *Input/Output*  
*On entry:* STD( $i$ ) must be set to the standard deviation of variable  $i$ , for  $i = 1, 2, \dots, n$ .  
*On exit:* STD( $i$ ) contains the standard deviation of variable  $k$  where  $k = \text{KORDER}(i)$ , for  $i = 1, 2, \dots, n$ .

- 5: SSP(ISSP,N) – *real* array Input/Output  
*On entry:* SSP( $i, j$ ) must be set to the sum of cross-products of deviations from means  $S_{ij}$  (or about zero  $\tilde{S}_{ij}$ ) for variables  $i$  and  $j$ , for  $i, j = 1, 2, \dots, n$ .  
*On exit:* SSP( $i, j$ ) contains the sum of cross-products of deviations from means  $S_{kl}$  (or about zero  $\tilde{S}_{kl}$ ) for variables  $k$  and  $l$ , where  $k = \text{KORDER}(i)$ , and  $l = \text{KORDER}(j)$ ,  $i, j = 1, 2, \dots, n$ .
- 6: ISSP – INTEGER Input  
*On entry:* the first dimension of the array SSP as declared in the (sub)program from which G02CFF is called.  
*Constraint:* ISSP  $\geq$  N.
- 7: R(IR,N) – *real* array Input/Output  
*On entry:* R( $i, j$ ) must be set to the Pearson product-moment correlation coefficient  $R_{ij}$  (or the correlation-like coefficient  $\tilde{R}_{ij}$ ) for variables  $i$  and  $j$ , for  $i, j = 1, 2, \dots, n$ .  
*On exit:* R( $i, j$ ) contains the Pearson product-moment correlation coefficient  $R_{kl}$  (or the correlation-like coefficient  $\tilde{R}_{kl}$ ) for variables  $k$  and  $l$ , where  $k = \text{KORDER}(i)$  and  $l = \text{KORDER}(j)$ , for  $i, j = 1, 2, \dots, n$ .
- 8: IR – INTEGER Input  
*On entry:* the first dimension of the array R as declared in the (sub)program from which G02CFF is called.  
*Constraint:* IR  $\geq$  N.
- 9: KWORK(N) – INTEGER array Workspace
- 10: IFAIL – INTEGER Input/Output  
*On entry:* IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.  
*On exit:* IFAIL = 0 unless the routine detects an error (see Section 6).  
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, because for this routine the values of the output parameters may be useful even if IFAIL  $\neq$  0 on exit, the recommended value is -1. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

## 6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, N < 2.

IFAIL = 2

On entry, ISSP < N,  
 or IR < N.

IFAIL = 3

On entry,  $KORDER(i) < 1$ ,  
or  $KORDER(i) > N$  for some  $i = 1, 2, \dots, n$ .

IFAIL = 4

On entry, there is not a one-to-one correspondence between the old variables and the new variables; at least one of the original variables is not included in the new set, and consequently at least one other variable has been included more than once.

## 7 Accuracy

Not applicable.

## 8 Further Comments

The time taken by the routine depends on  $n$  and the amount of re-arrangement involved.

The routine is intended primarily for use when a set of variables is to be re-ordered for use in a regression, and is described accordingly. There is however no reason why the routine should not also be used to re-order vectors and matrices which contain any other non-statistical information; the matrices need not be symmetric.

The routine may be used either with sums of squares and cross-products of deviations from means and Pearson product-moment correlation coefficients in connection with a regression involving a constant, or with sums of squares and cross-products about zero and correlation-like coefficients in connection with a regression with no constant.

## 9 Example

The following program reads in the means, standard deviations, sums of squares and cross-products, and correlation coefficients for three variables. The vectors and matrices are re-ordered so that they contain the means, standard deviations, sums of squares and cross-products, and correlation coefficients for the first, third and second variables (in that order). Finally the re-ordered vectors and matrices are printed.

### 9.1 Program Text

**Note:** the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      G02CFF Example Program Text
*      Mark 14 Revised.  NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          N, ISSP, ICORR
      PARAMETER       (N=3,ISSP=N,ICORR=N)
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
*      .. Local Scalars ..
      INTEGER          I, IFAIL, J
*      .. Local Arrays ..
      real            CORR(ICORR,N), SSP(ISSP,N), STD(N), XM(N)
      INTEGER          IORDER(N), KW(N)
*      .. External Subroutines ..
      EXTERNAL        G02CFF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'G02CFF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) (XM(I),I=1,N), (STD(I),I=1,N),
+ ((SSP(I,J),J=1,N),I=1,N), ((CORR(I,J),J=1,N),I=1,N)
      WRITE (NOUT,*)
      WRITE (NOUT,99999) 'Original vector XM      :      ', (XM(I),I=1,N)
      WRITE (NOUT,*)
```

```

WRITE (NOUT,99999) 'Original vector STD : ', (STD(I),I=1,N)
WRITE (NOUT,*)
WRITE (NOUT,*) 'Original matrix SSP : '
WRITE (NOUT,99998) ((SSP(I,J),J=1,N),I=1,N)
WRITE (NOUT,*)
WRITE (NOUT,*) 'Original matrix CORR : '
WRITE (NOUT,99998) ((CORR(I,J),J=1,N),I=1,N)
WRITE (NOUT,*)
IORDER(1) = 1
IORDER(2) = 3
IORDER(3) = 2
IFAIL = 1
*
CALL G02CFF(N,IORDER,XM,STD,SSP,ISSP,CORR,ICORR,KW,IFAIL)
*
IF (IFAIL.NE.0) THEN
  WRITE (NOUT,99997) 'Routine fails, IFAIL =', IFAIL
ELSE
  WRITE (NOUT,99996) 'New vector XM : ', (XM(I),I=1,N)
  WRITE (NOUT,*)
  WRITE (NOUT,99996) 'New vector STD : ', (STD(I),I=1,N)
  WRITE (NOUT,*)
  WRITE (NOUT,*) 'New matrix SSP : '
  WRITE (NOUT,99995) ((SSP(I,J),J=1,N),I=1,N)
  WRITE (NOUT,*)
  WRITE (NOUT,*) 'New matrix CORR : '
  WRITE (NOUT,99995) ((CORR(I,J),J=1,N),I=1,N)
END IF
STOP
*
99999 FORMAT (1X,A,3F10.4)
99998 FORMAT (1X,3F10.4)
99997 FORMAT (1X,A,I2)
99996 FORMAT (1X,A,3F10.4)
99995 FORMAT (1X,3F10.4)
END

```

## 9.2 Program Data

```

G02CFF Example Program Data
5.4000    5.8000    2.8000
4.9800    5.0695    1.9240
99.2000   -57.6000    6.4000
-57.6000  102.8000   -29.2000
6.4000   -29.2000   14.8000
1.0000   -0.5704    0.1670
-0.5704  1.0000   -0.7486
0.1670   -0.7486    1.0000

```

## 9.3 Program Results

G02CFF Example Program Results

```

Original vector XM :          5.4000    5.8000    2.8000

Original vector STD :          4.9800    5.0695    1.9240

Original matrix SSP :
  99.2000   -57.6000    6.4000
 -57.6000  102.8000   -29.2000
   6.4000   -29.2000   14.8000

Original matrix CORR :
   1.0000   -0.5704    0.1670
 -0.5704    1.0000   -0.7486
   0.1670   -0.7486    1.0000

New vector XM :          5.4000    2.8000    5.8000

New vector STD :          4.9800    1.9240    5.0695

```

```
New matrix SSP :  
  99.2000    6.4000  -57.6000  
   6.4000   14.8000  -29.2000  
 -57.6000  -29.2000  102.8000
```

```
New matrix CORR :  
  1.0000    0.1670  -0.5704  
  0.1670    1.0000  -0.7486  
 -0.5704   -0.7486    1.0000
```

---