

NAG Fortran Library Routine Document

G02FAF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

G02FAF calculates two types of standardised residuals and two measures of influence for a linear regression.

2 Specification

```
SUBROUTINE G02FAF(N, IP, NRES, RES, H, RMS, SRES, LDS, IFAIL)
INTEGER          N, IP, NRES, LDS, IFAIL
real           RES(NRES), H(NRES), RMS, SRES(LDS,4)
```

3 Description

For the general linear regression model

$$y = X\beta + \epsilon,$$

where y is a vector of length n of the dependent variable,

X is an n by p matrix of the independent variables,

β is a vector of length p of unknown parameters,

and ϵ is a vector of length n of unknown random errors such that $\text{var } \epsilon = \sigma^2 I$.

The residuals are given by

$$r = y - \hat{y} = y - X\hat{\beta}$$

and the fitted values, $\hat{y} = X\hat{\beta}$, can be written as Hy for an n by n matrix H . The i th diagonal elements of H , h_i , give a measure of the influence of the i th values of the independent variables on the fitted regression model. The values of r and the h_i are returned by G02DAF.

G02FAF calculates statistics which help to indicate if an observation is extreme and having an undue influence on the fit of the regression model. Two types of standardised residual are calculated:

- (i) The i th residual is standardised by its variance when the estimate of σ^2 , s^2 , is calculated from all the data; this is known as internal Studentization.

$$RI_i = \frac{r_i}{s\sqrt{1-h_i}}.$$

- (ii) The i th residual is standardised by its variance when the estimate of σ^2 , s_{-i}^2 is calculated from the data excluding the i th observation; this is known as external Studentization.

$$RE_i = \frac{r_i}{s_{-i}\sqrt{1-h_i}} = r_i \sqrt{\frac{n-p-1}{n-p-RI_i^2}}.$$

The two measures of influence are:

- (i) Cook's D

$$D_i = \frac{1}{p} RE_i^2 \frac{h_i}{1-h_i}.$$

(ii) Atkinson's T

$$T_i = |RE_i| \sqrt{\left(\frac{n-p}{p}\right) \left(\frac{h_i}{1-h_i}\right)}.$$

4 References

Atkinson A C (1981) Two graphical displays for outlying and influential observations in regression *Biometrika* **68** 13–20

Cook R D and Weisberg S (1982) *Residuals and Influence in Regression* Chapman and Hall

5 Parameters

- | | | |
|----|--|---------------|
| 1: | N – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the number of observations included in the regression, n . | |
| | <i>Constraint:</i> $N > IP + 1$. | |
| 2: | IP – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the number of linear parameters estimated in the regression model, p . | |
| | <i>Constraint:</i> $IP \geq 1$. | |
| 3: | NRES – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the number of residuals. | |
| | <i>Constraint:</i> $1 \leq NRES \leq N$. | |
| 4: | RES(NRES) – <i>real</i> array | <i>Input</i> |
| | <i>On entry:</i> the residuals, r_i . | |
| 5: | H(NRES) – <i>real</i> array | <i>Input</i> |
| | <i>On entry:</i> the diagonal elements of H , h_i , corresponding to the residuals in RES. | |
| | <i>Constraint:</i> $0.0 < H(i) < 1.0$, for $i = 1, 2, \dots, NRES$. | |
| 6: | RMS – <i>real</i> | <i>Input</i> |
| | <i>On entry:</i> the estimate of σ^2 based on all n observations, s^2 , i.e., the residual mean square. | |
| | <i>Constraint:</i> $RMS > 0.0$. | |
| 7: | SRES(LDS,4) – <i>real</i> array | <i>Output</i> |
| | <i>On exit:</i> the standardised residuals and influence statistics. | |
| | For the observation with residual, r_i , given in RES(i): | |
| | if SRES($i, 1$) is the internally standardised residual, RI_i , | |
| | if SRES($i, 2$) is the externally standardised residual, RE_i , | |
| | if SRES($i, 3$) is Cook's D statistic, D_i , and | |
| | if SRES($i, 4$) is Atkinson's T statistic, T_i . | |
| 8: | LDS – INTEGER | <i>Input</i> |
| | <i>On entry:</i> the dimension of the array SRES as declared in the (sub)program from which G02FAF is called. | |
| | <i>Constraint:</i> $LDS \geq NRES$. | |

9: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, IP < 1,
or N ≤ IP + 1,
or NRES < 1,
or NRES > N,
or LDS < NRES,
or RMS ≤ 0.0.

IFAIL = 2

On entry, $H(i) \leq 0.0$ or ≥ 1.0 , for some $i = 1, 2, \dots, \text{NRES}$.

IFAIL = 3

On entry, the value of a residual is too large for the given value of RMS.

7 Accuracy

Accuracy is sufficient for all practical purposes.

8 Further Comments

None.

9 Example

A set of 24 residuals and h_i values from a 11 parameter model fitted to the cloud seeding data considered in Cook and Weisberg (1982) are input and the standardised residuals etc calculated and printed for the first 10 observations.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      G02FAF Example Program Text
*      Mark 14 Release.  NAG Copyright 1989.
*      .. Parameters ..
      INTEGER          NMAX
      PARAMETER       (NMAX=24)
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5, NOUT=6)
*      .. Local Scalars ..
```

```

      real                RMS
      INTEGER            I, IFAIL, IP, J, N, NRES
*   .. Local Arrays ..
      real                H(NMAX), RES(NMAX), SRES(NMAX,4)
*   .. External Subroutines ..
      EXTERNAL            GO2FAF
*   .. Executable Statements ..
      WRITE (NOUT,*) 'GO2FAF Example Program Results'
*   Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N, IP, NRES, RMS
      IF (NRES.LT.NMAX) THEN
        DO 20 I = 1, NRES
          READ (NIN,*) RES(I), H(I)
20      CONTINUE
          IFAIL = 0
*
          CALL GO2FAF(N,IP,NRES,RES,H,RMS,SRES,NMAX,IFAIL)
*
          WRITE (NOUT,*)
          WRITE (NOUT,*) '          Internally   Internally'
          WRITE (NOUT,*)
          + 'Obs.      standardized   standardized   Cook''s D   Atkinson''s T'
          WRITE (NOUT,*) '          residuals     residuals'
          WRITE (NOUT,*)
          DO 40 I = 1, NRES
            WRITE (NOUT,99999) I, (SRES(I,J),J=1,4)
40      CONTINUE
          END IF
          STOP
*
99999  FORMAT (1X,I2,4F13.3)
      END

```

9.2 Program Data

G02FAF Example Program Data

```

24 11 10 .5798
  0.2660      0.5519
-0.1387      0.9746
-0.2971      0.6256
  0.5926      0.3144
-0.4013      0.4106
  0.1396      0.6268
-1.3173      0.5479
  1.1226      0.2325
  0.0321      0.4115
-0.7111      0.3577
  0.3439      0.3342
-0.4379      0.1673
  0.0633      0.3874
-0.0936      0.1705
  0.9968      0.3466
  0.0209      0.3743
-0.4056      0.7527
  0.1396      0.9069
  0.0327      0.2610
  0.2970      0.6256
-0.2277      0.2485
  0.5180      0.3072
  0.5301      0.5848
-1.0650      0.4794

```

9.3 Program Results

G02FAF Example Program Results

Obs.	Internally standardized residuals	Internally standardized residuals	Cook's D	Atkinson's T
1	0.522	0.507	0.030	0.611
2	-1.143	-1.158	4.557	-7.797
3	-0.638	-0.622	0.062	-0.875
4	0.940	0.935	0.037	0.689
5	-0.686	-0.672	0.030	-0.610
6	0.300	0.289	0.014	0.408
7	-2.573	-3.529	0.729	-4.223
8	1.683	1.828	0.078	1.094
9	0.055	0.053	0.000	0.048
10	-1.165	-1.183	0.069	-0.960
