

NAG Fortran Library Routine Document

F01CWF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F01CWF adds two complex matrices, each one optionally transposed and multiplied by a scalar.

2 Specification

```

SUBROUTINE F01CWF(TRANSA, TRANSB, M, N, ALPHA, A, LDA, BETA, B, LDB, C,
1                LDC, IFAIL)
INTEGER          M, N, LDA, LDB, LDC, IFAIL
complex        ALPHA, A(LDA,*), BETA, B(LDB,*), C(LDC,*)
CHARACTER*1     TRANSA, TRANSB

```

3 Description

This routine performs one of the operations

$$C := \alpha A + \beta B,$$

$$C := \alpha A^T + \beta B,$$

$$C := \alpha A^H + \beta B,$$

$$C := \alpha A + \beta B^T,$$

$$C := \alpha A^T + \beta B^T,$$

$$C := \alpha A^H + \beta B^T,$$

$$C := \alpha A + \beta B^H,$$

$$C := \alpha A^T + \beta B^H \text{ or}$$

$$C := \alpha A^H + \beta B^H,$$

where A , B and C are matrices, α and β are scalars, T denotes transposition and H denotes conjugate transposition. For efficiency, the routine contains special code for the cases when one or both of α , β is equal to zero, unity or minus unity. The matrices, or their transposes, must be compatible for addition. A and B are either m by n or n by m matrices, depending on whether they are to be transposed before addition. C is an m by n matrix.

4 References

None.

5 Parameters

1: TRANSA – CHARACTER*1

Input

2: TRANSB – CHARACTER*1

Input

On entry: TRANSA and TRANSB must specify whether or not the matrix A and the matrix B , respectively, are to be transposed before addition.

If TRANSA or TRANSB = 'N', the matrix will not be transposed.

If TRANSA or TRANSB = 'T', the matrix will be transposed.

If TRANSA or TRANSB = 'C', the matrix will be transposed and conjugated.

Constraint: TRANSA and TRANSB must be one of 'N', 'T' or 'C'.

- 3: M – INTEGER *Input*
On entry: the number of rows, m , of the matrices A and B or their transposes. Also the number of rows of the matrix C .
Constraint: $M \geq 0$.
- 4: N – INTEGER *Input*
On entry: the number of columns, n , of the matrices A and B or their transposes. Also the number of columns of the matrix C .
Constraint: $N \geq 0$.
- 5: ALPHA – *complex* *Input*
On entry: the scalar α , by which matrix A is multiplied before addition.
- 6: A(LDA,*) – *complex* array *Input*
Note: the second dimension of the array A must be at least $\max(1, N)$, for $\alpha \neq 0$ and TRANSA = 'N'; $\max(1, M)$, for $\alpha \neq 0$ and TRANSA = 'T' or 'C'; 1, for $\alpha = 0$.
On entry: the matrix A . If $\alpha = 0$, the array A is not referenced.
- 7: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F01CWF is called.
Constraint: if TRANSA = 'N', $LDA \geq \max(1, M)$, otherwise $LDA \geq \max(1, N)$.
- 8: BETA – *complex* *Input*
On entry: the scalar β , by which matrix B is multiplied before addition.
- 9: B(LDB,*) – *complex* array *Input*
Note: the second dimension of the array B must be at least $\max(1, N)$, for $\beta \neq 0$ and TRANSB = 'N'; $\max(1, M)$, for $\beta \neq 0$ and TRANSB = 'T' or 'C'; 1, for $\beta = 0$.
On entry: the matrix B . If $\beta = 0$, the array B is not referenced.
- 10: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F01CWF is called.
Constraint: if TRANSB = 'N', $LDB \geq \max(1, M)$, otherwise $LDB \geq \max(1, N)$.
- 11: C(LDC,*) – *complex* array *Output*
On exit: the elements of the m by n matrix C .
- 12: LDC – INTEGER *Input*
On entry: the first dimension of the array C as declared in the (sub)program from which F01CWF is called.
Constraint: $LDC \geq \max(1, M)$.

13: IFAIL – INTEGER

Input/Output

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1 , explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, one or both of TRANSA or TRANSB is not equal to 'N', 'T' or 'C'.

IFAIL = 2

On entry, one or both of M or N is less than 0.

IFAIL = 3

On entry, $LDA < \max(1, P)$, where $P = M$ if TRANSA = 'N', and $P = N$ otherwise.

IFAIL = 4

On entry, $LDB < \max(1, P)$, where $P = M$ if TRANSB = 'N', and $P = N$ otherwise.

IFAIL = 5

On entry, $LDC < \max(1, M)$.

7 Accuracy

The results returned by F01CWF are accurate to *machine precision*.

8 Further Comments

The time taken for a call of F01CWF varies with M, N and the values of α and β . The routine is quickest if either or both of α and β are equal to zero, or plus or minus unity.

9 Example

The following program reads in a pair of matrices A and B , along with values for TRANSA, TRANSB, ALPHA and BETA, and adds them together, printing the result matrix C . The process is continued until the end of the input stream is reached.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      F01CWF Example Program Text
*      Mark 18 Revised.  NAG Copyright 1997.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
INTEGER          NMAX, LDA, LDB, LDC
PARAMETER        (NMAX=6,LDA=NMAX,LDB=LDA,LDC=LDA)
*      .. Local Scalars ..
complex        ALPHA, BETA
INTEGER          I, IFAIL, J, M, N, NCOLA, NCOLB, NROWA, NROWB
CHARACTER        TRANSA, TRANSB
CHARACTER*80     EXTITL
*      .. Local Arrays ..
complex        A(LDA,NMAX), B(LDB,NMAX), C(LDC,NMAX)
*      .. External Subroutines ..
EXTERNAL         F01CWF, X04DAF
*      .. Executable Statements ..
WRITE (NOUT,*) 'F01CWF Example Program Results'
WRITE (NOUT,*)
*      Skip heading in data file
READ (NIN,*)
20 READ (NIN,'(A)',END=80) EXTITL
*      Read matrices A and B.
READ (NIN,*) NROWA, NCOLA, TRANSA, ALPHA
*      Check that the arrays are large enough to hold the matrices.
IF (NROWA.LE.LDA .AND. NCOLA.LE.NMAX) THEN
  DO 40 I = 1, NROWA
    READ (NIN,*) (A(I,J),J=1,NCOLA)
40  CONTINUE
  READ (NIN,*) NROWB, NCOLB, TRANSB, BETA
  IF (NROWB.LE.LDB .AND. NCOLB.LE.NMAX) THEN
    DO 60 I = 1, NROWB
      READ (NIN,*) (B(I,J),J=1,NCOLB)
60  CONTINUE
  IF (TRANSA.EQ.'N' .OR. TRANSA.EQ.'n') THEN
    M = NROWA
    N = NCOLA
  ELSE
    M = NCOLA
    N = NROWA
  END IF
  IFAIL = 0
*
*      Add the two matrices A and B.
CALL F01CWF(TRANSA,TRANSB,M,N,ALPHA,A,LDA,BETA,B,LDB,C,LDC,
+          IFAIL)
*
*      Print the result matrix C.
WRITE (NOUT,99999) 'TRANSA = ', TRANSA, ', ', TRANSB = ',
+          TRANSB, ', ',
+          WRITE (NOUT,99998) 'ALPHA = (', ALPHA, '), BETA = (', BETA,
+          ')'
CALL X04DAF('G','X',M,N,C,LDC,'Matrix C:',IFAIL)
WRITE (NOUT,*)
GO TO 20
  END IF
END IF
80 STOP
*
99999 FORMAT (1X,A,A,A,A,A)
99998 FORMAT (1X,A,1P,e11.4,',',',',e11.4,A,e11.4,',',',',e11.4,A)
END

```

9.2 Program Data

F01CWF Example Program Data.

Example 1:

```

4 3 'N' (1.0, 0.0)
  ( 1.0, 2.0) ( 2.5,-1.5) ( 2.5,-1.0)
  (-2.0,-2.0) ( 2.0,-1.0) (-1.5,-1.0)
  ( 3.5,-1.5) ( 2.0, 1.5) ( 2.0, 3.0)
  (-2.5, 0.0) (-3.0, 2.5) (-2.0, 2.0)
4 3 'N' (1.0, 0.0)
  ( 2.0, 1.0) (-2.5, 3.0) (-0.5, 0.0)
  ( 1.0, 0.0) ( 1.0,-1.5) ( 1.5,-1.5)
  (-1.5,-0.5) ( 2.5,-2.0) (-0.5, 1.0)
  ( 2.5,-1.5) (-1.0, 1.5) ( 2.0, 3.0)

```

Example 2:

```

2 3 'N' (1.0, 0.0)
  ( 1.0, 1.0) ( 2.5,-1.5) ( 3.0, 1.5)
  (-2.0,-0.5) ( 2.0, 1.5) (-1.5,-2.5)
3 2 'T' (-1.0, 0.0)
  ( 2.0, 1.0) (-2.5, 2.0)
  ( 1.0, 0.0) ( 1.0, 1.5)
  (-1.5,-0.5) ( 2.5,-1.0)

```

9.3 Program Results

F01CWF Example Program Results

TRANSA = 'N', TRANSB = 'N',
 ALPHA = (1.0000E+00, 0.0000E+00), BETA = (1.0000E+00, 0.0000E+00)
 Matrix C:

	1	2	3
1	3.0000	0.0000	2.0000
	3.0000	1.5000	-1.0000
2	-1.0000	3.0000	0.0000
	-2.0000	-2.5000	-2.5000
3	2.0000	4.5000	1.5000
	-2.0000	-0.5000	4.0000
4	0.0000	-4.0000	0.0000
	-1.5000	4.0000	5.0000

TRANSA = 'N', TRANSB = 'T',
 ALPHA = (1.0000E+00, 0.0000E+00), BETA = (-1.0000E+00, 0.0000E+00)
 Matrix C:

	1	2	3
1	-1.0000	1.5000	4.5000
	0.0000	-1.5000	2.0000
2	0.5000	1.0000	-4.0000
	-2.5000	0.0000	-1.5000