

# NAG Fortran Library Routine Document

## F06EWF (DSCTR)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F06EWF (DSCTR) scatters the elements of a sparse real vector  $x$  stored in compressed form, into a real vector  $y$  in full storage form.

### 2 Specification

```
SUBROUTINE F06EWF (NZ, X, INDX, Y)
  INTEGER          NZ, INDX(*)
  double precision X(*), Y(*)
```

The routine may be called by its BLAS name *dsctr*.

### 3 Description

None.

### 4 References

None.

### 5 Parameters

- |    |  |               |
|----|--|---------------|
| 1: | NZ – INTEGER   | <i>Input</i>  |
|    | <i>On entry:</i> the number of elements in the compressed vector $x$ .                       |               |
| 2: | $X(*)$ – <i>double precision</i> array   | <i>Input</i>  |
|    | <i>On entry:</i> the compressed vector $x$ .   |               |
| 3: | INDX(*) – INTEGER array  | <i>Input</i>  |
|    | <i>On entry:</i> the indices of the elements in the compressed vector $x$ .                  |               |
|    | <i>Constraint:</i> The indices must be distinct.   |               |
| 4: | $Y(*)$ – <i>double precision</i> array   | <i>Output</i> |
|    | <i>On exit:</i> the vector $y$ . Only elements corresponding to indices in INDX are altered. |               |

### 6 Error Indicators and Warnings

None.

---