

NAG Fortran Library Routine Document

F06TPF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F06TPF performs a QR factorization of an upper triangular matrix which has been modified by a rank-1 update:

$$\alpha xy^T + U = QR$$

where U and R are n by n complex upper triangular matrices with real diagonal elements, x and y are n element complex vectors, α is a complex scalar, and Q is an n by n complex unitary matrix.

Q is formed as the product of two sequences of plane rotations and a unitary diagonal matrix D :

$$Q^H = DQ_{n-1} \cdots Q_2 Q_1 P_1 P_2 \cdots P_{n-1}$$

where

P_k is a rotation in the (k, n) plane, chosen to annihilate x_k : thus $Px = \beta e_n$, where $P = P_1 P_2 \cdots P_{n-1}$ and e_n is the last column of the unit matrix;

Q_k is a rotation in the (k, n) plane, chosen to annihilate the (n, k) element of $(\alpha \beta e_n y^T + PU)$, and thus restore it to upper triangular form;

$D = \text{diag}(1, \dots, 1, d_n)$, with d_n chosen to make r_{nn} real; $|d_n| = 1$.

The 2 by 2 plane rotation part of P_k or Q_k has the form

$$\begin{pmatrix} c_k & \bar{s}_k \\ -s_k & c_k \end{pmatrix}$$

with c_k real. The tangents of the rotations P_k are returned in the array X; the cosines and sines of these rotations can be recovered by calling F06BCF. The cosines and sines of the rotations Q_k are returned directly in the arrays C and S.

2 Specification

```
SUBROUTINE F06TPF (N, ALPHA, X, INCX, Y, INCY, A, LDA, C, S)
  INTEGER          N, INCX, INCY, LDA
  double precision C(*)
  complex*16     ALPHA, X(*), Y(*), A(LDA,*), S(*)
```

3 Description

None.

4 References

None.

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrices U and R .
Constraint: $N \geq 0$.
- 2: ALPHA – **complex*16** *Input*
On entry: the scalar α .
- 3: X(*) – **complex*16** array *Input/Output*
On entry: the vector x .
On exit: the tangents of the rotations P_k , for $k = 1, 2, \dots, n - 1$.
- 4: INCX – INTEGER *Input*
On entry: the increment in the subscripts of X between successive elements of x .
Constraint: $INCX > 0$.
- 5: Y(*) – **complex*16** array *Input*
On entry: the vector y .
- 6: INCY – INTEGER *Input*
On entry: the increment in the subscripts of Y between successive elements of y .
Constraint: $INCY > 0$.
- 7: A(LDA,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the n by n upper triangular matrix U . The imaginary parts of the diagonal elements must be zero.
On exit: the upper triangular matrix R . The imaginary parts of the diagonal elements are set to zero.
- 8: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F06TPF is called.
Constraint: $LDA \geq \max(1, N)$.
- 9: C(*) – **double precision** array *Output*
On exit: the cosines of the rotations Q_k , for $k = 1, \dots, n - 1$.
- 10: S(*) – **complex*16** array *Output*
On exit: the sines of the rotations Q_k , for $k = 1, \dots, n - 1$; S(n) holds d_n , the n th diagonal element of D .

6 Error Indicators and Warnings

None.
