

# NAG Fortran Library Routine Document

## F07CSF (ZGTTRS)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F07CSF (ZGTTRS) computes the solution to a complex system of linear equations  $AX = B$  or  $A^T X = B$  or  $A^H X = B$ , where  $A$  is an  $n$  by  $n$  tridiagonal matrix and  $X$  and  $B$  are  $n$  by  $r$  matrices, using the  $LU$  factorization returned by F07CRF (ZGTTRF).

### 2 Specification

```
SUBROUTINE F07CSF (TRANS, N, NRHS, DL, D, DU, DU2, IPIV, B, LDB, INFO)
  INTEGER          N, NRHS, IPIV(*), LDB, INFO
  complex*16     DL(*), D(*), DU(*), DU2(*), B(LDB,*)
  CHARACTER*1     TRANS
```

The routine may be called by its LAPACK name *zgttrs*.

### 3 Description

F07CSF (ZGTTRS) should be preceded by a call to F07CRF (ZGTTRF), which uses Gaussian elimination with partial pivoting and row interchanges to factorize the matrix  $A$  as

$$A = PLU,$$

where  $P$  is a permutation matrix,  $L$  is unit lower triangular with at most one non-zero subdiagonal element in each column, and  $U$  is an upper triangular band matrix, with two superdiagonals. F07CSF (ZGTTRS) then utilizes the factorization to solve the required equations.

### 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia URL: <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

### 5 Parameters

1: TRANS – CHARACTER\*1 *Input*

*On entry:* specifies the equations to be solved as follows:

TRANS = 'N'

Solve  $AX = B$  for  $X$ .

TRANS = 'T'

Solve  $A^T X = B$  for  $X$ .

TRANS = 'C'

Solve  $A^H X = B$  for  $X$ .

*Constraint:* TRANS = 'N', 'T' or 'C'.

- 2: N – INTEGER *Input*  
*On entry:*  $n$ , the order of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 3: NRHS – INTEGER *Input*  
*On entry:*  $r$ , the number of right-hand sides, i.e., the number of columns of the matrix  $B$ .  
*Constraint:*  $NRHS \geq 0$ .
- 4: DL(\*) – **complex\*16** array *Input*  
**Note:** the dimension of the array DL must be at least  $\max(1, N - 1)$ .  
*On entry:* must contain the  $(n - 1)$  multipliers that define the matrix  $L$  of the  $LU$  factorization of  $A$ .
- 5: D(\*) – **complex\*16** array *Input*  
**Note:** the dimension of the array D must be at least  $\max(1, N)$ .  
*On entry:* must contain the  $n$  diagonal elements of the upper triangular matrix  $U$  from the  $LU$  factorization of  $A$ .
- 6: DU(\*) – **complex\*16** array *Input*  
**Note:** the dimension of the array DU must be at least  $\max(1, N - 1)$ .  
*On entry:* must contain the  $(n - 1)$  elements of the first superdiagonal of  $U$ .
- 7: DU2(\*) – **complex\*16** array *Input*  
**Note:** the dimension of the array DU2 must be at least  $\max(1, N - 2)$ .  
*On entry:* must contain the  $(n - 2)$  elements of the second superdiagonal of  $U$ .
- 8: IPIV(\*) – INTEGER array *Input*  
**Note:** the dimension of the array IPIV must be at least  $\max(1, N)$ .  
*On entry:* must contain the  $n$  pivot indices that define the permutation matrix  $P$ . At the  $i$ th step, row  $i$  of the matrix was interchanged with row  $IPIV(i)$ , and  $IPIV(i)$  must always be either  $i$  or  $(i + 1)$ ,  $IPIV(i) = i$  indicating that a row interchange was not performed.
- 9: B(LDB,\*) – **complex\*16** array *Input/Output*  
**Note:** the second dimension of the array B must be at least  $\max(1, NRHS)$ .  
*On entry:* the  $n$  by  $r$  matrix of right-hand sides  $B$ .  
*On exit:* the  $n$  by  $r$  solution matrix  $X$ .
- 10: LDB – INTEGER *Input*  
*On entry:* the first dimension of the array B as declared in the (sub)program from which F07CSF (ZGTTRS) is called.  
*Constraint:*  $LDB \geq \max(1, N)$ .
- 11: INFO – INTEGER *Output*  
*On exit:*  $INFO = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO =  $-i$ , the  $i$ th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

The computed solution for a single right-hand side,  $\hat{x}$ , satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and  $\epsilon$  is the *machine precision*. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where  $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$ , the condition number of  $A$  with respect to the solution of the linear equations. See Section 4.4 of Anderson *et al.* (1999) for further details.

Following the use of this routine F07CUF (ZGTCON) can be used to estimate the condition number of  $A$  and F07CVF (ZGTRFS) can be used to obtain approximate error bounds.

## 8 Further Comments

The total number of floating-point operations required to solve the equations  $AX = B$  or  $A^T X = B$  or  $A^H X = B$  is proportional to  $nr$ .

The real analogue of this routine is F07CEF (DGTTRS).

## 9 Example

This example solves the equations

$$AX = B,$$

where  $A$  is the tridiagonal matrix

$$A = \begin{pmatrix} -1.3 + 1.3i & 2.0 - 1.0i & 0 & 0 & 0 \\ 1.0 - 2.0i & -1.3 + 1.3i & 2.0 + 1.0i & 0 & 0 \\ 0 & 1.0 + 1.0i & -1.3 + 3.3i & -1.0 + 1.0i & 0 \\ 0 & 0 & 2.0 - 3.0i & -0.3 + 4.3i & 1.0 - 1.0i \\ 0 & 0 & 0 & 1.0 + 1.0i & -3.3 + 1.3i \end{pmatrix}$$

and

$$B = \begin{pmatrix} 2.4 - 5.0i & 2.7 + 6.9i \\ 3.4 + 18.2i & -6.9 - 5.3i \\ -14.7 + 9.7i & -6.0 - 0.6i \\ 31.9 - 7.7i & -3.9 + 9.3i \\ -1.0 + 1.6i & -3.0 + 12.2i \end{pmatrix}.$$

## 9.1 Program Text

```

*      F07CSF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
INTEGER          NMAX, NRHSMX
PARAMETER        (NMAX=50,NRHSMX=4)
INTEGER          LDB
PARAMETER        (LDB=NMAX)
*      .. Local Scalars ..
INTEGER          I, IFAIL, INFO, J, N, NRHS
*      .. Local Arrays ..
COMPLEX *16      B(LDB,NRHSMX), D(NMAX), DL(NMAX-1), DU(NMAX-1),
+                DU2(NMAX-2)
INTEGER          IPIV(NMAX)
CHARACTER        CLABS(1), RLABS(1)
*      .. External Subroutines ..
EXTERNAL         X04DBF, ZGTTRF, ZGTTRS
*      .. Executable Statements ..
WRITE (NOUT,*) 'F07CSF Example Program Results'
WRITE (NOUT,*)
Skip heading in data file
READ (NIN,*)
READ (NIN,*) N, NRHS
IF (N.LE.NMAX .AND. NRHS.LE.NRHSMX) THEN
*
*      Read the tridiagonal matrix A from data file
*
READ (NIN,*) (DU(I),I=1,N-1)
READ (NIN,*) (D(I),I=1,N)
READ (NIN,*) (DL(I),I=1,N-1)
*
*      Read the right hand matrix B
*
READ (NIN,*) ((B(I,J),J=1,NRHS),I=1,N)
*
*      Factorize the tridiagonal matrix A
*
CALL ZGTTRF(N,DL,D,DU,DU2,IPIV,INFO)
*
IF (INFO.EQ.0) THEN
*
*      Solve the equations AX = B
*
CALL ZGTTRS('No transpose',N,NRHS,DL,D,DU,DU2,IPIV,B,LDB,
+          INFO)
*
*      Print the solution
*
IFAIL = 0
CALL X04DBF('General',' ',N,NRHS,B,LDB,'Bracketed','F7.4',
+          'Solution(s)','Integer',RLABS,'Integer',CLABS,
+          80,0,IFAIL)
*
ELSE
WRITE (NOUT,99999) 'The (' , INFO, ', ', INFO, ')',
+ ' element of the factor U is zero'
END IF
ELSE
WRITE (NOUT,*) 'NMAX and/or NRHSMX too small'
END IF
STOP
*
99999 FORMAT (1X,A,I3,A,I3,A,A)
END

```

## 9.2 Program Data

F07CSF Example Program Data

```

5      2                                     :Values of N and NRHS
( 2.0, -1.0) ( 2.0, 1.0) ( -1.0, 1.0) ( 1.0, -1.0) :End of DU
( -1.3, 1.3) ( -1.3, 1.3) ( -1.3, 3.3) ( -0.3, 4.3)
( -3.3, 1.3)                                     :End of D
( 1.0, -2.0) ( 1.0, 1.0) ( 2.0, -3.0) ( 1.0, 1.0) :End of DL
( 2.4, -5.0) ( 2.7, 6.9)
( 3.4, 18.2) ( -6.9, -5.3)
(-14.7, 9.7) ( -6.0, -0.6)
( 31.9, -7.7) ( -3.9, 9.3)
( -1.0, 1.6) ( -3.0, 12.2)                                     :End of B

```

## 9.3 Program Results

F07CSF Example Program Results

Solution(s)

```

          1          2
1 ( 1.0000, 1.0000) ( 2.0000,-1.0000)
2 ( 3.0000,-1.0000) ( 1.0000, 2.0000)
3 ( 4.0000, 5.0000) (-1.0000, 1.0000)
4 (-1.0000,-2.0000) ( 2.0000, 1.0000)
5 ( 1.0000,-1.0000) ( 2.0000,-2.0000)

```

---