

NAG Fortran Library Routine Document

F07FNF (ZPOSV)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F07FNF (ZPOSV) computes the solution to a complex system of linear equations

$$AX = B,$$

where A is an n by n Hermitian positive-definite matrix and X and B are n by r matrices.

2 Specification

SUBROUTINE F07FNF (UPLO, N, NRHS, A, LDA, B, LDB, INFO)

INTEGER N, NRHS, LDA, LDB, INFO

complex*16 A(LDA,*), B(LDB,*)

CHARACTER*1 UPLO

The routine may be called by its LAPACK name *zposv*.

3 Description

The Cholesky decomposition is used to factor A as $A = U^H U$, if UPLO = 'U', or $A = LL^H$, if UPLO = 'L', where U is an upper triangular matrix and L is a lower triangular matrix. The factored form of A is then used to solve the system of equations $AX = B$.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia URL: <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

- 1: UPLO – CHARACTER*1 *Input*
On entry: if UPLO = 'U', the upper triangle of A is stored.
 If UPLO = 'L', the lower triangle of A is stored.
Constraint: UPLO = 'U' or 'L'.
- 2: N – INTEGER *Input*
On entry: n , the number of linear equations, i.e., the order of the matrix A .
Constraint: $N \geq 0$.
- 3: NRHS – INTEGER *Input*
On entry: r , the number of right-hand sides, i.e., the number of columns of the matrix B .
Constraint: NRHS ≥ 0 .

- 4: A(LDA,*) – **complex*16** array Input/Output
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the Hermitian matrix A .
 if UPLO = 'U', the leading n by n upper triangular part of A contains the upper triangular part of the matrix A , and the strictly lower triangular part of A is not referenced;
 if UPLO = 'L', the leading n by n lower triangular part of A contains the lower triangular part of the matrix A , and the strictly upper triangular part of A is not referenced.
On exit: if INFO = 0, the factor U or L from the Cholesky factorization $A = U^H U$ or $A = LL^H$.
- 5: LDA – INTEGER Input
On entry: the first dimension of the array A as declared in the (sub)program from which F07FNF (ZPOSV) is called.
Constraint: $LDA \geq \max(1, N)$.
- 6: B(LDB,*) – **complex*16** array Input/Output
Note: the second dimension of the array B must be at least $\max(1, NRHS)$. To solve the equations $Ax = b$, where b is a single right-hand side, B may be supplied as a one-dimensional array with length $LDB = \max(1, N)$.
On entry: the n by r right-hand side matrix B .
On exit: if INFO = 0, the n by r solution matrix X .
- 7: LDB – INTEGER Input
On entry: the first dimension of the array B as declared in the (sub)program from which F07FNF (ZPOSV) is called.
Constraint: $LDB \geq \max(1, N)$.
- 8: INFO – INTEGER Output
On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, the i th argument had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

If INFO = i , the leading minor of order i of A is not positive-definite, so the factorization could not be completed, and the solution has not been computed.

7 Accuracy

The computed solution for a single right-hand side, \hat{x} , satisfies an equation of the form

$$(A + E)\hat{x} = b,$$

where

$$\|E\|_1 = O(\epsilon)\|A\|_1$$

and ϵ is the **machine precision**. An approximate error bound for the computed solution is given by

$$\frac{\|\hat{x} - x\|_1}{\|x\|_1} \leq \kappa(A) \frac{\|E\|_1}{\|A\|_1},$$

where $\kappa(A) = \|A^{-1}\|_1 \|A\|_1$, the condition number of A with respect to the solution of the linear equations. See Section 4.4 of Anderson *et al.* (1999) for further details.

F07FPF (ZPOSVX) is a comprehensive LAPACK driver that returns forward and backward error bounds and an estimate of the condition number. Alternatively, F04CDF solves $Ax = b$ and returns a forward error bound and condition estimate. F04CDF calls F07FNF (ZPOSV) to solve the equations.

8 Further Comments

The total number of floating point operations is approximately $\frac{4}{3}n^3 + 8n^2r$, where r is the number of right-hand sides.

The real analogue of this routine is F07FAF (DPOSV).

9 Example

To solve the equations

$$Ax = b,$$

where A is the symmetric positive-definite matrix

$$A = \begin{pmatrix} 3.23 & 1.51 - 1.92i & 1.90 + 0.84i & 0.42 + 2.50i \\ 1.51 + 1.92i & 3.58 & -0.23 + 1.11i & -1.18 + 1.37i \\ 1.90 - 0.84i & -0.23 - 1.11i & 4.09 & 2.33 - 0.14i \\ 0.42 - 2.50i & -1.18 - 1.37i & 2.33 + 0.14i & 4.29 \end{pmatrix}$$

and

$$b = \begin{pmatrix} 3.93 - 6.14i \\ 6.17 + 9.42i \\ -7.17 - 21.83i \\ 1.99 - 14.38i \end{pmatrix}.$$

Details of the Cholesky factorization of A are also output.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F07FNF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER       (NIN=5,NOUT=6)
INTEGER          NMAX
PARAMETER       (NMAX=8)
INTEGER          LDA
PARAMETER       (LDA=NMAX)
*      .. Local Scalars ..
INTEGER          I, IFAIL, INFO, J, N
*      .. Local Arrays ..
COMPLEX *16     A(LDA,NMAX), B(NMAX)
CHARACTER       CLABS(1), RLABS(1)
*      .. External Subroutines ..
EXTERNAL        X04DBF, ZPOSV
*      .. Executable Statements ..
WRITE (NOUT,*) 'F07FNF Example Program Results'
WRITE (NOUT,*)
*      Skip heading in data file
```

```

      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*       Read the upper triangular part of A from data file
*
      READ (NIN,*) ((A(I,J),J=I,N),I=1,N)
*
*       Read b from data file
*
      READ (NIN,*) (B(I),I=1,N)
*
*       Solve the equations Ax = b for x
*
      CALL ZPOSV('Upper',N,1,A,LDA,B,N,INFO)
*
      IF (INFO.EQ.0) THEN
*
*       Print solution
*
      WRITE (NOUT,*) 'Solution'
      WRITE (NOUT,99999) (B(I),I=1,N)
*
*       Print details of factorization
*
      WRITE (NOUT,*)
      IFAIL = 0
      CALL X04DBF('Upper','Non-unit diagonal',N,N,A,LDA,
+               'Bracketed','F7.4','Cholesky factor U',
+               'Integer',RLABS,'Integer',CLABS,80,0,IFAIL)
*
      ELSE
      WRITE (NOUT,99998) 'The leading minor of order ', INFO,
+      ' is not positive definite'
      END IF
      ELSE
      WRITE (NOUT,*) 'NMAX too small'
      END IF
      STOP
*
99999 FORMAT ((3X,4(' (',F7.4,',',F7.4,')',:)))
99998 FORMAT (1X,A,I3,A)
      END

```

9.2 Program Data

F07FNF Example Program Data

```

      4                                     :Value of N
      ( 3.23,  0.00) ( 1.51, -1.92) ( 1.90,  0.84) ( 0.42,  2.50)
                ( 3.58,  0.00) (-0.23,  1.11) (-1.18,  1.37)
                ( 4.09,  0.00) ( 2.33, -0.14)
                ( 4.29,  0.00) :End of matrix A
      ( 3.93, -6.14) ( 6.17,  9.42) (-7.17,-21.83) ( 1.99,-14.38) :End of vector b

```

9.3 Program Results

F07FNF Example Program Results

Solution

```
( 1.0000,-1.0000) (-0.0000, 3.0000) (-4.0000,-5.0000) ( 2.0000, 1.0000)
```

Cholesky factor U

```

      1      2      3      4
1 ( 1.7972, 0.0000) ( 0.8402,-1.0683) ( 1.0572, 0.4674) ( 0.2337, 1.3910)
2 ( 1.3164, 0.0000) (-0.4702,-0.3131) ( 0.0834,-0.0368)
3 ( 1.5604, 0.0000) ( 0.9360,-0.9900)
4 ( 0.6603, 0.0000)

```