

# NAG Fortran Library Routine Document

## F08CVF (ZGERQF)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F08CVF (ZGERQF) computes an RQ factorization of a complex  $m$  by  $n$  matrix  $A$ .

### 2 Specification

```
SUBROUTINE F08CVF (M, N, A, LDA, TAU, WORK, LWORK, INFO)
INTEGER          M, N, LDA, LWORK, INFO
complex*16     A(LDA,*), TAU(*), WORK(*)
```

The routine may be called by its LAPACK name *zgerqf*.

### 3 Description

F08CVF (ZGERQF) forms the RQ factorization of an arbitrary rectangular real  $m$  by  $n$  matrix. If  $m \leq n$ , the factorization is given by

$$A = \begin{pmatrix} 0 & R \end{pmatrix} Q,$$

where  $R$  is an  $m$  by  $m$  lower triangular matrix and  $Q$  is an  $n$  by  $n$  unitary matrix. If  $m > n$  the factorization is given by

$$A = RQ,$$

where  $R$  is an  $m$  by  $n$  upper trapezoidal matrix and  $Q$  is again an  $n$  by  $n$  unitary matrix. In the case where  $m < n$  the factorization can be expressed as

$$A = \begin{pmatrix} 0 & R \end{pmatrix} \begin{pmatrix} Q_1 \\ Q_2 \end{pmatrix} = RQ_2,$$

where  $Q_1$  consists of the first  $(n - m)$  rows of  $Q$  and  $Q_2$  the remaining  $m$  rows.

The matrix  $Q$  is not formed explicitly, but is represented as a product of  $\min(m, n)$  elementary reflectors (see the F08 Chapter Introduction for details). Routines are provided to work with  $Q$  in this representation (see Section 8).

### 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia URL: <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

### 5 Parameters

1: M – INTEGER *Input*

*On entry:*  $m$ , the number of rows of the matrix  $A$ .

*Constraint:*  $M \geq 0$ .

- 2: N – INTEGER *Input*  
*On entry:*  $n$ , the number of columns of the matrix  $A$ .  
*Constraint:*  $N \geq 0$ .
- 3: A(LDA,\*) – **complex\*16** array *Input/Output*  
**Note:** the second dimension of the array  $A$  must be at least  $\max(1, N)$ .  
*On entry:* the  $m$  by  $n$  matrix  $A$ .  
*On exit:* if  $m \leq n$ , the upper triangle of the subarray  $A(1 : m, n - m + 1 : n)$  contains the  $m$  by  $m$  upper triangular matrix  $R$ .  
 If  $m \geq n$ , the elements on and above the  $(m - n)$ th subdiagonal contain the  $m$  by  $n$  upper trapezoidal matrix  $R$ ; the remaining elements, with the array TAU, represent the unitary matrix  $Q$  as a product of  $\min(m, n)$  elementary reflectors (see Section 3.3.6 in the F08 Chapter Introduction).
- 4: LDA – INTEGER *Input*  
*On entry:* the first dimension of the array  $A$  as declared in the (sub)program from which F08CVF (ZGERQF) is called.  
*Constraint:*  $LDA \geq \max(1, M)$ .
- 5: TAU(\*) – **complex\*16** array *Output*  
**Note:** the dimension of the array TAU must be at least  $\max(1, \min(M, N))$ .  
*On exit:* the scalar factors of the elementary reflectors.
- 6: WORK(\*) – **complex\*16** array *Workspace*  
**Note:** the dimension of the array WORK must be at least  $\max(1, LWORK)$ .  
*On exit:* if  $INFO = 0$ , the real part of  $WORK(1)$  contains the minimum value of LWORK required for optimal performance.
- 7: LWORK – INTEGER *Input*  
*On entry:* the dimension of the array WORK as declared in the (sub)program from which F08CVF (ZGERQF) is called.  
 If  $LWORK = -1$ , a workspace query is assumed; the routine only calculates the optimal size of the WORK array, returns this value as the first entry of the WORK array, and no error message related to LWORK is issued.  
*Suggested value:* for optimal performance,  $LWORK \geq M \times nb$ , where  $nb$  is the optimal **block size**.  
*Constraint:*  $LWORK \geq \max(1, M)$  or  $LWORK = -1$ .
- 8: INFO – INTEGER *Output*  
*On exit:*  $INFO = 0$  unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If  $INFO = -i$ , the  $i$ th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

## 7 Accuracy

The computed factorization is the exact factorization of a nearby matrix  $A + E$ , where

$$\|E\|_2 = O\epsilon\|A\|_2$$

and  $\epsilon$  is the *machine precision*.

## 8 Further Comments

The total number of floating point operations is approximately  $\frac{2}{3}m^2(3n - m)$  if  $m \leq n$ , or  $\frac{2}{3}n^2(3m - n)$  if  $m > n$ .

To form the unitary matrix  $Q$  F08CVF (ZGERQF) may be followed by a call to F08CWF (ZUNGRQ):

```
CALL ZUNGRQ (N,N,MIN(M,N),A,LDA,TAU,WORK,LWORK,INFO)
```

but note that the first dimension of the array A must be at least N, which may be larger than was required by F08CVF (ZGERQF). When  $m \leq n$ , it is often only the first  $m$  rows of  $Q$  that are required and they may be formed by the call:

```
CALL ZUNGRQ (M,N,M,A,LDA,TAU,WORK,LWORK,INFO)
```

To apply  $Q$  to an arbitrary real rectangular matrix  $C$ , F08CVF (ZGERQF) may be followed by a call to F08CXF (ZUNMRQ). For example:

```
CALL ZUNMRQ ('Left','C',N,P,MIN(M,N),A,LDA,TAU,C,LDC,
+ WORK,LWORK,INFO)
```

forms  $C = Q^H C$ , where  $C$  is  $n$  by  $p$ .

The real analogue of this routine is F08CHF (DGERQF).

## 9 Example

This example finds the minimum norm solution to the underdetermined equations

$$Ax = b$$

where

$$A = \begin{pmatrix} 0.28 - 0.36i & 0.50 - 0.86i & -0.77 - 0.48i & 1.58 + 0.66i \\ -0.50 - 1.10i & -1.21 + 0.76i & -0.32 - 0.24i & -0.27 - 1.15i \\ 0.36 - 0.51i & -0.07 + 1.33i & -0.75 + 0.47i & -0.08 + 1.01i \end{pmatrix} \quad \text{and}$$

$$b = \begin{pmatrix} -1.35 + 0.19i \\ 9.41 - 3.56i \\ -7.57 + 6.93i \end{pmatrix}.$$

The solution is obtained by first obtaining an  $RQ$  factorization of the matrix  $A$ .

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

### 9.1 Program Text

```
* F08CVF Example Program Text
* Mark 21 Release. NAG Copyright 2004.
* .. Parameters ..
INTEGER NIN, NOUT
PARAMETER (NIN=5, NOUT=6)
INTEGER MMAX, NB, NMAX
PARAMETER (MMAX=8, NB=64, NMAX=8)
INTEGER LDA, LWORK
PARAMETER (LDA=MMAX, LWORK=NB*MMAX)
COMPLEX *16 ZERO
PARAMETER (ZERO=(0.0D0,0.0D0))
```

```

*   .. Local Scalars ..
INTEGER          I, INFO, J, M, N
*   .. Local Arrays ..
COMPLEX *16      A(LDA,NMAX), B(MMAX), TAU(MMAX), WORK(LWORK),
+               X(NMAX)
*   .. External Subroutines ..
EXTERNAL         F06HBF, ZCOPY, ZGERQF, ZTRTRS, ZUNMRQ
*   .. Executable Statements ..
WRITE (NOUT,*) 'F08CVF Example Program Results'
WRITE (NOUT,*)
*   Skip heading in data file
READ (NIN,*)
READ (NIN,*) M, N
IF (M.LE.MMAX .AND. N.LE.NMAX .AND. M.LE.N) THEN
*
*       Read the matrix A and the vector b from data file
*
READ (NIN,*) ((A(I,J),J=1,N),I=1,M)
READ (NIN,*) (B(I),I=1,M)
*
*       Compute the RQ factorization of A
*
CALL ZGERQF(M,N,A,LDA,TAU,WORK,LWORK,INFO)
*
*       Copy the m element vector b into elements into x2, where x2 is
*       the vector containing the elements x(n-m+1), ..., x(n) of x
*
CALL ZCOPY(M,B,1,X(N-M+1),1)
*
*       Solve R*y2 = b, storing the result in x2
*
CALL ZTRTRS('Upper','No transpose','Non-Unit',M,1,A(1,N-M+1),
+          LDA,X(N-M+1),M,INFO)
*
IF (INFO.GT.0) THEN
+   WRITE (NOUT,*)
+   'The upper triangular factor, R, of A is singular, '
+   WRITE (NOUT,*)
+   'the least squares solution could not be computed'
GO TO 20
END IF
*
*       Set y1 to zero (stored in rows 1 to (N-M) of x)
*
CALL F06HBF(N-M,ZERO,X,1)
*
*       Compute minimum-norm solution x = (Q**H)*y
*
CALL ZUNMRQ('Left','Conjugate transpose',N,1,M,A,LDA,TAU,X,N,
+          WORK,LWORK,INFO)
*
*       Print minimum-norm solution
*
WRITE (NOUT,*) 'Minimum-norm solution'
WRITE (NOUT,99999) (X(I),I=1,N)
ELSE
WRITE (NOUT,*)
+   'One or both of MMAX and NMAX is too small, and/or M.GT.N'
END IF
20 CONTINUE
STOP
*
99999 FORMAT (4(' (',F8.4,',',F8.4,')',:))
END

```

## 9.2 Program Data

F08CVF Example Program Data

```
      3              4                      :Values of M, N and NRHS
( 0.28,-0.36) ( 0.50,-0.86) (-0.77,-0.48) ( 1.58, 0.66)
(-0.50,-1.10) (-1.21, 0.76) (-0.32,-0.24) (-0.27,-1.15)
( 0.36,-0.51) (-0.07, 1.33) (-0.75, 0.47) (-0.08, 1.01) :End of matrix A

(-1.35, 0.19)
( 9.41,-3.56)
(-7.57, 6.93)                      :End of vector b
```

## 9.3 Program Results

F08CVF Example Program Results

Minimum-norm solution

```
( -2.8501,  6.4683) (  1.6264, -0.7799) (  6.9290,  4.6481) (  1.4048,  3.2400)
```

---