

NAG Fortran Library Routine Document

F08PEF (SHSEQR/DHSEQR)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

Warning. The specification of the parameter LWORK changed at Mark 20: LWORK is no longer redundant.

1 Purpose

F08PEF (SHSEQR/DHSEQR) computes all the eigenvalues, and optionally the Schur factorization, of a real Hessenberg matrix or a real general matrix which has been reduced to Hessenberg form.

2 Specification

```

SUBROUTINE F08PEF(JOB, COMPZ, N, ILO, IHI, H, LDH, WR, WI, Z, LDZ, WORK,
1                LWORK, INFO)
ENTRY          shseqr (JOB, COMPZ, N, ILO, IHI, H, LDH, WR, WI, Z, LDZ, WORK,
1                LWORK, INFO)
INTEGER       N, ILO, IHI, LDH, LDZ, LWORK, INFO
real        H(LDH,*), WR(*), WI(*), Z(LDZ,*), WORK(*)
CHARACTER*1   JOB, COMPZ

```

The ENTRY statement enables the routine to be called by its LAPACK name.

3 Description

This routine computes all the eigenvalues, and optionally the Schur factorization, of a real upper Hessenberg matrix H :

$$H = ZTZ^T,$$

where T is an upper quasi-triangular matrix (the Schur form of H), and Z is the orthogonal matrix whose columns are the Schur vectors z_i . See Section 8 for details of the structure of T .

The routine may also be used to compute the Schur factorization of a real general matrix A which has been reduced to upper Hessenberg form H :

$$\begin{aligned} A &= QHQ^T, \quad \text{where } Q \text{ is orthogonal,} \\ &= (QZ)T(QZ)^T. \end{aligned}$$

In this case, after F08NEF (SGEHRD/DGEHRD) has been called to reduce A to Hessenberg form, F08NFF (SORGHR/DORGHR) must be called to form Q explicitly; Q is then passed to F08PEF (SHSEQR/DHSEQR), which must be called with $\text{COMPZ} = \text{'V'}$.

The routine can also take advantage of a previous call to F08NHF (SGEBAL/DGEBAL) which may have balanced the original matrix before reducing it to Hessenberg form, so that the Hessenberg matrix H has the structure:

$$\begin{pmatrix} H_{11} & H_{12} & H_{13} \\ & H_{22} & H_{23} \\ & & H_{33} \end{pmatrix}$$

where H_{11} and H_{33} are upper triangular. If so, only the central diagonal block H_{22} (in rows and columns i_{lo} to i_{hi}) needs to be further reduced to Schur form (the blocks H_{12} and H_{23} are also affected). Therefore the values of i_{lo} and i_{hi} can be supplied to F08PEF (SHSEQR/DHSEQR) directly. Also, F08NJJ (SGEBAK/DGEBAK) must be called after this routine to permute the Schur vectors of the balanced matrix to those of the original matrix. If F08NHF (SGEBAL/DGEBAL) has not been called however, then i_{lo} must be set to 1 and i_{hi} to n . Note that if the Schur factorization of A is required, F08NHF (SGEBAL/DGEBAL) must **not** be called with $\text{JOB} = \text{'S'}$ or 'B' , because the balancing transformation is not orthogonal.

F08PEF (SHSEQR/DHSEQR) uses a multishift form of the upper Hessenberg QR algorithm, due to Bai and Demmel (1989). The Schur vectors are normalized so that $\|z_i\|_2 = 1$, but are determined only to within a factor ± 1 .

4 References

Bai Z and Demmel J W (1989) On a block implementation of Hessenberg multishift QR iteration *Internat. J. High Speed Comput.* **1** 97–112

Golub G H and van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

1: JOB – CHARACTER*1 *Input*

On entry: indicates whether eigenvalues only or the Schur form T is required, as follows:

if JOB = 'E', eigenvalues only are required;

if JOB = 'S', the Schur form T is required.

Constraint: JOB = 'E' or 'S'.

2: COMPZ – CHARACTER*1 *Input*

On entry: indicates whether the Schur vectors are to be computed as follows:

if COMPZ = 'N', no Schur vectors are computed (and the array Z is not referenced);

if COMPZ = 'I', the Schur vectors of H are computed (and the array Z is initialised by the routine);

if COMPZ = 'V', the Schur vectors of A are computed (and the array Z must contain the matrix Q on entry).

Constraint: COMPZ = 'N', 'I' or 'V'.

3: N – INTEGER *Input*

On entry: n , the order of the matrix H .

Constraint: $N \geq 0$.

4: ILO – INTEGER *Input*

5: IHI – INTEGER *Input*

On entry: if the matrix A has been balanced by F08NHF (SGEBAL/DGEBAL), then ILO and IHI must contain the values returned by that routine. Otherwise, ILO must be set to 1 and IHI to N .

Constraints:

$ILO \geq 1$ and
 $\min(ILO, N) \leq IHI \leq N$.

6: H(LDH,*) – *real* array *Input/Output*

Note: the second dimension of the array H must be at least $\max(1, N)$.

On entry: the n by n upper Hessenberg matrix H , as returned by F08NEF (SGEHRD/DGEHRD).

On exit: if JOB = 'E', then the array contains no useful information. If JOB = 'S', then H is overwritten by the upper quasi-triangular matrix T from the Schur decomposition (the Schur form) unless INFO > 0.

- 7: LDH – INTEGER *Input*
On entry: the first dimension of the array H as declared in the (sub)program from which F08PEF (SHSEQR/DHSEQR) is called.
Constraint: $LDH \geq \max(1, N)$.
- 8: WR(*) – *real* array *Output*
9: WI(*) – *real* array *Output*
Note: the dimensions of the arrays WR and WI must each be at least $\max(1, N)$.
On exit: the real and imaginary parts, respectively, of the computed eigenvalues, unless $INFO > 0$ (in which case see Section 6). Complex conjugate pairs of eigenvalues appear consecutively with the eigenvalue having positive imaginary part first. The eigenvalues are stored in the same order as on the diagonal of the Schur form T (if computed); see Section 8 for details.
- 10: Z(LDZ,*) – *real* array *Input/Output*
Note: the second dimension of the array Z must be at least $\max(1, N)$ if $COMPZ = 'V'$ or $'I'$ and at least 1 if $COMPZ = 'N'$.
On entry: if $COMPZ = 'V'$, Z must contain the orthogonal matrix Q from the reduction to Hessenberg form; if $COMPZ = 'I'$, Z need not be set.
On exit: if $COMPZ = 'V'$ or $'I'$, Z contains the orthogonal matrix of the required Schur vectors, unless $INFO > 0$.
Z is not referenced if $COMPZ = 'N'$.
- 11: LDZ – INTEGER *Input*
On entry: the first dimension of the array Z as declared in the (sub)program from which F08PEF (SHSEQR/DHSEQR) is called.
Constraints:
 $LDZ \geq 1$ if $COMPZ = 'N'$,
 $LDZ \geq \max(1, N)$ if $COMPZ = 'V'$ or $'I'$.
- 12: WORK(*) – *real* array *Workspace*
Note: the dimension of the array WORK must be at least $\max(1, LWORK)$.
On exit: if $INFO = 0$, WORK(1) contains the minimum value of LWORK required for optimum performance.
- 13: LWORK – INTEGER *Input*
On entry: the dimension of the array WORK as declared in the (sub)program from which F08PEF (SHSEQR/DHSEQR) is called, unless $LWORK = -1$, in which case a workspace query is assumed and the routine only calculates the minimum dimension of WORK.
Constraint: $LWORK \geq \max(1, N)$ or $LWORK = -1$.
- 14: INFO – INTEGER *Output*
On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$INFO < 0$

If $INFO = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

INFO > 0

The algorithm has failed to find all the eigenvalues after a total of $30 \times (\text{IHI} - \text{ILO} + 1)$ iterations. If $\text{INFO} = i$, elements $1, 2, \dots, \text{ILO} - 1$ and $i + 1, i + 2, \dots, n$ of WR and WI contain the real and imaginary parts of the eigenvalues which have been found.

7 Accuracy

The computed Schur factorization is the exact factorization of a nearby matrix $H + E$, where

$$\|E\|_2 = O(\epsilon)\|H\|_2,$$

and ϵ is the *machine precision*.

If λ_i is an exact eigenvalue, and $\tilde{\lambda}_i$ is the corresponding computed value, then

$$|\tilde{\lambda}_i - \lambda_i| \leq \frac{c(n)\epsilon\|H\|_2}{s_i},$$

where $c(n)$ is a modestly increasing function of n , and s_i is the reciprocal condition number of λ_i . The condition numbers s_i may be computed by calling F08QLF (STRSNA/DTRSNA).

8 Further Comments

The total number of floating-point operations depends on how rapidly the algorithm converges, but is typically about:

$7n^3$ if only eigenvalues are computed;

$10n^3$ if the Schur form is computed;

$20n^3$ if the full Schur factorization is computed.

The Schur form T has the following structure (referred to as **canonical** Schur form).

If all the computed eigenvalues are real, T is upper triangular, and the diagonal elements of T are the eigenvalues; $\text{WR}(i) = t_{ii}$, for $i = 1, 2, \dots, n$ and $\text{WI}(i) = 0.0$.

If some of the computed eigenvalues form complex conjugate pairs, then T has 2 by 2 diagonal blocks. Each diagonal block has the form

$$\begin{pmatrix} t_{ii} & t_{i,i+1} \\ t_{i+1,i} & t_{i+1,i+1} \end{pmatrix} = \begin{pmatrix} \alpha & \beta \\ \gamma & \alpha \end{pmatrix}$$

where $\beta\gamma < 0$. The corresponding eigenvalues are $\alpha \pm \sqrt{\beta\gamma}$; $\text{WR}(i) = \text{WR}(i+1) = \alpha$; $\text{WI}(i) = +\sqrt{|\beta\gamma|}$; $\text{WI}(i+1) = -\text{WI}(i)$.

The complex analogue of this routine is F08PSF (CHSEQR/ZHSEQR).

9 Example

To compute all the eigenvalues and the Schur factorization of the upper Hessenberg matrix H , where

$$H = \begin{pmatrix} 0.3500 & -0.1160 & -0.3886 & -0.2942 \\ -0.5140 & 0.1225 & 0.1004 & 0.1126 \\ 0.0000 & 0.6443 & -0.1357 & -0.0977 \\ 0.0000 & 0.0000 & 0.4262 & 0.1632 \end{pmatrix}.$$

See also the example for F08NFF (SORGHR/DORGHR), which illustrates the use of this routine to compute the Schur factorization of a general matrix.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```

*      F08PEF Example Program Text
*      Mark 16 Release. NAG Copyright 1992.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER       (NIN=5,NOUT=6)
INTEGER          NMAX, LDH, LWORK, LDZ
PARAMETER       (NMAX=8,LDH=NMAX,LWORK=NMAX,LDZ=NMAX)
*      .. Local Scalars ..
INTEGER          I, IFAIL, INFO, J, N
*      .. Local Arrays ..
real           H(LDH,NMAX), WI(NMAX), WORK(LWORK), WR(NMAX),
+              Z(LDZ,NMAX)
*      .. External Subroutines ..
EXTERNAL        shseqr, X04CAF
*      .. Executable Statements ..
WRITE (NOUT,*) 'F08PEF Example Program Results'
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) N
IF (N.LE.NMAX) THEN
*
*      Read H from data file
*
      READ (NIN,*) ((H(I,J),J=1,N),I=1,N)
*
*      Calculate the eigenvalues and Schur factorization of H
*
      CALL shseqr('Schur form','Initialize Z',N,1,N,H,LDH,WR,WI,Z,
+              LDZ,WORK,LWORK,INFO)
*
      WRITE (NOUT,*)
      IF (INFO.GT.0) THEN
        WRITE (NOUT,*) 'Failure to converge.'
      ELSE
        WRITE (NOUT,*) 'Eigenvalues'
        WRITE (NOUT,99999) (' (' ,WR(I) ,',',WI(I) ,')',I=1,N)
*
*      Print Schur form
*
        WRITE (NOUT,*)
        IFAIL = 0
*
        CALL X04CAF('General',' ',N,N,H,LDH,'Schur form',IFAIL)
*
*      Print Schur vectors
*
        WRITE (NOUT,*)
        IFAIL = 0
*
        CALL X04CAF('General',' ',N,N,Z,LDZ,'Schur vectors of H',
+              IFAIL)
*
      END IF
    END IF
    STOP
*
99999 FORMAT (1X,A,F8.4,A,F8.4,A)
END

```

9.2 Program Data

F08PEF Example Program Data

```

4                                     :Value of N
0.3500  -0.1160  -0.3886  -0.2942
-0.5140  0.1225  0.1004  0.1126
0.0000  0.6443  -0.1357  -0.0977
0.0000  0.0000  0.4262  0.1632      :End of matrix H

```

9.3 Program Results

F08PEF Example Program Results

Eigenvalues

```

( 0.7995,  0.0000)
(-0.0994,  0.4008)
(-0.0994, -0.4008)
(-0.1007,  0.0000)

```

Schur form

	1	2	3	4
1	0.7995	0.0061	-0.1144	-0.0335
2	0.0000	-0.0994	-0.6483	-0.2026
3	0.0000	0.2477	-0.0994	-0.3474
4	0.0000	0.0000	0.0000	-0.1007

Schur vectors of H

	1	2	3	4
1	-0.6551	-0.3450	-0.1036	0.6641
2	0.5972	-0.1706	0.5246	0.5823
3	0.3845	-0.7143	-0.5789	-0.0821
4	0.2576	0.5845	-0.6156	0.4616
