

NAG Fortran Library Routine Document

F08TEF (DSPGST)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08TEF (DSPGST) reduces a real symmetric-definite generalized eigenproblem $Az = \lambda Bz$, $ABz = \lambda z$ or $BAz = \lambda z$ to the standard form $Cy = \lambda y$, where A is a real symmetric matrix and B has been factorized by F07GDF (DPPTRF), using packed storage.

2 Specification

```
SUBROUTINE F08TEF ( ITYPE, UPLO, N, AP, BP, INFO )
INTEGER          ITYPE, N, INFO
double precision AP(*), BP(*)
CHARACTER*1       UPLO
```

The routine may be called by its LAPACK name *dspgst*.

3 Description

To reduce the real symmetric-definite generalized eigenproblem $Az = \lambda Bz$, $ABz = \lambda z$ or $BAz = \lambda z$ to the standard form $Cy = \lambda y$ using packed storage, F08TEF (DSPGST) must be preceded by a call to F07GDF (DPPTRF) which computes the Cholesky factorization of B ; B must be positive-definite.

The different problem types are specified by the parameter ITYPE, as indicated in the table below. The table shows how C is computed by the routine, and also how the eigenvectors z of the original problem can be recovered from the eigenvectors of the standard form.

ITYPE	Problem	UPLO	B	C	z
1	$Az = \lambda Bz$	'U' 'L'	$U^T U$ LL^T	$U^{-T} A U^{-1}$ $L^{-1} A L^{-T}$	$U^{-1} y$ $L^{-T} y$
2	$ABz = \lambda z$	'U' 'L'	$U^T U$ LL^T	$U A U^T$ $L^T A L$	$U^{-1} y$ $L^{-T} y$
3	$BAz = \lambda z$	'U' 'L'	$U^T U$ LL^T	$U A U^T$ $L^T A L$	$U^T y$ $L y$

4 References

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

- 1: ITYPE – INTEGER *Input*
On entry: indicates how the standard form is computed.

ITYPE = 1

if UPLO = 'U', $C = U^{-T}AU^{-1}$;
if UPLO = 'L', $C = L^{-1}AL^{-T}$.

ITYPE = 2 or 3

if UPLO = 'U', $C = UAU^T$;
if UPLO = 'L', $C = L^TAL$.

Constraint: ITYPE = 1, 2 or 3.

2: UPLO – CHARACTER*1

Input

On entry: indicates whether the upper or lower triangular part of A is stored and how B has been factorized.

UPLO = 'U'

The upper triangular part of A is stored and $B = U^T U$.

UPLO = 'L'

The lower triangular part of A is stored and $B = LL^T$.

Constraint: UPLO = 'U' or 'L'.

3: N – INTEGER

Input

On entry: n , the order of the matrices A and B .

Constraint: $N \geq 0$.

4: AP(*) – **double precision** array

Input/Output

Note: the dimension of the array AP must be at least $\max(1, N \times (N + 1)/2)$.

On entry: the n by n symmetric matrix A , packed by columns. More precisely,

if UPLO = 'U', the upper triangular part of A must be stored with element a_{ij} in $AP(i + j(j - 1)/2)$ for $i \leq j$;

if UPLO = 'L', the lower triangular part of A must be stored with element a_{ij} in $AP(i + (2n - j)(j - 1)/2)$ for $i \geq j$.

On exit: the upper or lower triangle of A is overwritten by the corresponding upper or lower triangle of C as specified by ITYPE and UPLO, using the same packed storage format as described above.

5: BP(*) – **double precision** array

Input

Note: the dimension of the array BP must be at least $\max(1, N \times (N + 1)/2)$.

On entry: the Cholesky factor of B as specified by UPLO and returned by F07GDF (DPPTRF).

6: INFO – INTEGER

Output

On exit: INFO = 0 unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = $-i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

7 Accuracy

Forming the reduced matrix C is a stable procedure. However it involves implicit multiplication by B^{-1} if (ITYPE = 1) or B (if ITYPE = 2 or 3). When F08TEF (DSPGST) is used as a step in the computation of eigenvalues and eigenvectors of the original problem, there may be a significant loss of accuracy if B is ill-conditioned with respect to inversion. See the document for F08SAF (DSYGV) for further details.

8 Further Comments

The total number of floating-point operations is approximately n^3 .

The complex analogue of this routine is F08TSF (ZHPGST).

9 Example

This example computes all the eigenvalues of $Az = \lambda Bz$, where

$$A = \begin{pmatrix} 0.24 & 0.39 & 0.42 & -0.16 \\ 0.39 & -0.11 & 0.79 & 0.63 \\ 0.42 & 0.79 & -0.25 & 0.48 \\ -0.16 & 0.63 & 0.48 & -0.03 \end{pmatrix} \quad \text{and} \quad B = \begin{pmatrix} 4.16 & -3.12 & 0.56 & -0.10 \\ -3.12 & 5.03 & -0.83 & 1.09 \\ 0.56 & -0.83 & 0.76 & 0.34 \\ -0.10 & 1.09 & 0.34 & 1.18 \end{pmatrix},$$

using packed storage. Here B is symmetric positive-definite and must first be factorized by F07GDF (DPPTRF). The program calls F08TEF (DSPGST) to reduce the problem to the standard form $Cy = \lambda y$; then F08GEF (DSPTRD) to reduce C to tridiagonal form, and F08JFF (DSTERF) to compute the eigenvalues.

9.1 Program Text

```

*      F08TEF Example Program Text
*      Mark 16 Release. NAG Copyright 1992.
*      .. Parameters ..
  INTEGER          NIN, NOUT
  PARAMETER        (NIN=5,NOUT=6)
  INTEGER          NMAX
  PARAMETER        (NMAX=8)
*      .. Local Scalars ..
  INTEGER          I, INFO, J, N
  CHARACTER         UPLO
*      .. Local Arrays ..
  DOUBLE PRECISION AP(NMAX*(NMAX+1)/2), BP(NMAX*(NMAX+1)/2),
+                  D(NMAX), E(NMAX-1), TAU(NMAX)
*      .. External Subroutines ..
  EXTERNAL          DPPTRF, DSPGST, DS PTRD, DSTERF
*      .. Executable Statements ..
  WRITE (NOUT,*) 'F08TEF Example Program Results'
*      Skip heading in data file
  READ (NIN,*)
  READ (NIN,*) N
  IF (N.LE.NMAX) THEN
*
*      Read A and B from data file
*
    READ (NIN,*) UPLO
    IF (UPLO.EQ.'U') THEN
      READ (NIN,*) ((AP(I+J*(J-1)/2),J=I,N),I=1,N)
      READ (NIN,*) ((BP(I+J*(J-1)/2),J=I,N),I=1,N)
    ELSE IF (UPLO.EQ.'L') THEN
      READ (NIN,*) ((AP(I+(2*N-J)*(J-1)/2),J=1,I),I=1,N)
      READ (NIN,*) ((BP(I+(2*N-J)*(J-1)/2),J=1,I),I=1,N)
    END IF
*
*      Compute the Cholesky factorization of B
*
    CALL DPPTRF(UPLO,N,BP,INFO)
*
```

```

      WRITE (NOUT,*)
      IF (INFO.GT.0) THEN
          WRITE (NOUT,*) 'B is not positive-definite.'
      ELSE
      *
      *      Reduce the problem to standard form C*y = lambda*y, storing
      *      the result in A
      *
      CALL DSPGST(1,UPLO,N,AP,BP,INFO)
      *
      *      Reduce C to tridiagonal form T = (Q**T)*C*Q
      *
      CALL DSPTRD(UPLO,N,AP,D,E,TAU,INFO)
      *
      *      Calculate the eigenvalues of T (same as C)
      *
      CALL DSTERF(N,D,E,INFO)
      *
      IF (INFO.GT.0) THEN
          WRITE (NOUT,*) 'Failure to converge.'
      ELSE
      *
      *      Print eigenvalues
      *
      WRITE (NOUT,*) 'Eigenvalues'
      WRITE (NOUT,99999) (D(I),I=1,N)
      END IF
      END IF
      STOP
      *
99999 FORMAT (3X,(9F8.4))
END

```

9.2 Program Data

```

F08TEF Example Program Data
 4                      :Value of N
 'L'                   :Value of UPLO
 0.24
 0.39  -0.11
 0.42  0.79   -0.25
-0.16  0.63   0.48   -0.03  :End of matrix A
 4.16
-3.12  5.03
 0.56  -0.83   0.76
-0.10  1.09   0.34    1.18  :End of matrix B

```

9.3 Program Results

```

F08TEF Example Program Results

Eigenvalues
 -2.2254 -0.4548  0.1001  1.1270

```
