

NAG Fortran Library Routine Document

F08WNF (ZGGEV)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08WNF (ZGGEV) computes for a pair of n by n complex nonsymmetric matrices (A, B) , the generalized eigenvalues, and optionally, the left and/or right generalized eigenvectors using the QZ algorithm.

2 Specification

```

SUBROUTINE F08WNF (JOBVL, JOBVR, N, A, LDA, B, LDB, ALPHA, BETA, VL,
1 LDVL, VR, LDVR, WORK, LWORK, RWORK, INFO)
INTEGER N, LDA, LDB, LDVL, LDVR, LWORK, INFO
double precision RWORK(*)
complex*16 A(LDA,*), B(LDB,*), ALPHA(*), BETA(*), VL(LDVL,*),
1 VR(LDVR,*), WORK(*)
CHARACTER*1 JOBVL, JOBVR

```

The routine may be called by its LAPACK name ***zggev***.

3 Description

A generalized eigenvalue for a pair of matrices (A, B) is a scalar λ or a ratio $\alpha/\beta = \lambda$, such that $A - \lambda B$ is singular. It is usually represented as the pair (α, β) , as there is a reasonable interpretation for $\beta = 0$, and even for both being zero.

The right generalized eigenvector v_j corresponding to the generalized eigenvalue λ_j of (A, B) satisfies

$$Av_j = \lambda_j Bv_j.$$

The left generalized eigenvector u_j corresponding to the generalized eigenvalues λ_j of (A, B) satisfies

$$u_j^H A = \lambda_j u_j^H B,$$

where u_j^H is the conjugate-transpose of u_j .

All the eigenvalues and, if required, all the eigenvectors of the complex generalized eigenproblem $Ax = \lambda Bx$ where A and B are complex, square matrices, are determined using the QZ algorithm. The complex QZ algorithm consists of three stages:

1. A is reduced to upper Hessenberg form (with real, non-negative sub-diagonal elements) and at the same time B is reduced to upper triangular form.
2. A is further reduced to triangular form while the triangular form of B is maintained and the diagonal elements of B are made real and non-negative. This is the generalized Schur form of the pair (A, B) .

This routine does not actually produce the eigenvalues λ_j , but instead returns α_j and β_j such that

$$\lambda_j = \alpha_j / \beta_j, \quad j = 1, 2, \dots, n.$$

The division by β_j becomes the responsibility of the user, since β_j may be zero, indicating an infinite eigenvalue.

3. If the eigenvectors are required they are obtained from the triangular matrices and then transferred back into the original co-ordinate system.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia URL: <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

Wilkinson J H (1979) Kronecker's canonical form and the *QZ* algorithm *Linear Algebra Appl.* **28** 285–303

5 Parameters

- 1: JOBVL – CHARACTER*1 *Input*
On entry: if JOBVL = 'N', do not compute the left generalized eigenvectors.
 If JOBVL = 'V', compute the left generalized eigenvectors.

- 2: JOBVR – CHARACTER*1 *Input*
On entry: if JOBVR = 'N', do not compute the right generalized eigenvectors.
 If JOBVR = 'V', compute the right generalized eigenvectors.

- 3: N – INTEGER *Input*
On entry: n , the order of the matrices A and B .
Constraint: $N \geq 0$.

- 4: A(LDA,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array A must be at least $\max(1, N)$.
On entry: the matrix A in the pair (A, B) .
On exit: has been overwritten.

- 5: LDA – INTEGER *Input*
On entry: the first dimension of the array A as declared in the (sub)program from which F08WNF (ZGGEV) is called.
Constraint: $LDA \geq \max(1, N)$.

- 6: B(LDB,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array B must be at least $\max(1, N)$.
On entry: the matrix B in the pair (A, B) .
On exit: has been overwritten.

- 7: LDB – INTEGER *Input*
On entry: the first dimension of the array B as declared in the (sub)program from which F08WNF (ZGGEV) is called.
Constraint: $LDB \geq \max(1, N)$.

- 8: ALPHA(*) – **complex*16** array *Output*
Note: the dimension of the array ALPHA must be at least $\max(1, N)$.
On exit: see the description of BETA below.

- 9: BETA(*) – **complex*16** array *Output*
Note: the dimension of the array BETA must be at least $\max(1, N)$.
On exit: ALPHA(j)/BETA(j), $j = 1, \dots, N$, will be the generalized eigenvalues.
Note: the quotients ALPHA(j)/BETA(j) may easily over- or underflow, and BETA(j) may even be zero. Thus, the user should avoid naively computing the ratio α_j/β_j . However, $\max|\alpha_j|$ will be always less than and usually comparable with $\|A\|_2$ in magnitude, and $\max|\beta_j|$ always less than and usually comparable with $\|B\|_2$.
- 10: VL(LDVL,*) – **complex*16** array *Output*
Note: the second dimension of the array VL must be at least $\max(1, N)$.
On exit: if JOBVL = 'V', the left generalized eigenvectors u_j are stored one after another in the columns of VL, in the same order as the corresponding eigenvalues. Each eigenvector will be scaled so the largest component will have $|\text{real part}| + |\text{imag. part}| = 1$.
 If JOBVL = 'N', VL is not referenced.
- 11: LDVL – INTEGER *Input*
On entry: the first dimension of the array VL as declared in the (sub)program from which F08WNF (ZGGEV) is called.
Constraints:
 if JOBVL = 'V', $LDVL \geq \max(1, N)$;
 $LDVL \geq 1$ otherwise.
- 12: VR(LDVR,*) – **complex*16** array *Output*
Note: the second dimension of the array VR must be at least $\max(1, N)$.
On exit: if JOBVR = 'V', the right generalized eigenvectors v_j are stored one after another in the columns of VR, in the same order as the corresponding eigenvalues.
 Each eigenvector will be scaled so the largest component will have $|\text{real part}| + |\text{imag. part}| = 1$.
 If JOBVR = 'N', VR is not referenced.
- 13: LDVR – INTEGER *Input*
On entry: the first dimension of the array VR as declared in the (sub)program from which F08WNF (ZGGEV) is called.
Constraints:
 if JOBVR = 'V', $LDVR \geq \max(1, N)$;
 $LDVR \geq 1$ otherwise.
- 14: WORK(*) – **complex*16** array *Workspace*
Note: the dimension of the array WORK must be at least $\max(1, LWORK)$.
On exit: if INFO = 0, WORK(1) returns the optimal LWORK.
- 15: LWORK – INTEGER *Input*
On entry: the dimension of the array WORK as declared in the (sub)program from which F08WNF (ZGGEV) is called.
 For good performance, LWORK must generally be larger than the minimum; increase workspace by, say, $nb \times N$, where nb is the block size.

If $LWORK = -1$, a workspace query is assumed; the routine only calculates the optimal size of the $WORK$ array, returns this value as the first entry of the $WORK$ array, and no error message related to $LWORK$ is issued.

Constraint: $LWORK \geq \max(1, 8 \times N)$.

16: $RWORK(*)$ – *double precision* array *Workspace*

Note: the dimension of the array $RWORK$ must be at least $\max(1, (8 \times N))$.

17: $INFO$ – INTEGER *Output*

On exit: $INFO = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$INFO < 0$

If $INFO = -i$, the i th argument had an illegal value.

$INFO = 1N$

The QZ iteration failed. No eigenvectors have been calculated, but $ALPHA(j)$ and $BETA(j)$ should be correct for $j = INFO + 1, \dots, N$.

$INFO > N$

= $N + 1$: other than QZ iteration failed in F08XEF (DHGEQZ),

= $N + 2$: error return from F08YKF (DTGEVC).

7 Accuracy

The computed eigenvalues and eigenvectors are exact for a nearby matrices $(A + E)$ and $(B + F)$, where

$$\|(E, F)\|_F = O(\epsilon)\|(A, B)\|_F,$$

and ϵ is the *machine precision*. See Section 4.11 of Anderson *et al.* (1999) for further details.

Note: interpretation of results obtained with the QZ algorithm often requires a clear understanding of the effects of small changes in the original data. These effects are reviewed in Wilkinson (1979), in relation to the significance of small values of α_j and β_j . It should be noted that if α_j and β_j are **both** small for any j , it may be that no reliance can be placed on **any** of the computed eigenvalues $\lambda_i = \alpha_i/\beta_i$. The user is recommended to study Wilkinson (1979) and, if in difficulty, to seek expert advice on determining the sensitivity of the eigenvalues to perturbations in the data.

8 Further Comments

The total number of floating-point operations is proportional to n^3 .

The real analogue of this routine is F08WAF (DGGEV).

9 Example

To find all the eigenvalues and right eigenvectors of the matrix pair (A, B) , where

$$A = \begin{pmatrix} -21.10 - 22.50i & 53.50 - 50.50i & -34.50 + 127.50i & 7.50 + 0.50i \\ -0.46 - 7.78i & -3.50 - 37.50i & -15.50 + 58.50i & -10.50 - 1.50i \\ 4.30 - 5.50i & 39.70 - 17.10i & -68.50 + 12.50i & -7.50 - 3.50i \\ 5.50 + 4.40i & 14.40 + 43.30i & -32.50 - 46.00i & -19.00 - 32.50i \end{pmatrix}$$

and

$$B = \begin{pmatrix} 1.00 - 5.00i & 1.60 + 1.20i & -3.00 + 0.00i & 0.00 - 1.00i \\ 0.80 - 0.60i & 3.00 - 5.00i & -4.00 + 3.00i & -2.40 - 3.20i \\ 1.00 + 0.00i & 2.40 + 1.80i & -4.00 - 5.00i & 0.00 - 3.00i \\ 0.00 + 1.00i & -1.80 + 2.40i & 0.00 - 4.00i & 4.00 - 5.00i \end{pmatrix}.$$

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F08WNF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER        (NIN=5,NOUT=6)
      INTEGER          NB, NMAX
      PARAMETER        (NB=64,NMAX=10)
      INTEGER          LDA, LDB, LDVR, LWORK
      PARAMETER        (LDA=NMAX,LDB=NMAX,LDVR=NMAX,LWORK=NMAX+NMAX*NB)
*      .. Local Scalars ..
      DOUBLE PRECISION SMALL
      INTEGER          I, INFO, J, LWKOPT, N
*      .. Local Arrays ..
      COMPLEX *16      A(LDA,NMAX), ALPHA(NMAX), B(LDB,NMAX),
+                    BETA(NMAX), DUMMY(1,1), VR(LDVR,NMAX),
+                    WORK(LWORK)
      DOUBLE PRECISION RWORK(8*NMAX)
*      .. External Functions ..
      DOUBLE PRECISION X02AMF
      EXTERNAL         X02AMF
*      .. External Subroutines ..
      EXTERNAL         ZGGEV
*      .. Intrinsic Functions ..
      INTRINSIC        ABS
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F08WNF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
*
*          Read in the matrices A and B
*
      READ (NIN,*) ((A(I,J),J=1,N),I=1,N)
      READ (NIN,*) ((B(I,J),J=1,N),I=1,N)
*
*          Solve the generalized eigenvalue problem
*
      CALL ZGGEV('No left vectors','Vectors (right)',N,A,LDA,B,LDB,
+             ALPHA,BETA,DUMMY,1,VR,LDVR,WORK,LWORK,RWORK,INFO)
*
      IF (INFO.GT.0) THEN
          WRITE (NOUT,*)
          WRITE (NOUT,99999) 'Failure in ZGGEV. INFO =', INFO
      ELSE
          SMALL = X02AMF()
          DO 20 J = 1, N
              WRITE (NOUT,*)
              IF ((ABS(ALPHA(J)))*SMALL.GE.ABS(BETA(J))) THEN
                  WRITE (NOUT,99998) 'Eigenvalue(', J, ')',
+                  ' is numerically infinite or undetermined',
+                  ' ALPHA(', J, ') = ', ALPHA(J), ', BETA(', J, ') = ',
+                  BETA(J)
              ELSE

```

```

      WRITE (NOUT,99997) 'Eigenvalue(', J, ') = ',
+       ALPHA(J)/BETA(J)
      END IF
      WRITE (NOUT,*)
      WRITE (NOUT,99996) 'Eigenvector(', J, ')',
+       (VR(I,J),I=1,N)
20    CONTINUE
*
      LWKOPT = WORK(1)
      IF (LWORK.LT.LWKOPT) THEN
        WRITE (NOUT,*)
+       WRITE (NOUT,99995) 'Optimum workspace required = ',
        LWKOPT, 'Workspace provided      = ', LWORK
      END IF
      END IF
    ELSE
      WRITE (NOUT,*)
      WRITE (NOUT,*) 'NMAX too small'
    END IF
  STOP
*
99999 FORMAT (1X,A,I4)
99998 FORMAT (1X,A,I2,2A,/1X,2(A,I2,A,'(',1P,E11.4,',',1P,E11.4,')'))
99997 FORMAT (1X,A,I2,A,'(',1P,E11.4,',',1P,E11.4,')')
99996 FORMAT (1X,A,I2,A,/3(1X,'(',1P,E11.4,',',1P,E11.4,')',:))
99995 FORMAT (1X,A,I5,/1X,A,I5)
  END

```

9.2 Program Data

F08WNF Example Program Data

```

4                                     : Value of N
(-21.10,-22.50) ( 53.50,-50.50) (-34.50,127.50) ( 7.50, 0.50)
(-0.46, -7.78) (-3.50,-37.50) (-15.50, 58.50) (-10.50, -1.50)
( 4.30, -5.50) ( 39.70,-17.10) (-68.50, 12.50) (-7.50, -3.50)
( 5.50, 4.40) ( 14.40, 43.30) (-32.50,-46.00) (-19.00,-32.50) : End of A
( 1.00, -5.00) ( 1.60, 1.20) (-3.00, 0.00) ( 0.00, -1.00)
( 0.80, -0.60) ( 3.00, -5.00) (-4.00, 3.00) (-2.40, -3.20)
( 1.00, 0.00) ( 2.40, 1.80) (-4.00, -5.00) ( 0.00, -3.00)
( 0.00, 1.00) (-1.80, 2.40) ( 0.00, -4.00) ( 4.00, -5.00) : End of B

```

9.3 Program Results

F08WNF Example Program Results

Eigenvalue(1) = (3.0000E+00,-9.0000E+00)

Eigenvector(1)
 (-8.2377E-01,-1.7623E-01) (-1.5295E-01, 7.0655E-02) (-7.0655E-02,-1.5295E-01)
 (1.5295E-01,-7.0655E-02)

Eigenvalue(2) = (2.0000E+00,-5.0000E+00)

Eigenvector(2)
 (6.3974E-01, 3.6026E-01) (4.1597E-03,-5.4650E-04) (4.0212E-02, 2.2645E-02)
 (-2.2645E-02, 4.0212E-02)

Eigenvalue(3) = (3.0000E+00,-1.0000E+00)

Eigenvector(3)
 (9.7754E-01, 2.2465E-02) (1.5910E-01,-1.1371E-01) (1.2090E-01,-1.5371E-01)
 (1.5371E-01, 1.2090E-01)

Eigenvalue(4) = (4.0000E+00,-5.0000E+00)

Eigenvector(4)
 (-9.0623E-01, 9.3766E-02) (-7.4303E-03, 6.8750E-03) (3.0208E-02,-3.1255E-03)
 (-1.4586E-02,-1.4097E-01)