

NAG Fortran Library Routine Document

F08YSF (ZTGSJA)

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of ***bold italicised*** terms and other implementation-dependent details.

1 Purpose

F08YSF (ZTGSJA) computes the generalized singular value decomposition (GSVD) of two complex upper trapezoidal matrices A and B , where A is an m by n matrix and B is a p by n matrix.

A and B are assumed to be in the form returned by F08VVF (ZGGSVP).

2 Specification

```
SUBROUTINE F08YSF (JOBU, JOBV, JOBQ, M, P, N, K, L, A, LDA, B, LDB,
1          TOLA, TOLB, ALPHA, BETA, U, LDU, V, LDV, Q, LDQ,
2          WORK, NCYCLE, INFO)

INTEGER
1          M, P, N, K, L, LDA, LDB, LDU, LDV, LDQ, NCYCLE, INFO
double precision
1          TOLA, TOLB, ALPHA(*), BETA(*)
complex*16
1          A(LDA,*), B(LDB,*), U(LDU,*), V(LDV,*), Q(LDQ,*),
WORK(*)
CHARACTER*1
1          JOBU, JOBV, JOBQ
```

The routine may be called by its LAPACK name *ztgsja*.

3 Description

F08YSF (ZTGSJA) computes the GSVD of the matrices A and B which are assumed to have the form as returned by F08VVF (ZGGSVP)

$$A = \begin{cases} \begin{matrix} n-k-l & k & l \\ k \begin{pmatrix} 0 & A_{12} & A_{13} \\ 0 & 0 & A_{23} \\ 0 & 0 & 0 \end{pmatrix}, & \text{if } m-k-l \geq 0; \\ m-k-l \begin{matrix} n-k-l & k & l \\ k \begin{pmatrix} 0 & A_{12} & A_{13} \\ 0 & 0 & A_{23} \end{pmatrix}, & \text{if } m-k-l < 0; \end{matrix} \end{matrix} \\ B = \begin{matrix} n-k-l & k & l \\ p-l \begin{pmatrix} 0 & 0 & B_{13} \\ 0 & 0 & 0 \end{pmatrix}, \end{matrix} \end{cases}$$

where the k by k matrix A_{12} and the l by l matrix B_{13} are non-singular upper triangular, A_{23} is l by l upper triangular if $m-k-l \geq 0$ and is $(m-k)$ by l upper trapezoidal otherwise.

F08YSF (ZTGSJA) computes unitary matrices Q , U and V , diagonal matrices D_1 and D_2 , and an upper triangular matrix R such that

$$U^H A Q = D_1 \begin{pmatrix} 0 & R \end{pmatrix}, \quad V^H B Q = D_2 \begin{pmatrix} 0 & R \end{pmatrix}.$$

Optionally Q , U and V may or may not be computed, or they may be premultiplied by matrices Q_1 , U_1 and V_1 respectively.

If $(m - k - l) \geq 0$ then D_1 , D_2 and R have the form

$$D_1 = \frac{k}{m-k-l} \begin{pmatrix} I & 0 \\ 0 & C \\ 0 & 0 \end{pmatrix},$$

$$D_2 = \frac{l}{p-l} \begin{pmatrix} k & l \\ 0 & S \\ 0 & 0 \end{pmatrix},$$

$$R = \frac{k}{l} \begin{pmatrix} R_{11} & R_{12} \\ 0 & R_{22} \end{pmatrix},$$

where $C = \text{diag}(\alpha_{k+1}, \dots, \alpha_{k+l})$, $S = \text{diag}(\beta_{k+1}, \dots, \beta_{k+l})$.

If $(m - k - l) < 0$ then D_1 , D_2 and R have the form

$$D_1 = \frac{k}{m-k} \begin{pmatrix} I & 0 & 0 \\ 0 & C & 0 \end{pmatrix},$$

$$D_2 = \frac{m-k}{k+l-m} \begin{pmatrix} k & m-k & k+l-m \\ 0 & S & 0 \\ 0 & 0 & I \\ p-l & 0 & 0 \end{pmatrix},$$

$$R = \frac{k}{m-k} \begin{pmatrix} R_{11} & R_{12} & R_{13} \\ 0 & R_{22} & R_{23} \\ 0 & 0 & R_{33} \end{pmatrix},$$

where $C = \text{diag}(\alpha_{k+1}, \dots, \alpha_m)$, $S = \text{diag}(\beta_{k+1}, \dots, \beta_m)$.

In both cases the diagonal matrix C has real non-negative diagonal elements, the diagonal matrix S has real positive diagonal elements, so that S is non-singular, and $C^2 + S^2 = 1$. See Anderson *et al.* (1999) (Section 2.3.5.3) for further information.

4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia URL: <http://www.netlib.org/lapack/lug>

Golub G H and Van Loan C F (1996) *Matrix Computations* (3rd Edition) Johns Hopkins University Press, Baltimore

5 Parameters

1: **JOBU** – CHARACTER*1 *Input*

On entry: if $\text{JOBU} = \text{'U}'$, U must contain a unitary matrix U_1 on entry, and the product $U_1 U$ is returned.

If $\text{JOBU} = \text{'I}'$, U is initialized to the unit matrix, and the unitary matrix U is returned.

If $\text{JOBU} = \text{'N}'$, U is not computed.

12: LDB – INTEGER *Input*

On entry: the first dimension of the array B as declared in the (sub)program from which F08YSF (ZTGSJA) is called.

Constraint: $LDB \geq \max(1, P)$.

13: TOLA – **double precision** *Input*
 14: TOLB – **double precision** *Input*

On entry: TOLA and TOLB are the convergence criteria for the Jacobi-Kogbetliantz iteration procedure. Generally, they should be the same as used in the preprocessing step performed by F08VSF (ZGGSVP), say

$$\begin{aligned} TOLA &= \max(M, N)\|A\|\epsilon, \\ TOLB &= \max(P, N)\|B\|\epsilon, \end{aligned}$$

where ϵ is the **machine precision**.

15: ALPHA(*) – **double precision** array *Output*

Note: the dimension of the array ALPHA must be at least $\max(1, N)$.

On exit: see the description of BETA.

16: BETA(*) – **double precision** array *Output*

Note: the dimension of the array BETA must be at least $\max(1, N)$.

On exit: ALPHA and BETA contain the generalized singular value pairs of A and B:

ALPHA(i) = 1, BETA(i) = 0, for $i = 1, 2, \dots, k$, and
 if $m - k - l \geq 0$, ALPHA(i) = α_i , BETA(i) = β_i , for $i = k + 1, k + 2, \dots, k + l$, or
 if $m - k - l < 0$, ALPHA(i) = α_i , BETA(i) = β_i , for $i = k + 1, k + 2, \dots, m$ and
 ALPHA(i) = 0, BETA(i) = 1, for $i = m + 1, m + 2, \dots, k + l$.

Furthermore, if $k + l < n$, ALPHA(i) = BETA(i) = 0, for $i = k + l + 1, k + l + 2, \dots, n$.

17: U(LDU,*) – **complex*16** array *Input/Output*

Note: the second dimension of the array U must be at least $\max(1, M)$.

On entry: if $\text{JOB}_U = 'U'$, U must contain an m by m matrix U_1 (usually the unitary matrix returned by F08VSF (ZGGSVP)).

On exit: if $\text{JOB}_U = 'I'$, U contains the unitary matrix U .

If $\text{JOB}_U = 'U'$, U contains the product $U_1 U$.

If $\text{JOB}_U = 'N'$, U is not referenced.

18: LDU – INTEGER *Input*

On entry: the first dimension of the array U as declared in the (sub)program from which F08YSF (ZTGSJA) is called.

Constraints:

if $\text{JOB}_U = 'U'$, $LDU \geq \max(1, M)$;
 $LDU \geq 1$ otherwise.

19: V(LDV,*) – **complex*16** array *Input/Output*

Note: the second dimension of the array V must be at least $\max(1, P)$.

On entry: if $\text{JOB}_V = 'V'$, V must contain an p by p matrix V_1 (usually the unitary matrix returned by F08VSF (ZGGSVP)).

On exit: if $\text{JOB}_V = 'I'$, V contains the unitary matrix V .

If $\text{JOBV} = \text{'V}'$, V contains the product $V_1 V$.

If $\text{JOBV} = \text{'N}'$, V is not referenced.

20: LDV – INTEGER *Input*

On entry: the first dimension of the array V as declared in the (sub)program from which F08YSF (ZTGSJA) is called.

Constraints:

if $\text{JOBV} = \text{'V}'$, $\text{LDV} \geq \max(1, P)$;
 $\text{LDV} \geq 1$ otherwise.

21: $\text{Q}(\text{LDQ},*)$ – **complex*16** array *Input/Output*

Note: the second dimension of the array Q must be at least $\max(1, N)$.

On entry: if $\text{JOBQ} = \text{'Q}'$, Q must contain an n by n matrix Q_1 (usually the unitary matrix returned by F08VSF (ZGGSVP)).

On exit: if $\text{JOBQ} = \text{'I}'$, Q contains the unitary matrix Q .

If $\text{JOBQ} = \text{'Q}'$, Q contains the product $Q_1 Q$.

If $\text{JOBQ} = \text{'N}'$, Q is not referenced.

22: LDQ – INTEGER *Input*

On entry: the first dimension of the array Q as declared in the (sub)program from which F08YSF (ZTGSJA) is called.

Constraints:

if $\text{JOBQ} = \text{'Q}'$, $\text{LDQ} \geq \max(1, N)$;
 $\text{LDQ} \geq 1$ otherwise.

23: $\text{WORK}(*)$ – **complex*16** array *Workspace*

Note: the dimension of the array WORK must be at least $\max(1, 2 \times N)$.

24: NCYCLE – INTEGER *Output*

On exit: the number of cycles required for convergence.

25: INFO – INTEGER *Output*

On exit: $\text{INFO} = 0$ unless the routine detects an error (see Section 6).

6 Error Indicators and Warnings

Errors or warnings detected by the routine:

$\text{INFO} < 0$

If $\text{INFO} = -i$, the i th parameter had an illegal value. An explanatory message is output, and execution of the program is terminated.

$\text{INFO} = 1$

The procedure does not converge after 40 cycles.

7 Accuracy

The computed generalized singular value decomposition is nearly the exact generalized singular value decomposition for nearby matrices $(A + E)$ and $(B + F)$, where

$$\|E\|_2 = O\epsilon\|A\|_2 \quad \text{and} \quad \|F\|_2 = O\epsilon\|B\|_2,$$

and ϵ is the *machine precision*. See Anderson *et al.* (1999) (Section 4.12) for further details.

8 Further Comments

The real analogue of this routine is F08YEF (DTGSJA).

9 Example

This example finds the generalized singular value decomposition

$$A = U\Sigma_1(0 \quad R)Q^H, \quad B = V\Sigma_2(0 \quad R)Q^H,$$

of the matrix pair (A, B) , where

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & -0.91 + 2.06i & -0.05 + 0.41i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & -0.81 + 0.56i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ 0.37 + 0.38i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.83 + 0.51i & 0.20 + 0.01i & -0.17 - 0.46i & 1.47 + 1.59i \\ 1.08 - 0.28i & 0.20 - 0.12i & -0.07 + 1.23i & 0.26 + 0.26i \end{pmatrix}$$

and

$$B = \begin{pmatrix} 1 & 0 & -1 & 0 \\ 0 & 1 & 0 & -1 \end{pmatrix}.$$

9.1 Program Text

```

*      F08YSF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
  INTEGER          NIN, NOUT
  PARAMETER        (NIN=5,NOUT=6)
  INTEGER          MMAX, NMAX, PMAX
  PARAMETER        (MMAX=10,NMAX=10,PMAX=10)
  INTEGER          LDA, LDB, LDQ, LDU, LDV
  PARAMETER        (LDA=MMAX,LDB=PMAX,LDQ=NMAX,LDU=MMAX,LDV=PMAX)
*      .. Local Scalars ..
  DOUBLE PRECISION EPS, TOLA, TOLB
  INTEGER          I, IFAIL, INFO, IRANK, J, K, L, M, N, NCYCLE, P
*      .. Local Arrays ..
  COMPLEX *16      A(LDA,NMAX), B(LDB,NMAX), Q(LDQ,NMAX), TAU(NMAX),
+                  U(LDU,MMAX), V(LDV,PMAX), WORK(MMAX+3*NMAX+PMAX)
  DOUBLE PRECISION ALPHA(NMAX), BETA(NMAX), RWORK(2*NMAX)
  INTEGER          IWORK(NMAX)
  CHARACTER         CLABS(1), RLabs(1)
*      .. External Functions ..
  DOUBLE PRECISION F06UAF, X02AJF
  EXTERNAL         F06UAF, X02AJF
*      .. External Subroutines ..
  EXTERNAL         X04DBF, ZGGSVP, ZTGSJA
*      .. Intrinsic Functions ..
  INTRINSIC        MAX
*      .. Executable Statements ..
  WRITE (NOUT,*) 'F08YSF Example Program Results'
  WRITE (NOUT,*)
*      Skip heading in data file
  READ (NIN,*)
  READ (NIN,*) M, N, P
  IF (M.LE.MMAX .AND. N.LE.NMAX .AND. P.LE.PMAX) THEN
*
*      Read the m by n matrix A and p by n matrix B from data file
*
  READ (NIN,*) ((A(I,J),J=1,N),I=1,M)

```

```

      READ  (NIN,*) ((B(I,J),J=1,N),I=1,P)
*
* Compute TOLA and TOLB as
*   TOLA = max(M,N)*norm(A)*macheps
*   TOLB = max(P,N)*norm(B)*macheps
*
* EPS = X02AJF()
TOLA = MAX(M,N)*F06UAF('One-norm',M,N,A,LDA,RWORK)*EPS
TOLB = MAX(P,N)*F06UAF('One-norm',P,N,B,LDB,RWORK)*EPS
*
* Compute the factorization of (A, B)
*   (A = U1*S*(Q1**H), B = V1*T*(Q1**H))
*
CALL ZGGSVP('U','V','Q',M,P,N,A,LDA,B,LDB,TOLA,TOLB,K,L,U,LDU,
+           V,LDV,Q,LDQ,IWORK,RWORK,TAU,WORK,INFO)
*
* Compute the generalized singular value decomposition of (A, B)
*   (A = U*D1*(0 R)*(Q**H), B = V*D2*(0 R)*(Q**H))
*
CALL ZTGSJA('U','V','Q',M,P,N,K,L,A,LDA,B,LDB,TOLA,TOLB,ALPHA,
+           BETA,U,LDU,V,LDV,Q,LDQ,WORK,NCYCLE,INFO)
*
IF (INFO.EQ.0) THEN
*
* Print solution
*
  IRANK = K + L
  WRITE (NOUT,*)
+    'Number of infinite generalized singular values (K)'
  WRITE (NOUT,99999) K
  WRITE (NOUT,*)
+    'Number of finite generalized singular values (L)'
  WRITE (NOUT,99999) L
  WRITE (NOUT,*)
+    'Effective Numerical rank of (A**T B**T)**T (K+L)'
  WRITE (NOUT,99999) IRANK
  WRITE (NOUT,*)
  WRITE (NOUT,*) 'Finite generalized singular values'
  WRITE (NOUT,99998) (ALPHA(J)/BETA(J),J=K+1,IRANK)
*
  IFAIL = 0
  WRITE (NOUT,*)
  CALL X04DBF('General',' ',M,M,U,LDU,'Bracketed','1P,E12.4',
+              'Orthogonal matrix U','Integer',RLABS,'Integer',
+              CLABS,80,0,IFAIL)
  WRITE (NOUT,*)
  CALL X04DBF('General',' ',P,P,V,LDV,'Bracketed','1P,E12.4',
+              'Orthogonal matrix V','Integer',RLABS,'Integer',
+              CLABS,80,0,IFAIL)
  WRITE (NOUT,*)
  CALL X04DBF('General',' ',N,N,Q,LDQ,'Bracketed','1P,E12.4',
+              'Orthogonal matrix Q','Integer',RLABS,'Integer',
+              CLABS,80,0,IFAIL)
  WRITE (NOUT,*)
  CALL X04DBF('Upper triangular','Non-unit',IRANK,IRANK,
+              A(1,N-IRANK+1),LDA,'Bracketed','1P,E12.4',
+              'Non singular upper triangular matrix R',
+              'Integer',RLABS,'Integer',CLABS,80,0,IFAIL)
  WRITE (NOUT,*)
  WRITE (NOUT,*) 'Number of cycles of the Kogbetliantz method'
  WRITE (NOUT,99999) NCYCLE
  ELSE
    WRITE (NOUT,99997) 'Failure in ZTGSJA. INFO =', INFO
  END IF
ELSE
  WRITE (NOUT,*) 'MMAX and/or NMAX too small'
END IF
STOP
*
99999 FORMAT (1X,I5)
99998 FORMAT (3X,8(1P,E12.4))

```

```
99997 FORMAT (1X,A,I4)
END
```

9.2 Program Data

F08YSF Example Program Data

```
6           4           2           :Values of M, N and P
( 0.96,-0.81) (-0.03, 0.96) (-0.91, 2.06) (-0.05, 0.41)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42) (-0.81, 0.56)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
( 0.37, 0.38) ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
( 0.83, 0.51) ( 0.20, 0.01) (-0.17,-0.46) ( 1.47, 1.59)
( 1.08,-0.28) ( 0.20,-0.12) (-0.07, 1.23) ( 0.26, 0.26) :End of matrix A
( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) ( 0.00, 0.00)
( 0.00, 0.00) ( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) :End of matrix B
```

9.3 Program Results

F08YSF Example Program Results

Number of infinite generalized singular values (K)

2

Number of finite generalized singular values (L)

2

Effective Numerical rank of (A**T B**T)**T (K+L)

4

Finite generalized singular values

2.0720E+00 1.1058E+00

Orthogonal matrix U

	1	2
1	(-1.3038E-02, -3.2595E-01)	(-1.4039E-01, -2.6167E-01)
2	(4.2764E-01, -6.2582E-01)	(8.6298E-02, -3.8174E-02)
3	(-3.2595E-01, 1.6428E-01)	(3.8163E-01, -1.8219E-01)
4	(1.5906E-01, -5.2151E-03)	(-2.8207E-01, 1.9732E-01)
5	(-1.7210E-01, -1.3038E-02)	(-5.0942E-01, -5.0319E-01)
6	(-2.6336E-01, -2.4772E-01)	(-1.0861E-01, 2.8474E-01)

	3	4
1	(2.5177E-01, -7.9789E-01)	(-5.0956E-02, -2.1750E-01)
2	(-3.2188E-01, 1.6112E-01)	(1.1979E-01, 1.6319E-01)
3	(1.3231E-01, -1.4565E-02)	(-5.0671E-01, 1.8615E-01)
4	(2.1598E-01, 1.8813E-01)	(-4.0163E-01, 2.6787E-01)
5	(3.6488E-02, 2.0316E-01)	(1.9271E-01, 1.5574E-01)
6	(1.0906E-01, -1.2712E-01)	(-8.8159E-02, 5.6169E-01)

	5	6
1	(-4.5947E-02, 1.4052E-04)	(-5.2773E-02, -2.2492E-01)
2	(-8.0311E-02, -4.3605E-01)	(-3.8117E-02, -2.1907E-01)
3	(5.9714E-02, -5.8974E-01)	(-1.3850E-01, -9.0941E-02)
4	(-4.6443E-02, 3.0864E-01)	(-3.7354E-01, -5.5148E-01)
5	(5.7843E-01, -1.2439E-01)	(-1.8815E-02, -5.5686E-02)
6	(1.5763E-02, 4.7130E-02)	(6.5007E-01, 4.9173E-03)

Orthogonal matrix V

	1	2
1	(9.8930E-01, 1.9041E-19)	(-1.1461E-01, 9.0250E-02)
2	(-1.1461E-01, -9.0250E-02)	(-9.8930E-01, 1.9041E-19)

Orthogonal matrix Q

	1	2
1	(7.0711E-01, 0.0000E+00)	(0.0000E+00, 0.0000E+00)
2	(0.0000E+00, 0.0000E+00)	(7.0711E-01, 0.0000E+00)
3	(7.0711E-01, 0.0000E+00)	(0.0000E+00, 0.0000E+00)
4	(0.0000E+00, 0.0000E+00)	(7.0711E-01, 0.0000E+00)

```

      3                               4
1  (  6.9954E-01,   4.7274E-19) (  8.1044E-02, -6.3817E-02)
2  ( -8.1044E-02, -6.3817E-02) (  6.9954E-01, -4.7274E-19)
3  ( -6.9954E-01, -4.7274E-19) ( -8.1044E-02,  6.3817E-02)
4  (  8.1044E-02,  6.3817E-02) ( -6.9954E-01,  4.7274E-19)

```

Non singular upper triangular matrix R

```

      1                               2
1  ( -2.7118E+00,  0.0000E+00) ( -1.4390E+00, -1.0315E+00)
2                               ( -1.8583E+00,  0.0000E+00)
3
4

```

```

      3                               4
1  ( -7.6930E-02,   1.3613E+00) ( -2.8137E-01, -3.2425E-02)
2  ( -1.0760E+00,   3.1016E-02) (  1.3292E+00,  3.6772E-01)
3  (   3.2537E+00,  0.0000E+00) ( -6.3858E-17,  6.3858E-17)
4                               ( -2.1084E+00,  0.0000E+00)

```

Number of cycles of the Kogbetliantz method

2
