

# NAG Fortran Library Routine Document

## F08ZNF (ZGGLSE)

**Note:** before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

### 1 Purpose

F08ZNF (ZGGLSE) solves a complex linear equality-constrained least-squares problem.

### 2 Specification

```
SUBROUTINE F08ZNF (M, N, P, A, LDA, B, LDB, C, D, X, WORK, LWORK, INFO)
INTEGER          M, N, P, LDA, LDB, LWORK, INFO
complex*16     A(LDA,*), B(LDB,*), C(*), D(*), X(*), WORK(*)
```

The routine may be called by its LAPACK name *zgglse*.

### 3 Description

F08ZNF (ZGGLSE) solves the complex linear equality-constrained least-squares (LSE) problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where  $A$  is an  $m$  by  $n$  matrix,  $B$  is a  $p$  by  $n$  matrix,  $c$  is an  $m$  element vector and  $d$  is a  $p$  element vector.

It is assumed that  $p \leq n \leq m + p$ ,  $\text{rank}(B) = p$  and  $\text{rank}(E) = n$ , where  $E = \begin{pmatrix} A \\ B \end{pmatrix}$ . These conditions ensure that the LSE problem has a unique solution, which is obtained using a generalized  $RQ$  factorization of the matrices  $B$  and  $A$ .

### 4 References

Anderson E, Bai Z, Bischof C, Blackford S, Demmel J, Dongarra J J, Du Croz J J, Greenbaum A, Hammarling S, McKenney A and Sorensen D (1999) *LAPACK Users' Guide* (3rd Edition) SIAM, Philadelphia

Anderson E, Bai Z and Dongarra J (1991) Generalized  $QR$  factorization and its applications *LAPACK Working Note No. 31* University of Tennessee, Knoxville

Eldèn L (1980) Perturbation theory for the least-squares problem with linear equality constraints *SIAM J. Numer. Anal.* **17** 338–350

### 5 Parameters

1: M – INTEGER *Input*

*On entry:*  $m$ , the number of rows of the matrix  $A$ .

*Constraint:*  $M \geq 0$ .

2: N – INTEGER *Input*

*On entry:*  $n$ , the number of columns of the matrices  $A$  and  $B$ .

*Constraint:*  $N \geq 0$ .

- 3: P – INTEGER *Input*  
*On entry:*  $p$ , the number of rows of the matrix  $B$ .  
*Constraint:*  $0 \leq P \leq N \leq M + P$ .
- 4: A(LDA,\*) – **complex\*16** array *Input/Output*  
**Note:** the second dimension of the array A must be at least  $\max(1, N)$ .  
*On entry:* the  $m$  by  $n$  matrix  $A$ .  
*On exit:*  $A$  is overwritten.
- 5: LDA – INTEGER *Input*  
*On entry:* the first dimension of the array A as declared in the (sub)program from which F08ZNF (ZGGLSE) is called.  
*Constraint:*  $LDA \geq \max(1, M)$ .
- 6: B(LDB,\*) – **complex\*16** array *Input/Output*  
**Note:** the second dimension of the array B must be at least  $\max(1, N)$ .  
*On entry:* the  $p$  by  $n$  matrix  $B$ .  
*On exit:* B is overwritten.
- 7: LDB – INTEGER *Input*  
*On entry:* the first dimension of the array B as declared in the (sub)program from which F08ZNF (ZGGLSE) is called.  
*Constraint:*  $LDB \geq \max(1, P)$ .
- 8: C(\*) – **complex\*16** array *Input/Output*  
**Note:** the dimension of the array C must be at least  $\max(1, M)$ .  
*On entry:* the right-hand side vector  $c$  for the least-squares part of the LSE problem.  
*On exit:* the residual sum of squares for the solution vector  $x$  is given by the sum of squares of elements  $C(N - P + 1), C(N - P + 2), \dots, C(M)$ , provided  $m + p > n$ ; the remaining elements are overwritten.
- 9: D(\*) – **complex\*16** array *Input/Output*  
**Note:** the dimension of the array D must be at least  $\max(1, P)$ .  
*On entry:* the right-hand side vector  $d$  for the equality constraints.  
*On exit:* D is overwritten.
- 10: X(\*) – **complex\*16** array *Output*  
**Note:** the dimension of the array X must be at least  $\max(1, N)$ .  
*On exit:* the solution vector  $x$  of the LSE problem.
- 11: WORK(\*) – **complex\*16** array *Workspace*  
**Note:** the dimension of the array WORK must be at least  $\max(1, LWORK)$ .  
*On exit:* if IFAIL = 0, WORK(1) contains the minimum value of LWORK required for optimum performance.

## 12: LWORK – INTEGER

*Input*

*On entry:* the dimension of the array WORK as declared in the subprogram from which F08ZNF (ZGGLSE) is called unless LWORK = -1, in which case a workspace query is assumed and the routine only calculates the optimal dimension of WORK (using the formula given below).

*Suggested value:* for optimum performance LWORK should be at least  $P + \min(M, N) + \max(M, N) \times nb$ , where *nb* is the **block size**.

*Constraint:* LWORK  $\geq \max(1, M + N + P)$  or LWORK = -1.

## 13: INFO – INTEGER

*Output*

*On exit:* INFO = 0 unless the routine detects an error (see Section 6).

## 6 Error Indicators and Warnings

Errors or warnings detected by the routine:

INFO < 0

If INFO = -*i*, the *i*th argument had an illegal value.

## 7 Accuracy

For an error analysis, see Anderson *et al.* (1991) and Eldèn (1980). See also Section 4.6 of Anderson *et al.* (1999).

## 8 Further Comments

When  $m \geq n = p$ , the total number of real floating-point operations is approximately  $\frac{8}{3}n^2(6m + n)$ ; if  $p \ll n$ , the number reduces to approximately  $\frac{8}{3}n^2(3m - n)$ .

## 9 Example

To solve the least-squares problem

$$\underset{x}{\text{minimize}} \|c - Ax\|_2 \quad \text{subject to} \quad Bx = d$$

where

$$c = \begin{pmatrix} -2.54 + 0.09i \\ 1.65 - 2.26i \\ -2.11 - 3.96i \\ 1.82 + 3.30i \\ -6.41 + 3.77i \\ 2.07 + 0.66i \end{pmatrix},$$

and

$$A = \begin{pmatrix} 0.96 - 0.81i & -0.03 + 0.96i & -0.91 + 2.06i & -0.05 + 0.41i \\ -0.98 + 1.98i & -1.20 + 0.19i & -0.66 + 0.42i & -0.81 + 0.56i \\ 0.62 - 0.46i & 1.01 + 0.02i & 0.63 - 0.17i & -1.11 + 0.60i \\ 0.37 + 0.38i & 0.19 - 0.54i & -0.98 - 0.36i & 0.22 - 0.20i \\ 0.83 + 0.51i & 0.20 + 0.01i & -0.17 - 0.46i & 1.47 + 1.59i \\ 1.08 - 0.28i & 0.20 - 0.12i & -0.07 + 1.23i & 0.26 + 0.26i \end{pmatrix},$$

$$B = \begin{pmatrix} 1.0 + 0.0i & 0 & -1.0 + 0.0i & 0 \\ 0 & 1.0 + 0.0i & 0 & -1.0 + 0.0i \end{pmatrix}$$

and

$$d = \begin{pmatrix} 0 \\ 0 \end{pmatrix}.$$

The constraints  $Bx = d$  correspond to  $x_1 = x_3$  and  $x_2 = x_4$ .

Note that the block size (NB) of 64 assumed in this example is not realistic for such a small problem, but should be suitable for large problems.

## 9.1 Program Text

**Note:** the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F08ZNF Example Program Text
*      Mark 17 Release. NAG Copyright 1995.
*      .. Parameters ..
INTEGER          NIN, NOUT
PARAMETER        (NIN=5,NOUT=6)
INTEGER          MMAX, NB, NMAX, PMAX
PARAMETER        (MMAX=10,NB=64,NMAX=10,PMAX=10)
INTEGER          LDA, LDB, LWORK
PARAMETER        (LDA=MMAX,LDB=PMAX,LWORK=PMAX+NMAX+NB*(MMAX+NMAX)
+                )
*      .. Local Scalars ..
DOUBLE PRECISION RNORM
INTEGER          I, INFO, J, M, N, P
*      .. Local Arrays ..
COMPLEX *16      A(LDA,NMAX), B(LDB,NMAX), C(MMAX), D(PMAX),
+                WORK(LWORK), X(NMAX)
*      .. External Functions ..
DOUBLE PRECISION DZNRM2
EXTERNAL         DZNRM2
*      .. External Subroutines ..
EXTERNAL         ZGGLSE
*      .. Executable Statements ..
WRITE (NOUT,*) 'F08ZNF Example Program Results'
WRITE (NOUT,*)
Skip heading in data file
READ (NIN,*)
READ (NIN,*) M, N, P
IF (M.LE.MMAX .AND. N.LE.NMAX .AND. P.LE.PMAX) THEN
*
*      Read A, B, C and D from data file
*
READ (NIN,*) ((A(I,J),J=1,N),I=1,M)
READ (NIN,*) ((B(I,J),J=1,N),I=1,P)
READ (NIN,*) (C(I),I=1,M)
READ (NIN,*) (D(I),I=1,P)
*
*      Solve the equality-constrained least-squares problem
*
*      minimize ||c - A*x|| (in the 2-norm) subject to B*x = D
*
CALL ZGGLSE(M,N,P,A,LDA,B,LDB,C,D,X,WORK,LWORK,INFO)
*
*      Print least-squares solution
*
WRITE (NOUT,*) 'Constrained least-squares solution'
WRITE (NOUT,99999) (X(I),I=1,N)
*
*      Compute the square root of the residual sum of squares
*
RNORM = DZNRM2(M-N+P,C(N-P+1),1)
WRITE (NOUT,*)
WRITE (NOUT,*) 'Square root of the residual sum of squares'
WRITE (NOUT,99998) RNORM
ELSE
WRITE (NOUT,*)
```

```

+      'One or more of MMAX, NMAX and PMAX is too small'
END IF
STOP
*
99999 FORMAT (4(' (',F7.4,',',F7.4,')',:))
99998 FORMAT (1X,1P,E10.2)
END

```

## 9.2 Program Data

F08ZNF Example Program Data

```

      6          4          2                               :Values of M, N and P
( 0.96,-0.81) (-0.03, 0.96) (-0.91, 2.06) (-0.05, 0.41)
(-0.98, 1.98) (-1.20, 0.19) (-0.66, 0.42) (-0.81, 0.56)
( 0.62,-0.46) ( 1.01, 0.02) ( 0.63,-0.17) (-1.11, 0.60)
( 0.37, 0.38) ( 0.19,-0.54) (-0.98,-0.36) ( 0.22,-0.20)
( 0.83, 0.51) ( 0.20, 0.01) (-0.17,-0.46) ( 1.47, 1.59)
( 1.08,-0.28) ( 0.20,-0.12) (-0.07, 1.23) ( 0.26, 0.26) :End of matrix A

( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) ( 0.00, 0.00)
( 0.00, 0.00) ( 1.00, 0.00) ( 0.00, 0.00) (-1.00, 0.00) :End of matrix B

(-2.54, 0.09)
( 1.65,-2.26)
(-2.11,-3.96)
( 1.82, 3.30)
(-6.41, 3.77)
( 2.07, 0.66)                               :End of vector c

( 0.00, 0.00)
( 0.00, 0.00)                               :End of vector d

```

## 9.3 Program Results

F08ZNF Example Program Results

Constrained least-squares solution

( 1.0874,-1.9621) (-0.7409, 3.7297) ( 1.0874,-1.9621) (-0.7409, 3.7297)

Square root of the residual sum of squares

1.59E-01

---