

NAG Fortran Library Routine Document

F11JNF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

1 Purpose

F11JNF computes an incomplete Cholesky factorization of a complex sparse Hermitian matrix, represented in symmetric coordinate storage format. This factorization may be used as a preconditioner in combination with F11JQF.

2 Specification

```

SUBROUTINE F11JNF(N, NNZ, A, LA, IROW, ICOL, LFILL, DTOL, MIC, DSCALE,
1          PSTRAT, IPIV, ISTR, NNZC, NPIVM, IWORK, LIWORK, IFAIL)
INTEGER      N, NNZ, LA, IROW(LA), ICOL(LA), LFILL, IPIV(N),
1          ISTR(N+1), NNZC, NPIVM, IWORK(LIWORK), LIWORK, IFAIL
real       DTOL, DSCALE
complex   A(LA)
CHARACTER*1 MIC, PSTRAT

```

3 Description

This routine computes an incomplete Cholesky factorization (Meijerink and Van der Vorst (1977)) of a complex sparse Hermitian n by n matrix A . It is designed specifically for positive-definite matrices, but may also work for some mildly indefinite cases. The factorization is intended primarily for use as a preconditioner with the complex Hermitian iterative solver F11JQF.

The decomposition is written in the form

$$A = M + R$$

where

$$M = PLDL^H P^T$$

and P is a permutation matrix, L is lower triangular complex with unit diagonal elements, D is real diagonal and R is a remainder matrix.

The amount of fill-in occurring in the factorization can vary from zero to complete fill, and can be controlled by specifying either the maximum level of fill LFILL, or the drop tolerance DTOL. The factorization may be modified in order to preserve row sums, and the diagonal elements may be perturbed to ensure that the preconditioner is positive-definite. Diagonal pivoting may optionally be employed, either with a user-defined ordering, or using the Markowitz strategy (Markowitz (1957)), which aims to minimize fill-in. For further details see Section 8.

The sparse matrix A is represented in symmetric coordinate storage (SCS) format (see Section 2.1.2 of the F11 Chapter Introduction). The array A stores all the non-zero elements of the lower triangular part of A , while arrays IROW and ICOL store the corresponding row and column indices respectively. Multiple non-zero elements may not be specified for the same row and column index.

The preconditioning matrix M is returned in terms of the SCS representation of the lower triangular matrix

$$C = L + D^{-1} - I.$$

4 References

Chan T F (1991) Fourier analysis of relaxed incomplete factorization preconditioners *SIAM J. Sci. Statist. Comput.* **12**(2) 668–680

Markowitz H M (1957) The elimination form of the inverse and its application to linear programming *Management Sci.* **3** 255–269

Meijerink J and Van der Vorst H (1977) An iterative solution method for linear systems of which the coefficient matrix is a symmetric M-matrix *Math. Comput.* **31** 148–162

Salvini S A and Shaw G J (1995) An evaluation of new NAG Library solvers for large sparse symmetric linear systems *NAG Technical Report TR1/95*

Van der Vorst H A (1990) The convergence behaviour of preconditioned CG and CG-S in the presence of rounding errors *Lecture Notes in Mathematics* (ed O Axelsson and L Y Kolotilina) **1457** Springer-Verlag

5 Parameters

- 1: N – INTEGER *Input*
On entry: n , the order of the matrix A .
Constraint: $N \geq 1$.
- 2: NNZ – INTEGER *Input*
On entry: the number of non-zero elements in the lower triangular part of the matrix A .
Constraint: $1 \leq \text{NNZ} \leq N \times (N + 1)/2$.
- 3: A(LA) – **complex** array *Input/Output*
On entry: the non-zero elements in the lower triangular part of the matrix A , ordered by increasing row index, and by increasing column index within each row. Multiple entries for the same row and column indices are not permitted. The routine F11ZPF may be used to order the elements in this way.
On exit: the first NNZ elements of A contain the non-zero elements of A and the next NNZC elements contain the elements of the lower triangular matrix C . Matrix elements are ordered by increasing row index, and by increasing column index within each row.
- 4: LA – INTEGER *Input*
On entry: the dimension of the arrays A , IROW and ICOL as declared in the (sub)program from which F11JNF is called. These arrays must be of sufficient size to store both A (NNZ elements) and C (NNZC elements).
Constraint: $LA \geq 2 \times \text{NNZ}$.
- 5: IROW(LA) – INTEGER array *Input/Output*
6: ICOL(LA) – INTEGER array *Input/Output*
On entry: the row and column indices of the non-zero elements supplied in A .
Constraints: IROW and ICOL must satisfy the following constraints (which may be imposed by a call to F11ZPF):
- $$1 \leq \text{IROW}(i) \leq N \text{ and } 1 \leq \text{ICOL}(i) \leq \text{IROW}(i), \text{ for } i = 1, 2, \dots, \text{NNZ};$$
- $$\text{IROW}(i - 1) < \text{IROW}(i), \text{ or } \text{IROW}(i - 1) = \text{IROW}(i) \text{ and } \text{ICOL}(i - 1) < \text{ICOL}(i), \text{ for } i = 2, 3, \dots, \text{NNZ}.$$
- On exit:* the row and column indices of the non-zero elements returned in A .
- 7: LFILL – INTEGER *Input*
On entry: if $\text{LFILL} \geq 0$ its value is the maximum level of fill allowed in the decomposition (see Section 8.2). A negative value of LFILL indicates that DTOL will be used to control the fill instead.

- 8: DTOL – *real* *Input*
On entry: if LFILL < 0 then DTOL is used as a drop tolerance to control the fill-in (see Section 8.2). Otherwise DTOL is not referenced.
Constraint: DTOL \geq 0.0 if LFILL < 0.
- 9: MIC – CHARACTER*1 *Input*
On entry: indicates whether or not the factorization should be modified to preserve row sums (see Section 8.3):
 if MIC = 'M', the factorization is modified (MIC);
 if MIC = 'N', the factorization is not modified.
Constraint: MIC = 'M' or 'N'.
- 10: DSCALE – *real* *Input*
On entry: the diagonal scaling parameter. All diagonal elements are multiplied by the factor (1.0 + DSCALE) at the start of the factorization. This can be used to ensure that the preconditioner is positive-definite. See also Section 8.3.
- 11: PSTRAT – CHARACTER*1 *Input*
On entry: specifies the pivoting strategy to be adopted as follows:
 if PSTRAT = 'N', then no pivoting is carried out;
 if PSTRAT = 'M', then diagonal pivoting aimed at minimizing fill-in is carried out, using the Markowitz strategy (Markowitz (1957));
 if PSTRAT = 'U', then diagonal pivoting is carried out according to the user-defined input array IPIV.
Suggested value: PSTRAT = 'M'.
Constraint: PSTRAT = 'N', 'M' or 'U'.
- 12: IPIV(N) – INTEGER array *Input/Output*
On entry: if PSTRAT = 'U', then IPIV(*i*) must specify the row index of the diagonal element to be used as a pivot at elimination stage *i*. Otherwise IPIV need not be initialised.
Constraint: if PSTRAT = 'U', then IPIV must contain a valid permutation of the integers on [1,N].
On exit: the pivot indices. If IPIV(*i*) = *j* then the diagonal element in row *j* was used as the pivot at elimination stage *i*.
- 13: ISTR(N+1) – INTEGER array *Output*
On exit: ISTR(*i*), for *i* = 1, 2, ..., N holds the starting address in the arrays A, IROW and ICOL of row *i* of the matrix *C*. ISTR(N + 1) holds the address of the last non-zero element in *C* plus one.
- 14: NNZC – INTEGER *Output*
On exit: the number of non-zero elements in the lower triangular matrix *C*.
- 15: NPIVM – INTEGER *Output*
On exit: the number of pivots which were modified during the factorization to ensure that *M* was positive-definite. The quality of the preconditioner will generally depend on the returned value of NPIVM. If NPIVM is large the preconditioner may not be satisfactory. In this case it may be advantageous to call F11JNF again with an increased value of either LFILL or DSCALE. See also Section 8.4.

- 16: IWORK(LIWORK) – INTEGER array *Workspace*
 17: LIWORK – INTEGER *Input*

On entry: the dimension of the array IWORK as declared in the (sub)program from which F11JNF is called.

Constraints: the minimum permissible value of LIWORK depends on LFILL as follows:

$$\begin{aligned} \text{LIWORK} &\geq 2 \times \text{LA} - 3 \times \text{NNZ} + 7 \times \text{N} + 1, \text{ if } \text{LFILL} \geq 0, \text{ and} \\ \text{LIWORK} &\geq \text{LA} - \text{NNZ} + 7 \times \text{N} + 1, \text{ otherwise.} \end{aligned}$$

- 18: IFAIL – INTEGER *Input/Output*

On entry: IFAIL must be set to 0, -1 or 1. Users who are unfamiliar with this parameter should refer to Chapter P01 for details.

On exit: IFAIL = 0 unless the routine detects an error (see Section 6).

For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, for users not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, N < 1,
 or NNZ < 1,
 or NNZ > N × (N + 1)/2,
 or LA < 2 × NNZ,
 or DTOL < 0.0,
 or MIC ≠ 'M' or 'N',
 or PSTRAT ≠ 'N'M' or 'U',
 or LIWORK is too small.

IFAIL = 2

On entry, the arrays IROW and ICOL fail to satisfy the following constraints:

$$1 \leq \text{IROW}(i) \leq \text{N} \text{ and } 1 \leq \text{ICOL}(i) \leq \text{IROW}(i), \text{ for } i = 1, 2, \dots, \text{NNZ};$$

$$\text{IROW}(i-1) < \text{IROW}(i), \text{ or } \text{IROW}(i-1) = \text{IROW}(i) \text{ and } \text{ICOL}(i-1) < \text{ICOL}(i), \text{ for } i = 2, 3, \dots, \text{NNZ}.$$

Therefore a non-zero element has been supplied which does not lie in the lower triangular part of A, is out of order, or has duplicate row and column indices. Call F11ZPF to reorder and sum or remove duplicates.

IFAIL = 3

On entry, PSTRAT = 'U', but IPIV does not represent a valid permutation of the integers in [1, N]. An input value of IPIV is either out of range or repeated.

IFAIL = 4

LA is too small, resulting in insufficient storage space for fill-in elements. The decomposition has been terminated before completion. Either increase LA or reduce the amount of fill by setting PSTRAT = 'M', reducing LFILL, or increasing DTOL.

IFAIL = 5

A serious error has occurred in an internal call to F11ZPF. Check all subroutine calls and array sizes. Seek expert help.

7 Accuracy

The accuracy of the factorization will be determined by the size of the elements that are dropped and the size of any modifications made to the diagonal elements. If these sizes are small then the computed factors will correspond to a matrix close to A . The factorization can generally be made more accurate by increasing LFILL, or by reducing DTOL with LFILL < 0.

If F11JNF is used in combination with F11JQF, the more accurate the factorization the fewer iterations will be required. However, the cost of the decomposition will also generally increase.

8 Further Comments

8.1 Timing

The time taken for a call to F11JNF is roughly proportional to $(\text{NNZC})^2/N$.

8.2 Control of Fill-in

If LFILL ≥ 0 , the amount of fill-in occurring in the incomplete factorization is controlled by limiting the maximum **level** of fill-in to LFILL. The original non-zero elements of A are defined to be of level 0. The fill level of a new non-zero location occurring during the factorization is defined as:

$$k = \max(k_e, k_c) + 1,$$

where k_e is the level of fill of the element being eliminated, and k_c is the level of fill of the element causing the fill-in.

If LFILL < 0, the fill-in is controlled by means of the **drop tolerance** DTOL. A potential fill-in element a_{ij} occurring in row i and column j will not be included if

$$|a_{ij}| < \text{DTOL} \times \sqrt{|a_{ii}a_{jj}|}.$$

For either method of control, any elements which are not included are discarded if MIC = 'N', or subtracted from the diagonal element in the elimination row if MIC = 'M'.

8.3 Choice of Parameters

There is unfortunately no choice of the various algorithmic parameters which is optimal for all types of complex Hermitian matrix, and some experimentation will generally be required for each new type of matrix encountered.

If the matrix A is not known to have any particular special properties, the following strategy is recommended. Start with LFILL = 0, MIC = 'N' and DSCALE = 0.0. If the value returned for NPIVM is significantly larger than zero, i.e., a large number of pivot modifications were required to ensure that M was positive-definite, the preconditioner is not likely to be satisfactory. In this case increase either LFILL or DSCALE until NPIVM falls to a value close to zero. Once suitable values of LFILL and DSCALE have been found try setting MIC = 'M' to see if any improvement can be obtained by using **modified** incomplete Cholesky.

F11JNF is primarily designed for positive-definite matrices, but may work for some mildly indefinite problems. If NPIVM cannot be satisfactorily reduced by increasing LFILL or DSCALE then A is probably too indefinite for this routine.

For certain classes of matrices (typically those arising from the discretisation of elliptic or parabolic partial differential equations), the convergence rate of the preconditioned iterative solver can sometimes be significantly improved by using an incomplete factorization which preserves the row-sums of the original matrix. In these cases try setting MIC = 'M'.

8.4 Direct Solution of Positive-Definite Systems

Although it is not their primary purpose, F11JNF and F11JPF may be used together to obtain a **direct** solution to a complex Hermitian positive-definite linear system. To achieve this the call to F11JPF should be preceded by a **complete** Cholesky factorization

$$A = PLDL^H P^T = M.$$

A complete factorization is obtained from a call to F11JNF with $LFILL < 0$ and $DTOL = 0.0$, provided $NPIVM = 0$ on exit. A non-zero value of $NPIVM$ indicates that A is not positive-definite, or is ill-conditioned. A factorization with non-zero $NPIVM$ may serve as a preconditioner, but will not result in a direct solution. It is therefore **essential** to check the output value of $NPIVM$ if a direct solution is required.

The use of F11JNF and F11JPF as a direct method is illustrated in F11JPF.

9 Example

This example program reads in a complex sparse Hermitian matrix A and calls F11JNF to compute an incomplete Cholesky factorization. It then outputs the non-zero elements of both A and $C = L + D^{-1} - I$.

The call to F11JNF has $LFILL = 0$, $MIC = 'N'$, $DSCALE = 0.0$ and $PSTRAT = 'M'$, giving an unmodified zero-fill factorization of an unperturbed matrix, with Markowitz diagonal pivoting.

9.1 Program Text

Note: the listing of the example program presented below uses *bold italicised* terms to denote precision-dependent details. Please read the Users' Note for your implementation to check the interpretation of these terms. As explained in the Essential Introduction to this manual, the results produced may not be identical for all implementations.

```
*      F11JNF Example Program Text.
*      Mark 19 Release. NAG Copyright 1999.
*      .. Parameters ..
      INTEGER          NIN, NOUT
      PARAMETER       (NIN=5,NOUT=6)
      INTEGER          NMAX, LA, LIWORK
      PARAMETER       (NMAX=1000,LA=10000,LIWORK=2*LA+7*NMAX+1)
*      .. Local Scalars ..
      real            DSCALE, DTOL
      INTEGER          I, IFAIL, LFILL, N, NNZ, NNZC, NPIVM
      CHARACTER       MIC, PSTRAT
*      .. Local Arrays ..
      complex        A(LA)
      INTEGER          ICOL(LA), IPIV(NMAX), IROW(LA), ISTR(NMAX+1),
+                    IWORK(LIWORK)
*      .. External Subroutines ..
      EXTERNAL        F11JNF
*      .. Executable Statements ..
      WRITE (NOUT,*) 'F11JNF Example Program Results'
*      Skip heading in data file
      READ (NIN,*)

*
*      Read algorithmic parameters
*
      READ (NIN,*) N
      IF (N.LE.NMAX) THEN
         READ (NIN,*) NNZ
         READ (NIN,*) LFILL, DTOL
         READ (NIN,*) MIC, DSCALE
         READ (NIN,*) PSTRAT
*
*      Read the matrix A
*
         DO 20 I = 1, NNZ
            READ (NIN,*) A(I), IROW(I), ICOL(I)
         20    CONTINUE
*

```

```

*       Calculate incomplete Cholesky factorization
*
      IFAIL = 0
      CALL F11JNF(N,NNZ,A,LA,IROW,ICOL,LFILL,DTOL,MIC,DSCALE,PSTRAT,
+           IPIV,ISTR,NNZC,NPIVM,IWORK,LIWORK,IFAIL)
*
*       Output original matrix
*
      WRITE (NOUT,*) ' Original Matrix'
      WRITE (NOUT,*) ' N      =', N
      WRITE (NOUT,*) ' NNZ   =', NNZ
      DO 40 I = 1, NNZ
          WRITE (NOUT,99999) I, A(I), IROW(I), ICOL(I)
40     CONTINUE
      WRITE (NOUT,*)
*
*       Output details of the factorization
*
      WRITE (NOUT,*) ' Factorization'
      WRITE (NOUT,*) ' N      =', N
      WRITE (NOUT,*) ' NNZ   =', NNZC
      WRITE (NOUT,*) ' NPIVM =', NPIVM
      DO 60 I = NNZ + 1, NNZ + NNZC
          WRITE (NOUT,99999) I, A(I), IROW(I), ICOL(I)
60     CONTINUE
      WRITE (NOUT,*)
*
      WRITE (NOUT,*) '          I      IPIV(I)'
      DO 80 I = 1, N
          WRITE (NOUT,99998) I, IPIV(I)
80     CONTINUE
*
      END IF
      STOP
*
99999 FORMAT (I8,5X,'('',e16.4,',',',',e16.4,')',',',2I8)
99998 FORMAT (1X,2I8)
      END

```

9.2 Program Data

F11JNF Example Program Data

```

7           N
16          NNZ
0 0.0      LFILL, DTOL
'N' 0.0    MIC, DSCALE
'M'       PSTRAT
( 6., 0.)  1   1
( 1.,-2.)  2   1
( 9., 0.)  2   2
( 4., 0.)  3   3
( 2., 2.)  4   2
( 5., 0.)  4   4
( 0.,-1.)  5   1
( 1., 0.)  5   4
( 4., 0.)  5   5
( 1., 3.)  6   2
( 0.,-2.)  6   5
( 3., 0.)  6   6
( 2., 1.)  7   1
(-1., 0.)  7   2
(-3.,-1.)  7   3
( 5., 0.)  7   7  A(I), IROW(I), ICOL(I), I=1,...,NNZ

```

9.3 Program Results

F11JNF Example Program Results

```

Original Matrix
N      = 7
NNZ    = 16

```

1	(0.6000E+01,	0.0000E+00)	1	1
2	(0.1000E+01,	-0.2000E+01)	2	1
3	(0.9000E+01,	0.0000E+00)	2	2
4	(0.4000E+01,	0.0000E+00)	3	3
5	(0.2000E+01,	0.2000E+01)	4	2
6	(0.5000E+01,	0.0000E+00)	4	4
7	(0.0000E+00,	-0.1000E+01)	5	1
8	(0.1000E+01,	0.0000E+00)	5	4
9	(0.4000E+01,	0.0000E+00)	5	5
10	(0.1000E+01,	0.3000E+01)	6	2
11	(0.0000E+00,	-0.2000E+01)	6	5
12	(0.3000E+01,	0.0000E+00)	6	6
13	(0.2000E+01,	0.1000E+01)	7	1
14	(-0.1000E+01,	0.0000E+00)	7	2
15	(-0.3000E+01,	-0.1000E+01)	7	3
16	(0.5000E+01,	0.0000E+00)	7	7

Factorization

N = 7

NNZ = 16

NPIVM = 0

17	(0.2500E+00,	-0.0000E+00)	1	1
18	(0.2000E+00,	-0.0000E+00)	2	2
19	(0.2000E+00,	0.0000E+00)	3	2
20	(0.2632E+00,	-0.0000E+00)	3	3
21	(0.0000E+00,	-0.5263E+00)	4	3
22	(0.5135E+00,	-0.0000E+00)	4	4
23	(0.0000E+00,	0.2632E+00)	5	3
24	(0.1743E+00,	-0.0000E+00)	5	5
25	(-0.7500E+00,	-0.2500E+00)	6	1
26	(0.3486E+00,	0.1743E+00)	6	5
27	(0.6141E+00,	-0.0000E+00)	6	6
28	(0.4000E+00,	-0.4000E+00)	7	2
29	(0.5135E+00,	-0.1541E+01)	7	4
30	(0.1743E+00,	-0.3486E+00)	7	5
31	(-0.6141E+00,	0.5352E+00)	7	6
32	(0.3197E+01,	-0.0000E+00)	7	7

I	IPIV(I)
1	3
2	4
3	5
4	6
5	1
6	7
7	2