

NAG Fortran Library Routine Document

F12AQF

Note: before using this routine, please read the Users' Note for your implementation to check the interpretation of *bold italicised* terms and other implementation-dependent details.

Note: *this routine uses optional parameters to define choices in the problem specification. If you wish to use default settings for all of the optional parameters, then the option setting routine F12ARF need not be called. If, however, you wish to reset some or all of the settings please refer to Section 10 of the document for F12ARF for a detailed description of the specification of the optional parameters.*

1 Purpose

F12AQF is a post-processing routine in a suite of routines consisting of F12AQF, F12ANF, F12APF, F12ARF and F12ASF, that must be called following a final exit from F12AQF.

2 Specification

```

SUBROUTINE F12AQF (NCONV, D, Z, LDZ, SIGMA, RESID, V, LDV, COMM, ICOMM,
1                IFAIL)
    INTEGER          NCONV, LDZ, LDV, ICOMM(*), IFAIL
    complex*16      D(*), Z(LDZ,*), SIGMA, RESID(*), V(LDV,*), COMM(*)

```

3 Description

The suite of routines is designed to calculate some of the eigenvalues, λ , (and optionally the corresponding eigenvectors, x) of a standard eigenvalue problem $Ax = \lambda x$, or of a generalized eigenvalue problem $Ax = \lambda Bx$ of order n , where n is large and the coefficient matrices A and B are sparse, complex and non-symmetric. The suite can also be used to find selected eigenvalues/eigenvectors of smaller scale dense, complex and non-symmetric problems.

Following a call to F12APF, F12AQF returns the converged approximations to eigenvalues and (optionally) the corresponding approximate eigenvectors and/or an orthonormal basis for the associated approximate invariant subspace. The eigenvalues (and eigenvectors) are selected from those of a standard or generalized eigenvalue problem defined by complex non-symmetric matrices. There is negligible additional cost to obtain eigenvectors; an orthonormal basis is always computed, but there is an additional storage cost if both are requested.

F12AQF is based on the routine **zneupd** from the ARPACK package, which uses the Implicitly Restarted Arnoldi iteration method. The method is described in Lehoucq and Sorensen (1996) and Lehoucq (2001) while its use within the ARPACK software is described in great detail in Lehoucq *et al.* (1998). An evaluation of software for computing eigenvalues of sparse non-symmetric matrices is provided in Lehoucq and Scott (1996). This suite of routines offers the same functionality as the ARPACK software for complex non-symmetric problems, but the interface design is quite different in order to make the option setting clearer to you and to simplify some of the interfaces.

F12AQF, is a post-processing routine that must be called following a successful final exit from F12APF. F12AQF uses data returned from F12APF and options, set either by default or explicitly by calling F12ARF, to return the converged approximations to selected eigenvalues and (optionally):

- the corresponding approximate eigenvectors;
- an orthonormal basis for the associated approximate invariant subspace;
- both.

4 References

Lehoucq R B (2001) Implicitly Restarted Arnoldi Methods and Subspace Iteration *SIAM Journal on Matrix Analysis and Applications* **23** 551–562

Lehoucq R B and Scott J A (1996) An evaluation of software for computing eigenvalues of sparse nonsymmetric matrices *Preprint MCS-P547-1195* Argonne National Laboratory

Lehoucq R B and Sorensen D C (1996) Deflation Techniques for an Implicitly Restarted Arnoldi Iteration *SIAM Journal on Matrix Analysis and Applications* **17** 789–821

Lehoucq R B, Sorensen D C and Yang C (1998) *ARPACK Users' Guide: Solution of Large-Scale Eigenvalue Problems with Implicitly Restarted Arnoldi Methods* SIAM, Philadelphia

5 Parameters

- 1: NCONV – INTEGER *Output*
On exit: the number of converged eigenvalues as found by F12ARF.
- 2: D(*) – **complex*16** array *Output*
Note: the dimension of the array D must be at least NEV (see F12ANF).
On exit: the first NCONV locations of the array D contain the converged approximate eigenvalues.
- 3: Z(LDZ,*) – **complex*16** array *Output*
Note: the second dimension of the array Z must be at least NEV if the default option **Vectors** = Ritz has been selected and at least 1 if the option **Vectors** = None or Schur has been selected.
On exit: if the default option **Vectors** = Ritz has been selected then Z contains the final set of eigenvectors corresponding to the eigenvalues held in D. The complex eigenvector associated with an eigenvalue is stored in the corresponding column of Z.
- 4: LDZ – INTEGER *Input*
On entry: the first dimension of the array Z as declared in the (sub)program from which F12AQF is called.
Constraints:
 if the default option **Vectors** = Ritz has been selected, $LDZ \geq N$;
 if the option **Vectors** = None or Schur has been selected, $LDZ \geq 1$.
- 5: SIGMA – **complex*16** *Input*
On entry: if one of the **Shifted** modes has been selected then SIGMA contains the shift used; otherwise SIGMA is not referenced.
- 6: RESID(*) – **complex*16** array *Input*
Note: the dimension of the array RESID must be at least N (see F12ANF).
On entry: must not be modified following a call to F12APF since it contains data required by F12AQF.
- 7: V(LDV,*) – **complex*16** array *Input/Output*
Note: the second dimension of the array V must be at least $\max(1, NCV)$ (see F12ANF).
On entry: the NCV columns of V contain the Arnoldi basis vectors for OP as constructed by F12APF.

On exit: if the option **Vectors** = Schur or Ritz has been set and a separate array Z has been passed (i.e., Z does not equal V), then the first NCONV columns of V will contain approximate Schur vectors that span the desired invariant subspace.

- 8: LDV – INTEGER *Input*
On entry: the first dimension of the array V as declared in the (sub)program from which F12AQF is called.
Constraint: $LDV \geq N$.
- 9: COMM(*) – **complex*16** array *Communication Array*
Note: the dimension of the array COMM must be at least $\max(1, LCOMM)$ (see F12ANF).
On initial entry: must remain unchanged from the prior call to F12ANF.
On exit: contains data on the current state of the solution.
- 10: ICOMM(*) – INTEGER array *Communication Array*
Note: the dimension of the array ICOMM must be at least $\max(1, LICOMM)$ (see F12ANF).
On initial entry: must remain unchanged from the prior call to F12ANF.
On exit: contains data on the current state of the solution.
- 11: IFAIL – INTEGER *Input/Output*
On entry: IFAIL must be set to 0, -1 or 1. If you are unfamiliar with this parameter you should refer to Chapter P01 for details.
On exit: IFAIL = 0 unless the routine detects an error (see Section 6).
 For environments where it might be inappropriate to halt program execution when an error is detected, the value -1 or 1 is recommended. If the output of error messages is undesirable, then the value 1 is recommended. Otherwise, if you are not familiar with this parameter the recommended value is 0. **When the value -1 or 1 is used it is essential to test the value of IFAIL on exit.**

6 Error Indicators and Warnings

If on entry IFAIL = 0 or -1, explanatory error messages are output on the current error message unit (as defined by X04AAF).

Errors or warnings detected by the routine:

IFAIL = 1

On entry, $LDZ < \max(1, N)$ or $LDZ < 1$ when no vectors are required.

IFAIL = 2

On entry, the option **Vectors** = Select was selected, but this is not yet implemented.

IFAIL = 3

The number of eigenvalues found to sufficient accuracy prior to calling F12AQF, as communicated through the parameter ICOMM, is zero.

IFAIL = 4

The number of converged eigenvalues as calculated by F12APF differ from the value passed to it through the parameter ICOMM.

IFAIL = 5

Unexpected error during calculation of a Schur form: there was a failure to compute all the converged eigenvalues. Please contact NAG.

IFAIL = 6

Unexpected error: the computed Schur form could not be reordered by an internal call. Please contact NAG.

IFAIL = 7

Unexpected error in internal call while calculating eigenvectors. Please contact NAG.

IFAIL = 8

Either the solver routine F12APF has not been called prior to the call of this routine or a communication array has become corrupted.

IFAIL = 9

The routine was unable to dynamically allocate sufficient internal workspace. Please contact NAG.

IFAIL = 10

An unexpected error has occurred. Please contact NAG.

7 Accuracy

The relative accuracy of a Ritz value, λ , is considered acceptable if its Ritz estimate $\leq \mathbf{Tolerance} \times |\lambda|$. The default **Tolerance** used is the *machine precision* given by X02AJF.

8 Further Comments

None.

9 Example

This example solves $Ax = \lambda Bx$ in regular-invert mode, where A and B are derived from the standard central difference discretization of the one-dimensional convection-diffusion operator $\frac{d^2u}{dx^2} + \rho \frac{du}{dx}$ on $[0, 1]$, with zero Dirichlet boundary conditions.

9.1 Program Text

```
*      F12AQF Example Program Text
*      Mark 21 Release. NAG Copyright 2004.
*      .. Parameters ..
INTEGER          IMON, LICOMM, NERR, NIN, NOUT
PARAMETER       (IMON=0, LICOMM=140, NERR=6, NIN=5, NOUT=6)
INTEGER          MAXN, MAXNCV, LDV
PARAMETER       (MAXN=256, MAXNCV=30, LDV=MAXN)
INTEGER          LICOMM
PARAMETER       (LICOMM=3*MAXN+3*MAXNCV*MAXNCV+5*MAXNCV+60)
COMPLEX *16     ONE
PARAMETER       (ONE=(1.0D+0, 0.0D+0))
*      .. Local Scalars ..
COMPLEX *16     H, SIGMA
INTEGER          IFAIL, IFAIL1, INFO, IREVCN, J, N, NCONV, NCV,
+              NEV, NITER, NSHIFT, NX
*      .. Local Arrays ..
COMPLEX *16     COMM(LICOMM), D(MAXNCV,2), DD(MAXN), DL(MAXN),
+              DU(MAXN), DU2(MAXN), MX(MAXN), RESID(MAXN),
+              V(LDV,MAXNCV), X(MAXN)
INTEGER          ICOMM(LICOMM), IPIV(MAXN)
```

```

*      .. External Functions ..
DOUBLE PRECISION DZNRM2
EXTERNAL          DZNRM2
*      .. External Subroutines ..
EXTERNAL          AV, F12ANF, F12APF, F12AQF, F12ARF, F12ASF, MV,
+                ZGTTRF, ZGTTRS
*      .. Intrinsic Functions ..
*
INTRINSIC          CMPLX
*      .. Executable Statements ..
WRITE (NOUT,*) 'F12AQF Example Program Results'
WRITE (NOUT,*)
*      Skip heading in data file
READ (NIN,*)
READ (NIN,*) NX, NEV, NCV
N = NX*NX
IF (N.LT.1 .OR. N.GT.MAXN) THEN
  WRITE (NOUT,99999) 'N is out of range: N = ', N
ELSE IF (NCV.GT.MAXNCV) THEN
  WRITE (NOUT,99999) 'NCV is out of range: NCV = ', NCV
ELSE
  IFAIL = 0
  CALL F12ANF(N,NEV,NCV,ICOMM,LICOMM,COMM,LCOMM,IFAIL)
*      Set the mode.
  CALL F12ARF('REGULAR INVERSE',ICOMM,COMM,IFAIL)
*      Set problem type.
  CALL F12ARF('GENERALIZED',ICOMM,COMM,IFAIL)
*      Use pointers to Workspace than interfacing through the array X.
  CALL F12ARF('POINTERS=YES',ICOMM,COMM,IFAIL)
  H = ONE/CMPLX(N+1,KIND=KIND(H))
*
  DO 20 J = 1, N - 1
    DL(J) = H
    DD(J) = (4.0D+0,0.0D+0)*H
    DU(J) = H
20  CONTINUE
  DD(N) = (4.0D+0,0.0D+0)*H
*
  CALL ZGTTRF(N,DL,DD,DU,DU2,IPIV,INFO)
  IF (INFO.NE.0) THEN
    WRITE (NERR,99998) INFO
    GO TO 80
  END IF
*
  IREVCM = 0
  IFAIL = 1
40  CONTINUE
  CALL F12APF(IREVCM,RESID,V,LDV,X,MX,NSHIFT,COMM,ICOMM,IFAIL)
  IF (IREVCM.NE.5) THEN
    IF (IREVCM.EQ.-1 .OR. IREVCM.EQ.1) THEN
*      Perform  $y \leftarrow OP*x = inv[M]*A*x$ 
      CALL AV(NX,COMM(ICOMM(1)),COMM(ICOMM(2)))
      CALL ZGTTRS('N',N,1,DL,DD,DU,DU2,IPIV,COMM(ICOMM(2)),N,
+              INFO)
      IF (INFO.NE.0) THEN
        WRITE (NERR,99997) INFO
        GO TO 80
      END IF
    ELSE IF (IREVCM.EQ.2) THEN
*      Perform  $y \leftarrow M*x$ 
      CALL MV(NX,COMM(ICOMM(1)),COMM(ICOMM(2)))
    ELSE IF (IREVCM.EQ.4 .AND. IMON.NE.0) THEN
*      Output monitoring information
      CALL F12ASF(NITER,NCONV,D,D(1,2),ICOMM,COMM)
      WRITE (6,99996) NITER, NCONV, DZNRM2(NEV,D(1,2),1)
    END IF
    GO TO 40
  END IF
  IF (IFAIL.EQ.0) THEN
*      Post-Process using F12AQF to compute eigenvalues/vectors.
    IFAIL1 = 0

```

```

      CALL F12AQF(NCONV,D,V,LDV,SIGMA,RESID,V,LDV,COMM,ICOMM,
+           IFAIL1)
      WRITE (NOUT,99994) NCONV
      DO 60 J = 1, NCONV
        WRITE (NOUT,99993) J, D(J,1)
60     CONTINUE
      ELSE
        WRITE (NOUT,99995) IFAIL
      END IF
80     CONTINUE
      END IF
      STOP

*
99999 FORMAT (1X,A,I5)
99998 FORMAT (1X,'** Error status returned by ZGTTRF, INFO =',I12)
99997 FORMAT (1X,'** Error status returned by ZGTTRS, INFO =',I12)
99996 FORMAT (1X,'Iteration',1X,I3,',', No. converged =',1X,I3,',', norm o',
+           'f estimates =',E16.8)
99995 FORMAT (1X,' NAG Routine F12APF Returned with IFAIL = ',I6)
99994 FORMAT (1X,'/ The ',I4,' Ritz values of largest magnitude are:',/)
99993 FORMAT (1X,I8,5X,'( ',F12.4,', ',F12.4,', )')
      END

*
      SUBROUTINE AV(NX,V,W)
*     .. Parameters ..
      COMPLEX *16   ONE, TWO, RHO
      PARAMETER     (ONE=(1.0D+0,0.0D+0),TWO=(2.0D+0,0.0D+0),
+           RHO=(1.0D+1,0.0D+0))
*     .. Scalar Arguments ..
      INTEGER       NX
*     .. Array Arguments ..
      COMPLEX *16   V(NX*NX), W(NX*NX)
*     .. Local Scalars ..
      COMPLEX *16   DD, DL, DU, H, S
      INTEGER       J, N
*     .. Intrinsic Functions ..
      INTRINSIC     CMPLX
*     .. Executable Statements ..
      N = NX*NX
      H = ONE/CMPLX(N+1,KIND=KIND(DD))
      S = RHO/TWO
      DD = TWO/H
      DL = -ONE/H - S
      DU = -ONE/H + S
      W(1) = DD*V(1) + DU*V(2)
      DO 20 J = 2, N - 1
        W(J) = DL*V(J-1) + DD*V(J) + DU*V(J+1)
20     CONTINUE
      W(N) = DL*V(N-1) + DD*V(N)
      RETURN
      END

*
      SUBROUTINE MV(NX,V,W)
*     .. Parameters ..
      COMPLEX *16   ONE, FOUR
      PARAMETER     (ONE=(1.0D+0,0.0D+0),FOUR=(4.0D+0,0.0D+0))
*     .. Scalar Arguments ..
      INTEGER       NX
*     .. Array Arguments ..
      COMPLEX *16   V(NX*NX), W(NX*NX)
*     .. Local Scalars ..
      COMPLEX *16   H
      INTEGER       J, N
*     .. External Subroutines ..
      EXTERNAL      ZSCAL
*     .. Intrinsic Functions ..
      INTRINSIC     CMPLX
*     .. Executable Statements ..
      N = NX*NX
      W(1) = FOUR*V(1) + ONE*V(2)
      DO 20 J = 2, N - 1

```

```
      W(J) = ONE*V(J-1) + FOUR*V(J) + ONE*V(J+1)
20  CONTINUE
      W(N) = ONE*V(N-1) + FOUR*V(N)
      H = ONE/CMPLX(N+1,KIND=KIND(H))
      CALL ZSCAL(N,H,W,1)
      RETURN
      END
```

9.2 Program Data

F12AQF Example Program Data

10 4 20 : Vaues for NX NEV and NCV

9.3 Program Results

F12AQF Example Program Results

The 4 Ritz values of largest magnitude are:

1	(20383.0384	,	-0.0000)
2	(20338.7563	,	0.0000)
3	(20265.2844	,	-0.0000)
4	(20163.1142	,	0.0000)
