

## IMAQ D100 CAMERA CABLE

This guide describes how to attach the IMAQ D100 family of digital camera cables to your image acquisition (IMAQ) device.

You can use the IMAQ D100 cable to connect your IMAQ device to your digital video camera and four trigger channels. Refer to your IMAQ device documentation for more detailed information on these signals.



### Note

*Your camera receptacles or cables may appear different from those illustrated in this guide. Refer to the National Instruments web site, <http://www.natinst.com/imaq>, for the latest information on using different cameras and cables with your IMAQ device.*

## What You Need to Get Started

---

To install your IMAQ D100 cable, you will need the following:

- IMAQ D100 cable
- IMAQ D100 Camera Cable Installation Guide*
- Your IMAQ device and documentation
- Your computer
- Your digital camera
- IMAQ D2504 cable and documentation (optional)
- BNC cables for trigger signal connection (optional)
- Trigger signal source (optional)


# Installation

---

As shown in Figure 1, insert the 100-pin SCSI-type connector end of the IMAQ D100 cable into the external 100-pin SCSI-type receptacle of your IMAQ device, ensuring correct polarity. Tighten the thumbscrews as necessary.

Insert the camera connector end of the IMAQ cable into the receptacle of your camera, ensuring correct polarity. Tighten the thumbscrews as necessary.

If you plan to connect external trigger signals to your IMAQ device, insert the IMAQ D2504 cable receptacle into the trigger connector, ensuring correct polarity. Tighten the thumbscrews as necessary. For more information on the D2504 cable, see the *IMAQ 2504 Cable Installation Guide*.



**Figure 1.** Connecting the D100 Cable to Your IMAQ Device and Digital Camera



321868A-01

Mar98