

Period Close for Inventory Organizations

Student Guide

Course Code 14824GC10
Edition 1.0
Month November 2000
Part Number M0-13677

ORACLE®

Copyright © Oracle Corporation, 2000. All rights reserved.

This documentation contains proprietary information of Oracle Corporation. It is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited. If this documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend

Use, duplication or disclosure by the Government is subject to restrictions for commercial computer software and shall be deemed to be Restricted Rights software under Federal law, as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

This material or any portion of it may not be copied in any form or by any means without the express prior written permission of the Education Products group of Oracle Corporation. Any other copying is a violation of copyright law and may result in civil and/or criminal penalties.

If this documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with "Restricted Rights," as defined in FAR 52.227-14, Rights in Data-General, including Alternate III (June 1987).

The information in this document is subject to change without notice. If you find any problems in the documentation, please report them in writing to Worldwide Education Services, Oracle Corporation, 500 Oracle Parkway, Box SB-6, Redwood Shores, CA 94065. Oracle Corporation does not warrant that this document is error-free.

Oracle and all references to Oracle Products are trademarks or registered trademarks of Oracle Corporation.

All other products or company names are used for identification purposes only, and may be trademarks of their respective owners.

Author

Anisa King

Technical Contributors and Reviewers

Tom Marik
Pam Freeman
Larry Phillips
John Paramore

This book was published using:

Oracle® Tutor™



Table of Contents

Period Close for Inventory Organizations.....	1-1
Period Close for Inventory Organizations	1-2
Objectives	1-3
Agenda.....	1-4
Overview	1-5
Period Close Overview	1-6
Agenda.....	1-7
Pending Transactions.....	1-8
Viewing Pending Transactions	1-9
Viewing Pending Transactions Folder.....	1-10
Viewing Pending Transactions in the Transaction Open Interface	1-13
Pending Move Transactions.....	1-14
Pending Resource Transactions	1-15
Checking Cost Interface.....	1-16
Agenda.....	1-17
Transfer Options	1-18
Transfer Accounting Transactions in Summary or in Detail	1-19
Interim Transfers	1-21
Review Question.....	1-25
Agenda.....	1-27
Closing the Period in Inventory	1-28
Closing the Period in Inventory, Warning Messages.....	1-31
Closing the Period in Inventory, Error Messages	1-32
Closing the Period in Inventory, Most Common Reasons for Failure	1-33
Implications for Closing the Period in Inventory with Pending Transactions	1-34
Closing the Period in Inventory	1-36
Agenda.....	1-37
Posting to the General Ledger	1-38
Posting to the General Ledger: Importing Journals	1-39
Posting to the General Ledger: Posting Journals	1-41
Agenda.....	1-43
Reconciling Perpetual Inventory to GL	1-44
Client Extensions.....	1-48
Review Question.....	1-50
Summary.....	1-52
Practice 1 Overview.....	1-53
Practice 1-1: Reviewing Period Close Issues.....	1-54
Practice 1-1 Solutions: Reviewing Period Close Issues.....	1-55

Preface

Profile

Before You Begin This Course

Before you begin this course, you should have the following qualifications:

- Thorough knowledge of basic MRP II and accounting concepts.
- Working experience with cost accounting activities in various different manufacturing environments.

Prerequisites

- Oracle Inventory Release 11
- Oracle Purchasing Release 11
- Oracle Bills of Material and Engineering Release 11 (if products are installed at your site)
- Oracle Work In Process Release 11 (if products are installed at your site)
- Oracle Planning Release 11
- Oracle General Ledger Release 11
- R11i Costing Setup and Implementation
- R11i Cost Information
- R11i Cost Rollup
- R11i Average Costing
- R11i Standard Costing
- R11i Analyzing Inventory and WIP Transactions

How This Course Is Organized

R11i Period Close for Inventory Organizations is an instructor-led course featuring lecture and hands-on exercises. Online demonstrations and written practice sessions reinforce the concepts and skills introduced.

Related Publications

Oracle Publications

Title	Part Number
<i>Oracle Inventory User's Guide Release 11i</i>	<i>A58270-01</i>
<i>Oracle Purchasing User's Guide Release 11i</i>	<i>A82912-01</i>
<i>Oracle Bill of Materials User's Guide Release 11i</i>	<i>A75087-01</i>
<i>Oracle Engineering User's Guide Release 11i</i>	<i>A75090-01</i>
<i>Oracle Work In Process User's Guide Release 11i</i>	<i>A75101-01</i>
<i>Oracle Cost Management User's Guide Release 11i</i>	<i>A75088-01</i>
<i>Oracle General Ledger User's Guide Release 11i</i>	<i>A82850-01</i>

Additional Publications

- System release bulletins
- Installation and user's guides
- *read.me* files
- *Oracle Magazine*

Typographic Conventions

Typographic Conventions in Text

Convention	Element	Example
Bold italic	Glossary term (if there is a glossary)	The <i>algorithm</i> inserts the new key.
Caps and lowercase	Buttons, check boxes, triggers, windows	Click the Executable button. Select the Can't Delete Card check box. Assign a When-Validate-Item trigger to the ORD block. Open the Master Schedule window.
Courier new, case sensitive (default is lowercase)	Code output, directory names, filenames, passwords, pathnames, URLs, user input, usernames	Code output: <code>debug.set ('I', 300);</code> Directory: <code>bin (DOS), \$FMHOME (UNIX)</code> Filename: Locate the <code>init.ora</code> file. Password: User <code>tiger</code> as your password. Pathname: Open <code>c:\my_docs\projects</code> URL: Go to <code>http://www.oracle.com</code> User input: Enter <code>300</code> Username: Log on as <code>scott</code>
Initial cap	Graphics labels (unless the term is a proper noun)	Customer address (<i>but</i> Oracle Payables)
Italic	Emphasized words and phrases, titles of books and courses, variables	Do <i>not</i> save changes to the database. For further information, see <i>Oracle7 Server SQL Language Reference Manual</i> . Enter <code>user_id@us.oracle.com</code> , where <i>user_id</i> is the name of the user.
Quotation marks	Interface elements with long names that have only initial caps; lesson and chapter titles in cross-references	Select "Include a reusable module component" and click Finish. This subject is covered in Unit II, Lesson 3, "Working with Objects."
Uppercase	SQL column names, commands, functions, schemas, table names	Use the SELECT command to view information stored in the LAST_NAME column of the EMP table.

Convention	Element	Example
Arrow	Menu paths	Select File—> Save.

Brackets	Key names	Press [Enter].
Commas	Key sequences	Press and release keys one at a time: [Alternate], [F], [D]
Plus signs	Key combinations	Press and hold these keys simultaneously: [Ctrl]+[Alt]+[Del]

Typographic Conventions in Code

Convention	Element	Example
Caps and lowercase	Oracle Forms triggers	When-Validate-Item
Lowercase	Column names, table names	SELECT last_name FROM s_emp;
	Passwords	DROP USER scott IDENTIFIED BY tiger;
	PL/SQL objects	OG_ACTIVATE_LAYER (OG_GET_LAYER ('prod_pie_layer'))
Lowercase italic	Syntax variables	CREATE ROLE <i>role</i>
Uppercase	SQL commands and functions	SELECT userid FROM emp;

Typographic Conventions in Navigation Paths

This course uses simplified navigation paths, such as the following example, to direct you through Oracle Applications.

(N) Invoice > Entry > Invoice Batches Summary (M) Query > Find (B) Approve

This simplified path translates to the following:

1. (N) From the Navigator window, select Invoice > Entry > Invoice Batches Summary.
2. (M) From the menu, select Query > Find.
3. (B) Click the Approve button.

Notations :

(N) = Navigator

(M) = Menu

(T) = Tab

(I) = Icon

(H) = Hyperlink

(B) = Button

Typographical Conventions in Help System Paths

This course uses a “navigation path” convention to represent actions you perform to find pertinent information in the Oracle Applications Help System.

The following help navigation path, for example—

(Help) General Ledger > Journals > Enter Journals

—represents the following sequence of actions:

1. In the navigation frame of the help system window, expand the General Ledger entry.
2. Under the General Ledger entry, expand Journals.
3. Under Journals, select Enter Journals.
4. Review the Enter Journals topic that appears in the document frame of the help system window.

Getting Help

Oracle Applications provides you with a complete online help facility.

Whenever you need assistance, simply choose an item from the Help menu to pinpoint the type of information you want.

To display help for a current window:

1. Choose Window Help from the Help menu, click the Help button on the toolbar, or hold down the Control key and type 'h'.

A web browser window appears, containing search and navigation frames on the left, and a frame that displays help documents on the right.

The document frame provides information on the window containing the cursor. The navigation frame displays the top-level topics for your responsibility, arranged in a tree control.

2. If the document frame contains a list of topics associated with the window, click on a topic of interest to display more detailed information.
3. You can navigate to other topics of interest in the help system, or choose Close from your web browser's File menu to close help.

Searching for Help

You can perform a search to find the Oracle Applications help information you want. Simply enter your query in the text field located in the top-left frame of the browser window when viewing help, then click the adjacent Find button.

A list of titles, ranked by relevance and linked to the documents in question, is returned from your search in the right-hand document frame. Click on whichever title seems to best answer your needs to display the complete document in this frame. If the document doesn't fully answer your questions, use your browser's Back button to return to the list of titles and try another.

Period Close for Inventory Organizations

Chapter 1

Period Close for Inventory Organizations

Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE

Objectives

Objectives

After completing this lesson, you should be able to:

- Determine your transfer option
- Prepare to close a period
- Close a period
- Reconcile General Ledger to perpetual inventory



Close a
period



Reconcile GL to perpetual inventory

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Agenda


Agenda

- **Cost Accounting at Period Close Overview**
- Pending Transactions
- Transfer Options
- Closing the Period in Inventory
- Posting to the General Ledger
- Reconciling Perpetual Inventory to GL


Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Overview



Period Close Overview



Agenda


Agenda

- Cost Accounting at Period Close Overview
- Pending Transactions
- Transfer Options
- Closing the Period in Inventory
- Posting to the General Ledger
- Reconciling Perpetual Inventory to GL

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Pending Transactions



Viewing Pending Transactions

Check pending inventory transactions.

- You can view, edit, and correct pending transactions in inventory before validation.
- Pending transactions include transactions:
 - Received through the transaction interface.
 - Processed with the background processing option.
- Using the folder or single row windows, you can choose how to view the information appropriate for a particular transaction.
- You can also resubmit transactions for processing.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle Inventory > Transactions > Viewing Pending Transactions

Viewing Pending Transactions Folder

Viewing Pending Transactions Folder

- The Pending Transactions folder window allows you to view detailed information about pending transactions in inventory.
- Using folder options you can display certain fields for each tabbed region.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle Inventory > Transactions > Viewing Pending Transactions > Pending Transactions Folder

Viewing Pending Transactions Folder

Viewing Pending Transactions Folder

1. Use the Pending Transactions window to:
 - Check pending transactions in inventory
(N) INV Transactions > Pending Transactions (B) Find
(T) Error > Location > Source > Intransit > Others
2. Enter search criteria for the pending transactions you want to view. You can search for transactions based on processing information, transaction type, source type, or item details.
3. Choose Find to start the search. The results display in the Pending Transactions window.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle Inventory > Transactions > Viewing Pending Transactions > Pending Transactions Folder

Viewing Pending Transactions Folder

Viewing Pending Transactions Folder

4. Select a tabbed region to display a type of information:
- **Error:** Pending transaction error information.
 - **Location:** Pending transaction location information.
 - **Source:** Pending source information
 - **Intransit:** Pending intransit shipping information.
 - **Others:** Miscellaneous header and costing information.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle Inventory > Transactions > Viewing Pending Transactions > Pending Transactions Folder

Viewing Pending Transactions in the Transaction Open Interface

Viewing Pending Transactions in the Transaction Open Interface

Transaction Interface

- Check the inventory transaction interface for pending WIP transactions

(N) INV Transactions > Transaction Open Interface (B) Find

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle Inventory > Transaction Open Interface

Pending Move Transactions

Pending Move Transactions

Check pending WIP transactions.

- Use the Pending Move Transactions window to check unprocessed shop floor move transactions
(N) WIP Move Transactions > Pending Move Transactions (B) Find
- The Pending Move Transactions window automatically puts you in query mode. Before you close the period, you want to make sure that the query finds no records. If records exist, navigate to the Launch Manager window in Inventory and check that the interface managers are active for your Move and Resource cost transactions.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Manufacturing Applications > Oracle WIP > Pending Move Transactions

Note

Use the Pending Move Transactions window to report any unprocessed shop floor move transactions.

Resources are charged to the job based on their Unit of Measure not quantity movement. Resources can be charged independently of any quantity movement. Quantity movement is based on the move window. Resources are charged and costing happens after the quantity movement unless the resource is charged independently of the move.

Pending Resource Transactions

Pending Resource Transactions

Check pending WIP transactions.

- Use the Pending Resource Transactions window to check unprocessed resource transactions

(N) WIP Move Transactions > Pending Resource Transactions
(B) Find

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

**Help: Oracle Manufacturing Applications > Oracle WIP >
Pending Resource Transactions**


Checking Cost Interface

Checking Cost Interface

- Use the Material Transactions window to check to ensure that all transactions are costed and do not have an error status.

(N) CST View Transactions > Material Transactions (B) Find
(T) Reason/Reference

(N) INV Transactions > Material Transactions (B) Find
(T) Reason/Reference



Material
transactions



Inquiries and analysis



Valued

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Agenda

Agenda

- Cost Accounting at Period Close Overview
- Pending Transactions
- **Transfer Options**
- Closing the Period in Inventory
- Posting to the General Ledger
- Reconciling Perpetual Inventory to GL

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE®

Transfer Options

Transfer Options	
General Ledger Transfer	
Transferred Information	Displayed in General Ledger
GL batch number	Journal entry batch name
Organization code	Journal entry batch name
Organization code	Journal entry batch description
GL batch date	Journal entry batch description
GL transfer description	Journal entry batch description
GL batch number	With the line item sort, this may be displayed in the General Ledger Report and is stored in GL_JE_LINES table, reference1 column
Organization ID	Not displayed, stored in GL_JE_LINES table, reference2 column
Transaction ID (for detail transfers only)	Not displayed, stored in GL_JE_LINES table, reference3 column

Copyright © Oracle Corporation, 2000. All rights reserved. **ORACLE**

Note

For each inventory organization, Cost Management transfers transactions to the general ledger interface table, line for line.

If you transfer summary information, Cost Management groups transactions by GL batch, by journal category, by currency code, and by account.

Attention: Transfer in detail only if you have low transaction volumes.

Transferring large amounts of detail transactions can adversely affect General Ledger performance.

For both detail and summary transfers, Cost Management passes the organization code, GL batch number, batch description, and batch date. When you transfer in detail, you also pass the material or work in process transaction number. In General Ledger, you can see the transferred information, as shown in the table above.

Transfer Accounting Transactions in Summary or in Detail

Transfer Accounting Transactions in Summary or in Detail

For each inventory organization, you can transfer accounting transactions in summary or in detail.

Summary

- Groups transactions by GL batch, journal category, currency code, and account

Detail

- Transfers transactions to the General Ledger interface table line for line

You should transfer in detail only if you have low transaction volumes.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Transfer Accounting Transactions in Summary or in Detail

Transfer Accounting Transactions in Summary or in Detail

You set up how you want to transfer accounting transactions. Use the Organization Parameters window to check or uncheck:

- Transfer detail to GL

(N) INV Setup > Organizations > Parameters
(T) Costing Information

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

**Help: Oracle Manufacturing Applications >
Oracle Inventory > Setting Up > Inventory Structure >
Defining Organization Parameters > Defining Costing Information**

Interim Transfers

General Ledger Transfers

- Perform a General Ledger transfer at any time during an open period, not just at period close, except when you are closing discrete jobs.
 - The General Ledger Transfer and the Close Discrete Jobs processes are incompatible.

Interim Transfers

- You can perform a GL transfer at any time, providing that at least one period is open.
- A transfer performed at any other time except during the period end process is called an Interim Transfer.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Interim Transfers

Interim Transfers

- Use the General Ledger Transfer window throughout the month to transfer summarized inventory and work-in-process activity into the General Ledger interface. Once in the interface, the transactions can be imported and posted to the General Ledger.

(N) CST Accounting Close Cycle > General Ledger Transfers

(N) INV Accounting Close Cycle > General Ledger Transfers

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Financial Applications > Oracle General Ledger > General Ledger Transfers

Interim Transfers

Review Reports for Transaction Errors

- Running this process before period close allows you to review the summary transactions and make adjustments to the period using new inventory transactions as necessary.




Reports

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Interim Transfers



Multiple Open Periods

If you run the GL transfer and the prior period has not been closed, any transactions in the prior open period that have not been posted are included in the GL batch. The GL date for the transactions is the last day of the period, so that they post to the correct period in GL.

The GL date for the transactions in the current period is the date on which you ran the GL transfer.

Review Question

Review Question

Use the General Ledger Transfer window throughout the month to transfer summarized inventory and work-in-process activity into the General Ledger interface. Once in the interface, the transactions can be imported and posted to the General Ledger.

1. True
2. False

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Review Question

Review Question

Use the General Ledger Transfer window throughout the month to transfer summarized inventory and work-in-process activity into the General Ledger interface. Once in the interface, the transactions can be imported and posted to the General Ledger.

1. True
2. False

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Agenda

Agenda

- Cost Accounting at Period Close Overview
- Pending Transactions
- Transfer Options
- **Closing the Period in Inventory**
- Posting to the General Ledger
- Reconciling Perpetual Inventory to GL

Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE

Closing the Period in Inventory

Closing the Period in Inventory

Functions Performed by Close Process

- The close process performs a number of functions.
 - Closes an open period
 - Creates summary or detail transactions



**Period 1
closed**



**Period 2
open**



**Period 3
open**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Closing the Period in Inventory

Closes Open Period

- The period close process permanently closes an open period. Once you close a period, you cannot reopen it.

Creates Summary or Detail Transactions

- Depending on your inventory parameters, the period close process creates summary or detail transactions by General Ledger account.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Closing the Period in Inventory

Closing the Period in Inventory

The period close process transfers the following:

- **Inventory and work-in-process transactions**
- **All job costs and variances**
- **Period costs for expense nonstandard jobs**
- **Remaining balances on repetitive schedules, based on your WP s parameters**

Calculates Ending Period Subinventory Values

- **For each subinventory, the period close adds the net transaction value for the current period to the prior period's ending value.**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Note

The Period Close, Job Close, and Cost Update processes are incompatible because they use many of the same tables that have to be locked when they are being accessed.

Closing the Period in Inventory, Warning Messages

If unprocessed transactions exist, the following warning messages are displayed:

- Pending receiving transactions for this period; indicating that you have unprocessed purchasing transactions in the RCV_TRANSACTIONS_INTERFACE table.
- Pending material transactions for this period; indicating that you have unprocessed material transactions in the MTL_TRANSACTIONS_INTERFACE table.
- Pending move transactions for this period; indicating that you have unprocessed shop floor move transactions in the WIP_MOVE_TXN_INTERFACE table.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Closing the Period in Inventory, Error Messages

If unprocessed transactions exist, the following error messages are displayed:

- Unprocessed material transactions exist for this period; indicating that you have unprocessed material transactions in the MTL_MATERIAL_TRANSACTIONS_TEMP table.
- Uncosted material transactions exist for this period; indicating that you have material transactions in the MTL_MATERIAL_TRANSACTIONS table with unprocessed accounting entries.
- Pending WIP costing transactions exist in this period; indicating that you have unprocessed resource and overhead accounting transactions in the WIP_COST_TXN_INTERFACE table.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Closing the Period in Inventory, Most Common Reasons for Failure

Closing the Period in Inventory, Most Common Reasons for Failure

Common mistakes with new implementations are indicated in the examples below.

Example 1

- If you have a BOM that does not specify the component supply subinventory, the WIP transaction fails because it doesn't know from where to pull the inventory.

Example 2

- If you have a routing that does not specify the completion subinventory, the WIP transaction fails because it doesn't know where to put the completed transaction in inventory.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Implications for Closing the Period in Inventory with Pending Transactions

Implications for Closing the Period in Inventory with Pending Transactions

With any of the following warning messages, you will be able to close the accounting period. After you close the period, you cannot process these transactions because they have a transaction date for a closed period.

- Pending receiving transactions for this period
 - These transactions are not in your receiving value.
- Pending material transactions for this period
 - These transactions are not in your inventory value.
- Pending move transactions for this period
 - These transactions are not in your WIP value.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Implications for Closing the Period in Inventory with Pending Transactions

Implications for Closing the Period in Inventory with Pending Transactions

With any of the following error messages, you will not be able to close the accounting period. You cannot close the period because the resulting accounting entries would have a transaction date for a closed period, and would never be picked up by the period close or general ledger transfer process.

- **Unprocessed material transactions exist for this period**
 - Inventory considers entries in this table as part of the quantity movement.
- **Uncosted material transactions exist for this period**
 - These transactions are part of your inventory value.
- **Pending WIP costing transactions exist in this period**
 - These transactions are in your WIP value, and awaiting further processing.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Closing the Period in Inventory

Closing the Period in Inventory

Use the Inventory Accounting Periods window to:

- Close the oldest open period and transfer all transaction values for that period to the GL

(N) CST Accounting Close Cycle > Inventory Accounting Periods

(N) INV Accounting Close Cycle > Inventory Accounting Periods

Closing an Accounting Period

You can close the earliest accounting period with a status of Open or Error. An automatic GL transfer is processed when you close an accounting period.

1. Select a period with a status of Open or Error.
2. Select the Change Status button.
3. Change the status to Closed.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

**Help: Oracle Financial Applications > Oracle General Ledger >
Setting Up General Ledger > Calendars >
Opening and Closing Periods**

Agenda

Agenda

- Cost Accounting at Period Close Overview
- Pending Transactions
- Transfer Options
- Closing the Period in Inventory
- **Posting to the General Ledger**
- Reconciling Perpetual Inventory to GL

Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE®

Posting to the General Ledger

Posting to the General Ledger

Data

- Oracle Inventory loads data into the GL_INTERFACE table: Period close or transfer transactions.
- GL Journal Import creates journal entry batches, headers, and lines.




Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Posting to the General Ledger: Importing Journals

Posting to the General Ledger: Importing Journals

- Oracle Cost Management uses the journal source Inventory for both inventory and work in process transactions.
 - The journal categories Inventory and Work in Process distinguish between inventory and work in process transactions.



Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Financial Applications > Oracle General Ledger > Import Journals


Posting to the General Ledger: Importing Journals

Posting to the General Ledger: Importing Journals

Use the Import Journals window to:

- Create a postable batch for the General Ledger
- Import journals to the General Ledger


(N) GL Journals > Import > Run



Journal
import



Posting



Account balances



Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE

Help: Oracle Financial Applications > Oracle General Ledger > Import Journals

Posting to the General Ledger: Posting Journals

Posting to the General Ledger: Posting Journals

- Oracle General Ledger automatically queries all unposted journal batches. Select which batches to post.



Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Posting to the General Ledger: Posting Journals

Posting to the General Ledger: Posting Journals

Use the Post Journals window to:

- Post journal batches to the General Ledger to update account balances

(N) GL Journals > Post

Select and Unselect Batches

- Select the check box to select journal batches for posting.
- Batches with an unchecked check box will not be posted.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Help: Oracle Financial Applications > Oracle General Ledger > Post Journals

Agenda

Agenda

- Cost Accounting at Period Close Overview
- Pending Transactions
- Transfer Options
- Closing the Period in Inventory
- Posting to the General Ledger
- Reconciling Perpetual Inventory to GL

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Reconciling Perpetual Inventory to GL

Beginning Inventory/Work in Process Value

- (Use the balances from the Inventory Value, WP Value, and Intransit Value Reports, or the General Ledger Account Inquiry) + Accounting Valuation Transactions
- (Use the Material Account Distribution Summary and the WIP Account Summary Reports) = Calculated Ending Balance

Compare the calculated ending balance to these:

1. Period End Inventory/Work in Process Reports
2. General Ledger Accounts after posting

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Reconciling Perpetual Inventory to GL

Balances

- **Perpetual inventory balances must reconcile to the General Ledger inventory account balances.**
- **Verify that your perpetual inventory value matches the value that you report in the General Ledger. Perpetual inventory value normally balances automatically with the General Ledger.**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Reconciling Perpetual Inventory to GL

Reasons for Discrepancies

- Journal entries from other modules that affect the inventory accounts
- Improper account coding on transactions
 - For example, you did a miscellaneous issue from a subinventory to an inventory account.
 - Use the Material Transaction Distributions window to identify these transactions. In the Find window, enter a date range. Navigate to the Accounting Type field and enter “Account.” Then navigate to the Account field and enter your inventory accounts.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Reconciling Perpetual Inventory to GL

Reasons for Discrepancies

- Lack of period cutoff control between inventory reports and transactions
 - For example, month-end reports were run before transactions were completed.
 - Run the Historical Inventory Balance Report with the correct date.

WIP Reconciliation

- Review your WIP Value Report for variances. Run the report using the option to include closed jobs.

Note: There are no historical Intransit Inventory or Receiving Inspection Inventory reports.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Client Extensions

Account generator

- Creates a one-for-one substitution of accounts.

Account entry

- Changes the number of accounts and uses the new accounts rather than the single-system default account.

Transaction cost

- Allows the use of a cost other than the default system cost.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Client Extensions

- **Oracle Cost Management provides a PL/SQL extensible program that lets you create custom accounting entries instead of the standard entries normally created.**

Examples

Some examples of customizations follow:

- **Elemental accounts for scrap and cost of goods sold**
- **Product line accounts for scrap and cost of goods sold**
- **Special accounts for the unique accounting requirements of a governmental taxing body**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Review Question

Review Question

Perpetual inventory balances must reconcile to the General Ledger inventory account balances.

- 1. True**
- 2. False**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Review Question

Review Question

Perpetual inventory balances must reconcile to the General Ledger inventory account balances.

- 1. True**
- 2. False**

Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE

Summary

Summary

In this lesson, you should have learned how to:

- Determine your transfer option
- Prepare to close a period
- Close a period
- Reconcile General Ledger to perpetual inventory



Close a
period



Reconcile GL to perpetual inventory

Copyright © Oracle Corporation, 2000. All rights reserved.


ORACLE

Practice 1 Overview

Practice 1 Overview

This practice covers the following topics:

- Reviewing period close issues



Period
close

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Practice 1-1: Reviewing Period Close Issues

Practice 1-1: Reviewing Period Close Issues

In this practice, you review period close issues.

- 1. Why would you run the GL transfer prior to period close?**
- 2. If you have a high volume of transactions, which GL Transfer option would you select and why?**
- 3. List several reasons for discrepancies in your perpetual inventory to General Ledger reconciliation.**
- 4. What functions does the period close process perform?**

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Practice 1-1 Solutions: Reviewing Period Close Issues

Practice 1-1 Solutions: Reviewing Period Close Issues

In this practice, you review period close issues.

1. Why would you run the GL transfer prior to period close?
 - Running the GL transfer prior to period close allows you to review the summary transactions and make adjustments to the period, correcting inventory transactions as necessary.
 - Sometimes corrections have to be made in other products such as AP, AR, or GL where the problems originate. The people responsible for those distributions will need to make corrections in those products.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Practice 1-1 Solutions: Reviewing Period Close Issues

Practice 1-1 Solutions: Reviewing Period Close Issues

In this practice, you review period close issues.

2. If you have a high volume of transactions, which GL Transfer option would you select and why?
 - If you have a high volume of transactions, you should select the summary option to reduce the number of accounting entries transferred to the General Ledger. The summary option summarizes accounting entries by accounting period, currency code, and account before transferring the information to the General Ledger. If you select the detail option, accounting entries for each transaction are transferred to the General Ledger.

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Practice 1-1 Solutions: Reviewing Period Close Issues

Practice 1-1 Solutions: Reviewing Period Close Issues

In this practice, you review period close issues.

3. List several reasons for discrepancies in your perpetual inventory to General Ledger reconciliation.
 - Journal entries from other modules that affect inventory accounts
 - Improper account coding on transactions
 - Lack of period cutoff control between inventory reports and transactions

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE

Practice 1-1 Solutions: Reviewing Period Close Issues

Practice 1-1 Solutions: Reviewing Period Close Issues

In this practice, you review period close issues.

4. What functions does the period close process perform?

- Closes the open period
- Creates summary or detail transactions
- Calculates ending period subinventory values
- Calculates full inventory value by Organization and WIP valuation

Copyright © Oracle Corporation, 2000. All rights reserved.

ORACLE