

# Oracle® Database

## Database Release Notes



19c  
E96072-18  
October 2020

The Oracle logo, consisting of a solid red square with the word "ORACLE" in white, uppercase, sans-serif font centered within it.

ORACLE®

Oracle Database Database Release Notes, 19c

E96072-18

Copyright © 2017, 2020, Oracle and/or its affiliates.

Primary Authors: Rhonda Day, Sunil Surabhi

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

# Contents

## Preface

---

Audience	vii
Documentation Accessibility	vii
Related Resources	vii
Conventions	vii

## 1 Purpose of These Release Notes

---

## 2 Issues Affecting All Platforms for Oracle Database 19c

---

Compatibility, Upgrading, Downgrading, and Installation	2-1
Core Dump ORA-00600 [8153] Error Encountered After Database Upgrade	2-1
Upgrading from Oracle Database 11g Release 2 (11.2.0.4) to 19c to Oracle Database Results in Errors During Upgrade	2-1
Plugging in an Oracle Database 12.1 Non-CDB to an Oracle Database 12.2 Local Undo CDB	2-2
Deprecated and Desupported Features for Oracle Database	2-2
Other Readmes, Release Notes, or Installation Guides	2-2
Open Bugs Affecting All Platforms	2-2
Analytic Workspace Manager Known Bugs	2-2
Bug 28937717	2-3
Bug 28532773	2-3
Oracle ASM Cluster File System (Oracle ACFS) Known Bugs	2-3
Bug 29391849	2-3
Oracle ASM Dynamic Volume Manager (Oracle ADVM) Known Bugs	2-4
Bug 29520544	2-4
Oracle Data Pump Known Bugs	2-4
Bug 27133957	2-4
Bug 27092988	2-4
Oracle Database Enterprise Edition Known Bugs	2-5
Bug 23569490	2-5
Bug 24291322	2-5

Bug 27254644	2-5
Oracle Grid Infrastructure Known Bugs	2-5
Bug 29414664	2-6
Bug 29053083	2-6
Bug 21559133	2-6
Oracle Universal Installer Known Bugs	2-6
Bug 18336219	2-6
Bug 23006768	2-7
Bug 27080535	2-7
Bug 27120934	2-7

### 3 Issues Affecting Linux for Oracle Database 19c

---

Certification Information	3-1
Unsupported Products for Linux	3-1
Product Support	3-1
Linking Applications with Oracle Client Libraries for Linux	3-2
Preinstallation Requirements for the Linux Platform	3-2
Open Bugs Affecting Linux	3-2
Bug 26708302	3-2
Known Issues and Bugs for SUSE Linux Enterprise Server 15	3-2
Bug 29953021	3-3
Bug 29916735	3-3
Bug 29836096	3-4
Bug 29742223	3-4
Bug 30131474	3-4
Known Issues and Bugs for Oracle Linux 8 and Red Hat Enterprise Linux 8	3-4
Bug 30286976	3-5
Bug 30878668	3-6
Bug 30445619	3-6
Bug 29772579	3-6
Known Issues and Bugs for Standard Edition High Availability	3-6
Bug 30821297	3-6
Bug 30979062	3-7
Bug 30992915	3-7
Bug 31114977	3-7
Bug 31128434	3-7
Bug 31128452	3-8
Bug 31146826	3-8
Bug 31156506	3-8
Bug 31188168	3-8

Bug 31264160 3-9

## 4 Issues Affecting Oracle Solaris for Oracle Database 19c

---

Unsupported Products for Oracle Solaris	4-1
Bug 21816875	4-1
Product Support	4-1
Linking Applications with Oracle Client Libraries for Oracle Solaris	4-1
Preinstallation Requirements for Oracle Solaris	4-2
Installation, Configuration, and Upgrade Issues for Oracle Solaris	4-2
Bug 21800407	4-2
Bug 28650933	4-2
Bug 24355490	4-2
Open Bugs Affecting Oracle Solaris	4-3

## 5 Issues Affecting HP-UX Itanium for Oracle Database 19c

---

Unsupported Products for HP-UX Itanium	5-1
Product Support	5-1
Linking Applications with Oracle Client Libraries for HP-UX Itanium	5-1
Preinstallation Requirements for HP-UX Itanium	5-1
Installation, Configuration, and Upgrade Issues for HP-UX Itanium	5-1
Bug 27367949	5-2
Bug 28340043	5-2
Bug 29198896	5-3

## 6 Issues Affecting the IBM AIX on POWER Systems Platform for Oracle Database 19c

---

Unsupported Products for the IBM AIX on POWER Systems Platform	6-1
Linking Applications with Oracle Client Libraries for the IBM AIX on POWER Systems Platform	6-1
Preinstallation Requirements for the IBM AIX on POWER Systems Platform	6-1
Installation, Configuration, and Upgrade Issues for the IBM AIX on POWER Systems Platform	6-1
Bug 29053538	6-1
Bug 29434250	6-2
Bug 29052788	6-2
Bug 29178036	6-2
Open Bugs Affecting the IBM AIX on POWER Systems Platform	6-2

## 7 Issues Affecting Microsoft Windows for Oracle Database 19c

---

Unsupported Products for Microsoft Windows	7-1
Product Support	7-1
Linking Applications with Oracle Client Libraries for Microsoft Windows	7-2
Preinstallation Requirements for Microsoft Windows	7-2
Installation, Configuration, and Upgrade Issues for Microsoft Windows	7-2
Bug 20918120	7-2
Bug 21325903	7-2
Bug 29426320	7-3

# Preface

This document describes last-minute features and changes that are not included in the Oracle Database Documentation Library for Oracle Database 19c.

Starting with Oracle Database 18c, the readme and platform-specific release notes have been combined into one document. The first chapter of this document contains generic information. Subsequent chapters of this document contain platform-specific information. The last chapter of this document contains last-minute changes not included in the Oracle Database documentation library.

## Audience

This document is relevant only to Oracle Database 19c and documents new features, changes, unsupported products, preinstallation requirements, generic and platform-specific bug fixes, and known issues that are not included in the Oracle Database documentation library.

## Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

### Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

## Related Resources

Refer to the following documentation for more information related to this release:

- <http://docs.oracle.com/en/database/database.html>
- For licensing information, refer to *Oracle Database Licensing Information User Manual*.
- Additional readme or release notes files also exist. Refer to [Other Readmes](#), [Release Notes](#), or [Installation Guides](#).

## Conventions

The following text conventions are used in this document:

<b>Convention</b>	<b>Meaning</b>
<b>boldface</b>	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.



# 1

## Purpose of These Release Notes

This topic briefly describes the purpose of these release notes.

Updates to this document can occur after it is released. Check for updates to this document and view other Oracle documentation at:

<http://docs.oracle.com/en/database/database.html>

For licensing information, refer to *Oracle Database Licensing Information User Manual*.

Additional readme or release notes files also exist. Refer to the [Other Readmes, Release Notes, or Installation Guides](#).

# 2

## Issues Affecting All Platforms for Oracle Database 19c

These topics contain last-minute features and changes that affect all platforms for Oracle Database 19c.

### Compatibility, Upgrading, Downgrading, and Installation

This section describes compatibility, upgrading, downgrading, and installation topics for Oracle Database 19c.

### Core Dump ORA-00600 [8153] Error Encountered After Database Upgrade

This topic describes the ORA-00600 error that can occur after a database upgrade.

A core dump ORA-00600 [8153] error is encountered after the database is upgraded to Oracle Database 12c release 2 (12.2) or to Oracle Database 19c and then downgraded back to its original release (reference Bug 20898997).

Always apply the patch for this bug before upgrading the database to Oracle Database 12c release 2 (12.2) or to Oracle Database 19c.

### Upgrading from Oracle Database 11g Release 2 (11.2.0.4) to 19c to Oracle Database Results in Errors During Upgrade

This topic describes the ORA-08102 error that can occur when upgrading from Oracle Database 11g release 2 (11.2.0.4) to Oracle Database 19c.

In some cases, when altering table WRH\$\_SEG\_STAT to add some columns, you may encounter the ORA-08102 error (reference Bug 28668676). For example:

```
ALTER TABLE WRH$_SEG_STAT ADD (im_membytes NUMBER DEFAULT 0);
ALTER TABLE WRH$_SEG_STAT ADD (im_membytes NUMBER DEFAULT 0)
*
ERROR at line 1:
ORA-08102: index key not found, obj# 16200, file 2, block 4765 (2)
```

Download `c18.sql` and `c1202000.sql` from the bug and restart the upgrade process.

## Plugging in an Oracle Database 12.1 Non-CDB to an Oracle Database 12.2 Local Undo CDB

This topic describes undo tablespaces are not plugged in when going from Oracle Database release 12.1 to release 12.2.

When trying to plug in an Oracle Database 12c Release 1 (12.1) non-CDB to an Oracle Database 12c Release 2 (12.2) or higher CDB and local undo is enabled, undo tablespaces are not plugged in.

**Workaround:**

None.

## Deprecated and Desupported Features for Oracle Database

This topic describes deprecated and desupported features for Oracle Database 19c.

Oracle Database 19c introduces behavior changes for your database in addition to new features. Changes in behavior include deprecated and desupported initialization parameters, options, syntax, and the deprecation and desupport of features and components. For more information, see the *Oracle Database Upgrade Guide*.

## Other Readmes, Release Notes, or Installation Guides

There are additional documents for Oracle products that are associated with this Oracle Database release.

Refer to the following Oracle products and the location of their associated readme, release notes, or installation guide for additional information:

**Table 2-1 Other Oracle Products Documentation**

Product	Document
Oracle Multimedia	<i>ORACLE_HOME</i> /ord/im/admin/README.txt
Oracle ODBC Driver	<i>Oracle ODBC Driver Release Notes</i>
Oracle SQL Developer	<i>ORACLE_HOME</i> /sqldeveloper/readme.html
Pro*C	<i>Pro*C/C++ Release Notes</i>
Pro*COBOL	<i>Pro*COBOL Release Notes</i>
SQL*Plus	<i>SQL*Plus Release Notes</i>

## Open Bugs Affecting All Platforms

This section describes known bugs in Oracle Database 19c that affect all platforms.

### Analytic Workspace Manager Known Bugs

These are the Analytic Workspace Manager bugs in Oracle Database 19c.

## Bug 28937717

Measures cannot be calculated in the Create Calculation Measure wizard.

**Workaround:**

None.

## Bug 28532773

Cube Storage Advisor fails with the following error:

```
ORA-00942 table or view not found
```

**Workaround:**

None.

## Oracle ASM Cluster File System (Oracle ACFS) Known Bugs

These are the Oracle Automatic Storage Management (Oracle ASM) Cluster File System (Oracle ACFS) bugs in Oracle Database 19c.

## Bug 29391849

After an upgrade to either Oracle Grid 18.x or 19.x is complete, a subsequent upgrade to Oracle Grid 18.y or 19.y results in the Oracle Automatic Storage Management Cluster File System (Oracle ACFS) being offline on the first node being upgraded. This issue does not occur on a fresh installation of Oracle Grid 19c or 18c.

**Workaround:**

- To avoid this issue:
  1. Complete the upgrade from Oracle Grid 12c Release 1 (12.1.0.2) or Oracle Grid 12c Release 2 (12.2) to Oracle Grid 18.x or 19.x.
  2. Restart Cluster Ready Services (CRS) on each node, restarting the master node last. For example:
    - a. Run `acfsutil clusterinfo | grep -i master .`
    - b. Restart CRS on each non-master node, in any order.
    - c. Restart CRS on the master node last.
  3. Then, upgrade from Oracle Grid 18.x or 19.x to Oracle Grid 18.y or 19.y.
- If you have completed the upgrade from Oracle Grid 12.1.0.2 or 12.2 to Oracle Grid 18.x or 19.x, and have started the upgrade to Oracle Grid 18.y or 19.y, and if you see the Oracle Automatic Storage Management Dynamic Volume Manager (Oracle ADVM) volumes offline on the node that you have upgraded, then:
  1. Roll back that node to Oracle Grid 18.x or 19.x.
  2. Restart CRS on each node, restarting the master node last.
    - a. Run `acfsutil clusterinfo | grep -i master .`



**Workaround:**

None.

## Oracle Database Enterprise Edition Known Bugs

These are the Oracle Database Enterprise Edition bugs in Oracle Database 19c.

### Bug 23569490

If you have a large number of collections and are working with clients earlier than Oracle Database 12c release 2 (12.2), then you need a larger object cache, due to a change in snapshot size and thus a need for collection image conversion.

**Workaround:**

The object cache size can be set using the `OBJECT_CACHE_OPTIMAL_SIZE` initialization parameter. This is set to a low value by default.

### Bug 24291322

Symbolic links are not allowed in the directory object paths or filenames when opening BFILES. The entire directory path and filename is checked and the following error is returned if any symbolic link is found:

```
ORA-22288: file or LOB operation FILEOPEN failed soft link in path
```

**Workaround:**

If the database directory object or filename that you are trying to open contains symbolic links, then change it to provide the real path and filename.

### Bug 27254644

During the Oracle Scheduler agent register database process (`schagent - registerdatabase`), the following warning message might be issued:

```
"Warning: The JKS keystore uses a proprietary format. It is recommended to migrate to PKCS12 which is an industry standard format using..."
```

**Workaround:**

This warning message is due to a new Java runtime update. There is no change in the Oracle Scheduler agent usage of keystores (`jks` files). You can ignore this warning message.

## Oracle Grid Infrastructure Known Bugs

These are the Oracle Grid Infrastructure bugs in Oracle Database 19c.

## Bug 29414664

The Help text for command `rhpcctl instantiate image` does not show the `-server` option.

### **Workaround:**

When instantiating an image between two Fleet Patching and Provisioning (FPP) servers whose peer-to-peer relationship has already been established, use the command `rhpcctl instantiate image` with the `-server` option specifying the remote FPP server from which to instantiate the given image.

## Bug 29053083

The Grid Naming Service (GNS) manifest file validation fails.

### **Workaround:**

Do not add GNS while creating a member cluster manifest file.

## Bug 21559133

This issue affects rolling upgrades from Oracle Grid Infrastructure 12c release 1 (12.1) to Oracle Grid Infrastructure 19c of Oracle Clusterware standard Cluster with Oracle ASM. A node running Oracle Grid Infrastructure 12c release 1 (12.1) cannot join the cluster after the first node has been upgraded to Oracle Grid Infrastructure 19c. The nodes running Oracle Grid Infrastructure 12c release 1 (12.1) that are in `ONLINE` status continue to be members of the cluster.

### **Workaround:**

Upgrade Oracle Grid Infrastructure from 12c release 1 (12.1) to 19c on the failed node.

## Oracle Universal Installer Known Bugs

These are the Oracle Universal Installer (OUI) bugs in Oracle Database 19c.

You should also review [Compatibility, Upgrading, Downgrading, and Installation](#) for other issues related to installation and upgrades.

## Bug 18336219

Oracle Database installer does not check if the password specified for `ASMSNMP` on the Specify Management Options screen is correct. If you proceed with the configuration and specify an incorrect password, then Oracle Enterprise Manager Cloud Control cannot discover details and monitor the Oracle ASM instance.

### **Workaround #1:**

Ensure that the correct password (the same password specified earlier during the Oracle Grid Infrastructure for a cluster installation) is specified in the Specify Management Options screen of Oracle Database installer.

**Workaround #2:**

On the Oracle Enterprise Manager Cloud Control portal, navigate to the Oracle ASM credentials screen and update the password for `ASMSNMP`. Once the password is saved on Oracle Enterprise Manager Cloud Control, the Oracle ASM monitoring starts working.

## Bug 23006768

When installing an Oracle RAC database on an Oracle Member Cluster for Database that is configured to use an Oracle ASM service of an Oracle Domain Services Cluster (DSC) and, if the network selected for `ASM` or `ASM & Private` usage is not of the same type as the Oracle ASM network of the DSC, then the database instance terminates with the following error:

```
IOS hit ORA-00600: internal error code, arguments: [kfias_creg!net]
```

**Workaround:**

During the installation of the Oracle Member Cluster for Database, choose the network interface for `ASM` or `ASM & Private` so that it is on the same network as the Oracle ASM network of the DSC.

## Bug 27080535

When deinstalling the Oracle Grid Infrastructure for a standalone server home with an Oracle Management Server configuration, the `emConfig.txt` file in `ORACLE_BASE/admin/emca` is not deleted.

**Workaround:**

To remove the `emConfig.txt` file, run the following command:

```
rm -rf $ORACLE_BASE/admin/emca/emConfig.txt
```

During the last `ORACLE_HOME` deinstallation, to remove `ORACLE_BASE`, run the following command after the deinstallation tool exits:

```
rm -rf $ORACLE_BASE
```

## Bug 27120934

After downgrading Oracle Clusterware using the Grid Setup Wizard, from Oracle Database 19c to Oracle Clusterware release 12.1 or release 11.2, the unused data files of the Oracle Grid Infrastructure Management Repository (GIMR) of the 19c Oracle Grid Infrastructure home could still be present in the disk group.



**Workaround:**

Before starting the downgrade procedure using the Grid Setup Wizard, delete the GIMR database using the following command:

```
<Active_GI_HOME>/bin/dbca -silent -deleteDatabase -sourceDB -MGMTDB
```

# 3

## Issues Affecting Linux for Oracle Database 19c

These topics contain last-minute features and changes for Linux for Oracle Database 19c.

### Certification Information

The latest certification information for Oracle Database 19c is available in My Oracle Support note 1304727.2:

<https://support.oracle.com/epmos/faces/DocumentDisplay?id=1304727.2>

#### Oracle Linux 7

Starting with Oracle Database 19c, release update (RU) 19.9, Oracle Linux 7.7 with the Unbreakable Enterprise Kernel 6: 5.4.17-2011.4.4.el7uek.x86\_64 or later is supported on Linux x86-64.

Refer to *Oracle Database Installation Guide for Linux* for the preinstallation requirements.

### Unsupported Products for Linux

This topic describes products or features that are unavailable for Oracle Database 19c.

In addition to the list of unavailable products or features in this release of Oracle Database 19c, the following product is not supported for Linux:

- IPv6 Networks Support  
The IPv6 based IP addresses to configure the private networks for a cluster is not supported on IBM: Linux on System z. It is currently under testing and the support will be announced after testing is successfully complete.
- Oracle ACFS  
Oracle Automatic Storage Management Cluster File System (Oracle ACFS) is not supported on Oracle Linux 8 and Red Hat Enterprise Linux 8 on Oracle Database 19c release update RU (19.6) and RU (19.7).

### Product Support

This topic describes the supported products or features for Oracle Database 19c.

The supported products or features are:

- Database Smart Flash Cache Support  
Database Smart Flash Cache is supported on Oracle Linux.

- Oracle ACFS and Oracle ADVM Support  
Although Oracle ADVM supports raw disks in Oracle Automatic Storage Management disk groups, Oracle ADVM device special files created through raw are not supported; Oracle ADVM only supports block device special files.  
For the latest information about supported platforms and releases, see the Note 1369107.1 on My Oracle Support at <https://support.oracle.com>
- Oracle ASM Filter Driver Support  
Oracle Automatic Storage Management Filter Driver (Oracle ASMFD) is supported only on Linux x86-64.
- Share-based Instance Caging  
Share-based Instance Caging is supported on Oracle Linux.

## Linking Applications with Oracle Client Libraries for Linux

You must use the dynamic Oracle client libraries to link the client code on Linux.

Do not link the static Oracle client libraries.

## Preinstallation Requirements for the Linux Platform

Refer to the installation guides for the preinstallation requirements for Oracle Database 19c.

## Open Bugs Affecting Linux

This topic contains last-minute features and changes for Oracle Database 19c.

### Bug 26708302

Deinstallation of Oracle Real Application Clusters (Oracle RAC) home on shared Network Attached Storage (NAS) fails to delete the directory `$ORACLE_HOME/deinstall` and returns the following error:

```
Failed to delete the directory $ORACLE_HOME/deinstall. Either user has no permission to delete or it is in use.
```

**Workaround:**

Manually delete the `$ORACLE_HOME/deinstall` folder as either the Oracle RAC owner or as root.

## Known Issues and Bugs for SUSE Linux Enterprise Server 15

This section contains information about issues related to SUSE Linux Enterprise Server 15:

## Bug 29953021

To install Oracle Database software 19.4 on SUSE Linux Enterprise Server 15, download the Oracle Database software binaries from Oracle Technology Network (OTN), and then apply the 19.4 release updates (RUs) during the the Oracle Database and Oracle Grid Infrastructure installation or upgrade process.

### **Workaround:**

During the Oracle Database and Oracle Grid Infrastructure installation process, run the `runInstaller` and `gridSetup.sh` commands with the `-applyRU` and `-applyOneOffs` options to install the latest 19.4 RU for SUSE Linux Enterprise Server 15:

### **Oracle Grid Infrastructure without Oracle ACFS and Oracle ADVM:**

```
$ 19.3_grid_home/gridSetup.sh -applyRU 19.4GIRU patch 29708769 -  
applyOneOffs patch 30171454
```

### **Oracle Grid Infrastructure with Oracle ACFS and Oracle ADVM:**

```
$ 19.3_grid_home/gridSetup.sh -applyRU 19.4GIRU patch 29708769 -  
applyOneOffs patch 30171454, patch 28321248
```

### **Oracle Real Applications Cluster or Oracle Database (with Oracle Restart):**

```
$ 19.3_dbhome/runInstaller -applyRU 19.4GIRU patch 29708769 -  
applyOneOffs patch 30171454
```

### **Single-instance Oracle Database:**

```
$ 19.3_dbhome/runInstaller -applyRU 19.4DBRU patch 29834717 -  
applyOneOffs patch 30083976
```

## Bug 29916735

On SUSE Linux Enterprise Server 15, after upgrading Oracle Grid Infrastructure to 19.4 GIRU, CPU usage increases when you run OSWatcher.

### **Workaround:**

Perform the following steps:

1. Enter the following command to stop OSWatcher from Oracle Trace File Analyzer (Oracle TFA):

```
$ grid_home/bin/tfactl stop oswbb to stop
```

2. Add `disown -a` to the main loop inside `OSWatcher.sh`.
3. Set `ulimit` to a sufficiently low value for the user running OSWatcher.

This issue is fixed in OSWatcher 8.3.1.  
See My Oracle Support Note 301137.1 for more information:

<https://support.oracle.com/rs?type=doc&id=301137.1>

## Bug 29836096

libstdc++33 package missing error during Oracle Instant Client installation.

### Workaround:

In the **Perform Prerequisite Checks** screen, select **Ignore All** and proceed with the installation.

For non-interactive or silent installations, run the following command:

```
$. /runInstaller -ignorePrereq
```

## Bug 29742223

If you install single instance Oracle Database 19c on SUSE Linux Enterprise Server 15 or SUSE Linux Enterprise Server 12 SP3 with 19.8 or later DBRU, then you may encounter a prerequisite error for the libstdc++33-3.3.3-62.1 package.

### Workaround 1:

The libstdc++33-3.3.3-62.1 package is not required on SUSE Linux Enterprise Server 15 or SUSE Linux Enterprise Server 12 SP3.

In the **Perform Prerequisite Checks** screen, select **Ignore All** and proceed with the installation.

### Workaround 2:

Apply 19c Oracle Clusterware Release Update (OCWRU) that is bundled in the 19c Oracle Grid Infrastructure Release Update (GIRU) along with Oracle Database 19c Release Update (DBRU) 19.8 or later.

## Bug 30131474

libgfortran package missing error during Oracle Database 19.4 installation on SUSE Linux Enterprise Server 15

### Workaround:

Ignore the warning and ensure that you install the libgfortran4-7.3.1+r258812-2.15.x86\_64 package on the system.

# Known Issues and Bugs for Oracle Linux 8 and Red Hat Enterprise Linux 8

This section contains information about issues related to Oracle Linux 8 and Red Hat Enterprise Linux 8:

## Bug 30286976

To install Oracle Database 19c on Oracle Linux 8 or Red Hat Enterprise Linux 8, download the 19.3 Oracle Database software binaries from Oracle Technology Network (OTN), and then apply the 19.6 or 19.7 release updates (RUs) during the the Oracle Database and Oracle Grid Infrastructure installation or upgrade process.

### Installation Process:

During the Oracle Database and Oracle Grid Infrastructure installation process, run the `runInstaller` and `gridSetup.sh` commands with the `-applyRU` and `-applyOneOffs` options to install the latest 19.6 RU or 19.7 RU for Oracle Linux 8 and Red Hat Enterprise Linux 8:

#### Single-instance Oracle Database (19.6):

```
$ export CV_ASSUME_DISTID=OL7
$ 19.3_dbhome/runInstaller -applyRU 19.6DBRU patch 30557433 location
  -applyOneOffs 19.6OJVM patch 30484981 location, 19.6Oneoff patch
  30150710 location
```

#### Single-instance Oracle Database (19.7):

```
$ export CV_ASSUME_DISTID=OL7
$ 19.3_dbhome/runInstaller -applyRU 19.7DBRU patch 30869156 location
```

#### Oracle Grid Infrastructure (19.6):

```
$ 19.3_grid_home/gridSetup.sh -applyRU 19.6GIRU patch 30501910 location
  -applyOneOffs 19.6OJVM patch 30484981 location, 19.6OCWRU patch
  30855259 location
```

#### Oracle Grid Infrastructure (19.7):

```
$ 19.3_grid_home/gridSetup.sh -applyRU 19.7GIRU patch 30899722 location
```

#### Oracle Real Applications Cluster (19.6):

```
$ 19.3_dbhome/runInstaller -applyRU 19.6GIRU patch 30501910 location -
  applyOneOffs 19.6OJVM patch 30484981 location, 19.6OCWRU patch 30855259
  location, 19.6Oneoff patch 30150710 location
```

#### Oracle Real Applications Cluster (19.7):

```
$ 19.3_dbhome/runInstaller -applyRU 19.7GIRU patch 30899722 location
```

## Bug 30878668

The `sudo` option for running root configuration scripts does not work during Oracle Database 19c or Oracle Grid Infrastructure 19c installations on Oracle Linux 8 or Red Hat Enterprise Linux 8 systems.

**Workaround:**

Run the root configuration scripts manually as the `root` user.

## Bug 30445619

On Oracle Linux 8 or Red Hat Enterprise Linux 8, C++ applications built with `g++8` cannot be used with Oracle C++ Call Interface (OCCI).

**Workaround:**

For building applications with `g++8`, use the following compilation options:

```
-D_GLIBCXX_USE_CXX11_ABI=0 -Wno-narrowing
```

## Bug 29772579

`compat-libcap1-1.10` package missing error during single-instance Oracle Database and Oracle Database Client installations on Oracle Linux 8 and Red Hat Enterprise Linux 8.

**Workaround:**

In the **Perform Prerequisite Checks** screen, for the `compat-libcap1-1.10` missing check, select **Ignore All**, and click **Install** to continue with the installation.



**Note:**

Ensure that you fix all other checks and issues that are listed in the screen.

## Known Issues and Bugs for Standard Edition High Availability

This section contains information about issues related to Standard Edition High Availability:

## Bug 30821297

Oracle Database Standard Edition 2 allows you to create more than one pluggable database (PDB) in a multitenant container database (CDB). However, when you use

the Oracle Database Configuration Assistant (Oracle DBCA) to create a second PDB, you receive the following error:

```
[FATAL] [DBT-11506] Creation of more than one PDB requires Enterprise Edition license.
```

**Workaround:**

Create the additional PDB using the SQL statement `CREATE PLUGGABLE DATABASE`.

**Related Topics**

- *Oracle Multitenant Administrator's Guide*

## Bug 30979062

When you use the `srvctl relocate database` command to initiate the relocation of a database configured with Standard Edition High Availability, and if the destination-configured node does not have an available Oracle Database home, then the relocation fails as expected but with error messages that do not include the reason for the failure.

This issue will be fixed in a future Oracle Database 19c release update.

**Workaround:**

None.

## Bug 30992915

When you use Oracle Database Configuration Assistant (Oracle DBCA) to create a single-instance database on an Oracle Clusterware node, the database is registered with Oracle Clusterware. However, the command output incorrectly says the following:

```
Registering database with Oracle Restart
```

**Workaround:**

None.

## Bug 31114977

When you relocate Oracle Database configured with Standard Edition High Availability that has active database services, the `srvctl status service` command on that database displays a blank list of instance that has the services running. However, the services are running on the database instance.

**Workaround:**

None.

## Bug 31128434

When you use the `srvctl relocate database` command to initiate the relocation of a database configured with Standard Edition High Availability, and if Oracle Database



has a service registered, then the shutdown of the database instance is suspended for a period of time due to the mount lock being held.

The registered database services are not accessible when the database instance is suspended and the Oracle Database instance stops eventually on the current node and starts on the destination node.

**Workaround:**

Use a sequence of `srvctl stop database` commands followed by the `srvctl start database -node destination node` commands to avoid shutdown suspension.

## Bug 31128452

When you run the `srvctl config service` command for an Oracle Database with Standard Edition High Availability configured and its services registered, a `Java NullPointerException` occurs at the end of the output for the first service.

This issue will be fixed in a future Oracle Database 19c release update.

**Workaround:**

None.

## Bug 31146826

When you configure Standard Edition High Availability for a single-instance Oracle Database 19c Release Update (RU) 19.7 that does not have any database services registered, you will observe a local restart when the instance is abnormally terminated. However, after a service is added to the database, you do not observe the local restart. Instead, the database fails over immediately when it is abnormally terminated.

This issue will be fixed in a future Oracle Database 19c release update.

**Workaround:**

None.

## Bug 31156506

If Oracle base of the Oracle Database home is the same as Oracle base of the Oracle Grid Infrastructure home, then if the user adds a new node to the cluster, the Oracle Database home user loses access permissions to some of the subdirectories under Oraclebase of the Oracle Database home.

**Workaround:**

Use distinct directories as Oracle base for the Oracle Grid Infrastructure and Oracle Database installations.

## Bug 31188168

When you use the `srvctl relocate database -help` command from a Standard Edition single-instance Oracle Database 19c home, the prompt incorrectly displays usage and help messages with the mention of Oracle Real Application Clusters One Node (Oracle RAC One Node). Starting with Oracle Database 19c Release Update

(RU) 19.7, this command applies to Standard Edition High Availability and must contain the corresponding usage and help messages.

This issue will be fixed in a future Oracle Database 19c release update.

**Workaround:**

**Related Topics**

- *Oracle Database Administrator's Guide*
- *Oracle Clusterware Administration and Deployment Guide*

## Bug 31264160

Starting with Oracle Database 19c Release Update (RU) 19.7, you use the `srvctl` add or modify database commands to configure Standard Edition High Availability by specifying the `-node` option with a node list of more than one node. However, the usage messages from these commands, such as when running from an Oracle Database Standard Edition 2 database home with the `-help` option, do not show this usage.

This issue will be fixed in a future Oracle Database 19c release update.

**Workaround:**

**Related Topics**

- *Oracle Database Administrator's Guide*
- *Oracle Clusterware Administration and Deployment Guide*

# 4

## Issues Affecting Oracle Solaris for Oracle Database 19c

These topics contain last-minute features and changes for Oracle Solaris for Oracle Database 19c.

### Unsupported Products for Oracle Solaris

In addition to the list of unavailable products or features in this release of Oracle Database 19c, the following product is not supported for Oracle Solaris:

- Net Configuration Assistant Support

### Bug 21816875

Net Configuration Assistant (NETCA) is not supported on Oracle Solaris on SPARC (32-Bit) and Oracle Solaris on x86 (32-Bit) client platforms.

### Product Support

These are the supported products or features for Oracle Database 19c:

- Oracle Solaris Support on SPARC  
Oracle Database 19c is supported on Oracle Solaris on SPARC (64-bit).
- Database Smart Flash Cache Support  
Database Smart Flash Cache is supported on Oracle Solaris.
- Oracle ACFS and Oracle ADVM Support  
Although Oracle ADVM supports raw disks in Oracle Automatic Storage Management disk groups, Oracle ADVM device special files created through raw are not supported; Oracle ADVM only supports block device special files.  
For the latest information about supported platforms and releases, see the Note 1369107.1 on My Oracle Support at <https://support.oracle.com>

### Linking Applications with Oracle Client Libraries for Oracle Solaris

You must use the dynamic Oracle client libraries to link the client code on Oracle Solaris.

Do not link the static Oracle client libraries.

## Preinstallation Requirements for Oracle Solaris

Refer to the installation guides for the preinstallation requirements for Oracle Database 19c.

## Installation, Configuration, and Upgrade Issues for Oracle Solaris

These topics describe information about issues that affect Oracle Database installation, configuration, and upgrade.

### Bug 21800407

When installing Oracle Database for English and Japanese environments, the background font incorrectly displays yellow color for the Oracle Universal Installer (OUI), Database Configuration Assistant (DBCA), and Database Upgrade Assistant (DBUA) pages.

**Workaround:**

Prior to installing Oracle Database, run the following command:

```
export _JAVA_OPTIONS='-Dsun.java2d.xrender=false'
```

### Bug 28650933

Installing and using Oracle Secure Backup 12.2 on Oracle Solaris 11.4 may fail if the library `libnls.so` is not available in standard system library paths, since the Oracle Secure Backup libraries depend on `libnls.so`.

**Workaround:**

Upgrade the Oracle Solaris OS version to Oracle Solaris 11.4.6.4.0. and then install Oracle Secure Backup 12.2. Alternate workaround is to copy the file `/usr/lib/64/libnls.so.1` from an Oracle Solaris 11.3 machine to the `/usr/lib/64` path in the Oracle Solaris 11.4 machine where Oracle Secure Backup 12.2 needs to be installed.

### Bug 24355490

When installing or upgrading an Oracle Grid Infrastructure home on Oracle Solaris 10, if the desired software location resides under a soft link, then the Oracle Grid Infrastructure installer incorrectly sets the physical path as the software location.

**Workaround:**

Perform the following steps:

1. Set the Oracle Grid Infrastructure installer specifying the complete path to the desired Oracle home path:

```
Complete Oracle home path/gridSetup.sh
```

2. Proceed with the Oracle Grid Infrastructure installation.

## Open Bugs Affecting Oracle Solaris

There are no open bugs affecting Oracle Solaris at the time of the release.

# 5

## Issues Affecting HP-UX Itanium for Oracle Database 19c

These topics contain last-minute features and changes for HP-UX Itanium for Oracle Database 19c.

### Unsupported Products for HP-UX Itanium

In addition to the list of unavailable products or features in this release of Oracle Database 19c, the following products and features are not supported:

- Database Smart Flash Cache Support
- Oracle ASM Filter Driver Support

### Product Support

There are no supported products or features for Oracle Database 19c on HP-UX Itanium at this time.

### Linking Applications with Oracle Client Libraries for HP-UX Itanium

You must use the dynamic Oracle client libraries to link the client code on HP-UX Itanium.

Do not link the static Oracle client libraries.

### Preinstallation Requirements for HP-UX Itanium

Refer to the installation guides for the preinstallation requirements for Oracle Database 19c.

### Installation, Configuration, and Upgrade Issues for HP-UX Itanium

This topic describes information about issues that affect Oracle Database installation, configuration, and upgrade.

## Bug 27367949

In some Oracle Database installation scenarios, Database Upgrade Assistant (DBUA) reports a prerequisite checks failure, and returns the following error:

```
Oracle OLAP API UPGRADED 18.1.0.0.0 00:00:18
Upgrade Datapatch Error: prereq checks failed!
Upgrade Datapatch 00:00:37
```

Further `catupgrd_datapatch_normal.log` returns the following error:

```
Connecting to database...OK
Gathering database info...done
Bootstrapping registry and package to current versions...done
Error: prereq checks failed!
verify_queryable_inventory returned ORA-20001: Latest xml inventory is
not loaded into table
Prereq check failed, exiting without installing any patches.
```

### Workaround:

Start DBUA as a user with the same group ID as that of the Oracle user that owns the Oracle Database 18c Oracle home.

For example, if the user `asmadmin` is the group owner of the Oracle home on your system, change the user primary group to the `asmadmin` group using `newgrp`:

```
bash-4.3$ ls -l $ORACLE_HOME/bin/oracle
-rwsr-s--x 1 oracle asmadmin 1133380232 Feb 14 00:36 bin/oracle
bash-4.3$ newgrp asmadmin
bash-4.3$ $ORACLE_HOME/bin/dbua
```

## Bug 28340043

In some Oracle Database installation scenarios, creating database using Database Configuration Assistant (DBCA) results in `INVALID JAVAVM` component or database upgrade using Database Upgrade Assistant (DBUA) reports a prerequisite checks failure and returns the following error:

```
Oracle OLAP API UPGRADED 18.1.0.0.0 00:00:18
Upgrade Datapatch Error: prereq checks failed!
Upgrade Datapatch 00:00:37
```

Further `catupgrd_datapatch_normal.log` returns the following error:

```
Connecting to database...OK
Gathering database info...done
Bootstrapping registry and package to current versions...done
Error: prereq checks failed!
verify_queryable_inventory returned ORA-20001: Latest xml inventory is
```

not loaded into table  
Prereq check failed, exiting without installing any patches.

**Workaround:**

Start DBCA or DBUA as a user with the same group ID as that of the Oracle user that owns the Oracle Database 18c Oracle home.

For example, if the user `asmadmin` is the group owner of the Oracle home on your system, change the user primary group to the `asmadmin` group using `newgrp`:

```
bash-4.3$ ls -l $ORACLE_HOME/bin/oracle
-rwsr-s--x 1 oracle asmadmin 1133380232 Feb 14 00:36 bin/oracle
bash-4.3$ newgrp asmadmin
bash-4.3$ $ORACLE_HOME/bin/dbua
```

## Bug 29198896

While duplicating Oracle Database as standby using Database Configuration Assistant (DBCA), internally, RMAN DUPLICATE tries to copy the password file from Oracle Automatic Storage Management (Oracle ASM) to Non-ASM or vice-versa. The password file is copied, but the clone password file is not readable and returns the following error:

```
"ORA-01017: invalid username/password; logon denied" on clone
instance reconnection"
```

**Workaround:**

If the source instance password file is on Oracle ASM, then define the clone instance password on Oracle ASM only, and when the source password file is on Non-ASM files system, then keep the clone instance password file on Non-ASM file system.



# 6

## Issues Affecting the IBM AIX on POWER Systems Platform for Oracle Database 19c

These topics contain last-minute features and changes for Oracle Database 19c.

### Unsupported Products for the IBM AIX on POWER Systems Platform

There are no unsupported products for the IBM AIX on POWER Systems Platform at this time. Refer to the list of unavailable products or features for all platforms in Oracle Database 19c.

### Linking Applications with Oracle Client Libraries for the IBM AIX on POWER Systems Platform

You must use the dynamic Oracle client libraries to link the client code on Linux. Do not link the static Oracle client libraries.

### Preinstallation Requirements for the IBM AIX on POWER Systems Platform

Refer to the installation guides for the preinstallation requirements for Oracle Database 19c.

### Installation, Configuration, and Upgrade Issues for the IBM AIX on POWER Systems Platform

These topics describe information about issues that affect Oracle Database installation, configuration, and upgrade.

#### Bug 29053538

Oracle database instance at startup loads `libora_netlib.so`. This library has dependencies on IBM XL Fortran runtime libraries. If they are not installed on the system, startup fails with the following error:

```
ORA-40238: invalid linear algebra shared library
```

**Workaround:**

Install XL Fortran Runtime for AIX Fix Pack 10 (February 2018 PTF) for 15.1.

Download and install XL Fortran Runtime for AIX Fix Pack 10 (February 2018 PTF) for 15.1 from:

<https://www-01.ibm.com/support/docview.wss?uid=swg24044611>

## Bug 29434250

If you install Oracle Database 19c or Oracle Grid Infrastructure 19c or upgrade Oracle Database 19c or Oracle Grid Infrastructure 19c from previous versions to 19c by registering with Enterprise Manager Cloud Control (EMCC), installer may crash.

### **Workaround:**

Do not register with EMCC during install or upgrade. Instead, discover the host and add targets either using EMCC web console or Enterprise Manager Command Line Interface (EMCLI) commands after the install and upgrade is complete.

## Bug 29052788

In some environments, every time the Dynamic Host Configuration Protocol (DHCP) lease is renewed, a different IP address is assigned. The Cross-Doman Protocol (CDP) daemon does not see these changes, and assumes the IP address has not changed unless the CDP resource is restarted. Example, when the SCAN is stopped. When the IP address changes, there is a window when CDP is unreachable by that IP, and the agent eventually executes a clean action and restarts.

### **Workaround:**

If CDP is found to be offline when the SCAN VIP's IP changes, then use `srvctl start cdp` to restart it.

## Bug 29178036

The shutdown abort of Oracle RAC One Node Database software on IBM AIX on Power Systems 7.1 does not finish quickly and results in failing to failover.

### **Workaround:**

IBM AIX on Power Systems 8 or later, and AIX 7.2 use hardware compression for Active Memory Expansion (AME) and therefore can support the use of 64k pages with AME. On AIX 7.1 or earlier, 64k pages are not supported when AME is enabled, and 4k pages are used instead. In certain scenarios when using 4k pages with the Oracle Database, certain operations may be slower, including startup and shutdown of the database. Use of AME with the Oracle RAC One Node Database software is not recommended unless using AIX 8 or later and AIX 7.2 or later with 64k pages enabled.

## Open Bugs Affecting the IBM AIX on POWER Systems Platform

These topics contain last-minute features and changes for Oracle Database 19c.

# 7

## Issues Affecting Microsoft Windows for Oracle Database 19c

These topics contain last-minute features and changes for Microsoft Windows for Oracle Database 19c.

### Unsupported Products for Microsoft Windows

There are no unsupported Microsoft Windows-specific products at this time.

### Product Support

These are the supported products or features for Oracle Database 19c.

#### Oracle ACFS and Oracle ADVM Support

Although Oracle ADVM supports raw disks in Oracle Automatic Storage Management disk groups, Oracle ADVM device special files created through raw are not supported; Oracle ADVM only supports block device special files.

For the latest information about supported platforms and releases, see the Note 1369107.1 on My Oracle Support at <https://support.oracle.com>

#### Oracle Fail Safe Server Release 4.2.1 Support

Oracle Fail Safe Server, Release 4.2.1 is supported on the software listed in the following table:

Software	Release or Version
Oracle Database (Standard and Enterprise editions)	Oracle Database 11g Release 2 (11.2)
	Oracle Database 12c Release 1 (12.1)
	Oracle Database 12c Release 2 (12.2)
	Oracle Database 18c
	Oracle Database 19c
Microsoft Windows Platforms	Microsoft Windows Server 2012
	Microsoft Windows Server 2012 R2
	Microsoft Windows Server 2016
	Microsoft Windows Server 2019

#### Oracle Fail Safe Client Release 4.2.1 Support

Oracle Fail Safe Manager, the client, works with Oracle Fail Safe Server version 3.4.2.4 and later patch sets. Oracle Fail Safe Manager is supported on the following operating systems:

- Microsoft Windows Server 2012

- Microsoft Windows Server 2012 R2
- Microsoft Windows Server 2016
- Microsoft Windows Server 2019
- Windows 7
- Windows 8
- Windows 8.1
- Windows 10

For the latest certification information for Oracle Fail Safe, see the Certifications tab in My Oracle Support at <https://support.oracle.com>

## Linking Applications with Oracle Client Libraries for Microsoft Windows

You must use the dynamic Oracle client libraries to link the client code on Microsoft Windows.

Do not link the static Oracle client libraries.

## Preinstallation Requirements for Microsoft Windows

Refer to the installation guides for the preinstallation requirements for Oracle Database 19c.

## Installation, Configuration, and Upgrade Issues for Microsoft Windows

These topics describe information about issues that affect Oracle Database installation, configuration, and upgrade.

### Bug 20918120

Installing Oracle Real Application Clusters Database home with a Group Managed Services Account (gMSA) as the Oracle home user, fails with the following error if the gMSA name consists of more than 15 characters (including the domain name):

```
[INS-32101] Specified Oracle Home user does not exist
```

**Workaround:**

Use a gMSA name (including the domain name) that consists of less than 15 characters.

### Bug 21325903

The deinstallation operation fails to remove Oracle home and displays file in use errors because the services and processes running from Oracle home are not removed completely before Oracle home removal.

**Workaround:**

Manually remove the Oracle home.

## Bug 29426320

ORA-28575 "Unable to open RPC connection to external procedure agent" error occurs when running external procedures or Oracle Database Extensions for .NET procedures with a virtual user account.

**Workaround#1**

Restart the Oracle listener service and the OracleClrAgent service using a non-virtual user account.

**Workaround#2**

Reinstall Oracle Database 19c and select a non-virtual user account.

**Workaround#3**

If you require a virtual user account, then set `sqlnet.authentication_services` to `NONE` in `SQLNET.ORA`.