

Oracle® Database

Database Release Notes



21c
F31869-02
December 2020

ORACLE®

Oracle Database Database Release Notes, 21c

F31869-02

Copyright © 2017, 2020, Oracle and/or its affiliates.

Primary Authors: Rhonda Day, Sunil Surabhi

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

Contents

Preface

Audience	iv
Documentation Accessibility	iv
Related Resources	iv
Conventions	v

1 Purpose of These Release Notes

2 Issues Affecting All Platforms for Oracle Database 21c

2.1 Features Not Available or Restricted in This Release of Oracle Database 21c	2-1
2.2 Deprecated and Desupported Features for Oracle Database	2-1
2.3 Other Readmes, Release Notes, or Installation Guides	2-1

3 Open Bugs Affecting All Platforms

3.1 Oracle Universal Installer Known Bugs	3-1
3.1.1 Bug 18336219	3-1
3.1.2 Bug 27080535	3-1
3.1.3 Bug 27120934	3-2
3.2 JavaScript Object Notation Known Bugs	3-2
3.2.1 Bug 30896685	3-2
3.3 Oracle Database Enterprise Edition Known Bugs	3-3
3.3.1 Bug 23569490	3-3

Preface

This document describes last-minute features and changes that are not included in the Oracle Database Documentation Library for Oracle Database 21c.

Starting with Oracle Database 18c, the readme and platform-specific release notes have been combined into one document. The second chapter of this document contains generic information. Subsequent chapters of this document contain platform-specific information. The last chapter of this document contains last-minute changes not included in the Oracle Database documentation library.

- [Audience](#)
- [Documentation Accessibility](#)
- [Related Resources](#)
- [Conventions](#)

Audience

This document is relevant only to Oracle Database 21c and documents new features, changes, unsupported products, preinstallation requirements, generic and platform-specific bug fixes, and known issues that are not included in the Oracle Database documentation library.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=docacc>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Related Resources

Refer to the following documentation for more information related to this release:

- <http://docs.oracle.com/en/database/database.html>
- For licensing information, refer to *Oracle Database Licensing Information User Manual*.

- Additional readme or release notes files also exist. Refer to [Other Readmes](#), [Release Notes](#), or [Installation Guides](#).

Conventions

The following text conventions are used in this document:

Convention	Meaning
boldface	Boldface type indicates graphical user interface elements associated with an action, or terms defined in text or the glossary.
<i>italic</i>	Italic type indicates book titles, emphasis, or placeholder variables for which you supply particular values.
monospace	Monospace type indicates commands within a paragraph, URLs, code in examples, text that appears on the screen, or text that you enter.

1

Purpose of These Release Notes

This topic briefly describes the purpose of these release notes.

Updates to this document can occur after it is released. Check for updates to this document and view other Oracle documentation at:

<http://docs.oracle.com/en/database/database.html>

For licensing information, refer to *Oracle Database Licensing Information User Manual*.

Additional readme or release notes files also exist. Refer to the [Other Readmes, Release Notes, or Installation Guides](#).

2

Issues Affecting All Platforms for Oracle Database 21c

These topics contain last-minute features and changes that affect all platforms for Oracle Database 21c.

- [Features Not Available or Restricted in This Release of Oracle Database 21c](#)
This topic describes features that are not available or are restricted for Oracle Database 21c.
- [Deprecated and Desupported Features for Oracle Database](#)
This topic describes deprecated and desupported features for Oracle Database 21c.
- [Other Readmes, Release Notes, or Installation Guides](#)
There are additional documents for Oracle products that are associated with this Oracle Database release.

2.1 Features Not Available or Restricted in This Release of Oracle Database 21c

This topic describes features that are not available or are restricted for Oracle Database 21c.

- Only available on Linux x86-64 platform.
- Virtual Machines using Oracle Real Application Clusters (Oracle RAC) are not supported on bare-metal systems.
- Upgrade from previous releases to Oracle Database release 21c, version 21.1 is not supported.

2.2 Deprecated and Desupported Features for Oracle Database

This topic describes deprecated and desupported features for Oracle Database 21c.

Oracle Database 21c introduces behavior changes for your database in addition to new features. Changes in behavior include deprecated and desupported initialization parameters, options, syntax, and the deprecation and desupport of features and components. For more information, see the *Oracle Database Upgrade Guide*.

2.3 Other Readmes, Release Notes, or Installation Guides

There are additional documents for Oracle products that are associated with this Oracle Database release.

Refer to the following Oracle products and the location of their associated readme, release notes, or installation guide for additional information:

Table 2-1 Other Oracle Products Documentation

Product	Document
Oracle Application Express	<i>Oracle Application Express Release Notes and the Oracle Application Express Installation Guide.</i>
Oracle ODBC Driver	<i>ODBC Driver Release Notes</i>
Pro*C	<i>Pro*C/C++ Release Notes</i>
Pro*COBOL	<i>Pro*COBOL Release Notes</i>
SQL*Plus	<i>SQL*Plus Release Notes</i>

3

Open Bugs Affecting All Platforms

This section describes known bugs in Oracle Database 21c that affect all platforms.

- [Oracle Universal Installer Known Bugs](#)
These are the Oracle Universal Installer (OUI) bugs in Oracle Database 21c.
- [JavaScript Object Notation Known Bugs](#)
These are the JavaScript Object Notation (JSON) bugs in Oracle Database 21c.
- [Oracle Database Enterprise Edition Known Bugs](#)
These are the Oracle Database Enterprise Edition bugs in Oracle Database 21c.

3.1 Oracle Universal Installer Known Bugs

These are the Oracle Universal Installer (OUI) bugs in Oracle Database 21c.

- [Bug 18336219](#)
- [Bug 27080535](#)
- [Bug 27120934](#)

3.1.1 Bug 18336219

Oracle Database installer does not check if the password specified for `ASMSNMP` on the Specify Management Options screen is correct. If you proceed with the configuration and specify an incorrect password, then Oracle Enterprise Manager Cloud Control cannot discover details and monitor the Oracle ASM instance.

Workaround #1:

Ensure that the correct password (the same password specified earlier during the Oracle Grid Infrastructure for a cluster installation) is specified in the Specify Management Options screen of Oracle Database installer.

Workaround #2:

On the Oracle Enterprise Manager Cloud Control portal, navigate to the Oracle ASM credentials screen and update the password for `ASMSNMP`. Once the password is saved on Oracle Enterprise Manager Cloud Control, the Oracle ASM monitoring starts working.

3.1.2 Bug 27080535

When deinstalling Oracle Grid Infrastructure for a standalone server home with an Oracle Management Server configuration, the `emConfig.txt` file in `ORACLE_BASE/admin/emca` is not deleted.

Workaround:

To remove the `emConfig.txt` file, run the following command:

```
rm -rf $ORACLE_BASE/admin/emca/emConfig.txt
```

During the last `ORACLE_HOME` deinstallation, to remove `ORACLE_BASE`, run the following command after the deinstallation tool exits:

```
rm -rf $ORACLE_BASE
```

3.1.3 Bug 27120934

After downgrading Oracle Clusterware using the Grid Setup Wizard, from Oracle Database 21c to Oracle Clusterware release 12.1 or release 11.2, the unused data files of the Oracle Grid Infrastructure Management Repository (GIMR) of the 21c Oracle Grid Infrastructure home could still be present in the disk group.

Workaround:

Before starting the downgrade procedure using the Grid Setup Wizard, delete the GIMR database using the following command:

```
<Active_GI_HOME>/bin/dbca -silent -deleteDatabase -sourceDB -MGMTDB
```

3.2 JavaScript Object Notation Known Bugs

These are the JavaScript Object Notation (JSON) bugs in Oracle Database 21c.

- [Bug 30896685](#)

3.2.1 Bug 30896685

The `RETURNING DATE` clause for SQL functions `JSON_VALUE` and `JSON_TABLE` returns a `DATE` value with the time component zeroed out (truncated) in releases prior to Oracle Database 21c. The analogous `DATE ()` item method in the SQL/JSON path language has the same behavior.

Workaround:

In release 21c, this continues to be the default behavior for the `RETURNING DATE` clause. However, there is a new, optional behavior that preserves the time component of a `DATE` value for consistency with the Oracle `DATE` data type. This new behavior is expected to become the default in a future release.

The new behavior is now available using the `RETURNING DATE PRESERVE TIME` clause or using a new item method, `dateWithTime ()`. Time truncation, although the default in release 21c, can also be specified explicitly using the `RETURNING DATE TRUNCATE TIME` clause.

To minimize the impact to applications from the expected change in default behavior, Oracle Corporation recommends that, at least in new code, you explicitly use the

PRESERVE TIME or TRUNCATE TIME clause, as appropriate, and use the item method `dateWithTime ()` where appropriate.

For most use cases, the PRESERVE TIME clause and the item method `dateWithTime ()` are preferable. However, using the TRUNCATE TIME clause continues to ensure the same behavior that is the default in release 21c.

For an index to be used, the time handling (truncate or preserve) of the query and the index must match. An application time-handling change requires rebuilding any persistent objects that depend on it, such as indexes, materialized views, partitions, check constraints, and PL/SQL subprograms.

3.3 Oracle Database Enterprise Edition Known Bugs

These are the Oracle Database Enterprise Edition bugs in Oracle Database 21c.

- [Bug 23569490](#)

3.3.1 Bug 23569490

If you have a large number of collections and are working with clients earlier than Oracle Database 12c release 2 (12.2), then you need a larger object cache, due to a change in snapshot size and thus a need for collection image conversion.

Workaround:

The object cache size can be set using the `OBJECT_CACHE_OPTIMAL_SIZE` initialization parameter. This is set to a low value by default.