


This article was downloaded by:

On: 15 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Chemistry and Ecology

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713455114>

### Cover

Online publication date: 08 April 2010

**To cite this Article** (2010) 'Cover', *Chemistry and Ecology*, 26: 2, (e)

**To link to this Article:** DOI: 10.1080/02757540.2010.483772

**URL:** <http://dx.doi.org/10.1080/02757540.2010.483772>

## PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Volume 26 | Issue 2 | April 2010

ISSN 0275-7540

# Chemistry and Ecology

Oxyradical scavenging capacity in  
*Hexagenia* spp. nymphs

Edited by R. Danovaro



Taylor & Francis  
Taylor & Francis Group